



**Sexually Transmitted Diseases  
Reported cases among residents of Idaho  
October - December 2008**

District	HIV	AIDS	Chlamydia	Gonorrhea	Syphilis*	TOTAL
1	0	2	175	14	0	191
2	1	0	84	6	0	91
3	1	1	191	7	0	200
4	4	4	452	14	6	480
5	1	3	147	4	2	157
6	14	0	106	6	3	129
7	2	2	91	2	0	97
<b>Total</b>	<b>23</b>	<b>12</b>	<b>1,246</b>	<b>53</b>	<b>11</b>	<b>1,345</b>

**Sexually Transmitted Diseases  
Reported cases among residents of Idaho  
October - December 2007**

District	HIV	AIDS	Chlamydia	Gonorrhea	Syphilis*	TOTAL
1	1	0	134	13	1	149
2	1	0	59	1	1	62
3	0	0	228	12	0	240
4	4	5	338	30	2	379
5	1	0	100	5	1	107
6	2	2	80	1	1	86
7	1	0	43	1	0	45
<b>Total</b>	<b>10</b>	<b>7</b>	<b>982</b>	<b>63</b>	<b>6</b>	<b>1,068</b>

\*syphilis – all stages



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

**Reported Idaho HIV and AIDS cases presumed living\* by diagnostic status as of December 31, 2008**

**Presumed living tabulations are in progress, but are unavailable at this time.**

District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV Cases Presumed Living***
1							
2							
3							
4							
5							
6							
7							
<b>TOTAL</b>							

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

\*Reported HIV cases presumed living - Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

\*\*HIV (+) - Total number of reported HIV seropositive individuals EVER REPORTED in Idaho, excluding AIDS cases.

\*\*\*Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

**Cumulative reported HIV and AIDS diagnoses among Idaho residents**

<b>Category</b>	<b>Idaho HIV+ 12/31/08</b>		<b>Idaho AIDS 12/31/08</b>	
<b>Sex</b>				
<i>Male</i>	365	(80%)	543	(86%)
<i>Female</i>	<u>90</u>	<u>(20%)</u>	<u>89</u>	<u>(14%)</u>
<b>Total</b>	455	(100%)	632	(100%)
<b>Pediatric/Adult &amp; Adolescent</b>				
<i>Adults/adolescents (13 years or above)</i>	450	(99%)	630	(100%)
<i>Children (less than 13 years)</i>	<u>5</u>	<u>(1%)</u>	<u>2</u>	<u>(0%)</u>
<b>Total</b>	455	(100%)	632	(100%)
<b>Race/Ethnicity</b>				
<i>Hispanic All Races</i>	55	(12%)	60	(9%)
<i>Non-Hispanic American Indian/Alaska Native</i>	11	(2%)	10	(2%)
<i>Asian</i>	3	(1%)	0	(0%)
<i>Black</i>	22	(5%)	14	(2%)
<i>Native Hawai'ian/Pacific Islander</i>	0	(0%)	0	(0%)
<i>White</i>	360	(79%)	544	(86%)
<i>Legacy Asian/Pacific Islander</i>	1	(0%)	3	(0%)
<i>Multi Race</i>	3	(1%)	1	(0%)
<i>Unknown</i>	<u>0</u>	<u>(0%)</u>	<u>0</u>	<u>(0%)</u>
<b>Total</b>	455	(100%)	632	(100%)
<b>Exposure Categories - Adults/Adolescents</b>				
<i>Men who have sex with men (MSM)</i>	202	(45%)	331	(53%)
<i>Injecting drug use</i>	60	(13%)	74	(12%)
<i>Men sex men &amp; inject drugs</i>	40	(9%)	50	(8%)
<i>Hemophilia/Coagulation disorder</i>	1	(0%)	18	(3%)
<i>Heterosexual contact</i>	61	(14%)	87	(14%)
<i>Receipt of blood, components, or tissue</i>	2	(0%)	11	(2%)
<i>Other/risk not reported or identified</i>	<u>83</u>	<u>(18%)</u>	<u>59</u>	<u>(9%)</u>
<b>Total</b>	449	(100%)	630	(100%)
<b>Exposure Categories - Pediatric</b>				
<i>Hemophilia/coagulation disorder</i>	0	(0%)	0	(0%)
<i>Mother with/at risk for HIV infection</i>	3	(60%)	0	(0%)
<i>Receipt of blood, components, or tissue</i>	0	(0%)	2	(100%)
<i>Other/risk not reported or identified</i>	<u>2</u>	<u>(40%)</u>	<u>0</u>	<u>(0%)</u>
<b>Total</b>	5	(100%)	2	(100%)

Rate (cumulative) per 100,000 residents

**32.7**

**45.4**

<b>Idaho AIDS cases by age at diagnosis</b>		
<b>Age</b>	<b>All Cases</b>	<b>Percent</b>
<b>Under 5</b>	1	0%
<b>5</b>	1	0%
<b>13-19</b>	4	1%
<b>20-29</b>	99	16%
<b>30-39</b>	260	41%
<b>40-49</b>	187	30%
<b>Over 49</b>	80	13%
<b>Unknown</b>	0	0%
<b>TOTAL</b>	<b>632</b>	<b>100%</b>

<b>Idaho HIV positive by age at diagnosis</b>		
<b>Age</b>	<b>All Cases</b>	<b>Percent</b>
<b>Under 5</b>	4	1%
<b>5-12</b>	1	0%
<b>13-19</b>	13	3%
<b>20-29</b>	188	41%
<b>30-39</b>	149	33%
<b>40-49</b>	72	16%
<b>Over 49</b>	28	6%
<b>Unknown</b>	0	0%
<b>TOTAL</b>	<b>455</b>	<b>100%</b>

Reports of HIV positive and AIDS cases should be made to the Office of Epidemiology and Food Protection as required by Idaho Code 39-602. Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States -- Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at [haumanna@dhw.idaho.gov](mailto:haumanna@dhw.idaho.gov).