2010 Research Bibliography on Suicide Prevention in Teen Males

Idaho Suicide Prevention Research Project

Funded by the Idaho Department of Health & Welfare

July, 2011

Suicides in national parks--United States, 2003-2009. (2010). *MMWR Morbidity and mortality weekly report, 59*(47), 1546-1549. (http://www.ncbi.nlm.nih.gov/pubmed/21124294)

Ahlm, K., S. Hassler, P. Sjölander, & A. Eriksson. (2010). Unnatural deaths in reindeer-herding Sami families in Sweden, 1961-2001. *International journal of circumpolar health, 69*(2), 129-137. (http://www.ncbi.nlm.nih.gov/pubmed/20356469)

Ahmadi, A., N. Pakravan, & Z. Ghazizadeh. (2010). Pattern of acute food, drug, and chemical poisoning in Sari City, Northern Iran. *Human & experimental toxicology, 29*(9), 731-738. (http://www.ncbi.nlm.nih.gov/pubmed/20144960)

Ahmadi, S. (2010). *The relationship between parental practices and suicidal behaviors in Quebec adolescents.* Unpublished Thesis, ProQuest Information & Learning, US.

Ahn, E., D. W. Shin, S. I. Cho, S. Park, Y. J. Won, & Y. H. Yun. (2010). Suicide rates and risk factors among Korean cancer patients, 1993-2005. *Cancer epidemiology, biomarkers & prevention, 19*(8), 2097-2105. (http://www.ncbi.nlm.nih.gov/pubmed/20696665)

Al Madni, O. M., M. A. Kharoshah, M. K. Zaki, & S. S. Ghaleb. (2010). Hanging deaths in Dammam, Kingdom of Saudi Arabia. *Journal of forensic and legal medicine, 17*(5), 265-268. (http://www.ncbi.nlm.nih.gov/pubmed/20569953)

Alonso, P., C. Segalàs, E. Real, A. Pertusa, J. Labad, et. al. (2010). Suicide in patients treated for obsessive-compulsive disorder: a prospective follow-up study. *Journal of Affective Disorders, 124*(3), 300-308. (http://www.ncbi.nlm.nih.gov/pubmed/20060171)

Althoff, R. R., D. C. Rettew, L. A. Ayer, & J. J. Hudziak. (2010). Cross-informant agreement of the Dysregulation Profile of the Child Behavior Checklist. *Psychiatry research, 178*(3), 550-555. (http://www.ncbi.nlm.nih.gov/pubmed/20510462)

An, H., J. H. Ahn, & S. Y. Bhang. (2010). The association of psychosocial and familial factors with adolescent suicidal ideation: A population-based study. *Psychiatry research, 177*(3), 318-322. (http://www.ncbi.nlm.nih.gov/pubmed/20381165)

Andersen, K., J. Hawgood, H. Klieve, K. Kõlves, & D. De Leo. (2010). Suicide in selected occupations in Queensland: evidence from the State suicide register. *The Australian and New Zealand journal of psychiatry, 44*(3), 243-249. (http://www.ncbi.nlm.nih.gov/pubmed/20180726)

Apter, A. (2010). Clinical aspects of suicidal behavior relevant to genetics. *European psychiatryEuropean psychiatry, 25*(5), 257-259. (http://www.ncbi.nlm.nih.gov/pubmed/20444579)

---. (2010). Suicidal behaviour in adolescence. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(5), 271-273.

Argo, A., D. Bongiorno, A. Bonifacio, V. Pernice, R. Liotta, et. al. (2010). A fatal case of a paint thinner ingestion: comparison between toxicological and histological findings. *The American journal of forensic medicine and pathology, 31*(2), 186-191. (http://www.ncbi.nlm.nih.gov/pubmed/20010286)

Argyle, N. (2010). Suicide trends in an expanding mental health service in Auckland. *Australasian psychiatry, 18*(5), 437-440. (http://www.ncbi.nlm.nih.gov/pubmed/20863183)

Arnautovska, U., & O. T. Grad. (2010). Attitudes toward suicide in the adolescent population. *Crisis, 31*(1), 22-29. (http://www.ncbi.nlm.nih.gov/pubmed/20197254)

Aronson, S. M. (2010). The games our children play. *Medicine and health, Rhode Island, 93*(8), 227.

Asellus, P., P. Nordström, & J. Jokinen. (2010). Cholesterol and CSF 5-HIAA in attempted suicide. *Journal of Affective Disorders, 125*(1-3), 388-392. (http://www.ncbi.nlm.nih.gov/pubmed/20299106)

Asirdizer, M., G. Cantürk, N. Cantürk, M. S. Yavuz, & H. Sari. (2010). Analyses of suicidal deaths with shotguns in Istanbul, 1998-2007. *Ulusal travma ve acil cerrahi dergisi = Turkish journal of trauma & emergency surgery, 16*(1), 47-53. (http://www.ncbi.nlm.nih.gov/pubmed/20209396)

Asirdizer, M., M. S. Yavuz, S. D. Aydin, & M. G. Dizdar. (2010). Suicides in Turkey between 1996 and 2005: general perspective. *The American journal of forensic medicine and pathology, 31*(2), 138-145. (http://www.ncbi.nlm.nih.gov/pubmed/20110803)

Baca-Garcia, E., M. M. Perez-Rodriguez, K. M. Keyes, M. A. Oquendo, D. S. Hasin, et. al. (2010). Suicidal ideation and suicide attempts in the United States: 1991-1992 and 2001-2002. *Molecular psychiatry, 15*(3), 250-259. (http://www.ncbi.nlm.nih.gov/pubmed/18779820)

Bailey, C. M., H. L. Samples, D. K. Broshek, J. R. Freeman, & J. T. Barth. (2010). The relationship between psychological distress and baseline sports-related concussion testing. *Clinical journal of sport medicine, 20*(4), 272-277. (http://www.ncbi.nlm.nih.gov/pubmed/20606512)

Bakst, S., J. Rabinowitz, & E. J. Bromet. (2010). Antecedents and patterns of suicide behavior in first-admission psychosis. *Schizophrenia bulletin, 36*(4), 880-889. (http://www.ncbi.nlm.nih.gov/pubmed/19273582)

Barnes, A. J., M. E. Eisenberg, & M. D. Resnick. (2010). Suicide and self-injury among children and youth with chronic health conditions. *Pediatrics, 125*(5), 889-895. (http://www.ncbi.nlm.nih.gov/pubmed/20385631)

Barrett, E. A., K. Sundet, A. Faerden, I. Agartz, U. Bratlien, et. al. (2010). Suicidality in first episode psychosis is associated with insight and negative beliefs about psychosis. *Schizophrenia Research, 123*(2-3), 257-262. (http://www.ncbi.nlm.nih.gov/pubmed/20685083)

Bartram, D. J., & D. S. Baldwin. (2010). Veterinary surgeons and suicide: a structured review of possible influences on increased risk. *The Veterinary record, 166*(13), 388-397. (http://www.ncbi.nlm.nih.gov/pubmed/20348468)

Batty, G. D., E. Whitley, M. Kivimäki, P. Tynelius, & F. Rasmussen. (2010). Body mass index and attempted suicide: Cohort study of 1,133,019 Swedish men. *American journal of epidemiology, 172*(8), 890-899. (http://www.ncbi.nlm.nih.gov/pubmed/20829269)

Becker-Weidman, E. G., R. H. Jacobs, M. A. Reinecke, S. G. Silva, & J. S. March. (2010). Social problem-solving among adolescents treated for depression. *Behaviour Research and Therapy, 48*(1), 11-18. (http://www.ncbi.nlm.nih.gov/pubmed/19775677)

Bell, J., N. Stanley, S. Mallon, & J. Manthorpe. (2010). The role of perfectionism in student suicide: three case studies from the UK. *Omega, 61*(3), 251-267. (http://www.ncbi.nlm.nih.gov/pubmed/20873535)

Belmont, P. J., Jr., G. P. Goodman, B. Waterman, K. DeZee, R. Burks, & B. D. Owens. (2010). Disease and nonbattle injuries sustained by a U.S. Army Brigade Combat Team during Operation Iraqi Freedom. *Military medicine, 175*(7), 469-476. (http://www.ncbi.nlm.nih.gov/pubmed/20684449)

Benn, E. K., D. C. Hesdorffer, S. R. Levy, F. M. Testa, F. J. Dimario, & A. T. Berg. (2010). Parental report of behavioral and cognitive diagnoses in childhood-onset epilepsy: A case-sibling-controlled analysis. *Epilepsy & behavior, 18*(3), 276-279. (http://www.ncbi.nlm.nih.gov/pubmed/20494622)

Biddle, V. S., L. K. Sekula, R. Zoucha, & K. R. Puskar. (2010). Identification of suicide risk among rural youth: implications for the use of HEADSS. *Journal of pediatric health care, 24*(3), 152-167. (http://www.ncbi.nlm.nih.gov/pubmed/20417887)

Bodén, R., J. Sundström, E. Lindström, I. M. Wieselgren, & L. Lindström. (2010). Five-year outcome of first-episode psychosis before and after the implementation of a modified assertive community treatment programme. *Social psychiatry and psychiatric epidemiology, 45*(6), 665-674. (http://www.ncbi.nlm.nih.gov/pubmed/19652896)

Boeninger, D. K., K. E. Masyn, B. J. Feldman, & R. D. Conger. (2010). Sex Differences in Developmental Trends of Suicide Ideation, Plans, and Attempts among European American Adolescents. *Suicide and Life-Threatening Behavior, 40*(5), 451-464. (http://www.ncbi.nlm.nih.gov/pubmed/21034208)

Boghossian, E., S. Tambuscio, & A. Sauvageau. (2010). Nonchemical suffocation deaths in forensic setting: a 6-year retrospective study of environmental suffocation, smothering, choking, and traumatic/positional asphyxia. *Journal of forensic sciences, 55*(3), 646-651. (http://www.ncbi.nlm.nih.gov/pubmed/20345786)

Booth, H. (2010). The evolution of epidemic suicide on Guam: context and contagion. *Suicide & life threatening behavior, 40*(1), 1-13. (http://www.ncbi.nlm.nih.gov/pubmed/20170257)

Borges, G., C. Benjet, M. E. Medina-Mora, R. Orozco, I. Familiar, et. al. (2010). Service use among Mexico City adolescents with suicidality. *Journal of Affective Disorders, 120*(1-3), 32-39. (http://www.ncbi.nlm.nih.gov/pubmed/19411113)

Botega, N. J., R. C. de Azevedo, M. L. Mauro, G. N. Mitsuushi, P. C. Fanger, et. al. (2010). Factors associated with suicide ideation among medically and surgically hospitalized patients. *General hospital psychiatry, 32*(4), 396-400. (http://www.ncbi.nlm.nih.gov/pubmed/20633743)

Bradley, C. E., J. E. Harrison, & A. Abou Elnour. (2010). Appearances may deceive: what's going on with Australian suicide statistics? *The Medical journal of Australia, 192*(8), 428-429.

Brådvik, L., C. Mattisson, M. Bogren, & P. Nettelbladt. (2010). Mental disorders in suicide and undetermined death in the Lundby Study. The contribution of severe depression and alcohol dependence. *Archives of suicide research, 14*(3), 266-275. (http://www.ncbi.nlm.nih.gov/pubmed/20658380)

Branco, B. C., K. Inaba, G. Barmparas, P. Talving, J. S. David, et. al. (2010). Sex-related differences in childhood and adolescent self-inflicted injuries: a National Trauma Databank review. *Journal of pediatric surgery, 45*(4), 796-800. (http://www.ncbi.nlm.nih.gov/pubmed/20385290)

Brand, S., J. Angst, & E. Holsboer-Trachsler. (2010). Is the increase of hypomanic stages during adolescence related to gender and developmental tasks? *The world journal of biological psychiatry, 11*(3), 594-602. (http://www.ncbi.nlm.nih.gov/pubmed/20073548)

Brausch, A. M., & P. M. Gutierrez. (2010). Differences in non-suicidal self-injury and suicide attempts in adolescents. *Journal of Youth and Adolescence, 39*(3), 233-242. (http://www.ncbi.nlm.nih.gov/pubmed/19941045)

Brent, D., N. Melhem, R. Ferrell, G. Emslie, K. D. Wagner, et. al. (2010). Association of FKBP5 polymorphisms with suicidal events in the Treatment of Resistant Depression in Adolescents (TORDIA) study. *The American Journal of Psychiatry, 167*(2), 190-197. (http://www.ncbi.nlm.nih.gov/pubmed/20008943)

Bridge, J. A., J. B. Greenhouse, A. H. Sheftall, A. Fabio, J. V. Campo, & K. J. Kelleher. (2010). Changes in suicide rates by hanging and/or suffocation and firearms among young persons aged 10-24 years in the United States: 1992-2006. *The Journal of adolescent health, 46*(5), 503-505. (http://www.ncbi.nlm.nih.gov/pubmed/20413089)

Bridges, F. S., & W. B. Tankersley. (2010). Mean ages of homicide victims and victims of homicide-suicide. *Psychological reports, 106*(1), 163-169. (http://www.ncbi.nlm.nih.gov/pubmed/20402440)

Britt, C. W., Jr. (2010). Reflections for March: a clasp of life. *Neurology, 74*(10), 860-862.

Brunel, C., C. Fermanian, M. Durigon, & G. L. de la Grandmaison. (2010). Homicidal and suicidal sharp force fatalities: autopsy parameters in relation to the manner of death. *Forensic science international, 198*(1-3), 150-154. (http://www.ncbi.nlm.nih.gov/pubmed/20219299)

Brunstein Klomek, A., A. Sourander, & M. Gould. (2010). The association of suicide and bullying in childhood to young adulthood: a review of cross-sectional and longitudinal research findings. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(5), 282-288. (http://www.ncbi.nlm.nih.gov/pubmed/20482954)

Brzozowski, F. S., G. B. Soares, J. Benedet, A. F. Boing, & M. A. Peres. (2010). Suicide time trends in Brazil from 1980 to 2005. *Cadernos de saúde pública / Ministério da Saúde, Fundação Oswaldo Cruz, Escola Nacional de Saúde Pública, 26*(7), 1293-1302. (http://www.ncbi.nlm.nih.gov/pubmed/20694355)

Burke, A. K., H. Galfalvy, B. Everett, D. Currier, J. Zelazny, et. al. (2010). Effect of exposure to suicidal behavior on suicide attempt in a high-risk sample of offspring of depressed parents. *Journal of the American Academy of Child and Adolescent Psychiatry, 49*(2), 114-121. (http://www.ncbi.nlm.nih.gov/pubmed/20215933)

Burrows, S., N. Auger, M. Roy, & C. Alix. (2010). Socio-economic inequalities in suicide attempts and suicide mortality in Québec, Canada, 1990-2005. *Public health, 124*(2), 78-85. (http://www.ncbi.nlm.nih.gov/pubmed/20181370)

Bursztein Lipsicas, C., & I. Henrik Mäkinen. (2010). Immigration and suicidality in the young. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(5), 274-281. (http://www.ncbi.nlm.nih.gov/pubmed/20482953)

Chakraborty, S., S. Bisoi, D. Chattopadhyay, R. Mishra, N. Bhattacharya, & B. Biswas. (2010). A study on demographic and clinical profile of burn patients in an Apex Institute of West Bengal. *Indian journal of public health, 54*(1), 27-29. (http://www.ncbi.nlm.nih.gov/pubmed/20859047)

Chang, E. C., L. J. Sanna, J. K. Hirsch, & E. L. Jeglic. (2010). Loneliness and negative life events as predictors of hopelessness and suicidal behaviors in Hispanics: evidence for a diathesis-stress model. *Journal of Clinical Psychology, 66*(12), 1242-1253. (http://www.ncbi.nlm.nih.gov/pubmed/20734320)

Chang, K. D., M. K. Singh, P. W. Wang, & M. Howe. (2010). Management of bipolar disorders in children and adolescents. In T. A. Ketter (Ed.), *Handbook of diagnosis and treatment of bipolar disorders.* (pp. 389-424). Arlington, VA US: American Psychiatric Publishing, Inc.

Chang, S. S., J. A. Sterne, T. H. Lu, & D. Gunnell. (2010). 'Hidden' suicides amongst deaths certified as undetermined intent, accident by pesticide poisoning and accident by suffocation in Taiwan. *Social psychiatry and psychiatric epidemiology, 45*(2), 143-152. (http://www.ncbi.nlm.nih.gov/pubmed/19363577)

Chang, S. S., J. A. Sterne, W. C. Huang, H. L. Chuang, & D. Gunnell. (2010). Association of secular trends in unemployment with suicide in Taiwan, 1959-2007: a time-series analysis. *Public health, 124*(1), 49-54. (http://www.ncbi.nlm.nih.gov/pubmed/20003993)

Chen, C., Y.-h. Hong, & S. Yang. (2010). Relationships among adolescents' life events, self-esteem, depression and suicide ideation. *Chinese Journal of Clinical Psychology, 18*(2), 190-191.

Chen, V. C., H. K. Tan, A. T. Cheng, C. Y. Chen, L. R. Liao, et. al. (2010). Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. *The British journal of psychiatry, 196*(1), 31-35. (http://www.ncbi.nlm.nih.gov/pubmed/20044656)

Chen, V. C., J. Y. Chou, T. J. Lai, & C. T. Lee. (2010). Suicide and unemployment rate in Taiwan, a population-based study, 1978-2006. *Social psychiatry and psychiatric epidemiology, 45*(4), 447-452. (http://www.ncbi.nlm.nih.gov/pubmed/1953644)

Chen, Y. Y., P. S. Yip, C. Lee, H. F. Fan, & K. W. Fu. (2010). Economic fluctuations and suicide: a comparison of Taiwan and Hong Kong. *1982, 71*(12), 2083-2090. (http://www.ncbi.nlm.nih.gov/pubmed/21071128)

Cheng, Y., I. M. Newman, M. Qu, L. Mbulo, Y. Chai, Y. Chen, & D. F. Shell. (2010). Being bullied and psychosocial adjustment among middle school students in China. *The Journal of school health, 80*(4), 193-199. (http://www.ncbi.nlm.nih.gov/pubmed/20433645)

Chia, B. H., A. Chia, N. W. Yee, & T. B. Choo. (2010). Suicide trends in Singapore: 1955-2004. *Archives of suicide research, 14*(3), 276-283. (http://www.ncbi.nlm.nih.gov/pubmed/20658381)

Cho, Y. B., & N. Haslam. (2010). Suicidal ideation and distress among immigrant adolescents: the role of acculturation, life stress, and social support. *Journal of Youth and Adolescence, 39*(4), 370-379. (http://www.ncbi.nlm.nih.gov/pubmed/20229228)

Chronis-Tuscano, A., B. S. G. Molina, W. E. Pelham, B. Applegate, A. Dahlke, et. al. (2010). Very early predictors of adolescent depression and suicide attempts in children with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry, 67*(10), 1044-1051. (http://www.ncbi.nlm.nih.gov/pubmed/20921120)

Cloud, J. (2010). Bullied to death? *Time, 176*(16), 60-63.

Coker, T. R., S. B. Austin, & M. A. Schuster. (2010). The health and health care of lesbian, gay, and bisexual adolescents. *Annual review of public health, 31*, 457-477. (http://www.ncbi.nlm.nih.gov/pubmed/20070195)

Collins, K. A. (2010). Adolescent Russian roulette deaths. *The American journal of forensic medicine and pathology, 31*(1), 4-6. (http://www.ncbi.nlm.nih.gov/pubmed/20010290)

Conrad, K. J., N. Bezruczko, Y. F. Chan, B. Riley, G. Diamond, & M. L. Dennis. (2010). Screening for atypical suicide risk with person fit statistics among people presenting to alcohol and other drug treatment. *Drug and alcohol dependence, 106*(2-3), 92-100. (http://www.ncbi.nlm.nih.gov/pubmed/19748746)

Cooper, J., E. Murphy, R. Webb, K. Hawton, H. Bergen, K. Waters, & N. Kapur. (2010). Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. *The British journal of psychiatry, 197*(3), 212-218. (http://www.ncbi.nlm.nih.gov/pubmed/20807966)

Corcoran, P., & E. Arensman. (2010). A study of the Irish system of recording suicide deaths. *Crisis, 31*(4), 174-182. (http://www.ncbi.nlm.nih.gov/pubmed/20801747)

Coventry, W. L., M. R. James, L. J. Eaves, S. D. Gordon, N. A. Gillespie, et. al. (2010). Do 5HTTLPR and stress interact in risk for depression and suicidality? Item response analyses of a large sample. *American journal of medical genetics Part B, Neuropsychiatric genetics, 5*(3), 757-765. (http://www.ncbi.nlm.nih.gov/pubmed/19911410)

Crespi, T. D., & J. R. Lovelace. (2010). Adolescent incarceration and children's psychiatric hospitalization: Training school psychologists for nontraditional settings. In E. García-Vásquez, T. D. Crespi & C. A. Riccio (Eds.), *Handbook of education, training, and supervision of school psychologists in school and community, Vol 1: Foundations of professional practice.* (pp. 279-294). New York, NY US: Routledge/Taylor & Francis Group.

Csorba, J., E. Dinya, E. Ferencz, P. Steiner, G. Bertalan, & A. Zsadon. (2010). Novelty seeking: Difference between suicidal and non-suicidal Hungarian adolescent outpatients suffering from depression. *Journal of Affective Disorders, 120*(1-3), 217-220. (http://www.ncbi.nlm.nih.gov/pubmed/19386368)

Currier, G. W., S. G. Fisher, & E. D. Caine. (2010). Mobile crisis team intervention to enhance linkage of discharged suicidal emergency department patients to outpatient psychiatric services: a randomized controlled trial. *Academic emergency medicine, 17*(1), 36-43. (http://www.ncbi.nlm.nih.gov/pubmed/20015106)

Cutajar, M. C., P. E. Mullen, J. R. Ogloff, S. D. Thomas, D. L. Wells, & J. Spataro. (2010). Suicide and fatal drug overdose in child sexual abuse victims: a historical cohort study. *The Medical journal of Australia, 192*(4), 184-187. (http://www.ncbi.nlm.nih.gov/pubmed/20170453)

Davidson, C. L., L. R. Wingate, M. L. Slish, & K. A. Rasmussen. (2010). The Great Black Hope: Hope and its relation to suicide risk among African Americans. *Suicide & life threatening behavior, 40*(2), 170-180. (http://www.ncbi.nlm.nih.gov/pubmed/20465352)

Dávila, G., M. L. Berthier, J. Kulisevsky, & S. Jurado Chacón. (2010). Suicide and attempted suicide in Tourette's syndrome: a case series with literature review. *The Journal of clinical psychiatry, 71*(10), 1401-1402.

De Leo, D., M. J. Dudley, C. J. Aebersold, J. A. Mendoza, M. A. Barnes, et. al. (2010). Achieving standardised reporting of suicide in Australia: rationale and program for change. *The Medical journal of Australia, 192*(8), 452-456. (http://www.ncbi.nlm.nih.gov/pubmed/20402609)

DeJong, T. M., J. C. Overholser, & C. A. Stockmeier. (2010). Apples to oranges?: a direct comparison between suicide attempters and suicide completers. *Journal of Affective Disorders, 124*(1-2), 90-97. (http://www.ncbi.nlm.nih.gov/pubmed/19903573)

Dieserud, G., R. M. Gerhardsen, H. Van den Weghe, & K. Corbett. (2010). Adolescent suicide attempts in Bærum, Norway, 1984–2006: Trends, triggers, and underlying reasons. *Crisis, 31*(5), 255-264. (http://www.ncbi.nlm.nih.gov/pubmed/21134845)

Dodig-Curkovic, K., M. Curkovic, J. Radic, D. Degmecic, & P. Filekovic. (2010). Suicidal behavior and suicide among children and adolescents-risk factors and epidemiological characteristics. *Collegium antropologicum, 34*(2), 771-777. (http://www.ncbi.nlm.nih.gov/pubmed/20698169)

Dogan, K. H., S. Demirci, G. Gunaydin, & B. Buken. (2010). Homicide-suicide in Konya, Turkey between 2000 and 2007. *Journal of forensic sciences, 55*(1), 110-115. (http://www.ncbi.nlm.nih.gov/pubmed/20002265)

Dolberg, O. T., G. Barkai, A. Leor, H. Rapoport, M. Bloch, & S. Schreiber. (2010). Injured civilian survivors of suicide bomb attacks: from partial PTSD to recovery or to traumatisation. Where is the turning point? *The world journal of biological psychiatry, 11*(2), 344-351. (http://www.ncbi.nlm.nih.gov/pubmed/20218797)

Donaldson, D., A. Spirito, & J. Boergers. (2010). Treatment engagement with adolescent suicide attempters. In D. Castro-Blanco & M. S. Karver (Eds.), *Elusive alliance: Treatment engagement strategies with high-risk adolescents.* (pp. 207-225). Washington, DC US: American Psychological Association.

Dudley, M., R. Goldney, & D. Hadzi-Pavlovic. (2010). Are adolescents dying by suicide taking SSRI antidepressants? A review of observational studies. *Australasian psychiatry, 18*(3), 242-245. (http://www.ncbi.nlm.nih.gov/pubmed/20482427)

Dutta, R., R. M. Murray, M. Hotopf, J. Allardyce, P. B. Jones, & J. Boydell. (2010). Reassessing the long-term risk of suicide after a first episode of psychosis. *Archives of General Psychiatry, 67*(12), 1230-1237. (http://www.ncbi.nlm.nih.gov/pubmed/21135323)

Epstein, J. A., & A. Spirito. (2010). Gender-specific risk factors for suicidality among high school students. *Archives of suicide research, 14*(3), 193-205. (http://www.ncbi.nlm.nih.gov/pubmed/20658374)

Fajkic, A., O. Lepara, M. Voracek, N. D. Kapusta, T. Niederkrotenthaler, et. al. (2010). Child and adolescent suicides in Bosnia and Herzegovina before and after the war (1992-1995). *Crisis, 31*(3), 160-164. (http://www.ncbi.nlm.nih.gov/pubmed/20573610)

Falcone, T., V. Fazio, C. Lee, B. Simon, K. Franco, N. Marchi, & D. Janigro. (2010). Serum S100B: a potential biomarker for suicidality in adolescents? *PloS one, 5*(6). (http://www.ncbi.nlm.nih.gov/pubmed/20559426)

Fang, L., & J. Zhang. (2010). Validity of proxy data obtained by different psychological autopsy information reconstruction techniques. *The Journal of international medical research, 38*(3), 833-843. (http://www.ncbi.nlm.nih.gov/pubmed/20819420)

Fennig, S., & A. Hadas. (2010). Suicidal behavior and depression in adolescents with eating disorders. *Nordic Journal of Psychiatry, 64*(1), 32-39. (http://www.ncbi.nlm.nih.gov/pubmed/19883196)

Fernando, R., M. Hewagama, W. D. Priyangika, S. Range, & S. Karunaratne. (2010). Study of suicides reported to the Coroner in Colombo, Sri Lanka. *Medicine, science, and the law, 50*(1), 25-28. (http://www.ncbi.nlm.nih.gov/pubmed/20349691)

Freedenthal, S. (2010). Adolescent help-seeking and the Yellow Ribbon Suicide Prevention Program: An evaluation. *Suicide and Life-Threatening Behavior, 40*(6), 628-639. (http://www.ncbi.nlm.nih.gov/pubmed/21198332)

Freedman, R. (2010). Abrupt withdrawal of antidepressant treatment. *The American Journal of Psychiatry, 167*(8), 886-888.

Fu, K. W., W. S. Chan, P. W. Wong, & P. S. Yip. (2010). Internet addiction: prevalence, discriminant validity and correlates among adolescents in Hong Kong. *The British journal of psychiatry, 196*(6), 486-492. (http://www.ncbi.nlm.nih.gov/pubmed/20513862)

Gardner, W., J. Klima, D. Chisolm, H. Feehan, J. Bridge, et. al. (2010). Screening, triage, and referral of patients who report suicidal thought during a primary care visit. *Pediatrics, 125*(5), 945-952. (http://www.ncbi.nlm.nih.gov/pubmed/20385642)

Gensheimer, K. F., V. Rea, D. A. Mills, C. P. Montagna, & K. Simone. (2010). Arsenic poisoning caused by intentional contamination of coffee at a church gathering--an epidemiological approach to a forensic investigation. *Journal of forensic sciences, 55*(4), 1116-1119. (http://www.ncbi.nlm.nih.gov/pubmed/20384929)

Ghazinour, M., N. Mofidi, & J. Richter. (2010). Continuity from suicidal ideations to suicide attempts? An investigation in 18-55 years old adult Iranian Kurds. *Social psychiatry and psychiatric epidemiology, 45*(10), 973-981. (http://www.ncbi.nlm.nih.gov/pubmed/19756339

Gregory, M. J., & C. M. Milroy. (2010). Homicide and suicide in Yorkshire and the Humber: 1975-1992 and 1993-2007. *The American journal of forensic medicine and pathology, 31*(1), 58-63. (http://www.ncbi.nlm.nih.gov/pubmed/19935394)

Greidanus, E., & R. D. Everall. (2010). Helper

Hercher, C., L. Canetti, G. Turecki, & N. Mechawar. (2010). Anterior cingulate pyramidal neurons display altered dendritic bran

Mitrou, F., J. Gaudie, D. Lawrence, S. R. Silburn, F. J. Stanley, & S. R. Zubrick. (2010). Antecedents of hospital admission for deliberate self-harm from a 14-year follow-up study using data-linkage. *BMC psychiatry, 10*, 82. (http://www.ncbi.nlm.nih.gov/pubmed/20955563)

Mota, N. P., B. J. Cox, L. Y. Katz, & J. Sareen. (2010). Relationship between mental disorders/suicidality and three sexual behaviors: results from the National Comorbidity Survey Replication. *Archives of sexual behavior, 39*(3), 724-734. (http://www.ncbi.nlm.nih.gov/pubmed/19219545)

Nance, M. L., B. G. Carr, M. J. Kallan, C. C. Branas, & D. J. Wiebe. (2010). Variation in pediatric and adolescent firearm mortality rates in rural and urban US counties. *Pediatrics, 125*(6), 1112-1118. (http://www.ncbi.nlm.nih.gov/pubmed/20498168)

Needham, B. L., & E. L. Austin. (2010). Sexual Orientation, Parental Support, and Health during the Transition to Young Adulthood. *Journal of Youth and Adolescence, 39*(10), 1189-1198. (http://www.ncbi.nlm.nih.gov/pubmed/20383570)

Nishida, A., T. Sasaki, Y. Nishimura, H. Tanii, N. Hara, et al. (2010). Psychotic-like experiences are associated with suicidal feelings and deliberate self-harm behaviors in adolescents aged 12-15 years. *Acta psychiatrica Scandinavica, 121*(4), 301-307. (http://www.ncbi.nlm.nih.gov/pubmed/19614622)

Nrugham, L., H. Herrestad, & L. Mehlum. (2010). Suicidality among Norwegian youth: review of research on risk factors and interventions. *Nordic Journal of Psychiatry, 64*(5), 317-326. (http://www.ncbi.nlm.nih.gov/pubmed/20192891)

Oki, T., H. Asamura, T. Hayashi, & M. Ota. (2010). Unusual intracranial stab wounds inflicted with metal tent stakes for a case involving a family murder suicide. *Forensic science international, 202*(1-3), e19-21. (http://www.ncbi.nlm.nih.gov/pubmed/20570454)

Osman, A., P. M. Gutierrez, F. Barrios, J. L. Wong, S. Freedenthal, & G. Lozano. (2010). Development and initial psychometric properties of the University of Texas at San Antonio Future Disposition Inventory. *Journal of Clinical Psychology, 66*(4), 410-429. (http://www.ncbi.nlm.nih.gov/pubmed/20120012)

Osman, A., P. M. Gutierrez, R. Schweers, Q. Fang, R. L. Holguin-Mills, & M. Cashin. (2010). Psychometric evaluation of the body investment scale for use with adolescents. *Journal of Clinical Psychology, 66*(3), 259-276. (http://www.ncbi.nlm.nih.gov/pubmed/19950252)

Ozawa-De Silva, C. (2010). Shared death: self, sociality and internet group suicide in Japan. *Transcultural psychiatry, 47*(3), 392-418. (http://www.ncbi.nlm.nih.gov/pubmed/20688797)

Pace, U., & C. Zappulla. (2010). Relations between Suicidal Ideation, Depression, and Emotional Autonomy from Parents in Adolescence. *Journal of Child and Family Studies, 19*(6), 747-756.

Palermo, G. B. (2010). Parricide: a crime against nature. *International journal of offender therapy and comparative criminology, 54*(1), 3-5.

Pan, Y. J., S. C. Liao, & M. B. Lee. (2010). Suicide by charcoal burning in Taiwan, 1995-2006. *Journal of Affective Disorders, 120*(1-3), 254-257. (http://www.ncbi.nlm.nih.gov/pubmed/19410296)

Park, S., M. J. Cho, H. J. Jeon, H. W. Lee, J. N. Bae, et al. (2010). Prevalence, clinical correlations, comorbidities, and suicidal tendencies in pathological Korean gamblers: results from the Korean Epidemiologic Catchment Area Study. *Social psychiatry and psychiatric epidemiology, 45*(6), 621-629. (http://www.ncbi.nlm.nih.gov/pubmed/19636479)

Pellant, D. (2010). *Examining the relationship between adolescent internal assets and high-risk behavior.* Unpublished Thesis, ProQuest Information & Learning, US.

Peter, T., & L. W. Roberts. (2010). 'Bad' boys and 'sad' girls? Examining internalizing and externalizing effects on parasuicides among youth. *Journal of Youth and Adolescence, 39*(5), 495-503. (http://www.ncbi.nlm.nih.gov/pubmed/20043194)

Phillips, J. A., A. V. Robin, C. N. Nugent, & E. L. Idler. (2010). Understanding recent changes in suicide rates among the middle-aged: period or cohort effects? *Washington, D C : 1974, 125*(5), 680-688. (http://www.ncbi.nlm.nih.gov/pubmed/20873284)

Pickles, A., A. Aglan, S. Collishaw, J. Messer, M. Rutter, & B. Maughan. (2010). Predictors of suicidality across the life span: the Isle of Wight study. *Psychological medicine, 40*(9), 1453-1466. (http://www.ncbi.nlm.nih.gov/pubmed/19939326)

Pirkis, J. E., P. M. Burgess, A. K. Johnston, & H. A. Whiteford. (2010). Use of selective serotonin reuptake inhibitors and suicidal ideation: findings from the 2007 National Survey of Mental Health and Wellbeing. *The Medical journal of Australia, 192*(1), 53.

Pirruccello, L. M. (2010). Preventing adolescent suicide: A community takes action. *Journal of Psychosocial Nursing and Mental Health Services, 48*(5), 34-41. (http://www.ncbi.nlm.nih.gov/pubmed/20349888)

Pompili, M. (2010). Suicide on my mind. A look back and ahead at suicide prevention in Italy. *Minerva medica, 101*(5), 353-361. (http://www.ncbi.nlm.nih.gov/pubmed/21048556)

Pranjić, N., & A. Bajraktarević. (2010). Depression and suicide ideation among secondary school adolescents involved in school bullying. *Primary Health Care Research and Development, 11*(4), 349-362.

Prasko, J., T. Diveky, A. Grambal, & K. Latalova. (2010). Suicidal patients. *Biomedical papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 154*(3), 265-273.

Pratt, D., L. Appleby, M. Piper, R. Webb, & J. Shaw. (2010). Suicide in recently released prisoners: a case-control study. *Psychological medicine, 40*(5), 827-835. (http://www.ncbi.nlm.nih.gov/pubmed/19719900)

Ramey, H. L., M. A. Busseri, N. Khanna, & L. Rose-Krasnor. (2010). Youth engagement and suicide risk: Testing a mediated model in a Canadian community sample. *Journal of Youth and Adolescence, 39*(3), 243-258. (http://www.ncbi.nlm.nih.gov/pubmed/20143478)

Recklitis, C. J., L. R. Diller, X. Li, J. Najita, L. L. Robison, & L. Zeltzer. (2010). Suicide ideation in adult survivors of childhood cancer: a report from the Childhood Cancer Survivor Study. *Journal of clinical oncology, 28*(4), 655-661. (http://www.ncbi.nlm.nih.gov/pubmed/19841325)

Renaud, J., M. T. Berlim, M. Begolli, A. McGirr, & G. Turecki. (2010). Sexual orientation and gender identity in youth suicide victims: an exploratory study. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(1), 29-34. (http://www.ncbi.nlm.nih.gov/pubmed/20113541)

Reutfors, J., L. Brandt, A. Ekbom, G. Isacsson, P. Sparén, & U. Osby. (2010). Suicide and hospitalization for mental disorders in Sweden: a population-based case-control study. *Journal of psychiatric research, 44*(12), 741-747. (http://www.ncbi.nlm.nih.gov/pubmed/20181360)

Rice, B. D., R. D. Smith, & V. C. Delpech. (2010). HIV infection and suicide in the era of HAART in England, Wales and Northern Ireland. *London, England, 24*(11), 1795-1797.

Rivers, I., & N. Noret. (2010). Participant roles in bullying behavior and their association with thoughts of ending one's life. *Crisis, 31*(3), 143-148. (http://www.ncbi.nlm.nih.gov/pubmed/20573608)

Roberts, D. M., N. A. Buckley, F. Mohamed, M. Eddleston, D. A. Goldstein,et. al. (2010). A prospective observational study of the clinical toxicology of glyphosate-containing herbicides in adults with acute self-poisoning. *Philadelphia, Pa, 48*(2), 129-136. (http://www.ncbi.nlm.nih.gov/pubmed/20136481)

Roberts, K., D. Wassenaar, S. S. Canetto, & A. Pillay. (2010). Homicide-suicide in Durban, South Africa. *Journal of Interpersonal Violence, 25*(5), 877-899. (http://www.ncbi.nlm.nih.gov/pubmed/19617417)

Roberts, R. E., C. R. Roberts, & Y. Xing. (2010). One-year incidence of suicide attempts and associated risk and protective factors among adolescents. *Archives of Suicide Research, 14*(1), 66-78. (http://www.ncbi.nlm.nih.gov/pubmed/20112145)

Robinson, J., M. Harris, S. Cotton, A. Hughes, P. Conus, et. al. (2010). Sudden death among young people with first-episode psychosis: An 8-10 year follow-up study. *Psychiatry research, 177*(3), 305-308. (http://www.ncbi.nlm.nih.gov/pubmed/20413163)

Rockett, I. R., G. Hobbs, D. De Leo, S. Stack, J. L. Frost, et. al. (2010). Suicide and unintentional poisoning mortality trends in the United States, 1987-2006: two unrelated phenomena? *BMC public health, 10*, 705. (http://www.ncbi.nlm.nih.gov/pubmed/21083903)

Rockett, I. R., S. Wang, S. Stack, D. De Leo, J. L. Frost, et. al. (2010). Race/ethnicity and potential suicide misclassification: window on a minority suicide paradox? *BMC psychiatry, 10*, 35. (http://www.ncbi.nlm.nih.gov/pubmed/20482844)

Rodrigo, C., S. W. Welgama, J. Gurusinghe, T. Wijeratne, G. Jayananda, & S. Rajapakse. (2010). Symptoms of anxiety and depression in adolescent students; A perspective from Sri Lanka. *Child and Adolescent Psychiatry and Mental Health, 4*. (http://www.ncbi.nlm.nih.gov/pubmed/20334654)

Rojas, Y., & S. A. Stenberg. (2010). Early life circumstances and male suicide--a 30-year follow-up of a Stockholm cohort born in 1953. *1982, 70*(3), 420-427. (http://www.ncbi.nlm.nih.gov/pubmed/19910098)

Romm, K. L., J. I. Rossberg, A. O. Berg, E. A. Barrett, A. Faerden, et. al. (2010). Depression and depressive symptoms in first episode psychosis. *The Journal of nervous and mental disease, 198*(1), 67-71. (http://www.ncbi.nlm.nih.gov/pubmed/20061872)

Rossow, I., & L. Wichstrøm. (2010). Receipt of help after deliberate self-harm among adolescents: Changes over an eight-year period. *Psychiatric Services, 61*(8), 783-787. (http://www.ncbi.nlm.nih.gov/pubmed/20675836)

Ryan, N. D. (2010). Youth depression: Thoughts on an octet — and a modest proposal. *Journal of the American Academy of Child & Adolescent Psychiatry, 49*(2), 89-91.

Saberi Anary, S. H., A. Sheikhazadi, & M. H. Ghadyani. (2010). Epidemiology of drowning in Mazandaran province, north of Iran. *The American journal of forensic medicine and pathology, 31*(3), 236-242. (http://www.ncbi.nlm.nih.gov/pubmed/20548217)

Saewyc, E. M., & L. D. Edinburgh. (2010). Restoring healthy developmental trajectories for sexually exploited young runaway girls: Fostering protective factors and reducing risk behaviors. *Journal of Adolescent Health, 46*(2), 180-188. (http://www.ncbi.nlm.nih.gov/pubmed/20113924)

Sam-angsri, N., S. Assanangkornchai, U. Pattanasattayawong, & A. Muekthong. (2010). Health-risk behaviors among high-school students in southern Thailand. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet, 93*(9), 1075-1083. (http://www.ncbi.nlm.nih.gov/pubmed/20873081)

Samm, A., L. M. Tooding, M. Sisask, K. Kõlves, K. Aasvee, & A. Värnik. (2010). Suicidal thoughts and depressive feelings amongst Estonian schoolchildren: effect of family relationship and family structure. *European child & adolescent psychiatry, 19*(5), 457-468. (http://www.ncbi.nlm.nih.gov/pubmed/19946721)

Sankaranarayanan, A., G. Carter, & T. Lewin. (2010). Rural-urban differences in suicide rates for current patients of a public mental health service in Australia. *Suicide & life threatening behavior, 40*(4), 376-382. (http://www.ncbi.nlm.nih.gov/pubmed/20822364)

Sardina, A. (2010). Review of 'Mental health and emerging adulthood among homeless young people'. *Journal of Youth and Adolescence, 39*(5), 575-578.

Sarma, K., & S. Kola. (2010). Firearm suicide decedents in the Republic of Ireland, 1980-2005. *Public health, 124*(5), 278-283. (http://www.ncbi.nlm.nih.gov/pubmed/20363005)

Savidan, A., C. Junker, T. Cerny, & S. Ess. (2010). Premature deaths in Switzerland from 1995-2006: causes and trends. *Swiss medical weekly, 140*. (http://www.ncbi.nlm.nih.gov/pubmed/20734281)

Sawyer, M. G., S. Pfeiffer, S. H. Spence, L. Bond, B. Graetz, et al. (2010). School-based prevention of depression: A randomised controlled study of the beyondblue schools research initiative. *Journal of Child Psychology and Psychiatry, 51*(2), 199-209. (http://www.ncbi.nlm.nih.gov/pubmed/19702662)

Schaffer, L. C., C. B. Schaffer, S. Hunter, & A. Miller. (2010). Psychiatric reactions to isotretinoin in patients with bipolar disorder. *Journal of Affective Disorders, 122*(3), 306-308. (http://www.ncbi.nlm.nih.gov/pubmed/19783054)

Schneeweiss, S., A. R. Patrick, D. H. Solomon, C. R. Dormuth, M. Miller, et. al. (2010). Comparative safety of antidepressant agents for children and adolescents regarding suicidal acts. *Pediatrics, 125*(5), 876-888. (http://www.ncbi.nlm.nih.gov/pubmed/20385637)

Schneeweiss, S., A. R. Patrick, D. H. Solomon, J. Mehta, C. Dormuth, et. al. (2010). Variation in the risk of suicide attempts and completed suicides by antidepressant agent in adults: a propensity score-adjusted analysis of 9 years' data. *Archives of General Psychiatry, 67*(5), 497-506. (http://www.ncbi.nlm.nih.gov/pubmed/20439831)

Schwartz, K. A., S. A. Pyle, M. D. Dowd, & K. Sheehan. (2010). Attitudes and beliefs of adolescents and parents regarding adolescent suicide. *Pediatrics, 125*(2), 221-227. (http://www.ncbi.nlm.nih.gov/pubmed/20064861)

Scott, K. M., I. Hwang, W. T. Chiu, R. C. Kessler, N. A. Sampson, et. al. (2010). Chronic physical conditions and their association with first onset of suicidal behavior in the world mental health surveys. *Psychosomatic medicine, 72*(7), 712-719. (http://www.ncbi.nlm.nih.gov/pubmed/20498290)

Scott, M., H. Wilcox, Y. Huo, J. B. Turner, P. Fisher, & D. Shaffer. (2010). School-based screening for suicide risk: balancing costs and benefits. *American journal of public health, 100*(9), 1648-1652. (http://www.ncbi.nlm.nih.gov/pubmed/20634467)

Seaman, C. (2010). Review of 'Dialectical behavioral therapy with suicidal adolescents'. *Journal of Addictive Diseases, 29*(1), 107-109.

Sebestyen, B., Z. Rihmer, L. Balint, N. Szokontor, X. Gonda, et. al. (2010). Gender differences in antidepressant use-related seasonality change in suicide mortality in Hungary, 1998-2006. *The world journal of biological psychiatry, 11*(3), 579-585. (http://www.ncbi.nlm.nih.gov/pubmed/20218927)

Selbst, S. M. (2010). Pediatric emergency medicine: legal briefs. *Pediatric emergency care, 26*(10), 778-781.

Selby, E. A., A. R. Smith, C. M. Bulik, M. P. Olmsted, L. Thornton, et. al. (2010). Habitual starvation and provocative behaviors: two potential routes to extreme suicidal behavior in anorexia nervosa. *Behaviour Research and Therapy, 48*(7), 634-645. (http://www.ncbi.nlm.nih.gov/pubmed/20398895)

Selvi, Y., A. Aydin, M. Boysan, A. Atli, M. Y. Agargun, & L. Besiroglu. (2010). Associations between chronotype, sleep quality, suicidality, and depressive symptoms in patients with major depression and healthy controls. *Chronobiology international, 27*(9-10), 1813-1828. (http://www.ncbi.nlm.nih.gov/pubmed/20969525)

Sharaf, A. Y., E. A. Thompson, & E. Walsh. (2010). 'Protective effects of self-esteem and family support on suicide risk behaviors among at-risk adolescents:' Corrigendum. *Journal of Child and Adolescent Psychiatric Nursing, 23*(1). (http://www.ncbi.nlm.nih.gov/pubmed/19702970)

Sheikhazadi, A., M. Kiani, & M. H. Ghadyani. (2010). Electrocution-related mortality: a survey of 295 deaths in Tehran, Iran between 2002 and 2006. *The American journal of forensic medicine and pathology, 31*(1), 42-45. (http://www.ncbi.nlm.nih.gov/pubmed/20213884)

Shiferaw, K., S. Burkhardt, C. Lardi, P. Mangin, & R. La Harpe. (2010). A half century retrospective study of homicide-suicide in Geneva--Switzerland: 1956-2005. *Journal of forensic and legal medicine, 17*(2), 62-66. (http://www.ncbi.nlm.nih.gov/pubmed/20129424)

Silverman, J. R. (2010). *Functions and correlates of deliberate self-harm among adjudicated male adolescents.* Unpublished Thesis, ProQuest Information & Learning, US.

Skegg, K., H. Firth, A. Gray, & B. Cox. (2010). Suicide by occupation: does access to means increase the risk? *The Australian and New Zealand journal of psychiatry, 44*(5), 429-434. (http://www.ncbi.nlm.nih.gov/pubmed/20397784)

Soni, A. (2010). *The relationship between delinquency and suicidality among adolescents.* Unpublished Thesis, ProQuest Information & Learning, US.

Souza, L. D., R. A. Silva, K. Jansen, R. P. Kuhn, B. L. Horta, & R. T. Pinheiro. (2010). Suicidal ideation in adolescents aged 11 to 15 years: prevalence and associated factors. *São Paulo, Brazil : 1999, 32*(1), 37-41. (http://www.ncbi.nlm.nih.gov/pubmed/19918674)

Spijker, J., R. de Graaf, M. Ten Have, W. A. Nolen, & A. Speckens. (2010). Predictors of suicidality in depressive spectrum disorders in the general population: results of the Netherlands Mental Health Survey and Incidence Study. *Social psychiatry and psychiatric epidemiology, 45*(5), 513-521. (http://www.ncbi.nlm.nih.gov/pubmed/19618093)

Spiller, H. A., S. Appana, & G. N. Brock. (2010). Epidemiological trends of suicide and attempted suicide by poisoning in the US: 2000-2008. *Tokyo, Japan, 12*(4), 177-183. (http://www.ncbi.nlm.nih.gov/pubmed/20547089)

Stanford, S., & M. P. Jones. (2010). How much detail needs to be elucidated in self-harm research? *Journal of Youth and Adolescence, 39*(5), 504-513. (http://www.ncbi.nlm.nih.gov/pubmed/20091210)

Stefanello, S., L. Marín-Léon, P. T. Fernandes, L. L. Min, & N. J. Botega. (2010). Suicidal thoughts in epilepsy: a community-based study in Brazil. *Epilepsy & behavior, 17*(4), 483-488. (http://www.ncbi.nlm.nih.gov/pubmed/20138587)

Stefanello, S., L. Marín-Léon, P. T. Fernandes, L. M. Li, & N. J. Botega. (2010). Psychiatric comorbidity and suicidal behavior in epilepsy: a community-based case-control study. *Epilepsia, 51*(7), 1120-1125. (http://www.ncbi.nlm.nih.gov/pubmed/19889019)

Stenbacka, M., A. Leifman, & A. Romelsjö. (2010). Mortality and cause of death among 1705 illicit drug users: a 37 year follow up. *Drug and alcohol review, 29*(1), 21-27. (http://www.ncbi.nlm.nih.gov/pubmed/20078678)

Stübner, S., R. Grohmann, I. von Stralendorff, E. Rüther, H. J. Möller, et. al. (2010). Suicidality as rare adverse event of antidepressant medication: report from the AMSP multicenter drug safety surveillance project. *The Journal of clinical psychiatry, 71*(10), 1293-1307. (http://www.ncbi.nlm.nih.gov/pubmed/20816032)

Studdert, D. M., L. C. Gurrin, U. Jatkar, & J. Pirkis. (2010). Relationship between vehicle emissions laws and incidence of suicide by motor vehicle exhaust gas in Australia, 2001-06: an ecological analysis. *PLoS medicine, 7*(1). (http://www.ncbi.nlm.nih.gov/pubmed/20052278)

Sudak, H. S. (2010). Predicting suicide rates in the elderly. *The American Journal of Psychiatry, 167*(1), 102.

Swahn, M. H., R. M. Bossarte, J. S. Ashby, & J. Meyers. (2010). Pre-teen alcohol use initiation and suicide attempts among middle and high school students: Findings from the 2006 Georgia student health survey. *Addictive Behaviors, 35*(5), 452-458. (http://www.ncbi.nlm.nih.gov/pubmed/20089362)

Swartz, K. L., E. A. Kastelic, S. G. Hess, T. S. Cox, L. C. Gonzales, et. al. (2010). The effectiveness of a school-based adolescent depression education program. *Health education & behavior, 37*(1), 11-22. (http://www.ncbi.nlm.nih.gov/pubmed/17652614)

Taliaferro, L. A., B. A. Rienzo, & K. A. Donovan. (2010). Relationships between youth sport participation and selected health risk behaviors from 1999 to 2007. *The Journal of school health, 80*(8), 399-410. (http://www.ncbi.nlm.nih.gov/pubmed/2061862)

Taliaferro, L. A., B. A. Rienzo, M. D. Miller, R. M. Pigg, & V. J. Dodd. (2010). Potential mediating pathways through which sports participation relates to reduced risk of suicidal ideation. *Research quarterly for exercise and sport, 81*(3), 328-339. (http://www.ncbi.nlm.nih.gov/pubmed/20949853)

Tang, T.-C., C.-F. Yen, C.-P. Cheng, P. Yang, C.-S. Chen, et. al. (2010). Suicide risk and its correlate in adolescents who experienced typhoon-induced mudslides: A structural equation model. *Depression and Anxiety, 27*(12), 1143-1148. (http://www.ncbi.nlm.nih.gov/pubmed/21049526)

Teasdale, B., & M. S. Bradley-Engen. (2010). Adolescent same-sex attraction and mental health: the role of stress and support. *Journal of Homosexuality, 57*(2), 287-309. (http://www.ncbi.nlm.nih.gov/pubmed/20390994)

Tompkins, T. L., J. Witt, & N. Abraibesh. (2010). Does a gatekeeper suicide prevention program work in a school setting? Evaluating training outcome and moderators of effectiveness. *Suicide & life threatening behavior, 40*(5), 506-515. (http://www.ncbi.nlm.nih.gov/pubmed/21034213)

Tong, Y., & M. R. Phillips. (2010). Cohort-specific risk of suicide for different mental disorders in China. *The British journal of psychiatry, 196*(6), 467-473. (http://www.ncbi.nlm.nih.gov/pubmed/20513857)

van Houwelingen, C. A., A. J. Kerkhof, & D. G. Beersma. (2010). Train suicides in The Netherlands. *Journal of Affective Disorders, 127*(1-3), 281-286. (http://www.ncbi.nlm.nih.gov/pubmed/20580436)

Vichi, M., M. Masocco, M. Pompili, D. Lester, R. Tatarelli, & N. Vanacore. (2010). Suicide mortality in Italy from 1980 to 2002. *Psychiatry research, 175*(1-2), 89-97. (http://www.ncbi.nlm.nih.gov/pubmed/19945752)

Vinod, K. Y., S. A. Kassir, B. L. Hungund, T. B. Cooper, J. J. Mann, & V. Arango. (2010). Selective alterations of the CB1 receptors and the fatty acid amide hydrolase in the ventral striatum of alcoholics and suicides. *Journal of psychiatric research, 44*(9), 591-597. (http://www.ncbi.nlm.nih.gov/pubmed/20015515)

von Borczyskowski, A., F. Lindblad, B. Vinnerljung, & A. Hjern. (2010). Gender differences in risk factors for suicide: findings from a Swedish national cohort study. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(2), 108-111. (http://www.ncbi.nlm.nih.gov/pubmed/20181306)

Wahlström, L., H. Michélsen, A. Schulman, & M. Backheden. (2010). Childhood life events and psychological symptoms in adult survivors of the 2004 tsunami. *Nordic Journal of Psychiatry, 64*(4), 245-252. (http://www.ncbi.nlm.nih.gov/pubmed/20429745)

Walker, R. L., D. Alabi, J. Roberts, & E. M. Obasi. (2010). Ethnic group differences in reasons for living and the moderating role of cultural worldview. *Cultural diversity & ethnic minority psychology, 16*(3), 372-378. (http://www.ncbi.nlm.nih.gov/pubmed/20658880)

Warden, D., M. H. Trivedi, S. R. Wisniewski, B. Kurian, S. Zisook, et. al. (2010). Early adverse events and attrition in selective serotonin reuptake inhibitor treatment: a suicide assessment methodology study report. *Journal of clinical psychopharmacology, 30*(3), 259-266. (http://www.ncbi.nlm.nih.gov/pubmed/20473060)

Weersing, V. R., & D. A. Brent. (2010). Treating depression in adolescents using individual cognitive-behavioral therapy. In J. R. Weisz & A. E. Kazdin (Eds.), *Evidence-based psychotherapies for children and adolescents (2nd ed.).* (pp. 126-139). New York, NY US: Guilford Press.

White, J., & J. Morris. (2010). Precarious spaces: risk, responsibility and uncertainty in school-based suicide prevention programs. *1982, 71*(12), 2187-2194. (http://www.ncbi.nlm.nih.gov/pubmed/21050629)

Whitlock, J. (2010). Self-injurious behavior in adolescents. *PLoS medicine, 7*(5).

Williams, J. M., I. T. Russell, C. Crane, D. Russell, C. J. Whitaker, et. al. (2010). Staying well after depression: trial design and protocol. *BMC psychiatry, 10*, 23. (http://www.ncbi.nlm.nih.gov/pubmed/20302615)

Williams, S. M. (2010). *The relationship among family cohesion, gender, level of acculturation, and depression in Latino adolescents.* Unpublished Thesis, ProQuest Information & Learning, US.

Winfree, L. T., Jr., & S. Jiang. (2010). Youthful suicide and social support: Exploring the social dynamics of suicide-related behavior and attitudes within a national sample of US adolescents. *Youth Violence and Juvenile Justice, 8*(1), 19-37.

Winterrowd, E., S. S. Canetto, & E. L. Chavez. (2010). Friendships and Suicidality among Mexican American Adolescent Girls and Boys. *Death Studies, 34*(7), 641-660. (http://www.ncbi.nlm.nih.gov/pubmed/21151742)

Wintersteen, M. B. (2010). Standardized screening for suicidal adolescents in primary care. *Pediatrics, 125*(5), 938-944. (http://www.ncbi.nlm.nih.gov/pubmed/20385627)

Witte, T. K., A. R. Smith, & T. E. Joiner, Jr. (2010). Reason for cautious optimism? Two studies suggesting reduced stigma against suicide. *Journal of Clinical Psychology, 66*(6), 611-626. (http://www.ncbi.nlm.nih.gov/pubmed/20455251)

Witte, T. K., M. S. Gould, J. L. Munfakh, M. Kleinman, T. E. Joiner, Jr., & J. Kalafat. (2010). Assessing suicide risk among callers to crisis hotlines: a confirmatory factor analysis. *Journal of Clinical Psychology, 66*(9), 941-964. (http://www.ncbi.nlm.nih.gov/pubmed/20578186)

Wolitzky-Taylor, K. B., K. J. Ruggiero, M. R. McCart, D. W. Smith, R. F. Hanson, et. al. (2010). Has adolescent suicidality decreased in the United States? Data from two national samples of adolescents interviewed in 1995 and 2005. *Journal of Clinical Child and Adolescent Psychology, 39*(1), 64-76. (http://www.ncbi.nlm.nih.gov/pubmed/20390799)

Wong, P. W., W. S. Chan, Y. Conwell, K. R. Conner, & P. S. Yip. (2010). A psychological autopsy study of pathological gamblers who died by suicide. *Journal of Affective Disorders, 120*(1-3), 213-216. (http://www.ncbi.nlm.nih.gov/pubmed/19395046)

Wu, P., B. J. Katic, X. Liu, B. Fan, & C. J. Fuller. (2010). Mental health service use among suicidal adolescents: Findings from a U.S. national community survey. *Psychiatric Services, 61*(1), 17-24. (http://www.ncbi.nlm.nih.gov/pubmed/20044413)

Wyman, P. A., C. H. Brown, M. LoMurray, K. Schmeelk-Cone, M. Petrova, et. al. (2010). An outcome evaluation of the Sources of Strength suicide prevention program delivered by adolescent peer leaders in high schools. *American journal of public health, 100*(9), 1653-1661. (http://www.ncbi.nlm.nih.gov/pubmed/20634440)

Xing, X.-Y., F.-B. Tao, Y.-H. Wan, C. Xing, X.-Y. Qi, et. al. (2010). Family factors associated with suicide attempts among Chinese adolescent students: A national cross-sectional survey. *Journal of Adolescent Health, 46*(6), 592-599. (http://www.ncbi.nlm.nih.gov/pubmed/20472217)

Yan, F. A., D. E. Howard, K. H. Beck, T. Shattuck, & M. Hallmark-Kerr. (2010). Psychosocial Correlates of Physical Dating Violence Victimization among Latino Early Adolescents. *Journal of Interpersonal Violence, 25*(5), 808-831. (http://www.ncbi.nlm.nih.gov/pubmed/19584406)

Yaseen, Z., C. Katz, M. S. Johnson, D. Eisenberg, L. J. Cohen, & Galynker, II. (2010). Construct development: The Suicide Trigger Scale (STS-2), a measure of a hypothesized suicide trigger state. *BMC psychiatry, 10*, 110. (http://www.ncbi.nlm.nih.gov/pubmed/21144063)

Yeh, C., & D. Lester. (2010). Suicides from the Golden Gate Bridge: have they changed over time? *Psychological reports, 107*(2), 491-492. (http://www.ncbi.nlm.nih.gov/pubmed/21117474)

Yen, C. F., B. H. King, & T. C. Tang. (2010). The association between short and long nocturnal sleep durations and risky behaviours and the moderating factors in Taiwanese adolescents. *Psychiatry research, 179*(1), 69-74. (http://www.ncbi.nlm.nih.gov/pubmed/20472300)

Yip, P., D. Pitt, Y. Wang, X. Wu, R. Watson, et. al. (2010). Assessing the impact of suicide exclusion periods on life insurance. *Crisis, 31*(4), 217-223. (http://www.ncbi.nlm.nih.gov/pubmed/20801752)

Yoder, K. A., L. B. Whitbeck, & D. R. Hoyt. (2010). Comparing subgroups of suicidal homeless adolescents: Multiple attempters, single attempters and ideators. *Vulnerable Children and Youth Studies, 5*(2), 151-162. (http://www.ncbi.nlm.nih.gov/pubmed/10322618)

Young, R. (2010). Trauma, attempted suicide, and morning cortisol in a community sample of adolescents. *Journal of Traumatic Stress, 23*(2), 288-291. (http://www.ncbi.nlm.nih.gov/pubmed/20419739)

Zaitsoff, S. L., & C. M. Grilo. (2010). Eating disorder psychopathology as a marker of psychosocial distress and suicide risk in female and male adolescent psychiatric inpatients. *Comprehensive Psychiatry, 51*(2), 142-150. (http://www.ncbi.nlm.nih.gov/pubmed/20152294)

Zhang, J., S. Xiao, & L. Zhou. (2010). Mental disorders and suicide among young rural Chinese: a case-control psychological autopsy study. *The American Journal of Psychiatry, 167*(7), 773-781. (http://www.ncbi.nlm.nih.gov/pubmed/20395398)

Zhang, J., W. Wieczorek, Y. Conwell, X. M. Tu, B. Y. Wu, et. al. (2010). Characteristics of young rural Chinese suicides: a psychological autopsy study. *Psychological medicine, 40*(4), 581-589. (http://www.ncbi.nlm.nih.gov/pubmed/19656428)

Zhao, Y., R. Montoro, K. Igartua, & B. D. Thombs. (2010). Sexual orientation and suicide: a comment on Renaud et al. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(11), 746-747.

---. (2010). Suicidal ideation and attempt among adolescents reporting 'unsure' sexual identity or heterosexual identity plus same-sex attraction or behavior: Forgotten groups? *Journal of the American Academy of Child & Adolescent Psychiatry, 49*(2), 104-113. (http://www.ncbi.nlm.nih.gov/pubmed/20215932)

Zhjeqi, V., N. Ramadani, S. Gashi, S. Mucaj, M. Berisha, et. al. (2010). Suicide prevalence in Kosova for the period 2007-2008. *Medicinski arhiv, 64*(1), 44-47. (http://www.ncbi.nlm.nih.gov/pubmed/20422826)

Zubaran, C., K. Foresti, M. R. Thorell, P. Franceschini, & W. Homero. (2010). Depressive symptoms in crack and inhalant users in Southern Brazil. *Journal of ethnicity in substance abuse, 9*(3), 221-236. (http://www.ncbi.nlm.nih.gov/pubmed/20737347)