2008(a) Research Bibliography on Suicide Prevention in Working Age Males

Idaho Suicide Prevention Research Project
Funded by the Idaho Department of Health & Welfare
March, 2011

Aardema, H., Meertens, J., Ligtenberg, J., Peters-Polman, O., Tulleken, J., & Zijlstra, J. (2008). Organophosphorus pesticide poisoning: cases and developments. *The Netherlands Journal of Medicine*, 66(4), 149-153. (http://www.ncbi.nlm.nih.gov/pubmed/18424861)

Abe, K., Mertz, K. J., Powell, K. E., & Hanzlick, R. L. (2008). Characteristics of Black and White suicide decedents in Fulton County, Georgia, 1988-2002. *American Journal of Public Health*, 98(Suppl9), S132-S136. (http://www.ncbi.nlm.nih.gov/pubmed/18687597)

Abeyasinghe, R., & Gunnell, D. (2008). Psychological autopsy study of suicide in three rural and semi-rural districts of Sri Lanka. *Social Psychiatry and Psychiatric Epidemiology*, 43(4), 280-285. (http://www.ncbi.nlm.nih.gov/pubmed/18253684)

Afifi, T., Enns, M., Cox, B., Asmundson, G., Stein, M., & Sareen, J. (2008). Population attributable fractions of psychiatric disorders and suicide ideation and attempts associated with adverse childhood experiences. *American Journal of Public Health*, 98(5), 946-952. (http://www.ncbi.nlm.nih.gov/pubmed/18381992)

Aguilar, E. J., García-Martí, G. G., Martí-Bonmatí, L. L., Lull, J. J., Moratal, D. D., Escartí, M. J., & ... Sanjuán, J. J. (2008). Left orbitofrontal and superior temporal gyrus structural changes associated to suicidal behavior in patients with schizophrenia. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 32(7), 1673-1676. (http://www.ncbi.nlm.nih.gov/pubmed/18657587)

Ahmadi, A., Mohammadi, R., Stavrinos, D., Almasi, A., & Schwebel, D. (2008). Self-immolation in Iran. *Journal of Burn Care & Research*, 29(3), 451-460. (http://www.ncbi.nlm.nih.gov/pubmed/18388564)

Ajdacic-Gross, V., Lauber, C., Bopp, M., Eich, D., Gostynski, M., Gutzwiller, F., Burns, T., & Rössler, W. (2008). Reduction in the suicide rate during Advent--a time series analysis. *Psychiatry Research*, 157(1-3), 139-146. (http://www.ncbi.nlm.nih.gov/pubmed/17976737)

---. Suicide after bereavement: an overlooked problem. *Psychological Medicine*, 38(5), 673-676. (http://www.ncbi.nlm.nih.gov/pubmed/18226288)

---. Methods of suicide: international suicide patterns derived from the WHO mortality database. *Bulletin Of The World Health Organization*, 86(9), 726-732. (http://www.ncbi.nlm.nih.gov/pubmed/18797649)

Aksoy-Poyraz, C., Ozdemir, A., Ozmen, M., Arikan, K., & Ozkara, C. (2008). Electroconvulsive therapy for bipolar depressive and mixed episode with high suicide risk after epilepsy surgery. *Epilepsy & Behavior: E&B*, 13(4), 707-709. (http://www.ncbi.nlm.nih.gov/pubmed/18644466)

Al Madni, O., Kharosha, M., & Shotar, A. (2008). Firearm fatalities in Dammam, Saudi Arabia. *Medicine, Science, And The Law*, 48(3), 237-240. (http://www.ncbi.nlm.nih.gov/pubmed/18754211)

Allaire, M., & Manhein, M. (2008). Suicide by blasting caps: a case study of rare cranial trauma. *Journal of Forensic Sciences*, 53(6), 1313-1315. (http://www.ncbi.nlm.nih.gov/pubmed/18752551)

Andersson, L., Allebeck, P., Gustafsson, J., & Gunnell, D. (2008). Association of IQ scores and school achievement with suicide in a 40-year follow-up of a Swedish cohort. *Acta Psychiatrica Scandinavica*, 118(2), 99-105. (http://www.ncbi.nlm.nih.gov/pubmed/18331576)

Andover, M., Gibb, B., & Miller, I. (2008). Time to emergence of severe suicidal ideation among psychiatric patients as a function of suicide attempt history. *Comprehensive Psychiatry*, 49(1), 6-12. (http://www.ncbi.nlm.nih.gov/pubmed/18063035)

Ani, C., Bazargan, M., Hindman, D., Bell, D., Farooq, M., Akhanjee, L., & ... Rodriguez, M. (2008). Depression symptomatology and diagnosis: discordance between patients and physicians in primary care settings. *BMC Family Practice*, 91. (http://www.ncbi.nlm.nih.gov/pubmed/18173835)

Anisman, H., Du, L., Palkovits, M., Faludi, G., Kovacs, G. G., Szontagh-Kishazi, P., & ... Poulter, M. O. (2008). Serotonin receptor subtype and p11 mRNA expression in stress-relevant brain regions of suicide and control subjects. *Journal of Psychiatry & Neuroscience*, 33(2), 131-141. (http://www.ncbi.nlm.nih.gov/pubmed/18330459)

Arias, E., Schlesinger, L., Pinizzotto, A., Davis, E., Fava, J., & Dewey, L. (2008). Police officers who commit suicide by cop: a clinical study with analysis. *Journal of Forensic Sciences*, 53(6), 1455-1457. (http://www.ncbi.nlm.nih.gov/pubmed/18752553)

Ayer, D., Jayathilake, K., & Meltzer, H. (2008). The InterSePT suicide scale for prediction of imminent suicidal behaviors. *Psychiatry Research*, 161(1), 87-96. (http://www.ncbi.nlm.nih.gov/pubmed/18786729)

Ayub, N. (2008). Validation of the Urdu Translation of the Beck Scale for Suicide Ideation. *Assessment*, 15(3), 287-293. (http://www.ncbi.nlm.nih.gov/pubmed/18245209)

Aziz, A., Salina, A., Abdul Kadir, A., Badiah, Y., Cheah, Y., Nor Hayati, A., & ... Chee, K. (2008). The National Mental Health Registry (NMHR). *The Medical Journal of Malaysia*, 63 Suppl C15-17. (http://www.ncbi.nlm.nih.gov/pubmed/19227671)

Azoulay, L., Blais, L., Koren, G., LeLorier, J., & Bérard, A. (2008). Isotretinoin and the risk of depression in patients with acne vulgaris: a case-crossover study. *The Journal of Clinical Psychiatry*, 69(4), 526-532. (http://www.ncbi.nlm.nih.gov/pubmed/18363422)

Bach-Mizrachi, H., Underwood, M., Tin, A., Ellis, S., Mann, J., & Arango, V. (2008). Elevated expression of tryptophan hydroxylase-2 mRNA at the neuronal level in the dorsal and median raphe nuclei of depressed suicides. *Molecular Psychiatry*, 13(5), 507. (http://www.ncbi.nlm.nih.gov/pubmed/18180753)

Bah, J., Lindström, M., Westberg, L., Mannerås, L., Ryding, E., Henningsson, S., & ... Eriksson, E. (2008). Serotonin transporter gene polymorphisms: Effect on serotonin transporter availability in the brain of suicide attempters. *Psychiatry Research: Neuroimaging*, 162(3), 221-229. (http://www.ncbi.nlm.nih.gov/pubmed/18314311)

Baker, D., & Fortune, S. (2008). Understanding self-harm and suicide websites: A qualitative interview study of young adult website users. *Crisis*, 29(3), 118-122. (http://www.ncbi.nlm.nih.gov/pubmed/18714907)

Baker, F., & Bor, W. (2008). Can music preference indicate mental health status in young people? *Australasian Psychiatry: Bulletin Of Royal Australian And New Zealand College Of Psychiatrists*, 16(4), 284-288. (http://www.ncbi.nlm.nih.gov/pubmed/18608148)

Ballard, E., Pao, M., Henderson, D., Lee, L., Bostwick, J., & Rosenstein, D. (2008). Suicide in the medical setting. *Joint Commission Journal On Quality And Patient Safety / Joint Commission Resources*, 34(8), 474-481. (http://www.ncbi.nlm.nih.gov/pubmed/18714750)

Ballesteros, J., Maeztu, A. I., Callado, L. F., Meana, J., & Gutiérrez, M. (2008). Specific binding of [^{3}H]Ro 19-6327 (lazabemide) to monoamine oxidase B is increased in frontal cortex of suicide victims after controlling for age at death. *European Neuropsychopharmacology*, 18(1), 55-61. (http://www.ncbi.nlm.nih.gov/pubmed/17570647)

Balsis, S., & Cully, J. (2008). Comparing depression diagnostic symptoms across younger and older adults. *Aging & Mental Health*, 12(6), 800-806. (http://www.ncbi.nlm.nih.gov/pubmed/19023732)

Banks, L., Crandall, C., Sklar, D., & Bauer, M. (2008). A comparison of intimate partner homicide to intimate partner homicide-suicide: One hundred and twenty-four New Mexico cases. *Violence Against Women*, 14(9), 1065-1078. (http://www.ncbi.nlm.nih.gov/pubmed/18703775)

Barak, Y., Baruch, Y., Achiron, A., & Aizenberg, D. (2008). Suicide attempts of schizophrenia patients: a case-controlled study in tertiary care. *Journal of Psychiatric Research*, 42(10), 822-826. (http://www.ncbi.nlm.nih.gov/pubmed/18479709)

Barber, C. W., Azrael, D., Hemenway, D., Olson, L. M., Nie, C., Schaechter, J., & Walsh, S. (2008). Suicides and suicide attempts following homicide: Victim-suspect relationship, weapon type, and presence of antidepressants. *Homicide Studies: An Interdisciplinary & International Journal*, 12(3), 285-297.

Barstad, A. (2008). Explaining Changing Suicide Rates in Norway 1948-2004: The Role of Social Integration. *Social Indicators Research*, 87(1), 47-64.

Bartram, D., & Baldwin, D. (2008). Veterinary surgeons and suicide: influences, opportunities and research directions. *The Veterinary Record*, 162(2), 36-40. (http://www.ncbi.nlm.nih.gov/pubmed/18192654)

Baumert, J., Erazo, N., Ruf, E., & Ladwig, K. (2008). Time trends in suicide mortality vary in choice of methods: an analysis of 145,865 fatal suicide cases in Germany 1991-2002. *Social Psychiatry And Psychiatric Epidemiology*, 43(11), 913-919. (http://www.ncbi.nlm.nih.gov/pubmed/18560783)

Ben-Ze'ev, A., & Goussinsky, R. (2008). *In the name of love: Romantic ideology and its victims*. New York, NY US: Oxford University Press.

Berk, M., Dodd, S., Hallam, K., Berk, L., Gleeson, J., & Henry, M. (2008). Small shifts in diurnal rhythms are associated with an increase in suicide: The effect of daylight saving. *Sleep and Biological Rhythms*, 6(1), 22-25.

Berlim, M. T., A. McGirr, and M. P. Fleck. "Can Sociodemographic and Clinical Variables Predict the Quality of Life of Outpatients with Major Depression?" *Psychiatry Res* 160 3 (2008): 364-71. (http://www.ncbi.nlm.nih.gov/pubmed/18715654)

Beyens, M. N., et al. "Serious Adverse Reactions of Bupropion for Smoking Cessation: Analysis of the French Pharmacovigilance Database from 2001 to 2004." *Drug Saf* 31 11 (2008): 1017-26. (http://www.ncbi.nlm.nih.gov/pubmed/18840021)

Bhandarkar, R., and A. Shah. "Association of General Population Suicide Rates with Fertility Rates: A Test of Fertility as a Measure of Social Integration." *Psychol Rep* 103 3 (2008): 812-8. (http://www.ncbi.nlm.nih.gov/pubmed/19320217)

Bhui, K. S., and K. McKenzie. "Rates and Risk Factors by Ethnic Group for Suicides within a Year of Contact with Mental Health Services in England and Wales." *Psychiatr Serv* 59 4 (2008): 414-20. (http://www.ncbi.nlm.nih.gov/pubmed/18378841)

Biddle, L., et al. "Suicide Rates in Young Men in England and Wales in the 21st Century: Time Trend Study." *Clinical research ed* 336 7643 (2008): 539-42. (http://www.ncbi.nlm.nih.gov/pubmed/18276666)

Biong, Stian Nordic School of Public Health Goteborg Sweden, Bengt Department of Health Sciences Buskerud University College Drammen Norway Karlsson, and Tommy Svensson. "Metaphors of a Shifting Sense of Self in Men Recovering from Substance Abuse and Suicidal Behavior." *Journal of Psychosocial Nursing & Mental Health Services* 46 4 (2008): 35-41. (http://www.ncbi.nlm.nih.gov/pubmed/18478807)

Bird, S. M. "Changes in Male Suicides in Scottish Prisons: 10-Year Study." *Br J Psychiatry* 192 6 (2008): 446-9. (http://www.ncbi.nlm.nih.gov/pubmed/18515896)

Bjerkeset, O., et al. "Association of Adult Body Mass Index and Height with Anxiety, Depression, and Suicide in the General Population: The HUNT Study." *Am J Epidemiol* 167 2 (2008): 193-202. (http://www.ncbi.nlm.nih.gov/pubmed/17981889)

Bjerkeset, O., P. Romundstad, and D. Gunnell. "Gender Differences in the Association of Mixed Anxiety and Depression with Suicide." *Br J Psychiatry* 192 6 (2008): 474-5. (http://www.ncbi.nlm.nih.gov/pubmed/18515904)

Bjornaas, M. A., et al. "A 20-Year Prospective Study of Mortality and Causes of Death among Hospitalized Opioid Addicts in Oslo." *BMC Psychiatry* 8 (2008): 8. (http://www.ncbi.nlm.nih.gov/pubmed/18271956)

Blackmore, E. R., et al. "Psychosocial and Clinical Correlates of Suicidal Acts: Results from a National Population Survey." *Br J Psychiatry* 192 4 (2008): 279-84. (http://www.ncbi.nlm.nih.gov/pubmed/18378988)

Boden, J. M., D. M. Fergusson, and L. J. Horwood. "Cigarette Smoking and Suicidal Behaviour: Results from a 25-Year Longitudinal Study." *Psychol Med* 38 3 (2008): 433-9. (http://www.ncbi.nlm.nih.gov/pubmed/17892622)

Boldrini, M., et al. "Serotonin-1a Autoreceptor Binding in the Dorsal Raphe Nucleus of Depressed Suicides." *J Psychiatr Res* 42 6 (2008): 433-42. (http://www.ncbi.nlm.nih.gov/pubmed/17574270)

Bolton, J., Belik, S., Enns, M., Cox, B., & Sareen, J. (2008). Exploring the correlates of suicide attempts among individuals with major depressive disorder: findings from the national epidemiologic survey on alcohol and related conditions. *The Journal of Clinical Psychiatry*, 69(7), 1139-1149. (http://www.ncbi.nlm.nih.gov/pubmed/18517287)

Borges, G., Angst, J., Nock, M., Ruscio, A., & Kessler, R. (2008). Risk factors for the incidence and persistence of suicide-related outcomes: a 10-year follow-up study using the National Comorbidity Surveys. *Journal of Affective Disorders*, 105(1-3), 25-33. (http://www.ncbi.nlm.nih.gov/pubmed/17507099)

Brådvik, L. L., Mattisson, C. C., Bogren, M. M., & Nettelbladt, P. P. (2008). Long-term suicide risk of depression in the Lundby cohort 1947-1997--Severity and gender. *Acta Psychiatrica Scandinavica*, 117(3), 185-191. (http://www.ncbi.nlm.nih.gov/pubmed/18190676)

Bridges, F., & Tran, X. (2008). Body Mass Index, suicide, and homicide among inhabitants of the Caribbean Islands. *Perceptual And Motor Skills*, 106(2), 650-652. (http://www.ncbi.nlm.nih.gov/pubmed/18556918)

Britton, P. C., Williams, G. C., & Conner, K. R. (2008). Self-determination theory, motivational interviewing, and the treatment of clients with acute suicidal ideation. *Journal of Clinical Psychology*, 64(1), 52-66. (http://www.ncbi.nlm.nih.gov/pubmed/18161032)

Brodsky, B., Mann, J., Stanley, B., Tin, A., Oquendo, M., Birmaher, B., & ... Brent, D. (2008). Familial transmission of suicidal behavior: factors mediating the relationship between childhood abuse and offspring suicide attempts. *The Journal of Clinical Psychiatry*, 69(4), 584-596. (http://www.ncbi.nlm.nih.gov/pubmed/18373384)

Brodsky, B. S., & Stanley, B. (2008). Adverse childhood experiences and suicidal behavior. *Psychiatric Clinics of North America*, 31(2), 223-235. (http://www.ncbi.nlm.nih.gov/pubmed/18439446)

Bronisch, T., & Lieb, R. (2008). Maternal suicidality and suicide risk in offspring. *Psychiatric Clinics of North America*, 31(2), 213-221. (http://www.ncbi.nlm.nih.gov/pubmed/18439445)

Brown, G. K., Brown, L. M., Bhar, S. S., & Beck, A. T. (2008). Cognitive therapy for suicidal older adults. In D. Gallagher-Thompson, A. M. Steffen, L. W. Thompson, D. Gallagher-Thompson, A. M. Steffen, L. W. Thompson (Eds.) , *Handbook of behavioral and cognitive therapies with older adults* (pp. 135-150). New York, NY US: Springer Science + Business Media.

Browning, S., Westneat, S., & McKnight, R. (2008). Suicides among farmers in three southeastern states, 1990-1998. *Journal of Agricultural Safety And Health*, 14(4), 461-472. (http://www.ncbi.nlm.nih.gov/pubmed/19044172)

Brunero, S., Smith, J., Bates, E., & Fairbrother, G. (2008). Health professionals' attitudes towards suicide prevention initiatives. *Journal of Psychiatric And Mental Health Nursing*, 15(7), 588-594. (http://www.ncbi.nlm.nih.gov/pubmed/18768012)

Bryan, C., Johnson, L., David Rudd, M., & Joiner, T. (2008). Hypomanic symptoms among first-time suicide attempters predict future multiple attempt status. *Journal of Clinical Psychology*, 64(4), 519-530. (http://www.ncbi.nlm.nih.gov/pubmed/18324664)

Bulik, C., Thornton, L., Pinheiro, A., Plotnicov, K., Klump, K., Brandt, H., & ... Kaye, W. (2008). Suicide attempts in anorexia nervosa. *Psychosomatic Medicine*, 70(3), 378-383. (http://www.ncbi.nlm.nih.gov/pubmed/18256339)

Bundhamcharoen, K., Odton, P., Mugem, S., Phulkerd, S., Dhisayathikom, K., Brown, D., & Tangcharoensathien, V. (2008). Costs of injuries due to interpersonal and self-directed violence in Thailand, 2005. *Journal of The Medical Association Of Thailand = Chotmaihet Thangphaet*, 91 Suppl 2S110-S118. (http://www.ncbi.nlm.nih.gov/pubmed/19253493)

Burns, A., Goodall, E., & Moore, T. (2008). A study of suicides in Londonderry, Northern Ireland, for the year period spanning 2000-2005. *Journal of Forensic And Legal Medicine*, 15(3), 148-157. (http://www.ncbi.nlm.nih.gov/pubmed/18313009)

Burrows, S., & Laflamme, L. (2008). Pattern Analysis of Suicide Mortality Surveillance Data in Urban South Africa. *Suicide and Life-Threatening Behavior*, 38(2), 209-220. (http://www.ncbi.nlm.nih.gov/pubmed/18444778)

Canetto, S. (2008). Women and suicidal behavior: a cultural analysis. *The American Journal of Orthopsychiatry*, 78(2), 259-266. (http://www.ncbi.nlm.nih.gov/pubmed/18954189)

Carlborg, A., Jokinen, J., Jönsson, E. G., Nordström, A., & Nordström, P. (2008). Long-term suicide risk in schizophrenia spectrum psychoses: Survival analysis by gender. *Archives of Suicide Research*, 12(4), 347-351. (http://www.ncbi.nlm.nih.gov/pubmed/18828038)

Caron, J., Julien, M., & Huang, J. (2008). Changes in Suicide Methods in Quebec between 1987 and 2000: The Possible Impact of Bill C-17 Requiring Safe Storage of Firearms. *Suicide and Life-Threatening Behavior*, 38(2), 195-208. (http://www.ncbi.nlm.nih.gov/pubmed/18444777)

Carson, H. (2008). Classes of drugs and their prevalence in multiple drug intoxication in suicides and accidents. *Legal Medicine (Tokyo, Japan)*, 10(2), 92-95. (http://www.ncbi.nlm.nih.gov/pubmed/17900964)

Castelpietra, G. G., Morsanutto, A. A., Pascolo-Fabrici, E. E., & Isacsson, G. G. (2008). Antidepressant use and suicide prevention: A prescription database study in the region Friuli Venezia Giulia, Italy. *Acta Psychiatrica Scandinavica*, 118(5), 382-388. (http://www.ncbi.nlm.nih.gov/pubmed/18754835)

Cerel, J., & Campbell, F. R. (2008). Suicide Survivors Seeking Mental Health Services: A Preliminary Examination of the Role of an Active Postvention Model. *Suicide and Life-Threatening Behavior*, 38(1), 30-34. (http://www.ncbi.nlm.nih.gov/pubmed/18355106)

Chan, H., Chan, Y., & Lau, F. (2008). Reversal of Brugada electrocardiographic pattern with sodium bicarbonate solution after amitriptyline overdose. *Clinical Toxicology (Philadelphia, Pa.)*, 46(9), 892-896. (http://www.ncbi.nlm.nih.gov/pubmed/18788005)

Chan, K., Straus, M., Brownridge, D., Tiwari, A., & Leung, W. (2008). Prevalence of dating partner violence and suicidal ideation among male and female university students worldwide. *Journal of Midwifery & Women's Health*, 53(6), 529-537. (http://www.ncbi.nlm.nih.gov/pubmed/18984509)

Chan, P., & Duflou, J. (2008). Suicidal electrocution in Sydney: a 10-year case review. *Journal of Forensic Sciences*, 53(2), 455-459. (http://www.ncbi.nlm.nih.gov/pubmed/18366579)

Chan, S., Chien, W., & Tso, S. (2008). The qualitative evaluation of a suicide prevention and management programme by general nurses. *Journal of Clinical Nursing*, 17(21), 2884-2894. (http://www.ncbi.nlm.nih.gov/pubmed/19012758)

Chapman, S., and A. Hayen. "Declines in Australian Suicide: A Reanalysis of Mcphedran and Baker (2008)." *Health Policy* 88 1 (2008): 152-4.

Cheung, Y., Chau, P., & Yip, P. (2008). A revisit on older adults suicides and Severe Acute Respiratory Syndrome (SARS) epidemic in Hong Kong. *International Journal of Geriatric Psychiatry*, 23(12), 1231-1238. (http://www.ncbi.nlm.nih.gov/pubmed/18500689)

Chia, B., Chia, A., & Tai, B. (2008). Suicide letters in Singapore. *Archives of Suicide Research*, 12(1), 74-81. (http://www.ncbi.nlm.nih.gov/pubmed/18240037)

Chung, K., Lee, H., Chen, S., & Lin, H. (2008). The ten-year trend in suicide methods. Evidence from an Asian population. *Canadian Journal of Public Health. Revue Canadienne De Santé Publique*, 99(5), 406-410. (http://www.ncbi.nlm.nih.gov/pubmed/19009927)

---. Urbanicity and methods of suicide: a nationwide population-based study. *Journal of Urban Health: Bulletin Of The New York Academy Of Medicine*, 85(1), 136-145. (http://www.ncbi.nlm.nih.gov/pubmed/17999195)

Clarke, D., Colantonio, A., Rhodes, A., & Escobar, M. (2008). Pathways to suicidality across ethnic groups in Canadian adults: the possible role of social stress. *Psychological Medicine*, 38(3), 419-431. (http://www.ncbi.nlm.nih.gov/pubmed/17976253)

---. (2008). Asthma and suicidal ideation with and without suicide attempts among adults in the United States: what is the role of cigarette smoking and mental disorders?. *Annals Of Allergy, Asthma & Immunology*, 100(5), 439-446 (http://www.ncbi.nlm.nih.gov/pubmed/18517075)

Cohen, C. I., Colemon, Y., Yaffee, R., & Casimir, G. J. (2008). Racial Differences in Suicidality in an Older Urban Population. *Gerontologist*, 48(1), 71-78. (http://www.ncbi.nlm.nih.gov/pubmed/18381834)

Cohen, J. (2008). Safe in our hands?: a study of suicide and self-harm in asylum seekers. *Journal of Forensic And Legal Medicine*, 15(4), 235-244. (http://www.ncbi.nlm.nih.gov/pubmed/18423357)

Coklo, M., Stemberga, V., Cuculić, D., Sosa, I., Jerković, R., & Bosnar, A. (2008). The methods of committing and alcohol intoxication of suicides in Southwestern Croatia from 1996 to 2005. *Collegium Antropologicum*, 32 Suppl 2123-125. (http://www.ncbi.nlm.nih.gov/pubmed/19140274)

Collins, J., & McFarland, B. (2008). Divalproex, lithium and suicide among Medicaid patients with bipolar disorder. *Journal of Affective Disorders*, 107(1-3), 23-28. (http://www.ncbi.nlm.nih.gov/pubmed/17707087)

Conwell, Y., & Thompson, C. (2008). Suicidal behavior in elders. *Psychiatric Clinics of North America*, 31(2), 333-356. (http://www.ncbi.nlm.nih.gov/pubmed/18439452)

Coryell, W., Fiedorowicz, J., Zimmerman, M., & Young, E. (2008). HPA-axis hyperactivity and mortality in psychotic depressive disorder: preliminary findings. *Psychoneuroendocrinology*, 33(5), 654-658. (http://www.ncbi.nlm.nih.gov/pubmed/18378097)

Cui, H., Nishiguchi, N., Ivleva, E., Yanagi, M., Fukutake, M., Nushida, H., & ... Shirakawa, O. (2008). Association of RGS2 gene polymorphisms with suicide and increased RGS2 immunoreactivity in the postmortem brain of suicide victims. *Neuropsychopharmacology*, 33(7), 1537-1544. (http://www.ncbi.nlm.nih.gov/pubmed/17728697)

Cunliffe, C., & Denton, J. (2008). An atypical gunshot wound from a home-made zip gun--the value of a thorough scene investigation. *Journal of Forensic Sciences*, 53(1), 216-218. (http://www.ncbi.nlm.nih.gov/pubmed/18279260)

Dale, J., & Pridmore, S. (2008). The gain of suicide. *Australasian Psychiatry: Bulletin Of Royal Australian And New Zealand College Of Psychiatrists*, 16(4), 296-297.

Dance, A. (2008). Death renews biosecurity debate. *Nature*, 454(7205), 672.

Dash, S., Mohanty, M., Mohanty, S., & Patnaik, K. (2008). Organophosphorus poisoning: victim specific analysis of mortality and morbidity. *Medicine, Science, And The Law*, 48(3), 241-245. (http://www.ncbi.nlm.nih.gov/pubmed/18754212)

Davies, J., Roberts, D., Eyer, P., Buckley, N., & Eddleston, M. (2008). Hypotension in severe dimethoate self-poisoning. *Clinical Toxicology (Philadelphia, Pa.)*, 46(9), 880-884. (http://www.ncbi.nlm.nih.gov/pubmed/19003596)

de Castro, S., & Guterman, J. T. (2008). Solution-Focused Therapy for Families Coping with Suicide. *Journal of Marital and Family Therapy*, 34(1), 93-106. (http://www.ncbi.nlm.nih.gov/pubmed/18199183)

De Filippis, S., Erbuto, D., Gentili, F., Innamorati, M., Lester, D., Tatarelli, R., & ... Pompili, M. (2008). Mental turmoil, suicide risk, illness perception, and temperament, and their impact on quality of life in chronic daily headache. *The Journal of Headache And Pain*, 9(6), 349-357. (http://www.ncbi.nlm.nih.gov/pubmed/18953488)

de la Grandmaison, G., Fermanian, C., Aegerter, P., & Durigon, M. (2008). Influence of ballistic and autopsy parameters on the manner of death in case of long firearms fatalities. *Forensic Science International*, 177(2-3), 207-213. (http://www.ncbi.nlm.nih.gov/pubmed/18282673)

de Leo, D., & Heller, T. (2008). Social modeling in the transmission of suicidality. *Crisis*, 29(1), 11-19. (http://www.ncbi.nlm.nih.gov/pubmed/18389641)

De Leo, D., & Krysinska, K. (2008). Suicidal behaviour by train collision in Queensland, 1990-2004. *The Australian And New Zealand Journal of Psychiatry*, 42(9), 772-779. (http://www.ncbi.nlm.nih.gov/pubmed/18696281)

De Luca, V., Strauss, J., & Kennedy, J. (2008). Power based association analysis (PBAT) of serotonergic and noradrenergic polymorphisms in bipolar patients with suicidal behaviour. *Progress In Neuro-Psychopharmacology & Biological Psychiatry*, 32(1), 197-203. (http://www.ncbi.nlm.nih.gov/pubmed/17869399)

Dedouit, F., Tournel, G., Robert, A., Dutrieux, P., Hédouin, V., & Gosset, D. (2008). An apple a day does not always keep the doctor away... *Journal of Forensic Sciences*, 53(6), 1434-1436. (http://www.ncbi.nlm.nih.gov/pubmed/18752554)

Demirci, S., Gunaydin, G., Dogan, K., & Erkol, Z. (2008). Deaths caused by mole guns: three case reports. *International Journal of Legal Medicine*, 122(4), 323-325. (http://www.ncbi.nlm.nih.gov/pubmed/17978831)

Demirel, B., Akar, T., Sayin, A., Candansayar, S., & Leenaars, A. A. (2008). Farewell to the World: Suicide Notes from Turkey. *Suicide and Life-Threatening Behavior*, 38(1), 122-127. (http://www.ncbi.nlm.nih.gov/pubmed/18355114)

Desai, M., Rosenheck, R., & Desai, R. (2008). Time trends and predictors of suicide among mental health outpatients in the Department of Veterans Affairs. *The Journal of Behavioral Health Services & Research*, 35(1), 115-124. (http://www.ncbi.nlm.nih.gov/pubmed/17990123)

Desai, R., Dausey, D., & Rosenheck, R. (2008). Suicide among discharged psychiatric inpatients in the Department of Veterans Affairs. *Military Medicine*, 173(8), 721-728. (http://www.ncbi.nlm.nih.gov/pubmed/18751586)

Desaulniers, J., & Daigle, M. S. (2008). Inter-regional variations in men's attitudes, suicide rates and sociodemographics in Quebec (Canada). *Social Psychiatry and Psychiatric Epidemiology*, 43(6), 445-453. (http://www.ncbi.nlm.nih.gov/pubmed/18404236)

Devasagayam, D., & Clarke, D. (2008). Changes to inpatient consultation-liaison psychiatry service delivery over a 7-year period. *Australasian Psychiatry*, 16(6), 418-422. (http://www.ncbi.nlm.nih.gov/pubmed/18608162)

Diamond, J. (2008). Gender and depression: Typical and atypical symptoms and suicide risk. *Dissertation Abstracts International*, 69 2-B: 1320.

DiStefano, A. (2008). Suicidality and self-harm among sexual minorities in Japan. *Qualitative Health Research*, 18(10), 1429-1441. (http://www.ncbi.nlm.nih.gov/pubmed/18689528)

Doichinov, I., Doichinova, Y., Spasov, S., & Marinov, N. (2008). Suicide by unusual manner of hanging. A case report. *Folia Medica*, 50(1), 60-62. (http://www.ncbi.nlm.nih.gov/pubmed/18543790)

Dombrovski, A. Y., Butters, M. A., Reynolds, C., Houck, P. R., Clark, L., Mazumdar, S., & Szanto, K. (2008). Cognitive performance in suicidal depressed elderly: Preliminary report. *The American Journal of Geriatric Psychiatry*, 16(2), 109-115. (http://www.ncbi.nlm.nih.gov/pubmed/18239196)

Dombrovski, A., Szanto, K., Duberstein, P., Conner, K., Houck, P., & Conwell, Y. (2008). Sex differences in correlates of suicide attempt lethality in late life. *The American Journal of Geriatric Psychiatry*, 16(11), 905-913. (http://www.ncbi.nlm.nih.gov/pubmed/18978251)

Donati, R., Dwivedi, Y., Roberts, R., Conley, R., Pandey, G., & Rasenick, M. (2008). Postmortem brain tissue of depressed suicides reveals increased Gs alpha localization in lipid raft domains where it is less likely to activate adenylyl cyclase. *The Journal of Neuroscience*, 28(12), 3042-3050. (http://www.ncbi.nlm.nih.gov/pubmed/18354007)

Dormer, N., McCaul, K., & Kristjanson, L. (2008). Risk of suicide in cancer patients in Western Australia, 1981-2002. *The Medical Journal of Australia*, 188(3), 140-143. (http://www.ncbi.nlm.nih.gov/pubmed/18241168)

Douglas, K., Lilienfeld, S., Skeem, J., Poythress, N., Edens, J., & Patrick, C. (2008). Relation of antisocial and psychopathic traits to suicide-related behavior among offenders. *Law And Human Behavior*, 32(6), 511-525. (http://www.ncbi.nlm.nih.gov/pubmed/18080733)

Dracheva, S., Patel, N., Woo, D., Marcus, S., Siever, L., & Haroutunian, V. (2008). Increased serotonin 2C receptor mRNA editing: a possible risk factor for suicide. *Molecular Psychiatry*, 13(11), 1001-1010. (http://www.ncbi.nlm.nih.gov/pubmed/17848916)

Draper, B., Pfaff, J. J., Pirkis, J., Snowdon, J., Lautenschlager, N. T., Wilson, I., & Almeida, O. P. (2008). Long-term effects of childhood abuse on the quality of life and health of older people: Results from the Depression and Early Prevention of Suicide in General Practice Project. *Journal of the American Geriatrics Society*, 56(2), 262-271. (http://www.ncbi.nlm.nih.gov/pubmed/18031482)

Draper, B., Snowdon, J., & Wyder, M. (2008). A pilot study of the suicide victim's last contact with a health professional. *Crisis*, 29(2), 96-101. (http://www.ncbi.nlm.nih.gov/pubmed/18664235)

Duberstein, P., Chapman, B., Epstein, R., McCollumn, K., & Kravitz, R. (2008). Physician personality characteristics and inquiry about mood symptoms in primary care. *Journal of General Internal Medicine*, 23(11), 1791-1795. (http://www.ncbi.nlm.nih.gov/pubmed/18780127)

Dubovsky, S., & Dubovsky, A. (2008). Mood disorders and the outcome of suicidal thoughts and attempts. *Critical Care Clinics*, 24(4), 857. (http://www.ncbi.nlm.nih.gov/pubmed/18929944)

Dunn, M. S., Goodrow, B., Givens, C., & Austin, S. (2008). Substance Use Behavior and Suicide Indicators among Rural Middle School Students. *Journal of School Health*, 78(1), 26-31. (http://www.ncbi.nlm.nih.gov/pubmed/18177297)

Dwivedi, Y., Rizavi, H., Teppen, T., Zhang, H., Mondal, A., Roberts, R., & ... Pandey, G. (2008). Lower phosphoinositide 3-kinase (PI 3-kinase) activity and differential expression levels of selective catalytic and regulatory PI 3-kinase subunit isoforms in prefrontal cortex and hippocampus of suicide subjects. *Neuropsychopharmacology*, 33(10), 2324-2340. (http://www.ncbi.nlm.nih.gov/pubmed/18075493)

Dyrbye, L., Thomas, M., Massie, F., Power, D., Eacker, A., Harper, W., & ... Shanafelt, T. (2008). Burnout and suicidal ideation among U.S. medical students. *Annals Of Internal Medicine*, 149(5), 334-341. (http://www.ncbi.nlm.nih.gov/pubmed/18765703)

Dzúrová, D., Vevera, J., Motlová, L., & Dragomirecká, E. (2008). Analysis of parasuicide, psychiatric care and completed suicides, implications for intervention strategy (Czech Republic, 1996-2000). *International Journal of Public Health*, 53(3), 139-149. (http://www.ncbi.nlm.nih.gov/pubmed/19127887)

Easton, C., Devine, S., Scott, M., & Wupperman, P. (2008). Commentary: implications for assessment and treatment of addictive and mentally disordered offenders entering prisons. *The Journal of The American Academy Of Psychiatry And The Law*, 36(1), 35-37. (http://www.ncbi.nlm.nih.gov/pubmed/18354121)

Eddleston, M., & Haggalla, S. (2008). Fatal injury in eastern Sri Lanka, with special reference to cardenolide self-poisoning with Cerbera manghas fruits. *Clinical Toxicology (Philadelphia, Pa.)*, 46(8), 745-748. (http://www.ncbi.nlm.nih.gov/pubmed/18803087)

Edwards, N., Alaghehbandan, R., MacDonald, D., Sikdar, K., Collins, K., & Avis, S. (2008). Suicide in Newfoundland and Labrador: A linkage study using medical examiner and vital statistics data. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 53(4), 252-259. (http://www.ncbi.nlm.nih.gov/pubmed/18478828)

Ehnvall, A., Parker, G., Hadzi-Pavlovic, D., & Malhi, G. (2008). Perception of rejecting and neglectful parenting in childhood relates to lifetime suicide attempts for females--but not for males. *Acta Psychiatrica Scandinavica*, 117(1), 50-56. (http://www.ncbi.nlm.nih.gov/pubmed/18028251)

Eksborg, S., & Rajs, J. (2008). Causes and manners of death among users of heroin, methadone, amphetamine, and cannabis in relation to postmortem chemical tests for illegal drugs. *Substance Use & Misuse*, 43(10), 1326-1339. (http://www.ncbi.nlm.nih.gov/pubmed/18696371)

Ellis, T. E., & Trumpower, D. (2008). Health-Risk Behaviors and Suicidal Ideation: A Preliminary Study of Cognitive and Developmental Factors. *Suicide and Life-Threatening Behavior*, 38(3), 251-259. (http://www.ncbi.nlm.nih.gov/pubmed/18611124)

Elnour, A. A., & Harrison, J. J. (2008). Lethality of suicide methods. *Injury Prevention*, 14(1), 39-45. (http://www.ncbi.nlm.nih.gov/pubmed/18245314)

Erlangsen, A. A., Canudas-Romo, V. V., & Conwell, Y. Y. (2008). Increased use of antidepressants and decreasing suicide rates: A population-based study using Danish register data. *Journal of Epidemiology and Community Health*, 62(5), 448-454. (http://www.ncbi.nlm.nih.gov/pubmed/18413459)

Erlangsen, A., Zarit, S., & Conwell, Y. (2008). Hospital-diagnosed dementia and suicide: a longitudinal study using prospective, nationwide register data. *The American Journal of Geriatric Psychiatry*, 16(3), 220-228. (http://www.ncbi.nlm.nih.gov/pubmed/18310552)

Familoni, O. (2008). An overview of stress in medical practice. *African Health Sciences*, 8(1), 6-7.

Farrell, M., & Marsden, J. (2008). Acute risk of drug-related death among newly released prisoners in England and Wales. *Addiction (Abingdon, England)*, 103(2), 251-255. (http://www.ncbi.nlm.nih.gov/pubmed/18199304)

Fathelrahman, A., Ab Rahman, A., & Mohd Zain, Z. (2008). Self-poisoning by drugs and chemicals: variations in demographics, associated factors and final outcomes. *General Hospital Psychiatry*, 30(5), 467-470. (http://www.ncbi.nlm.nih.gov/pubmed/18774431)

Fayard, G. (2008). Work-related fatal injuries in parking lots, 1993-2002. *Journal of Safety Research*, 39(1), 9-18. (http://www.ncbi.nlm.nih.gov/pubmed/18325411)

Fazel, S., Cartwright, J., Norman-Nott, A., & Hawton, K. (2008). Suicide in prisoners: a systematic review of risk factors. *The Journal of Clinical Psychiatry*, 69(11), 1721-1731. (http://www.ncbi.nlm.nih.gov/pubmed/19026254)

Fazel, S., Grann, M., Ahlner, J., & Goodwin, G. (2008). 'Suicides by violent means in individuals taking SSRIs and other antidepressants: A postmortem study in Sweden, 1992-2004': Erratum. *Journal of Clinical Psychopharmacology*, 28(1), 123.

Feigelman, W., Gorman, B. S., Beal, K., & Jordan, J. R. (2008). Internet support groups for suicide survivors: A new mode for gaining bereavement assistance. *Omega*, 57(3), 217-243. (http://www.ncbi.nlm.nih.gov/pubmed/18837172)

Feigelman, W., Jordan, J., & Gorman, B. (2008). How they died, time since loss, and bereavement outcomes. *Omega*, 58(4), 251-273. (http://www.ncbi.nlm.nih.gov/pubmed/19435178)

Feldcamp, L., Souza, R., Romano-Silva, M., Kennedy, J., & Wong, A. (2008). Reduced prefrontal cortex DARPP-32 mRNA in completed suicide victims with schizophrenia. *Schizophrenia Research*, 103(1-3), 192-200. (http://www.ncbi.nlm.nih.gov/pubmed/18573638)

Fischer, S., Huber, C., Imhof, L., Mahrer Imhof, R., Furter, M., Ziegler, S., & Bosshard, G. (2008). Suicide assisted by two Swiss right-to-die organisations. *Journal of Medical Ethics*, 34(11), 810-814. (http://www.ncbi.nlm.nih.gov/pubmed/18974416)

Flanagan, R. J. (2008). Fatal toxicity of drugs used in psychiatry. *Human Psychopharmacology: Clinical and Experimental*, 23(Suppl1), 43-51. (http://www.ncbi.nlm.nih.gov/pubmed/18098225)

Forrester, M. (2008). Selective serotonin re-uptake inhibitor warnings and trends in exposures reported to poison control centres in Texas. *Public Health*, 122(12), 1356-1362. (http://www.ncbi.nlm.nih.gov/pubmed/18706667)

Faragher, T. (2008). Suicide in Australian veterinarians. *Australian Veterinary Journal*, 86(7), 249.

Friedmann, H., & Kohn, R. (2008). Mortality, or Probability of Death, from a Suicidal Act in the United States. *Suicide and Life-Threatening Behavior*, 38(3), 287-301. (http://www.ncbi.nlm.nih.gov/pubmed/18611127)

Fritsche, I., Jonas, E., & Fankhänel, T. (2008). The role of control motivation in mortality salience effects on ingroup support and defense. *Journal of Personality And Social Psychology*, 95(3), 524-541. (http://www.ncbi.nlm.nih.gov/pubmed/18729692)

Fukube, S., Hayashi, T., Ishida, Y., Kamon, H., Kawaguchi, M., Kimura, A., & Kondo, T. (2008). Retrospective study on suicidal cases by sharp force injuries. *Journal of Forensic And Legal Medicine*, 15(3), 163-167. (http://www.ncbi.nlm.nih.gov/pubmed/18313011)

Fukutake, M., Hishimoto, A., Nishiguchi, N., Nushida, H., Ueno, Y., Shirakawa, O., & Maeda, K. (2008). Association of alpha2A-adrenergic receptor gene polymorphism with susceptibility to suicide in Japanese females. *Progress In Neuro-Psychopharmacology & Biological Psychiatry*, 32(6), 1428-1433. (http://www.ncbi.nlm.nih.gov/pubmed/18547701)

Furey, R. (2008). How to save a life. *PsycCRITIQUES*, 53(13): No Pagination Specified.

Gadalla, T. (2008). Association of comorbid mood disorders and chronic illness with disability and quality of life in Ontario, Canada. *Chronic Diseases In Canada*, 28(4), 148-154. (http://www.ncbi.nlm.nih.gov/pubmed/18625088)

Gallagher, L., Kliem, C., Beautrais, A., & Stallones, L. (2008). Suicide and occupation in New Zealand, 2001-2005. *International Journal of Occupational And Environmental Health*, 14(1), 45-50. (http://www.ncbi.nlm.nih.gov/pubmed/18320731)

Garlow, S. J., Rosenberg, J., Moore, J., Haas, A. P., Koestner, B., Hendin, H., & Nemeroff, C. B. (2008). Depression, desperation, and suicidal ideation in college students: Results from the American Foundation for Suicide Prevention College Screening Project at Emory University. *Depression and Anxiety*, 25(6), 482-488. (http://www.ncbi.nlm.nih.gov/pubmed/17559087)

Gask, L., Lever-Green, G., & Hays, R. (2008). Dissemination and implementation of suicide prevention training in one Scottish region. *BMC Health Services Research*, 8246. (http://www.ncbi.nlm.nih.gov/pubmed/19055769)

Gau, S., Chen, Y., Tsai, F., Lee, M., Chiu, Y., Soong, W., & Hwu, H. (2008). Risk Factors for Suicide in Taiwanese College Students. *Journal of American College Health*, 57(2), 135-142. (http://www.ncbi.nlm.nih.gov/pubmed/18809529)

Gaudiano, B., Young, D., Chelminski, I., & Zimmerman, M. (2008). Depressive symptom profiles and severity patterns in outpatients with psychotic vs nonpsychotic major depression. *Comprehensive Psychiatry*, 49(5), 421-429. (http://www.ncbi.nlm.nih.gov/pubmed/18702928)

Gemar, K., Zarkowski, P., & Avery, D. (2008). Hotel room suicide: Las Vegas and Clark County. *Social Psychiatry and Psychiatric Epidemiology*, 43(1), 25-27. (http://www.ncbi.nlm.nih.gov/pubmed/17934685)

Gershon, R. M., Pearson, J. M., Nandi, V., Vlahov, D., Bucciarelli-Prann, A., Tracy, M., Tardiff, K., & Galea, S. (2008). Epidemiology of subway-related fatalities in New York City, 1990-2003. *Journal of Safety Research*, 39(6), 583-588. (http://www.ncbi.nlm.nih.gov/pubmed/19064043)

Ghahramanlou-Holloway, M., Brown, G. K., & Beck, A. T. (2008). Suicide. In M. A. Whisman, M. A. Whisman (Eds.), *Adapting cognitive therapy for depression: Managing complexity and comorbidity* (pp. 159-184). New York, NY US: Guilford Press.

Gilbert, J., Jensen, L., & Byard, R. (2008). Further observations on the speed of death in hanging. *Journal of Forensic Sciences*, 53(5), 1204-1205. (http://www.ncbi.nlm.nih.gov/pubmed/18665887)

Gold, K., Kilbourne, A., & Valenstein, M. (2008). Primary care of patients with serious mental illness: your chance to make a difference. *The Journal of Family Practice*, 57(8), 515-525.

Goldberg, J. F. (2008). Psychosis with bipolar mania. *Annals of Clinical Psychiatry*, 20(Suppl4), S9-S13. (http://www.ncbi.nlm.nih.gov/pubmed/)

Goldney, R. D., & Fisher, L. J. (2008). Have Broad-Based Community and Professional Education Programs Influenced Mental Health Literacy and Treatment Seeking of those with Major Depression and Suicidal Ideation?. *Suicide and Life-Threatening Behavior*, 38(2), 129-142. (http://www.ncbi.nlm.nih.gov/pubmed/18444772)

Gollust, S., Eisenberg, D., & Golberstein, E. (2008). Prevalence and Correlates of Self-Injury among University Students. *Journal of American College Health*, 56(5), 491-498. (http://www.ncbi.nlm.nih.gov/pubmed/18400660)

Gos, T., Krell, D., Bielau, H., Brisch, R., Trübner, K., Steiner, J., Bernstein, H., & Bogerts, B. (2008). Tyrosine hydroxylase immunoreactivity in the locus coeruleus is elevated in violent suicidal depressive patients. *European Archives Of Psychiatry And Clinical Neuroscience*, 258(8), 513-520. (http://www.ncbi.nlm.nih.gov/pubmed/18574609)

---. (2008). Demonstration of decreased activity of dorsal raphe nucleus neurons in depressed suicidal patients by the AgNOR staining method. *Journal of Affective Disorders*, 111(2-3), 251-260. (http://www.ncbi.nlm.nih.gov/pubmed/18423885)

Gould, M. (2008). Choose life. *The Health Service Journal*, 22-24. (http://www.ncbi.nlm.nih.gov/pubmed/18504853)

Griffin-Fennell, F. (2008). Cultural influences on college students' suicide risk recognition in same age-peers. *Dissertation Abstracts International*, 68, 8-B (2008): 5571.

Griffiths, C., Ladva, G., Brock, A., & Baker, A. (2008). Trends in suicide by marital status in England and Wales, 1982-2005. *Health Statistics Quarterly / Office For National Statistics*, (37), 8-14. (http://www.ncbi.nlm.nih.gov/pubmed/18351023)

Grosse Perdekamp, M., Braunwarth, R., & Pollak, S. (2008). Patterned imprint mark due to the folded shoulder stock: a possible finding in contact shots from submachine guns. *Forensic Science International*, 178(1), e1-e5. (http://www.ncbi.nlm.nih.gov/pubmed/18262741)

Gunter, T., Arndt, S., Wenman, G., Allen, J., Loveless, P., Sieleni, B., & Black, D. (2008). Frequency of mental and addictive disorders among 320 men and women entering the Iowa prison system: use of the MINI-Plus. *The Journal of The American Academy Of Psychiatry And The Law*, 36(1), 27-34. (http://www.ncbi.nlm.nih.gov/pubmed/18354120)

Gupta, B., & Gambhir Singh, O. (2008). A unique trend of murder-suicide in the Jamnagar region of Gujarat, India (a retrospective study of 5 years). *Journal of Forensic And Legal Medicine*, 15(4), 250-255. (http://www.ncbi.nlm.nih.gov/pubmed/18423359)

Haas, A., Koestner, B., Rosenberg, J., Moore, D., Garlow, S. J., Sedway, J., Nicholas, H., Mann, J., & Nemeroff, C. B. (2008). An Interactive Web-Based Method of Outreach to College Students at Risk for Suicide. *Journal of American College Health*, 57(1), 15-22. (http://www.ncbi.nlm.nih.gov/pubmed/18682341)

Haeffel, G. J., Getchell, M., Koposov, R. A., Yrigollen, C. M., DeYoung, C. G., af Klinteberg, B., Oreland, L., Ruchkin, V., & Grigorenko, E. L. (2008). Association between polymorphisms in the dopamine transporter gene and depression: Evidence for a gene-environment interaction in a sample of juvenile detainees. *Psychological Science*, 19(1), 62-69. (http://www.ncbi.nlm.nih.gov/pubmed/18181793)

Hakko, H., Manninen, J., Karvonen, K., Särkioja, T., Meyer-Rochow, V., Räsänen, P., & Timonen, M. (2008). Association between physical illnesses and depressive symptoms requiring hospitalization in suicide victims. *Psychiatry Research*, 160(3), 271-277. (http://www.ncbi.nlm.nih.gov/pubmed/18710785)

Hamdi, E. E., Price, S. S., Qassem, T. T., Amin, Y. Y., & Jones, D. D. (2008). Suicides not in contact with mental health services: Risk indicators and determinants of referral. *Journal of Mental Health*, 17(4), 398-409.

Hansen, L., & Pritchard, C. (2008). Consistency in suicide rates in twenty-two developed countries by gender over time 1874--78, 1974--76, and 1998--2000. *Archives Of Suicide Research: Official Journal of The International Academy For Suicide Research*, 12(3), 251-262. (http://www.ncbi.nlm.nih.gov/pubmed/18576206)

Harada, T., Sakamoto, K., & Ishigooka, J. (2008). Incidence and predictors of activation syndrome induced by antidepressants. *Depression and Anxiety*, 25(12), 1014-1019. (http://www.ncbi.nlm.nih.gov/pubmed/18781664)

Harding, B., & Wolf, B. (2008). Case report of suicide by inhalation of nitrogen gas. *The American Journal of Forensic Medicine And Pathology: Official Publication Of The National Association Of Medical Examiners*, 29(3), 235-237. (http://www.ncbi.nlm.nih.gov/pubmed/18725778)

Harding, B. (2008). The Grim Reaper: From depression to integration. *Journal of Sandplay Therapy*, 17(2), 85-90.

Haukka, J., Suominen, K., Partonen, T., & Lönnqvist, J. (2008). Determinants and outcomes of serious attempted suicide: a nationwide study in Finland, 1996-2003. *American Journal of Epidemiology*, 167(10), 1155-1163. (http://www.ncbi.nlm.nih.gov/pubmed/18343881)

---. (2008). Association between medication and risk of suicide, attempted suicide and death in nationwide cohort of suicidal patients with schizophrenia. *Pharmacoepidemiology And Drug Safety*, 17(7), 686-696. (http://www.ncbi.nlm.nih.gov/pubmed/18327869)

Hawgood, J. L., Krysinska, K. E., Ide, N., & De Leo, D. (2008). Is suicide prevention properly taught in medical schools?. *Medical Teacher*, 30(3), 287-295. (http://www.ncbi.nlm.nih.gov/pubmed/18484456)

Hawton, K., Bergen, H., Casey, D., & Simkin, S. (2008). General hospital presentations of non-fatal hanging over a 28-year period: case-control study. *The British Journal of Psychiatry*, 193(6), 503-504. (http://www.ncbi.nlm.nih.gov/pubmed/19043157)

---. (2008). How Often Does Deliberate Self-Harm Occur Relative to Each Suicide? A Study of Variations by Gender and Age. *Suicide and Life-Threatening Behavior*, 38(6), 650-660. (http://www.ncbi.nlm.nih.gov/pubmed/19152296)

Hayati, A., & Kamarul, A. (2008). National Suicide Registry Malaysia (NSRM). *The Medical Journal of Malaysia*, 63 Suppl C50-54. (http://www.ncbi.nlm.nih.gov/pubmed/19227674)

Hayes, A. J., Shaw, J. J., Lever-Green, G., Parker, D., & Gask, L. (2008). Improvements to Suicide Prevention Training for Prison Staff in England and Wales. *Suicide and Life-Threatening Behavior*, 38(6), 708-713. (http://www.ncbi.nlm.nih.gov/pubmed/19152301)

Hedstrom, P., Liu, K., & Nordvik, M. K. (2008). Interaction Domains and Suicide: A Population-Based Panel Study of Suicides in Stockholm, 1991-1999. *Social Forces*, 87(2), 713-740.

Hilal, A., Cekin, N., Arslan, M., & Gulmen, M. (2008). Deaths due to burns in Adana, Turkey. *Burns*, 34(7), 982-985. (http://www.ncbi.nlm.nih.gov/pubmed/18378090)

Hishimoto, A., Cui, H., Mouri, K., Nushida, H., Ueno, Y., Maeda, K., & Shirakawa, O. (2008). A functional polymorphism of the micro-opioid receptor gene is associated with completed suicides. *Journal of Neural Transmission (Vienna, Austria: 1996)*, 115(3), 531-536. (http://www.ncbi.nlm.nih.gov/pubmed/18250953)

Hjelmeland, H., Knizek, B., Kinyanda, E., Musisi, S., Nordvik, H., & Svarva, K. (2008). Suicidal behavior as communication in a cultural context: a comparative study between Uganda and Norway. *Crisis*, 29(3), 137-144. (http://www.ncbi.nlm.nih.gov/pubmed/18714910)

Hoffmann, U., Hecker, U., & Abel, P. (2008). Acute poisoning by pirimicarb: clinical and toxicological features. *Clinical Toxicology (Philadelphia, Pa.)*, 46(7), 694-696. (http://www.ncbi.nlm.nih.gov/pubmed/18608305)

Holbrook, J., & Harik-Khan, R. (2008). Montelukast and emotional well-being as a marker for depression: results from 3 randomized, double-masked clinical trials. *The Journal of Allergy And Clinical Immunology*, 122(4), 828-829.

Houle, J., Mishara, B. L., & Chagnon, F. (2008). An empirical test of a mediation model of the impact of the traditional male gender role on suicidal behavior in men. *Journal of Affective Disorders*, 107(1-3), 37-43. (http://www.ncbi.nlm.nih.gov/pubmed/17707084)

Houry, D., Rhodes, K. V., Kemball, R. S., Click, L., Cerulli, C., McNutt, L., & Kaslow, N. J. (2008). Differences in Female and Male Victims and Perpetrators of Partner Violence with Respect to Web Scores. *Journal of Interpersonal Violence*, 23(8), 1041-1055. (http://www.ncbi.nlm.nih.gov/pubmed/18272721)

Howell, M. (2008). Suicide among older people: Gerontological social worker attitudes. *Dissertation Abstracts International Section A*, 68.

Howson, M., Yates, K., & Hatcher, S. (2008). Re-presentation and suicide rates in emergency department patients who self-harm. *Emergency Medicine Australasia: EMA*, 20(4), 322-327. (http://www.ncbi.nlm.nih.gov/pubmed/18782205)

Hu, G., Wilcox, H., Wissow, L., & Baker, S. (2008). Mid-life suicide: an increasing problem in U.S. Whites, 1999-2005. *American Journal of Preventive Medicine*, 35(6), 589-593. (http://www.ncbi.nlm.nih.gov/pubmed/19000847)

Hutchinson, J., Greene, J., & Hansen, S. (2008). Evaluating active duty risk-taking: military home, education, activity, drugs, sex, suicide, and safety method. *Military Medicine*, 173(12), 1164-1167. (http://www.ncbi.nlm.nih.gov/pubmed/19149332)

Innamorati, M., Pompili, M., Ferrari, V., Girardi, P., Tatarelli, R., Tamburello, A., & Lester, D. (2008). Cannabis use and the risk behavior syndrome in Italian university students: Are they related to suicide risk?. *Psychological Reports*, 102(2), 577-594. (http://www.ncbi.nlm.nih.gov/pubmed/18567227)

Innamorati, M., Pompili, M., Masotti, V., Personé, F., Lester, D., Tatarelli, R., & ... Amore, M. (2008). Completed versus attempted suicide in psychiatric patients: A psychological autopsy study. *Journal of Psychiatric Practice*, 14(4), 216-224. (http://www.ncbi.nlm.nih.gov/pubmed/18664890)

Innamorati, M., Pompili, M., Lester, D., Tatarelli, R., & Girardi, P. (2008). Recreational drug use and suicidality among Italian young adults. *Journal of Addictive Diseases*, 27(4), 51-59. (http://www.ncbi.nlm.nih.gov/pubmed/19042591)

Inoue, K., Tanii, H., Abe, S., Fujita, Y., Kaiya, H., Nata, M., & ... Fukunaga, T. (2008). Respiratory disease and temperature are correlated with suicide in Mie Prefecture, Japan. *Journal of Forensic And Legal Medicine*, 15(6), 409-410.

---. (2008). The tendency of suicide among the elderly in Mie Prefecture, Japan. *Journal of Forensic And Legal Medicine*, 15(1), 64.

---. (2008). The report in the correlation between the factor of unemployment and suicide in Japan. *The American Journal of Forensic Medicine And Pathology*, 29(2), 202-203.

---. (2008). The risk factors of suicide by poisoning among psychiatry department outpatients. *Journal of Forensic And Legal Medicine*, 15(1), 65-67.

---. (2008). Suicide in Mie Prefecture, Japan, since 1990. *The West Indian Medical Journal*, 57(1), 58-62. (http://www.ncbi.nlm.nih.gov/pubmed/19565940)

---. (2008). The importance of the frequency of suicide attempts as a risk factor of suicide. *Journal of Forensic And Legal Medicine*, 15(1), 24-26. (http://www.ncbi.nlm.nih.gov/pubmed/17239647)

---. 2008). Changes in the divorce and birth rates correlate with the suicide rate in Japan. *The West Indian Medical Journal*, 57(2), 182.

---. (2008). The significant correlation of annual suicide rates with unemployment rate among males resulted in the rapid increase of the number of suicides in Gifu Prefecture, Japan, between 1990 and 2000. *Journal of Forensic And Legal Medicine*, 15(2), 125-126.

---. (2008). Suicide among younger age groups in Japan. *The American Journal of Forensic Medicine And Pathology*, 29(4), 384-385.

---. (2008). The correlation between unemployment and suicide rates in Gifu Prefecture, Japan. *The West Indian Medical Journal*, 57(2), 183.

Inoue, K., & Fujita, Y. (2008). Correlation between increases in suicide rates and increases in the unemployment rate, ratio of job offers to applicants, and ratio of new job offers to new applicants among males in Okayama Prefecture, Japan. *International Medical Journal*, 15(3), 179-182.

Ito, H., Kawano, K., Kawashima, D., & Kawanishi, C. (2008). Responses to patients with suicidal ideation among different specialties in general hospitals. *General Hospital Psychiatry*, 30(6), 578-580. (http://www.ncbi.nlm.nih.gov/pubmed/19061686)

Janis, I., & Nock, M. K. (2008). Behavioral forecasts do not improve the prediction of future behavior: A prospective study of self-injury. *Journal of Clinical Psychology*, 64(10), 1164-1174. (http://www.ncbi.nlm.nih.gov/pubmed/18690670)

Jayaram, G., & Triplett, P. (2008). Quality improvement of psychiatric care: Challenges of emergency psychiatry. *The American Journal of Psychiatry*, 165(10), 1256-1260.

Jesdale, B. M. (2008). Measures of normative heterosexuality: Suicide in social context. *Dissertation Abstracts International*, 68, 7-B: 4420.

Joffe, P. (2008). An Empirically Supported Program to Prevent Suicide in a College Student Population. *Suicide and Life-Threatening Behavior*, 38(1), 87-103. (http://www.ncbi.nlm.nih.gov/pubmed/18355111)

Johnson, J., Tarrier, N., & Gooding, P. (2008). An investigation of aspects of the cry of pain model of suicide risk: The role of defeat in impairing memory. *Behaviour Research and Therapy*, 46(8), 968-975. (http://www.ncbi.nlm.nih.gov/pubmed/18514615)

Johnson, J. G., Zhang, B., & Prigerson, H. G. (2008). Investigation of a Developmental Model of Risk for Depression and Suicidality Following Spousal Bereavement. *Suicide and Life-Threatening Behavior*, 38(1), 1-12. (http://www.ncbi.nlm.nih.gov/pubmed/18355104)

Johnston, H., & Naved, R. (2008). Spousal violence in Bangladesh: a call for a public-health response. *Journal of Health, Population, And Nutrition*, 26(3), 366-377. (http://www.ncbi.nlm.nih.gov/pubmed/18831231)

Joiner, T. jr., Petty, S., Perez, M., Sachs-Ericsson, N., & Rudd, M. (2008). Depressive symptoms induce paranoid symptoms in narcissistic personalities (but not narcissistic symptoms in paranoid personalities). *Psychiatry Research*, 159(1-2), 237-244. (http://www.ncbi.nlm.nih.gov/pubmed/18423618)

Jokinen, J., Nordström, A., & Nordström, P. (2008). ROC analysis of dexamethasone suppression test threshold in suicide prediction after attempted suicide. *Journal of Affective Disorders*, 106(1-2), 145-152. (http://www.ncbi.nlm.nih.gov/pubmed/17662471)

Jokinen, J., & Nordström, P. (2008). HPA axis hyperactivity as suicide predictor in elderly mood disorder inpatients. *Psychoneuroendocrinology*, 33(10), 1387-1393. (http://www.ncbi.nlm.nih.gov/pubmed/18805641)

Jokinen, J., Samuelsson, M., Nordström, A., & Nordström, P. (2008). HPT axis, CSF monoamine metabolites, suicide intent and depression severity in male suicide attempters. *Journal of Affective Disorders*, 111(1), 119-124. (http://www.ncbi.nlm.nih.gov/pubmed/18342374)

Jollant, F., Lawrence, N., Giampietro, V., Brammer, M., Fullana, M., Drapier, D., & ... Phillips, M. (2008). Orbitofrontal cortex response to angry faces in men with histories of suicide attempts. *The American Journal of Psychiatry*, 165(6), 740-748. (http://www.ncbi.nlm.nih.gov/pubmed/18346998)

Jorgensen, E. L. (2008). A spatial analysis of the effects of gender, social structure and culture on lethal violence: Examining regional differences using an integrated model of homicide and suicide. *Dissertation Abstracts International Section A*, 69, 3-A: 1168.

Jorm, A. F., & Griffiths, K. M. (2008). The public's stigmatizing attitudes towards people with mental disorders: How important are biomedical conceptualizations?. *Acta Psychiatrica Scandinavica*, 118(4), 315-321. (http://www.ncbi.nlm.nih.gov/pubmed/18759807)

Jorm, A., Morgan, A., & Wright, A. (2008). First aid strategies that are helpful to young people developing a mental disorder: beliefs of health professionals compared to young people and parents. *BMC Psychiatry*, 842. (http://www.ncbi.nlm.nih.gov/pubmed/18538033)

Jovanović, A., Jovović, S., Milovanović, S., & Jasović-Gasić, M. (2008). Medical reasons for retrospective challenges of testamentary capacity. *Psychiatria Danubina*, 20(4), 485-493. (http://www.ncbi.nlm.nih.gov/pubmed/19011589)

Kabore, H., Brown, S., & Archer, P. (2008). Suicide among persons 65 years and older, Oklahoma, 2004. *The Journal of The Oklahoma State Medical Association*, 101(11), 267-270.

Kalmar, S., Szanto, K., Rihmer, Z., Mazumdar, S., Harrison, K., & Mann, J. (2008). Antidepressant Prescription and Suicide Rates: Effect of Age and Gender. *Suicide and Life-Threatening Behavior*, 38(4), 363-374. (http://www.ncbi.nlm.nih.gov/pubmed/18724785)

Kamijo, Y., Soma, K., Sato, C., & Kurihara, K. (2008). Fatal diphenhydramine poisoning with increased vascular permeability including late pulmonary congestion refractory to percutaneous cardiovascular support. *Clinical Toxicology (Philadelphia, Pa.)*, 46(9), 864-868. (http://www.ncbi.nlm.nih.gov/pubmed/18608279)

Kanchan, T., & Menezes, R. (2008). Suicidal hanging in Manipal, South India - victim profile and gender differences. *Journal of Forensic And Legal Medicine*, 15(8), 493-496. (http://www.ncbi.nlm.nih.gov/pubmed/18926500)

---. (2008). Suicidal poisoning in Southern India: gender differences. *Journal of Forensic And Legal Medicine*, 15(1), 7-14. (http://www.ncbi.nlm.nih.gov/pubmed/18096509)

---. (2008). Suicides in India: a response to "Suicide in India--a 78 four year retrospective study" [J Forensic Leg Med 2007;14:185-9]. *Journal of Forensic And Legal Medicine*, 15(5), 346-347.

Kapur, N., Murphy, E., Cooper, J., Bergen, H., Hawton, K., Simkin, S., & ... Owens, D. (2008). Psychosocial assessment following self-harm: Results from the Multi-Centre Monitoring of Self-Harm Project. *Journal of Affective Disorders*, 106(3), 285-293. (http://www.ncbi.nlm.nih.gov/pubmed/17761308)

Kapusta, N. D., Zorman, A., Etzersdorfer, E., Ponocny-Seliger, E., Jandl-Jager, E., & Sonneck, G. (2008). Rural-urban differences in Austrian suicides. *Social Psychiatry and Psychiatric Epidemiology*, 43(4), 311-318. (http://www.ncbi.nlm.nih.gov/pubmed/18264807)

Karam, E. G., Hajjar, R. V., & Salamoun, M. M. (2008). Suicidality in the Arab World Part II: Community studies. *Arab Journal of Psychiatry*, 19(2), 1-24.

Karch, D., Lubell, K., Friday, J., Patel, N., & Williams, D. (2008). Surveillance for violent deaths--National Violent Death Reporting System, 16 states, 2005. *MMWR. Surveillance Summaries: Morbidity And Mortality Weekly Report. Surveillance Summaries / CDC*, 57(3), 1-45. (http://www.ncbi.nlm.nih.gov/pubmed/18401333)

Karvonen, K., Räsänen, P., Hakko, H., Timonen, M., Meyer-Rochow, V., Särkioja, T., & Koponen, H. J. (2008). Suicide after hospitalization in the elderly: A population based study of suicides in Northern Finland between 1988-2003. *International Journal of Geriatric Psychiatry*, 23(2), 135-141. (http://www.ncbi.nlm.nih.gov/pubmed/17583897)

Katz, L., Kozyrskyj, A., Prior, H., Enns, M., Cox, B., & Sareen, J. (2008). Effect of regulatory warnings on antidepressant prescription rates, use of health services and outcomes among children, adolescents and young adults. *CMAJ: Canadian Medical Association Journal = Journal De L'association Medicale Canadienne*, 178(8), 1005-1011. (http://www.ncbi.nlm.nih.gov/pubmed/18390943)

Katz-Sheiban, B., & Eshet, Y. (2008). Facts and myths about suicide: a study of Jewish and Arab students in Israel. *Omega*, 57(3), 279-298. (http://www.ncbi.nlm.nih.gov/pubmed/18837175)

Kawanishi, Y. (2008). On karo-jisatsu (suicide by overwork): Why do Japanese workers work themselves to death?. *International Journal of Mental Health*, 37(1), 61-74.

Kaye, S., Darke, S., Duflou, J., & McKetin, R. (2008). Methamphetamine-related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. *Addiction (Abingdon, England)*, 103(8), 1353-1360. (http://www.ncbi.nlm.nih.gov/pubmed/18855825)

Kazim , Faraz S., Aly, Z., Bangash, H., Harchandani, B., Bin Irfan, A., Javed, S., & ... Moosa Khan, M. (2008). Attitudes toward suicide bombing in Pakistan. *Crisis*, 29(2), 81-85. (http://www.ncbi.nlm.nih.gov/pubmed/18664233)

Keilp, J., Gorlyn, M., Oquendo, M., Burke, A., & Mann, J. (2008). Attention deficit in depressed suicide attempters. *Psychiatry Research*, 159(1-2), 7-17. (http://www.ncbi.nlm.nih.gov/pubmed/18329724)

Kenttämies, A., & Karkola, K. (2008). Death in sauna. *Journal of Forensic Sciences*, 53(3), 724-729. (http://www.ncbi.nlm.nih.gov/pubmed/18471223)

Kerr, D. R., Owen, L. D., Pears, K. C., & Capaldi, D. M. (2008). Prevalence of Suicidal Ideation among Boys and Men Assessed Annually from Ages 9 to 29 Years. *Suicide and Life-Threatening Behavior*, 38(4), 390-402. (http://www.ncbi.nlm.nih.gov/pubmed/18724787)

Kerr, D. R. (2008). Replicated prediction of men's suicide attempt history from parent reports in late childhood. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(7), 834-835.

Kessler, R. C., Galea, S. S., Gruber, M. J., Sampson, N. A., Ursano, R. J., & Wessely, S. S. (2008). Trends in mental illness and suicidality after Hurricane Katrina. *Molecular Psychiatry*, 13(4), 374-384. (http://www.ncbi.nlm.nih.gov/pubmed/18180768)

Khalsa, H., Salvatore, P., Hennen, J., Baethge, C., Tohen, M., & Baldessarini, R. (2008). Suicidal events and accidents in 216 first-episode bipolar I disorder patients: predictive factors. *Journal of Affective Disorders*, 106(1-2), 179-184. (http://www.ncbi.nlm.nih.gov/pubmed/17614135)

Khan, M., Mahmud, S., Karim, M., Zaman, M., & Prince, M. (2008). Case-control study of suicide in Karachi, Pakistan. *The British Journal of Psychiatry*, 193(5), 402-405. (http://www.ncbi.nlm.nih.gov/pubmed/18978322)

---. (2008). Epidemiology of suicide in Pakistan: determining rates in six cities. *Archives Of Suicide Research: Official Journal of The International Academy For Suicide Research*, 12(2), 155-160. (http://www.ncbi.nlm.nih.gov/pubmed/18340598)

Kim, B., Kim, C., Hong, J., Kim, S., Lee, C., & Joo, Y. (2008). Brain-derived neurotrophic factor Val/Met polymorphism and bipolar disorder: Association of the Met allele with suicidal behavior of bipolar patients. *Neuropsychobiology*, 58(2), 97-103. (http://www.ncbi.nlm.nih.gov/pubmed/18843195)

Kim, Y., Lee, S., Kim, S., Shim, S., Han, S., Choi, S., & Lee, B. (2008). Differences in cytokines between non-suicidal patients and suicidal patients in major depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 32(2), 356-361. (http://www.ncbi.nlm.nih.gov/pubmed/17919797)

Kim, Y., & Leventhal, B. (2008). Bullying and suicide. A review. *International Journal of Adolescent Medicine and Health*, 20(2), 133-154. (http://www.ncbi.nlm.nih.gov/pubmed/18714552)

King, M., Semlyen, J., Tai, S., Killaspy, H., Osborn, D., Popelyuk, D., & Nazareth, I. (2008). A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. *BMC Psychiatry*, 8: 70. (http://www.ncbi.nlm.nih.gov/pubmed/18706118)

Kitanaka, J. (2008). Diagnosing suicides of resolve: psychiatric practice in contemporary Japan. *Culture, Medicine And Psychiatry*, 32(2), 152-176. (http://www.ncbi.nlm.nih.gov/pubmed/18363084)

Klimes-Dougan, B., Lee, C., Ronsaville, D., & Martinez, P. (2008). Suicidal risk in young adult offspring of mothers with bipolar or major depressive disorder: a longitudinal family risk study. *Journal of Clinical Psychology*, 64(4), 531-540. (http://www.ncbi.nlm.nih.gov/pubmed/18357577)

Knittel, D., Munn, G., & Simmer, E. (2008). Prodromal psychosis as an etiology of suicide: a case report and review of the literature. *The American Journal of Forensic Medicine And Pathology*, 29(3), 238-241. (http://www.ncbi.nlm.nih.gov/pubmed/18725779)

Kobylecki, C., Hansen, T., Timm, S., Wang, A., Jakobsen, K., Sørensen, H., & ... Werge, T. (2008). The impact of CYP2D6 and CYP2C19 polymorphisms on suicidal behavior and substance abuse disorder among patients with schizophrenia: a retrospective study. *Therapeutic Drug Monitoring*, 30(3), 265-270. (http://www.ncbi.nlm.nih.gov/pubmed/18520596)

Komaki, S., Nagayama, H., Ohgami, H., Takaki, H., Mori, H., & Akiyoshi, J. (2008). Prospective study of major depressive disorder with white matter hyperintensity: comparison of patients with and without lacunar infarction. *European Archives Of Psychiatry And Clinical Neuroscience*, 258(3), 160-164. (http://www.ncbi.nlm.nih.gov/pubmed/17990046)

Kondo, N. N., Subramanian, S. V., Kawachi, I. I., Takeda, Y. Y., & Yamagata, Z. Z. (2008). Economic recession and health inequalities in Japan: Analysis with a national sample, 1986-2001. *Journal of Epidemiology and Community Health*, 62(10), 869-875. (http://www.ncbi.nlm.nih.gov/pubmed/18791043)

Kosik, K., & Lopera, F. (2008). Genetic testing must recognize impact of bad news on recipient. *Nature*, 454(7201), 158-159.

Kostić, V. S., Pekmezović, T., Tomić, A., Ječmenica-Lukić, M., Stojković, T., Špica, V., & ... Džoljić, E. (2010). Suicide and suicidal ideation in Parkinson's disease. *Journal of the Neurological Sciences*, 289(1-2), 40-43. (http://www.ncbi.nlm.nih.gov/pubmed/19737673)

Kovacic, Z., Henigsberg, N., Pivac, N., Nedic, G., & Borovecki, A. (2008). Platelet serotonin concentration and suicidal behavior in combat related posttraumatic stress disorder. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 32(2), 544-551. (http://www.ncbi.nlm.nih.gov/pubmed/18055084)

Kovács, K. (2008). Suicide and alcohol-related mortality in Hungary in the last two decades. *International Journal of Public Health*, 53(5), 252-259. (http://www.ncbi.nlm.nih.gov/pubmed/18821056)

Kozicz, T., Tilburg-Ouwens, D., Faludi, G., Palkovits, M., & Roubos, E. (2008). Gender-related urocortin 1 and brain-derived neurotrophic factor expression in the adult human midbrain of suicide victims with major depression. *Neuroscience*, 152(4), 1015-1023. (http://www.ncbi.nlm.nih.gov/pubmed/18329817)

Kposowa, A., McElvain, J., & Breault, K. (2008). Immigration and suicide: the role of marital status, duration of residence, and social integration. *Archives Of Suicide Research: Official Journal of The International Academy For Suicide Research*, 12(1), 82-92. (http://www.ncbi.nlm.nih.gov/pubmed/18240038)

Krahn, L., Miller, B., & Bergstrom, L. (2008). Rapid resolution of intense suicidal ideation after treatment of severe obstructive sleep apnea. *Journal of Clinical Sleep Medicine: JCSM: Official Publication Of The American Academy Of Sleep Medicine*, 4(1), 64-65. (http://www.ncbi.nlm.nih.gov/pubmed/18350966)

Kristjánsson, K. (2008). Suicide bombing as deluded self-enhancement. In M. Sharpe, M. Sharpe (Eds.) , *Suicide bombers: The psychological, religious and other imperatives* (pp. 89-95). IOS Press.

Krysinska, K., & De Leo, D. (2008). Suicide on railway networks: Epidemiology, risk factors and prevention. *Australian and New Zealand Journal of Psychiatry*, 42(9), 763-771. (http://www.ncbi.nlm.nih.gov/pubmed/18696280)

Kuhns, L. M. (2008). An assessment of the relationship of social stigma to suicidality among Latino gay men. *Dissertation Abstracts International*, 68, 8-B: 5171.

Kuo, C., Conwell, Y., Yu, Q., Chiu, C., Chen, Y., Tsai, S., & Chen, C. (2008). Suicide by charcoal burning in Taiwan: Implications for means substitution by a case-linkage study. *Social Psychiatry and Psychiatric Epidemiology*, 43(4), 286-290. (http://www.ncbi.nlm.nih.gov/pubmed/18075708)

Ladwig, K., Klupsch, D., Ruf, E., Meisinger, C., Baumert, J., Erazo, N., & Wichmann, H. (2008). Sex- and age-related increase in prevalence rates of death wishes and suicidal ideation in the community: results from the KORA-F3 Augsburg Study with 3,154 men and women, 35 to 84 years of age. *Psychiatry Research*, 161(2), 248-252. (http://www.ncbi.nlm.nih.gov/pubmed/18817981)

Lakeman, R., & FitzGerald, M. (2008). How people live with or get over being suicidal: a review of qualitative studies. *Journal of Advanced Nursing*, 64(2), 114-126. (http://www.ncbi.nlm.nih.gov/pubmed/18990092)

Lam, B., Christ, S., Lee, D., Zheng, D., & Arheart, K. (2008). Reported visual impairment and risk of suicide: the 1986-1996 national health interview surveys. *Archives Of Ophthalmology*, 126(7), 975-980. (http://www.ncbi.nlm.nih.gov/pubmed/18625946)

Lambert, S., Copeland-Linder, N., & Ialongo, N. (2008). Longitudinal associations between community violence exposure and suicidality. *The Journal of Adolescent Health: Official Publication Of The Society For Adolescent Medicine*, 43(4), 380-386. (http://www.ncbi.nlm.nih.gov/pubmed/18809136)

Lamis, D. A., Langhinrichsen-Rohling, J., & Simpler, A. H. (2008). The associations among personality disorder symptoms, suicide proneness and current distress in adult male prisoners. *Personality and Mental Health*, 2(4), 218-229.

Landberg, J. (2008). Alcohol and suicide in eastern Europe. *Drug And Alcohol Review*, 27(4), 361-373. (http://www.ncbi.nlm.nih.gov/pubmed/18584385)

Larkin, G., Smith, R. P., & Beautris, A. L. (2008). Trends in US emergency department visits for suicide attempts, 1992-2001. *Crisis*, 29(2), 73-80. (http://www.ncbi.nlm.nih.gov/pubmed/18664232)

Lauer, S., de Man, A. F., Marquez, S., & Ades, J. (2008). External locus of control, problem-focused coping and attempted suicide. *North American Journal of Psychology*, 10(3), 625-632.

Lauterbach, E., Felber, W., Müller-Oerlinghausen, B., Ahrens, B., Bronisch, T., Meyer, T., & ... Hohagen, F. (2008). Adjunctive lithium treatment in the prevention of suicidal behaviour in depressive disorders: a randomised, placebo-controlled, 1-year trial. *Acta Psychiatrica Scandinavica*, 118(6), 469-479. (http://www.ncbi.nlm.nih.gov/pubmed/18808400)

Law, S., & Liu, P. (2008). Suicide in China: unique demographic patterns and relationship to depressive disorder. *Current Psychiatry Reports*, 10(1), 80-86. (http://www.ncbi.nlm.nih.gov/pubmed/18269899)

Le Coeur, S., Khlat, M., & Halembokaka, G. (2008). Increased HIV infection rate among violent deaths: a mortuary study in the Republic of Congo. *AIDS (London, England)*, 22(13), 1675-1676. (http://www.ncbi.nlm.nih.gov/pubmed/18670230)

Lee, B. W., Conwell, Y., Shah, M. N., Barker, W. H., Delavan, R. L., & Friedman, B. (2008). Major depression and emergency medical services utilization in community-dwelling elderly persons with disabilities. *International Journal of Geriatric Psychiatry*, 23(12), 1276-1282. (http://www.ncbi.nlm.nih.gov/pubmed/18613268)

Lee, H., Lin, H., Liu, T., & Lin, S. (2008). Contact of mental and nonmental health care providers prior to suicide in Taiwan: A population-based study. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 53(6), 377-383. (http://www.ncbi.nlm.nih.gov/pubmed/18616858)

LeMay, K., & Wilson, K. G. (2008). Treatment of existential distress in life threatening illness: A review of manualized interventions. *Clinical Psychology Review*, 28(3), 472-493. (http://www.ncbi.nlm.nih.gov/pubmed/17804130)

Lesage, A., Séguin, M., Guy, A., Daigle, F., Bayle, M., Chawky, N., & ... Turecki, G. (2008). Systematic services audit of consecutive suicides in New Brunswick: The case for coordinating specialist mental health and addiction services. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 53(10), 671-678. (http://www.ncbi.nlm.nih.gov/pubmed/18940035)

Lester, D. (2008). Computer analysis of the content of suicide notes from men and women. *Psychological Reports*, 102(2), 575-576.

---. (2008). Differences between genuine and simulated suicide notes. *Psychological Reports*, 103(2), 527-528. (http://www.ncbi.nlm.nih.gov/pubmed/19102477)

---. (2008). A further study of sex differences in suicide notes: a study of German suicide notes. *Psychological Reports*, 103(3), 797-798. (http://www.ncbi.nlm.nih.gov/pubmed/19320215)

---. (2008). Possible role of posttraumatic stress disorder in suicide terrorists: an hypothesis. *Psychological Reports*, 102(2), 614-615. (http://www.ncbi.nlm.nih.gov/pubmed/18567233)

---. (2008). "Undecided" responses on the Suicide Opinion Questionnaire. *Psychological Reports*, 103(3), 661-662. (http://www.ncbi.nlm.nih.gov/pubmed/19320197)

Lester, D., & Frank, M. (2008). How do American undergraduates view suicide bombers?. *Psychological Reports*, 103(3), 713-714. (http://www.ncbi.nlm.nih.gov/pubmed/19320204)

Leth, P., & Worm-Leonhard, M. (2008). Tablet residues in stomach content found by routine post-mortem CT. *Forensic Science International*, 179(1), e16-e17.

Li, J., Ran, M., Hao, Y., Zhao, Z., Guo, Y., Su, J., & Lu, H. (2008). Inpatient Suicide in a Chinese Psychiatric Hospital. *Suicide and Life-Threatening Behavior*, 38(4), 449-455. (http://www.ncbi.nlm.nih.gov/pubmed/18724793)

Liaw, Y., Wang, P., Huang, C., Chang, C., & Lee, W. (2008). The suicide mortality rates between 1997-1998 and 2000-2001 in Nantou County of Taiwan following the earthquake of September 21 in 1999. *Journal of Forensic Sciences*, 53(1), 199-202. (http://www.ncbi.nlm.nih.gov/pubmed/18005008)

Lin, H., Chen, C., Xirasagar, S., & Lee, H. (2008). Seasonality and climatic associations with violent and nonviolent suicide: A population-based study. *Neuropsychobiology*, 57(1-2), 32-37. (http://www.ncbi.nlm.nih.gov/pubmed/18451635)