2008(b) Research Bibliography on Suicide Prevention in Working Age Males

Idaho Suicide Prevention Research Project
Funded by the Idaho Department of Health & Welfare
March, 2011

Lin, J., & Lu, T. (2008). High-risk groups for charcoal-burning suicide in Taiwan, 2001-2005. *Journal of Clinical Psychiatry*, 69(9), 1499-1501.

---. (2008). Suicide mortality trends by sex, age and method in Taiwan, 1971-2005. *BMC Public Health*, 86. (http://www.ncbi.nlm.nih.gov/pubmed/18179723)

Lindert, J. J., Schouler-Ocak, M. M., Heinz, A. A., & Priebe, S. S. (2008). Mental health, health care utilisation of migrants in Europe. *European Psychiatry*, 23(Suppl1), S14-S20. (http://www.ncbi.nlm.nih.gov/pubmed/18371575)

Lindqvist, P., Johansson, L., & Karlsson, U. (2008). In the aftermath of teenage suicide: a qualitative study of the psychosocial consequences for the surviving family members. *BMC Psychiatry*, 826. (http://www.ncbi.nlm.nih.gov/pubmed/18426560)

Ljung, R., Björkenstam, C., & Björkenstam, E. (2008). Ethnic differences in antidepressant treatment preceding suicide in Sweden. *Psychiatric Services*, 59(1), 116-117.

Logan, J., Hill, H., Black, M., Crosby, A., Karch, D., Barnes, J., & Lubell, K. (2008). Characteristics of perpetrators in homicide-followed-by-suicide incidents: National Violent Death Reporting System--17 US States, 2003-2005. *American Journal of Epidemiology*, 168(9), 1056-1064. (http://www.ncbi.nlm.nih.gov/pubmed/18794221)

Loibl, L., Tran, U., Hirner, A., & Voracek, M. (2008). Lay theories of suicide: test-restest reliability and further validation of lester and bean's attribution of causes to suicide scale. *Psychiatria Danubina*, 20(1), 26-30. (http://www.ncbi.nlm.nih.gov/pubmed/18376327)

Lorin de la Grandmaison, G., Fermanian, C., & Durigon, M. (2008). Analysis of discrepancies between external body examination and forensic autopsy. *The American Journal of Forensic Medicine And Pathology*, 29(1), 40-42. (http://www.ncbi.nlm.nih.gov/pubmed/19749615)

LoVecchio, F., Katz, K., Watts, D., & Wood, I. (2008). Four-year experience with methotrexate exposures. *Journal of Medical Toxicology*, 4(3), 149-150. (http://www.ncbi.nlm.nih.gov/pubmed/18821486)

Lowson, D. W., Jordan, F. M., & Magid, K. (2008). On sex and suicide bombing: An evaluation of Kanazawa's 'evolutionary psychological imagination'. *Journal of Evolutionary Psychology*, 6(1), 73-84.

Lusyne, P., & Page, H. (2008). The impact of children on a parent's risk of suicide following death of a spouse, Belgium 1991-96. *Population Studies*, 62(1), 55-67. (http://www.ncbi.nlm.nih.gov/pubmed/18278673)

Lydiatt, W., Denman, D., McNeilly, D., Puumula, S., & Burke, W. (2008). A randomized, placebo-controlled trial of citalopram for the prevention of major depression during treatment for head and neck cancer. *Archives Of Otolaryngology--Head & Neck Surgery*, 134(5), 528-535. (http://www.ncbi.nlm.nih.gov/pubmed/18490576)

Maaranen, P., Tanskanen, A., Hintikka, J., Honkalampi, K., Haatainen, K., Koivumaa-Honkanen, H., & Viinamäki, H. (2008). The course of dissociation in the general population: a 3-year follow-up study. *Comprehensive Psychiatry*, 49(3), 269-274. (http://www.ncbi.nlm.nih.gov/pubmed/18396186)

MacNeil, M. (2008). An epidemiologic study of aboriginal adolescent risk in Canada: the meaning of suicide. *Journal of Child And Adolescent Psychiatric Nursing*, 21(1), 3-12. (http://www.ncbi.nlm.nih.gov/pubmed/18269407)

Madakasira, S. (2008). Suicides in Mississippi: recent trends. *Journal of The Mississippi State Medical Association*, 49(10), 305-307.

Magat, R., & Guerrero, A. (2008). Suicidal behavior trends in a pediatric population in Hawai'i. *Hawaii Medical Journal*, 67(3), 69-73. (http://www.ncbi.nlm.nih.gov/pubmed/18512664)

Malangu, N. (2008). Acute poisoning at two hospitals in Kampala-Uganda. *Journal of Forensic And Legal Medicine*, 15(8), 489-492. (http://www.ncbi.nlm.nih.gov/pubmed/18926499)

Malhotra, S. (2008). Relevance and application of TEACH-VIP: perspective from a developing nation--India. *Medicine, Conflict, And Survival*, 24(4), 296-305. (http://www.ncbi.nlm.nih.gov/pubmed/19065870)

Manchikanti, K., Manchikanti, L., Damron, K., Pampati, V., & Fellows, B. (2008). Increasing deaths from opioid analgesics in the United States: an evaluation in an interventional pain management practice. *Journal of Opioid Management*, 4(5), 271-283. (http://www.ncbi.nlm.nih.gov/pubmed/19070265)

Mann, R. E., Zalcman, R., Rush, B. R., Smart, R. G., & Rhodes, A. E. (2008). Alcohol factors in suicide mortality rates in Manitoba. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 53(4), 243-251. (http://www.ncbi.nlm.nih.gov/pubmed/18478827)

Manuel, C., Gunnell, D., van der Hoek, W., Dawson, A., Wijeratne, I., & Konradsen, F. (2008). Self-poisoning in rural Sri Lanka: small-area variations in incidence. *BMC Public Health*, 826. (http://www.ncbi.nlm.nih.gov/pubmed/18215262)

Marangell, L., Dennehy, E., Wisniewski, S., Bauer, M., Miyahara, S., Allen, M., & ... Thase, M. (2008). Case-control analyses of the impact of pharmacotherapy on prospectively observed suicide attempts and completed suicides in bipolar disorder: findings from STEP-BD. *The Journal of Clinical Psychiatry*, 69(6), 916-922. (http://www.ncbi.nlm.nih.gov/pubmed/18399724)

Marcinko, D., Marcinko, V., Karlović, D., Marcinko, A., Martinac, M., Begić, D., & Jakovljević, M. (2008). Serum lipid levels and suicidality among male patients with schizoaffective disorder. *Progress In Neuro-Psychopharmacology & Biological Psychiatry*, 32(1), 193-196. (http://www.ncbi.nlm.nih.gov/pubmed/17850945)

---. (2008). Association of cholesterol and socio-demographic parameters with suicidality in the male patients with schizophrenia. *Psychiatria Danubina*, 20(3), 390-395. (http://www.ncbi.nlm.nih.gov/pubmed/18827768)

Marusic, A., & Videtic, A. (2008). Suicide risk: where, why and how is it generated?. *Psychiatria Danubina*, 20(3), 262-268. (http://www.ncbi.nlm.nih.gov/pubmed/18827751)

Masocco, M., Pompili, M., Vichi, M., Vanacore, N., Lester, D., & Tatarelli, R. (2008). Suicide and marital status in Italy. *Psychiatric Quarterly*, 79(4), 275-285. (http://www.ncbi.nlm.nih.gov/pubmed/18600458)

Masters, K. (2008). Anti-suicidal and self-harm properties of lithium carbonate. *CNS Spectrums*, 13(2), 109-110.

Mathews, S., Abrahams, N., Jewkes, R., Martin, L., Lombard, C., & Vetten, L. (2008). Intimate femicide-suicide in South Africa: a cross-sectional study. *Bulletin Of The World Health Organization*, 86(7), 552-558. (http://www.ncbi.nlm.nih.gov/pubmed/18670666)

Maynard, C., & Boyko, E. (2008). Datapoints: suicide rates in the Washington State veteran population. *Psychiatric Services (Washington, D.C.)*, 59(11), 1245.

McAleese, M. (2008). Remarks by Mary McAleese, President of Ireland made at the International Association of Suicide Prevention XXIV Biennial Conference, August 31, 2007, Irish National Events Centre, Killarney, Co. Kerry, Ireland. *Crisis*, 29(1), 53-55. (http://www.ncbi.nlm.nih.gov/pubmed/18389647)

McCurry, J. (2008). Japan to rethink suicide-prevention policies. *Lancet*, 371(9630), 2071.

McDermott, E., Roen, K., & Scourfield, J. (2008). Avoiding shame: young LGBT people, homophobia and self-destructive behaviours. *Culture, Health & Sexuality*, 10(8), 815-829. (http://www.ncbi.nlm.nih.gov/pubmed/18975229)

McGirr, A., Renaud, J., Bureau, A., Seguin, M., Lesage, A., & Turecki, G. (2008). Impulsive-aggressive behaviours and completed suicide across the life cycle: a predisposition for younger age of suicide. *Psychological Medicine*, 38(3), 407-417. (http://www.ncbi.nlm.nih.gov/pubmed/17803833)

---. (2008). Course of major depressive disorder and suicide outcome: a psychological autopsy study. *The Journal of Clinical Psychiatry*, 69(6), 966-970. (http://www.ncbi.nlm.nih.gov/pubmed/18384248)

McGirr, A., & Turecki, G. (2008). What is specific to suicide in schizophrenia disorder? Demographic, clinical and behavioural dimensions. *Schizophrenia Research*, 98(1-3), 217-224. (http://www.ncbi.nlm.nih.gov/pubmed/17942279)

McNamara, R., Jandacek, R., Rider, T., Tso, P., Stanford, K., Hahn, C., & Richtand, N. (2008). Deficits in docosahexaenoic acid and associated elevations in the metabolism of arachidonic acid and saturated fatty acids in the postmortem orbitofrontal cortex of patients with bipolar disorder. *Psychiatry Research*, 160(3), 285-299. (http://www.ncbi.nlm.nih.gov/pubmed/18715653)

McPhedran, S., & Baker, J. (2008). Recent Australian suicide trends for males and females at the national level: has the rate of decline differed?. *Health Policy (Amsterdam, Netherlands)*, 87(3), 350-358. (http://www.ncbi.nlm.nih.gov/pubmed/18342979)

Meeks, S., Sublett, R., Kostiwa, I., Rodgers, J. R., & Haddix, D. (2008). Treating depression in the prison nursing home: Demonstrating research-to-practice translation. *Clinical Case Studies*, 7(6), 555-574.

Meeks, T., Dunn, L., Kim, D., Golshan, S., Sewell, D., Atkinson, J., & Lebowitz, B. (2008). Chronic pain and depression among geriatric psychiatry inpatients. *International Journal of Geriatric Psychiatry*, 23(6), 637-642. (http://www.ncbi.nlm.nih.gov/pubmed/18041102)

Melhem, N., Walker, M., Moritz, G., & Brent, D. (2008). Antecedents and sequelae of sudden parental death in offspring and surviving caregivers. *Archives Of Pediatrics & Adolescent Medicine*, 162(5), 403-410. (http://www.ncbi.nlm.nih.gov/pubmed/18458185)

Meltzer, H., Griffiths, C., Brock, A., Rooney, C., & Jenkins, R. (2008). Patterns of suicide by occupation in England and Wales: 2001-2005. *The British Journal of Psychiatry*, 193(1), 73-76. (http://www.ncbi.nlm.nih.gov/pubmed/18700224)

Menon, A., Kanchan, T., Monteiro, F., & Rao, N. (2008). Atypical wound of entry and unusual presentation in a fatal stab injury. *Journal of Forensic And Legal Medicine*, 15(8), 524-526. (http://www.ncbi.nlm.nih.gov/pubmed/18926506)

Mercerolle, M., Denooz, R., Lachâtre, G., & Charlier, C. (2008). A fatal case of bupropion (Zyban) overdose. *Journal of Analytical Toxicology*, 32(2), 192-196. (http://www.ncbi.nlm.nih.gov/pubmed/18334106)

Mergui, J., Raveh, D., Golmard, J., Fuer, A., Gropp, C., & Jaworowski, S. (2008). Demographic and clinical parameters of patients with high risk behavior in a general hospital: the use of constant observation. *The Israel Medical Association Journal: IMAJ*, 10(10), 681-685. (http://www.ncbi.nlm.nih.gov/pubmed/19009945)

Messer, J. M., & Fremouw, W. J. (2008). A critical review of explanatory models for self-mutilating behaviors in adolescents. *Clinical Psychology Review*, 28(1), 162-178. (http://www.ncbi.nlm.nih.gov/pubmed/17618024)

Mezuk, B., Prescott, M., Tardiff, K., Vlahov, D., & Galea, S. (2008). Suicide in older adults in long-term care: 1990 to 2005. *Journal of The American Geriatrics Society*, 56(11), 2107-2111. (http://www.ncbi.nlm.nih.gov/pubmed/19016944)

Mgaya, E., Kazaura, M., Outwater, A., & Kinabo, L. (2008). Suicide in the Dar es Salaam region, Tanzania, 2005. *Journal of Forensic And Legal Medicine*, 15(3), 172-176. (http://www.ncbi.nlm.nih.gov/pubmed/18313013)

Middleton, N., Sterne, J., & Gunnell, D. (2008). An atlas of suicide mortality: England and Wales, 1988-1994. *Health & Place*, 14(3), 492-506. (http://www.ncbi.nlm.nih.gov/pubmed/18023602)

Miller, K., & Burns, C. (2008). Suicides on farms in South Australia, 1997-2001. *The Australian Journal of Rural Health*, 16(6), 327-331. (http://www.ncbi.nlm.nih.gov/pubmed/19032203)

Miller, M., & Hemenway, D. (2008). Guns and suicide in the United States. *The New England Journal of Medicine*, 359(10), 989-991.

Miller, M., Mogun, H., Azrael, D., Hempstead, K., & Solomon, D. (2008). Cancer and the risk of suicide in older Americans. *Journal of Clinical Oncology*, 26(29), 4720-4724. (http://www.ncbi.nlm.nih.gov/pubmed/18695256)

Mills, J. F., & Kroner, D. G. (2008). Predicting Suicidal Ideation with the Depression Hopelessness and Suicide Screening Form (DHS). *Journal of Offender Rehabilitation*, 47(1-2), 74-100.

Minamizono, S., Motohashi, Y., Yamaji, M., & Kaneko, Y. (2008). Attitudes towards those bereaved by a suicide: a population-based, cross-sectional study in rural Japan. *BMC Public Health*, 8334. (http://www.ncbi.nlm.nih.gov/pubmed/18816411)

Minoiu, C., & André, A. (2008). The effect of public spending on suicide: Evidence from U.S. state data. *The Journal of Socio-Economics*, 37(1), 237-261.

Miotto, P. P., & Preti, A. A. (2008). Suicide Ideation and Social Desirability among School-Aged Young People. *Journal of Adolescence*, 31(4), 519-533. (http://www.ncbi.nlm.nih.gov/pubmed/17868799)

Misono, S., Weiss, N., Fann, J., Redman, M., & Yueh, B. (2008). Incidence of suicide in persons with cancer. *Journal of Clinical Oncology*, 26(29), 4731-4738. (http://www.ncbi.nlm.nih.gov/pubmed/18695257)

Mitra, S., & Shroff, S. (2008). What suicides reveal about gender bias. *The Journal of Socio-Economics*, 37(5), 1713-1723. (http://www.ncbi.nlm.nih.gov/pubmed/1180348)

Mittendorfer-Rutz, E., Rasmussen, F., & Wasserman, D. (2008). Familial clustering of suicidal behaviour and psychopathology in young suicide attempters: A register-based nested case control study. *Social Psychiatry and Psychiatric Epidemiology*, 43(1), 28-36. (http://www.ncbi.nlm.nih.gov/pubmed/17934681)

Mittendorfer-Rutz, E., Wasserman, D., & Rasmussen, F. (2008). Fetal and childhood growth and the risk of violent and non-violent suicide attempts: a cohort study of 318,953 men. *Journal of Epidemiology And Community Health*, 62(2), 168-173. (http://www.ncbi.nlm.nih.gov/pubmed/18192606)

Mitty, E., & Flores, S. (2008). Suicide in late life. *Geriatric Nursing (New York, N.Y.)*, 29(3), 160-165. (http://www.ncbi.nlm.nih.gov/pubmed/18555157)

Mofidi, N., Ghazinour, M., Salander-Renberg, E., & Richter, J. (2008). Attitudes towards suicide among Kurdish people in Iran. *Social Psychiatry And Psychiatric Epidemiology*, 43(4), 291-298. (http://www.ncbi.nlm.nih.gov/pubmed/18157515)

Moghadam, A. (2008). Review of 'Suicide in Palestine: Narratives of despair'. *Transcultural Psychiatry*, 45(4), 705-707.

Molina, D., & DiMaio, V. (2008). Rifle wounds: a review of range and location as pertaining to manner of death. *The American Journal of Forensic Medicine And Pathology*, 29(3), 201-205. (http://www.ncbi.nlm.nih.gov/pubmed/18725771)

Möller, H. J., et al. Do SSRIs or antidepressants in general increase suicidality? WPA Section on Pharmacopsychiatry: consensus statement." *Eur Arch Psychiatry Clin Neurosci* 258 Suppl 3 (2008): 3-23. (http://www.ncbi.nlm.nih.gov/pubmed/18668279)

Molock, S., Matlin, S., Barksdale, C., Puri, R., & Lyles, J. (2008). Developing suicide prevention programs for African American youth in African American churches. *Suicide & Life-Threatening Behavior*, 38(3), 323-333. (http://www.ncbi.nlm.nih.gov/pubmed/18611131)

Moniruzzaman, S., & Andersson, R. (2008). Cross-national injury mortality differentials by income level: the possible role of age and ageing. *Public Health*, 122(11), 1167-1176. (http://www.ncbi.nlm.nih.gov/pubmed/18667215)

Morgan, O., Griffiths, C., & Majeed, A. (2008). Antidepressant prescribing and changes in antidepressant poisoning mortality and suicide in England, 1993-2004. *Journal of Public Health (Oxford, England)*, 30(1), 60-68. (http://www.ncbi.nlm.nih.gov/pubmed/18239187)

Mujkic, A., Peek-Asa, C., Young, T., & Rodin, U. (2008). Effect of war on weapon-related deaths in Croatian children and youth. *Archives Of Pediatrics & Adolescent Medicine*, 162(2), 140-144. (http://www.ncbi.nlm.nih.gov/pubmed/18250238)

Mulder, R. T., Joyce, P. R., Frampton, C. A., & Luty, S. E. (2008). Antidepressant treatment is associated with a reduction in suicidal ideation and suicide attempts. *Acta Psychiatrica Scandinavica*, 118(2), 116-122. (http://www.ncbi.nlm.nih.gov/pubmed/18384467)

Murray, C., Macdonald, S., & Fox, J. (2008). Body satisfaction, eating disorders and suicide ideation in an Internet sample of self-harmers reporting and not reporting childhood sexual abuse. *Psychology, Health & Medicine*, 13(1), 29-42. (http://www.ncbi.nlm.nih.gov/pubmed/18066917)

Murty, O., Cheh, L., Bakit, P., Hui, F., Ibrahim, Z., & Jusoh, N. (2008). Suicide and ethnicity in Malaysia. *The American Journal of Forensic Medicine And Pathology*, 29(1), 19-22. (http://www.ncbi.nlm.nih.gov/pubmed/19749611)

Musshoff, F., Preuss, J., Lignitz, E., & Madea, B. (2008). A gas chromatographic analysis of phosphine in biological material in a case of suicide. *Forensic Science International*, 177(2-3), e35-e38. (http://www.ncbi.nlm.nih.gov/pubmed/18294792)

Must, A., Tasa, G., Lang, A., Vasar, E., Kõks, S., Maron, E., & Väli, M. (2008). Association of limbic system-associated membrane protein (LSAMP) to male completed suicide. *BMC Medical Genetics*, 934. (http://www.ncbi.nlm.nih.gov/pubmed/18433483)

Nademin, E., Jobes, D., Pflanz, S., Jacoby, A., Ghahramanlou-Holloway, M., Campise, R., & ... Johnson, L. (2008). An investigation of interpersonal-psychological variables in air force suicides: a controlled-comparison study. *Archives Of Suicide Research: Official Journal of The International Academy For Suicide Research*, 12(4), 309-326. (http://www.ncbi.nlm.nih.gov/pubmed/18828034)

Naito, Y., Ishii, M., Nagamine, A., Imagawa, A., Shida, K., Takahashi, J., & ... Kiuchi, Y. (2010). Association of the A-1438G polymorphism in serotonin 2A receptor in migraine with aura among Japanese patients. *Biological & Pharmaceutical Bulletin*, 33(10), 1751-1753. (http://www.ncbi.nlm.nih.gov/pubmed/20930387)

Nakagawa, A., Grunebaum, M., Sullivan, G., Currier, D., Ellis, S., Burke, A., & ... Oquendo, M. (2008). Comorbid anxiety in bipolar disorder: does it have an independent effect on suicidality?. *Bipolar Disorders*, 10(4), 530-538. (http://www.ncbi.nlm.nih.gov/pubmed/18452449)

Nakamae, T., Shinozuka, T., Sasaki, C., Ogamo, A., Murakami-Hashimoto, C., Irie, W., & ... Kurihara, K. (2008). Case report: Etizolam and its major metabolites in two unnatural death cases. *Forensic Science International*, 182(1-3), e1-e6. (http://www.ncbi.nlm.nih.gov/pubmed/18976871)

Nakao, M., & Takeuchi, T. (2008). Major depression in women: Reported somatic symptoms as a screening tool. In P. R. Bancroft, L. B. Ardley, P. R. Bancroft, L. B. Ardley (Eds.) , *Major depression in women* (pp. 61-80). Hauppauge, NY US: Nova Biomedical Books.

Naso, C., Jenkins, A., & Younger, D. (2008). A study of drug detection in a postmortem pediatric population. *Journal of Forensic Sciences*, 53(2), 483-490. (http://www.ncbi.nlm.nih.gov/pubmed/18284528)

Naved, R., & Akhtar, N. (2008). Spousal violence against women and suicidal ideation in Bangladesh. *Women's Health Issues*, 18(6), 442-452. (http://www.ncbi.nlm.nih.gov/pubmed/19041596)

Neuner, T., Schmid, R., Wolfersdorf, M., & Spießl, H. (2008). Predicting inpatient suicides and suicide attempts by using clinical routine data?. *General Hospital Psychiatry*, 30(4), 324-330. (http://www.ncbi.nlm.nih.gov/pubmed/18585535)

Nierenberg, A., Alpert, J., Gaynes, B., Warden, D., Wisniewski, S., Biggs, M., & ... Rush, A. (2008). Family history of completed suicide and characteristics of major depressive disorder: a STAR*D (sequenced treatment alternatives to relieve depression) study. *Journal of Affective Disorders*, 108(1-2), 129-134. (http://www.ncbi.nlm.nih.gov/pubmed/18006073)

Nock, M., Borges, G., Bromet, E., Cha, C., Kessler, R., & Lee, S. (2008). Suicide and suicidal behavior. *Epidemiologic Reviews*, 30133-154.

Nolen, S., McReynolds, L. S., DeComo, R. E., John, R., Keating, J. M., & Wasserman, G. A. (2008). Lifetime suicide attempts in Juvenile Assessment Center youth. *Archives of Suicide Research*, 12(2), 111-123. (http://www.ncbi.nlm.nih.gov/pubmed/18340593)

Noonan, D. (2008). Doctors who kill themselves. *Newsweek*, 151(17), 16.

Nordentoft, M., & Branner, J. (2008). Gender differences in suicidal intent and choice of method among suicide attempters. *Crisis*, 29(4), 209-212. (http://www.ncbi.nlm.nih.gov/pubmed/19069613)

Norton, P. J., Temple, S. R., & Pettit, J. W. (2008). Suicidal ideation and anxiety disorders: Elevated risk or artifact of comorbid depression?. *Journal of Behavior Therapy and Experimental Psychiatry*, 39(4), 515-525. (http://www.ncbi.nlm.nih.gov/pubmed/18294614)

Nurthen, N., & Jung, P. (2008). Fatalities in the Peace Corps: a retrospective study, 1984 to 2003. *Journal of Travel Medicine*, 15(2), 95-101. (http://www.ncbi.nlm.nih.gov/pubmed/18346242)

Oakes, J., & Seifert, S. (2008). American association of poison control centers database characterization of human tilmicosin exposures, 2001-2005. *Journal of Medical Toxicology*, 4(4), 225-231. (http://www.ncbi.nlm.nih.gov/pubmed/19031373)

O'Connor, R. C., & Noyce, R. (2008). Personality and cognitive processes: Self-criticism and different types of rumination as predictors of suicidal ideation. *Behaviour Research and Therapy*, 46(3), 392-401. (http://www.ncbi.nlm.nih.gov/pubmed/18308293)

O'Donovan, C., Garnham, J. S., Hajek, T., & Alda, M. (2008). Antidepressant monotherapy in pre-bipolar depression; predictive value and inherent risk. *Journal of Affective Disorders*, 107(1-3), 293-298. (http://www.ncbi.nlm.nih.gov/pubmed/17850879)

Olfson, M., & Marcus, S. (2008). A case-control study of antidepressants and attempted suicide during early phase treatment of major depressive episodes. *The Journal of Clinical Psychiatry*, 69(3), 425-432. (http://www.ncbi.nlm.nih.gov/pubmed/18294025)

Oliver, R. J., Spilsbury, J. C., Osiecki, S. S., Denihan, W. M., Zureick, J. L., & Friedman, S. (2008). Brief Report: Preliminary Results of a Suicide Awareness Mass Media Campaign in Cuyahoga County, Ohio. *Suicide and Life-Threatening Behavior*, 38(2), 245-249 (http://www.ncbi.nlm.nih.gov/pubmed/18444781)

Öncü, B., Soykan, Ç., Özgür İhan, İ., & Sayil, I. (2008). Attitudes of medical students, general practitioners, teachers, and police officers toward suicide in a Turkish sample. *Crisis*, 29(4), 173-179. (http://www.ncbi.nlm.nih.gov/pubmed/19069609)

Ono, Y., Awata, S., Iida, H., Ishida, Y., Ishizuka, N., Iwasa, H., & ... Watanabe, N. (2008). A community intervention trial of multimodal suicide prevention program in Japan: a novel multimodal community intervention program to prevent suicide and suicide attempt in Japan, NOCOMIT-J. *BMC Public Health*, 8315. (http://www.ncbi.nlm.nih.gov/pubmed/18793423)

Osborn, D., Levy, G., Nazareth, I., & King, M. (2008). Suicide and severe mental illnesses. Cohort study within the UK general practice research database. *Schizophrenia Research*, 99(1-3), 134-138. (http://www.ncbi.nlm.nih.gov/pubmed/18155881)

Osler, M., Nybo Andersen, A., & Nordentoft, M. (2008). Impaired childhood development and suicidal behaviour in a cohort of Danish men born in 1953. *Journal of Epidemiology And Community Health*, 62(1), 23-28. (http://www.ncbi.nlm.nih.gov/pubmed/18079329)

Ott, J., Winkler, V., Kyobutungi, C., Laki, J., & Becher, H. (2008). Effects of residential changes and time patterns on external-cause mortality in migrants: results of a German cohort study. *Scandinavian Journal of Public Health*, 36(5), 524-531. (http://www.ncbi.nlm.nih.gov/pubmed/18635733)

Owens, C., Lambert, H., Lloyd, K., & Donovan, J. (2008). Tales of biographical disintegration: how parents make sense of their sons' suicides. *Sociology Of Health & Illness*, 30(2), 237-254. (http://www.ncbi.nlm.nih.gov/pubmed/18290934)

Oyama, H., Sakashita, T., Ono, Y., Goto, M., Fujita, M., & Koida, J. (2008). Effect of community-based intervention using depression screening on elderly suicide risk: a meta-analysis of the evidence from Japan. *Community Mental Health Journal*, 44(5), 311-320. (http://www.ncbi.nlm.nih.gov/pubmed/18363103)

Ozdogan, H., Davutoglu, M., Bosnak, M., Tutanc, M., & Haspolat, K. (2008). Pediatric poisonings in southeast of Turkey: epidemiological and clinical aspects. *Human & Experimental Toxicology*, 27(1), 45-48. (http://www.ncbi.nlm.nih.gov/pubmed/18480148)

Oztürk, E., and V. Sar. "Somatization as a Predictor of Suicidal Ideation in Dissociative Disorders." *Psychiatry Clin Neurosci* 62 6 (2008): 662-8. (http://www.ncbi.nlm.nih.gov/pubmed/19068002)

Pajonk, F. G., et al. "Psychiatric Emergencies in Prehospital Emergency Medical Systems: A Prospective Comparison of Two Urban Settings." *Gen Hosp Psychiatry* 30 4 (2008): 360-6. (http://www.ncbi.nlm.nih.gov/pubmed/18585541)

Palmieri, G., et al. "Suicide Intervention Skills in Health Professionals: A Multidisciplinary Comparison." *Arch Suicide Res* 12 3 (2008): 232-7. (http://www.ncbi.nlm.nih.gov/pubmed/18576204)

Pandey, G. N., et al. "Brain-Derived Neurotrophic Factor and Tyrosine Kinase B Receptor Signalling in Post-Mortem Brain of Teenage Suicide Victims." *Int J Neuropsychopharmacol* 11 8 (2008): 1047-61. (http://www.ncbi.nlm.nih.gov/pubmed/18611289)

Pang, J., Civil, I., Ng, A., Adams, D., & Koelmeyer, T. (2008). Is the trimodal pattern of death after trauma a dated concept in the 21st century? Trauma deaths in Auckland 2004. *Injury*, 39(1), 102-106. (http://www.ncbi.nlm.nih.gov/pubmed/17880967)

Parikh, A. R., Thatcher, B. T., Tamano, E. A., & Liskow, B. I. (2008). Suicidal ideation associated with duloxetine use: A case series. *Journal of Clinical Psychopharmacology*, 28(1), 101-102.

Park M, Brindis C, Chang F, Irwin C. A midcourse review of the healthy people 2010: 21 critical health objectives for adolescents and young adults. *The Journal of Adolescent Health* [serial online]. April 2008;42(4):329-334. (http://www.ncbi.nlm.nih.gov/pubmed/18346657)

Parkar, S., Dawani, V., & Weiss, M. (2008). Gender, suicide, and the sociocultural context of deliberate self-harm in an urban general hospital in Mumbai, India. *Culture, Medicine And Psychiatry*, 32(4), 492-515. (http://www.ncbi.nlm.nih.gov/pubmed/18807157)

Parker, H. A., & McNally, R. J. (2008). Repressive Coping, Emotional Adjustment, and Cognition in People Who Have Lost Loved Ones to Suicide. *Suicide and Life-Threatening Behavior*, 38(6), 676-687. (http://www.ncbi.nlm.nih.gov/pubmed/19152298)

Paterson, B., Dowding, D., Harries, C., Cassells, C., Morrison, R., & Niven, C. (2008). Managing the risk of suicide in acute psychiatric inpatients: A clinical judgement analysis of staff predictions of imminent suicide risk. *Journal of Mental Health*, 17(4), 410-423.

Paulozzi, L., Cox, C., Williams, D., & Nolte, K. (2008). John and Jane Doe: the epidemiology of unidentified decedents. *Journal of Forensic Sciences*, 53(4), 922-927. (http://www.ncbi.nlm.nih.gov/pubmed/18489552)

Payne, S., Hill, J., & Johnson, D. (2008). The use of unit watch or command interest profile in the management of suicide and homicide risk: rationale and guidelines for the military mental health professional. *Military Medicine*, 173(1), 25-35. (http://www.ncbi.nlm.nih.gov/pubmed/18251328)

Payne, S., Swami, V., & Stanistreet, D. L. (2008). The social construction of gender and its influence on suicide: A review of the literature. *Journal of Men's Health & Gender*, 5(1), 23-35.

Peltzer, K. (2008). Social support and suicide risk among secondary school students in Cape Town, South Africa. *Psychological Reports*, 103(3), 653-660. (http://www.ncbi.nlm.nih.gov/pubmed/19320196)

Perez-Rodriguez, M., Baca-Garcia, E., Diaz-Sastre, C., Garcia-Resa, E., Ceverino, A., Saiz-Ruiz, J., & ... de Leon, J. (2008). Low serum cholesterol may be associated with suicide attempt history. *Journal of Clinical Psychiatry*, 69(12), 1920-1927. (http://www.ncbi.nlm.nih.gov/pubmed/19026260)

Perhats, C., & Valdez, A. (2008). Suicide prevention in the emergency department. *Journal of Emergency Nursing*, 34(3), 251-253.

Perron, B., & Howard, M. (2008). Endemic asthma inhaler abuse among antisocial adolescents. *Drug And Alcohol Dependence*, 96(1-2), 22-29. (http://www.ncbi.nlm.nih.gov/pubmed/18343052)

Perron, B. E., Ilgen, M. A., Hasche, L., & Howard, M. O. (2008). Service needs of clients in outpatient substance-use disorder treatment: A latent class analysis. *Journal of Studies on Alcohol and Drugs*, 69(3), 449-453. (http://www.ncbi.nlm.nih.gov/pubmed/18432388)

Petersen, M., & Burnett, C. (2008). The suicide mortality of working physicians and dentists. *Occupational Medicine (Oxford, England)*, 58(1), 25-29. (http://www.ncbi.nlm.nih.gov/pubmed/17965446)

Peterson, R. J., Safer, M. A., & Jobes, D. A. (2008). The impact of suicidal rock music lyrics on youth: An investigation of individual differences. *Archives of Suicide Research*, 12(2), 161-169. (http://www.ncbi.nlm.nih.gov/pubmed/18340599)

Pettingell, S. L., Bearinger, L. H., Skay, C. L., Resnick, M. D., Potthoff, S. K., & Eichhorn, J. (2008). Protecting Urban American Indian Young People from Suicide. *American Journal of Health Behavior*, 32(5), 465-476. (http://www.ncbi.nlm.nih.gov/pubmed/18241131)

Piercy, F., Banker, J., Traylor, R., Krug, S., Castanos, C., Cole, E., & ... Goodwin, A. (2008). A Virginia Tech MFT Ethics Class Reflects on the Shootings at Virginia Tech. *Journal of Marital and Family Therapy*, 34(2), 210-226. (http://www.ncbi.nlm.nih.gov/pubmed/18412827)

Pompili, M., Innamorati, M., Masotti, V., Personnè, F., Lester, D., Di Vittorio, C., & ... Amore, M. (2008). Suicide in the elderly: a psychological autopsy study in a North Italy area (1994-2004). *The American Journal of Geriatric Psychiatry*, 16(9), 727-735. (http://www.ncbi.nlm.nih.gov/pubmed/18556398)

---. (2008). Suicide risk and exposure to mobbing. *Work: Journal of Prevention, Assessment & Rehabilitation*, 31(2), 237-243. (http://www.ncbi.nlm.nih.gov/pubmed/18957741)

---. Pompili, M., Lester, D., Innamorati, M., Tatarelli, R., & Girardi, P. (2008). Assessment and treatment of suicide risk in schizophrenia. *Expert Review Of Neurotherapeutics*, 8(1), 51-74. (http://www.ncbi.nlm.nih.gov/pubmed/18088201)

---. (2008). Psychache and Suicide: A Preliminary Investigation. *Suicide and Life-Threatening Behavior*, 38(1), 116-121. (http://www.ncbi.nlm.nih.gov/pubmed/18355113)

---. (2008). Periventricular white matter hyperintensities as predictors of suicide attempts in bipolar disorders and unipolar depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 32(6), 1501-1507. (http://www.ncbi.nlm.nih.gov/pubmed/18572296)

Poulter, M., Du, L., Weaver, I., Palkovits, M., Faludi, G., Merali, Z., & ... Anisman, H. (2008). GABAA receptor promoter hypermethylation in suicide brain: implications for the involvement of

epigenetic processes. *Biological Psychiatry*, 64(8), 645-652. (http://www.ncbi.nlm.nih.gov/pubmed/18639864)

Poussaint, A. F. (2006). The Poussaint-Satcher-Cosby Chair in Mental Health: Creating Activists on Behalf of Our Communities, Our Youths, and Ourselves. *American Journal of Public Health*, 96(10), 1725-1726.

Power, L., & Brophy, J. (2008). A comparison of suicide rates between older adults in Ireland and the UK: 1975-2005. (http://www.ncbi.nlm.nih.gov/pubmed/18791657)

Premaratna, R., Rathnasena, B., & de Silva, H. (2008). Accidental scrotal burns from paraquat while handling a patient. *The Ceylon Medical Journal*, 53(3), 102-103. (http://www.ncbi.nlm.nih.gov/pubmed/18982803)

Prescott, H. (2008). College mental health since the early twentieth century. *Harvard Review Of Psychiatry*, 16(4), 258-266.

Preti, A. (2008). School shooting as a culturally enforced way of expressing suicidal hostile intentions. *Journal of the American Academy of Psychiatry and the Law*, 36(4), 544-550. (http://www.ncbi.nlm.nih.gov/pubmed/19092074)

Pridmore, S., & McArthur, M. (2008). Suicide and life stressors. *Australasian Psychiatry: Bulletin Of Royal Australian And New Zealand College Of Psychiatrists*, 16(6), 459-460.

---. (2008). Suicide and reputation damage. *Australasian Psychiatry*, 16(5), 312-316. (http://www.ncbi.nlm.nih.gov/pubmed/18608167)

Pritchard, C., & Hean, S. (2008). Suicide and undetermined deaths among youths and young adults in Latin America: comparison with the 10 major developed countries--a source of hidden suicides?. *Crisis*, 29(3), 145-153. (http://www.ncbi.nlm.nih.gov/pubmed/18714911)

Racette, S., Kremer, C., Desjarlais, A., & Sauvageau, A. (2008). Suicidal and homicidal sharp force injury: a 5-year retrospective comparative study of hesitation marks and defense wounds. *Forensic Science, Medicine, And Pathology*, 4(4), 221-227. (http://www.ncbi.nlm.nih.gov/pubmed/19291442)

Racette, S., & Sauvageau, A. (2008). Suicide by drowning after two gunshots to the head: a case report. *Medicine, Science, And The Law*, 48(2), 170-172. (http://www.ncbi.nlm.nih.gov/pubmed/18533579)

Ragan, P., Schulte, J., Nelson, S., & Jones, K. (2008). Mortality surveillance: 2004 to 2005 Florida hurricane-related deaths. *The American Journal of Forensic Medicine And Pathology*, 29(2), 148-153. (http://www.ncbi.nlm.nih.gov/pubmed/18520483)

Rahme, E., Dasgupta, K., Turecki, G., Nedjar, H., & Galbaud du Fort, G. (2008). Risks of suicide and poisoning among elderly patients prescribed selective serotonin reuptake inhibitors: a retrospective cohort study. *The Journal of Clinical Psychiatry*, 69(3), 349-357. (http://www.ncbi.nlm.nih.gov/pubmed/18278986)

Raines, N. (2008). The ripple effect. *The Journal of Pastoral Care & Counseling: JPCC*, 62(4), 397-398.

Ran, M., Chan, C., Chen, E., Tang, C., Lin, F., Li, L., & ... Conwell, Y. (2008). Mortality of Geriatric and Younger Patients with Schizophrenia in the Community. *Suicide and Life-Threatening Behavior*, 38(2), 143-151. (http://www.ncbi.nlm.nih.gov/pubmed/18444773)

Rastogi, P., & Nagesh, K. (2008). Suicide pact by hanging: a case report. *Medicine, Science, And The Law*, 48(3), 266-268. (http://www.ncbi.nlm.nih.gov/pubmed/18754217)

Ratnarajah, D., & Schofield, M. J. (2008). Survivors' Narratives of the Impact of Parental Suicide. *Suicide and Life-Threatening Behavior*, 38(5), 618-630. (http://www.ncbi.nlm.nih.gov/pubmed/19014312)

Razaeian, M., Mohammadi, M., Akbari, M., & Maleki, M. (2008). The most common method of suicide in Tehran 2000-2004: Implications for prevention. *Crisis*, 29(3), 164-166. (http://www.ncbi.nlm.nih.gov/pubmed18714914)

Reardon, C., & Factor, R. (2008). Bizarre behavior in a patient treated with prazosin for PTSD. *The American Journal of Psychiatry*, 165(6), 774-775.

Reed, Gerald A., Jr. 2008. "Variation among states in older adult white male suicide." US: ProQuest Information & Learning, 2008.

Reeves, H., Batra, S., May, R., Zhang, R., Dahl, D., & Li, X. (2008). Efficacy of risperidone augmentation to antidepressants in the management of suicidality in major depressive disorder: a randomized, double-blind, placebo-controlled pilot study. *The Journal of Clinical Psychiatry*, 69(8), 1228-1336. (http://www.ncbi.nlm.nih.gov/pubmed/18681749)

Rehn, L M H, E Meririnne, J Höök-Nikanne, E Isometsä, and M Henriksson. 2008. "Depressive symptoms, suicidal ideation and acne: a study of male Finnish conscripts." *Journal of The European Academy Of Dermatology And Venereology: JEADV* 22, no. 5: 561-567. (http://www.ncbi.nlm.nih.gov/pubmed/18221339)

Reiner, W., Gearhart, J., & Kropp, B. (2008). Suicide and suicidal ideation in classic exstrophy. *The Journal of Urology*, 180(4 Suppl), 1661-1663. (http://www.ncbi.nlm.nih.gov/pubmed/18715590)

Reisch, T., Schuster, U., & Michel, K. (2008). Suicide by jumping from bridges and other heights: social and diagnostic factors. *Psychiatry Research*, 161(1), 97-104. (http://www.ncbi.nlm.nih.gov/pubmed/18799221)

Renaud, J., Berlim, M., McGirr, A., Tousignant, M., & Turecki, G. (2008). Current psychiatric morbidity, aggression/impulsivity, and personality dimensions in child and adolescent suicide: a case-control study. *Journal of Affective Disorders*, 105(1-3), 221-228. (http://www.ncbi.nlm.nih.gov/pubmed/17568682)

Renberg, E., Hjelmeland, H., & Koposov, R. (2008). Building Models for the Relationship between Attitudes toward Suicide and Suicidal Behavior: Based on Data from General Population Surveys in Sweden, Norway, and Russia. *Suicide and Life-Threatening Behavior*, 38(6), 661-675. (http://www.ncbi.nlm.nih.gov/pubmed/19152297)

Resch, F., Parzer, P., & Brunner, R. (2008). Self-mutilation and suicidal behaviour in children and adolescents: Prevalence and psychosocial correlates: Results of the BELLA study. *European Child & Adolescent Psychiatry*, 17(Suppl 1), 92-98. (http://www.ncbi.nlm.nih.gov/pubmed/19132308)

Reulbach, U., & Bleich, S. (2008). Suicide risk after a suicide attempt. *BMJ (Clinical Research Ed.)*, 337a2512.

Rezaeian, M. (2008). Suicide/homicide ratios in countries of the Eastern Mediterranean Region. *Eastern Mediterranean Health Journal = La Revue De Santé De La Méditerranée Orientale = Al-Majallah Al-Ṣiḥḥīyah Li-Sharq Al-Mutawassiṭ*, 14(6), 1459-1465. (http://www.ncbi.nlm.nih.gov/pubmed/19161122)

Rhodes, A. E., Bethell, J., Spence, J., Links, P. S., Streiner, D. L., & Jaakkimainen, R. (2008). Age-sex differences in medicinal self-poisonings: A population-based study of deliberate intent and medical severity. *Social Psychiatry and Psychiatric Epidemiology*, 43(8), 642-652. (http://www.ncbi.nlm.nih.gov/pubmed/18511993)

Rhodes, A., Bethell, J., Jaakkimainen, R., Thurlow, J., Spence, J., Links, P., & Streiner, D. (2008). The impact of rural residence on medically serious medicinal self-poisonings. *General Hospital Psychiatry*, 30(6), 552-560. (http://www.ncbi.nlm.nih.gov/pubmed/19061682)

Richmond, T., & Lemaire, J. (2008). Years of life lost because of gunshot injury to the brain and spinal cord. *American Journal of Physical Medicine & Rehabilitation / Association Of Academic Physiatrists*, 87(8), 609-615. (http://www.ncbi.nlm.nih.gov/pubmed/18645321)

Ringbäck Weitoft, G., Hjern, A., Batljan, I., & Vinnerljung, B. (2008). Health and social outcomes among children in low-income families and families receiving social assistance--a Swedish national cohort study. *Social Science & Medicine (1982)*, 66(1), 14-30. (http://www.ncbi.nlm.nih.gov/pubmed/17889976)

Roen, K., Scourfield, J., & McDermott, E. (2008). Making sense of suicide: A discourse analysis of young people's talk about suicidal subjecthood. *Social Science & Medicine*, 67(12), 2089-2097. (http://www.ncbi.nlm.nih.gov/pubmed/18950923)

Ronningstam, E., Weinberg, I., & Maltsberger, J. (2008). Eleven deaths of Mr. K.: contributing factors to suicide in narcissistic personalities. *Psychiatry*, 71(2), 169-182. (http://www.ncbi.nlm.nih.gov/pubmed/18573036)

Roux, P., Villes, V., Blanche, J., Bry, D., Spire, B., Feroni, I., & Carrieri, M. (2008). Buprenorphine in primary care: Risk factors for treatment injection and implications for clinical management. *Drug and Alcohol Dependence*, 97(1-2), 105-113. (http://www.ncbi.nlm.nih.gov/pubmed/18479840)

Rudd, M. (2008). Suicide warning signs in clinical practice. *Current Psychiatry Reports*, 10(1), 87-90. (http://www.ncbi.nlm.nih.gov/pubmed/18269900)

Rueter, M. A., Holm, K. E., McGeorge, C. R., & Conger, R. D. (2008). Adolescent Suicidal Ideation Subgroups and Their Association with Suicidal Plans and Attempts in Young Adulthood. *Suicide and Life-Threatening Behavior*, 38(5), 564-575. (http://www.ncbi.nlm.nih.gov/pubmed/19014308)

Rujescu, D., Giegling, I., Mandelli, L., Schneider, B., Hartmann, A., Schnabel, A., & ... Serretti, A. (2008). NOS-I and -III gene variants are differentially associated with facets of suicidal behavior and aggression-related traits. *American Journal of Medical Genetics. Part B, Neuropsychiatric Genetics*, 147B(1), 42-48. (http://www.ncbi.nlm.nih.gov/pubmed/17579350)

Rutter, P. A., Freedenthal, S., & Osman, A. (2008). Assessing Protection from Suicidal Risk: Psychometric Properties of the Suicide Resilience Inventory. *Death Studies*, 32(2), 142-153. (http://www.ncbi.nlm.nih.gov/pubmed/18693384)

Rutter, P. A. (2008). Suicide protective and risk factors for sexual minority youth: Applying the Cumulative Factor Model. *Journal of LGBT Issues in Counseling*, 2(1), 81-92.

Ruwanpura, R., Kumara, K., Jayawardane, H., & de Alwis, L. (2008). Suicidal bomb explosions in Sri Lanka. *American Journal of Disaster Medicine*, 3(1), 47-51. (http://www.ncbi.nlm.nih.gov/pubmed/18450279)

Saint-Martin, P., Bouyssy, M., & O'Byrne, P. (2008). Homicide-suicide in Tours, France (2000-2005)--description of 10 cases and a review of the literature. *Journal of Forensic And Legal Medicine*, 15(2), 104-109. (http://www.ncbi.nlm.nih.gov/pubmed/18206827)

Saint-Martin, P., Prat, S., Bouyssy, M., Sarraj, S., & O'Byrne, P. (2008). An unusual death by transcranial stab wound: homicide or suicide?. *The American Journal of Forensic Medicine And Pathology*, 29(3), 268-270. (http://www.ncbi.nlm.nih.gov/pubmed/18725787)

Sajatovic, M., Biswas, K., Kilbourne, A., Fenn, H., Williford, W., & Bauer, M. (2008). Factors associated with prospective long-term treatment adherence among individuals with bipolar disorder. *Psychiatric Services (Washington, D.C.)*, 59(7), 753-759. (http://www.ncbi.nlm.nih.gov/pubmed/18586992)

Samaraweera, S., Sumathipala, A., Siribaddana, S., Sivayogan, S. S., & Bhugra, D. (2008). Completed Suicide among Sinhalese in Sri Lanka: A Psychological Autopsy Study. *Suicide and Life-Threatening Behavior*, 38(2), 221-228. (http://www.ncbi.nlm.nih.gov/pubmed/18444779)

Sandilands, E., & Bateman, D. (2008). Co-proxamol withdrawal has reduced suicide from drugs in Scotland. *British Journal of Clinical Pharmacology*, 66(2), 290-293. (http://www.ncbi.nlm.nih.gov/pubmed/18489609)

Sanger, S., & Veach, P. (2008). The interpersonal nature of suicide: A qualitative investigation of suicide notes. *Archives of Suicide Research*, 12(4), 352-365. (http://www.ncbi.nlm.nih.gov/pubmed/18828039)

Sauvageau, A., & Racette, S. (2008). Child and adolescent victims in forensic autopsy: a 5-year retrospective study. *Journal of Forensic Sciences*, 53(3), 699-702. (http://www.ncbi.nlm.nih.gov/pubmed/18471218)

Schaffer, A., Flint, A. J., Smith, E., Rothschild, A. J., Mulsant, B. H., Szanto, K., & ... Meyers, B. S. (2008). Correlates of Suicidality among Patients with Psychotic Depression. *Suicide and Life-Threatening Behavior*, 38(4), 403-414. (http://www.ncbi.nlm.nih.gov/pubmed/18724788)

Schneider, B., Schnabel, A., Wetterling, T., Bartusch, B., Weber, B., & Georgi, K. (2008). How do personality disorders modify suicide risk?. *Journal of Personality Disorders*, 22(3), 233-245. (http://www.ncbi.nlm.nih.gov/pubmed/18540796)

Schneider, K., & Shenassa, E. (2008). Correlates of suicide ideation in a population-based sample of cancer patients. *Journal of Psychosocial Oncology*, 26(2), 49-62. (http://www.ncbi.nlm.nih.gov/pubmed/18285300)

Schwark, T., Severin, K., & Grellner, W. (2008). "I am flying to the stars"--suicide by aircraft in Germany. *Forensic Science International*, 179(2-3), e75-e78. (http://www.ncbi.nlm.nih.gov/pubmed/18639402)

Scocco, P., de Girolamo, G., Vilagut, G., & Alonso, J. (2008). Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy: results from the European Study on the Epidemiology of Mental Disorders--World Mental Health study. *Comprehensive Psychiatry*, 49(1), 13-21. (http://www.ncbi.nlm.nih.gov/pubmed/18063036)

Scourfield, J., Roen, K., & McDermott, L. (2008). Lesbian, gay, bisexual and transgender young people's experiences of distress: Resilience, ambivalence and self-destructive behaviour. *Health & Social Care in the Community*, 16(3), 329-336. (http://www.ncbi.nlm.nih.gov/pubmed/18328055)

Seidenberg, G. (2008). Personal accounts: could Noah's life have been saved? Confronting dual diagnosis and a fragmented mental health system. *Psychiatric Services (Washington, D.C.)*, 59(11), 1254-1255.

Selby, J. (2008). Physician suicide. *The West Virginia Medical Journal*, 104(4), 40-41. (http://www.ncbi.nlm.nih.gov/pubmed/)

Shadnia, S., & Moghaddam, H. (2008). Fatal intoxication with imidacloprid insecticide. *The American Journal of Emergency Medicine*, 26(5), 634.e1-4. (http://www.ncbi.nlm.nih.gov/pubmed/18534311)

Shah, A. (2008). Association of suicide rates for elderly age bands with gender equality. *Psychological Reports*, 102(3), 887-892. (http://www.ncbi.nlm.nih.gov/pubmed/18763461)

---. (2008). Association of suicide rates of elderly persons with fertility rates. *Psychological Reports*, 102(2), 369-376. (http://www.ncbi.nlm.nih.gov/pubmed/18567206)

---. (2008). A Cross-National Study of the Relationship between Elderly Suicide Rates and Urbanization. *Suicide and Life-Threatening Behavior*, 38(6), 714-719. (http://www.ncbi.nlm.nih.gov/pubmed/19152302)

---. (2008). Is there a relationship between elderly suicide rates and smoking? A cross national study. *International Journal of Geriatric Psychiatry*, 23(3), 308-313. (http://www.ncbi.nlm.nih.gov/pubmed/17708583)

---. (2008). A nonlinear association of fertility and suicide rates among elderly persons. *Psychological Reports*, 103(3), 943-946. (http://www.ncbi.nlm.nih.gov/pubmed/19320231)

---. (2008). Possible relation of suicide rates of elderly with societal crime: A cross-national study. *Psychological Reports*, 102(1), 95-98. (http://www.ncbi.nlm.nih.gov/pubmed/18481670)

---. (2008). Possible relationship of elderly suicide rates with unemployment in society: A cross-national study. *Psychological Reports*, 102(2), 398-400. (http://www.ncbi.nlm.nih.gov/pubmed/18567209)

Shah, A., & Bhandarkar, R. (2008). Cross-national study of the correlation of general population suicide rates with unemployment rates. *Psychological Reports*, 103(3), 793-796. (http://www.ncbi.nlm.nih.gov/pubmed/19320214)

---. (2008). Do elderly suicide rates influence the quantity of published geriatric psychiatry research? A cross-national study. *International Psychogeriatrics*, 20(5), 1071-1072.

---. (2008). Possible relations between general population suicide rates and societal crime: A cross-national study. *Psychological Reports*, 103(2), 639-642. (http://www.ncbi.nlm.nih.gov/pubmed/19102492)

Shah, A., & Bhat, R. (2008). Are elderly suicide rates improved by increased provision of mental health service resources? A cross-national study. *International Psychogeriatrics / IPA*, 20(6), 1230-1237. (http://www.ncbi.nlm.nih.gov/pubmed/18341749)

---. (2008). The relationship between elderly suicide rates and mental health funding, service provision and national policy: A cross-national study. *International Psychogeriatrics*, 20(3), 605-615. (http://www.ncbi.nlm.nih.gov/pubmed/18047765)

Shah, A., Bhat, R., MacKenzie, S., & Koen, C. (2008). Elderly suicide rates: cross-national comparisons of trends over a 10-year period. *International Psychogeriatrics / IPA*, 20(4), 673-686. (http://www.ncbi.nlm.nih.gov/pubmed/17963591)

Shah, A., & Chatterjee, S. (2008). Is there a relationship between elderly suicide rates and educational attainment? A cross-national study. *Aging & Mental Health*, 12(6), 795-799. (http://www.ncbi.nlm.nih.gov/pubmed/19023731)

Shah, A., Padayatchi, M., & Das, K. (2008). The relationship between elderly suicide rates and elderly dependency ratios: A cross-national study using data from the WHO data bank. *International Psychogeriatrics*, 20(3), 596-604. (http://www.ncbi.nlm.nih.gov/pubmed/17937826)

Shahid, M., & Hyder, A. (2008). Deliberate self-harm and suicide: a review from Pakistan. *International Journal of Injury Control And Safety Promotion*, 15(4), 233-241. (http://www.ncbi.nlm.nih.gov/pubmed/19051086)

Shahtahmasebi, S. (2008). Suicide research and adolescent suicide trends in New Zealand. *Thescientificworldjournal*, 8287-302. (http://www.ncbi.nlm.nih.gov/pubmed/18379706)

Shaikh, I., Shaikh, M., & Siddiqui, Z. (2008). Correlates of unintentional and intentional injuries among grade 8 - 10 students in Jordan. *JPMA. The Journal of The Pakistan Medical Association*, 58(3), 154-155.

Sharma, S. (2008). High suicide rate among cancer patients fuels prevention discussions. *Journal of The National Cancer Institute*, 100(24), 1750-1752.

Sheikholeslami, H., Kani, C., & Ziaee, A. (2008). Attempted Suicide among Iranian Population. *Suicide and Life-Threatening Behavior*, 38(4), 456-466. (http://www.ncbi.nlm.nih.gov/pubmed/18724794)

Sigfusdottir, I., Asgeirsdottir, B., Gudjonsson, G. H., & Sigurdsson, J. (2008). A Model of Sexual Abuse's Effects on Suicidal Behavior and Delinquency: The Role of Emotions as Mediating Factors. *Journal of Youth and Adolescence*, 37(6), 699-712.

Silverton, L., Mednick, S., Holst, C., & John, R. (2008). High social class and suicide in persons at risk for schizophrenia. *Acta Psychiatrica Scandinavica*, 117(3), 192-197. (http://www.ncbi.nlm.nih.gov/pubmed/18190675)

Simon, R. I. (2008). Behavioral Risk Assessment of the Guarded Suicidal Patient. *Suicide and Life-Threatening Behavior*, 38(5), 517-522. (http://www.ncbi.nlm.nih.gov/pubmed/19014304)

---. (2008). Naked suicide. *Journal of the American Academy of Psychiatry and the Law*, 36(2), 240-245.

Singer, E., Strohm, S., Göbel, U., Bieringer, M., Schmidt, D., Schneider, W., & ... Luft, F. (2008). Cushing's disease, hypertension, and other sequels. *Hypertension*, 52(6), 1001-1005.

Singh, V., & Lathrop, S. (2008). Youth suicide in New Mexico: a 26-year retrospective review. *Journal of Forensic Sciences*, 53(3), 703-708. (http://www.ncbi.nlm.nih.gov/pubmed/18471219)

Sirey, J., Bruce, M., Carpenter, M., Booker, D., Reid, M., Newell, K., & Alexopoulos, G. (2008). Depressive symptoms and suicidal ideation among older adults receiving home delivered meals. *International Journal of Geriatric Psychiatry*, 23(12), 1306-1311. (http://www.ncbi.nlm.nih.gov/pubmed/18615448)

Skilling, G., Sclare, P., Watt, S., & Fielding, S. (2008). The effect of catalytic converter legislation on suicide rates in Grampian and Scotland 1980-2003. *Scottish Medical Journal*, 53(4), 3-6. (http://www.ncbi.nlm.nih.gov/pubmed/19051655)

Skodlar, B., Tomori, M., & Parnas, J. (2008). Subjective experience and suicidal ideation in schizophrenia. *Comprehensive Psychiatry*, 49(5), 482-488. (http://www.ncbi.nlm.nih.gov/pubmed/18702934)

Slee, N., Garnefski, N., Spinhoven, P., & Arensman, E. (2008). The Influence of Cognitive Emotion Regulation Strategies and Depression Severity on Deliberate Self-Harm. *Suicide and Life-Threatening Behavior*, 38(3), 274-286. (http://www.ncbi.nlm.nih.gov/pubmed/18611126)

Smalc, V., Varda, R., & Grosić, P. (2008). Position and role of forensic psychiatry in integrative psychiatry. *Psychiatria Danubina*, 20(3), 429-432. (http://www.ncbi.nlm.nih.gov/pubmed/18827777)

Smolders, M., Laurant, M., Akkermans, R., Wensing, M., & Grol, R. (2008). GPs' assessment of suicide risk in depressed patients. *Primary Care & Community Psychiatry*, 13(3), 138-140.

Soloff, P. H., Feske, U., & Fabio, A. (2008). Mediators of the relationship between childhood sexual abuse and suicidal behavior in borderline personality disorder. *Journal of Personality Disorders*, 22(3), 221-232. (http://www.ncbi.nlm.nih.gov/pubmed/18540795)

Søndergård, L., Lopez, A., Andersen, P., & Kessing, L. (2008). Mood-stabilizing pharmacological treatment in bipolar disorders and risk of suicide. *Bipolar Disorders*, 10(1), 87-94. (http://www.ncbi.nlm.nih.gov/pubmed/18199245)

Sorenson, S., & Vittes, K. (2008). Mental health and firearms in community-based surveys: implications for suicide prevention. *Evaluation Review*, 32(3), 239-256. (http://www.ncbi.nlm.nih.gov/pubmed/18456876)

Soulas, T., Gurruchaga, J., Palfi, S., Cesaro, P., Nguyen, J., & Fénelon, G. (2008). Attempted and completed suicides after subthalamic nucleus stimulation for Parkinson's disease. *Journal of Neurology, Neurosurgery, And Psychiatry*, 79(8), 952-954. (http://www.ncbi.nlm.nih.gov/pubmed/18403439)

Spence, J., Bergmans, Y., Strike, C., Links, P., Ball, J., Rhodes, A., & ... Rufo, C. (2008). Experiences of substance-using suicidal males who present frequently to the emergency department. *CJEM: Canadian Journal of Emergency Medical Care = JCMU: Journal Canadien De Soins Médicaux D'urgence*, 10(4), 339-346. (http://www.ncbi.nlm.nih.gov/pubmed/18652726)

Spiller, H., Bottei, E., & Kalin, L. (2008). Fatal bupropion overdose with post mortem blood concentrations. *Forensic Science, Medicine, And Pathology*, 4(1), 47-50. (http://www.ncbi.nlm.nih.gov/pubmed/19291469)

Spiller, H., Bottei, E., & Kalin, L. (2008). Fatal bupropion overdose with post mortem blood concentrations. *Forensic Science, Medicine, And Pathology*, 4(1), 47-50. (http://www.ncbi.nlm.nih.gov/pubmed/19291469)

Spirling, L., Stapleton, J., & Sutherland, G. (2008). Suicidal ideation and varenicline: a possible case of mistaken adverse drug reaction?. *The Journal of Clinical Psychiatry*, 69(11), 1834-1835.

Stack, S., & Wasserman, I. (2008). Social and Racial Correlates of Russian Roulette. *Suicide and Life-Threatening Behavior*, 38(4), 436-441. (http://www.ncbi.nlm.nih.gov/pubmed/18724791)

Stanley, N., Manthorpe, J., & Gilespie, L. (2008). Family Physicians' Interventions with Young People in Distress and Their Parents: Managing Confidentiality and Levels of Engagement. *Academic Psychiatry*, 32(2), 92-97. (http://www.ncbi.nlm.nih.gov/pubmed/18349327)

Stark, C., Stockton, D., & Henderson, R. (2008). Reduction in young male suicide in Scotland. *BMC Public Health*, 880. (http://www.ncbi.nlm.nih.gov/pubmed/18312616)

StatBite: Suicide rates by age. (2008). *Journal of The National Cancer Institute*, 100(24), 1751.

Steiner, J., Bielau, H., Brisch, R., Danos, P., Ullrich, O., Mawrin, C., & ... Bogerts, B. (2008). Immunological aspects in the neurobiology of suicide: elevated microglial density in schizophrenia and depression is associated with suicide. *Journal of Psychiatric Research*, 42(2), 151-157. (http://www.ncbi.nlm.nih.gov/pubmed/17174336)

Stenager, K., & Qin, P. (2008). Individual and parental psychiatric history and risk for suicide among adolescents and young adults in Denmark: a population-based study. *Social Psychiatry And Psychiatric Epidemiology*, 43(11), 920-926. (http://www.ncbi.nlm.nih.gov/pubmed/18574540)

Sterud, T., Hem, E., Lau, B., & Ekeberg, O. (2008). Suicidal ideation and suicide attempts in a nationwide sample of operational Norwegian ambulance personnel. *Journal of Occupational Health*, 50(5), 406-414. (http://www.ncbi.nlm.nih.gov/pubmed/18654042)

Stefanello, S., Marín-Léon, L., Fernandes, P., Min, L., & Botega, N. (2010). Suicidal thoughts in epilepsy: a community-based study in Brazil. *Epilepsy & Behavior: E&B*, 17(4), 483-488. (http://www.ncbi.nlm.nih.gov/pubmed/20138587)

Stice, B. D., & Canetto, S. (2008). Older adult suicide: Perceptions of precipitants and protective factors. *Clinical Gerontologist*, 31(4), 4-30.

Stirman, S. (2008). The applicability of randomized controlled trials of psychosocial treatments for PTSD to a veteran population. *Journal of Psychiatric Practice*, 14(4), 199-208. (http://www.ncbi.nlm.nih.gov/pubmed/18664888)

Stordal, E., Morken, G., Mykletun, A., Neckelmann, D., & Dahl, A. (2008). Monthly variation in prevalence rates of comorbid depression and anxiety in the general population at 63-65 degrees North: the HUNT study. *Journal of Affective Disorders*, 106(3), 273-278. (http://www.ncbi.nlm.nih.gov/pubmed/17707514)

Strauss, S. A. (2008). Same-sex desire, suicidality, and the school climate: Extending Hirschi's theory of social control. *Dissertation Abstracts International Section A*, 68, 10-A (2008): 4252.

Strike, C., Rufo, C., Spence, J., Links, P., Bergmans, Y., Ball, J., & ... Eynan, R. (2008). Unintended impact of psychiatric safe rooms in emergency departments: The experiences of suicidal males with substance use disorders. *Brief Treatment and Crisis Intervention*, 8(3), 264-273.

Summary of violent deaths in Oklahoma. (2008). *The Oklahoma Nurse*, 53(4), 9. (http://www.nursingald.com/Uploaded/NewsletterFiles/OK022009.pdf)

Sun, F., Long, A., Huang, X., & Huang, H. (2008). Family care of Taiwanese patients who had attempted suicide: a grounded theory study. *Journal of Advanced Nursing*, 62(1), 53-61. (http://www.ncbi.nlm.nih.gov/pubmed/18352964)

Sut, N., & Memis, D. (2008). Intensive care costs of acute poisoning cases. *Clinical Toxicology (Philadelphia, Pa.)*, 46(5), 457-460. (http://www.ncbi.nlm.nih.gov/pubmed/18568802)

Svindseth, M., Nøttestad, J., Wallin, J., Roaldset, J., & Dahl, A. (2008). Narcissism in patients admitted to psychiatric acute wards: its relation to violence, suicidality and other psychopathology. *BMC Psychiatry*, 813. (http://www.ncbi.nlm.nih.gov/pubmed/18304339)

Swami, V., Stanistreet, D., & Payne, S. (2008). Masculinities and suicide. *The Psychologist*, 21(4), 308-311.

Swenson, L. P., Spirito, A., Dyl, J., Kittler, J., & Hunt, J. I. (2008). Psychiatric Correlates of Nonsuicidal Cutting Behaviors in an Adolescent Inpatient Sample. *Child Psychiatry and Human Development*, 39(4), 427-438. (http://www.ncbi.nlm.nih.gov/pubmed/18360771)

Syed, E., & Khan, M. (2008). Pattern of deliberate self-harm in young people in Karachi, Pakistan. *Crisis*, 29(3), 159-163. (http://www.ncbi.nlm.nih.gov/pubmed/18714913)

Szumilas, M., & Kutcher, S. (2008). Youth and suicide. *CMAJ: Canadian Medical Association Journal = Journal De L'association Medicale Canadienne*, 178(3), 286.

Tait, R., Ngo, H., & Hulse, G. (2008). Mortality in heroin users 3 years after naltrexone implant or methadone maintenance treatment. *Journal of Substance Abuse Treatment*, 35(2), 116-124. (http://www.ncbi.nlm.nih.gov/pubmed/17931824)

Takayasu, T., Hayashi, T., Ishida, Y., Nosaka, M., Mizunuma, S., Miyashita, T., & ... Kondo, T. (2008). A fatal intoxication from ingestion of 2-methyl-4-chlorophenoxyacetic acid (MCPA). *Journal of Analytical Toxicology*, 32(2), 187-191. (http://www.ncbi.nlm.nih.gov/pubmed/18334105)

Taliaferro, L. A., Rienzo, B. A., Miller, M., Pigg, R. r., & Dodd, V. J. (2008). High School Youth and Suicide Risk: Exploring Protection Afforded through Physical Activity and Sport Participation. *Journal of School Health*, 78(10), 545-553. (http://www.ncbi.nlm.nih.gov/pubmed/18808474)

Tall, K., Kõlves, K., Sisask, M., & Värnik, A. (2008). Do survivors respond differently when alcohol abuse complicates suicide? Findings from the psychological autopsy study in Estonia. *Drug and Alcohol Dependence*, 95(1-2), 129-133. (http://www.ncbi.nlm.nih.gov/pubmed/18325695)

Talukder, M., Mansur, M., & Kadir, M. (2008). Incidence of typical and atypical hanging among 66 hanging cases. *Mymensingh Medical Journal: MMJ*, 17(2), 149-151. (http://www.ncbi.nlm.nih.gov/pubmed/18626449)

Tan, L., & Wong, H. (2008). Severity of depression and suicidal ideations among elderly people in Singapore. *International Psychogeriatrics / IPA*, 20(2), 338-346. (http://www.ncbi.nlm.nih.gov/pubmed/17651526)

Tariman, J. (2008). Suicide among boys and men. More challenges ahead. *Advance For Nurse Practitioners*, 16(8), 25.

Terada, K., Kawai, Y., Monju, A., Wakabayashi, T., & Ouchi, K. (2008). Adolescent jump case in Japan associated with influenza but not oseltamivir. *The Pediatric Infectious Disease Journal*, 27(1), 88-89.

Thalmeier, A., Dickmann, M., Giegling, I., Schneider, B., M Hartmann, A., Maurer, K., & ... Rujescu, D. (2008). Gene expression profiling of post-mortem orbitofrontal cortex in violent suicide victims. *The International Journal of Neuropsychopharmacology*, 11(2), 217-228. (http://www.ncbi.nlm.nih.gov/pubmed/17608962)

Thompson, A. H. (2008). Younger onset of depression is associated with greater suicidal intent. *Social Psychiatry and Psychiatric Epidemiology*, 43(7), 538-544. (http://www.ncbi.nlm.nih.gov/pubmed/18320128)

Thomyangkoon, P., & Leenaars, A. (2008). Impact of Death by Suicide of Patients on Thai Psychiatrists. *Suicide and Life-Threatening Behavior*, 38(6), 728-740. (http://www.ncbi.nlm.nih.gov/pubmed/19152304)

Thong, J., Su, A., Chan, Y., & Chia, B. (2008). Suicide in psychiatric patients: case-control study in Singapore. *The Australian And New Zealand Journal of Psychiatry*, 42(6), 509-519. (http://www.ncbi.nlm.nih.gov/pubmed/18465378)

Tidemalm, D., Långström, N., Lichtenstein, P., & Runeson, B. (2008). Risk of suicide after suicide attempt according to coexisting psychiatric disorder: Swedish cohort study with long term follow-up. *BMJ (Clinical Research Ed.)*, 337a2205. (http://www.ncbi.nlm.nih.gov/pubmed/19018040)

Ting, L., Jacobson, J. M., & Sanders, S. (2008). Available Supports and Coping Behaviors of Mental Health Social Workers Following Fatal and Nonfatal Client Suicidal Behavior. *Social Work*, 53(3), 211-221. (http://www.ncbi.nlm.nih.gov/pubmed/19275117)

Tint, A., Haddad, P. M., & Anderson, I. M. (2008). The effect of rate of antidepressant tapering on the incidence of discontinuation symptoms: A randomised study. *Journal of Psychopharmacology*, 22(3), 330-332. (http://www.ncbi.nlm.nih.gov/pubmed/18515448)

Tochigi, M., Iwamoto, K., Bundo, M., Sasaki, T., Kato, N., & Kato, T. (2008). Gene expression profiling of major depression and suicide in the prefrontal cortex of postmortem brains. *Neuroscience Research*, 60(2), 184-191. (http://www.ncbi.nlm.nih.gov/pubmed/18068248)

Tondo, L., Lepri, B., & Baldessarini, R. (2008). Suicidal status during antidepressant treatment in 789 Sardinian patients with major affective disorder. *Acta Psychiatrica Scandinavica*, 118(2), 106-115. (http://www.ncbi.nlm.nih.gov/pubmed/18397362)

Tonelli, L. H., Stiller, J. J., Rujescu, D. D., Giegling, I. I., Schneider, B. B., Maurer, K. K., & ... Postolache, T. T. (2008). Elevated cytokine expression in the orbitofrontal cortex of victims of suicide. *Acta Psychiatrica Scandinavica*, 117(3), 198-206. (http://www.ncbi.nlm.nih.gov/pubmed/18081924)

Törő, K., Kristóf, I., & Kardos, M. (2008). Suicidal hanging on high-voltage line pylon. *Journal of Forensic Sciences*, 53(5), 1200-1203. (http://www.ncbi.nlm.nih.gov/pubmed/18665885)

Töro, K., Kristóf, I., & Keller, E. (2008). Incomplete decapitation in suicidal hanging - report of a case and review of the literature. *Journal of Forensic And Legal Medicine*, 15(3), 180-184. (http://www.ncbi.nlm.nih.gov/pubmed/18313015)

Truscott, A. (2008). Suicide fad threatens neighbours, rescuers. *CMAJ: Canadian Medical Association Journal = Journal De L'association Medicale Canadienne*, 179(4), 312-313. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2492967/)

Valle, V., Gosney, H., & Sinclair, J. (2008). Qualitative analysis of Coroners' data into the unnatural deaths of children and adolescents. *Child: Care, Health And Development*, 34(6), 721-731. (http://www.ncbi.nlm.nih.gov/pubmed/18959569)

van Bergen, D., Smit, J., van Balkom, A., van Ameijden, E., & Saharso, S. (2008). Suicidal ideation in ethnic minority and majority adolescents in Utrecht, the Netherlands. *Crisis*, 29(4), 202-208. (http://www.ncbi.nlm.nih.gov/pubmed/19069612)

van Houwelingen, C., & Kerkhof, A. (2008). Mental healthcare status and psychiatric diagnoses of train suicides. *Journal of Affective Disorders*, 107(1-3), 281-284 (http://www.ncbi.nlm.nih.gov/pubmed/17913238)

Van Orden, K. A., Witte, T. K., Gordon, K. H., Bender, T. W., & Joiner, T. r. (2008). Suicidal Desire and the Capability for Suicide: Tests of the Interpersonal-Psychological Theory of Suicidal Behavior among Adults. *Journal of Consulting and Clinical Psychology*, 76(1), 72-83. (http://www.ncbi.nlm.nih.gov/pubmed/18229985)

---. (2008). Suicidal Ideation in College Students Varies across Semesters: The Mediating Role of Belongingness. *Suicide and Life-Threatening Behavior*, 38(4), 427-435. (http://www.ncbi.nlm.nih.gov/pubmed/18724790)

Värnik, A., Kõlves, K., van der Feltz-Cornelis, C., Marusic, A., Oskarsson, H., Palmer, A., & ... Hegerl, U. (2008). Suicide methods in Europe: a gender-specific analysis of countries participating in the "European Alliance Against Depression". *Journal of Epidemiology And Community Health*, 62(6), 545-551. (http://www.ncbi.nlm.nih.gov/pubmed/18477754)

Vaughan, R. (2008). My own private purgatory: how cluster headaches affect my life. *Headache*, 48(10), 1541-1543.

Vazquez, F. L., & Blanco, V. (2008). Prevalence of "DSM-IV" Major Depression among Spanish University Students. *Journal of American College Health*, 57(2), 165-172. (http://www.ncbi.nlm.nih.gov/pubmed/18809533)

Videtic, A., Debeljak, N., Zupanc, T., & Pregelj, P. (2008). Case report on the analysis of single nucleotide polymorphisms of the serotonergic pathway and array-based comparative genomic hybridisation of a suicide victim. *Psychiatria Danubina*, 20(2), 245-248. (http://www.ncbi.nlm.nih.gov/pubmed/18587299)

Vierhaus, M., & Lohaus, A. (2008). Children and Parents as Informants of Emotional and Behavioural Problems Predicting Female and Male Adolescent Risk Behaviour: A Longitudinal Cross-Informant Study. *Journal of Youth and Adolescence*, 37(2), 211-224.

Viola, R., Benko, R., Nagy, G., & Soós, G. (2008). National trend of antidepressant consumption and its impact on suicide rate in Hungary. *Pharmacoepidemiology And Drug Safety*, 17(4), 401-405. (http://www.ncbi.nlm.nih.gov/pubmed/18314926)

Violanti, J., Charles, L., Hartley, T., Mnatsakanova, A., Andrew, M., Fekedulegn, D., & ... Burchfiel, C. (2008). Shift-work and suicide ideation among police officers. *American Journal of Industrial Medicine*, 51(10), 758-768. (http://www.ncbi.nlm.nih.gov/pubmed/18704914)

Vitiello, B., & Pearson, J. (2008). A depressed adolescent at high risk of suicidal behavior. *The American Journal of Psychiatry*, 165(3), 323-328.

Voaklander, D., Rowe, B., Dryden, D., Pahal, J., Saar, P., & Kelly, K. (2008). Medical illness, medication use and suicide in seniors: a population-based case-control study. *Journal of Epidemiology And Community Health*, 62(2), 138-146. (http://www.ncbi.nlm.nih.gov/pubmed/18192602)

Voltmer, E., Kieschke, U., Schwappach, D., Wirsching, M., & Spahn, C. (2008). Psychosocial health risk factors and resources of medical students and physicians: a cross-sectional study. *BMC Medical Education*, 846. (http://www.ncbi.nlm.nih.gov/pubmed/18831732)

Voon, V., Krack, P., Lang, A., Lozano, A., Dujardin, K., Schüpbach, M., & ... Moro, E. (2008). A multicentre study on suicide outcomes following subthalamic stimulation for Parkinson's disease. *Brain: A Journal of Neurology*, 131(Pt 10), 2720-2728. (http://www.ncbi.nlm.nih.gov/pubmed/18941146)

Voracek, M. (2008). Cross-national social ecology of intelligence and suicide prevalence: integration, refinement, and update of studies. *Perceptual And Motor Skills*, 106(2), 550-556. (http://www.ncbi.nlm.nih.gov/pubmed/18556908)

Voracek, M., Fisher, M., Loibl, L., Tan, H., & Sonneck, G. (2008). Beliefs about the genetics of suicide in Canadian students: cross-language validation of the Beliefs in the Inheritance of Risk Factors for Suicide Scale (BIRFSS). *Psychiatry And Clinical Neurosciences*, 62(3), 271-278. (http://www.ncbi.nlm.nih.gov/pubmed/18588586)

Voracek, M., and L. M. Loibl. 2008. "Consistency of immigrant and country-of-birth suicide rates: A meta-analysis." *Acta Psychiatrica Scandinavica* 118, no. 4: 259-271. (http://www.ncbi.nlm.nih.gov/pubmed/18691336)

Voracek, M., Loibl, L., Kapusta, N., Niederkrotenthaler, T., Dervic, K., & Sonneck, G. (2008). Not carried away by a moonlight shadow: no evidence for associations between suicide occurrence and lunar phase among more than 65,000 suicide cases in Austria, 1970-2006. *Wiener Klinische Wochenschrift*, 120(11-12), 343-349. (http://www.ncbi.nlm.nih.gov/pubmed/18709522)

Voracek, M., Loibl, L., & Sonneck, G. (2008). The malleability of beliefs in the genetics of suicide: an intervention study with the beliefs in the inheritance of risk factors for suicide scale (BIRFSS). *Psychiatria Danubina*, 20(1), 16-25. (http://www.ncbi.nlm.nih.gov/pubmed/18376326)

Voracek, M., Loibl, L., Swami, V., Vintilă, M., Kõlves, K., Sinniah, D., & ... Lester, D. (2008). The beliefs in the inheritance of risk factors for suicide scale (BIRFSS): cross-cultural validation in Estonia, Malaysia, Romania, the United Kingdom, and the United States. *Suicide & Life-Threatening Behavior*, 38(6), 688-698. (http://www.ncbi.nlm.nih.gov/pubmed/19152299)

Voracek, M., & Marušič, A. (2008). Testing the Finno-Ugrian suicide hypothesis: Geographic variation of elderly suicide rates across Europe. *Nordic Journal of Psychiatry*, 62(4), 302-308. (http://www.ncbi.nlm.nih.gov/pubmed/18618366)

Voracek, M., Tran, U. S., & Sonneck, G. (2008). Psychometric Properties of the Revised Facts on Suicide Quiz in Austrian Medical and Psychology Undergraduates. *Death Studies*, 32(10), 937-950. (http://www.ncbi.nlm.nih.gov/pubmed/18990798)

Wahl, R., Cotton, S., & Harrison-Monroe, P. (2008). Spirituality, adolescent suicide, and the juvenile justice system. *Southern Medical Journal*, 101(7), 711-715. (http://www.ncbi.nlm.nih.gov/pubmed/18580725)

Walker, J., Waters, R., Murray, G., Swanson, H., Hibberd, C., Rush, R., & ... Sharpe, M. (2008). Better off dead: suicidal thoughts in cancer patients. *Journal of Clinical Oncology: Official Journal of The American Society Of Clinical Oncology*, 26(29), 4725-4730. (http://www.ncbi.nlm.nih.gov/pubmed/18695258)

Walker, R. L., Wingate, L. R., Obasi, E. M., & Joiner, T. r. (2008). An empirical investigation of acculturative stress and ethnic identity as moderators for depression and suicidal ideation in college students. *Cultural Diversity and Ethnic Minority Psychology*, 14(1), 75-82. (http://www.ncbi.nlm.nih.gov/pubmed/18230003)

Walls, E. N., Freedenthal, S., & Wisneski, H. (2008). Suicidal Ideation and Attempts among Sexual Minority Youths Receiving Social Services. *Social Work*, 53(1), 21-29. (http://www.ncbi.nlm.nih.gov/pubmed/18610818)

Wan, K. (2008). Mental health and poverty. *The Journal of The Royal Society For The Promotion Of Health*, 128(3), 108-109.

Wang, S. Y., Li, Y. H., Chi, G. B., Xiao, S. Y., Ozanne-Smith, J. J., Stevenson, M. M., & Phillips, M. R. (2008). Injury-related fatalities in China: An under-recognised public-health problem. *The Lancet*, 372(9651), 1765-1773. (http://www.ncbi.nlm.nih.gov/pubmed/18930527)

Wani, Z., Dhar, S., Hussain, A., & Qureshi, W. (2008). The unreported morbidity of suicidal poisonings during an insurgency: a 16-year Kashmir experience. *Tropical Doctor*, 38(3), 170-171. (http://www.ncbi.nlm.nih.gov/pubmed/18628549)

Warren, L., Mullen, P., Thomas, S., Ogloff, J., & Burgess, P. (2008). Threats to kill: a follow-up study. *Psychological Medicine*, 38(4), 599-605. (http://www.ncbi.nlm.nih.gov/pubmed/17922941)

Wasserman, D. D., Sokolowski, M. M., Rozanov, V. V., & Wasserman, J. J. (2008). The CRHR1 gene: A marker for suicidality in depressed males exposed to low stress. *Genes, Brain & Behavior*, 7(1), 14-19. (http://www.ncbi.nlm.nih.gov/pubmed/17376150)

Wasserman, I. M., & Stack, S. (2008). Lethal Locations: An Application of Opportunity Theory to Motel Suicide, a Research Note. *Death Studies*, 32(8), 757-767. (http://www.ncbi.nlm.nih.gov/pubmed/18972654)

Wasserman, L., Shaw, T., Vu, M., Ko, C., Bollegala, D., & Bhalerao, S. (2008). An overview of traumatic brain injury and suicide. *Brain Injury*, 22(11), 811-819. (http://www.ncbi.nlm.nih.gov/pubmed/18850340)

Weierich, M. R., & Nock, M. K. (2008). Posttraumatic Stress Symptoms Mediate the Relation between Childhood Sexual Abuse and Nonsuicidal Self-Injury. *Journal of Consulting and Clinical Psychology*, 76(1), 39-44. (http://www.ncbi.nlm.nih.gov/pubmed/18229981)

Wexler, L., Hill, R., Bertone-Johnson, E., & Fenaughty, A. (2008). Correlates of Alaska Native Fatal and Nonfatal Suicidal Behaviors 1990-2001. *Suicide and Life-Threatening Behavior*, 38(3), 311-320. (http://www.ncbi.nlm.nih.gov/pubmed/18611129)

Wheeler, B., Gunnell, D., Metcalfe, C., Stephens, P., & Martin, R. (2008). The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. *BMJ (Clinical Research Ed.)*, 336(7643), 542-545. (http://www.ncbi.nlm.nih.gov/pubmed/18276667)

White, N., Litovitz, T., & Clancy, C. (2008). Suicidal antidepressant overdoses: a comparative analysis by antidepressant type. *Journal of Medical Toxicology: Official Journal of The American College Of Medical Toxicology*, 4(4), 238-250. (http://www.ncbi.nlm.nih.gov/pubmed/19031375)

Whitlock, J., Muehlenkamp, J., & Eckenrode, J. (2008). Variation in Nonsuicidal Self-Injury: Identification and Features of Latent Classes in a College Population of Emerging Adults. *Journal of Clinical Child and Adolescent Psychology*, 37(4), 725-735. (http://www.ncbi.nlm.nih.gov/pubmed/18991124)

Whittinghill, D., Bordeau, W., Whittaker, T., & Lusk, S. L. (2008). Only I can save my client: Boundary issues for counselors. In L. E. Tyson, J. R. Culbreth, J. A. Harrington, L. E. Tyson, J. R. Culbreth, J. A. Harrington (Eds.) , *Critical incidents in clinical supervision: Addictions, community, and school counseling* (pp. 77-83). Alexandria, VA US: American Counseling Association, 2008. Ed.

Wijngaards-de Meij, L., Stroebe, M., Stroebe, W., Schut, H., Van Den Bout, J., Van Der Heijden, P. M., & Dijkstra, I. (2008). The Impact of Circumstances Surrounding the Death of a Child on Parents' Grief. *Death Studies*, 32(3), 237-252. (http://www.ncbi.nlm.nih.gov/pubmed/18705169)

Williams, J., Alatiq, Y., Crane, C., Barnhofer, T., Fennell, M., Duggan, D., & ... Goodwin, G. (2008). Mindfulness-based Cognitive Therapy (MBCT) in bipolar disorder: preliminary evaluation of immediate effects on between-episode functioning. *Journal of Affective Disorders*, 107(1-3), 275-279. (http://www.ncbi.nlm.nih.gov/pubmed/17884176)

Windfuhr, K., While, D., Hunt, I., Turnbull, P., Lowe, R., Burns, J., & ... Kapur, N. (2008). Suicide in juveniles and adolescents in the United Kingdom. *Journal of Child Psychology and Psychiatry*, 49(11), 1155-1165. (http://www.ncbi.nlm.nih.gov/pubmed/19017029)

Witte, T., Merrill, K., Stellrecht, N., Bernert, R., Hollar, D., Schatschneider, C., & Joiner, T. (2008). "Impulsive" youth suicide attempters are not necessarily all that impulsive. *Journal of Affective Disorders*, 107(1-3), 107-116. (http://www.ncbi.nlm.nih.gov/pubmed/17804082)

Wong, P., Chan, W., Chen, E., Chan, S., Law, Y., & Yip, P. (2008). Suicide among adults aged 30-49: a psychological autopsy study in Hong Kong. *BMC Public Health*, 8147. (http://www.ncbi.nlm.nih.gov/pubmed/18447958)

Wong, T., & Sun, T. (2008). Deaths due to external causes among adolescents in Hong Kong. *Asia-Pacific Journal of Public Health / Asia-Pacific Academic Consortium For Public Health*, 20(2), 148-151. (http://www.ncbi.nlm.nih.gov/pubmed/19124308)

Wright, M. A., Wintemute, G. J., & Claire, B. E. (2008). Gun suicide by young people in California: Descriptive epidemiology and gun ownership. *Journal of Adolescent Health*, 43(6), 619-622. (http://www.ncbi.nlm.nih.gov/pubmed/19027653)

Xiang, Y., Weng, Y., Leung, C., Tang, W., & Ungvari, G. (2008). Clinical and social correlates with the use of depot antipsychotic drugs in outpatients with schizophrenia in China. *International Journal of Clinical Pharmacology And Therapeutics*, 46(5), 245-251. (http://www.ncbi.nlm.nih.gov/pubmed/18538110)

Yamasaki, A., Araki, S., Sakai, R., Yokoyama, K., & Voorhees, A. (2008). Suicide mortality of young, middle-aged and elderly males and females in Japan for the years 1953-96: time series analysis for the effects of unemployment, female labour force, young and aged population, primary

industry and population density. *Industrial Health*, 46(6), 541-549. (http://www.ncbi.nlm.nih.gov/pubmed/19088406)

Yang, C., Ger, J., & Li, C. (2008). Formic acid: a rare but deadly source of carbon monoxide poisoning. *Clinical Toxicology (Philadelphia, Pa.)*, 46(4), 287-289. (http://www.ncbi.nlm.nih.gov/pubmed/18363119)

Yasan, A., Danis, R., Tamam, L., Ozmen, S., & Ozkan, M. (2008). Socio-Cultural Features and Sex Profile of the Individuals with Serious Suicide Attempts in Southeastern Turkey: A One-Year Survey. *Suicide and Life-Threatening Behavior*, 38(4), 467-480. (http://www.ncbi.nlm.nih.gov/pubmed/18724795)

Yegane, R., Bashtar, R., & Bashashati, M. (2008). Aortoesophageal fistula due to caustic ingestion. *European Journal of Vascular And Endovascular Surgery*, 35(2), 187-189. (http://www.ncbi.nlm.nih.gov/pubmed/17981058)

Yeh, J., Xirasagar, S., Liu, T., Li, C., & Lin, H. (2008). Does marital status predict the odds of suicidal death in Taiwan? A Seven-year population-Based study. *Suicide and Life-Threatening Behavior*, 38(3), 302-310. (http://www.ncbi.nlm.nih.gov/pubmed/18611128)

Zaheer, J., Links, P., & Liu, E. (2008). Assessment and emergency management of suicidality in personality disorders. *The Psychiatric Clinics Of North America*, 31(3), 527. (http://www.ncbi.nlm.nih.gov/pubmed/18638651)

Zayas, L., & Pilat, A. (2008). Suicidal behavior inLatinas: explanatory cultural factors and implications for intervention. *Suicide & Life-Threatening Behavior*, 38(3), 334-342. (http://www.ncbi.nlm.nih.gov/pubmed/18611132)

Zhang, J., & Lester, D. (2008). Psychological tensions found in suicide notes: a test for the strain theory of suicide. *Archives Of Suicide Research: Official Journal of The International Academy For Suicide Research*, 12(1), 67-73. (http://www.ncbi.nlm.nih.gov/pubmed/18240036)

Zhang, X., Li, H., Zhu, Q., Zhou, J., Zhang, S., Zhang, L., & Sun, C. (2008). Trends in suicide by poisoning in China 2000-2006: age, gender, method, and geography. *Biomedical And Environmental Sciences: BES*, 21(3), 253-256. (http://www.ncbi.nlm.nih.gov/pubmed/18714825)

Zonda, T., Bozsonyi, K., Veres, E., Lester, D., & Frank, M. (2009). The impact of holidays on suicide in Hungary. *Omega: Journal of Death and Dying*, 58(2), 153-162. (http://www.ncbi.nlm.nih.gov/pubmed/19227004)

StatBite: Suicide rates by age. (2008). *Journal of The National Cancer Institute*, 100(24), 1751.

Summary of violent deaths in Oklahoma. (2008). *The Oklahoma Nurse*, 53(4), 9. (http://www.nursingald.com/Uploaded/NewsletterFiles/OK022009.pdf)