# 2009 Research Bibliography on Suicide Prevention in Working Age Males

**Idaho Suicide Prevention Research Project**

**Funded by the Idaho Department of Health & Welfare**

April, 2011


Alcohol and suicide among racial/ethnic populations - 17 states, 2005-2006. (2009). *MMWR Morb Mortal Wkly Rep, 58*(23), 637-641. (http://www.ncbi.nlm.nih.gov/pubmed/19543198)

A head injury can have a devastating effect on a person's mental health. (2009). *Mental health today, 33*, 33.

Left behind after suicide. People bereaved by a suicide often get less support because it's hard for them to reach out--and because others are unsure how to help. (2009). *Harv Womens Health Watch, 16*(11), 4-6.

Wrongful death. Correct HIV test results may have prevented man's suicide. (2009). *AIDS Policy Law, 24*(6), 5.

Abraham-Nordling, M., S. Lönn, G. Wallin, et al. (2009). Hyperthyroidism and suicide: a retrospective cohort study in Sweden. *Eur J Endocrinol, 160*(3), 437-441. (http://www.ncbi.nlm.nih.gov/pubmed/1913150)

Abrams, R. C., A. C. Leon, K. Tardiff, et al. (2009). Antidepressant use in elderly suicide victims in New York city: an analysis of 255 cases. *J Clin Psychiatry, 70*(3), 312-317. (http://www.ncbi.nlm.nih.gov/pubmed/19210947)

Afifi, Tracie O., Harriet MacMillan, & Behavioral. (2009). Mental health correlates of intimate partner violence in marital relationships in a nationally representative sample of males and females. *Journal of Interpersonal Violence, 24*(8), 1398-1417. (http://www.ncbi.nlm.nih.gov/pubmed/18718882)

Alaraisanen, Antti, & Jouko Miettunen. (2009). Suicide rate in schizophrenia in the Northern Finland 1966 birth cohort. *Social Psychiatry and Psychiatric Epidemiology, 44*(12), 1107-1110. (http://www.ncbi.nlm.nih.gov/pubmed/19319456)

Alexopoulos, G. S., C. F. Reynolds, 3rd, M. L. Bruce, et al. (2009). Reducing suicidal ideation and depression in older primary care patients: 24-month outcomes of the PROSPECT study. *Am J Psychiatry, 166*(8), 882-890. (http://www.ncbi.nlm.nih.gov/pubmed/19528195)

Almasi, K., N. Belso, N. Kapur, et al. (2009). Risk factors for suicide in Hungary: a case-control study. *BMC Psychiatry, 9*, 45. (http://www.ncbi.nlm.nih.gov/pubmed/19638202)

Asamura, H., M. Ito, & H. Fukushima. (2009). An unusual suicide case of the combination of asphyxia. *Am J Forensic Med Pathol, 30*(2), 215-216. (http://www.ncbi.nlm.nih.gov/pubmed/19465823)

Assunção, L. A., A. Santos, & T. Magalhães. (2009). Suicide by sharp force injuries--a study in Oporto. *Tokyo, Japan), 11 Suppl 1*, S216-219. (http://www.ncbi.nlm.nih.gov/pubmed/19282228)

Ayer, Lynsay, Robert Althoff, Masha Ivanova, et al. (2009). Child Behavior Checklist Juvenile Bipolar Disorder (CBCL-JBD) and CBCL Posttraumatic Stress Problems (CBCL-PTSP) Scales Are Measures of a Single Dysregulatory Syndrome. *Journal of Child Psychology and Psychiatry, 50*(10), 1291-1300. (http://www.ncbi.nlm.nih.gov/pubmed/19486226)

Baeseman, Z. J. (2009). A comparison of Wisconsin's suicide rates by urbanization and sex. *WMJ, 108*(2), 94-98. (http://www.ncbi.nlm.nih.gov/pubmed/19437935)

Balducci, C., V. Alfano, & F. Fraccaroli. (2009). Relationships between mobbing at work and MMPI-2 personality profile, posttraumatic stress symptoms, and suicidal ideation and behavior. *Violence Vict, 24*(1), 52-67. (http://www.ncbi.nlm.nih.gov/pubmed/19297885)

Banner, Francine. (2009). Making death visible: Chechen female suicide bombers in an era of globalization. *Dissertation Abstracts International Section A: Humanities and Social Sciences, 70*(5-A), 1793.

Barbour, V., J. Clark, L. Peiperl, et al. (2009). Media portrayals of suicide. *PLoS Med, 6*(3), e51.

Bartram, David J., & Ghasem Yadegarfar. (2009). A cross-sectional study of mental health and well-being and their associations in the UK veterinary profession. *Social Psychiatry and Psychiatric Epidemiology, 44*(12), 1075-1085. (http://www.ncbi.nlm.nih.gov/pubmed/19294320)

Bastia, Binaya K., & Nilamadhab Kar. (2009). A psychological autopsy study of suicidal hanging from Cuttack, India: Focus on stressful life situations. *Archives of Suicide Research, 13*(1), 100-104. (http://www.ncbi.nlm.nih.gov/pubmed/19123113)

Batty, G. D., M. J. Shipley, D. Gunnell, et al. (2009). Height, wealth, and health: an overview with new data from three longitudinal studies. *Econ Hum Biol, 7*(2), 137-152. (http://www.ncbi.nlm.nih.gov/pubmed/19628438)

Bebbington, Paul E., Claudia Cooper, Sarah Minot, et al. (2009). Suicide attempts, gender, and sexual abuse: Data from the 2000 British Psychiatric Morbidity Survey. *The American Journal of Psychiatry, 166*(10), 1135-1140. (http://www.ncbi.nlm.nih.gov/pubmed/19723788)

Behera, C., R. Rautji, & T. D. Dogra. (2009). Appointed bullet--a premeditated murder followed by suicide: a case report. *Med Sci Law, 49*(1), 69-71. (http://www.ncbi.nlm.nih.gov/pubmed/19306625)

Bennett, K. M., S. N. Vaslef, M. L. Shapiro, et al. (2009). Does intent matter? The medical and societal burden of self-inflicted injury. *J Trauma, 67*(4), 841-847. (http://www.ncbi.nlm.nih.gov/pubmed/19820594)

Björkstén, Karin S., Daniel F. Kripke, & Peter Bjerregaard. (2009). Accentuation of suicides but not homicides with rising latitudes of Greenland in the sunny months. *BMC Psychiatry 9*, 404-417. (http://www.ncbi.nlm.nih.gov/pubmed/19422728)

Blasco-Fontecilla, H., E. Baca-Garcia, K. Dervic, et al. (2009). Specific features of suicidal behavior in patients with narcissistic personality disorder. *J Clin Psychiatry, 70*(11), 1583-1587. (http://www.ncbi.nlm.nih.gov/pubmed/19607766)

Bogner, H. R., M. B. Richie, H. F. de Vries, et al. (2009). Depression, cognition, apolipoprotein e genotype: latent class approach to identifying subtype. *Am J Geriatr Psychiatry, 17*(4), 344-352. (http://www.ncbi.nlm.nih.gov/pubmed/19307863)

Brådvik, L., M. Berglund, A. Frank, et al. (2009). Number of addictive substances used related to increased risk of unnatural death: a combined medico-legal and case-record study. *BMC Psychiatry, 9*, 48. (http://www.ncbi.nlm.nih.gov/pubmed/19653902)

Brecic, P., D. Ostojic, D. Vidovic, et al. (2009). Characteristics of patients who committed suicide during hospitalization in Psychiatric Hospital "Vrapce" in the period 1996-2006. *Coll Antropol, 33*(1), 233-236. (http://www.ncbi.nlm.nih.gov/pubmed/19408631)

Burger, Irene, & Albert M. van Hemert. (2009). Suicidal behavior in four ethnic groups in The Hague, 2002-2004. *Crisis: The Journal of Crisis Intervention and Suicide Prevention, 30*(2), 63-67. (http://www.ncbi.nlm.nih.gov/pubmed/19525163)

Buri, Caroline, Beatrice Von Bonin, & Werner Strik. (2009). Predictors of attempted suicide among Swiss patients with alcohol-use disorders. *Journal of Studies on Alcohol and Drugs, 70*(5), 668-674. (http://www.ncbi.nlm.nih.gov/pubmed/19737490)

Callanan, V. J., & M. S. Davis. (2009). A comparison of suicide note writers with suicides who did not leave notes. *Suicide Life Threat Behav, 39*(5), 558-568. (http://www.ncbi.nlm.nih.gov/pubmed/19929155)

Carlborg, Andreas, & Jussi Jokinen. (2009). CSF 5-HIAA, attempted suicide and suicide risk in schizophrenia spectrum psychosis. *Schizophrenia Research, 112*(1-3), 80-85. (http://www.ncbi.nlm.nih.gov/pubmed/19410429)

Carson, H. J., & S. G. Eilers. (2009). Letter to the editor--stuffed toy animals as transitional objects in an adult suicide. *J Forensic Sci, 54*(1), 238.

Champion, M. K. (2009). Commentary: doing time in maximum security--the pains of separation. *J Am Acad Psychiatry Law, 37*(2), 194-200. (http://www.ncbi.nlm.nih.gov/pubmed/19535557)

Chan, C., & T. Shaw. (2009). Suicidality induced by steroid treatment. *Aust N Z J Psychiatry, 43*(5), 484.

Chan, S. W., W. T. Chien, & S. Tso. (2009). Provision and evaluation of a suicide prevention and management programme by frontline nurses in Hong Kong. *Hong Kong Med J, 15 Suppl 6*, 4-8.

Chang, C. M., S. C. Liao, H. C. Chiang, et al. (2009). Gender differences in healthcare service utilisation 1 year before suicide: national record linkage study. *Br J Psychiatry, 195*(5), 459-460. (http://www.ncbi.nlm.nih.gov/pubmed/19880939)

Chang, Shu-Sen, & David Gunnell. (2009). Was the economic crisis 1997-1998 responsible for rising suicide rates in east/southeast Asia? A time-trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and. *Social Science & Medicine, 68*(7), 1322-1331. (http://www.ncbi.nlm.nih.gov/pubmed/19200631)

Charlot, A., & S. deRoux. (2009). Biting through an arteriovenous hemodialysis graft: an unusual method of suicide. *J Forensic Sci, 54*(6), 1456-1457. (http://www.ncbi.nlm.nih.gov/pubmed/19788702)

Chen, H. W., T. K. Tseng, & L. W. Ding. (2009). Intravenous paraquat poisoning. *J Chin Med Assoc, 72*(10), 547-550. (http://www.ncbi.nlm.nih.gov/pubmed/19837651)

Chen, Vincent Chin-Hung, & Andrew T. A. Cheng. (2009). A community-based study of case fatality proportion among those who carry out suicide acts. *Social Psychiatry and Psychiatric Epidemiology, 44*(12), 1005-1011. (http://www.ncbi.nlm.nih.gov/pubmed/19294324)

Christodoulou, C., & I. N. Papadopoulos. (2009). Seasonality of violent suicides in the Athens greater area. *Suicide and Life-Threatening Behavior, 39*(3), 321-331. (http://www.ncbi.nlm.nih.gov/pubmed/19606923)

Cohen, A., S. E. Gilman, P. R. Houck, et al. (2009). Socioeconomic status and anxiety as predictors of antidepressant treatment response and suicidal ideation in older adults. *Soc Psychiatry Psychiatr Epidemiol, 44*(4), 272-277. (http://www.ncbi.nlm.nih.gov/pubmed/18818858)

Conner, K. R., M. T. Swogger, & R. J. Houston. (2009). A test of the reactive aggression-suicidal behavior hypothesis: is there a case for proactive aggression? *J Abnorm Psychol, 118*(1), 235-240. (http://www.ncbi.nlm.nih.gov/pubmed/19222330)

Conrad, R., F. Walz, F. Geiser, et al. (2009). Temperament and character personality profile in relation to suicidal ideation and suicide attempts in major depressed patients. *Psychiatry Res, 170*(2-3), 212-217. (http://www.ncbi.nlm.nih.gov/pubmed/19897251)

Coopman, V., M. De Leeuw, J. Cordonnier, et al. (2009). Suicidal death after injection of a castor bean extract (Ricinus communis L.). *Forensic Sci Int, 189*(1-3), e13-20. (http://www.ncbi.nlm.nih.gov/pubmed/19477090)

Cordes, J., R. Larisch, U. Henning, et al. (2009). Abnormal neuroendocrine response to clomipramine in hereditary affective psychosis. *Depress Anxiety, 26*(8), E111-119. (http://www.ncbi.nlm.nih.gov/pubmed/19288582)

Corruble, E., V. A. Chouinard, A. Letierce, et al. (2009). Is DSM-IV bereavement exclusion for major depressive episode relevant to severity and pattern of symptoms? A case-control, cross-sectional study. *J Clin Psychiatry, 70*(8), 1091-1097. (http://www.ncbi.nlm.nih.gov/pubmed/19573493)

Cottencin, O., J. L. Nandrino, L. Karila, et al. (2009). A case-comparison study of executive functions in alcohol-dependent adults with maternal history of alcoholism. *Eur Psychiatry, 24*(3), 195-200. (http://www.ncbi.nlm.nih.gov/pubmed/19195848)

Cottraux, J., I. D. Note, F. Boutitie, et al. (2009). Cognitive therapy versus Rogerian supportive therapy in borderline personality disorder. Two-year follow-up of a controlled pilot study. *Psychother Psychosom, 78*(5), 307-316. (http://www.ncbi.nlm.nih.gov/pubmed/19628959)

Cougle, J. R., M. E. Keough, C. J. Riccardi, et al. (2009). Anxiety disorders and suicidality in the National Comorbidity Survey-Replication. *J Psychiatr Res, 43*(9), 825-829. (http://www.ncbi.nlm.nih.gov/pubmed/19147159)

Crane, C., & D. S. Duggan. (2009). Overgeneral autobiographical memory and age of onset of childhood sexual abuse in patients with recurrent suicidal behaviour. *Br J Clin Psychol, 48(Pt) 1*, 93-100. (http://www.ncbi.nlm.nih.gov/pubmed/18922212)

Crow, S. J., C. B. Peterson, S. A. Swanson, et al. (2009). Increased mortality in bulimia nervosa and other eating disorders. *Am J Psychiatry, 166*(12), 1342-1346. (http://www.ncbi.nlm.nih.gov/pubmed/19833789)

Cupina, Denise. (2009). Life events, gender and suicidal behaviours in the acute community setting. *Australasian Psychiatry, 17*(3), 233-236. (http://www.ncbi.nlm.nih.gov/pubmed/19177253)

da Silva Cais, C. F., S. Stefanello, M. L. Fabrício Mauro, et al. (2009). Factors associated with repeated suicide attempts. Preliminary results of the WHO Multisite Intervention Study on Suicidal Behavior (SUPRE-MISS) from Campinas, Brazil. *Crisis, 30*(2), 73-78. (http://www.ncbi.nlm.nih.gov/pubmed/19525165)

Davenport, R. (2009). From college counselor to "risk manager": the evolving nature of college counseling on today's campuses. *J Am Coll Health, 58*(2), 181-183. (http://www.ncbi.nlm.nih.gov/pubmed/19892656)

Davis, M. S., V. J. Callanan, D. Lester, et al. (2009). An inquiry into relationship suicides and reciprocity. *Suicide Life Threat Behav, 39*(5), 482-498. (http://www.ncbi.nlm.nih.gov/pubmed/19929149)

de Groot, M., K. van der Meer, & H. Burger. (2009). A survey of Dutch GPs' attitudes towards help seeking and follow-up care for relatives bereaved by suicide. *Fam Pract, 26*(5), 372-376. (http://www.ncbi.nlm.nih.gov/pubmed/19654100)

De Leo, D., A. Milner, & W. Xiangdong. (2009). Suicidal behavior in the Western Pacific region: characteristics and trends. *Suicide Life Threat Behav, 39*(1), 72-81. (http://www.ncbi.nlm.nih.gov/pubmed/19298152)

De Luca, V., E. Viggiano, R. Dhoot, et al. (2009). Methylation and QTDT analysis of the 5-HT2A receptor 102C allele: analysis of suicidality in major psychosis. *J Psychiatr Res, 43*(5), 532-537. (http://www.ncbi.nlm.nih.gov/pubmed/18783799)

De Munck, Stephanie, Gwendolyn Portzky, & Van. (2009). Epidemiological trends in attempted suicide in adolescents and young adults between 1996 and 2004. *Crisis: The Journal of Crisis Intervention and Suicide Prevention, 30*(3), 115-119. (http://www.ncbi.nlm.nih.gov/pubmed/19767266)

Dejong, T. M., & J. C. Overholser. (2009). Assessment of depression and suicidal actions: agreement between suicide attempters and informant reports. *Suicide Life Threat Behav, 39*(1), 38-46. (http://www.ncbi.nlm.nih.gov/pubmed/19298149)

Dell'osso, L., C. Carmassi, P. Rucci, et al. (2009). Lifetime subthreshold mania is related to suicidality in posttraumatic stress disorder. *CNS Spectr, 14*(5), 262-266. (http://www.ncbi.nlm.nih.gov/pubmed/19407725)

Demirci, S., K. H. Dogan, Z. Erkol, et al. (2009). A series of complex suicide. *Am J Forensic Med Pathol, 30*(2), 152-154. (http://www.ncbi.nlm.nih.gov/pubmed/19465805)

---. (2009). Unusual suicide note written on the body: two case reports. *Am J Forensic Med Pathol, 30*(3), 276-279. (http://www.ncbi.nlm.nih.gov/pubmed/19696586)

Denney, Justin T., Richard G. Rogers, & Patrick M. Krueger. (2009). Adult suicide mortality in the United States: Marital status, family size, socioeconomic status, and differences by sex. *Social Science Quarterly Health policy and healthy populations., 90*(5), 1167-1185. (http://www.ncbi.nlm.nih.gov/pubmed/20161640)

Derer, P. (2009). Suicide from the perspective of the patient's family. *WMJ, 108*(2), 83-84.

deRoux, S., & B. Leffers. (2009). Asphyxiation by occlusion of nose and mouth by duct tape: two unusual suicides. *J Forensic Sci, 54*(6), 1453-1455. (http://www.ncbi.nlm.nih.gov/pubmed/19737336)

Di Nunno, N., L. Viola, M. Colucci, et al. (2009). A case of suicide using a home-modified gun. *Am J Forensic Med Pathol, 30*(1), 52-56. (http://www.ncbi.nlm.nih.gov/pubmed/19237856)

Diaconu, G., & G. Turecki. (2009). Obsessive-compulsive personality disorder and suicidal behavior: evidence for a positive association in a sample of depressed patients. *J Clin Psychiatry, 70*(11), 1551-1556. (http://www.ncbi.nlm.nih.gov/pubmed/19607764)

Doessel, D. P., R. F. Williams, & H. Whiteford. (2009). A reassessment of suicide measurement. *Crisis, 30*(1), 6-12. (http://www.ncbi.nlm.nih.gov/pubmed/19261562)

Doessel, D. P., Ruth F. G. Williams, & Finance. (2009). Policy-appropriate measurement of suicide: Headcount vs. potential years of life lost, Australia, 1907-2005. *Archives of Suicide Research, 13*(1), 87-99. (http://www.ncbi.nlm.nih.gov/pubmed/19123112)

Doichinov, I. D., & P. T. Timonov. (2009). Three unusual cases of gunshot wounds. *Folia Med, 51*(2), 53-57. (http://www.ncbi.nlm.nih.gov/pubmed/19670541)

Dokov, W. (2009). Commentary on: Electrocution in Sydney-a 10-year case review. *J Forensic Sci, 54*(1), 243.

Dokov, William. (2009). Forensic characteristics of suicide by electrocution in Bulgaria. *Journal of Forensic Sciences, 54*(3), 669-671. (http://www.ncbi.nlm.nih.gov/pubmed/19298463)

---. (2009). "Suicidal electrocution in Sydney--A 10-year case review": Comment. *Journal of Forensic Sciences, 54*(1), 243. (http://www.ncbi.nlm.nih.gov/pubmed/18366579)

Duldulao, Aileen Alfonso, & David T. Takeuchi. (2009). Correlates of suicidal behaviors among Asian Americans. *Archives of Suicide Research, 13*(3), 277-290. (http://www.ncbi.nlm.nih.gov/pubmed/19591001)

Dyrbye, L. N., & T. D. Shanafelt. (2009). Medical students and depression. *Acad Med, 84*(8), 976; author reply 976-977.

Eliason, Marcus, & Donald Storrie. (2009). Does Job Loss Shorten Life? *Journal of Human Resources, 44*(2), 277-302.

Eliason, Scott. (2009). Murder-suicide: A review of the recent literature. *Journal of the American Academy of Psychiatry and the Law, 37*(3), 371-376. (http://www.ncbi.nlm.nih.gov/pubmed/19767502)

Elovainio, Marko, Martin J. Shipley, & Jane E. Ferrie. (2009). Obesity, unexplained weight loss and suicide: The original Whitehall study. *Journal of Affective Disorders, 116*(3), 218-221. (http://www.ncbi.nlm.nih.gov/pubmed/19097646)

Epstein, Jennifer A., Health Behavior, & Anthony Spirito. (2009). Risk factors for suicidality among a nationally representative sample of high school students. *Suicide and Life-Threatening Behavior, 39*(3), 241-251. (http://www.ncbi.nlm.nih.gov/pubmed/19606917)

Erlangsen, Annette, & Esben Agerbo. (2009). Early discontinuation of antidepressant treatment and suicide risk among persons aged 50 and over: A population-based register study. *Journal of Affective Disorders, 119*(1-3), 194-199. (http://www.ncbi.nlm.nih.gov/pubmed/19376594)

Ernst, C., V. Deleva, X. Deng, et al. (2009). Alternative splicing, methylation state, and expression profile of tropomyosin-related kinase B in the frontal cortex of suicide completers. *Arch Gen Psychiatry, 66*(1), 22-32. (http://www.ncbi.nlm.nih.gov/pubmed/19124685)

Ernst, C., P. Dumoulin, S. Cabot, et al. (2009). SNAT1 and a family with high rates of suicidal behavior. *Neuroscience, 162*(2), 415-422. (http://www.ncbi.nlm.nih.gov/pubmed/19442705)

Fairweather-Schmidt, A. K., K. J. Anstey, & A. J. Mackinnon. (2009). Is suicidality distinguishable from depression? Evidence from a community-based sample. *Aust N Z J Psychiatry, 43*(3), 208-215. (http://www.ncbi.nlm.nih.gov/pubmed/19221909)

Farrelly, T., & K. Francis. (2009). Definitions of suicide and self-harm behavior in an Australian aboriginal community. *Suicide Life Threat Behav, 39*(2), 182-189. (http://www.ncbi.nlm.nih.gov/pubmed/19527158)

Fernquist, R. M. (2009). Suicide rates and status integration in America. *Arch Suicide Res, 13*(3), 291-296. (http://www.ncbi.nlm.nih.gov/pubmed/19591002)

Ferrucci, R., M. Bortolomasi, M. Vergari, et al. (2009). Transcranial direct current stimulation in severe, drug-resistant major depression. *J Affect Disord, 118*(1-3), 215-219. (http://www.ncbi.nlm.nih.gov/pubmed/19286265)

Fiedorowicz, J. G., A. C. Leon, M. B. Keller, et al. (2009). Do risk factors for suicidal behavior differ by affective disorder polarity? *Psychol Med, 39*(5), 763-771. (http://www.ncbi.nlm.nih.gov/pubmed/18667100)

Finsterer, Josef, Thomas Pulgram, & Barbara Enzelsberger. (2009). Rhabdomyolysis from ziprasidone after attempted suicide. *Acta Neuropsychiatrica, 21*(3), 153-155.

Flensborg-Madsen, T., J. Knop, E. L. Mortensen, et al. (2009). Alcohol use disorders increase the risk of completed suicide--irrespective of other psychiatric disorders. A longitudinal cohort study. *Psychiatry Res, 167*(1-2), 123-130. (http://www.ncbi.nlm.nih.gov/pubmed/19359047)

Fridner, A., K. Belkic, M. Marini, et al. (2009). Survey on recent suicidal ideation among female university hospital physicians in Sweden and Italy (the HOUPE study): cross-sectional associations with work stressors. *Gend Med, 6*(1), 314-328. (http://www.ncbi.nlm.nih.gov/pubmed/19467527)

Fu, K. W., & P. S. Yip. (2009). Estimating the risk for suicide following the suicide deaths of 3 Asian entertainment celebrities: a meta-analytic approach. *J Clin Psychiatry, 70*(6), 869-878. (http://www.ncbi.nlm.nih.gov/pubmed/19573483)

Fudalej, S., M. Fudalej, G. Kostrzewa, et al. (2009). Angiotensin-converting enzyme polymorphism and completed suicide: an association in Caucasians and evidence for a link with a method of self-injury. *Neuropsychobiology, 59*(3), 151-158. (http://www.ncbi.nlm.nih.gov/pubmed/19439995)

Fudalej, S., M. Ilgen, M. Fudalej, et al. (2009). Clinical and genetic risk factors for suicide under the influence of alcohol in a Polish sample. *Alcohol Alcohol, 44*(5), 437-442. (http://www.ncbi.nlm.nih.gov/pubmed/19734157)

Fuller-Thomson, E., & Y. Shaked. (2009). Factors associated with depression and suicidal ideation among individuals with arthritis or rheumatism: findings from a representative community survey. *Arthritis Rheum, 61*(7), 944-950. (http://www.ncbi.nlm.nih.gov/pubmed/19565540)

Fullilove, Mindy. (2009). Toxic sequelae of childhood sexual abuse. *The American Journal of Psychiatry, 166*(10), 1090-1092.

Gaffney, P., V. Russell, K. Collins, et al. (2009). Impact of patient suicide on front-line staff in Ireland. *Death Stud, 33*(7), 639-656. (http://www.ncbi.nlm.nih.gov/pubmed/19623765)

Ghazinour, Mehdi, Habib Emami, Jorg Richter, et al. (2009). Age and Gender Differences in the Use of Various Poisoning Methods for Deliberate Parasuicide Cases Admitted to Loghman Hospital in Tehran (2000-2004). *Suicide and Life-Threatening Behavior, 39*(2), 231-239. (http://www.ncbi.nlm.nih.gov/pubmed/19527164)

Giegling, I., A. Chiesa, R. Calati, et al. (2009). Do the estrogen receptors 1 gene variants influence the temperament and character inventory scores in suicidal attempters and healthy subjects? *Am J Med Genet B Neuropsychiatr Genet, 150B*(3), 434-438. (http://www.ncbi.nlm.nih.gov/pubmed/18680103)

Giegling, Ina Molecular, Clinical Neurobiology, & Paolo Olgiati. (2009). Personality and attempted suicide. Analysis of anger, aggression and impulsivity. *Journal of Psychiatric Research, 43*(16), 1262-1271. (http://www.ncbi.nlm.nih.gov/pubmed/19481222)

Ginges, J., I. Hansen, & A. Norenzayan. (2009). Religion and support for suicide attacks. *Psychol Sci, 20*(2), 224-230. (http://www.ncbi.nlm.nih.gov/pubmed/19170938)

Gloulou, F., M. Allouche, M. B. Khelil, et al. (2009). Unusual suicides with band saws: two case reports and a literature review. *Forensic Sci Int, 183*(1-3), e7-10. (http://www.ncbi.nlm.nih.gov/pubmed/19019591)

Goebert, D., D. Thompson, J. Takeshita, et al. (2009). Depressive symptoms in medical students and residents: a multischool study. *Acad Med, 84*(2), 236-241. (http://www.ncbi.nlm.nih.gov/pubmed/19174678)

Goldney, R. D., A. H. Winefield, H. R. Winefield, et al. (2009). The benefit of forgetting suicidal ideation. *Suicide Life Threat Behav, 39*(1), 33-37. (http://www.ncbi.nlm.nih.gov/pubmed/19298148)

Gottzein, A. K., F. Musshoff, E. Doberentz, et al. (2009). Combined suicide by oxydemeton-methyl (Metasystox) ingestion and hanging. *Forensic Sci Int, 189*(1-3), e21-25. (http://www.ncbi.nlm.nih.gov/pubmed/19428202)

Gray, R. W. (2009). Physician suicide rates show alarming need for education. *Tenn Med, 102*(7), 39.

Grewal-Sandhu, P.K., K. Parveen. (2009). Hope theory: A framework for understanding the relation between childhood maltreatment and adult suicidal action. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70*(3-B), 1969.

Hadidi, M. S., M. I. Ibrahim, I. M. Abdallat, et al. (2009). Current trends in drug abuse associated fatalities - Jordan, 2000-2004. *Forensic Sci Int, 186*(1-3), 44-47. (http://www.ncbi.nlm.nih.gov/pubmed/19217732)

Hagemeier, L., C. Schyma, & B. Madea. (2009). Extended suicide using an atypical stud gun. *Forensic Sci Int, 189*(1-3), e9-12. (http://www.ncbi.nlm.nih.gov/pubmed/19428201)

Harrison-Woolrych, M. Varenicline and suicide. Safety data from New Zealand. *Clinical research ed, 339*, b5654.

Haw, C., D. Harwood, & K. Hawton. (2009). Dementia and suicidal behavior: a review of the literature. *Int Psychogeriatr, 21*(3), 440-453. (http://www.ncbi.nlm.nih.gov/pubmed/19368760)

Hawton, K., L. Ratnayeke, S. Simkin, et al. (2009). Evaluation of acceptability and use of lockable storage devices for pesticides in Sri Lanka that might assist in prevention of self-poisoning. *BMC Public Health, 9*, 69. (http://www.ncbi.nlm.nih.gov/pubmed/19239714)

Hawton, K., & K. van Heeringen. (2009). Suicide. *Lancet, 373*(9672), 1372-1381. (http://www.ncbi.nlm.nih.gov/pubmed/19376453)

Hemenway, D., C. W. Barber, S. S. Gallagher, et al. (2009). Creating a National Violent Death Reporting System: a successful beginning. *Am J Prev Med, 37*(1), 68-71. (http://www.ncbi.nlm.nih.gov/pubmed/19524145)

Hercher, Christa, & Martin Parent. (2009). Alcohol dependence-related increase of glial cell density in the anterior cingulate cortex of suicide completers. *Journal of Psychiatry & Neuroscience, 34*(4), 281-288. (http://www.ncbi.nlm.nih.gov/pubmed/19568479)

Hernetkoski, K. M., E. O. Keskinen, & I. K. Parkkari. (2009). Driver suicides in Finland--are they different in northern and southern Finland? *Int J Circumpolar Health, 68*(3), 249-260. (http://www.ncbi.nlm.nih.gov/pubmed/19705657)

Hicks, L. E., & N. Wood. (2009). Depression and suicide risks in older adults: a case study. *Home Healthc Nurse, 27*(8), 482-487; quiz 487-489. (http://www.ncbi.nlm.nih.gov/pubmed/19745622)

Hintikka, J., H. Koivumaa-Honkanen, S. M. Lehto, et al. (2009). Are factors associated with suicidal ideation true risk factors? A 3-year prospective follow-up study in a general population. *Soc Psychiatry Psychiatr Epidemiol, 44*(1), 29-33. (http://www.ncbi.nlm.nih.gov/pubmed/18600285)

Hobbs, Mitchell, & Suzanne McLaren. (2009). The Interrelations of Agency, Depression, and Suicidal Ideation among Older Adults. *Suicide and Life-Threatening Behavior, 39*(2), 161-171. (http://www.ncbi.nlm.nih.gov/pubmed/19527156)

Hokans, K. D., & D. Lester. (2009). Anger and hopelessness in suicide notes: a preliminary study. *Psychol Rep, 104*(2), 608. (http://www.ncbi.nlm.nih.gov/pubmed/19610490)

Hovanesian, S., I. Isakov, & K. L. Cervellione. (2009). Defense mechanisms and suicide risk in major depression. *Arch Suicide Res, 13*(1), 74-86. (http://www.ncbi.nlm.nih.gov/pubmed/19123111)

Høyer, E. H., R. W. Licht, & P. B. Mortensen. (2009). Risk factors of suicide in inpatients and recently discharged patients with affective disorders. A case-control study. *Eur Psychiatry, 24*(5), 317-321. (http://www.ncbi.nlm.nih.gov/pubmed/19410433)

Huh, G. Y., G. R. Jo, K. H. Kim, et al. (2009). Imitative suicide by burning charcoal in the southeastern region of Korea: the influence of mass media reporting. *Tokyo, Japan), 11 Suppl 1*, S563-564. (http://www.ncbi.nlm.nih.gov/pubmed/19269229)

Hunt, I. M., D. While, K. Windfuhr, et al. (2009). Suicide pacts in the mentally ill: a national clinical survey. *Psychiatry Res, 167*(1-2), 131-138. (http://www.ncbi.nlm.nih.gov/pubmed/19342106)

Husain, M. M., A. J. Rush, S. R. Wisniewski, et al. (2009). Family history of depression and therapeutic outcome: findings from STAR*D. *J Clin Psychiatry, 70*(2), 185-195. (http://www.ncbi.nlm.nih.gov/pubmed/19192454)

Hussain, W. A., & S. Z. Bukhari. (2009). Sudden death of a young ICU doctor by injection with the muscle relaxant, rocuronium bromide. Committed suicide or sound alike medication error? *Saudi Med J, 30*(10), 1353-1354.

Iino, M., C. J. O'Donnell, & M. P. Burke. (2009). Post-mortem CT findings following intentional ingestion of mercuric chloride. *Leg Med (Tokyo), 11*(3), 136-138. (http://www.ncbi.nlm.nih.gov/pubmed/19195921)

Ilgen, M. A., K. Downing, K. Zivin, et al. (2009). Exploratory data mining analysis identifying subgroups of patients with depression who are at high risk for suicide. *J Clin Psychiatry, 70*(11), 1495-1500. (http://www.ncbi.nlm.nih.gov/pubmed/20031094)

Ilgen, M. A., M. A. Walton, R. M. Cunningham, et al. (2009). Recent suicidal ideation among patients in an inner city emergency department. *Suicide Life Threat Behav, 39*(5), 508-517. (http://www.ncbi.nlm.nih.gov/pubmed/19929151)

Inoue, K. (2009). The correlation of the suicide rates with the rates of unemployment and divorce in the United States during seventeen years. *Am J Forensic Med Pathol, 30*(3), 311-312.

---. (2009). Significant correlation of the change in the divorce rate with the suicide rate in Japan from 1992 to 2004. *Am J Forensic Med Pathol, 30*(3), 311. (http://www.ncbi.nlm.nih.gov/pubmed/)

Inoue, K., H. Tanii, M. Nata, et al. (2009). Preventing suicide in males: a suicide investigation in nine public health centers in Mie prefecture, Japan. *J Forensic Leg Med, 16*(6), 364-365.

Isacsson, G., A. Holmgren, U. Osby, et al. (2009). Decrease in suicide among the individuals treated with antidepressants: a controlled study of antidepressants in suicide, Sweden 1995-2005. *Acta Psychiatr Scand, 120*(1), 37-44. (http://www.ncbi.nlm.nih.gov/pubmed/19222406)

Iversen, A. C., L. van Staden, J. H. Hughes, et al. (2009). The prevalence of common mental disorders and PTSD in the UK military: using data from a clinical interview-based study. *BMC Psychiatry, 9*, 68. (http://www.ncbi.nlm.nih.gov/pubmed/19878538)

Jakupcak, M., J. Cook, Z. Imel, et al. (2009). Posttraumatic stress disorder as a risk factor for suicidal ideation in Iraq and Afghanistan War veterans. *J Trauma Stress, 22*(4), 303-306. (http://www.ncbi.nlm.nih.gov/pubmed/19626682)

Jansen, Evertjan, Health Promotion, & Marcel Buster. (2009). Fatality of suicide attempts in Amsterdam 1996-2005. *Crisis: The Journal of Crisis Intervention and Suicide Prevention, 30*(4), 180-185. (http://www.ncbi.nlm.nih.gov/pubmed/19933063)

Jokinen, J., K. Forslund, A. L. Nordström, et al. (2009). Suicide risk after homicide in Sweden. *Arch Suicide Res, 13*(3), 297-301. (http://www.ncbi.nlm.nih.gov/pubmed/19591003)

Jokinen, J., A. L. Nordström, & P. Nordström. (2009). Cerebrospinal fluid monoamine metabolites and suicide. *Nord J Psychiatry, 63*(4), 276-279. (http://www.ncbi.nlm.nih.gov/pubmed/19034712)

---. (2009). CSF 5-HIAA and DST non-suppression--orthogonal biologic risk factors for suicide in male mood disorder inpatients. *Psychiatry Res, 165*(1-2), 96-102. (http://www.ncbi.nlm.nih.gov/pubmed/19062105)

Jung, H., D. B. Matei, & L. Hecser. (2009). Biostatistical study of suicide features in Mures County (Romania). *Tokyo, Japan), 11 Suppl 1*, S95-97. (http://www.ncbi.nlm.nih.gov/pubmed/19282229)

Kamizato, E., K. Yoshitome, Y. Yamamoto, et al. (2009). Factors affecting the choice of suicide method in Okayama: a database analysis from a forensic perspective. *Acta Med Okayama, 63*(4), 177-186. (http://www.ncbi.nlm.nih.gov/pubmed/19727202)

Kanchan, T., & R. G. Menezes. (2009). "Suicidal poisoning in Southern India: gender differences"--authors' response. *J Forensic Leg Med, 16*(6), 365.

Kanchan, Tanuj, & Kasturba Menon. (2009). Methods of choice in completed suicides: Gender differences and review of literature. *Journal of Forensic Sciences, 54*(4), 938-942. (http://www.ncbi.nlm.nih.gov/pubmed/19486437)

Kang, M. S., H. W. Gil, J. O. Yang, et al. (2009). Comparison between kidney and hemoperfusion for paraquat elimination. *J Korean Med Sci, 24 Suppl*, S156-160. (http://www.ncbi.nlm.nih.gov/pubmed/19194546)

Kapur, N., D. While, N. Blatchley, et al. (2009). Suicide after leaving the UK armed forces--a cohort study. *PLoS Med, 6*(3), e26. (http://www.ncbi.nlm.nih.gov/pubmed/19260757)

Karvonen, K., H. Hakko, H. Koponen, et al. (2009). Suicides among older persons in Finland and time since hospitalization discharge. *Psychiatr Serv, 60*(3), 390-393. (http://www.ncbi.nlm.nih.gov/pubmed/19252054)

Kashiwagi, M., K. Hara, M. Takamoto, et al. (2009). An autopsy case of suicide by acetylene explosion: a case report. *Med Sci Law, 49*(2), 132-135. (http://www.ncbi.nlm.nih.gov/pubmed/19537452)

Kastanaki, A. E., E. F. Kranioti, P. N. Theodorakis, et al. (2009). An unusual suicide inside a grave with two gunshot wounds to the head--the psychological approach. *J Forensic Sci, 54*(2), 404-407. (http://www.ncbi.nlm.nih.gov/pubmed/19220652)

Keks, N. A., C. Hill, S. Sundram, et al. (2009). Evaluation of treatment in 35 cases of bipolar suicide. *Aust N Z J Psychiatry, 43*(6), 503-508. (http://www.ncbi.nlm.nih.gov/pubmed/19440881)

Kelly, B. D., M. Davoren, A. N. Mhaoláin, et al. (2009). Social capital and suicide in 11 European countries: an ecological analysis. *Soc Psychiatry Psychiatr Epidemiol, 44*(11), 971-977. (http://www.ncbi.nlm.nih.gov/pubmed/19277436)

Kempter, M., S. Ross, D. Spendlove, et al. (2009). Post-mortem imaging of laryngohyoid fractures in strangulation incidents: first results. *Leg Med (Tokyo), 11*(6), 267-271.

Khubchandani, J., J. H. Price, & J. A. Dake. (2009). Firearm injury prevention training in Preventive Medicine Residency programs. *J Community Health, 34*(4), 295-300. (http://www.ncbi.nlm.nih.gov/pubmed/19326195)

Kiankhooy, A., B. Crookes, A. Privette, et al. (2009). Fait accompli: suicide in a rural trauma setting. *J Trauma, 67*(2), 366-371. (http://www.ncbi.nlm.nih.gov/pubmed/19667891)

Kidiyoor, Y., V. C. Nayak, V. Devi, et al. (2009). A rare case of myocardial infarction due to parathion poisoning. *J Forensic Leg Med, 16*(8), 472-474. (http://www.ncbi.nlm.nih.gov/pubmed/19782319)

Kikuchi, N., K. Ohmori-Matsuda, T. Shimazu, et al. (2009). Pain and risk of completed suicide in Japanese men: a population-based cohort study in Japan (Ohsaki Cohort Study). *J Pain Symptom Manage, 37*(3), 316-324. (http://www.ncbi.nlm.nih.gov/pubmed/1869463)

Kintz, P., J. Evans, M. Villain, et al. (2009). Smoking cessation with varenicline: a suicidal fatality. *J Anal Toxicol, 33*(2), 118-120. (http://www.ncbi.nlm.nih.gov/pubmed/19239738)

Kirby, R. R., J. M. Colaw, & M. M. Douglas. (2009). Death from propofol: accident, suicide, or murder? *Anesth Analg, 108*(4), 1182-1184. (http://www.ncbi.nlm.nih.gov/pubmed/19299783)

Kjølseth, I., O. Ekeberg, & S. Steihaug. (2009). "Why do they become vulnerable when faced with the challenges of old age?" Elderly people who committed suicide, described by those who knew them. *Int Psychogeriatr, 21*(5), 903-912. (http://www.ncbi.nlm.nih.gov/pubmed/19519985)

Klempan, T. A., D. Rujescu, C. Mérette, et al. (2009). Profiling brain expression of the spermidine/spermine N1-acetyltransferase 1 (SAT1) gene in suicide. *Am J Med Genet B Neuropsychiatr Genet, 150B*(7), 934-943. (http://www.ncbi.nlm.nih.gov/pubmed/19152344)

Klieve, H., J. Sveticic, & D. De Leo. (2009). Who uses firearms as a means of suicide? A population study exploring firearm accessibility and method choice. *BMC Med, 7*, 52. (http://www.ncbi.nlm.nih.gov/pubmed/19778414)

Klomek, Anat, Andre Sourander, & Solja Niemela. (2009). Childhood bullying behaviors as a risk for suicide attempts and completed suicides: A population-based birth cohort study. *Journal of the American Academy of Child & Adolescent Psychiatry, 48*(3), 254-261. (http://www.ncbi.nlm.nih.gov/pubmed/19169159)

Kobayashi, M., & P. F. Mellen. (2009). Rubber bullet injury: case report with autopsy observation and literature review. *Am J Forensic Med Pathol, 30*(3), 262-267. (http://www.ncbi.nlm.nih.gov/pubmed/19696582)

Koller, M. F., M. Schmid, P. X. Iten, et al. (2009). Fatal intoxication with naftidrofuryl. *Leg Med (Tokyo), 11*(5), 229-233. (http://www.ncbi.nlm.nih.gov/pubmed/19520596)

Kposowa, Augustine J. (2009). Psychiatrist Availability, Social Disintegration, and Suicide Deaths in U.S. Counties, 1990-1995. *Journal of Community Psychology, 37*(1), 73-87.

Kubrin, Charis E., & Tim Wadsworth. (2009). Explaining suicide among Blacks and Whites: How socioeconomic factors and gun availability affect race-specific suicide rates. *Social Science Quarterly Health policy and healthy populations., 90*(5), 1203-1227.

Kummer, A., F. Cardoso, & A. L. Teixeira. (2009). Suicidal ideation in Parkinson's disease. *CNS Spectr, 14*(8), 431-436. (http://www.ncbi.nlm.nih.gov/pubmed/19890237)

Kutcher, Stanley, & Magdalena Szumilas. (2009). Distinguishing suicide attempts from nonsuicidal self-harming behaviors. *Journal of the American Academy of Child & Adolescent Psychiatry, 48*(10), 1039.

Kwon, J. W., H. Chun, & S. I. Cho. (2009). A closer look at the increase in suicide rates in South Korea from 1986-2005. *BMC Public Health, 9*, 72. (http://www.ncbi.nlm.nih.gov/pubmed/19250535)

Laliberte A., & M. Tousignant (2009). Alcohol and other contextual factors of suicide in four Aboriginal communities of Quebec, Canada. *Crisis*. 30(4), 215-21. (http://www.ncbi.nlm.nih.gov/pubmed/19933068)

Lamis, D. A., J. B. Ellis, F. L. Chumney, et al. (2009). Reasons for living and alcohol use among college students. *Death Stud, 33*(3), 277-286. (http://www.ncbi.nlm.nih.gov/pubmed/19353823)

Landberg, Jonas. (2009). Per Capita Alcohol Consumption and Suicide Rates in the U.S., 1950-2002. *Suicide and Life-Threatening Behavior, 39*(4), 452-459. (http://www.ncbi.nlm.nih.gov/pubmed/19792986)

Lari, Abdolaziz, & Reza Alaghehbandan. (2009). Suicidal behavior by burns in the province of Fars, Iran: A socioepidemiologic approach. *Crisis, 30*(2), 98-101. (http://www.ncbi.nlm.nih.gov/pubmed/19525170)

Law, C. K., P. S. Yip, W. S. Chan, et al. (2009). Evaluating the effectiveness of barrier installation for preventing railway suicides in Hong Kong. *J Affect Disord, 114*(1-3), 254-262. (http://www.ncbi.nlm.nih.gov/pubmed/18789825)

Lee, H. C., & H. C. Lin. (2009). Are psychiatrist characteristics associated with postdischarge suicide of schizophrenia patients? *Schizophr Bull, 35*(4), 760-765. (http://www.ncbi.nlm.nih.gov/pubmed/18281712)

Lee, R., F. Petty, & E. F. Coccaro. (2009). Cerebrospinal fluid GABA concentration: relationship with impulsivity and history of suicidal behavior, but not aggression, in human subjects. *J Psychiatr Res, 43*(4), 353-359. (http://www.ncbi.nlm.nih.gov/pubmed/18490031)

Leeman, C. P. (2009). Distinguishing among irrational suicide and other forms of hastened death: implications for clinical practice. *Psychosomatics, 50*(3), 185-191. (http://www.ncbi.nlm.nih.gov/pubmed/19567753)

Legato, M. J. (2009). Physician suicide: unnecessary losses. *Gend Med, 6*(1), 247-248.

Leigh, Christine. (2009). Like walking into water: Metaphorical images of female suicide in the fiction of Virginia Woolf. *Dissertation Abstracts International Section A: Humanities and Social Sciences, 70*(1-A), 189.

Lemon, Dedra. (2009). Killing me softly: A meta-analysis examining risk factors associated with suicide among young African American males. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 69*(10-B), 6420.

Lester, D. (2009). Memes and suicide. *Psychol Rep, 105*(1), 3-10. (http://www.ncbi.nlm.nih.gov/pubmed/19810429)

Leth, P. M. (2009). Intimate partner homicide. *Forensic Sci Med Pathol, 5*(3), 199-203. (http://www.ncbi.nlm.nih.gov/pubmed/19598012)

Li, X., Z. Xiao, & S. Xiao. (2009). Suicide among the elderly in mainland China. *Psychogeriatrics, 9*(2), 62-66. (http://www.ncbi.nlm.nih.gov/pubmed/19604327)

Lin, H. C., C. H. Wu, & H. C. Lee. (2009). Risk factors for suicide following hospital discharge among cancer patients. *Psychooncology, 18*(10), 1038-1044. (http://www.ncbi.nlm.nih.gov/pubmed/19156684)

Lindfors, P. M., O. A. Meretoja, R. A. Luukkonen, et al. (2009). Suicidality among Finnish anaesthesiologists. *Acta Anaesthesiol Scand, 53*(8), 1027-1035. (http://www.ncbi.nlm.nih.gov/pubmed/19572941)

Liu, Hui-Li. (2009). Epidemiologic Characteristics and Trends of Fatal Suicides among the Elderly in Taiwan. *Suicide and Life-Threatening Behavior, 39*(1), 103-113. (http://www.ncbi.nlm.nih.gov/pubmed/19298155)

Liu, K. Y. (2009). Suicide rates in the world: 1950-2004. *Suicide Life Threat Behav, 39*(2), 204-213. (http://www.ncbi.nlm.nih.gov/pubmed/19527161)

Liu, K. Y., E. Y. Chen, A. S. Cheung, et al. (2009). Psychiatric history modifies the gender ratio of suicide: an East and West comparison. *Soc Psychiatry Psychiatr Epidemiol, 44*(2), 130-134. (http://www.ncbi.nlm.nih.gov/pubmed/18661085)

Loas, G., A. Azi, C. Noisette, et al. (2009). Fourteen-year prospective follow-up study of positive and negative symptoms in chronic schizophrenic patients dying from suicide compared to other causes of death. *Psychopathology, 42*(3), 185-189. (http://www.ncbi.nlm.nih.gov/pubmed/19325255)

Lossnitzer, N., T. Müller-Tasch, B. Löwe, et al. (2009). Exploring potential associations of suicidal ideation and ideas of self-harm in patients with congestive heart failure. *Depress Anxiety, 26*(8), 764-768. (http://www.ncbi.nlm.nih.gov/pubmed/19658120)

Luy, M. (2009). Unnatural deaths among nuns and monks: is there a biological force behind male external cause mortality? *J Biosoc Sci, 41*(6), 831-844. (http://www.ncbi.nlm.nih.gov/pubmed/1970333)

Lydiatt, W. M., J. Moran, & W. J. Burke. (2009). A review of depression in the head and neck cancer patient. *Clin Adv Hematol Oncol, 7*(6), 397-403. (http://www.ncbi.nlm.nih.gov/pubmed/19606075)

Manderscheid, R. W. (2009). Premature death among state mental health agency consumers: assessing progress in addressing a quiet tragedy. *Int J Public Health, 54 Suppl 1*, 7-8.

Markianos, Manolis, & John Tripodianakis. (2009). Suicide attempt by jumping: A study of gonadal axis hormones in male suicide attempters versus men who fell by accident. *Psychiatry Research, 170*(1), 82-85. (http://www.ncbi.nlm.nih.gov/pubmed/19781790)

Martínez, M. A., & S. Ballesteros. (2009). Toxicological findings in two planned complex suicide cases: ingestion of petroleum distillates and subsequent hanging. *J Anal Toxicol, 33*(6), 336-342. (http://www.ncbi.nlm.nih.gov/pubmed/19653938)

Matsusue, A., K. Hara, M. Kageura, et al. (2009). Genetic analysis of ryanodine receptor 1 gene and carnitine palmitoyltransferase II gene: an autopsy case of neuroleptic malignant syndrome related to vegetamin. *Tokyo, Japan), 11 Suppl 1*, S570-572. (http://www.ncbi.nlm.nih.gov/pubmed/19269221)

Matthieu, M. M., Y. Chen, M. Schohn, et al. (2009). Educational preferences and outcomes from suicide prevention training in the Veterans Health Administration: one-year follow-up with healthcare employees in Upstate New York. *Mil Med, 174*(11), 1123-1131. (http://www.ncbi.nlm.nih.gov/pubmed/19960817)

McCarthy, J. F., M. Valenstein, H. M. Kim, et al. (2009). Suicide mortality among patients receiving care in the veterans health administration health system. *Am J Epidemiol, 169*(8), 1033-1038. (http://www.ncbi.nlm.nih.gov/pubmed/19251753)

McGirr, A., M. Alda, M. Séguin, et al. (2009). Familial aggregation of suicide explained by cluster B traits: a three-group family study of suicide controlling for major depressive disorder. *Am J Psychiatry, 166*(10), 1124-1134. (http://www.ncbi.nlm.nih.gov/pubmed/19755577)

McGirr, A., J. Paris, A. Lesage, et al. (2009). An examination of DSM-IV borderline personality disorder symptoms and risk for death by suicide: a psychological autopsy study. *Can J Psychiatry, 54*(2), 87-92. (http://www.ncbi.nlm.nih.gov/pubmed/19254439)

McKenzie, Kwame, & Kamaldeep Bhui. (2009). Suicide rates in people of South Asian origin in England and Wales: Correction. *British Journal of Psychiatry, 194*(5), 470.

McKenzie, Kwame, & Kamaldeep Bhul. (2009). Suicide rates in people of South Asian origin in England and Wales: Author's reply. *British Journal of Psychiatry, 194*(6), 567-568.

McLaren, S., & C. Challis. (2009). Resilience among men farmers: the protective roles of social support and sense of belonging in the depression-suicidal ideation relation. *Death Stud, 33*(3), 262-276. (http://www.ncbi.nlm.nih.gov/pubmed/19353822)

Meatherall, R., & W. Palatnick. (2009). Convenient headspace gas chromatographic determination of azide in blood and plasma. *J Anal Toxicol, 33*(8), 525-531. (http://www.ncbi.nlm.nih.gov/pubmed/19874663)

Michiue, T., T. Ishikawa, D. Zhao, et al. (2009). Pathological and biochemical analysis of the pathophysiology of fatal electrocution in five autopsy cases. *Tokyo, Japan), 11 Suppl 1*, S549-552. (http://www.ncbi.nlm.nih.gov/pubmed/19369109)

Miller, M., C. Barber, D. Azrael, et al. (2009). Suicide among US veterans: A prospective study of 500,000 middle-aged and elderly men. *Am J Epidemiol, 170*(4), 494-500. (http://www.ncbi.nlm.nih.gov/pubmed/19584133)

Morgan, R., & L. Freeman. (2009). The healing of our people: substance abuse and historical trauma. *Subst Use Misuse, 44*(1), 84-98. (http://www.ncbi.nlm.nih.gov/pubmed/19137484)

Mouri, K., A. Hishimoto, M. Fukutake, et al. (2009). TPH2 is not a susceptibility gene for suicide in Japanese population. *Prog Neuropsychopharmacol Biol Psychiatry, 33*(8), 1546-1550. (http://www.ncbi.nlm.nih.gov/pubmed/19748542)

Mukamal, K. J., & M. Miller. (2009). BMI and risk factors for suicide: why is BMI inversely related to suicide? *Obesity (Silver Spring), 17*(3), 532-538. (http://www.ncbi.nlm.nih.gov/pubmed/19219065)

Must, A., G. Tasa, A. Lang, et al. (2009). Variation in tryptophan hydroxylase-2 gene is not associated to male completed suicide in Estonian population. *Neurosci Lett, 453*(2), 112-114. (http://www.ncbi.nlm.nih.gov/pubmed/19356604)

Nair, S., J. Jacob, S. Aaron, et al. (2009). Pulmonary distress following attempted suicidal hanging. *Indian J Med Sci, 63*(2), 53-57. (http://www.ncbi.nlm.nih.gov/pubmed/19359767)

Naper, S. O. (2009). All-cause and cause-specific mortality of social assistance recipients in Norway: a register-based follow-up study. *Scand J Public Health, 37*(8), 820-825. (http://www.ncbi.nlm.nih.gov/pubmed/19812257)

Neufeld, E., & N. O'Rourke. (2009). Impulsivity and hopelessness as predictors of suicide-related ideation among older adults. *Can J Psychiatry, 54*(10), 684-692. (http://www.ncbi.nlm.nih.gov/pubmed/19835675)

Nichols, S. D., M. C. McCarthy, A. P. Ekeh, et al. (2009). Outcome of cervical near-hanging injuries. *J Trauma, 66*(1), 174-178. (http://www.ncbi.nlm.nih.gov/pubmed/19131821)

Niederkrotenthaler, T., B. Till, A. Herberth, et al. (2009). The gap between suicide characteristics in the print media and in the population. *Eur J Public Health, 19*(4), 361-364. (http://www.ncbi.nlm.nih.gov/pubmed/19304730)

Nishimura, H., J. Furumiya, A. Nakanishi, et al. (2009). Forensic implication of muscle level of nicotine in an adipocere body found in the sea. *Tokyo, Japan), 11 Suppl 1*, S565-567. (http://www.ncbi.nlm.nih.gov/pubmed/19303346)

Nishio, A., K. Akazawa, F. Shibuya, et al. (2009). Influence on the suicide rate two years after a devastating disaster: a report from the 1995 Great Hanshin-Awaji Earthquake. *Psychiatry Clin Neurosci, 63*(2), 247-250. (http://www.ncbi.nlm.nih.gov/pubmed/19335397)

O'Hara, A. F., & J. M. Violanti. (2009). Police suicide--a Web surveillance of national data. *Int J Emerg Ment Health, 11*(1), 17-23. (http://www.ncbi.nlm.nih.gov/pubmed/19637497)

Omrani, M. D., B. Bushehri, M. Bagheri, et al. (2009). Role of IL-10 -1082, IFN-gamma +874, and TNF-alpha -308 genes polymorphisms in suicidal behavior. *Arch Suicide Res, 13*(4), 330-339. (http://www.ncbi.nlm.nih.gov/pubmed/19813110)

Oquendo, M. A., J. J. Carballo, N. Rajouria, et al. (2009). Are high-lethality suicide attempters with bipolar disorder a distinct phenotype? *Arch Suicide Res, 13*(3), 247-256. (http://www.ncbi.nlm.nih.gov/pubmed/19590998)

Page, Andrew, Richard Taylor, Wayne Hall, et al. (2009). Mental Disorders and Socioeconomic Status: Impact on Population Risk of Attempted Suicide in Australia. *Suicide and Life-Threatening Behavior, 39*(5), 471-481. (http://www.ncbi.nlm.nih.gov/pubmed/19929148)

Pan, Y. J., M. B. Lee, & C. S. Lin. (2009). Physician suicide in Taiwan, 2000-2008: preliminary findings. *J Formos Med Assoc, 108*(4), 328-332. (http://www.ncbi.nlm.nih.gov/pubmed/19369180)

Paterson, S., R. Cordero, & E. Stearns. (2009). Chronic drug use confirmed by hair analysis: its role in understanding both the medical cause of death and the circumstances surrounding the death. *J Forensic Leg Med, 16*(3), 143-147. (http://www.ncbi.nlm.nih.gov/pubmed/19239965)

Perkins, R., T. L. Sanddal, M. Howell, et al. (2009). Epidemiological and follow-back study of suicides in Alaska. *Int J Circumpolar Health, 68*(3), 212-223. (http://www.ncbi.nlm.nih.gov/pubmed/19705654)

Perron, B. E., J. E. Zeber, A. M. Kilbourne, et al. (2009). A brief measure of perceived clinician support by patients with bipolar spectrum disorders. *J Nerv Ment Dis, 197*(8), 574-579. (http://www.ncbi.nlm.nih.gov/pubmed/19684493)

Perroud, N., K. J. Aitchison, R. Uher, et al. (2009). Genetic predictors of increase in suicidal ideation during antidepressant treatment in the GENDEP project. *Neuropsychopharmacology, 34*(12), 2517-2528. (http://www.ncbi.nlm.nih.gov/pubmed/19641488)

Perry, Amanda E., & Simon Gilbody. (2009). Detecting and predicting self-harm behaviour in prisoners: A prospective psychometric analysis of three instruments. *Social Psychiatry and Psychiatric Epidemiology, 44*(10), 853-861. (http://www.ncbi.nlm.nih.gov/pubmed/19290444)

Perry, Amanda E., & Daniel T. Olason. (2009). A new psychometric instrument assessing vulnerability to risk of suicide and self-harm behaviour in offenders: Suicide concerns for offenders in prison environment (SCOPE). *International Journal of Offender Therapy and Comparative Criminology, 53*(4), 385-400. (http://www.ncbi.nlm.nih.gov/pubmed/18519741)

Perry, J. C., J. C. Fowler, A. Bailey, et al. (2009). Improvement and recovery from suicidal and self-destructive phenomena in treatment-refractory disorders. *J Nerv Ment Dis, 197*(1), 28-34. (http://www.ncbi.nlm.nih.gov/pubmed/19155807)

Petrovic, B., B. Kocic, D. Nikic, et al. (2009). The influence of marital status on epidemiological characteristics of suicides in the southeastern part of Serbia. *Cent Eur J Public Health, 17*(1), 41-46. (http://www.ncbi.nlm.nih.gov/pubmed/19418719)

Philip, G., C. Hustad, G. Noonan, et al. (2009). Reports of suicidality in clinical trials of montelukast. *J Allergy Clin Immunol, 124*(4), 691-696.e696. (http://www.ncbi.nlm.nih.gov/pubmed/19815114)

Phillips, K. A., & M. M. Kelly. (2009). Suicidality in a placebo-controlled fluoxetine study of body dysmorphic disorder. *Int Clin Psychopharmacol, 24*(1), 26-28. (http://www.ncbi.nlm.nih.gov/pubmed/19060721)

Pirkola, S., R. Sund, E. Sailas, et al. (2009). Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. *Lancet, 373*(9658), 147-153. (http://www.ncbi.nlm.nih.gov/pubmed/19097638)

Placido, A., & A. C. Sposito. (2009). Association between suicide and cardiovascular disease: time series of 27 years. *Int J Cardiol, 135*(2), 261-262. (http://www.ncbi.nlm.nih.gov/pubmed/18572265)

Plakun, E. M. (2009). A view from Riggs: treatment resistance and patient authority-XI. An alliance based intervention for suicide. *J Am Acad Psychoanal Dyn Psychiatry, 37*(3), 539-560. (http://www.ncbi.nlm.nih.gov/pubmed/19764850)

Pompili, M., P. Iliceto, M. Innamorati, et al. (2009). Suicide risk and personality traits in physically and/or sexually abused acute psychiatric inpatients: a preliminary study. *Psychol Rep, 105*(2), 554-568. (http://www.ncbi.nlm.nih.gov/pubmed/19928616)

Pompili, M., D. Lester, A. Grispini, et al. (2009). Completed suicide in schizophrenia: evidence from a case-control study. *Psychiatry Res, 167*(3), 251-257. (http://www.ncbi.nlm.nih.gov/pubmed/19395048)

Poole, H., R. Bramwell, & P. Murphy. (2009). The utility of the Beck Depression Inventory Fast Screen (BDI-FS) in a pain clinic population. *Eur J Pain, 13*(8), 865-869. (http://www.ncbi.nlm.nih.gov/pubmed/19010075)

Price, J., A. J. Mrdjenovich, A. Thompson, et al. (2009). College counselors' perceptions and practices regarding anticipatory guidance on firearms. *J Am Coll Health, 58*(2), 133-139. (http://www.ncbi.nlm.nih.gov/pubmed/19892650)

Price, R. B., M. K. Nock, D. S. Charney, et al. (2009). Effects of intravenous ketamine on explicit and implicit measures of suicidality in treatment-resistant depression. *Biol Psychiatry, 66*(5), 522-526. (http://www.ncbi.nlm.nih.gov/pubmed/19545857)

Price, Rumi Kato, Li-Shiun Chen, & Nathan K. Risk. (2009). Suicide in a natural history study: Lessons and insights learned from a follow-up of Vietnam veterans at risk for suicide. In D. Buchanan & C. B. Fisher (Eds.), *Gable, Lance; Ed; Research with high-risk populations: Balancing science, ethics, and law* (pp. 109-132). Washington, DC: Washington American Psychological Association.

Pridemore, W. A., & A. J. Snowden. (2009). Reduction in suicide mortality following a new national alcohol policy in Slovenia: an interrupted time-series analysis. *Am J Public Health, 99*(5), 915-920. (http://www.ncbi.nlm.nih.gov/pubmed/19299669)

Pridgen, Bryan. (2009). Review of Cyberbullying: Bullying in the digital age. *Journal of the American Academy of Child & Adolescent Psychiatry, 48*(3), 344-346.

Pridmore, S., & M. McArthur. (2009). Suicide and Western culture. *Australas Psychiatry, 17*(1), 42-50. (http://www.ncbi.nlm.nih.gov/pubmed/19137467)

Pritchard, Colin, & Richard Williams. (2009). Does social work make a difference? A controlled study of former 'looked-after-children' and 'excluded-from-school' adolescents now men aged 16-24 subsequent offences, being. *Journal of Social Work, 9*(3), 285-307.

Purandare, N., R. C. Voshaar, C. Rodway, et al. (2009). Suicide in dementia: 9-year national clinical survey in England and Wales. *Br J Psychiatry, 194*(2), 175-180. (http://www.ncbi.nlm.nih.gov/pubmed/19182182)

Qi, X., S. Tong, & W. Hu. (2009). Preliminary spatiotemporal analysis of the association between socio-environmental factors and suicide. *Environ Health, 8*, 46. (http://www.ncbi.nlm.nih.gov/pubmed/19796389)

Raleigh, Veena S. (2009). Suicide rates in people of South Asian origin in England and Wales. *British Journal of Psychiatry, 194*(6), 567.

Razvodovsky, Y., & A. Stickley. (2009). Suicide in urban and rural regions of Belarus, 1990-2005. *Public Health, 123*(1), 27-31. (http://www.ncbi.nlm.nih.gov/pubmed/19138777)

Razvodovsky, Y. E. (2009). Beverage-specific alcohol sale and suicide in Russia. *Crisis: The Journal of Crisis Intervention and Suicide Prevention, 30*(4), 186-191. (http://www.ncbi.nlm.nih.gov/pubmed/19933064)

Regan, J., & L. Smith. (2009). Is suicide foreseeable? *Tenn Med, 102*(4), 41-42.

Rehn, L. M., E. Meririnne, J. Höök-Nikanne, et al. (2009). Depressive symptoms and suicidal ideation during isotretinoin treatment: a 12-week follow-up study of male Finnish military conscripts. *J Eur Acad Dermatol Venereol, 23*(11), 1294-1297. (http://www.ncbi.nlm.nih.gov/pubmed/19522777)

Reutfors, J., U. Osby, A. Ekbom, et al. (2009). Seasonality of suicide in Sweden: relationship with psychiatric disorder. *J Affect Disord, 119*(1-3), 59-65. (http://www.ncbi.nlm.nih.gov/pubmed/19327843)

Richardson-Vejlgaard, R., L. Sher, M. A. Oquendo, et al. (2009). Moral objections to suicide and suicidal ideation among mood disordered Whites, Blacks, and Hispanics. *J Psychiatr Res, 43*(4), 360-365. (http://www.ncbi.nlm.nih.gov/pubmed/18499127)

---. (2009). Objections to suicide among depressed patients with alcohol use disorders. *J Affect Disord, 117*(3), 197-201. (http://www.ncbi.nlm.nih.gov/pubmed/19223263)

Ries, R. K., C. Yuodelis-Flores, P. P. Roy-Byrne, et al. (2009). Addiction and suicidal behavior in acute psychiatric inpatients. *Compr Psychiatry, 50*(2), 93-99. (http://www.ncbi.nlm.nih.gov/pubmed/19216884)

Rihmer, Annamaria, & Sandor Rozsa. (2009). Affective temperaments, as measured by TEMPS-A, among nonviolent suicide attempters. *Journal of Affective Disorders, 116*(1-2), 18-22. (http://www.ncbi.nlm.nih.gov/pubmed/19036456)

Robinson, D., C. Renshaw, C. Okello, et al. (2009). Suicide in cancer patients in South East England from 1996 to 2005: a population-based study. *Br J Cancer, 101*(1), 198-201. (http://www.ncbi.nlm.nih.gov/pubmed/19036456)

Rockett, I. R., Y. Lian, S. Stack, et al. (2009). Discrepant comorbidity between minority and white suicides: a national multiple cause-of-death analysis. *BMC Psychiatry, 9*, 10. (http://www.ncbi.nlm.nih.gov/pubmed/19296840)

Saint-Martin, P., S. Prat, M. Bouyssy, et al. (2009). Plastic bag asphyxia--a case report. *J Forensic Leg Med, 16*(1), 40-43. (http://www.ncbi.nlm.nih.gov/pubmed/19061849)

Salib, E. (2009). Dementia: suicide by drowning. *Br J Psychiatry, 194*(6), 562-563; author reply 564.

Santos-García, D., M. Macías, M. Llaneza, et al. (2009). Suicide following duodenal levodopa infusion for Parkinson's disease. *Mov Disord, 24*(13), 2029-2030.

Sarchiapone, Marco, Vladimir Carli, Massimo Di Giannantonio, et al. (2009). Risk Factors for Attempting Suicide in Prisoners. *Suicide and Life-Threatening Behavior, 39*(3), 343-350. (http://www.ncbi.nlm.nih.gov/pubmed/19606925)

Sarchiapone, M., V. Carli, L. Janiri, et al. (2009). Family history of suicide and personality. *Arch Suicide Res, 13*(2), 178-184. (http://www.ncbi.nlm.nih.gov/pubmed/19363754)

Sarchiapone, M., & N. Jovanovi A. (2009). Relations of psychological characteristics to suicide behaviour: Results from a large sample of male prisoners. *Personality and Individual Differences, 47*(4), 250-255.

Sareen, J., & S. L. Belik. (2009). The need for outreach in preventing suicide among young veterans. *PLoS Med, 6*(3), e35.

Satar, S., G. Seydaoglu, A. Akpinar, et al. (2009). Trends in acute adult poisoning in a ten-year period in Turkey: factors affecting the hazardous outcome. *Bratisl Lek Listy, 110*(7), 404-411. (http://www.ncbi.nlm.nih.gov/pubmed/19711826)

Sauvageau, A. (2009). Agonal sequences in four filmed hangings: analysis of respiratory and movement responses to asphyxia by hanging. *J Forensic Sci, 54*(1), 192-194. (http://www.ncbi.nlm.nih.gov/pubmed/19040672)

Schneider, B. (2009). Substance use disorders and risk for completed suicide. *Arch Suicide Res, 13*(4), 303-316. (http://www.ncbi.nlm.nih.gov/pubmed/19813108)

Schneider, B., T. Wetterling, K. Georgi, et al. (2009). Smoking differently modifies suicide risk of affective disorders, substance use disorders, and social factors. *J Affect Disord, 112*(1-3), 165-173. (http://www.ncbi.nlm.nih.gov/pubmed/18558438)

Scocco, P., G. Fantoni, M. Rapattoni, et al. (2009). Death ideas, suicidal thoughts, and plans among nursing home residents. *J Geriatr Psychiatry Neurol, 22*(2), 141-148. (http://www.ncbi.nlm.nih.gov/pubmed/19307321)

Sequeira, A., F. Mamdani, C. Ernst, et al. (2009). Global brain gene expression analysis links glutamatergic and GABAergic alterations to suicide and major depression. *PLoS One, 4*(8), e6585. (http://www.ncbi.nlm.nih.gov/pubmed/19668376)

Serretti, A., R. Calati, I. Giegling, et al. (2009). Serotonin receptor HTR1A and HTR2C variants and personality traits in suicide attempters and controls. *J Psychiatr Res, 43*(5), 519-525. (http://www.ncbi.nlm.nih.gov/pubmed/18715570)

Shah, A. (2009). Association of general population suicide rates with urbanisation. *Psychol Rep, 104*(2), 609-612.

---. (2009). The relationship between annual predicted future population growth rates and elderly suicide rates. *Int Psychogeriatr, 21*(2), 414-415.

---. (2009). The relationship between elderly suicide rates and the human development index: a cross-national study of secondary data from the World Health Organization and the United Nations. *Int Psychogeriatr, 21*(1), 69-77. (http://www.ncbi.nlm.nih.gov/pubmed/18554429)

---. (2009). The relationship between population growth and elderly suicide rates: a cross-national study. *Int Psychogeriatr, 21*(2), 379-383. (http://www.ncbi.nlm.nih.gov/pubmed/19019260)

Shah, A., & R. Bhandarkar. (2009). The relationship between general population suicide rates and educational attainment: a cross-national study. *Suicide Life Threat Behav, 39*(5), 463-470. (http://www.ncbi.nlm.nih.gov/pubmed/1992914)

---. (2009). Should research focus specifically on elderly suicide rates in cross-national ecological studies designed to identify distil risk factors? *Int Psychogeriatr, 21*(1), 202-204.

Shah, Ajit, & J. Coupe. (2009). A comparative study of elderly suicides in England and Wales, Scotland and Northern Ireland: Trends over time and age-associated trends. *International Psychogeriatrics, 21*(3), 581-587. (http://www.ncbi.nlm.nih.gov/pubmed/19243656)

Shah, A., & J. Coupe. (2009). The contribution of elderly suicide rates of the three consituent countries of the United Kingdom to the overall national suicide rate. *Int Psychogeriatr, 21*(3), 605-606.

Shah, A., J. Lindesay, & M. Dennis. (2009). Comparison of elderly suicide rates among migrants in England and Wales with their country of origin. *Int J Geriatr Psychiatry, 24*(3), 292-299. (http://www.ncbi.nlm.nih.gov/pubmed/18720431)

Shah, Ajit, & Anju Sahay. (2009). Should ecological studies designed to identify distal risk factors focus specifically on elderly suicide rates or broader age-bands? *International Psychogeriatrics, 21*(3), 608-609.

Shamos, J. (2009). Patients as partners. Money makes the world go round, and the mind feel happy: the high emotional cost of SA's financial crisis. *Afr J Psychiatry, 12*(1), 91-92.

Shelton, R. C., D. Hal Manier, & D. A. Lewis. (2009). Protein kinases A and C in post-mortem prefrontal cortex from persons with major depression and normal controls. *Int J Neuropsychopharmacol, 12*(9), 1223-1232. (http://www.ncbi.nlm.nih.gov/pubmed/19573263)

Shemesh, E., R. A. Annunziato, D. Rubinstein, et al. (2009). Screening for depression and suicidality in patients with cardiovascular illnesses. *Am J Cardiol, 104*(9), 1194-1197. (http://www.ncbi.nlm.nih.gov/pubmed/19840561)

Sheridan, C. (2009). Doubts surround link between Bt cotton failure and farmer suicide. *Nat Biotechnol, 27*(1), 9-10.

Shetty, B. S., P. P. Jagadish Rao, K. S. Sameer, et al. (2009). Forensic evaluation of occupational marks in establishing identity--a case report. *Forensic Sci Int, 183*(1-3), e17-20. (http://www.ncbi.nlm.nih.gov/pubmed/19059740)

Shetty, B. S., J. R. Padubidri, A. M. Bhandarkar, et al. (2009). "Atypical Suicidal" cut throat injury--a case report. *J Forensic Leg Med, 16*(8), 492-493. (http://www.ncbi.nlm.nih.gov/pubmed/19782325)

Shiner, Michael, & Jonathan Scourfield. (2009). When things fall apart: Gender and suicide across the life-course. *Social Science & Medicine, 69*(5), 738-746. (http://www.ncbi.nlm.nih.gov/pubmed/19608323)

Silenzio, Vincent M. B., Paul R. Duberstein, & Wan Tang. (2009). Connecting the invisible dots: Reaching lesbian, gay, and bisexual adolescents and young adults at risk for suicide through online social networks. *Social Science & Medicine, 69*(3), 469-474. (http://www.ncbi.nlm.nih.gov/pubmed/19540641)

Sinai, Cave, & Tatja Hirvikoski. (2009). Thyroid hormones and personality traits in attempted suicide. *Psychoneuroendocrinology, 34*(10), 1526-1532. (http://www.ncbi.nlm.nih.gov/pubmed/19525070)

Sisask, Merike, & Kairi Kõlves. (2009). Severity of attempted suicide as measured by the Pierce Suicidal Intent Scale. *Crisis: The Journal of Crisis Intervention and Suicide Prevention, 30*(3), 136-143. (http://www.ncbi.nlm.nih.gov/pubmed/19767269)

Skodlar, B. (2009). Three different meanings of depression in schizophrenia. A phenomenological perspective. *Psychiatr Danub, 21 Suppl 1*, 88-92. (http://www.ncbi.nlm.nih.gov/pubmed/19789489)

Smith, E. G., L. Søndergård, A. G. Lopez, et al. (2009). Association between consistent purchase of anticonvulsants or lithium and suicide risk: a longitudinal cohort study from Denmark, 1995-2001. *J Affect Disord, 117*(3), 162-167. (http://www.ncbi.nlm.nih.gov/pubmed/19243837)

Smyk, D. (2009). Crossbow injuries: a case report. *J Forensic Leg Med, 16*(6), 343-345. (http://www.ncbi.nlm.nih.gov/pubmed/19573846)

Sørensen, H. J., E. L. Mortensen, A. G. Wang, et al. (2009). Suicide and mental illness in parents and risk of suicide in offspring: a birth cohort study. *Soc Psychiatry Psychiatr Epidemiol, 44*(9), 748-751. (http://www.ncbi.nlm.nih.gov/pubmed/19169611)

Sparks, D. L., J. C. Hunsaker, 3rd, P. Amouyel, et al. (2009). Angiotensin I-converting enzyme I/D polymorphism and suicidal behaviors. *Am J Med Genet B Neuropsychiatr Genet, 150B*(2), 290-294. (http://www.ncbi.nlm.nih.gov/pubmed/18521860)

Stack, Steven, & Ira Wasserman. (2009). Gender and Suicide Risk: The Role of Wound Site. *Suicide and Life-Threatening Behavior, 39*(1), 13-20. (http://www.ncbi.nlm.nih.gov/pubmed/19298146)

Stewart, D., L. Bowers, & F. Warburton. (2009). Constant special observation and self-harm on acute psychiatric wards: a longitudinal analysis. *Gen Hosp Psychiatry, 31*(6), 523-530. (http://www.ncbi.nlm.nih.gov/pubmed/19892210)

Stewart, Victoria. (2009). Perceived social support, suicidal ideation, stigma, and help seeking behaviors among college students. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70*(4-B), 2589.

Suominen, K., J. Haukka, H. M. Valtonen, et al. (2009). Outcome of patients with major depressive disorder after serious suicide attempt. *J Clin Psychiatry, 70*(10), 1372-1378. (http://www.ncbi.nlm.nih.gov/pubmed/19906342)

Suryani, L. K., & A. Page. (2009). Suicide in paradise: Aftermath of the Bali bombings. *Psychological Medicine, 39*(8), 1317-1323. (http://www.ncbi.nlm.nih.gov/pubmed/19091162)

Sweeney, Lorna, Leah Quinlivan, & Seamus McGuinness. (2009). Is there a role for suicide research in modern Ireland? *Irish Journal of Psychological Medicine, 26*(3), 104-106.

Taliaferro, Lindsay A., Barbara A. Rienzo, R. Morgan Pigg, et al. (2009). Associations between Physical Activity and Reduced Rates of Hopelessness, Depression, and Suicidal Behavior among College Students. *Journal of American College Health, 57*(4), 427-436. (http://www.ncbi.nlm.nih.gov/pubmed/19114382)

Tapia Granados, Jose A., & Ana V. Diez Roux. (2009). Life and death during the Great Depression. *PNAS Proceedings of the National Academy of Sciences of the United States of America, 106*(41), 17290-17295. (http://www.ncbi.nlm.nih.gov/pubmed/19805076)

Thomas, P., K. Alptekin, M. Gheorghe, et al. (2009). Management of patients presenting with acute psychotic episodes of schizophrenia. *CNS Drugs, 23*(3), 193-212. (http://www.ncbi.nlm.nih.gov/pubmed/19320529)

Tompkins, T. L., & J. Witt. (2009). The short-term effectiveness of a suicide prevention gatekeeper training program in a college setting with residence life advisers. *J Prim Prev, 30*(2), 131-149. (http://www.ncbi.nlm.nih.gov/pubmed/19283482)

Töro, K., G. Dunay, J. Bartholy, et al. (2009). Relationship between suicidal cases and meteorological conditions. *J Forensic Leg Med, 16*(5), 277-279. (http://www.ncbi.nlm.nih.gov/pubmed/19481711)

Töro, K., G. Dunay, K. Róna, et al. (2009). Alcohol-related mortality risk in natural and non-natural death cases. *J Forensic Sci, 54*(6), 1429-1432. (http://www.ncbi.nlm.nih.gov/pubmed/19788704)

Triunfante, P., M. E. Soares, A. Santos, et al. (2009). Mercury fatal intoxication: two case reports. *Forensic Sci Int, 184*(1-3), e1-6. (http://www.ncbi.nlm.nih.gov/pubmed/19070443)

Urigüen, L., M. J. García-Fuster, L. F. Callado, et al. (2009). Immunodensity and mRNA expression of A2A adenosine, D2 dopamine, and CB1 cannabinoid receptors in postmortem frontal cortex of subjects with schizophrenia: effect of antipsychotic treatment. *Psychopharmacology, 206*(2), 313-324. (http://www.ncbi.nlm.nih.gov/pubmed/19652957)

Usui, C., K. Hatta, H. Arai, et al. (2009). Brain-skin connection: is atopic dermatitis associated with demonstrable basal ganglia dysfunction? *Prog Neuropsychopharmacol Biol Psychiatry, 33*(1), 164-165.

Uzun, I., O. Celbis, C. L. Baydar, et al. (2009). Foreigners dying in Istanbul. *J Forensic Sci, 54*(5), 1101-1104. (http://www.ncbi.nlm.nih.gov/pubmed/19674242)

Valenstein, M., D. Eisenberg, J. F. McCarthy, et al. (2009). Service implications of providing intensive monitoring during high-risk periods for suicide among VA patients with depression. *Psychiatr Serv, 60*(4), 439-444. (http://www.ncbi.nlm.nih.gov/pubmed/19339317)

Valenstein, M., H. M. Kim, D. Ganoczy, et al. (2009). Higher-risk periods for suicide among VA patients receiving depression treatment: prioritizing suicide prevention efforts. *J Affect Disord, 112*(1-3), 50-58. (http://www.ncbi.nlm.nih.gov/pubmed/18945495)

Valtonen, H. M., K. Suominen, P. Sokero, et al. (2009). How suicidal bipolar patients are depends on how suicidal ideation is defined. *J Affect Disord, 118*(1-3), 48-54. (http://www.ncbi.nlm.nih.gov/pubmed/19282033)

van Spijker, B. A., T. Graafsma, H. I. Dullaart, et al. (2009). Impulsive but fatal self-poisoning with pesticides among South Asians in Nickerie, Suriname. *Crisis, 30*(2), 102-105. (http://www.ncbi.nlm.nih.gov/pubmed/19525171)

Verzeletti, A., P. Astorri, & F. De Ferrari. (2009). Firearm-related deaths in Brescia (Northern Italy) between 1994 and 2006: a retrospective study. *J Forensic Leg Med, 16*(6), 325-331. (http://www.ncbi.nlm.nih.gov/pubmed/19573842)

Vevelstad, M., & I. Morild. (2009). Lethal methemoglobinemia and automobile exhaust inhalation. *Forensic Sci Int, 187*(1-3), e1-5. (http://www.ncbi.nlm.nih.gov/pubmed/19261402)

Videtic, A., T. T. Peternelj, T. Zupanc, et al. (2009). Promoter and functional polymorphisms of HTR2C and suicide victims. *Genes Brain Behav, 8*(5), 541-545. (http://www.ncbi.nlm.nih.gov/pubmed/19496825)

Videtic, A., T. Zupanc, P. Pregelj, et al. (2009). Suicide, stress and serotonin receptor 1A promoter polymorphism -1019C>G in Slovenian suicide victims. *Eur Arch Psychiatry Clin Neurosci, 259*(4), 234-238. (http://www.ncbi.nlm.nih.gov/pubmed/19224112)

Viel, G., A. Gehl, & J. P. Sperhake. (2009). Intersecting fractures of the skull and gunshot wounds. Case report and literature review. *Forensic Sci Med Pathol, 5*(1), 22-27. (http://www.ncbi.nlm.nih.gov/pubmed/19291431)

Viel, G., A. S. Schröder, K. Püschel, et al. (2009). Planned complex suicide by penetrating captive-bolt gunshot and hanging: case study and review of the literature. *Forensic Sci Int, 187*(1-3), e7-11. (http://www.ncbi.nlm.nih.gov/pubmed/19261403)

Vijayakumar, L., & R. Satheesh-Babu. (2009). Does 'no pesticide' reduce suicides? *Int J Soc Psychiatry, 55*(5), 401-406. (http://www.ncbi.nlm.nih.gov/pubmed/19617276)

Voracek, M. (2009). Big five personality factors and suicide rates in the United States: a state-level analysis. *Percept Mot Skills, 109*(1), 208-212. (http://www.ncbi.nlm.nih.gov/pubmed/19831101)

Voracek, M., L. M. Loibl, K. Dervic, et al. (2009). Consistency of immigrant suicide rates in Austria with country-of-birth suicide rates: a role for genetic risk factors for suicide? *Psychiatry Res, 170*(2-3), 286-289. (http://www.ncbi.nlm.nih.gov/pubmed/19900719)

Waite, R., & N. Ivey. (2009). Unveiling the mystery about adult ADHD: one woman's journey. *Issues Ment Health Nurs, 30*(9), 547-553. (http://www.ncbi.nlm.nih.gov/pubmed/19657868)

Walsh, S., R. Clayton, L. Liu, et al. (2009). Divergence in contributing factors for suicide among men and women in Kentucky: recommendations to raise public awareness. *Public Health Rep, 124*(6), 861-867. (http://www.ncbi.nlm.nih.gov/pubmed/19894429)

Wanta, B. T., A. E. Schlotthauer, C. E. Guse, et al. (2009). The burden of suicide in Wisconsin's older adult population. *WMJ, 108*(2), 87-93. (http://www.ncbi.nlm.nih.gov/pubmed/19437934)

Wasserman, D., J. Wasserman, V. Rozanov, et al. (2009). Depression in suicidal males: genetic risk variants in the CRHR1 gene. *Genes Brain Behav, 8*(1), 72-79. (http://www.ncbi.nlm.nih.gov/pubmed/19220485)

West, S. G., S. H. Friedman, & P. J. Resnick. (2009). Fathers who kill their children: an analysis of the literature. *J Forensic Sci, 54*(2), 463-468. (http://www.ncbi.nlm.nih.gov/pubmed/19187457)

Wollersen, H., F. Erdmann, M. Risse, et al. (2009). Oxalate-crystals in different tissues following intoxication with ethylene glycol: three case reports. *Tokyo, Japan), 11 Suppl 1*, S488-490. (http://www.ncbi.nlm.nih.gov/pubmed/19251453)

Wong, P. W., W. S. Chan, T. K. Lau, et al. (2009). Suicides by jumping from iconic bridges in Hong Kong. *Crisis, 30*(2), 79-84. (http://www.ncbi.nlm.nih.gov/pubmed/19525166)

Wong, P. W., P. M. Liu, W. S. Chan, et al. (2009). An integrative suicide prevention program for visitor charcoal burning suicide and suicide pact. *Suicide Life Threat Behav, 39*(1), 82-90. (http://www.ncbi.nlm.nih.gov/pubmed/19298153)

Wong, P. W., A. W. Yeung, W. S. Chan, et al. (2009). Suicide notes in Hong Kong in 2000. *Death Stud, 33*(4), 372-381. (http://www.ncbi.nlm.nih.gov/pubmed/19368065)

Wortzel, H. S., I. A. Binswanger, C. A. Anderson, et al. (2009). Suicide among incarcerated veterans. *J Am Acad Psychiatry Law, 37*(1), 82-91. (http://www.ncbi.nlm.nih.gov/pubmed/19297638)

Wyatt, J. P., T. Squires, S. Collis, et al. (2009). Road traffic suicides. *J Forensic Leg Med, 16*(4), 212-214. (http://www.ncbi.nlm.nih.gov/pubmed/19329078)

Wyder, Marianne. (2009). Separation as a suicide risk factor. *Journal of Affective Disorders, 116*(3), 208-213. (http://www.ncbi.nlm.nih.gov/pubmed/19128839)

Yamane, G. K., & J. L. Butler. (2009). Suicide burden in the U.S. Air Force: 1990-2004. *Mil Med, 174*(10), 1019-1023. (http://www.ncbi.nlm.nih.gov/pubmed/19891212)

Yamasaki, S., I. Takase, N. Takada, et al. (2009). Measurement of force to obstruct the cervical arteries and distribution of tension exerted on a ligature in hanging. *Leg Med (Tokyo), 11*(4), 175-180. (http://www.ncbi.nlm.nih.gov/pubmed/19364674)

Yang, S., A. Kadouri, A. Révah-Lévy, et al. (2009). Doing time: a qualitative study of long-term incarceration and the impact of mental illness. *Int J Law Psychiatry, 32*(5), 294-303. (http://www.ncbi.nlm.nih.gov/pubmed/19619895)

Ying, Yung-hsiang, & Koyin Chang. (2009). A Study of Suicide and Socioeconomic Factors. *Suicide and Life-Threatening Behavior, 39*(2), 214-226. (http://www.ncbi.nlm.nih.gov/pubmed/19527162)

Yip, P. (2009). Effects of an earthquake on suicide rates in Nantou, Taiwan. *Br J Psychiatry, 194*(2), 190.

Yip, P. S., P. W. Wong, Y. T. Cheung, et al. (2009). An empirical study of characteristics and types of homicide-suicides in Hong Kong, 1989-2005. *J Affect Disord, 112*(1-3), 184-192. (http://www.ncbi.nlm.nih.gov/pubmed/18602699)

Yoon, H. K., & Y. K. Kim. (2009). TPH2 -703G/T SNP may have important effect on susceptibility to suicidal behavior in major depression. *Prog Neuropsychopharmacol Biol Psychiatry, 33*(3), 403-409. (http://www.ncbi.nlm.nih.gov/pubmed/19162119)

Yoon, J., & T. A. Bruckner. (2009). Does deinstitutionalization increase suicide? *Health Serv Res, 44*(4), 1385-1405. (http://www.ncbi.nlm.nih.gov/pubmed/19500164)

Zarrilli, F., A. Angiolillo, G. Castaldo, et al. (2009). Brain derived neurotrophic factor (BDNF) genetic polymorphism (Val66Met) in suicide: a study of 512 cases. *Am J Med Genet B Neuropsychiatr Genet, 150B*(4), 599-600.

Zawahir, S., D. M. Roberts, C. Palangasinghe, et al. (2009). Acute intentional self-poisoning with a herbicide product containing fenoxaprop-P-ethyl, ethoxysulfuron, and isoxadifen ethyl: a prospective observational study. *Clin Toxicol (Phila), 47*(8), 792-797. (http://www.ncbi.nlm.nih.gov/pubmed/19663557)

Zhang, J., & L. Zhou. (2009). A case control study of suicides in China with and without mental disorder. *Crisis, 30*(2), 68-72. (http://www.ncbi.nlm.nih.gov/pubmed/19525164)

Zoja, R., A. Battistini, & G. Gentile. (2009). Death with complete decapitation: report of four suicides by train. *Am J Forensic Med Pathol, 30*(3), 303-306. (http://www.ncbi.nlm.nih.gov/pubmed/19696595)