2010 Research Bibliography on Suicide Prevention in Working Age Males
Idaho Suicide Prevention Research Project
Funded by the Idaho Department of Health & Welfare
July, 2011

Ajdacic-Gross, V., M. Bopp, M. Ring, F. Gutzwiller, & W. Rossler. (2010). Seasonality in suicide--a review and search of new concepts for explaining the heterogeneous phenomena. *1982, 71*(4), 657-666. (http://www.ncbi.nlm.nih.gov/pubmed/20573433)

Akar, T., A. Sayin, Z. Bakkaloglu, D. K. Cabuk, S. Küçükyildirim, B. Demirel, et. al. (2010). Investigation of serotonin transporter gene promoter (5-HTTLPR) and intron 2 (variable number of tandem repeats) polymorphisms with suicidal behavior in a Turkish population. *DNA and cell biology, 29*(8), 429-434. (http://www.ncbi.nlm.nih.gov/pubmed/20438360)

Akechi, T., H. Okamura, T. Nakano, N. Akizuki, M. Okamura, K. Shimizu, et. al. (2010). Gender differences in factors associated with suicidal ideation in major depression among cancer patients. *Psycho oncology, 19*(4), 384-389. (http://www.ncbi.nlm.nih.gov/pubmed/19472294)

Albion, C., M. Shkrum, & J. Cairns. (2010). Contributing factors to methadone-related deaths in Ontario. *The American journal of forensic medicine and pathology, 31*(4), 313-319. (http://www.ncbi.nlm.nih.gov/pubmed/20081524)

Aldrich, T. E., D. Seidu, D. Bahr, S. Freitas, G. M. Brion, & D. Tollerud. (2010). Time-period mortality patterns in a Gaseous Diffusion Plant workforce. *International journal of occupational medicine and environmental health, 23*(2), 145-151. (http://www.ncbi.nlm.nih.gov/pubmed/20682486)

Andersohn, F., R. Schade, S. N. Willich, & E. Garbe. (2010). Use of antiepileptic drugs in epilepsy and the risk of self-harm or suicidal behavior. *Neurology, 75*(4), 335-340. (http://www.ncbi.nlm.nih.gov/pubmed/20660863)

Andrés, A. R., & F. Halicioglu. (2010). Determinants of suicides in Denmark: evidence from time series data. *Amsterdam, Netherlands, 98*(2-3), 263-269. (http://www.ncbi.nlm.nih.gov/pubmed/20667618)

Arana, A., C. E. Wentworth, J. L. Ayuso-Mateos, & F. M. Arellano. (2010). Suicide-related events in patients treated with antiepileptic drugs. *The New England journal of medicine, 363*(6), 542-551. (http://www.ncbi.nlm.nih.gov/pubmed/20818889)

Atilgan, M. (2010). A case of suicidal ligature strangulation by using a tourniquet method. *The American journal of forensic medicine and pathology, 31*(1), 85-86. (http://www.ncbi.nlm.nih.gov/pubmed/19935390)

Bala, M., N. Shussman, A. I. Rivkind, U. Izhar, & G. Almogy. (2010). The pattern of thoracic trauma after suicide terrorist bombing attacks. *The Journal of trauma, 69*(5), 1022-1028. (http://www.ncbi.nlm.nih.gov/pubmed/21068606)

Balci, V., & L. Sevincok. (2010). Suicidal ideation in patients with obsessive-compulsive disorder. *Psychiatry Research, 175*(1-2), 104-108. (http://www.ncbi.nlm.nih.gov/pubmed/19923009)

Bath, E. P. J., & S. B. Billick. (2010). Overview of juvenile law. In E. P. Benedek, P. Ash & C. L. Scott (Eds.), *Principles and practice of child and adolescent forensic mental health.* (pp. 337-345). Arlington, VA US: American Psychiatric Publishing, Inc.

Batty, G. D., E. Whitley, I. J. Deary, C. R. Gale, P. Tynelius, & F. Rasmussen. (2010). Psychosis alters association between IQ and future risk of attempted suicide: Cohort study of 110,9475 Swedish men. *BMJ: British Medical Journal, 340*(7760). (http://www.ncbi.nlm.nih.gov/pubmed/20522657)

Bell, C. C., & D. F. McBride. (2010). Commentary: Homicide-suicide in older adults—Cultural and contextual perspectives. *Journal of the American Academy of Psychiatry and the Law, 38*(3), 312-317. (http://www.ncbi.nlm.nih.gov/pubmed/20852215)

Bell, N. S., T. C. Harford, P. J. Amoroso, I. E. Hollander, & A. B. Kay. (2010). Prior health care utilization patterns and suicide among U.S. Army soldiers. *Suicide & life threatening behavior, 40*(4), 407-415. (http://www.ncbi.nlm.nih.gov/pubmed/20822367)

Bill-Axelson, A., H. Garmo, M. Lambe, O. Bratt, J. Adolfsson, et. al. (2010). Suicide risk in men with prostate-specific antigen-detected early prostate cancer: a nationwide population-based cohort study from PCBaSe Sweden. *European urology, 57*(3), 390-395. (http://www.ncbi.nlm.nih.gov/pubmed/19914773)

Bjornaas, M. A., K. E. Hovda, F. Heyerdahl, K. Skog, P. Drottning, et. al. (2010). Suicidal intention, psychosocial factors and referral to further treatment: a one-year cross-sectional study of self-poisoning. *BMC psychiatry, 10*, 58. (http://www.ncbi.nlm.nih.gov/pubmed/20653986)

Bjornsson, A. S., E. R. Didie, & K. A. Phillips. (2010). Body dysmorphic disorder. *Dialogues in clinical neuroscience, 12*(2), 221-232. (http://www.ncbi.nlm.nih.gov/pubmed/20623926)

Boeninger, D. K., K. E. Masyn, B. J. Feldman, & R. D. Conger. (2010). Sex Differences in Developmental Trends of Suicide Ideation, Plans, and Attempts among European American Adolescents. *Suicide and Life-Threatening Behavior, 40*(5), 451-464. (http://www.ncbi.nlm.nih.gov/pubmed/21034208)

Bohnert, A. S., K. Roeder, & M. A. Ilgen. (2010). Unintentional overdose and suicide among substance users: a review of overlap and risk factors. *Drug and alcohol dependence, 110*(3), 183-192. (http://www.ncbi.nlm.nih.gov/pubmed/20430536)

Bossarte, R., C. A. Claassen, & K. Knox. (2010). Veteran suicide prevention: emerging priorities and opportunities for intervention. *Military medicine, 175*(7), 461-462.

---. (2010). Evaluating evidence of risk for suicide among veterans. *Military medicine, 175*(10), 703-704.

Bourget, D., P. Gagné, & L. Whitehurst. (2010). Domestic homicide and homicide-suicide: the older offender. *The journal of the American Academy of Psychiatry and the Law, 38*(3), 305-311. (http://www.ncbi.nlm.nih.gov/pubmed/20852214)

Bowers, L., T. Banda, & H. Nijman. (2010). Suicide inside: a systematic review of inpatient suicides. *The Journal of nervous and mental disease, 198*(5), 315-328. (http://www.ncbi.nlm.nih.gov/pubmed/20458192)

Brådvik, L., & M. Berglund. (2010). Depressive episodes with suicide attempts in severe depression: suicides and controls differ only in the later episodes of unipolar depression. *Archives of suicide research, 14*(4), 363-367. (http://www.ncbi.nlm.nih.gov/pubmed/21082451)

Bramness, J. G., F. A. Walby, V. Hjellvik, R. Selmer, & A. Tverdal. (2010). Self-reported mental health and its gender differences as a predictor of suicide in the middle-aged. *American journal of epidemiology, 172*(2), 160-166. (http://www.ncbi.nlm.nih.gov/pubmed/20519262)

Breshears, R. E., L. A. Brenner, J. E. Harwood, & P. M. Gutierrez. (2010). Predicting suicidal behavior in veterans with traumatic brain injury: the utility of the personality assessment inventory. *Journal of personality assessment, 92*(4), 349-355. (http://www.ncbi.nlm.nih.gov/pubmed/20552509)

Britton, P. C., & K. R. Conner. (2010). Suicide Attempts within 12 Months of Treatment for Substance Use Disorders. *Suicide and Life-Threatening Behavior, 40*(1), 14-21. (http://www.ncbi.nlm.nih.gov/pubmed/20170258)

Brooks, J., III, B. R. Sommer, & T. A. Ketter. (2010). Management of bipolar disorders in older adults. In T. A. Ketter (Ed.), *Handbook of diagnosis and treatment of bipolar disorders.* (pp. 453-497). Arlington, VA US: American Psychiatric Publishing, Inc.

Bryan, C. J., K. C. Cukrowicz, C. L. West, & C. E. Morrow. (2010). Combat experience and the acquired capability for suicide. *Journal of clinical psychology, 66*(10), 1044-1056. (http://www.ncbi.nlm.nih.gov/pubmed/20821797)

Bryant-Bedell, K., & R. Waite. (2010). Understanding major depressive disorder among middle-aged African American men. *Journal of advanced nursing, 66*(9), 2050-2060. (http://www.ncbi.nlm.nih.gov/pubmed/20626494)

Buckley, L., & A. Shah. (2010). Elderly suicides by drug poisoning in England and Wales: time trends within two elderly age-bands. *International psychogeriatrics / IPA, 22*(2), 336-337.

Budisic, M., D. Karlovic, Z. Trkanjec, A. Lovrencic-Huzjan, V. Vukovic, et. al. (2010). Brainstem raphe lesion in patients with major depressive disorder and in patients with suicidal ideation recorded on transcranial sonography. *European archives of psychiatry and clinical neuroscience, 260*(3), 203-208. (http://www.ncbi.nlm.nih.gov/pubmed/19756820)

Bureau, J.-F., J. Martin, N. Freynet, A. A. Poirier, M.-F. Lafontaine, & P. Cloutier. (2010). Perceived Dimensions of Parenting and Non-Suicidal Self-Injury in Young Adults. *Journal of Youth and Adolescence, 39*(5), 484-494. (http://www.ncbi.nlm.nih.gov/pubmed/19882378)

Busch, S. H., R. G. Frank, D. L. Leslie, A. Martin, R. A. Rosenheck, et. al. (2010). Antidepressants and suicide risk: how did specific information in FDA safety warnings affect treatment patterns? *Washington, D C, 61*(1), 11-16. (http://www.ncbi.nlm.nih.gov/pubmed/20044412)

Bushe, C. J., M. Taylor, & J. Haukka. (2010). Mortality in schizophrenia: a measurable clinical endpoint. *Oxford, England, 24(4) Suppl*, 17-25. (http://www.ncbi.nlm.nih.gov/pubmed/20923917)

Byard, R. W., D. Veldhoen, H. Kobus, & K. Heath. (2010). "Murder-suicide" or "murder-accident"? Difficulties with the analysis of cases. *Journal of forensic sciences, 55*(5), 1375-1377. (http://www.ncbi.nlm.nih.gov/pubmed/20456587)

Caplan, R., P. Siddarth, J. Levitt, S. Gurbani, W. D. Shields, & R. Sankar. (2010). Suicidality and brain volumes in pediatric epilepsy. *Epilepsy & behavior, 18*(3), 286-290. (http://www.ncbi.nlm.nih.gov/pubmed/20494620)

Carlborg, A., J. Jokinen, A. L. Nordström, E. G. Jönsson, & P. Nordström. (2010). Attempted suicide predicts suicide risk in schizophrenia spectrum psychosis. *Nordic journal of psychiatry, 64*(1), 68-72. (http://www.ncbi.nlm.nih.gov/pubmed/19883197)

Carlborg, A., K. Winnerbäck, E. G. Jönsson, J. Jokinen, & P. Nordström. (2010). Suicide in schizophrenia. *Expert review of neurotherapeutics, 10*(7), 1153-1164. (http://www.ncbi.nlm.nih.gov/pubmed/20586695)

Carrico, A. W., T. B. Neilands, & M. O. Johnson. (2010). Suicidal ideation is associated with HIV transmission risk in men who have sex with men. *1999, 54*(4), e3-4.

Carson, H. J. (2010). Dyads of father and son suicide separated by time and circumstances. *The American journal of forensic medicine and pathology, 31*(1), 80-82. (http://www.ncbi.nlm.nih.gov/pubmed/19935393)

Carson, H. J. (2010). Patterns of ecchymoses caused by manner of death and collateral injuries sustained in bruising incidents: decedent injuries, profiles, comparisons, and clinicopathologic significance. *Journal of forensic sciences, 55*(6), 1534-1542. (http://www.ncbi.nlm.nih.gov/pubmed/20629906)

Casey, J. T. (2010). *Primary care, males, masculinity, and suicide: A grounded theory study.* Unpublished Thesis, ProQuest Information & Learning, US.

Chang, S. S., D. Gunnell, B. W. Wheeler, P. Yip, & J. A. Sterne. (2010). The evolution of the epidemic of charcoal-burning suicide in Taiwan: a spatial and temporal analysis. *PLoS medicine, 7*(1). (http://www.ncbi.nlm.nih.gov/pubmed/20052273)

Chapple, A., & S. Ziebland. (2010). Viewing the body after bereavement due to a traumatic death: qualitative study in the UK. *Clinical research ed, 340*, c2032. (http://www.ncbi.nlm.nih.gov/pubmed/20435644)

Charoonnate, N., P. Narongchai, & S. Vongvaivet. (2010). Fractures of the hyoid bone and thyroid cartilage in suicidal hanging. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet, 93*(10), 1211-1216. (http://www.ncbi.nlm.nih.gov/pubmed/20973326)

Charuvastra, A., E. Goldfarb, E. Petkova, & M. Cloitre. (2010). Implementation of a screen and treat program for child posttraumatic stress disorder in a school setting after a school suicide. *Journal of traumatic stress, 23*(4), 500-503. (http://www.ncbi.nlm.nih.gov/pubmed/20690193)

Chen, G. G., L. M. Fiori, L. Moquin, A. Gratton, O. Mamer, et.al. (2010). Evidence of altered polyamine concentrations in cerebral cortex of suicide completers. *Neuropsychopharmacology, 35*(7), 1477-1484. (http://www.ncbi.nlm.nih.gov/pubmed/20200507)

Chen, Y. Y., P. C. Tsai, P. H. Chen, C. C. Fan, G. C. Hung, & A. T. Cheng. (2010). Effect of media reporting of the suicide of a singer in Taiwan: the case of Ivy Li. *Social psychiatry and psychiatric epidemiology, 45*(3), 363-369. (http://www.ncbi.nlm.nih.gov/pubmed/19468661)

Cheng, D. (2010). Higher suicide death rate in rocky mountain states and a correlation to altitude. *Wilderness & environmental medicine, 21*(2), 177-178.

Cheng, H.-L., B. Mallinckrodt, J. Soet, & T. Sevig. (2010). Developing a Screening Instrument and At-Risk Profile for Nonsuicidal Self-Injurious Behavior in College Women and Men. *Journal of Counseling Psychology, 57*(1), 128-139. (http://www.ncbi.nlm.nih.gov/pubmed/21133565)

Cheng, S. T., E. C. Yu, S. Y. Lee, J. Y. Wong, K. H. Lau, et. al. (2010). The geriatric depression scale as a screening tool for depression and suicide ideation: a replication and extention. *The American journal of geriatric psychiatry, 18*(3), 256-265. (http://www.ncbi.nlm.nih.gov/pubmed/20224521)

Choi, J. L., & J. R. Rogers. (2010). Exploring the Validity of the College Student Reasons for Living Inventory among Asian American College Students. *Archives of suicide research, 14*(3), 222-235. (http://www.ncbi.nlm.nih.gov/pubmed/20658376)

Choinière, M., D. Dion, P. Peng, R. Banner, P. M. Barton, A. Boulanger, et. al. (2010). The Canadian STOP-PAIN project - Part 1: Who are the patients on the waitlists of multidisciplinary pain treatment facilities? *Canadian journal of anaesthesia = Journal canadien d'anesthésie, 57*(6), 539-548. (http://www.ncbi.nlm.nih.gov/pubmed/20393821)

Chowdhury, A. N., S. Banerjee, A. Brahma, S. Das, P. Sarker, M. K. Biswas, et. al. (2010). A prospective study of suicidal behaviour in Sundarban Delta, West Bengal, India. *The National medical journal of India, 23*(4), 201-205. (http://www.ncbi.nlm.nih.gov/pubmed/21192512)

Chung, K. H., & H. C. Lin. (2010). Methods of suicide among cancer patients: a nationwide population-based study. *Suicide & life threatening behavior, 40*(2), 107-114. (http://www.ncbi.nlm.nih.gov/pubmed/20465345)

Classen, T. J., & R. A. Dunn. (2010). The politics of hope and despair: the effect of presidential election outcomes on suicide rates. *Social science quarterly, 91*(3), 593-612. (http://www.ncbi.nlm.nih.gov/pubmed/20645463)

Clayton, P. J. (2010). V code for bereavement. *The Journal of clinical psychiatry, 71*(3), 359-360.

Cohen, C. I., C. G. Abdallah, & S. Diwan. (2010). Suicide attempts and associated factors in older adults with schizophrenia. *Schizophrenia Research, 119*(1-3), 253-257. (http://www.ncbi.nlm.nih.gov/pubmed/20382505)

Collings, S. C., & C. G. Kemp. (2010). Death knocks, professional practice, and the public good: the media experience of suicide reporting in New Zealand. *1982, 71*(2), 244-248. (http://www.ncbi.nlm.nih.gov/pubmed/20398990)

Conwell, Y., P. R. Duberstein, J. K. Hirsch, K. R. Conner, S. Eberly, & E. D. Caine. (2010). Health status and suicide in the second half of life. *International journal of geriatric psychiatry, 25*(4), 371-379. (http://www.ncbi.nlm.nih.gov/pubmed/19582758)

Corcoran, P., & A. Nagar. (2010). Suicide and marital status in Northern Ireland. *Social psychiatry and psychiatric epidemiology, 45*(8), 795-800. (http://www.ncbi.nlm.nih.gov/pubmed/19763365)

Corcoran, P., U. Reulbach, I. J. Perry, & E. Arensman. (2010). Suicide and deliberate self harm in older Irish adults. *International psychogeriatrics / IPA, 22*(8), 1327-1336. (http://www.ncbi.nlm.nih.gov/pubmed/20716390)

Corkery, J. M., J. Button, A. E. Vento, & F. Schifano. (2010). Two UK suicides using nicotine extracted from tobacco employing instructions available on the Internet. *Forensic science international, 199*(1-3), e9-13. (http://www.ncbi.nlm.nih.gov/pubmed/20202767)

Corna, L. M., J. Cairney, & D. L. Streiner. (2010). Suicide Ideation in Older Adults: Relationship to Mental Health Problems and Service Use. *Gerontologist, 50*(6), 785-797. (http://www.ncbi.nlm.nih.gov/pubmed/20566835)

Costa, R. M., & S. Brody. (2010). Greater frequency of penile-vaginal intercourse without condoms is associated with better mental health. *Archives of sexual behavior, 39*(1), 1-2.

Cross, W., M. M. Matthieu, D. Lezine, & K. L. Knox. (2010). Does a brief suicide prevention gatekeeper training program enhance observed skills? *Crisis, 31*(3), 149-159. (http://www.ncbi.nlm.nih.gov/pubmed/20573609)

Cui, H., I. Supriyanto, M. Asano, Y. Ueno, Y. Nagasaki, et. al. (2010). A common polymorphism in the 3'-UTR of the NOS1 gene was associated with completed suicides in Japanese male population. *Progress in neuro psychopharmacology & biological psychiatry, 34*(6), 992-996. (http://www.ncbi.nlm.nih.gov/pubmed/20470850)

Cullen, E. F., & T. M. Luckasevic. (2010). Suicide with a homemade shotgun: case report and review of literature. *The American journal of forensic medicine and pathology, 31*(3), 255-257. (http://www.ncbi.nlm.nih.gov/pubmed/20436338)

Curry, T. P. (2010). *Understanding the experience of suicidality during adolescence among lower Socioeconomic Strata gay males: An exploratory qualitative research study.* Unpublished Thesis, ProQuest Information & Learning, US.

Cutlip, A. C., W. B. Bankston, & M. R. Lee. (2010). Civic community and nonmetropolitan White suicide. *Archives of suicide research, 14*(3), 261-265. (http://www.ncbi.nlm.nih.gov/pubmed/20658379)

Danchin, C. L., A. K. MacLeod, & P. Tata. (2010). Painful engagement in deliberate self-harm: The role of conditional goal setting. *Behaviour research and therapy, 48*(9), 915-920. (http://www.ncbi.nlm.nih.gov/pubmed/20674599)

Darke, S., J. Duflou, & M. Torok. (2010). Comparative toxicology of intentional and accidental heroin overdose. *Journal of forensic sciences, 55*(4), 1015-1018. (http://www.ncbi.nlm.nih.gov/pubmed/20384920)

Davis, A., M. Gilhooley, M. Agius, & R. Zaman. (2010). Suicide risk and choice of antidepressant. *Psychiatria Danubina, 22*(2), 358-359. (http://www.ncbi.nlm.nih.gov/pubmed/20562782)

de Groot, M., J. Neeleman, K. van der Meer, & H. Burger. (2010). The effectiveness of family-based cognitive-behavior grief therapy to prevent complicated grief in relatives of suicide victims: the mediating role of suicide ideation. *Suicide & life threatening behavior, 40*(5), 425-437. (http://www.ncbi.nlm.nih.gov/pubmed/21034206)

De Hert, M., C. U. Correll, & D. Cohen. (2010). Do antipsychotic medications reduce or increase mortality in schizophrenia? A critical appraisal of the FIN-11 study. *Schizophrenia Research, 117*(1), 68-74. (http://www.ncbi.nlm.nih.gov/pubmed/20060684)

Denneson, L. M., C. Basham, K. C. Dickinson, M. C. Crutchfield, L. Millet, X. Shen, & S. K. Dobscha. (2010). Suicide risk assessment and content of VA health care contacts before suicide completion by veterans in Oregon. *Washington, D C, 61*(12), 1192-1197. (http://www.ncbi.nlm.nih.gov/pubmed/21123402)

Dignam, P. T. (2010). Suicide and mental disorder: the legal perspective. *The Medical journal of Australia, 193*(7), 430.

Dinis-Oliveira, R. J., F. Carvalho, J. A. Duarte, R. Dias, T. Magalhães, & A. Santos. (2010). Suicide by hanging under the influence of ketamine and ethanol. *Forensic science international, 202*(1-3), e23-27. (http://www.ncbi.nlm.nih.gov/pubmed/20537829)

Döme, P., B. Kapitány, G. Ignits, & Z. Rihmer. (2010). Season of birth is significantly associated with the risk of completed suicide. *Biological psychiatry, 68*(2), 148-155. (http://www.ncbi.nlm.nih.gov/pubmed/20416861)

Dreyer, L., S. Kendall, B. Danneskiold-Samsøe, E. M. Bartels, & H. Bliddal. (2010). Mortality in a cohort of Danish patients with fibromyalgia: increased frequency of suicide. *Arthritis and rheumatism, 62*(10), 3101-3108. (http://www.ncbi.nlm.nih.gov/pubmed/20583101)

Dunn, S. E. (2010). *Childhood maltreatment and adult post-traumatic stress disorder symptomatology in abused, suicidal, low-income, African American women: A moderated mediational model.* Unpublished Thesis, ProQuest Information & Learning, US.

Duval, F., M. C. Mokrani, F. G. Lopera, T. S. Diep, H. Rabia, & S. Fattah. (2010). Thyroid axis activity and suicidal behavior in depressed patients. *Psychoneuroendocrinology, 35*(7), 1045-1054. (http://www.ncbi.nlm.nih.gov/pubmed/20129737)

Dwivedi, Y., H. S. Rizavi, H. Zhang, R. C. Roberts, R. R. Conley, & G. N. Pandey. (2010). Modulation in activation and expression of phosphatase and tensin homolog on chromosome ten, Akt1, and 3-phosphoinositide-dependent kinase 1: further evidence demonstrating altered phosphoinositide 3-kinase signaling in postmortem brain of suicide subjects. *Biological psychiatry, 67*(11), 1017-1025. (http://www.ncbi.nlm.nih.gov/pubmed/20163786)

Dyregrov, K., G. Dieserud, M. Straiton, M. L. Rasmussen, H. Hjelmeland, B. L. Knizek, & A. A. Leenaars. (2010). Motivation for research participation among people bereaved by suicide. *Omega, 62*(2), 149-168. (http://www.ncbi.nlm.nih.gov/pubmed/21375119)

Eichelman, B. (2010). Borderline personality disorder, PTSD, and suicide. *The American journal of psychiatry, 167*(10), 1152-1154.

El-Gabalawy, R., B. Cox, I. Clara, & C. Mackenzie. (2010). Assessing the validity of social anxiety disorder subtypes using a nationally representative sample. *Journal of anxiety disorders, 24*(2), 244-249. (http://www.ncbi.nlm.nih.gov/pubmed/19963338)

Espino, D. V., R. L. Macias, R. C. Wood, J. Becho, M. Talamantes, et. al. (2010). Physician-assisted suicide attitudes of older Mexican-American and non-Hispanic White adults: Does ethnicity make a difference? *Journal of the American Geriatrics Society, 58*(7), 1370-1375. (http://www.ncbi.nlm.nih.gov/pubmed/20533972)

Fairweather-Schmidt, A. K., K. J. Anstey, A. Salim, & B. Rodgers. (2010). Baseline factors predictive of serious suicidality at follow-up: findings focusing on age and gender from a community-based study. *BMC psychiatry, 10*, 41. (http://www.ncbi.nlm.nih.gov/pubmed/20529373)

Fang, F., N. L. Keating, L. A. Mucci, H. O. Adami, M. J. Stampfer, et. al. (2010). Immediate risk of suicide and cardiovascular death after a prostate cancer diagnosis: cohort study in the United States. *Journal of the National Cancer Institute, 102*(5), 307-314. (http://www.ncbi.nlm.nih.gov/pubmed/20124521)

Filograna, L., T. Tartaglione, E. Filograna, F. Cittadini, A. Oliva, & V. L. Pascali. (2010). Computed tomography (CT) virtual autopsy and classical autopsy discrepancies: radiologist's error or a demonstration of post-mortem multi-detector computed tomography (MDCT) limitation? *Forensic science international, 195*(1-3), e13-17. (http://www.ncbi.nlm.nih.gov/pubmed/19954903)

Fiori, L. M., & G. Turecki. (2010). Association of the SAT1 in/del polymorphism with suicide completion. *American journal of medical genetics Part B, Neuropsychiatric genetics, 5*(3), 825-829. (http://www.ncbi.nlm.nih.gov/pubmed/19851986)

---. (2010). Genetic and epigenetic influences on expression of spermine synthase and spermine oxidase in suicide completers. *CINP, 13*(6), 725-736. (http://www.ncbi.nlm.nih.gov/pubmed/20059804)

Flood, A. M., S. H. Boyle, P. S. Calhoun, M. F. Dennis, J. C. Barefoot, et. al. (2010). Prospective study of externalizing and internalizing subtypes of posttraumatic stress disorder and their relationship to mortality among Vietnam veterans. *Comprehensive psychiatry, 51*(3), 236-242. (http://www.ncbi.nlm.nih.gov/pubmed/20399332)

Forsström, E., H. Hakko, T. Nordström, P. Räsänen, & A. Mainio. (2010). Suicide in patients with stroke: a population-based study of suicide victims during the years 1988-2007 in northern Finland. *The Journal of neuropsychiatry and clinical neurosciences, 22*(2), 182-187. (http://www.ncbi.nlm.nih.gov/pubmed/20463112)

Froldi, R., P. F. Croci, L. Dell'Acqua, F. Farè, G. Tassoni, & V. Gambaro. (2010). Preliminary gas chromatography with mass spectrometry determination of 3,5-dimethoxyphenol in biological specimens as evidence of taxus poisoning. *Journal of analytical toxicology, 34*(1), 53-56. (http://www.ncbi.nlm.nih.gov/pubmed/20109304)

Galta, K., S. L. Olsen, & G. Wik. (2010). Murder followed by suicide: Norwegian data and international literature. *Nordic journal of psychiatry, 64*(6), 397-401. (http://www.ncbi.nlm.nih.gov/pubmed/20380549)

Gaygisiz, E. (2010). National income, life satisfaction, and male-female suicide ratio in industrialised countries. *Perceptual and motor skills, 111*(2), 433-436. (http://www.ncbi.nlm.nih.gov/pubmed/21162444)

Germerott, T., S. Jaenisch, G. Hatch, U. V. Albrecht, & D. Guenther. (2010). Planned complex suicide: Self-strangulation and plaster ingestion. *Forensic science international, 202*(1-3), e35-37. (http://www.ncbi.nlm.nih.gov/pubmed/20554136)

Giegling, I., A. Chiesa, L. Mandelli, S. Gibiino, A. M. Hartmann, H. J. Möller, et. al. (2010). Influence of neuronal cell adhesion molecule (NCAM1) variants on suicidal behaviour and correlated traits. *Psychiatry Research, 179*(2), 222-225. (http://www.ncbi.nlm.nih.gov/pubmed/20483466)

Gil, H. W., S. J. Seok, D. S. Jeong, J. O. Yang, E. Y. Lee, & S. Y. Hong. (2010). Plasma level of malondialdehyde in the cases of acute paraquat intoxication. *Philadelphia, Pa, 48*(2), 149-152. (http://www.ncbi.nlm.nih.gov/pubmed/20050821)

Giltay, E. J., F. G. Zitman, A. Menotti, A. Nissinen, D. R. Jacobs, et. al. (2010). Respiratory function and other biological risk factors for completed suicide: 40 years of follow-up of European cohorts of the Seven Countries Study. *Journal of affective disorders, 120*(1-3), 249-253. (http://www.ncbi.nlm.nih.gov/pubmed/19410295)

Goldner-Vukov, M., & L. J. Moore. (2010). Malignant Narcissism: from fairy tales to harsh reality. *Psychiatria Danubina, 22*(3), 392-405. (http://www.ncbi.nlm.nih.gov/pubmed/20856182)

González-Pinto, A., S. Alberich, S. Barbeito, M. Alonso, E. Vieta, et. al. (2010). Different profile of substance abuse in relation to predominant polarity in bipolar disorder: The Vitoria long-term follow-up study. *Journal of affective disorders, 124*(3), 250-255. (http://www.ncbi.nlm.nih.gov/pubmed/19959240)

Gos, T., D. Krell, H. Bielau, J. Steiner, C. Mawrin, et. al. (2010). Demonstration of disturbed activity of the lateral amygdaloid nucleus projection neurons in depressed patients by the AgNOR staining method. *Journal of affective disorders, 126*(3), 402-410. (http://www.ncbi.nlm.nih.gov/pubmed/20444504)

Grangeon, M. C., C. Seixas, L. C. Quarantini, A. Miranda-Scippa, M. Pompili, et. al. (2010). White matter hyperintensities and their association with suicidality in major affective disorders: a meta-analysis of magnetic resonance imaging studies. *CNS spectrums, 15*(6), 375-381. (http://www.ncbi.nlm.nih.gov/pubmed/20625370)

Greening, L., L. Stoppelbein, & A. Luebbe. (2010). The Moderating Effects of Parenting Styles on African-American and Caucasian Children's Suicidal Behaviors. *Journal of Youth and Adolescence, 39*(4), 357-369. (http://www.ncbi.nlm.nih.gov/pubmed/19806443)

Greening, L., L. Stoppelbein, A. Luebbe, & P. J. Fite. (2010). Aggression and the Risk for Suicidal Behaviors among Children. *Suicide and Life-Threatening Behavior, 40*(4), 337-345. (http://www.ncbi.nlm.nih.gov/pubmed/20822360)

Gulfi, A., D. A. Castelli Dransart, J. L. Heeb, & E. Gutjahr. (2010). The impact of patient suicide on the professional reactions and practices of mental health caregivers and social workers. *Crisis, 31*(4), 202-210. (http://www.ncbi.nlm.nih.gov/pubmed/20801750)

Gunnarsdottir, O. S., & V. Rafnsson. (2010). Non-causative discharge diagnosis from the emergency department and risk of suicide. *The Journal of emergency medicine, 38*(3), 286-292. (http://www.ncbi.nlm.nih.gov/pubmed/18657928)

Guzzi, G., C. Minoia, A. Ronchi, & P. Pigatto. (2010). Fatal mercury poisoning and chelating agents. *Forensic science international, 202*(1-3).

Haines, J., C. L. Williams, & D. Lester. (2010). Murder-suicide: A reaction to interpersonal crises. *Forensic science international, 202*(1-3), 93-96. (http://www.ncbi.nlm.nih.gov/pubmed/20483554)

Hargus, E., C. Crane, T. Barnhofer, & J. M. Williams. (2010). Effects of mindfulness on meta-awareness and specificity of describing prodromal symptoms in suicidal depression. *Washington, D C, 10*(1), 34-42. (http://www.ncbi.nlm.nih.gov/pubmed/20141300)

Harrison, K. E., A. Y. Dombrovski, J. Q. Morse, P. Houck, M. Schlernitzauer, et. al. (2010). Alone? Perceived social support and chronic interpersonal difficulties in suicidal elders. *International psychogeriatrics / IPA, 22*(3), 445-454. (http://www.ncbi.nlm.nih.gov/pubmed/20003633)

Hautamäki, A. (2010). Silencing the self across generations and gender in Finland. In D. C. Jack & A. Ali (Eds.), *Silencing the self across cultures: Depression and gender in the social world.* (pp. 175-201). New York, NY US: Oxford University Press.

Heath, N. L., A. L. Baxter, J. R. Toste, & R. McLouth. (2010). Adolescents' Willingness to Access School-Based Support for Nonsuicidal Self-Injury. *Canadian Journal of School Psychology, 25*(3), 260-276.

Hegerl, U., R. Mergl, I. Havers, A. Schmidtke, H. Lehfeld, et. al. (2010). Sustainable effects on suicidality were found for the Nuremberg alliance against depression. *European archives of psychiatry and clinical neuroscience, 260*(5), 401-406. (http://www.ncbi.nlm.nih.gov/pubmed/19921299)

Heisel, M. J., P. R. Duberstein, J. M. Lyness, & M. D. Feldman. (2010). Screening for suicide ideation among older primary care patients. *Journal of the American Board of Family Medicine : JABFM, 23*(2), 260-269. (http://www.ncbi.nlm.nih.gov/pubmed/20207936)

Hejna, P. (2010). Multiple suicidal injuries with shotgun slugs. *International journal of legal medicine, 124*(1), 79-82. (http://www.ncbi.nlm.nih.gov/pubmed/19214550)

Hejna, P., & M. Safr. (2010). Shooting through clothing in firearm suicides. *Journal of forensic sciences, 55*(3), 652-654. (http://www.ncbi.nlm.nih.gov/pubmed/20202064)

---. (2010). An unusual zip gun suicide--medicolegal and ballistic examination. *Journal of forensic sciences, 55*(1), 254-257. (http://www.ncbi.nlm.nih.gov/pubmed/19818107)

Hendin, H., R. K. Al Jurdi, P. R. Houck, S. Hughes, & J. B. Turner. (2010). Role of intense affects in predicting short-term risk for suic *Journal of forensic* *Jour*

Holland, J. M., K. K. Schutte, P. L. Brennan, & R. H. Moos. (2010). The structure of late-life depressive symptoms across a 20-year span: a taxometric investigation. *Psychology and aging, 25*(1), 142-156. (http://www.ncbi.nlm.nih.gov/pubmed/20230135)

Holma, K. M., T. K. Melartin, J. Haukka, I. A. Holma, T. P. Sokero, & E. T. Isometsä. (2010). Incidence and predictors of suicide attempts in DSM-IV major depressive disorder: a five-year prospective study. *The American journal of psychiatry, 167*(7), 801-808. (http://www.ncbi.nlm.nih.gov/pubmed/20478879)

Holstege, C. P., J. D. Forrester, H. A. Borek, & D. T. Lawrence. (2010). A case of cyanide poisoning and the use of arterial blood gas analysis to direct therapy. *1995, 38*(4), 69-74. (http://www.ncbi.nlm.nih.gov/pubmed/21068529)

Hor, K., & M. Taylor. (2010). Suicide and schizophrenia: a systematic review of rates and risk factors. *Oxford, England, 24(4) Suppl*, 81-90. (http://www.ncbi.nlm.nih.gov/pubmed/20923923)

Hough, D., & P. Lewis. (2010). A suicide prevention advisory group at an academic medical center. (2010).

Kanchan, T., P. Rastogi, R. G. Menezes, & K. R. Nagesh. (2010). Apparent partial hanging. *The American journal of forensic medicine and pathology, 31*(4), 376-377. (http://www.ncbi.nlm.nih.gov/pubmed/20890169)

Kuehn, B. M. (2010). Military probes epidemic of suicide: mental health issues remain prevalent. *JAMA : the journal of the American Medical Association, 304*(13), 1429-1430.

Kugelberg, F. C., A. Holmgren, A. Eklund, & A. W. Jones. (2010). Forensic toxicology findings in deaths involving gamma-hydroxybutyrate. *International journal of legal medicine, 124*(1), 1-6. (http://www.ncbi.nlm.nih.gov/pubmed/19048269)

Kuo, C. J., S. Y. Tsai, Y. T. Liao, W. C. Lee, X. W. Sung, & C. C. Chen. (2010). Psychiatric discharge against medical advice is a risk factor for suicide but not for other causes of death. *The Journal of clinical psychiatry, 71*(6), 808-809.

Kurisaki, E., N. Kato, T. Ishida, A. Matsumoto, K. Shinohara, & K. Hiraiwa. (2010). Fatal human poisoning with Padan: a cartap-containing pesticide. *Philadelphia, Pa, 48*(2), 153-155. (http://www.ncbi.nlm.nih.gov/pubmed/20055633)

Ladwig, K. H., D. Klupsch, C. Meisinger, J. Baumert, N. Erazo, et. al. (2010). Gender differences in risk assessment of death wishes and suicidal ideation in the community: results from the KORA Augsburg F3 study with 3079 men and women, 35 to 84 years of age. *The Journal of nervous and mental disease, 198*(1), 52-58. (http://www.ncbi.nlm.nih.gov/pubmed/20061870)

Lane, J. (2010). Hypopituitarism after brain injury. *British journal of neurosurgery, 24*(1), 8.

Large, M., O. Nielssen, S. Lackersteen, & G. Smith. (2010). The associations between infant homicide, homicide, and suicide rates: an analysis of world health organization and centers for disease control statistics. *Suicide & life threatening behavior, 40*(1), 87-97. (http://www.ncbi.nlm.nih.gov/pubmed/20170265)

Larsen, K. K., E. Agerbo, B. Christensen, J. Søndergaard, & M. Vestergaard. (2010). Myocardial infarction and risk of suicide: a population-based case-control study. *Circulation, 122*(23), 2388-2393. (http://www.ncbi.nlm.nih.gov/pubmed/21098443)

LaSalvia, E. A., G. J. Domek, & D. F. Gitlin. (2010). Fluoroquinolone-induced suicidal ideation. *General hospital psychiatry, 32*(1), 108-110.

Latzman, R. D., K. L. Gratz, J. Young, L. J. Heiden, J. D. Damon, & T. L. Hight. (2010). Self-Injurious Thoughts and Behaviors among Youth in an Underserved Area of the Southern United States: Exploring the Moderating Roles of Gender, Racial/Ethnic Background, and School-Level. *Journal of Youth and Adolescence, 39*(3), 270-280. (http://www.ncbi.nlm.nih.gov/pubmed/19834794)

Law, C. K., P. S. Yip, & Y. Huo. (2010). Assessing the quantitative impact of suicide on life expectancy in Hong Kong: 1986-2006. *Archives of suicide research, 14*(3), 284-290. (http://www.ncbi.nlm.nih.gov/pubmed/20658382)

Lawrence, S. T., J. H. Willig, H. M. Crane, J. Ye, I. Aban, W. Lober, et. al. (2010). Routine, self-administered, touch-screen, computer-based suicidal ideation assessment linked to automated response team notification in an HIV primary care setting. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America, 50*(8), 1165-1173. (http://www.ncbi.nlm.nih.gov/pubmed/20210646)

Lee, A. W., S. Y. Tung, D. T. Chua, R. K. Ngan, R. Chappell, et. al. (2010). Randomized trial of radiotherapy plus concurrent-adjuvant chemotherapy vs radiotherapy alone for regionally advanced nasopharyngeal carcinoma. *Journal of the National Cancer Institute, 102*(15), 1188-1198. (http://www.ncbi.nlm.nih.gov/pubmed/20634482)

Lemogne, C., H. Nabi, M. Zins, S. Cordier, P. Ducimetière, M. Goldberg, & S. M. Consoli. (2010). Hostility may explain the association between depressive mood and mortality: evidence from the French GAZEL cohort study. *Psychotherapy and psychosomatics, 79*(3), 164-171. (http://www.ncbi.nlm.nih.gov/pubmed/20185973)

Lester, D. (2010). Are suicide bombers heroes? *Psychological reports, 106*(2), 499-500.

---. (2010). Brain parasites and suicide. *Psychological reports, 107*(2), 424.

---. (2010). Linguistic analysis of a blog from a murder-suicide. *Psychological reports, 106*(2), 342.

---. (2010). Predicting European suicide rates with physiological indices. *Psychological reports, 107*(3), 713-714. (http://www.ncbi.nlm.nih.gov/pubmed/21323128)

Lester, D., J. Haines, & C. L. Williams. (2010). Content differences in suicide notes by sex, age, and method: a study of Australian suicide notes. *Psychological reports, 106*(2), 475-476. (http://www.ncbi.nlm.nih.gov/pubmed/20524548)

Levesque, C., M.-F. Lafontaine, J.-F. Bureau, P. Cloutier, & C. Dandurand. (2010). The Influence of Romantic Attachment and Intimate Partner Violence on Non-Suicidal Self-Injury in Young Adults. *Journal of Youth and Adolescence, 39*(5), 474-483. (http://www.ncbi.nlm.nih.gov/pubmed/19885722)

Li, X., & M. R. Phillips. (2010). The acceptability of suicide among rural residents, urban residents, and college students from three locations in China: a cross-sectional survey. *Crisis, 31*(4), 183-193. (http://www.ncbi.nlm.nih.gov/pubmed/20801748)

Liem, M., R. de Vet, & F. Koenraadt. (2010). Filicide followed by parasuicide: a comparison of suicidal and non-suicidal child homicide. *Child abuse & neglect, 34*(8), 558-562.

Liettu, A., L. Mikkola, H. Säävälä, P. Räsänen, M. Joukamaa, & H. Hakko. (2010). Mortality rates of males who commit parricide or other violent offense against a parent. *The journal of the American Academy of Psychiatry and the Law, 38*(2), 212-220. (http://www.ncbi.nlm.nih.gov/pubmed/20542941)

Linert, B., J. Regnier, B. W. Doyle, & J. A. Prahlow. (2010). Suicidal shotgun wound employing a shotgun barrel, a shotgun shell, and a BB. *Journal of forensic sciences, 55*(2), 546-548. (http://www.ncbi.nlm.nih.gov/pubmed/20102454)

Lizardi, D., R. G. Thompson, K. Keyes, & D. Hasin. (2010). The role of depression in the differential effect of childhood parental divorce on male and female adult offspring suicide attempt risk. *Journal of Nervous and Mental Disease, 198*(9), 687-690. (http://www.ncbi.nlm.nih.gov/pubmed/20823733)

---. (2010). The effect of parental remarriage following parental divorce on offspring suicide attempt. *Families in Society, 91*(2), 186-192. (http://www.ncbi.nlm.nih.gov/pubmed/20823733)

Lorenzen, J. M., E. Schonenberger, C. Hafer, M. Hoeper, & J. T. Kielstein. (2010). Failed rescue therapy with rapamycin after paraquat intoxication. *Philadelphia, Pa, 48*(1), 84-86. (http://www.ncbi.nlm.nih.gov/pubmed/19888892)

Mackley, P., K. Püschel, & E. E. Turk. (2010). Suicide by shooting with a tiling hammer. *International journal of legal medicine, 124*(1), 75-77. (http://www.ncbi.nlm.nih.gov/pubmed/19205717)

Magno, L. A., D. M. Miranda, F. S. Neves, G. J. Pimenta, M. P. Mello, et. al. (2010). Association between AKT1 but not AKTIP genetic variants and increased risk for suicidal behavior in bipolar patients. *Genes, brain, and behavior, 9*(4), 411-418. (http://www.ncbi.nlm.nih.gov/pubmed/20132317)

Magnusson, S., & I. H. Mäkinen. (2010). Sweden: income and suicide. *Psychological reports, 107*(1), 157-162. (http://www.ncbi.nlm.nih.gov/pubmed/20923059)

Mahony, D. (2010). Assessing Sexual Abuse/Attack Histories with Bariatric Surgery Patients. *Journal of Child Sexual Abuse, 19*(4), 469-484. (http://www.ncbi.nlm.nih.gov/pubmed/20672213)

Malfent, D., T. Wondrak, N. D. Kapusta, & G. Sonneck. (2010). Suicidal ideation and its correlates among elderly in residential care homes. *International journal of geriatric psychiatry, 25*(8), 843-849. (http://www.ncbi.nlm.nih.gov/pubmed/19946865)

Maple, M., H. Edwards, D. Plummer, & V. Minichiello. (2010). Silenced voices: Hearing the stories of parents bereaved through the suicide death of a young adult child. *Health & Social Care in the Community, 18*(3), 241-248. (http://www.ncbi.nlm.nih.gov/pubmed/19793388)

Maryam, A., & B. Elham. (2010). Deaths involving natural gas inhalation. *Toxicology and industrial health, 26*(6), 345-347. (http://www.ncbi.nlm.nih.gov/pubmed/20430818)

Mascitelli, L., F. Pezzetta, & M. R. Goldstein. (2010). Low cholesterol and aggression in bipolar disorders. *Medical hypotheses, 74*(1), 205.

Masocco, M., M. Pompili, N. Vanacore, M. Innamorati, D. Lester, et. al. (2010). Completed suicide and marital status according to the Italian region of origin. *The Psychiatric quarterly, 81*(1), 57-71. (http://www.ncbi.nlm.nih.gov/pubmed/20041348)

Matsubayashi, K., T. Sakagami, T. Wada, M. Ishine, R. Sakamoto, G. Yamanaka, et. al. (2010). Mood disorders in community-dwelling older adults in Asia. *Journal of the American Geriatrics Society, 58*(1), 213-214.

Matsusue, A., K. Hara, M. Kageura, M. Kashiwagi, W. Lu, et. al. (2010). An autopsy case of rhabdomyolysis related to vegetamin and genetic analysis of the rhabdomyolysis-associated genes. *Journal of forensic and legal medicine, 17*(1), 46-49. (http://www.ncbi.nlm.nih.gov/pubmed/20083051)

McAndrew, S., & T. Warne. (2010). Coming out to talk about suicide: gay men and suicidality. *International Journal of Mental Health Nursing, 19*(2), 92-101. (http://www.ncbi.nlm.nih.gov/pubmed/20367646)

McCann, S. J. (2010). Suicide, big five personality factors, and depression at the American state level. *Archives of suicide research, 14*(4), 368-374. (http://www.ncbi.nlm.nih.gov/pubmed/21082452)

McGirr, A., G. Diaconu, M. T. Berlim, J. C. Pruessner, R. Sablé, et. al. (2010). Dysregulation of the sympathetic nervous system, hypothalamic-pituitary-adrenal axis and executive function in individuals at risk for suicide. *Journal of psychiatry & neuroscience : JPN, 35*(6), 399-408. (http://www.ncbi.nlm.nih.gov/pubmed/20731961)

Melchior, M., J. E. Ferrie, K. Alexanderson, M. Goldberg, M. Kivimaki, et. al. (2010). Does sickness absence due to psychiatric disorder predict cause-specific mortality? A 16-year follow-up of the GAZEL occupational cohort study. *American journal of epidemiology, 172*(6), 700-707. (http://www.ncbi.nlm.nih.gov/pubmed/20732935)

Mellanby, R. J., N. P. Hudson, R. Allister, C. E. Bell, R. W. Else, D. A. Gunn-Moore, et. al. (2010). Evaluation of suicide awareness programmes delivered to veterinary undergraduates and academic staff. *The Veterinary record, 167*(19), 730-734. (http://www.ncbi.nlm.nih.gov/pubmed/21257507)

Mellesdal, L., L. Mehlum, T. Wentzel-Larsen, R. Kroken, & H. A. Jørgensen. (2010). Suicide risk and acute psychiatric readmissions: a prospective cohort study. *Washington, D C, 61*(1), 25-31. (http://www.ncbi.nlm.nih.gov/pubmed/20044414)

Mentari, E. K., M. Stone, & T. A. Hammad. (2010). Antiepileptic drugs and suicide attempts in patients with bipolar disorder. *Archives of general psychiatry, 67*(9), 972.

Meyer, A., S. Koifman, R. J. Koifman, J. C. Moreira, J. de Rezende Chrisman, & Y. Abreu-Villaca. (2010). Mood disorders hospitalizations, suicide attempts, and suicide mortality among agricultural workers and residents in an area with intensive use of pesticides in Brazil. *Journal of toxicology and environmental health Part A, 73*(13-14), 866-877. (http://www.ncbi.nlm.nih.gov/pubmed/20563920)

Mihanovi ćM., B. Restek-Petrovic, D. Bodor, S. Molnar, A. Oreskovic, & P. Presecki. (2010). Suicidality and side effects of antidepressants and antipsychotics. *Psychiatria Danubina, 22*(1), 79-84. (http://www.ncbi.nlm.nih.gov/pubmed/20305596)

Miller, B., A. Alaräisänen, J. Miettunen, M. R. Järvelin, H. Koponen, et. al. (2010). Advanced paternal age, mortality, and suicide in the general population. *The Journal of nervous and mental disease, 198*(6), 404-411. (http://www.ncbi.nlm.nih.gov/pubmed/20531118)

Miller, T. R., L. O. Teti, B. A. Lawrence, & H. B. Weiss. (2010). Alcohol Involvement in Hospital-Admitted Nonfatal Suicide Acts. *Suicide and Life-Threatening Behavior, 40*(5), 492-499. (http://www.ncbi.nlm.nih.gov/pubmed/21034211)

Minayo, M. C., & F. G. Cavalcante. (2010). Suicide in elderly people: a literature review. *Revista de saúde pública, 44*(4), 750-757. (http://www.ncbi.nlm.nih.gov/pubmed/20676565)

Miret, M., R. Nuevo, C. Morant, E. Sainz-Cortón, M. Á. Jiménez-Arriero, et. al. (2010). Differences between younger and older adults in the structure of suicidal intent and its correlates. *The American Journal of Geriatric Psychiatry, 18*(9), 839-847. (http://www.ncbi.nlm.nih.gov/pubmed/20220600)

Misson, H., F. Mathieu, F. Jollant, L. Yon, S. Guillaume, C. Parmentier, A. Raust, et.al. (2010). Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): toward the identification of homogeneous subgroups of suicidal behaviors. *Journal of affective disorders, 121*(1-2), 80-87. (http://www.ncbi.nlm.nih.gov/pubmed/19524302)

Morgan, D. R., & M. Musa. (2010). Self inflicted death following inhalation and ingestion of Builders Polyurethane expandable foam. *Journal of forensic and legal medicine, 17*(8), 439-440. (http://www.ncbi.nlm.nih.gov/pubmed/21056881)

Mukamal, K. J., E. B. Rimm, I. Kawachi, E. J. O'Reilly, E. E. Calle, & M. Miller. (2010). Body mass index and risk of suicide among one million US adults. *Cambridge, Mass, 21*(1), 82-86. (http://www.ncbi.nlm.nih.gov/pubmed/19907331)

Mustard, C. A., A. Bielecky, J. Etches, R. Wilkins, M. Tjepkema, B. C. Amick, et. al. (2010). Suicide mortality by occupation in Canada, 1991-2001. *Canadian journal of psychiatry Revue canadienne de psychiatrie, 55*(6), 369-376. (http://www.ncbi.nlm.nih.gov/pubmed/20540832)

Ndetei, D. M., L. I. Khasakhala, V. Mutiso, & A. W. Mbwayo. (2010). Suicidality and depression among adult patients admitted in general medical facilities in Kenya. *Annals of General Psychiatry, 9*. (http://www.ncbi.nlm.nih.gov/pubmed/20205916)

Needham, B. L., & E. L. Austin. (2010). Sexual Orientation, Parental Support, and Health during the Transition to Young Adulthood. *Journal of Youth and Adolescence, 39*(10), 1189-1198. (http://www.ncbi.nlm.nih.gov/pubmed/20383570)

Neufeld, E., N. O'Rourke, & M. Donnelly. (2010). Enhanced measurement sensitivity of hopeless ideation among older adults at risk of self-harm: Reliability and validity of likert-type responses to the Beck Hopelessness Scale. *Aging & Mental Health, 14*(6), 752-756. (http://www.ncbi.nlm.nih.gov/pubmed/20686984)

Nielssen, O., & M. Large. (2010). Australian suicide rates and the National Survey of Mental Health and Wellbeing. *The Australian and New Zealand journal of psychiatry, 44*(5), 490-492.

Nock, M. K., I. Hwang, N. A. Sampson, & R. C. Kessler. (2010). Mental disorders, comorbidity and suicidal behavior: results from the National Comorbidity Survey Replication. *Molecular psychiatry, 15*(8), 868-876. (http://www.ncbi.nlm.nih.gov/pubmed/19337207)

Olden, M., J. Cukor, A. S. Rizzo, B. Rothbaum, & J. Difede. (2010). House calls revisited: leveraging technology to overcome obstacles to veteran psychiatric care and improve treatment outcomes. *Annals of the New York Academy of Sciences*, 133-141. (http://www.ncbi.nlm.nih.gov/pubmed/20955335)

Olesen, J. B., P. R. Hansen, J. Erdal, S. Z. Abildstrøm, P. Weeke, et. al. (2010). Antiepileptic drugs and risk of suicide: a nationwide study. *Pharmacoepidemiology and drug safety, 19*(5), 518-524. (http://www.ncbi.nlm.nih.gov/pubmed/20235081)

Olson, D. P., J. A. Diaz, & J. D. Jereda. (2010). A fatal case of paraquat ingestion: clinical course and review of pathophysiology. *Medical science monitor : international medical journal of experimental and clinical research, 16*(12), CS153-156. (http://www.ncbi.nlm.nih.gov/pubmed/21119584)

Ortega-Albás, J. J., R. López-Bernabé, A. L. García, & J. R. Gómez. (2010). Suicidal ideation secondary to sodium oxybate. *The Journal of neuropsychiatry and clinical neurosciences, 22*(3).

Paavola, P., & J. Tiihonen. (2010). Seasonal variation of seclusion incidents from violent and suicidal acts in forensic psychiatric patients. *International journal of law and psychiatry, 33*(1), 27-34. (http://www.ncbi.nlm.nih.gov/pubmed/19962761)

Pace, U., & C. Zappulla. (2010). Relations between Suicidal Ideation, Depression, and Emotional Autonomy from Parents in Adolescence. *Journal of Child and Family Studies, 19*(6), 747-756.

Pae, C. U., A. Drago, J. J. Kim, A. A. Patkar, T. Y. Jun, D. De Ronchi, & A. Serretti. (2010). TAAR6 variations possibly associated with antidepressant response and suicidal behavior. *Psychiatry Research, 180*(1), 20-24. (http://www.ncbi.nlm.nih.gov/pubmed/20493543)

Page, A., R. Taylor, & G. Martin. (2010). Recent declines in Australian male suicide are real, not artefactual. *The Australian and New Zealand journal of psychiatry, 44*(4), 358-363. (http://www.ncbi.nlm.nih.gov/pubmed/20307168)

Pantalone, D. W., D. M. Hessler, & J. M. Simoni. (2010). Mental Health Pathways from Interpersonal Violence to Health-Related Outcomes in HIV-Positive Sexual Minority Men. *Journal of Consulting and Clinical Psychology, 78*(3), 387-397. (http://www.ncbi.nlm.nih.gov/pubmed/20515213)

Parker, R. (2010). Australia's aboriginal population and mental health. *The Journal of nervous and mental disease, 198*(1), 3-7. (http://www.ncbi.nlm.nih.gov/pubmed/20061862)

Parks, L. A., D. C. Zelman, & R. L. Wanlass. (2010). The attitudes of socially marginalized men toward physician-assisted suicide. *Omega: Journal of Death and Dying, 62*(2), 111-125. (http://www.ncbi.nlm.nih.gov/pubmed/21375117)

Patorno, E., R. L. Bohn, P. M. Wahl, J. Avorn, A. R. Patrick, J. Liu, & S. Schneeweiss. (2010). Anticonvulsant medications and the risk of suicide, attempted suicide, or violent death. *JAMA : the journal of the American Medical Association, 303*(14), 1401-1409. (http://www.ncbi.nlm.nih.gov/pubmed/20388896)

Pelissier-Alicot, A. L., C. Sastre, V. Baillif-Couniou, J. M. Gaulier, P. Kintz, et. al. (2010). Buprenorphine-related deaths: unusual forensic situations. *International journal of legal medicine, 124*(6), 647-651. (http://www.ncbi.nlm.nih.gov/pubmed/20369247)

Peng, E. Y., C. Y. Yeh, S. Y. Lyu, D. E. Morisky, Y. M. Chen, et. al. (2010). Prevalence and correlates of lifetime suicidal ideation among HIV-infected male inmates in Taiwan. *AIDS care, 22*(10), 1212-1220. (http://www.ncbi.nlm.nih.gov/pubmed/20845113)

Perroud, N., E. Neidhart, B. Petit, M. Vessaz, T. Laforge, et. al. (2010). Simultaneous analysis of serotonin transporter, tryptophan hydroxylase 1 and 2 gene expression in the ventral prefrontal cortex of suicide victims. *American journal of medical genetics Part B, Neuropsychiatric genetics, 5*(4), 909-918. (http://www.ncbi.nlm.nih.gov/pubmed/20052688)

Perry, A. E., R. Marandos, S. Coulton, & M. Johnson. (2010). Screening tools assessing risk of suicide and self-harm in adult offenders: a systematic review. *International Journal of Offender Therapy and Comparative Criminology, 54*(5), 803-828. (http://www.ncbi.nlm.nih.gov/pubmed/20223913)

Peter, J. V., J. Jerobin, A. Nair, & A. Bennett. (2010). Is there a relationship between the WHO hazard classification of organophosphate pesticide and outcomes in suicidal human poisoning with commercial organophosphate formulations? *Regulatory toxicology and pharmacology : RTP, 57*(1), 99-102. (http://www.ncbi.nlm.nih.gov/pubmed/20097246)

Peter, T., & L. W. Roberts. (2010). "Bad" Boys and "Sad" Girls? Examining Internalizing and Externalizing Effects on Parasuicides among Youth. *Journal of Youth and Adolescence, 39*(5), 495-503. (http://www.ncbi.nlm.nih.gov/pubmed/20043194)

Phelan, J. C., M. Sinkewicz, D. M. Castille, S. Huz, K. Muenzenmaier, & B. G. Link. (2010). Effectiveness and outcomes of assisted outpatient treatment in New York State. *Washington, D C, 61*(2), 137-143. (http://www.ncbi.nlm.nih.gov/pubmed/20123818)

Plöderl, M., G. Faistauer, & R. Fartacek. (2010). The contribution of school to the feeling of acceptance and the risk of suicide attempts among Austrian gay and bisexual males. *Journal of Homosexuality, 57*(7), 819-841. (http://www.ncbi.nlm.nih.gov/pubmed/20665326)

Pompili, M., R. J. Baldessarini, L. Tondo, M. Innamorati, R. Tatarelli, et. al. (2010). Response to intravenous antidepressant treatment by suicidal vs. nonsuicidal depressed patients. *Journal of affective disorders, 122*(1-2), 154-158. (http://www.ncbi.nlm.nih.gov/pubmed/19709752)

Pompili, M., G. Serafini, M. Innamorati, G. Dominici, S. Ferracuti, et. al. (2010). Suicidal behavior and alcohol abuse. *International journal of environmental research and public health, 7*(4), 1392-1431. (http://www.ncbi.nlm.nih.gov/pubmed/20617037)

Postolache, T. T., P. B. Mortensen, L. H. Tonelli, X. Jiao, C. Frangakis, et. al. (2010). Seasonal spring peaks of suicide in victims with and without prior history of hospitalization for mood disorders. *Journal of affective disorders, 121*(1-2), 88-93. (http://www.ncbi.nlm.nih.gov/pubmed/19535151)

Preda, V., C. Henderson, & J. Woods. (2010). Isolated symptomatic cutaneous disease in hypereosinophilic syndrome. *The Australasian journal of dermatology, 51*(1), 60-65. (http://www.ncbi.nlm.nih.gov/pubmed/20148847)

Pridmore, S. (2010). Suicide and mental disorder: the legal perspective. *The Medical journal of Australia, 193*(3), 184-185.

Pridmore, S., & A. Reddy. (2010). Suicide by couples from the public record. *Australasian psychiatry : bulletin of Royal Australian and New Zealand College of Psychiatrists, 18*(5), 431-436. (http://www.ncbi.nlm.nih.gov/pubmed/20863182)

Qi, X., S. Tong, & W. Hu. (2010). Spatial distribution of suicide in Queensland, Australia. *BMC psychiatry, 10*, 106. (http://www.ncbi.nlm.nih.gov/pubmed/21138551)

Razvodovsky, Y. E. (2010). Psychosocial distress as a risk factor of asthma mortality. *Psychiatria Danubina, 22*(2), 167-172. (http://www.ncbi.nlm.nih.gov/pubmed/20562741)

Reutfors, J., S. Bahmanyar, E. G. Jönsson, A. Ekbom, P. Nordström, et. al. (2010). Diagnostic profile and suicide risk in schizophrenia spectrum disorder. *Schizophrenia Research, 123*(2-3), 251-256. (http://www.ncbi.nlm.nih.gov/pubmed/20692815)

Richman, A., G. Shohat, Y. Soffer, & Y. Bar-Dayan. (2010). Differences in the sources of information and acquaintance with instructions between Dimona and the general population after a suicide bomber event. *Prehospital and disaster medicine, 25*(1), 63-67. (http://www.ncbi.nlm.nih.gov/pubmed/20405464)

Rodrigues, A. M., M. J. Rosas, M. F. Gago, C. Sousa, R. Fonseca, et. al. (2010). Suicide attempts after subthalamic nucleus stimulation for Parkinson's disease. *European neurology, 63*(3), 176-179. (http://www.ncbi.nlm.nih.gov/pubmed/20197662)

Rojas, Y., & S.-Å. Stenberg. (2010). Early life circumstances and male suicide—A 30-year follow-up of a Stockholm cohort born in 1953. *Social Science & Medicine, 70*(3), 420-427. (http://www.ncbi.nlm.nih.gov/pubmed/19910098)

Rowe, C. E., Jr. (2010). The "undifferentiated selfobject"--a contribution to understanding symptomatic behavior and fixation: the suicidal patient. *Psychoanalytic review, 97*(1), 45-71.

Runeson, B., D. Tidemalm, M. Dahlin, P. Lichtenstein, & N. Långström. (2010). Method of attempted suicide as predictor of subsequent successful suicide: national long term cohort study. *Clinical research ed, 341*, c3222. (http://www.ncbi.nlm.nih.gov/pubmed/20627975)

Saddichha, S., M. N. Prasad, & M. K. Saxena. (2010). Attempted suicides in India: a comprehensive look. *Archives of suicide research, 14*(1), 56-65. (http://www.ncbi.nlm.nih.gov/pubmed/20112144)

Saetre, P., P. Lundmark, A. Wang, T. Hansen, H. B. Rasmussen, et. al. (2010). The tryptophan hydroxylase 1 (TPH1) gene, schizophrenia susceptibility, and suicidal behavior: a multi-centre case-control study and meta-analysis. *American journal of medical genetics Part B, Neuropsychiatric genetics, 5*(2), 387-396. (http://www.ncbi.nlm.nih.gov/pubmed/19526457)

Santic, Z., L. Ostojic, B. Hrabac, J. Prlic, & J. Beslic. (2010). Suicide frequency in West-Herzegovina Canton for the period 1984-2008. *Medicinski arhiv, 64*(3), 168-170. (http://www.ncbi.nlm.nih.gov/pubmed/20645512)

Sarma, K., D. Griffin, & S. Kola. (2010). Firearm-assisted suicide: legislative, policing and clinical concerns. *Journal of forensic and legal medicine, 17*(1), 33-37. (http://www.ncbi.nlm.nih.gov/pubmed/20083048)

Sauvageau, A., R. LaHarpe, & V. J. Geberth. (2010). Agonal sequences in eight filmed hangings: analysis of respiratory and movement responses to asphyxia by hanging. *Journal of forensic sciences, 55*(5), 1278-1281. (http://www.ncbi.nlm.nih.gov/pubmed/20487156)

Scheerder, G., A. Reynders, K. Andriessen, & C. Van Audenhove. (2010). Suicide intervention skills and related factors in community and health professionals. *Suicide & life threatening behavior, 40*(2), 115-124. (http://www.ncbi.nlm.nih.gov/pubmed/20465346)

Schenkel, L. C., J. Segal, J. A. Becker, G. G. Manfro, M. M. Bianchin, & S. Leistner-Segal. (2010). The BDNF Val66Met polymorphism is an independent risk factor for high lethality in suicide attempts of depressed patients. *Progress in neuro psychopharmacology & biological psychiatry, 34*(6), 940-944. (http://www.ncbi.nlm.nih.gov/pubmed/20433887)

Schurtz, D. R., J. Cerel, & P. Rodgers. (2010). Myths and facts about suicide from individuals involved in suicide prevention. *Suicide & life threatening behavior, 40*(4), 346-352. (http://www.ncbi.nlm.nih.gov/pubmed/20822361)

Shah, A. (2010). Old age psychiatry and geriatric medicine admissions and elderly suicide rates in England. *International psychogeriatrics / IPA, 22*(3), 502-504.

---. (2010). The possible evidence for an epidemiological transition hypothesis for elderly suicides. *International psychogeriatrics / IPA, 22*(2), 219-226. (http://www.ncbi.nlm.nih.gov/pubmed/19943992)

---. (2010). The relationship between elderly suicide rates and the internet: a cross-national study. *The International journal of social psychiatry, 56*(3), 214-219. (http://www.ncbi.nlm.nih.gov/pubmed/19592430)

---. (2010). The relationship between general population suicide rates and the Internet: a cross-national study. *Suicide & life threatening behavior, 40*(2), 146-150. (http://www.ncbi.nlm.nih.gov/pubmed/20465349)

---. (2010). A replication of a cross-national study of the relationship between elderly suicide rates and urbanization. *International psychogeriatrics / IPA, 22*(1), 162-163.

---. (2010). A replication of a non-linear association of educational attainment and suicide rates among the elderly using five-year data. *International psychogeriatrics / IPA, 22*(2), 339.

---. (2010). A replication of the curvilinear relationship between population growth and elderly suicide rates in a cross-national study. *International psychogeriatrics / IPA, 22*(2), 337-338.

---. (2010). A replication of the relationship between elderly suicide rates and the human development index in a cross-national study. *International psychogeriatrics / IPA, 22*(5), 727-732. (http://www.ncbi.nlm.nih.gov/pubmed/20497623)

Shah, A., R. Bhandarkar, & G. Bhatia. (2010). The relationship between general population suicide rates and mental health funding, service provision and national policy: a cross-national study. *The International journal of social psychiatry, 56*(4), 448-453. (http://www.ncbi.nlm.nih.gov/pubmed/19651691)

Shah, A., & V. Bhatia. (2010). The relationship between elderly suicide rates and smoking in England and Wales. *International psychogeriatrics / IPA, 22*(3), 504-507.

Shah, A., S. Zarate-Escudero, & M. Somayaji. (2010). The relationship between elderly suicide rates and telephone use: a cross-national study. *International psychogeriatrics / IPA, 22*(7), 1191-1192.

Shim, R. S., & M. T. Compton. (2010). Pilot testing and preliminary evaluation of a suicide prevention education program for emergency department personnel. *Community mental health journal, 46*(6), 585-590. (http://www.ncbi.nlm.nih.gov/pubmed/19731019)

Short, B. W. (2010). The question of the constitutional case against suicide: an historiographical and originalist inquiry into the degree to which the theory of the inalienable right to life and liberty is enforced by the Thirteenth Amendment. *Issues in law & medicine, 26*(2), 91-195. (http://www.ncbi.nlm.nih.gov/pubmed/21309254)

Sinclair, J. M., K. Hawton, & A. Gray. (2010). Six year follow-up of a clinical sample of self-harm patients. *Journal of affective disorders, 121*(3), 247-252. (http://www.ncbi.nlm.nih.gov/pubmed/19564047)

Sinyor, M., & A. J. Levitt. (2010). Effect of a barrier at Bloor Street Viaduct on suicide rates in Toronto: natural experiment. *Clinical research ed, 341*, c2884. (http://www.ncbi.nlm.nih.gov/pubmed/20605890)

Siva, N. (2010). Sri Lanka struggles with mental health burden. *Lancet, 375*(9718), 880-881.

Skodlar, B., & J. Parnas. (2010). Self-disorder and subjective dimensions of suicidality in schizophrenia. *Comprehensive psychiatry, 51*(4), 363-366. (http://www.ncbi.nlm.nih.gov/pubmed/20579508)

Slovak, K., & T. W. Brewer. (2010). Suicide and firearm means restriction: can training make a difference? *Suicide & life threatening behavior, 40*(1), 63-73. (http://www.ncbi.nlm.nih.gov/pubmed/20170262)

Solarino, B., B. Riesselmann, C. T. Buschmann, & M. Tsokos. (2010). Multidrug poisoning involving nicotine and tramadol. *Forensic science international, 194*(1-3), e17-19. (http://www.ncbi.nlm.nih.gov/pubmed/19850423)

Stattin, P., H. Garmo, G. Steineck, & A. Bill-Axelson. (2010). Re: Immediate risk of suicide and cardiovascular death after a prostate cancer diagnosis: cohort study in the United States. *Journal of the National Cancer Institute, 102*(18), 1447-1448.

Stemberga, V., M. Bralic, M. Coklo, D. Cuculic, & A. Bosnar. (2010). Suicidal drowning in Southwestern Croatia: a 25-year review. *The American journal of forensic medicine and pathology, 31*(1), 52-54. (http://www.ncbi.nlm.nih.gov/pubmed/19918158)

Strzelecki, A., N. Pichon, J. M. Gaulier, J. B. Amiel, P. Champy, & M. Clavel. (2010). Acute toxic herbal intake in a suicide attempt and fatal refractory ventricular arrhythmia. *Basic & clinical pharmacology & toxicology, 107*(2), 698-699. (http://www.ncbi.nlm.nih.gov/pubmed/20353487)

Sturgeon, R., & P. J. Morrissette. (2010). A Qualitative Analysis of Suicide Ideation among Manitoban Farmers. *Canadian Journal of Counselling v44*(2).

Styka, A. N., D. S. White, R. E. Zumwalt, & S. L. Lathrop. (2010). Trends in adult suicides in New Mexico: utilizing data from the New Mexico violent death reporting system. *Journal of forensic sciences, 55*(1), 93-99. (http://www.ncbi.nlm.nih.gov/pubmed/20412156)

Swann, W. B., Jr., A. Gómez, J. F. Dovidio, S. Hart, & J. Jetten. (2010). Dying and killing for one's group: identity fusion moderates responses to intergroup versions of the trolley problem. *Psychological science : a journal of the American Psychological Society / APS, 21*(8), 1176-1183. (http://www.ncbi.nlm.nih.gov/pubmed/20622141)

Symons, F. J., B. J. Byiers, M. Raspa, E. Bishop, & D. B. Bailey, Jr. (2010). Self-Injurious Behavior and Fragile X Syndrome: Findings from the National Fragile X Survey. *American Journal on Intellectual and Developmental Disabilities, 115*(6), 473-481. (http://www.ncbi.nlm.nih.gov/pubmed/20946000)

Takahashi, M., H. Kinoshita, M. Nishiguchi, & H. Nishio. (2010). Detection of metallic elements from paraffin-embedded tissue blocks by energy dispersive X-ray fluorescence spectrometry. *Tokyo, Japan, 12*(2), 102-103. (http://www.ncbi.nlm.nih.gov/pubmed/20110190)

Takai, M., K. Yamamoto, Y. Iwamitsu, S. Miyaji, H. Yamamoto, et. al. (2010). Exploration of factors related to hara-kiri as a method of suicide and suicidal behavior. *European psychiatry : the journal of the Association of European Psychiatrists, 25*(7), 409-413. (http://www.ncbi.nlm.nih.gov/pubmed/20427155)

Taylor, P. J., Y. Awenat, P. Gooding, J. Johnson, D. Pratt, A. Wood, & N. Tarrier. (2010). The subjective experience of participation in schizophrenia research: a practical and ethical issue. *The Journal of nervous and mental disease, 198*(5), 343-348. (http://www.ncbi.nlm.nih.gov/pubmed/20458196)

Taylor, P. J., P. A. Gooding, A. M. Wood, & N. Tarrier. (2010). Memory specificity as a risk factor for suicidality in non-affective psychosis: the ability to recall specific autobiographical memories is related to greater suicidality. *Behaviour research and therapy, 48*(10), 1047-1052. (http://www.ncbi.nlm.nih.gov/pubmed/20579634)

Tewksbury, R., G. Suresh, & R. M. Holmes. (2010). Factors related to suicide via firearms and hanging and leaving of suicide notes. *International Journal of Men's Health, 9*(1), 40-49.

Thierauf, A., J. Preuss, E. Lignitz, & B. Madea. (2010). Retrospective analysis of fatal falls. *Forensic science international, 198*(1-3), 92-96. (http://www.ncbi.nlm.nih.gov/pubmed/20176452)

Thompson, D., D. Goebert, & J. Takeshita. (2010). A program for reducing depressive symptoms and suicidal ideation in medical students. *Academic medicine : journal of the Association of American Medical Colleges, 85*(10), 1635-1639. (http://www.ncbi.nlm.nih.gov/pubmed/20881686)

Tien, H. C., S. Acharya, & D. A. Redelmeier. (2010). Preventing deaths in the Canadian military. *American journal of preventive medicine, 38*(3), 331-339. (http://www.ncbi.nlm.nih.gov/pubmed/20171536)

Tigges-Limmer, K., M. Schönbrodt, D. Roefe, L. Arusoglu, M. Morshuis, & J. F. Gummert. (2010). Suicide after ventricular assist device implantation. *The Journal of heart and lung transplantation, 29*(6), 692-694. (http://www.ncbi.nlm.nih.gov/pubmed/20207168)

Till, B., T. Niederkrotenthaler, A. Herberth, P. Vitouch, & G. Sonneck. (2010). Suicide in films: the impact of suicide portrayals on nonsuicidal viewers' well-being and the effectiveness of censorship. *Suicide & life threatening behavior, 40*(4), 319-327. (http://www.ncbi.nlm.nih.gov/pubmed/20822358)

Tindle, H. A., B. Omalu, A. Courcoulas, M. Marcus, J. Hammers, & L. H. Kuller. (2010). Risk of suicide after long-term follow-up from bariatric surgery. *The American journal of medicine, 123*(11), 1036-1042. (http://www.ncbi.nlm.nih.gov/pubmed/20843498)

Tombal, B. (2010). Prostate cancer, depression, and risk of suicide: should we pay more attention? *European urology, 57*(3), 396-397.

Topol, E. J., M. G. Bousser, K. A. Fox, M. A. Creager, J. P. Despres, J. D. Easton, et. al. (2010). Rimonabant for prevention of cardiovascular events (CRESCENDO): a randomised, multicentre, placebo-controlled trial. *Lancet, 376*(9740), 517-523. (http://www.ncbi.nlm.nih.gov/pubmed/20709233)

Tsai, J.-F. (2010). The Media and Suicide: Evidence Based on Population Data over 9 Years in Taiwan. *Suicide and Life-Threatening Behavior, 40*(1), 81-86. (http://www.ncbi.nlm.nih.gov/pubmed/20170264)

---. (2010). Socioeconomic factors outweigh climate in the regional difference of suicide death rate in Taiwan. *Psychiatry Research, 179*(2), 212-216. (http://www.ncbi.nlm.nih.gov/pubmed/20483166)

Tsai, W. P., L. Y. Lin, W. L. Chang, H. C. Chang, & M. C. Chou. (2010). The effects of the suicide awareness program in enhancing community volunteers' awareness of suicide warning signs. *Archives of psychiatric nursing, 24*(1), 63-68. (http://www.ncbi.nlm.nih.gov/pubmed/20117690)

Tseng, K. C., C. M. Chang, S. C. Liao, Y. Y. Chen, & M. B. Lee. (2010). Factors of early suicide after discharge: a national linkage study for suicide victims in Taiwan. *Suicide & life threatening behavior, 40*(4), 353-368. (http://www.ncbi.nlm.nih.gov/pubmed/20822362)

Tucker, T. M. (2010). *Examining the impact of historical/developmental, sociodemographic, and psychological factors on passive suicide among african-american men.* Unpublished Thesis, ProQuest Information & Learning, US.

Turillazzi, E., G. Vacchiano, A. Luna-Maldonado, M. Neri, C. Pomara, R. Rabozzi, et. al. (2010). Tryptase, CD15 and IL-15 as reliable markers for the determination of soft and hard ligature marks vitality. *Histology and histopathology, 25*(12), 1539-1546. (http://www.ncbi.nlm.nih.gov/pubmed/20886434)

Tzeng, W. C., P. Y. Su, H. H. Chiang, P. Y. Kuan, & J. F. Lee. (2010). The invisible family: a qualitative study of suicide survivors in Taiwan. *Western journal of nursing research, 32*(2), 185-198. (http://www.ncbi.nlm.nih.gov/pubmed/19915201)

Tzeng, W. C., P. Y. Su, N. S. Tzeng, C. B. Yeh, T. H. Chen, & C. H. Chen. (2010). A moral life after a suicide death in Taiwan. *Qualitative health research, 20*(7), 999-1007. (http://www.ncbi.nlm.nih.gov/pubmed/20360566)

Ulcickas Yood, M., G. Delorenze, C. P. Quesenberry, Jr., A. L. Tsai, S. Phillips, et. al. (2010). Epidemiologic study of aripiprazole use and the incidence of suicide events. *Pharmacoepidemiology and drug safety, 19*(11), 1124-1130. (http://www.ncbi.nlm.nih.gov/pubmed/20925132)

Valdizán, E. M., R. Díez-Alarcia, J. González-Maeso, F. Pilar-Cuéllar, et. al. (2010). $_2$ -Adrenoceptor functionality in postmortem frontal cortex of depressed suicide victims. *Biological psychiatry, 68*(9), 869-872. (http://www.ncbi.nlm.nih.gov/pubmed/20864091)

Valente, S. M. (2010). Oncology nurses' knowledge of suicide evaluation and prevention. *Cancer nursing, 33*(4), 290-295. (http://www.ncbi.nlm.nih.gov/pubmed/20467313)

Valente, S. M., & B. L. Kennedy. (2010). End the bipolar tug-of-war. *The Nurse practitioner, 35*(2), 36-45.

VanCott, A. C., J. A. Cramer, L. A. Copeland, J. E. Zeber, M. A. Steinman, et. al. (2010). Suicide-related behaviors in older patients with new anti-epileptic drug use: data from the VA hospital system. *BMC medicine, 8*, 4. (http://www.ncbi.nlm.nih.gov/pubmed/20064226)

Vannoy, S. D., T. Fancher, C. Meltvedt, J. Unützer, P. Duberstein, & R. L. Kravitz. (2010). Suicide inquiry in primary care: creating context, inquiring, and following up. *Annals of family medicine, 8*(1), 33-39. (http://www.ncbi.nlm.nih.gov/pubmed/2006527)

Värnik, P., M. Sisask, A. Värnik, A. Yur'yev, K. Kõlves, L. Leppik, et. al. (2010). Massive increase in injury deaths of undetermined intent in ex-USSR Baltic and Slavic countries: hidden suicides? *Scandinavian journal of*

Wilson, A. (2010). Consumer participation: ensuring suicide postvention research counts for end users. *International journal of nursing practice, 16*(1), 7-13. (http://www.ncbi.nlm.nih.gov/pubmed/20158542)

Windfuhr, K., H. Bickley, D. While, A. Williams, I. M. Hunt, L. Appleby, & N. Kapur. (2010). Nonresident suicides in England: a national study. *Suicide & life threatening behavior, 40*(2), 151-158. (http://www.ncbi.nlm.nih.gov/pubmed/20465350)