2005 Research Bibliography on Suicide Prevention in Working Age Males

Idaho Suicide Prevention Research Project

Funded by the Idaho Department of Health & Welfare

December, 2009

"Prisons. BOP to Pay $1.1 Million Award for False Aids-Suicide Claim." AIDS Policy Law 20.4 (2005): 8.

Abel EL, and ML Kruger. "Birth Month and Suicide Among Major League Baseball Players." Perceptual and Motor Skills. 101.1 (2005): 21-4. (http://www.ncbi.nlm.nih.gov/pubmed/16350605)

---. "Educational Attainment and Suicide Rates in the United States." Psychological Reports. 97.1 (2005): 25-8. (http://www.ncbi.nlm.nih.gov/pubmed/16279300)

Abraham VJ, et al. "Suicide in the Elderly in Kaniyambadi Block, Tamil Nadu, South India." International Journal of Geriatric Psychiatry. 20.10 (2005): 953-5. (http://www.ncbi.nlm.nih.gov/pubmed/16163746)

Agerbo E. "Effect of Psychiatric Illness and Labour Market Status on Suicide: a Healthy Worker Effect?" Journal of Epidemiology and Community Health. 59.7 (2005): 598-602. (http://www.ncbi.nlm.nih.gov/pubmed/15965145)

---. "Midlife Suicide Risk, Partner's Psychiatric Illness, Spouse and Child Bereavement by Suicide or Other Modes of Death: a Gender Specific Study." Journal of Epidemiology and Community Health. 59.5 (2005): 407-12. (http://www.ncbi.nlm.nih.gov/pubmed/15831691)

Ajdacic-Gross V, et al. "Diversity and Change in Suicide Seasonality Over 125 Years." Journal of Epidemiology and Community Health. 59.11 (2005): 967-72. (http://www.ncbi.nlm.nih.gov/pubmed/16234425)

Akiskal HS, et al. "Agitated "unipolar" Depression Re-Conceptualized As a Depressive Mixed State: Implications for the Antidepressant-Suicide Controversy." Journal of Affective Disorders. 85.3 (2005): 245-58. (http://www.ncbi.nlm.nih.gov/pubmed/15780694)

Albanese A, et al. "Suicide After Successful Deep Brain Stimulation for Movement Disorders." Neurology. 65.3 (2005): 499-500; author reply 499-500.

Allen, Mary. "Mental Health and Suicide." Mental Health and Social Policy in Ireland. Eds. Suzanne Quin and Bairbre Redmond. Chester Springs, PA: University of Dublin Press/Dufour Editions, 2005. 88-103.

Alpass, Fiona M., and Stephen J. Neville. "Suicidal Ideation in Older New Zealand Males (1991-2000)." International Journal of Men's Health. 4.3 (2005): 277-285.

Altindag A, and M Yanik. "Suicide Pact Among Three Young Sisters." The Israel Journal of Psychiatry and Related Sciences. 42.4 (2005): 278-80. (http://www.ncbi.nlm.nih.gov/pubmed/16618062)

Altindag, Abdurrahman, et al. "Suicide in Batman, Southeastern Turkey." Suicide and Life-Threatening Behavior. 35.4 (2005): 478-482. (http://www.ncbi.nlm.nih.gov/pubmed/16184698)

Amagasa T, et al. "Karojisatsu in Japan: Characteristics of 22 Cases of Work-Related Suicide." Journal of Occupational Health. 47.2 (2005): 157-64. (http://www.ncbi.nlm.nih.gov/pubmed/15824481)

Angst, Jules, et al. "Suicide in 406 Mood-Disorder Patients With and Without Long-Term Medication: A 40 to 44 Years' Follow-Up." Archives of Suicide Research. 9.3 (2005): 279-300. (http://www.ncbi.nlm.nih.gov/pubmed/16020171)

Aoki, Kazuo, et al. "Suicide and Homicide Effects on Life Expectancy and Mortality in Ireland." Homeostasis in Health and Disease. 43.3 (2005): 128-135.

Awata S, et al. "Factors Associated with Suicidal Ideation in an Elderly Urban Japanese Population: a Community-Based, Cross-Sectional Study." Psychiatry and Clinical Neurosciences. 59.3 (2005): 327-36. (http://www.ncbi.nlm.nih.gov/pubmed/15896227)

Baca-Garcia E, et al. "Suicide Attempts and Impulsivity." European Archives of Psychiatry and Clinical Neuroscience. 255.2 (2005): 152-6. (http://www.ncbi.nlm.nih.gov/pubmed/15549343)

Beasley M, and D Reith. "Deaths from Poisoning in New Zealand--New Study Helps Identify and Justify Priorities for Prevention." The New Zealand Medical Journal. 118.1225 (2005): U1723.

Bennewith O, et al. "Suicide by Hanging: Multicentre Study Based on Coroners' Records in England." The British Journal of Psychiatry: the Journal of Mental Science. 186 (2005): 260-1. (http://www.ncbi.nlm.nih.gov/pubmed/15738509)

---. "The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention." Suicide and Life-Threatening Behavior. 35.6 (2005): 607-614. (http://www.ncbi.nlm.nih.gov/pubmed/16552976)

---. ""Potentially preventable suicide": Reply." British Journal of Psychiatry. 187.2 (2005): 191.

Berecz R, et al. "Reduced Completed Suicide Rate in Hungary from 1990 to 2001: Relation to Suicide Methods." Journal of Affective Disorders. 88.2 (2005): 235-8. (http://www.ncbi.nlm.nih.gov/pubmed/16122812)

Berko A, and E Erez. ""Ordinary People" and "death Work": Palestinian Suicide Bombers As Victimizers and Victims." Violence and Victims. 20.6 (2005): 603-23. (http://www.ncbi.nlm.nih.gov/pubmed/16468441)

Bhugra D. "Sati: a Type of Nonpsychiatric Suicide." Crisis. 26.2 (2005): 73-7. (http://www.ncbi.nlm.nih.gov/pubmed/16138743)

Bielau H, et al. "Differences in Activation of the Dorsal Raphe Nucleus Depending on Performance of Suicide." Brain Research. 1039.1-2 (2005): 43-52. (http://www.ncbi.nlm.nih.gov/pubmed/15781045)

Biermann T, et al. "Influence of Lunar Phases on Suicide: the End of a Myth? A Population-Based Study." Chronobiology International. 22.6 (2005): 1137-43. (http://www.ncbi.nlm.nih.gov/pubmed/16393713)

Bilban M, and L Skibin. "Presence of Alcohol in Suicide Victims." Forensic Science International. 147 (2005): S9-12. (http://www.ncbi.nlm.nih.gov/pubmed/15694738)

Bills CB, et al. "Suicide by Aircraft: a Comparative Analysis." Aviation, Space, and Environmental Medicine. 76.8 (2005): 715-9. (http://www.ncbi.nlm.nih.gov/pubmed/16110685)

Bills CB, and G Li. "Correlating Homicide and Suicide." International Journal of Epidemiology. 34.4 (2005): 837-45. (http://www.ncbi.nlm.nih.gov/pubmed/15851396)

Björk T, and P Lindqvist. "Mortality Among Mentally Disordered Offenders: a Community Based Follow-Up Study." Criminal Behaviour and Mental Health: CBMH. 15.2 (2005): 93-6. (http://www.ncbi.nlm.nih.gov/pubmed/16470503)

Björkstén KS, et al. "Suicides in the Midnight Sun--a Study of Seasonality in Suicides in West Greenland." Psychiatry Research. 133.2-3 (2005): 205-13. (http://www.ncbi.nlm.nih.gov/pubmed/15740996)

Blaauw, Eric, et al. "Demographic, Criminal, and Psychiatric Factors Related to Inmate Suicide." Suicide and Life Threatening Behavior. 35.1 (2005): 63-75. (http://www.ncbi.nlm.nih.gov/pubmed/15843324)

Boldrini M, et al. "More Tryptophan Hydroxylase in the Brainstem Dorsal Raphe Nucleus in Depressed Suicides." Brain Research. 1041.1 (2005): 19-28. (http://www.ncbi.nlm.nih.gov/pubmed/15804496)

Bolliger S, et al. "Postmortem Non-Invasive Virtual Autopsy: Death by Hanging in a Car." Journal of Forensic Sciences. 50.2 (2005): 455-60. (http://www.ncbi.nlm.nih.gov/pubmed/15813559)

Born C, et al. "Newer Prophylactic Agents for Bipolar Disorder and Their Influence on Suicidality." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.3 (2005): 301-6. (http://www.ncbi.nlm.nih.gov/pubmed/16020172)

Botega NJ, et al. "Nursing Personnel Attitudes Towards Suicide: the Development of a Measure Scale." Revista Brasileira De Psiquiatria (São Paulo, Brazil: 1999). 27.4 (2005): 315-8. (http://www.ncbi.nlm.nih.gov/pubmed/16358114)

Bould S. "A Population Health Perspective on Disability and Depression in Elderly Women and Men." Journal of Aging & Social Policy. 17.2 (2005): 7-24.

Boyle P, et al. "Suicide Gap Among Young Adults in Scotland: Population Study." BMJ (Clinical Research Ed.). 330.7484 (2005): 175-6.

Brådvik L, and M Berglund. "Suicide in Severe Depression Related to Treatment: Depressive Characteristics and Rate of Antidepressant Overdose." European Archives of Psychiatry and Clinical Neuroscience. 255.4 (2005): 245-50. (http://www.ncbi.nlm.nih.gov/pubmed/16133742)

Breslau N, et al. "Smoking and the Risk of Suicidal Behavior: a Prospective Study of a Community Sample." Archives of General Psychiatry. 62.3 (2005): 328-34. (http://www.ncbi.nlm.nih.gov/pubmed/15753246)

Bridges FS, and JC Kunselman. "Premature Mortality Due to Suicide, Homicide, and Motor Vehicle Accidents in Health Service Delivery Areas: Comparison of Status Indians in British Columbia, Canada, with All Other Residents." Psychological Reports. 97.3 (2005): 739-49. (http://www.ncbi.nlm.nih.gov/pubmed/16512290)

Bromet EJ, et al. "Long-Term Diagnostic Stability and Outcome in Recent First-Episode Cohort Studies of Schizophrenia." Schizophrenia Bulletin. 31.3 (2005): 639-49. (http://www.ncbi.nlm.nih.gov/pubmed/15976012)

Brønnum-Hansen H, et al. "Suicide Among Danes with Multiple Sclerosis." Journal of Neurology, Neurosurgery, and Psychiatry. 76.10 (2005): 1457-9. (http://www.ncbi.nlm.nih.gov/pubmed/16170097)

Brown CA, et al. "Case Reports: Suicidal Ideation in the Dermatology Clinic." Journal of Drugs in Dermatology: JDD. 4.4 (2005): 495-8. (http://www.ncbi.nlm.nih.gov/pubmed/16004025)

Brown GK, et al. "The Internal Struggle between the Wish to Die and the Wish to Live: a Risk Factor for Suicide." The American Journal of Psychiatry. 162.10 (2005): 1977-9. (http://www.ncbi.nlm.nih.gov/pubmed/16199851)

Burrows, Stephanie, and Lucie Laflamme. "Living Circumstances of Suicide Mortality in a South African City: An Ecological Study of Differences across Race Groups and Sexes." Suicide and Life-Threatening Behavior. 35.5 (2005): 592-603. (http://www.ncbi.nlm.nih.gov/pubmed/16268775)

Butterfield MI, et al. "Neuroactive Steroids and Suicidality in Posttraumatic Stress Disorder." The American Journal of Psychiatry. 162.2 (2005): 380-2. (http://www.ncbi.nlm.nih.gov/pubmed/15677605)

Bynum ND, et al. "Postmortem Distribution of Tramadol, Amitriptyline, and Their Metabolites in a Suicidal Overdose." Journal of Analytical Toxicology. 29.5 (2005): 401-6. (http://www.ncbi.nlm.nih.gov/pubmed/16105270)

Cameron S, et al. "Artists' Suicides As a Public Good." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.4 (2005): 389-96. (http://www.ncbi.nlm.nih.gov/pubmed/16179336)

Carter G, et al. "Non-Suicidal Deaths Following Hospital-Treated Self-Poisoning." The Australian and New Zealand Journal of Psychiatry. 39.1-2 (2005): 101-7. (http://www.ncbi.nlm.nih.gov/pubmed/15660712)

Catty J. "Suicide in Classical Mythology: Not Just a Case-Series? " Acta Psychiatrica Scandinavica. 112.5 (2005): 402; author reply 403.

Chotai J. "Suicide Aggregation in Relation to Socio-Demographic Variables and the Suicide Method in a General Population: Assortative Susceptibility." Nordic Journal of Psychiatry. 59.5 (2005): 325-30. (http://www.ncbi.nlm.nih.gov/pubmed/16757459)

Chowdhury, Arabinda N., et al. "Household Survey of Suicidal Behaviour in a Coastal Village of Sundarban Region, India." International Medical Journal. 12.4 (2005): 275-282.

Clatts, Michael C., and Lloyd A. “NYC: A Preliminary Epidemiological Profile.” Substance Use & Misuse Club Drug Epidemiology. 40.9-10 (2005): 1317-30. (http://www.ncbi.nlm.nih.gov/pubmed/16048819)

Cochran, Sam V. "Assessing and Treating Depression in Men." Brooks, Gary R. Ed. Glenn E. Good. San Francisco, CA: The new handbook of psychotherapy and counseling with men: A comprehensive guide to settings, problems, and treatment approaches (Rev. & abridged ed.).; 121-133; San Francisco, CA, US: Jossey-Bass, 2005, xii, 443.

Coles OB. "Relationship between Economic Development and Suicide Mortality: a Global Cross-Sectional Analysis in an Epidemiological Transition Perspective by Moniruzzaman and Andersson (Public Health 118 (5), 346-348)." Public Health. 119.1 (2005): 71-2; author reply 72-3.

Compton MT, et al. "Social Environment Factors Associated with Suicide Attempt Among Low-Income African Americans: the Protective Role of Family Relationships and Social Support." Social Psychiatry and Psychiatric Epidemiology. 40.3 (2005): 175-85. (http://www.ncbi.nlm.nih.gov/pubmed/15742221)

Conant, James Brian. "Changing irrational beliefs and building life meaning: An innovative treatment approach for working with depressed inmates." Dissertation Abstracts International: Section B: The Sciences and Engineering. 65.10-B (2005): 5392.

Coryell W, and EA Young. "Clinical Predictors of Suicide in Primary Major Depressive Disorder." The Journal of Clinical Psychiatry. 66.4 (2005): 412-7. (http://www.ncbi.nlm.nih.gov/pubmed/1581671)

Cottler LB, et al. "Predictors of High Rates of Suicidal Ideation Among Drug Users." The Journal of Nervous and Mental Disease. 193.7 (2005): 431-7. (http://www.ncbi.nlm.nih.gov/pubmed/15985836)

Courtet P, et al. "The Monoamine Oxidase A Gene May Influence the Means Used in Suicide Attempts." Psychiatric Genetics. 15.3 (2005): 189-93. (http://www.ncbi.nlm.nih.gov/pubmed/16094253)

Cowell JM, et al. "Depression and Suicidal Ideation Among Mexican American School-Aged Children." Research and Theory for Nursing Practice. 19.1 (2005): 77-94. (http://www.ncbi.nlm.nih.gov/pubmed/15989168)

Cutcliffe JR. "Toward an Understanding of Suicide in First-Nation Canadians." Crisis. 26.3 (2005): 141-5. (http://www.ncbi.nlm.nih.gov/pubmed/16276757)

Dabbagh, Nadia Taysir. Suicide in Palestine: Narratives of Despair. Northampton, MA, US; Olive Branch Press, 2005.

Daigle MS. "Suicide Prevention Through Means Restriction: Assessing the Risk of Substitution. A Critical Review and Synthesis." Accident; Analysis and Prevention. 37.4 (2005): 625-32. (http://www.ncbi.nlm.nih.gov/pubmed/15949453)

Daniel, Anasseril E., and Jennifer Fleming. "Serious suicide attempts in a state correctional system and strategies to prevent suicide." Journal of Psychiatry & Law. 33.2 (2005): 227-247.

Darke S, et al. "Attempted Suicide Among Heroin Users: 12-Month Outcomes from the Australian Treatment Outcome Study (ATOS)." Drug and Alcohol Dependence. 78.2 (2005): 177-86. (http://www.ncbi.nlm.nih.gov/pubmed/15845321)

D'Augelli AR, et al. "Predicting the Suicide Attempts of Lesbian, Gay, and Bisexual Youth." Suicide & Life-Threatening Behavior. 35.6 (2005): 646-60. (http://www.ncbi.nlm.nih.gov/pubmed/16552980)

Dawson, Myrna. "Intimate Femicide Followed by Suicide: Examining the Role of Premeditation." Suicide and Life Threatening Behavior. 35.1 (2005): 76-90. (http://www.ncbi.nlm.nih.gov/pubmed/15843325)

Mello-Santos C, et al. "Epidemiology of Suicide in Brazil (1980-2000): Characterization of Age and Gender Rates of Suicide." Revista Brasileira De Psiquiatria (São Paulo, Brazil: 1999). 27.2 (2005): 131-4. (http://www.ncbi.nlm.nih.gov/pubmed/15962138)

deRoux SJ, E Marker, and M Stajic. "Fatalities by Ingestion of Propylene Glycol." Journal of Forensic Sciences. 50.4 (2005): 939-41. (http://www.ncbi.nlm.nih.gov/pubmed/16078503)

Desinan L, and GM Mazzolo. "Gunshot Fatalities: Suicide, Homicide or Accident? A Series of 48 Cases." Forensic Science International. 147 (2005): S37-40. (http://www.ncbi.nlm.nih.gov/pubmed/15694725)

Dickstein L. "Intimate Partner Violence: Homicides Followed by Suicides in Kentucky." The Journal of the Kentucky Medical Association. 103.3 (2005): 112.

Didham RC, et al. "Suicide and Self-Harm Following Prescription of SSRIs and Other Antidepressants: Confounding by Indication." British Journal of Clinical Pharmacology. 60.5 (2005): 519-25. (http://www.ncbi.nlm.nih.gov/pubmed/16236042)

Dong JY, et al. "A Case-Control Study of 92 Cases of in-Patient Suicides." Journal of Affective Disorders. 87.1 (2005): 91-9. (http://www.ncbi.nlm.nih.gov/pubmed/15967234)

Dueñas-Laita A, et al. "Acute Arsenic Poisoning." Lancet. 365.9475 (2005): 1982.

Dumais A, et al. "Risk Factors for Suicide Completion in Major Depression: a Case-Control Study of Impulsive and Aggressive Behaviors in Men." The American Journal of Psychiatry. 162.11 (2005): 2116-24. (http://www.ncbi.nlm.nih.gov/pubmed/16263852)

Dumais A, et al. "Is Violent Method of Suicide a Behavioral Marker of Lifetime Aggression? " The American Journal of Psychiatry. 162.7 (2005): 1375-8. (http://www.ncbi.nlm.nih.gov/pubmed/15994723)

Dwivedi Y, et al. "Suicide Brain Is Associated with Decreased Expression of Neurotrophins." Biological Psychiatry. 58.4 (2005): 315-24. (http://www.ncbi.nlm.nih.gov/pubmed/15939410)

Eddleston M, et al. "Epidemiology of Intentional Self-Poisoning in Rural Sri Lanka." The British Journal of Psychiatry: the Journal of Mental Science. 187 (2005): 583-4. (http://www.ncbi.nlm.nih.gov/pubmed/16319413)

Erlangsen A, et al. "Psychiatric Hospitalisation and Suicide Among the Very Old in Denmark: Population-Based Register Study." The British Journal of Psychiatry: the Journal of Mental Science. 187 (2005): 43-8. (http://www.ncbi.nlm.nih.gov/pubmed/15994570)

---. "The Effect of Hospitalization with Medical Illnesses on the Suicide Risk in the Oldest Old: A Population-Based Register Study." Journal of the American Geriatrics Society. 53.5 (2005): 771-776. (http://www.ncbi.nlm.nih.gov/pubmed/15877551)

Ermenc B, and T Prijon. "Suicide, Accident? The Importance of the Scene Investigation." Forensic Science International. 147 (2005): S21-4. (http://www.ncbi.nlm.nih.gov/pubmed/15694721)

Estrella, Jacqueline F. "Examining risk factors associated with attempted suicide among a forensic psychiatric population." Dissertation Abstracts International: Section B: The Sciences and Engineering. 65.10-B (2005): 5397.

Fazel S, et al. "Suicides in Male Prisoners in England and Wales, 1978-2003." Lancet. 366.9493 (2005): 1301-2. (http://www.ncbi.nlm.nih.gov/pubmed/16214601)

Fenton TW, et al. "Symmetrical Fracturing of the Skull from Midline Contact Gunshot Wounds: Reconstruction of Individual Death Histories from Skeletonized Human Remains." Journal of Forensic Sciences. 50.2 (2005): 274-85. (http://www.ncbi.nlm.nih.gov/pubmed/15813537)

Filipovic B, et al. "Morphological Differences Among Cavum Septi Pellucidi Obtained in Patients with Schizophrenia and Healthy Individuals: Forensic Implications. A Post-Mortem Study." Psychiatry and Clinical Neurosciences. 59.1 (2005): 106-8. (http://www.ncbi.nlm.nih.gov/pubmed/15679549)

Fisekovic S, and L Burnazovic. "Clinical Features in Emergency Psychiatric Conditions." Psychiatria Danubina. 17.3-4 (2005): 197-200. (http://www.ncbi.nlm.nih.gov/pubmed/16392427)

Flanagan RJ, et al. "Suspected Clozapine Poisoning in the UK/Eire, 1992-2003." Forensic Science International. 155.2-3 (2005): 91-9. (http://www.ncbi.nlm.nih.gov/pubmed/16226146)

Fleischmann A, et al. "Characteristics of Attempted Suicides Seen in Emergency-Care Settings of General Hospitals in Eight Low- and Middle-Income Countries." Psychological Medicine. 35.10 (2005): 1467-74. (http://www.ncbi.nlm.nih.gov/pubmed/16164770)

Fraser CE, et al. "Farming and Mental Health Problems and Mental Illness." The International Journal of Social Psychiatry. 51.4 (2005): 340-9. (http://www.ncbi.nlm.nih.gov/pubmed/16400909)

Friedman B, et al. "Depression and Suicidal Behaviors in Medicare Primary Care Patients Under Age 65." Journal of General Internal Medicine. 20.5 (2005): 397-403. (http://www.ncbi.nlm.nih.gov/pubmed/15963160)

Frühwald S, and P Frottier. "Suicide in Prison." Lancet. 366.9493 (2005): 1242-4.

Fryzek JP, et al. "Retrospective Cohort Mortality Study of Workers Engaged in Motion Picture Film Processing." Journal of Occupational and Environmental Medicine / American College of Occupational and Environmental Medicine. 47.3 (2005): 278-86. (http://www.ncbi.nlm.nih.gov/pubmed/15761324)

Fujino, Yoshihisa, et al. "Prospective Cohort Study of Stress, Life Satisfaction, Self-Rated Health, Insomnia, and Suicide Death in Japan." Suicide and Life-Threatening Behavior. 35.2 (2005): 227-237. (http://www.ncbi.nlm.nih.gov/pubmed/15843339)

Fujisawa D, et al. "The Development of a Brief Screening Instrument for Depression and Suicidal Ideation for Elderly: the Depression and Suicide Screen." Psychiatry and Clinical Neurosciences. 59.6 (2005): 634-8. (http://www.ncbi.nlm.nih.gov/pubmed/16401236)

Fushimi M, et al. "Suicide Patterns and Characteristics in Akita, Japan." Psychiatry and Clinical Neurosciences. 59.3 (2005): 296-302. (http://www.ncbi.nlm.nih.gov/pubmed/15896223)

Garlow SJ, et al. "Ethnic Differences in Patterns of Suicide Across the Life Cycle." The American Journal of Psychiatry. 162.2 (2005): 319-23. (http://www.ncbi.nlm.nih.gov/pubmed/15677597)

Garno, J. L., et al. "Bipolar Disorder with Comorbid Cluster B Personality Disorder Features: Impact on Suicidality." J Clin Psychiatry 66.3 (2005): 339-45. (http://www.ncbi.nlm.nih.gov/pubmed/15766300)

Gaudiano BA, et al. "Differential Response to Combined Treatment in Patients with Psychotic Versus Nonpsychotic Major Depression." The Journal of Nervous and Mental Disease. 193.9 (2005): 625-8. (http://www.ncbi.nlm.nih.gov/pubmed/16131946)

Gil S. "Suicide Attempters Vs. Ideators: Are There Differences in Personality Profiles? " Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.2 (2005): 153-61. (http://www.ncbi.nlm.nih.gov/pubmed/16020159)

Gold MS, et al. "Physician Suicide and Drug Abuse." The American Journal of Psychiatry. 162.7 (2005): 1390; author reply 1390.

Goldberg JF, et al. "Suicidal Ideation and Pharmacotherapy Among STEP-BD Patients." Psychiatric Services (Washington, D.C.). 56.12 (2005): 1534-40. (http://www.ncbi.nlm.nih.gov/pubmed/16339615)

Goodwin RD, and WW Eaton. "Asthma, Suicidal Ideation, and Suicide Attempts: Findings from the Baltimore Epidemiologic Catchment Area Follow-Up." American Journal of Public Health. 95.4 (2005): 717-22. (http://www.ncbi.nlm.nih.gov/pubmed/15798135)

Griffiths C, and RJ Flanagan. "Fatal Poisoning with Antipsychotic Drugs, England and Wales 1993-2002." Journal of Psychopharmacology (Oxford, England). 19.6 (2005): 667-74. (http://www.ncbi.nlm.nih.gov/pubmed/16272190)

Grimaldi L, et al. "Suicide by Pencil." Journal of Forensic Sciences. 50.4 (2005): 913-4. (http://www.ncbi.nlm.nih.gov/pubmed/16078497)

Guaiana G, et al. "Antidepressant Drug Consumption and Public Health Indicators in Italy, 1955 to 2000." The Journal of Clinical Psychiatry. 66.6 (2005): 750-5. (http://www.ncbi.nlm.nih.gov/pubmed/15960569)

Gunnell D, et al. "Low Intelligence Test Scores in 18 Year Old Men and Risk of Suicide: Cohort Study." BMJ (Clinical Research Ed.). 330.7484 (2005): 167. (http://www.ncbi.nlm.nih.gov/pubmed/15615767)

Gupta A, et al. "Apparent Suicidal Carbon Monoxide Poisonings with Concomitant Prescription Drug Overdoses." Journal of Analytical Toxicology. 29.7 (2005): 744-9. (http://www.ncbi.nlm.nih.gov/pubmed/16419412)

Hadi, Abdullahel. "Risk Factors of Violent Death in Rural Bangladesh, 1990-1999." Death Studies. 29.6 (2005): 559-572. (http://www.ncbi.nlm.nih.gov/pubmed/16187479)

Hakko, Helinä, et al. "Alcohol-Related Suicides in Victims with a History of Hospital-Treated Depression." The American Journal on Addictions. 14.5 (2005): 455-463. (http://www.ncbi.nlm.nih.gov/pubmed/16257882)

Halliwell RE, and BD Hoskin. "Reducing the Suicide Rate Among Veterinary Surgeons: How the Profession Can Help." The Veterinary Record. 157.14 (2005): 397-8. (http://www.ncbi.nlm.nih.gov/pubmed/16199772)

Hampton T. "Experts Address Risk of Physician Suicide." JAMA: the Journal of the American Medical Association. 294.10 (2005): 1189-91.

Harriss L, and K Hawton. "Suicidal Intent in Deliberate Self-Harm and the Risk of Suicide: the Predictive Power of the Suicide Intent Scale." Journal of Affective Disorders. 86.2-3 (2005): 225-33. (http://www.ncbi.nlm.nih.gov/pubmed/15935242)

Hart-Hester, Susan. "Elderly Suicides: A Need for Prevention." Internet Journal of Mental Health. 2.1 (2005): 1-10. (http://www.ncbi.nlm.nih.gov/pubmed/14524133)

Hatters Friedman S, et al. "Filicide-Suicide: Common Factors in Parents Who Kill Their Children and Themselves." The Journal of the American Academy of Psychiatry and the Law. 33.4 (2005): 496-504. (http://www.ncbi.nlm.nih.gov/pubmed/16394226)

Haw C, et al. "Alcohol Dependence, Excessive Drinking and Deliberate Self-Harm: Trends and Patterns in Oxford, 1989-2002." Social Psychiatry and Psychiatric Epidemiology. 40.12 (2005): 964-71. (http://www.ncbi.nlm.nih.gov/pubmed/16341616)

Hem, Erlend, et al. "Suicide Among Physicians." American Journal of Psychiatry. 162.11 (2005): 2199-2200.

---. "Suicide rates according to education with a particular focus on physicians in Norway 1960-2000." Psychological Medicine. 35.6 (2005): 873-880. (http://www.ncbi.nlm.nih.gov/pubmed/15997607)

Henningsen F. "Destruction and Guilt: Splitting and Reintegration in the Analysis of a Traumatised Patient." The International Journal of Psycho-Analysis. 86.Pt (2005): 353-73. (http://www.ncbi.nlm.nih.gov/pubmed/16089195)

Henriques, Gregg, et al. "Suicide Attempters' Reaction to Survival as a Risk Factor for Eventual Suicide." American Journal of Psychiatry. 162.11 (2005): 2180-2182. (http://www.ncbi.nlm.nih.gov/pubmed/16263863)

Higuchi H, et al. "Remarkable Effect of Selegiline (L-Deprenyl), a Selective Monoamine Oxidase Type-B Inhibitor, in a Patient with Severe Refractory Depression: a Case Report." Clinical Neuropharmacology. 28.4 (2005): 191-2. (http://www.ncbi.nlm.nih.gov/pubmed/16062100)

Hill, Doris Marie. "Sense of belonging as connectedness to selected areas of health and traditional practices in American Indians." Dissertation Abstracts International: Section B: The Sciences and Engineering. 66.1-B (2005): 203.

Hills, John. "Letter From Britain: The dance of violence." ANZJFT Australian and New Zealand Journal of Family Therapy. 26.4 (2005): 225-226.

Hoff, Karen. "Student outcomes for a district-wide school suicide prevention program." Dissertation Abstracts International: Section B: The Sciences and Engineering. 65.12-B (2005): 6654.

Hübner-Liebermann B, et al. "Treatment of Schizophrenia: Implications Derived from an Intercultural Hospital Comparison between Germany and Japan." The International Journal of Social Psychiatry. 51.1 (2005): 83-96. (http://www.ncbi.nlm.nih.gov/pubmed/15864978)

Hunsaker DM, et al. "Acute Selenium Poisoning: Suicide by Ingestion." Journal of Forensic Sciences. 50.4 (2005): 942-6. (http://www.ncbi.nlm.nih.gov/pubmed/16078504)

Ichimura A, et al. "Characteristics of Suicide Attempters with Depressive Disorders." Psychiatry and Clinical Neurosciences. 59.5 (2005): 590-4. (http://www.ncbi.nlm.nih.gov/pubmed/16194263)

---. "Changes in Mental Disorder Distribution Among Suicide Attempters in Mid-West Area of Kanagawa." Psychiatry and Clinical Neurosciences. 59.2 (2005): 113-8. (http://www.ncbi.nlm.nih.gov/pubmed/15823154)

Iliffe S, and J Manthorpe. "The Prevention of Suicide in Later Life: a Task for GPs? " The British Journal of General Practice: the Journal of the Royal College of General Practitioners. 55.513 (2005): 261-2.

---. "Screening May Not Reduce Suicide in Later Life." BMJ (Clinical Research Ed.). 330.7481 (2005): 43.

Inoue K, et al. "Underlying Factors for the Rapid Increase of Suicide in Mie Prefecture, Japan." Medicine, Science, and the Law. 45.4 (2005): 345-55. (http://www.ncbi.nlm.nih.gov/pubmed/16302381)

Isometsä E. "Suicide in Bipolar I Disorder in Finland: Psychological Autopsy Findings from the National Suicide Prevention Project in Finland." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.3 (2005): 251-60. (http://www.ncbi.nlm.nih.gov/pubmed/16020168)

Iwasaki M, et al. "Cigarette Smoking and Completed Suicide Among Middle-Aged Men: a Population-Based Cohort Study in Japan." Annals of Epidemiology. 15.4 (2005): 286-92. (http://www.ncbi.nlm.nih.gov/pubmed/15780776)

Johnson H, et al. "Mortality from Suicide and Drug-Related Poisoning by Day of the Week in England and Wales, 1993-2002." Health Statistics Quarterly / Office for National Statistics. 27 (2005): 13-6. (http://www.ncbi.nlm.nih.gov/pubmed/16138750)

Joiner, Thomas E., Jr, et al. "The Bidimensional Structure of Suicidal Symptoms in Nepal." Archives of Suicide Research. 9.4 (2005): 345-351. (http://www.ncbi.nlm.nih.gov/pubmed/16179330)

Joiner, Thomas. Why People Die by Suicide. Cambridge, MA, US; Harvard University Press, 2005.

Jorm AF, et al. "Belief in the Harmfulness of Antidepressants: Results from a National Survey of the Australian Public." Journal of Affective Disorders. 88.1 (2005): 47-53. (http://www.ncbi.nlm.nih.gov/pubmed/16019079)

Kalinin VV, and DA Polyanskiy. "Gender and Suicidality Prediction in Epilepsy." Epilepsy & Behavior: E&B. 7.4 (2005): 657-63. (http://www.ncbi.nlm.nih.gov/pubmed/16198152)

---. "Gender Differences in Risk Factors of Suicidal Behavior in Epilepsy." Epilepsy & Behavior: E&B. 6.3 (2005): 424-9. (http://www.ncbi.nlm.nih.gov/pubmed/15820353)

Kapur N, et al. "Self-Poisoning Suicides in England: a Multicentre Study." QJM: Monthly Journal of the Association of Physicians. 98.8 (2005): 589-97. (http://www.ncbi.nlm.nih.gov/pubmed/15983024)

Karanth S, and V Nayyar. "What Influences Outcome of Patients with Suicidal Hanging." The Journal of the Association of Physicians of India. 53 (2005): 853-6. (http://www.ncbi.nlm.nih.gov/pubmed/16459527)

Karege F, et al. "Neurotrophin Levels in Postmortem Brains of Suicide Victims and the Effects of Antemortem Diagnosis and Psychotropic Drugs." Brain Research. Molecular Brain Research. 136.1-2 (2005): 29-37. (http://www.ncbi.nlm.nih.gov/pubmed/15893584)

Karp JF, et al. "Pain Predicts Longer Time to Remission During Treatment of Recurrent Depression." The Journal of Clinical Psychiatry. 66.5 (2005): 591-7. (http://www.ncbi.nlm.nih.gov/pubmed/15889945)

---. "Body Pain and Treatment Response in Late-Life Depression." The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry. 13.3 (2005): 188-94. (http://www.ncbi.nlm.nih.gov/pubmed/15728749)

Kaslow, Nadine J., et al. "Social Risk and Protective Factors for Suicide Attempts in Low Income African American Men and Women." Suicide and Life-Threatening Behavior. 35.4 (2005): 400-412. (http://www.ncbi.nlm.nih.gov/pubmed/16178695)

Katsuta, Yuko. "Encounter Across the Pacific: Secrets of Death and Beauty of a Japanese Deciphered by an American." Contemporary Psychoanalysis. 41.3 (2005): 561-567.

Kellett SC, and DJ Gawkrodger. "A Prospective Study of the Responsiveness of Depression and Suicidal Ideation in Acne Patients to Different Phases of Isotretinoin Therapy." European Journal of Dermatology: EJD. 15.6 (2005): 484-8. (http://www.ncbi.nlm.nih.gov/pubmed/16280305)

Kellner CH, et al. "Relief of Expressed Suicidal Intent by ECT: a Consortium for Research in ECT Study." The American Journal of Psychiatry. 162.5 (2005): 977-82. (http://www.ncbi.nlm.nih.gov/pubmed/15863801)

Kenagy, Gretchen P., and Wendy B. Bostwick. "Health and social service needs of transgender people in Chicago." International Journal of Transgenderism. 8.2-3 (2005): 57-66.

Kennedy CH, et al. "Review of the First Year of an Overseas Military Gambling Treatment Program." Military Medicine. 170.8 (2005): 683-7. (http://www.ncbi.nlm.nih.gov/pubmed/16173209)

Kessing LV, et al. "Suicide Risk in Patients Treated with Lithium." Archives of General Psychiatry. 62.8 (2005): 860-6. (http://www.ncbi.nlm.nih.gov/pubmed/16061763)

Khokher S, and MM Khan. "Suicidal Ideation in Pakistani College Students." Crisis. 26.3 (2005): 125-7. (http://www.ncbi.nlm.nih.gov/pubmed/16276755)

Kim CD, et al. "Familial Aggregation of Suicidal Behavior: a Family Study of Male Suicide Completers from the General Population." The American Journal of Psychiatry. 162.5 (2005): 1017-9. (http://www.ncbi.nlm.nih.gov/pubmed/15863812)

Koski A, E Vuori, and I Ojanperä. "Newer Antidepressants: Evaluation of Fatal Toxicity Index and Interaction with Alcohol Based on Finnish Postmortem Data." International Journal of Legal Medicine. 119.6 (2005): 344-8. (http://www.ncbi.nlm.nih.gov/pubmed/15739105)

Kovács A, V Vörös, and S Fekete. "Suicide Attempt and Melancholic Depression in a Male with Erotomania: Case Report." Archives of Suicide Research: Official Journal of the International

Academy for Suicide Research. 9.4 (2005): 369-72. (http://www.ncbi.nlm.nih.gov/pubmed/16179333)

Kraus JF, et al. "Suicides at Work: Misclassification and Prevention Implications." International Journal of Occupational and Environmental Health. 11.3 (2005): 246-53. (http://www.ncbi.nlm.nih.gov/pubmed/16130965)

Kuo CJ, et al. "Risk Factors for Completed Suicide in Schizophrenia." The Journal of Clinical Psychiatry. 66.5 (2005): 579-85. (http://www.ncbi.nlm.nih.gov/pubmed/15889943)

Kuo WH, and JJ Gallo. "Completed Suicide After a Suicide Attempt." The American Journal of Psychiatry. 162.3 (2005): 633.

Kushner HI, and CE Sterk. "The Limits of Social Capital: Durkheim, Suicide, and Social Cohesion." American Journal of Public Health. 95.7 (2005): 1139-43. (http://www.ncbi.nlm.nih.gov/pubmed/15933234)

Kwan YK, WC Ip, and P Kwan. "Gender Differences in Suicide Risk by Socio-Demographic Factors in Hong Kong." Death Studies. 29.7 (2005): 645-63. (http://www.ncbi.nlm.nih.gov/pubmed/16136716)

Ladham S, et al. "A Case of a Death by Explosives: the Keys to a Proper Investigation." Journal of Clinical Forensic Medicine. 12.2 (2005): 85-92. (http://www.ncbi.nlm.nih.gov/pubmed/15863023)

Lam LT, et al. "Suicidal Ideation, Antidepressive Medication and Car Crash Injury." Accident; Analysis and Prevention. 37.2 (2005): 335-9. (http://www.ncbi.nlm.nih.gov/pubmed/15667820)

Lawrence, Elizabeth, et al. "Gender differences in grief reactions following the death of a parent." Omega: Journal of Death and Dying. 52.4 (2005): 323-337. (http://www.ncbi.nlm.nih.gov/pubmed/1759138)

Lawrynowicz AE, and TD Baker. "Suicide and Latitude in Argentina: Durkheim Upside-Down." The American Journal of Psychiatry. 162.5 (2005): 1022.

Lech T, and F Trela. "Massive Acute Arsenic Poisonings." Forensic Science International. 151.2-3 (2005): 273-7. (http://www.ncbi.nlm.nih.gov/pubmed/15939162)

Leff EW, and SO Ryan. "The Role of the Home Care Nurse in Suicide Prevention." Home Healthcare Nurse. 23.9 (2005): 566-75; quiz 576-7.

Lemaire J. "The Effect of Firearm Deaths on Life Expectancy and Insurance Premiums in the United States." LDI Issue Brief. 11.2 (2005): 1-4. (http://www.ncbi.nlm.nih.gov/pubmed/16708428)

Lester D. "On Being Happy That Someone Has Committed Suicide." Crisis. 26.2 (2005): 95-6.

---. "Predicting Past Suicidality Using the Manic-Depressiveness Scale." Psychological Reports. 96.3 (2005): 988.

Lester D, et al. "Myths About Suicide on the Suicide Opinion Questionnaire: an Attempt to Derive a Scale." Psychological Reports. 96.3 (2005): 899-900.

Leth PM, and M Gregersen. "Ethylene Glycol Poisoning." Forensic Science International. 155.2-3 (2005): 179-84. (http://www.ncbi.nlm.nih.gov/pubmed/16226155)

Levin KA, and AH Leyland. "Urban/Rural Inequalities in Suicide in Scotland, 1981-1999." Social Science & Medicine (1982). 60.12 (2005): 2877-90. (http://www.ncbi.nlm.nih.gov/pubmed/15820593)

Lewine RR. "Social Class of Origin, Lost Potential, and Hopelessness in Schizophrenia." Schizophrenia Research. 76.2-3 (2005): 329-35. (http://www.ncbi.nlm.nih.gov/pubmed/15949665)

Lim WS, et al. "Early-Stage Alzheimer Disease Represents Increased Suicidal Risk in Relation to Later Stages." Alzheimer Disease and Associated Disorders. 19.4 (2005): 214-9. (http://www.ncbi.nlm.nih.gov/pubmed/16327348)

Links PS, et al. "Crisis Occurrence and Resolution in Patients with Severe and Persistent Mental Illness: the Contribution of Suicidality." Crisis. 26.4 (2005): 160-9. (http://www.ncbi.nlm.nih.gov/pubmed/16485841)

---. "Is Suicide Ideation a Surrogate Endpoint for Geriatric Suicide? " Suicide and Life-Threatening Behavior. 35.2 (2005): 193-205. (http://www.ncbi.nlm.nih.gov/pubmed/15843336)

Llorente MD, et al. "Prostate Cancer: a Significant Risk Factor for Late-Life Suicide." The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry. 13.3 (2005): 195-201. (http://www.ncbi.nlm.nih.gov/pubmed/15728750)

Loas G, et al. "Dependency and Suicidality in Addictive Disorders." Psychiatry Research. 137.1-2 (2005): 103-11. (http://www.ncbi.nlm.nih.gov/pubmed/16233920)

Lodhi LM, and A Shah. "Factors Associated with the Recent Decline in Suicide Rates in the Elderly in England and Wales, 1985-1998." Medicine, Science, and the Law. 45.1 (2005): 31-8. (http://www.ncbi.nlm.nih.gov/pubmed/15745271)

Loebel JP. "Completed Suicide in Late Life." Psychiatric Services (Washington, D.C.). 56.3 (2005): 260-2.

Lorant V, et al. "Socio-Economic Inequalities in Suicide: a European Comparative Study." The British Journal of Psychiatry: the Journal of Mental Science. 187 (2005): 49-54. (http://www.ncbi.nlm.nih.gov/pubmed/15994571)

Lotrakul M. "Suicide in the North of Thailand." Journal of the Medical Association of Thailand = Chotmaihet Thangphaet. 88.7 (2005): 944-8. (http://www.ncbi.nlm.nih.gov/pubmed/16241024)

Lucey S, et al. "Socioeconomic Change and Suicide: a Time-Series Study from the Republic of Ireland." Crisis. 26.2 (2005): 90-4. (http://www.ncbi.nlm.nih.gov/pubmed/16138746)

Maaranen P, et al. "The Relationship between Psychological and Somatoform Dissociation in the General Population." The Journal of Nervous and Mental Disease. 193.10 (2005): 690-2. (http://www.ncbi.nlm.nih.gov/pubmed/16208166)

---. "Factors Associated with Pathological Dissociation in the General Population." The Australian and New Zealand Journal of Psychiatry. 39.5 (2005): 387-94. (http://www.ncbi.nlm.nih.gov/pubmed/15860027)

MacDonald MG. "Attitudes of Trainees in Suicide Intervention Toward Euthanasia and Suicide Among the Nonterminally Ill." Psychological Reports. 96.3 (2005): 709-12. (http://www.ncbi.nlm.nih.gov/pubmed/16050628)

Macy, Brandy Diane. "Dialectical behavior therapy for treatment of children with psychopathy: Treatment guidelines for clinicians." Dissertation Abstracts International: Section B: The Sciences and Engineering. 66.1-B (2005): 563.

Maglietta RA, et al. "A Singular Case of Murder-Suicide Committed with a Homemade Firearm." The American Journal of Forensic Medicine and Pathology. 26.1 (2005): 89-91. (http://www.ncbi.nlm.nih.gov/pubmed/15725784)

Magnusson PK, et al. "Strong Inverse Association between Height and Suicide in a Large Cohort of Swedish Men: Evidence of Early Life Origins of Suicidal Behavior? " The American Journal of Psychiatry. 162.7 (2005): 1373-5. (http://www.ncbi.nlm.nih.gov/pubmed/15994722)

Mahon MJ, et al. "Suicide Among Regular-Duty Military Personnel: a Retrospective Case-Control Study of Occupation-Specific Risk Factors for Workplace Suicide." The American Journal of Psychiatry. 162.9 (2005): 1688-96. (http://www.ncbi.nlm.nih.gov/pubmed/16135629)

Malphurs JE, and D Cohen. "A Statewide Case-Control Study of Spousal Homicide-Suicide in Older Persons." The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry. 13.3 (2005): 211-7. (http://www.ncbi.nlm.nih.gov/pubmed/15728752)

Mann JJ, et al. "Family History of Suicidal Behavior and Mood Disorders in Probands with Mood Disorders." The American Journal of Psychiatry. 162.9 (2005): 1672-9. (http://www.ncbi.nlm.nih.gov/pubmed/16135627)

Marshall, Doreen Schultz. "Service provision in response to suicide: A qualitative investigation." Dissertation Abstracts International: Section B: The Sciences and Engineering. 66.3-B (2005): 1726.

Martínez MA, et al. "Investigation of a Fatality Due to Trazodone Poisoning: Case Report and Literature Review." Journal of Analytical Toxicology. 29.4 (2005): 262-8. (http://www.ncbi.nlm.nih.gov/pubmed/15975258)

Matheson FI, et al. "Assessment of Police Calls for Suicidal Behavior in a Concentrated Urban Setting." Psychiatric Services (Washington, D.C.). 56.12 (2005): 1606-9. (http://www.ncbi.nlm.nih.gov/pubmed/16339628)

Matsuishi K, et al. "Change of Suicidal Ideation Induced by Suicide Attempt." Psychiatry and Clinical Neurosciences. 59.5 (2005): 599-604. (http://www.ncbi.nlm.nih.gov/pubmed/16194265)

Mazzolo GM, and L Desinan. "Sharp Force Fatalities: Suicide, Homicide or Accident? A Series of 21 Cases." Forensic Science International. 147 (2005): S33-5. (http://www.ncbi.nlm.nih.gov/pubmed/15694724)

McAvay GJ, et al. "Symptoms of Depression in Older Home-Care Patients: Patient and Informant Reports." Psychology and Aging. 20.3 (2005): 507-18. (http://www.ncbi.nlm.nih.gov/pubmed/16248709)

McDonald B. "Killing George with Kindness." Australian Family Physician. 34.7 (2005): 519.

McGowan, Iain W., et al. "Contrasting terrorist-related deaths with suicide trends over 34 years." Journal of Mental Health. 14.4 (2005): 399-405.

Meel BL, and AA Leenaars. "Human Immunodeficiency Virus (HIV) and Suicide in a Region of Eastern Province ("Transkei"), South Africa." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.1 (2005): 69-75. (http://www.ncbi.nlm.nih.gov/pubmed/16040581)

Melia P. "Spotting the Signs of Depression to Ensure Early Treatment and Reduce Suicide Deaths." Professional Nurse (London, England). 20.7 (2005): 36-8. (http://www.ncbi.nlm.nih.gov/pubmed/15754721)

Mellanby RJ. "Incidence of Suicide in the Veterinary Profession in England and Wales." The Veterinary Record. 157.14 (2005): 415-7.

Meltzer, Herbert Y. "Suicidality in Schizophrenia: Pharmacologic Treatment." Clinical Neuropsychiatry: Journal of Treatment Evaluation. 2.1 (2005): 76-83.

Miller L. "Police Officer Suicide: Causes, Prevention, and Practical Intervention Strategies." International Journal of Emergency Mental Health. 7.2 (2005): 101-14. (http://www.ncbi.nlm.nih.gov/pubmed/16107042)

Mills, Jeremy F., et al. "An Evaluation of the Psychache Scale on an Offender Population." Suicide and Life-Threatening Behavior. 35.5 (2005): 570-580. (http://www.ncbi.nlm.nih.gov/pubmed/16268773)

Mishara, Brian. L., et al. "Comparison of the Effects of Four Suicide Prevention Programs for Family and Friends of High-Risk Suicidal Men Who Do Not Seek Help Themselves." Suicide Life Threat Behav 35.3 (2005): 329-42. (http://www.ncbi.nlm.nih.gov/pubmed/16156493)

Mitchell G. "Killing George with Kindness--Is There Such a Thing As Too Much Palliative Care? " Australian Family Physician. 34.4 (2005): 290, 292. (http://www.ncbi.nlm.nih.gov/pubmed/15861756)

Modestin J, et al. "Clozapine Diminishes Suicidal Behavior: a Retrospective Evaluation of Clinical Records." The Journal of Clinical Psychiatry. 66.4 (2005): 534-8. (http://www.ncbi.nlm.nih.gov/pubmed/15816798)

Mohammadi, Mohammad-Reza, et al. "Suicidal Attempt and Psychiatric Disorders in Iran." Suicide and Life-Threatening Behavior. 35.3 (2005): 309-316. (http://www.ncbi.nlm.nih.gov/pubmed/16156491)

Mojtabai R, et al. "Service Use and Outcomes of First-Admission Patients with Psychotic Disorders in the Suffolk County Mental Health Project." The American Journal of Psychiatry. 162.7 (2005): 1291-8. (http://www.ncbi.nlm.nih.gov/pubmed/15994711)

Moriya F, and Y Hashimoto. "Do Smokers Who Commit Suicide Have High Blood Levels of Nicotine? " The American Journal of Psychiatry. 162.4 (2005): 816-7.

Mühlberg W, et al. "Acute Poisoning in Old and Very Old Patients: a Longitudinal Retrospective Study of 5883 Patients in a Toxicological Intensive Care Unit." Zeitschrift Für Gerontologie Und Geriatrie: Organ Der Deutschen Gesellschaft Für Gerontologie Und Geriatrie. 38.3 (2005): 182-9. (http://www.ncbi.nlm.nih.gov/pubmed/15965792)

Muehlenkamp JJ, et al. "Validation of the Positive and Negative Suicide Ideation (PANSI) Inventory in a Diverse Sample of Young Adults." Journal of Clinical Psychology. 61.4 (2005): 431-45. (http://www.ncbi.nlm.nih.gov/pubmed/15503303)

Müller MJ, et al. "The Calgary Depression Rating Scale for Schizophrenia in a Healthy Control Group: Psychometric Properties and Reference Values." Journal of Affective Disorders. 88.1 (2005): 69-74. (http://www.ncbi.nlm.nih.gov/pubmed/16040126)

Nagami H, et al. "Hospital-Based Survey of Pesticide Poisoning in Japan, 1998--2002." International Journal of Occupational and Environmental Health. 11.2 (2005): 180-4. (http://www.ncbi.nlm.nih.gov/pubmed/15875894)

Nishi N, et al. "Knowledge of and Attitudes Toward Suicide and Depression Among Japanese in Municipalities with High Suicide Rates." Journal of Epidemiology / Japan Epidemiological Association. 15.2 (2005): 48-55. (http://www.ncbi.nlm.nih.gov/pubmed/15762094)

Norström T, and M Ramstedt. "Mortality and Population Drinking: a Review of the Literature." Drug and Alcohol Review. 24.6 (2005): 537-47. (http://www.ncbi.nlm.nih.gov/pubmed/16361210)

Nutting PA, et al. "Improving Detection of Suicidal Ideation Among Depressed Patients in Primary Care." Annals of Family Medicine. 3.6 (2005): 529-36. (http://www.ncbi.nlm.nih.gov/pubmed/16338917)

O'Connell H, and BA Lawlor. "Recent Alcohol Intake and Suicidality--a Neuropsychological Perspective." Irish Journal of Medical Science. 174.4 (2005): 51-4. (http://www.ncbi.nlm.nih.gov/pubmed/16445162)

Okamura K, et al. "Lack of an Association between 5-HT Receptor Gene Polymorphisms and Suicide Victims." Psychiatry and Clinical Neurosciences. 59.3 (2005): 345-9. (http://www.ncbi.nlm.nih.gov/pubmed/15896229)

Okereke OI, and DP Folsom. "Medical Comorbidity in Geriatric Psychiatry." The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry. 13.3 (2005): 177-9.

O'Loughlin S, and J Sherwood. "A 20-Year Review of Trends in Deliberate Self-Harm in a British Town, 1981-2000." Social Psychiatry and Psychiatric Epidemiology. 40.6 (2005): 446-53. (http://www.ncbi.nlm.nih.gov/pubmed/16003594)

Omalu BI, et al. "Suicides Following Bariatric Surgery for the Treatment of Obesity." Surgery for Obesity and Related Diseases: Official Journal of the American Society for Bariatric Surgery. 1.4 (2005): 447-9. (http://www.ncbi.nlm.nih.gov/pubmed/16925267)

Oquendo MA, et al. "Protective Factors against Suicidal Behavior in Latinos." The Journal of Nervous and Mental Disease. 193.7 (2005): 438-43. (http://www.ncbi.nlm.nih.gov/pubmed/15985837)

Ovuga E, J Boardman, and D Wassermann. "Prevalence of Suicide Ideation in Two Districts of Uganda." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.4 (2005): 321-32. (http://www.ncbi.nlm.nih.gov/pubmed/16179328)

Owens D, et al. "Mortality and Suicide After Non-Fatal Self-Poisoning: 16-Year Outcome Study." The British Journal of Psychiatry: the Journal of Mental Science. 187 (2005): 470-5. (http://www.ncbi.nlm.nih.gov/pubmed/16260824)

Oyama H, et al. "Community-Based Suicide Prevention Through Group Activity for the Elderly Successfully Reduced the High Suicide Rate for Females." Psychiatry and Clinical Neurosciences. 59.3 (2005): 337-44. (http://www.ncbi.nlm.nih.gov/pubmed/15896228)

Pajonk FG, et al. "Long-Term Follow-Up After Severe Suicide Attempt by Multiple Blunt Trauma." European Psychiatry: the Journal of the Association of European Psychiatrists. 20.2 (2005): 115-20. (http://www.ncbi.nlm.nih.gov/pubmed/15797695)

Palacio-Acosta C, et al. "Characteristics of People Committing Suicide in Medellín, Colombia." Revista De Salud Pública (Bogotá, Colombia). 7.3 (2005): 243-53. (http://www.ncbi.nlm.nih.gov/pubmed/16396414)

Pallaskorpi SK, et al. "Completed Suicide Among Subjects Receiving Psychotherapy." Psychotherapy and Psychosomatics. 74.6 (2005): 388-91.

Papadopoulos FC, et al. "Exploring Lag and Duration Effect of Sunshine in Triggering Suicide." Journal of Affective Disorders. 88.3 (2005): 287-97. (http://www.ncbi.nlm.nih.gov/pubmed/16181684)

Paulsen JS, et al. "Critical Periods of Suicide Risk in Huntington's Disease." The American Journal of Psychiatry. 162.4 (2005): 725-31. (http://www.ncbi.nlm.nih.gov/pubmed/15800145)

Pavia M, et al. "Suicide Mortality in Southern Italy: 1998-2002." Psychiatry Research. 134.3 (2005): 275-9. (http://www.ncbi.nlm.nih.gov/pubmed/15892987)

Perdekamp MG, et al. "Contact Shot with Unusual Soot Pattern." Forensic Science International. 149.1 (2005): 75-9. (http://www.ncbi.nlm.nih.gov/pubmed/15734113)

Perenyi A, and R Forlano. "Suicide in Schizophrenia." Neuropsychopharmacologia Hungarica: Official Journal of the Hungarian Association of Psychopharmacology. 7.3 (2005): 107-17. (http://www.ncbi.nlm.nih.gov/pubmed/16493874)

Peter, Joakim, et al. "Federated States of Micronesia: Islands in the Sun." In: Marsella, Anthony J.; Ed; Austin, Ayda Aukahi; Ed; Grant, Bruce; Ed; Social Change and Psychosocial Adaptation in the Pacific Islands: Cultures In. New York, NY: Springer Science + Business Media, 2005.

Pfaff JJ, and OP Almeida. "A Cross-Sectional Analysis of Factors That Influence the Detection of Depression in Older Primary Care Patients." The Australian and New Zealand Journal of Psychiatry. 39.4 (2005): 262-5. (http://www.ncbi.nlm.nih.gov/pubmed/15777363)

---. "Detecting Suicidal Ideation in Older Patients: Identifying Risk Factors Within the General Practice Setting." The British Journal of General Practice: the Journal of the Royal College of General Practitioners. 55.513 (2005): 269-73. (http://www.ncbi.nlm.nih.gov/pubmed/15826433)

Pfennig A, et al. "Hypothalamus-Pituitary-Adrenal System Regulation and Suicidal Behavior in Depression." Biological Psychiatry. 57.4 (2005): 336-42. (http://www.ncbi.nlm.nih.gov/pubmed/15705348)

Phillips KA, et al. "Suicidal Ideation and Suicide Attempts in Body Dysmorphic Disorder." The Journal of Clinical Psychiatry. 66.6 (2005): 717-25. (http://www.ncbi.nlm.nih.gov/pubmed/15960564)

Pirkola S, et al. "The Characteristics of Suicides Within a Week of Discharge After Psychiatric Hospitalisation - a Nationwide Register Study." BMC Psychiatry. 5 (2005): 32. (http://www.ncbi.nlm.nih.gov/pubmed/16120228)

Pitchot W, et al. "5-Hydroxytryptamine 1A Receptors, Major Depression, and Suicidal Behavior." Biological Psychiatry. 58.11 (2005): 854-8. (http://www.ncbi.nlm.nih.gov/pubmed/16139805)

Poon WT, et al. "A Case of Tetramine Poisoning: a Lethal Rodenticide." Hong Kong Medical Journal = Xianggang Yi Xue Za Zhi / Hong Kong Academy of Medicine. 11.6 (2005): 507-9. (http://www.ncbi.nlm.nih.gov/pubmed/16340029)

Postolache TT, et al. "Tree Pollen Peaks Are Associated with Increased Nonviolent Suicide in Women." Molecular Psychiatry. 10.3 (2005): 232-5.

Potenza MN, et al. "Characteristics of Gambling Helpline Callers with Self-Reported Gambling and Alcohol Use Problems." Journal of Gambling Studies / Co-Sponsored by the National Council on Problem Gambling and Institute for the Study of Gambling and Commercial Gaming. 21.3 (2005): 233-54.

Prahlow JA, and BW Doyle. "A Suicide Using a Homemade Carbon Monoxide "death Machine"." The American Journal of Forensic Medicine and Pathology. 26.2 (2005): 177-80. (http://www.ncbi.nlm.nih.gov/pubmed/15894855)

Prahlow JA, and JE Landrum. "Amitriptyline Abuse and Misuse." The American Journal of Forensic Medicine and Pathology. 26.1 (2005): 86-8. (http://www.ncbi.nlm.nih.gov/pubmed/15725783)

Prather E. "Ultimate Failure." Texas Medicine. 101.5 (2005): 30-8.

Preti A, and P Miotto. "Suicide in Classical Mythology: Cues for Prevention." Acta Psychiatrica Scandinavica. 111.5 (2005): 384-91. (http://www.ncbi.nlm.nih.gov/pubmed/15819733)

Préville M, et al. "Correlates of Suicide in the Older Adult Population in Quebec." Suicide & Life-Threatening Behavior. 35.1 (2005): 91-105. (http://www.ncbi.nlm.nih.gov/pubmed/15843326)

---. "Physical Health and Mental Disorder in Elderly Suicide: a Case-Control Study." Aging & Mental Health. 9.6 (2005): 576-84. (http://www.ncbi.nlm.nih.gov/pubmed/16214706)

Pridmore, Saxby. "Review of International suicide rates and prevention strategies." Australasian Psychiatry. 13.2 (2005): 199.

Pritchard C, and L Hansen. "Comparison of Suicide in People Aged 65-74 and 75+ by Gender in England and Wales and the Major Western Countries 1979-1999." International Journal of Geriatric Psychiatry. 20.1 (2005): 17-25. (http://www.ncbi.nlm.nih.gov/pubmed/15578668)

Pritchard C, and E King. "Differential Suicide Rates in Typologies of Child Sex Offenders in a 6-Year Consecutive Cohort of Male Suicides." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.1 (2005): 35-43. (http://www.ncbi.nlm.nih.gov/pubmed/16040578)

Proença P, et al. "Two Fatal Intoxication Cases with Imidacloprid: LC/MS Analysis." Forensic Science International. 153.1 (2005): 75-80. (http://www.ncbi.nlm.nih.gov/pubmed/15922528)

Purcell R, M Pathé, and PE Mullen. "Association between Stalking Victimisation and Psychiatric Morbidity in a Random Community Sample." The British Journal of Psychiatry: the Journal of Mental Science. 187 (2005): 416-20. (http://www.ncbi.nlm.nih.gov/pubmed/16260815)

Qin, Ping, and Merete Nordentoft. "Suicide Risk in Relation to Psychiatric Hospitalization." Archives of General Psychiatry. 62.4 (2005): 427-432. (http://www.ncbi.nlm.nih.gov/pubmed/15809410)

Rainio J, and A Sajantila. "Fatal Gunshot Wounds between 1995 and 2001 in a Highly Populated Region in Finland." The American Journal of Forensic Medicine and Pathology. 26.1 (2005): 70-7. (http://www.ncbi.nlm.nih.gov/pubmed/15725780)

Ramstedt M. "Alcohol and Suicide at the Population Level--the Canadian Experience." Drug and Alcohol Review. 24.3 (2005): 203-8. (http://www.ncbi.nlm.nih.gov/pubmed/16096123)

Renaud J, et al. "Completed Suicides in a Youth Centres Population." Canadian Journal of Psychiatry. Revue Canadienne De Psychiatrie. 50.11 (2005): 690-4. (http://www.ncbi.nlm.nih.gov/pubmed/16363461)

Rezaeian M, et al. "The Ecological Association between Suicide Rates and Indices of Deprivation in English Local Authorities." Social Psychiatry and Psychiatric Epidemiology. 40.10 (2005): 785-91. (http://www.ncbi.nlm.nih.gov/pubmed/16172814)

Rhee, Wayne K., et al. "Efficacy of Brief Telephone Psychotherapy with Callers to a Suicide Hotline." Suicide and Life-Threatening Behavior. 35.3 (2005): 317-328. (http://www.ncbi.nlm.nih.gov/pubmed/16156492)

Rhimer Z, et al. "Suicide and Antidepressants Sales." The British Journal of Psychiatry. 186 (2005): 445-6; author reply 446. (http://www.ncbi.nlm.nih.gov/pubmed/16156492)

Roberts SE, and PB Marlow. "Traumatic Work Related Mortality Among Seafarers Employed in British Merchant Shipping, 1976-2002." Occupational and Environmental Medicine. 62.3 (2005): 172-80. (http://www.ncbi.nlm.nih.gov/pubmed/15723882)

Rodrigues NC, and GL Werneck. "Age-Period-Cohort Analysis of Suicide Rates in Rio De Janeiro, Brazil, 1979-1998." Social Psychiatry and Psychiatric Epidemiology. 40.3 (2005): 192-6. (http://www.ncbi.nlm.nih.gov/pubmed/15742223)

Ross J, et al. "The Characteristics of Heroin Users Entering Treatment: Findings from the Australian Treatment Outcome Study (ATOS)." Drug and Alcohol Review. 24.5 (2005): 411-8. (http://www.ncbi.nlm.nih.gov/pubmed/16298835)

Roy A. "Childhood Trauma and Impulsivity. Possible Relevance to Suicidal Behavior." Archives of Suicide Research. 9.2 (2005): 147-51. (http://www.ncbi.nlm.nih.gov/pubmed/16020158)

Salib E. "Trends in Suicide by Drowning in the Elderly in England and Wales 1979-2001." International Journal of Geriatric Psychiatry. 20.2 (2005): 175-81. (http://www.ncbi.nlm.nih.gov/pubmed/15660403)

Salib E, et al. "Elderly Suicide: an Analysis of Coroner's Inquests into Two Hundred Cases in Cheshire 1989 - 2001." Medicine, Science, and the Law. 45.1 (2005): 71-80. (http://www.ncbi.nlm.nih.gov/pubmed/15745277)

Salib, Emad, and Norman Agnew. "Suicide and undetermined death by drowning." International Journal of Psychiatry in Clinical Practice. 9.2 (2005): 107-115.

Saunders K, and K Hawton. "Suicide Prevention and Audit." British Journal of Hospital Medicine (London, England: 2005). 66.11 (2005): 627-30. (http://www.ncbi.nlm.nih.gov/pubmed/16308949)

Sauvageau A, et al. "An Unusual Case of Suicide by Broken Glass Pierced Through the Buttocks: a Case Report." Medicine, Science, and the Law. 45.1 (2005): 81-4. (http://www.ncbi.nlm.nih.gov/pubmed/15745278)

Schernhammer E. "Taking Their Own Lives -- the High Rate of Physician Suicide." The New England Journal of Medicine. 352.24 (2005): 2473-6.

Schneider B, et al. "Detection of Alcohol Consumption in Suicides." European Archives of Psychiatry and Clinical Neuroscience. 255.1 (2005): 1-5. (http://www.ncbi.nlm.nih.gov/pubmed/15549346)

---. "Nicotine Use in Suicides: a Case-Control Study." European Psychiatry: the Journal of the Association of European Psychiatrists. 20.2 (2005): 129-36. (http://www.ncbi.nlm.nih.gov/pubmed/15797697)

Schulberg HC, et al. "Suicidal Ideation and Risk Levels Among Primary Care Patients with Uncomplicated Depression." Annals of Family Medicine. 3.6 (2005): 523-8. (http://www.ncbi.nlm.nih.gov/pubmed/16338916)

Seedat S, et al. "Association between Physical Partner Violence, Posttraumatic Stress, Childhood Trauma, and Suicide Attempts in a Community Sample of Women." Violence and Victims. 20.1 (2005): 87-98. (http://www.ncbi.nlm.nih.gov/pubmed/16047937)

Shah A, and L Lodhi. "The Impact of Trends in Psychotropic Prescribing on the Method of Suicide in the Elderly." Medicine, Science, and the Law. 45.2 (2005): 115-20. (http://www.ncbi.nlm.nih.gov/pubmed/15895636)

Sher L, et al. "Clinical Features of Depressed Patients with or Without a Family History of Alcoholism." Acta Psychiatrica Scandinavica. 112.4 (2005): 266-71. (http://www.ncbi.nlm.nih.gov/pubmed/16156833)

---. "The Relationship of Aggression to Suicidal Behavior in Depressed Patients with a History of Alcoholism." Addictive Behaviors. 30.6 (2005): 1144-53. (http://www.ncbi.nlm.nih.gov/pubmed/15925124)

Shioiri T, et al. "Incidence of Note-Leaving Remains Constant Despite Increasing Suicide Rates." Psychiatry and Clinical Neurosciences. 59.2 (2005): 226-8. (http://www.ncbi.nlm.nih.gov/pubmed/15823174)

Shneidman E. "How I Read." Suicide & Life-Threatening Behavior. 35.2 (2005): 117-20.

Simon NM, et al. "Complicated Grief and Its Correlates in Patients with Bipolar Disorder." The Journal of Clinical Psychiatry. 66.9 (2005): 1105-10. (http://www.ncbi.nlm.nih.gov/pubmed/16187766)

Simon RI, JL Levenson, and DW Shuman. "On Sound and Unsound Mind: the Role of Suicide in Tort and Insurance Litigation." The Journal of the American Academy of Psychiatry and the Law. 33.2 (2005): 176-82. (http://www.ncbi.nlm.nih.gov/pubmed/15985659)

Sinclair JM, et al. "Suicide in Depressive Disorders: a Retrospective Case-Control Study of 127 Suicides." Journal of Affective Disorders. 87.1 (2005): 107-13. (http://www.ncbi.nlm.nih.gov/pubmed/15913784)

Smyth, Caroline L., and Malcolm MacLachlan. "Confirmatory Factor Analysis of the Trinity Inventory of Precursors to Suicide (TIPS) and Its Relationship to Hopelessness and Depression." Death Studies. 29.4 (2005): 333-350. (http://www.ncbi.nlm.nih.gov/pubmed/15849882)

Sokero TP, et al. "Prospective Study of Risk Factors for Attempted Suicide Among Patients with DSM-IV Major Depressive Disorder." The British Journal of Psychiatry: the Journal of Mental Science. 186 (2005): 314-8. (http://www.ncbi.nlm.nih.gov/pubmed/15802688)

Soloff PH, et al. "High-Lethality Status in Patients with Borderline Personality Disorder." Journal of Personality Disorders. 19.4 (2005): 386-99. (http://www.ncbi.nlm.nih.gov/pubmed/16178681)

Stack, Steven. "Suicide in the Media: A Quantitative Review of Studies Based on Nonfictional Stories." Suicide and Life-Threatening Behavior. 35.2 (2005): 121-133. (http://www.ncbi.nlm.nih.gov/pubmed/15843330)

Stack S, and I Wasserman. "Race and Method of Suicide: Culture and Opportunity." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.1 (2005): 57-68. (http://www.ncbi.nlm.nih.gov/pubmed/16040580)

Stefulj J, et al. "Variability of the Tryptophan Hydroxylase Gene: Study in Victims of Violent Suicide." Psychiatry Research. 134.1 (2005): 67-73. (http://www.ncbi.nlm.nih.gov/pubmed/15808291)

Stein MB, et al. "Efficacy of Low and Higher Dose Extended-Release Venlafaxine in Generalized Social Anxiety Disorder: a 6-Month Randomized Controlled Trial." Psychopharmacology. 177.3 (2005): 280-8. (http://www.ncbi.nlm.nih.gov/pubmed/15258718)

Steljes TP, et al. "Epidemiology of Suicide and the Impact on Western Trauma Centers." The Journal of Trauma. 58.4 (2005): 772-7. (http://www.ncbi.nlm.nih.gov/pubmed/15824654)

Stoupel E, et al. "Suicide-Homicide Temporal Interrelationship, Links with Other Fatalities, and Environmental Physical Activity." Crisis. 26.2 (2005): 85-9. (http://www.ncbi.nlm.nih.gov/pubmed/16138745)

Stroebe M, W Stroebe, and G Abakoumkin. "The Broken Heart: Suicidal Ideation in Bereavement." The American Journal of Psychiatry. 162.11 (2005): 2178-80. (http://www.ncbi.nlm.nih.gov/pubmed/16263862)

Strohl, Rachel. "Immediate and intermediate changes in suicidality among callers to telephone crisis services." Dissertation Abstracts International: Section B: The Sciences and Engineering. 66.6-B (2005): 3428.

Suokas J, K Suominen, and J Lönnqvist. "Chronic Alcohol Problems Among Suicide Attempters--Post-Mortem Findings of a 14-Year Follow-Up." Nordic Journal of Psychiatry. 59.1 (2005): 45-50. (http://www.ncbi.nlm.nih.gov/pubmed/16195098)

Sutton L, et al. "Gunshot Suicides in England--a Multicentre Study Based on Coroners' Records." Social Psychiatry and Psychiatric Epidemiology. 40.4 (2005): 324-8. (http://www.ncbi.nlm.nih.gov/pubmed/15834784)

Tamosiunas A, et al. "Prognosis of Risk Factors and Trends in Mortality from External Causes Among Middle-Aged Men in Lithuania." Scandinavian Journal of Public Health. 33.3 (2005): 190-6. (http://www.ncbi.nlm.nih.gov/pubmed/16040459)

Tanaka T, et al. "Acephate in Biological Fluids of Two Autopsy Cases After Ingestion of the Chemical." Journal of Forensic Sciences. 50.4 (2005): 933-6. (http://www.ncbi.nlm.nih.gov/pubmed/16078501)

Tartaro, Christine, and David Lester. "An Application of Durkheim's Theory of Suicide to Prison Suicide Rates in the United States." Death Studies. 29.5 (2005): 413-422. (http://www.ncbi.nlm.nih.gov/pubmed/15968813)

Tavani CA, and P LeRoy. "Suffering: a Sixth Vital Sign?" Delaware Medical Journal. 77.10 (2005): 411-2.

Taylor R, et al. "Mental Health and Socio-Economic Variations in Australian Suicide." Social Science & Medicine (1982). 61.7 (2005): 1551-9. (http://www.ncbi.nlm.nih.gov/pubmed/16005786)

---. "Social and Psychiatric Influences on Urban-Rural Differentials in Australian Suicide." Suicide and Life-Threatening Behavior. 35.3 (2005): 277-290. (http://www.ncbi.nlm.nih.gov/pubmed/16156489)

Theiss, Janet U. "Female Suicide, Subjectivity and the State in Eighteenth-Century China." Violence, Vulnerability & Embodiment: Gender and History. Eds. Shani D'Cruze and Anupama Rao. Malden, MA: Blackwell Publishing, 2005, ix, 343. 19-43.

Thobaben, Marshelle. "Older Adults: Suicide." Home Health Care Management & Practice. 18.1 (2005): 68-69.

Thomyangkoon P, et al. "Suicide in Thailand, 1977 to 2002." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.4 (2005): 361-8. (http://www.ncbi.nlm.nih.gov/pubmed/16179332)

Torre, Dario M., et al. "Suicide Compared to Other Causes of Mortality in Physicians." Suicide and Life-Threatening Behavior. 35.2 (2005): 146-153. (http://www.ncbi.nlm.nih.gov/pubmed/15843332)

Tournier M, et al. "Psychiatric Disorders and Their Comorbidity in Subjects with Parasuicide by Intentional Drug Overdose: Prevalence and Gender Differences." Psychiatry Research. 136.2-3 (2005): 93-100. (http://www.ncbi.nlm.nih.gov/pubmed/16112202)

Tsoh J, et al. "Attempted Suicide in Elderly Chinese Persons: a Multi-Group, Controlled Study." The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry. 13.7 (2005): 562-71. (http://www.ncbi.nlm.nih.gov/pubmed/16009732)

Türk EE, and M Tsokos. "Vehicle-Assisted Suicide Resulting in Complete Decapitation." The American Journal of Forensic Medicine and Pathology: Official Publication of the National Association of Medical Examiners. 26.3 (2005): 292-3. (http://www.ncbi.nlm.nih.gov/pubmed/16121089)

Valtonen H, et al. "Suicidal Ideation and Attempts in Bipolar I and II Disorders." The Journal of Clinical Psychiatry. 66.11 (2005): 1456-62. (http://www.ncbi.nlm.nih.gov/pubmed/16420084)

Vattemi G, et al. "Human Skeletal Muscle As a Target Organ of Trichloroethylene Toxicity." JAMA: the Journal of the American Medical Association. 294.5 (2005): 554-6.

Viilo KM, et al. "Lifetime Prevalences of Physical Diseases and Mental Disorders in Young Suicide Victims." Psychosomatic Medicine. 67.2 (2005): 241-5. (http://www.ncbi.nlm.nih.gov/pubmed/15784789)

Vijayakumar L, et al. "Suicide in Developing Countries (1): Frequency, Distribution, and Association with Socioeconomic Indicators." Crisis. 26.3 (2005): 104-11. (http://www.ncbi.nlm.nih.gov/pubmed/16276752)

Voracek M. "National Intelligence, Suicide Rate in the Elderly, and a Threshold Intelligence for Suicidality: an Ecological Study of 48 Eurasian Countries." Journal of Biosocial Science. 37.6 (2005): 721-40. (http://www.ncbi.nlm.nih.gov/pubmed/16221322)

---. "Some Problems of Research on the Association between Blood Types and Suicide Mortality: Comment on Lester (2004)." Crisis. 26.4 (2005): 181-3. (http://www.ncbi.nlm.nih.gov/pubmed/16485843)

---. "Suicide Risk After Spousal Suicide or Psychiatric Admission: Effects of Assortative Mating on Heritable Traits Compared with Environmental Explanations." Journal of Epidemiology and Community Health. 59.5 (2005): 347-8.

Vougiouklakis T, et al. "Trends in Suicide Mortality in the Deprived Region of Epirus (North-West Greece) During the Period 1998-2002." Medicine, Science, and the Law. 45.1 (2005): 39-46. (http://www.ncbi.nlm.nih.gov/pubmed/15745272)

Waern, Margda. "Suicides among Family Members of Elderly Suicide Victims: An Exploratory Study." Suicide and Life-Threatening Behavior. 35.3 (2005): 356-364. (http://www.ncbi.nlm.nih.gov/pubmed/16156495)

Walker RL, et al. "Do Sociocultural Factors Predict Suicidality Among Persons of African Descent Living in the U.S.? " Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.2 (2005): 203-17. (http://www.ncbi.nlm.nih.gov/pubmed/1602016)

Washington, Gregory, and Katheryn Teague. "Young African-American Male Suicide Prevention and Spirituality." Stress, Trauma and Crisis: An International Journal. 8.2-3 (2005): 93-105.

Williams JM, et al. "Problem Solving Deteriorates Following Mood Challenge in Formerly Depressed Patients with a History of Suicidal Ideation." Journal of Abnormal Psychology. 114.3 (2005): 421-31. (http://www.ncbi.nlm.nih.gov/pubmed/16117579)

Wilson KG, et al. "A Burden to Others: a Common Source of Distress for the Terminally Ill." Cognitive Behaviour Therapy. 34.2 (2005): 115-23. (http://www.ncbi.nlm.nih.gov/pubmed/15986788)

Wingate, LaRicka R., et al. "Suicidality in African American Men: The Roles of Southern Residence, Religiosity, and Social Support." Suicide and Life-Threatening Behavior. 35.6 (2005): 615-629. (http://www.ncbi.nlm.nih.gov/pubmed/16552977)

Witte TK, et al. "Variability in Suicidal Ideation: a Better Predictor of Suicide Attempts Than Intensity or Duration of Ideation? " Journal of Affective Disorders. 88.2 (2005): 131-6. (http://www.ncbi.nlm.nih.gov/pubmed/16054227)

Xavier, Jessica M., et al. "Needs assessment of transgendered people of color living in Washington, DC." International Journal of Transgenderism. 8.2-3 (2005): 31-47.

Yamasaki A, et al. "Low Income, Unemployment, and Suicide Mortality Rates for Middle-Age Persons in Japan." Psychological Reports. 96.2 (2005): 337-48. (http://www.ncbi.nlm.nih.gov/pubmed/15941108)

---. "Tobacco and Alcohol Tax Relationships with Suicide in Switzerland." Psychological Reports. 97.1 (2005): 213-6. (http://www.ncbi.nlm.nih.gov/pubmed/16279328)

Yanagi M, et al. "Association of 14-3-3 Epsilon Gene Haplotype with Completed Suicide in Japanese." Journal of Human Genetics. 50.4 (2005): 210-6. (http://www.ncbi.nlm.nih.gov/pubmed/15838597)

Yanagi M, et al. "Association of 14-3-3 Epsilon Gene Haplotype with Completed Suicide in Japanese." Journal of Human Genetics. 50.4 (2005): 210-6. (http://www.ncbi.nlm.nih.gov/pubmed/15838597)

Yen YC, et al. "Suicidal Ideation and Associated Factors Among Community-Dwelling Elders in Taiwan." Psychiatry and Clinical Neurosciences. 59.4 (2005): 365-71. (http://www.ncbi.nlm.nih.gov/pubmed/16048440)

Yip PS, et al. "Suicide Rates in China During a Decade of Rapid Social Changes." Social Psychiatry and Psychiatric Epidemiology. 40.10 (2005): 792-8. (http://www.ncbi.nlm.nih.gov/pubmed/16205852)

Young EA, and W Coryell. "Suicide and the Hypothalamic-Pituitary-Adrenal Axis." Lancet. 366.9490 (2005): 959-61.

Yousaf U, et al. "Suicides Among Danish Cancer Patients 1971-1999." British Journal of Cancer. 92.6 (2005): 995-1000. (http://www.ncbi.nlm.nih.gov/pubmed/15756279)

Zacharakis CA, et al. "Suicide in Cyprus 1988-1999." European Psychiatry: the Journal of the Association of European Psychiatrists. 20.2 (2005): 110-4. (http://www.ncbi.nlm.nih.gov/pubmed/15797694)

Zafar H, et al. "Suicidal Bus Bombing of French Nationals in Pakistan: Physical Injuries and Management of Survivors." European Journal of Emergency Medicine: Official Journal of the European Society for Emergency Medicine. 12.4 (2005): 163-7. (http://www.ncbi.nlm.nih.gov/pubmed/16034261)

Zalsman G, et al. "Postmortem Mu-Opioid Receptor Binding in Suicide Victims and Controls." Journal of Neural Transmission (Vienna, Austria: 1996). 112.7 (2005): 949-54. (http://www.ncbi.nlm.nih.gov/pubmed/15937639)

Zeppegno P, et al. "Differences in Suicide Behaviour in the Elderly: a Study in Two Provinces of Northern Italy." International Journal of Geriatric Psychiatry. 20.8 (2005): 769-75. (http://www.ncbi.nlm.nih.gov/pubmed/16035130)

Zhang J, et al. "Low HDL Cholesterol Is Associated with Suicide Attempt Among Young Healthy Women: the Third National Health and Nutrition Examination Survey." Journal of Affective Disorders. 89.1-3 (2005): 25-33. (http://www.ncbi.nlm.nih.gov/pubmed/16263178)

Zimmerman M, et al. "Generalizability of Antidepressant Efficacy Trials: Differences between Depressed Psychiatric Outpatients Who Would or Would Not Qualify for an Efficacy Trial." The American Journal of Psychiatry. 162.7 (2005): 1370-2. (http://www.ncbi.nlm.nih.gov/pubmed/15994721)

Zonda T, et al. "Seasonal Fluctuation of Suicide in Hungary between 1970-2000." Archives of Suicide Research: Official Journal of the International Academy for Suicide Research. 9.1 (2005): 77-85. (http://www.ncbi.nlm.nih.gov/pubmed/16040582)