

BREASTFEEDING INFORMATION AND SUPPORT

Bonneville, Clark, Custer, Fremont, Jefferson, Lemhi, Madison and Teton counties

HOSPITALS

ASK FOR LACTATION SPECIALIST

Eastern Idaho Regional Medical Center	(208) 529-7171
Madison Memorial Hospital	(208) 356-3691
Mountain View Hospital	(208) 557-2700
Steele Memorial Hospital	(208) 756-4291
Teton Valley Hospital	(208) 354-2383 x 146

HEALTH DEPARTMENTS

Eastern Idaho Public Health District - WIC Program

Challis	(208) 879-2504
Driggs	(208) 354-2220
Dubois	(208) 374-5216
Idaho Falls	(208) 522-3823
Rexburg	(208) 356-9594
Rigby	(208) 745-0346
Salmon	(208) 756-2123
St. Anthony	(208) 624-7585
Terreton	(208) 663-4860

LA LECHE LEAGUE

Volunteer Accredited LaLeche League Leaders 1(800) LALECHE
<http://www.llusa.org>

INTERNATIONAL LACTATION CONSULTANT ASSOCIATION

Private Lactation Consultants by zip code <http://www.ilca.org>

BREASTFEEDING HELPLINE

Monday – Friday, 7am - 4pm MT 1-800-994-9662

**For more information about the WIC Program,
contact the Idaho CareLine at 211 or 1-800-926-2588**

The WIC Program is an equal opportunity provider.



Project of BEST for Babies and Moms Council and the Idaho Department of Health & Welfare Maternal and Child Health, and the Idaho WIC Program. For information about this publication, contact the Idaho WIC Program, 208-334-5948 or toll free at 866-347-5484. 06/16

BREASTFEEDING INFORMATION AND SUPPORT

Bonneville, Clark, Custer, Fremont, Jefferson, Lemhi, Madison and Teton counties

HOSPITALS

ASK FOR LACTATION SPECIALIST

Eastern Idaho Regional Medical Center	(208) 529-7171
Madison Memorial Hospital	(208) 356-3691
Mountain View Hospital	(208) 557-2700
Steele Memorial Hospital	(208) 756-4291
Teton Valley Hospital	(208) 354-2383 x 146

HEALTH DEPARTMENTS

Eastern Idaho Public Health District - WIC Program

Challis	(208) 879-2504
Driggs	(208) 354-2220
Dubois	(208) 374-5216
Idaho Falls	(208) 522-3823
Rexburg	(208) 356-9594
Rigby	(208) 745-0346
Salmon	(208) 756-2123
St. Anthony	(208) 624-7585
Terreton	(208) 663-4860

LA LECHE LEAGUE

Volunteer Accredited LaLeche League Leaders 1(800) LALECHE
<http://www.llusa.org>

INTERNATIONAL LACTATION CONSULTANT ASSOCIATION

Private Lactation Consultants by zip code <http://www.ilca.org>

BREASTFEEDING HELPLINE

Monday – Friday, 7am - 4pm MT 1-800-994-9662

**For more information about the WIC Program,
contact the Idaho CareLine at 211 or 1-800-926-2588**

The WIC Program is an equal opportunity provider.



Project of BEST for Babies and Moms Council and the Idaho Department of Health & Welfare Maternal and Child Health, and the Idaho WIC Program. For information about this publication, contact the Idaho WIC Program, 208-334-5948 or toll free at 866-347-5484. 06/16

HOW TO TELL IF YOUR BABY IS GETTING ENOUGH MILK

Every mother-baby pair is different! That makes it hard to say exactly how your baby should be eating. In the first few days, your baby is getting rich, yellow colostrum (first milk).

Signs that your baby is getting enough milk are:

- An alert, bright-eyed infant
- A baby who wants to eat every 1½-3 hours and is satisfied between feedings
- At least one wet diaper per day of age until milk is in (ex. 1 day old = 1 diaper; 2 days old = 2 diapers; etc.)
- The normal change in stools over the first 2-5 days of life: Meconium (dark green, tarry) to transitional stools (lighter green) to true breastmilk stools (yellow, seedy, curdy or loose). The number of stools will increase each day.

After 3-5 days, when your milk “comes in,” you will also notice:

- Your breasts feel full before a feeding and softer afterwards
- A letdown sensation or milk dripping from the other breast
- You can hear your baby swallow
- You can see milk in your baby’s mouth
- The processed product (stool!) coming out the other end!

After the first week, your baby should:

- Nurse at least 8-12 times in 24 hours (every 1½-3 hours)
- Nurse about 10-20 minutes at each feeding
- Be happy during and after a feeding
- Gain about 4-7 oz per week (after a small weight loss the first week)
- Return to birth weight by 2-3 weeks of age
- Have 6 or more pale colored, wet diapers in 24 hours
- Have 4-12 stools in 24 hours
- Be alert and bright-eyed

Call your baby’s doctor if:

- Your infant sucks only briefly, very softly or irregularly
- Your baby is very jaundiced (yellow) and getting more yellow
- You have severe, constant nipple pain
- Your baby fights the breast or cries after a minute or two
- Your baby has less than 6 wet diapers a day
- Your baby has little or no stool, or has dark green mucus stools
- Your baby seems weak, tired, or not interested in feeding

HOW TO TELL IF YOUR BABY IS GETTING ENOUGH MILK

Every mother-baby pair is different! That makes it hard to say exactly how your baby should be eating. In the first few days, your baby is getting rich, yellow colostrum (first milk).

Signs that your baby is getting enough milk are:

- An alert, bright-eyed infant
- A baby who wants to eat every 1½-3 hours and is satisfied between feedings
- At least one wet diaper per day of age until milk is in (ex. 1 day old = 1 diaper; 2 days old = 2 diapers; etc.)
- The normal change in stools over the first 2-5 days of life: Meconium (dark green, tarry) to transitional stools (lighter green) to true breastmilk stools (yellow, seedy, curdy or loose). The number of stools will increase each day.

After 3-5 days, when your milk “comes in,” you will also notice:

- Your breasts feel full before a feeding and softer afterwards
- A letdown sensation or milk dripping from the other breast
- You can hear your baby swallow
- You can see milk in your baby’s mouth
- The processed product (stool!) coming out the other end!

After the first week, your baby should:

- Nurse at least 8-12 times in 24 hours (every 1½-3 hours)
- Nurse about 10-20 minutes at each feeding
- Be happy during and after a feeding
- Gain about 4-7 oz per week (after a small weight loss the first week)
- Return to birth weight by 2-3 weeks of age
- Have 6 or more pale colored, wet diapers in 24 hours
- Have 4-12 stools in 24 hours
- Be alert and bright-eyed

Call your baby’s doctor if:

- Your infant sucks only briefly, very softly or irregularly
- Your baby is very jaundiced (yellow) and getting more yellow
- You have severe, constant nipple pain
- Your baby fights the breast or cries after a minute or two
- Your baby has less than 6 wet diapers a day
- Your baby has little or no stool, or has dark green mucus stools
- Your baby seems weak, tired, or not interested in feeding

INFORMACIÓN Y APOYO DE AMAMANTAMIENTO

Condados de Bonneville, Clark, Custer, Fremont, Jefferson, Lemhi, Madison and Teton

HOSPITALES

PREGUNTE POR UNA EDUCADORA DE LACTACIÓN

Eastern Idaho Regional Medical Center	(208) 529-7171
Madison Memorial Hospital	(208) 356-3691
Mountain View Hospital	(208) 557-2700
Steele Memorial Hospital	(208) 756-4291
Teton Valley Hospital	(208) 354-2383 x 146

DEPARTAMENTOS DE SALUD

Programa WIC – Distrito de Salud del Este de Idaho

Challis	(208) 879-2504
Driggs	(208) 354-2220
Dubois	(208) 374-5216
Idaho Falls	(208) 522-3823
Rexburg	(208) 365-9594
Rigby	(208) 745-0346
Salmon	(208) 756-2123
St. Anthony	(208) 624-7585
Terreton	(208) 663-4860

LA LIGA DE LA LECHE

Voluntario Acreditado de La Leache Lideres La Liga 1(800) LALECHE
<http://www.llusa.org>

ASOCIACIÓN INTERNACIONAL DE ESPECIALISTAS EN LACTACIÓN

Especialistas en Lactación Privadas por código postal <http://www.ilca.org>

LÍNEA DE AYUDA CON EL AMAMANTAMIENTO

De lunes a viernes, 7am - 4pm (hora estándar de montaña) 1-800-994-9662

**Para más información sobre el programa WIC
contacte a Idaho Careline al 211 ó al 1-800-926-2588**

WIC es un proveedor que ofrece igualdad de oportunidades.



Proyecto del Consejo para Bebés y Mamás BEST Maternal y la Salud de Niño de Departamento de Salud y Bienestar de Idaho, y del programa WIC de Idaho. Para más información sobre esta publicación, contacte a Programa WIC de Idaho, (208) 334-5948 ó llame gratis al 866-347-5484. 06/16

INFORMACIÓN Y APOYO DE AMAMANTAMIENTO

Condados de Bonneville, Clark, Custer, Fremont, Jefferson, Lemhi, Madison and Teton

HOSPITALES

PREGUNTE POR UNA EDUCADORA DE LACTACIÓN

Eastern Idaho Regional Medical Center	(208) 529-7171
Madison Memorial Hospital	(208) 356-3691
Mountain View Hospital	(208) 557-2700
Steele Memorial Hospital	(208) 756-4291
Teton Valley Hospital	(208) 354-2383 x 146

DEPARTAMENTOS DE SALUD

Programa WIC – Distrito de Salud del Este de Idaho

Challis	(208) 879-2504
Driggs	(208) 354-2220
Dubois	(208) 374-5216
Idaho Falls	(208) 522-3823
Rexburg	(208) 365-9594
Rigby	(208) 745-0346
Salmon	(208) 756-2123
St. Anthony	(208) 624-7585
Terreton	(208) 663-4860

LA LIGA DE LA LECHE

Voluntario Acreditado de La Leache Lideres La Liga 1(800) LALECHE
<http://www.llusa.org>

ASOCIACIÓN INTERNACIONAL DE ESPECIALISTAS EN LACTACIÓN

Especialistas en Lactación Privadas por código postal <http://www.ilca.org>

LÍNEA DE AYUDA CON EL AMAMANTAMIENTO

De lunes a viernes, 7am - 4pm (hora estándar de montaña) 1-800-994-9662

**Para más información sobre el programa WIC
contacte a Idaho Careline al 211 ó al 1-800-926-2588**

WIC es un proveedor que ofrece igualdad de oportunidades.



Proyecto del Consejo para Bebés y Mamás BEST Maternal y la Salud de Niño de Departamento de Salud y Bienestar de Idaho, y del programa WIC de Idaho. Para más información sobre esta publicación, contacte a Programa WIC de Idaho, (208) 334-5948 ó llame gratis al 866-347-5484. 06/16

CÓMO SABER SI SU BEBÉ ESTÁ RECIBIENDO SUFICIENTE LECHE

¡Cada pareja de mamá y bebé es diferente! Esto dificulta el saber exactamente cómo su bebé debe estar alimentándose. En los primeros días, su bebé recibe el nutrido y amarillo calostro (la primera leche).

Señas que su bebé está recibiendo suficiente leche:

- El bebé está alerta y contento
- El bebé quiere mamar cada 1½-3 horas y está satisfecho entre comidas
- Tiene por lo menos un pañal mojado por cada día de edad que tiene hasta que la leche baja (ejemplo, 1 día de edad – 1 pañal; 2 días de edad – 2 panales, etc.)
- El cambia normal en el excremento en los primeros 2 a 5 días de vida: de meconio (verde oscuro, como alquitrán) a excremento transitorio (verde más claro) a excremento de leche materna verdadero (amarillo, como semillitas, o suelto). El número de excrementos aumenta cada día.

Después de 3-5 días, cuando su leche “baje,” usted también notará:

- Que sus pechos se sentirán llenos antes de dar pecho y más suaves después
- Una sensación de “bajar” o goteo en el otro pecho
- Usted puede escuchar que su bebé está tragando
- Usted puede ver leche en la boca de su bebé
- ¡El producto procesado (¡el excremento!) sale por el otro lado!

Después de la primera semana, su bebé debe:

- Amamantar por lo menos 8-12 veces en 24 horas (cada 1½-3 horas)
- Amamantar cerca de 10-20 minutos cada vez
- Estar feliz durante y después de mamar
- Ganar cerca de 4-7 onzas por semana (después de perder un poco de peso la primera semana)
- Regresar a su peso de nacimiento para la 2-3 semana de edad
- Tener 6 ó más pañales mojados, de color pálido, en 24 horas
- Tener de 4-12 excrementos en 24 horas
- Estar alerta y contento

Llame al doctor de su bebé si:

- Su bebé chupa por corto tiempo, suave o irregularmente
- Su bebé se ve muy amarillo (ictericia) y se está poniendo más amarillo
- Usted tiene dolor fuerte y constante en el pezón
- Su bebé batalla con el pecho o llora después de un minuto o dos
- Su bebé tiene menos de 6 pañales mojados en un día
- Su bebé tiene poco o ningún excremento, o es verde oscuro y mucoso
- Su bebé parece débil, cansado o no está interesado en mamar

CÓMO SABER SI SU BEBÉ ESTÁ RECIBIENDO SUFICIENTE LECHE

¡Cada pareja de mamá y bebé es diferente! Esto dificulta el saber exactamente cómo su bebé debe estar alimentándose. En los primeros días, su bebé recibe el nutrido y amarillo calostro (la primera leche).

Señas que su bebé está recibiendo suficiente leche:

- El bebé está alerta y contento
- El bebé quiere mamar cada 1½-3 horas y está satisfecho entre comidas
- Tiene por lo menos un pañal mojado por cada día de edad que tiene hasta que la leche baja (ejemplo, 1 día de edad – 1 pañal; 2 días de edad – 2 panales, etc.)
- El cambia normal en el excremento en los primeros 2 a 5 días de vida: de meconio (verde oscuro, como alquitrán) a excremento transitorio (verde más claro) a excremento de leche materna verdadero (amarillo, como semillitas, o suelto). El número de excrementos aumenta cada día.

Después de 3-5 días, cuando su leche “baje,” usted también notará:

- Que sus pechos se sentirán llenos antes de dar pecho y más suaves después
- Una sensación de “bajar” o goteo en el otro pecho
- Usted puede escuchar que su bebé está tragando
- Usted puede ver leche en la boca de su bebé
- ¡El producto procesado (¡el excremento!) sale por el otro lado!

Después de la primera semana, su bebé debe:

- Amamantar por lo menos 8-12 veces en 24 horas (cada 1½-3 horas)
- Amamantar cerca de 10-20 minutos cada vez
- Estar feliz durante y después de mamar
- Ganar cerca de 4-7 onzas por semana (después de perder un poco de peso la primera semana)
- Regresar a su peso de nacimiento para la 2-3 semana de edad
- Tener 6 ó más pañales mojados, de color pálido, en 24 horas
- Tener de 4-12 excrementos en 24 horas
- Estar alerta y contento

Llame al doctor de su bebé si:

- Su bebé chupa por corto tiempo, suave o irregularmente
- Su bebé se ve muy amarillo (ictericia) y se está poniendo más amarillo
- Usted tiene dolor fuerte y constante en el pezón
- Su bebé batalla con el pecho o llora después de un minuto o dos
- Su bebé tiene menos de 6 pañales mojados en un día
- Su bebé tiene poco o ningún excremento, o es verde oscuro y mucoso
- Su bebé parece débil, cansado o no está interesado en mamar