

# Idaho Reported STD, 2004



Idaho Department of Health & Welfare  
Office of Epidemiology and Food Protection  
450 W State St, 4<sup>th</sup> Floor  
Boise, ID 83720



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

## **Acknowledgements**

Jared Bartschi, MHE, IDHW Office of Epidemiology and Food Protection  
Christine Hahn, MD, IDHW Office of Epidemiology and Food Protection  
Merideth Duran, IDHW Office of Epidemiology and Food Protection  
District Health Departments

# Contents

<b>Listing of Tables and Figures</b> .....	iii
<b>Methods</b> .....	iv
<b>Historical trends</b> .....	5
<b>Statewide 2004 totals</b> .....	7
<b>Chancroid</b> .....	8
<b>Chlamydia</b> .....	9
<b>Gonorrhea</b> .....	11
<b>Syphilis</b> .....	13
<b>HIV</b> .....	15
<b>AIDS</b> .....	16
<b>District Tables</b> .....	17
District 1 .....	17
District 2 .....	18
District 3 .....	19
District 4 .....	20
District 5 .....	21
District 6 .....	22
District 7 .....	23

# Listing of Tables and Figures

## Tables

Table 1. Sexually Transmitted Disease (STD), Idaho, 2004 .....	7
Table 2. STD by health district of residence, Idaho, 2004 .....	7
Table 3. Chancroid by sex, race/ethnicity, and age group, Idaho, 2004 .....	8
Table 4. Chlamydia by sex, race/ethnicity, and age group, Idaho, 2004 .....	9
Table 5. Chlamydia by sex and county of residence, Idaho, 2004.....	10
Table 6. Gonorrhea by sex, race/ethnicity, and age group, Idaho, 2004 .....	11
Table 7. Gonorrhea by sex and county of residence, Idaho, 2004 .....	12
Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group, Idaho, 2004 .....	13
Table 9. Syphilis (all stages) by sex and county of residence, Idaho, 2004 .....	14
Table 10. HIV by sex, race/ethnicity, and age group, Idaho, 2004 .....	15
Table 11. AIDS by sex, race/ethnicity, and age group, Idaho, 2004 .....	16
Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2004 .....	17
Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1995—2004 .....	17
Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2004 .....	18
Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1995—2004 .....	18
Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2004 .....	19
Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1995—2004 .....	19
Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2004 .....	20
Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1995—2004 .....	20
Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2004 .....	21
Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1995—2004 .....	21
Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2004 .....	22
Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1995—2004 .....	22
Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2004 .....	23
Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1995—2004 .....	23

## Figures

Figure 1. Idaho's counties and health districts .....	iv
Figure 2. Chancroid by year of report, Idaho, 1984—2004 <sup>1</sup> .....	5
Figure 3. Chlamydia by year of report, Idaho, 1986—2004 <sup>1</sup> .....	5
Figure 4. Gonorrhea by year of report, Idaho, 1984—2004 .....	5
Figure 5. Syphilis (all stages) by year of report, Idaho, 1984—2004 .....	6
Figure 6. HIV (not AIDS) by year of report, Idaho, 1986—2004 <sup>1</sup> .....	6
Figure 7. AIDS by year of report, Idaho, 1984—2004 .....	6

## Methods

Chlamydia, gonorrhea, syphilis, HIV/AIDS, and chancroid are sexually transmitted diseases (STDs) which are required to be reported by name. Providers who diagnose these STDs report to district health departments or the Idaho Department of Health and Welfare. Reports include patient-level information, including sex, race, ethnicity, address, diagnosis, and diagnosing provider. This report contains aggregate data from reported cases of STD in individuals residing in Idaho.


This report presents data from HIV and AIDS among residents of Idaho at first HIV or AIDS diagnosis. HIV/AIDS Surveillance guidelines state, "Cases of HIV and AIDS are reported based on the place of residence at diagnosis of HIV and/or AIDS regardless of where the exposure may have occurred." This applies even when the residence state is a state that did not require HIV infection reporting at the time of diagnosis or uses a non-name identifier, if the diagnosis can be verified through patient records. Ongoing nationwide HIV/AIDS case de-duplication processes can result in identification of cases reported in Idaho which were reported previously outside of Idaho. This publication supersedes prior publications. For more detailed analysis of HIV/AIDS in Idaho, consult the 2004 Epidemiologic Profile of HIV/AIDS in Idaho (<http://www.healthandwelfare.idaho.gov>).

Historical trends are presented for the past 20 years through 2004 or from the year the disease/condition was made reportable in Idaho.

Race is collected independent from ethnicity. A person with Hispanic ethnicity may be of any race. For practical purposes, all reports of infection in individuals with Hispanic ethnicity are categorized as "Hispanic"; all other race/ethnic categories exclude Hispanic ethnicity. Reports can include more than one race, categorized in this document as "Other race".


Rates in this report are raw rates per 100,000 population for the geographic area calculated. Rates are not adjusted for age using a standardized population.

**Figure 1. Idaho's counties and health districts**




## Historical trends

**Figure 2. Chancroid by year of report, Idaho, 1984—2004<sup>1</sup>**




1. Chancroid has not been reported since 1983 in Idaho. The cases in 2004 were classified as presumptive, meaning the diagnosis was not confirmed by laboratory findings but tests for other STDs causing genital lesions were negative.

**Figure 3. Chlamydia by year of report, Idaho, 1986—2004<sup>1</sup>**




1. Chlamydia was not reported in Idaho prior to 1986.


**Figure 4. Gonorrhea by year of report, Idaho, 1984—2004**



**Figure 5. Syphilis (all stages) by year of report, Idaho, 1984—2004**




**Figure 6. HIV (not AIDS) by year of report, Idaho, 1986—2004<sup>1</sup>**



1. HIV became reportable in Idaho in 1986. This graph presents data by year of report, not year of diagnosis. In 1990, Idaho's HIV/AIDS reporting system was updated. Because the report date is calculated by the system upon entry of the record, HIV-only records received prior to the update show as being reported in 1990, causing an artificially large number for that year. For a more accurate depiction of HIV/AIDS trends using diagnosis year, see the 2004 Idaho Epidemiologic Profile for HIV/AIDS Prevention and Care Planning. A nationwide de-duplication project during late 2004-2005 resulted in identification of cases which were initially diagnosed outside of Idaho. Thus, totals have changed from prior publications.

**Figure 7. AIDS by year of report, Idaho, 1984—2004**



## Statewide 2004 totals

**Table 1. Sexually Transmitted Disease (STD), Idaho, 2004**

Condition	Sex			TOTAL
	Male	Female	Unknown	
Chancroid	1	1	0	2
Chlamydia	617	2157	10	2784
Gonorrhea	60	42	1	103
Syphilis (all stages)	38	39	0	77
HIV (not AIDS)	20	2	0	22
AIDS	11	5	0	16
<b>TOTAL</b>	<b>747</b>	<b>2246</b>	<b>11</b>	<b>3004</b>

**Table 2. STD by health district of residence, Idaho, 2004**

Condition	DISTRICT							TOTAL
	1	2	3	4	5	6	7	
Chancroid	1	0	0	0	0	1	0	2
Chlamydia	348	269	481	968	314	275	129	2784
Gonorrhea	11	7	20	39	10	14	2	103
Syphilis (all stages)	3	3	52	13	2	1	3	77
HIV (not AIDS)	1	0	4	9	5	1	2	22
AIDS	3	1	4	4	1	2	1	16
<b>TOTAL</b>	<b>367</b>	<b>280</b>	<b>561</b>	<b>1033</b>	<b>332</b>	<b>294</b>	<b>137</b>	<b>3004</b>



# Chancroid

**Table 3. Chancroid by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female							Total Cases	Percent of Total		
	Race						Total Males	Percent Males	Race								Total Females	Percent Females
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	0	0	0	0	0	0	0	0%	1	0	0	0	0	0	1	100%	1	50%
20-24 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
25-29 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
30-34 yrs	0	0	0	0	0	1	1	100%	0	0	0	0	0	0	0	0%	1	50%
35-39 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
40-44 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
45-54 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
55-64 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
TOTAL	0	0	0	0	0	1	1	100%	1	0	0	0	0	0	1	100%	2	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	1	50%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	0	0%
White (not Hispanic)	0	0%
Hispanic	0	0%
Unknown	1	50%
TOTAL	2	100%

# Chlamydia

**Table 4. Chlamydia by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female							Total Cases	Percent of Total		
	Race/ethnicity						Total Males	Percent Males	Race/ethnicity								Total Females	Percent Females
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	0	2	2	0%	0	0	0	4	0	2	6	0%	8	0%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	1	0	0	1	0%	0	1	1	13	2	4	21	1%	22	1%
15-19 yrs	4	2	2	54	17	28	107	17%	29	9	10	405	106	193	752	35%	862	31%
20-24 yrs	7	6	16	168	34	77	308	50%	29	11	14	497	115	278	944	44%	1256	45%
25-29 yrs	1	1	6	48	15	35	106	17%	7	3	3	141	37	102	293	14%	401	14%
30-34 yrs	2	0	3	25	6	14	50	8%	3	3	1	27	25	25	84	4%	135	5%
35-39 yrs	1	1	0	7	5	7	21	3%	2	1	0	16	6	7	32	1%	53	2%
40-44 yrs	0	0	0	8	1	4	13	2%	0	0	0	7	1	3	11	1%	24	1%
45-54 yrs	0	0	0	3	0	3	6	1%	1	0	0	3	1	4	9	0%	15	1%
55-64 yrs	0	0	0	0	1	0	1	0%	0	0	0	0	1	0	1	0%	2	0%
65+ yrs	0	0	0	0	0	1	1	0%	0	0	0	0	0	0	0	0%	1	0%
Unknown	0	0	0	0	0	1	1	0%	0	0	0	4	0	0	4	0%	5	0%
<b>TOTAL</b>	<b>15</b>	<b>10</b>	<b>27</b>	<b>314</b>	<b>79</b>	<b>172</b>	<b>617</b>	<b>100%</b>	<b>71</b>	<b>28</b>	<b>29</b>	<b>1117</b>	<b>294</b>	<b>618</b>	<b>2157</b>	<b>100%</b>	<b>2784</b>	<b>100%</b>

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	86	3%
Asian/Pacific Islander	38	1%
Black (not Hispanic)	56	2%
White (not Hispanic)	1431	51%
Hispanic	373	13%
Unknown	800	29%
<b>TOTAL</b>	<b>2784</b>	<b>100%</b>

Note: 0-4 year age group includes reports of Ophthalmia Neonatorum, chlamydial infection of the infant conjunctiva, which occurs during some births to a chlamydia-infected mother. Totals include cases with sex not reported or unknown.

**Table 5. Chlamydia by sex and county of residence, Idaho, 2004**

County	SEX			TOTAL	Population (1)	Rate per 100,000
	Male	Female	Unknown			
Ada	172	599	1	772	332,523	232.2
Adams	1	3	0	4	3,451	115.9
Bannock	29	147	2	178	75,672	235.2
Bear Lake	0	1	0	1	6,323	15.8
Benewah	3	11	1	15	8,961	167.4
Bingham	11	56	0	67	43,205	155.1
Blaine	3	18	0	21	21,103	99.5
Boise	0	5	0	5	7,362	67.9
Bonner	6	27	0	33	39,872	82.8
Bonneville	19	67	0	86	89,653	95.9
Boundary	3	9	0	12	10,396	115.4
Butte	1	0	0	1	2,838	35.2
Camas	1	1	0	2	1,013	197.4
Canyon	79	307	2	388	158,038	245.5
Caribou	1	8	0	9	7,213	124.8
Cassia	8	29	0	37	21,393	173.0
Clark	0	1	0	1	906	110.4
Clearwater	3	14	0	17	8,393	202.5
Custer	2	2	0	4	4,114	97.2
Elmore	80	93	0	173	28,878	599.1
Franklin	0	4	0	4	12,199	32.8
Fremont	0	6	0	6	12,263	48.9
Gem	5	21	2	28	15,963	175.4
Gooding	6	22	1	29	14,346	202.1
Idaho	4	6	0	10	15,616	64.0
Jefferson	3	14	0	17	20,782	81.8
Jerome	2	38	0	40	19,279	207.5
Kootenai	47	211	1	259	122,350	211.7
Latah	30	63	0	93	35,169	264.4
Lemhi	1	4	0	5	7,820	63.9
Lewis	3	8	0	11	3,753	293.1
Lincoln	2	4	0	6	4,326	138.7
Madison	1	6	0	7	30,782	22.7
Minidoka	5	36	0	41	19,229	213.2
Nez Perce	25	113	0	138	37,823	364.9
Oneida	0	2	0	2	4,143	48.3
Owyhee	3	10	0	13	10,998	118.2
Payette	9	22	0	31	21,587	143.6
Power	3	10	0	13	7,483	173.7
Shoshone	8	21	0	29	12,827	226.1
Teton	0	3	0	3	7,253	41.4
Twin Falls	29	109	0	138	67,935	203.1
Valley	4	14	0	18	7,970	225.8
Washington	5	12	0	17	10,059	169.0
STATE	617	2157	10	2784	1,393,262	199.8

# Gonorrhea

**Table 6. Gonorrhea by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female							Total Cases*	Percent of Total		
	Race/ethnicity						Total Males	Percent Males	Race/ethnicity								Total Females	Percent Females
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	1	0	0	3	3	6	13	22%	0	0	1	3	1	4	9	21%	22	21%
20-24 yrs	0	1	1	7	3	5	17	28%	2	1	0	4	4	8	19	45%	37	36%
25-29 yrs	0	0	0	3	2	4	9	15%	1	1	0	4	2	2	10	24%	19	18%
30-34 yrs	0	0	0	0	0	7	7	12%	0	0	0	0	0	2	2	5%	9	9%
35-39 yrs	0	0	0	4	0	3	7	12%	0	0	0	1	0	1	2	5%	9	9%
40-44 yrs	0	0	0	1	1	1	3	5%	0	0	0	0	0	0	0	0%	3	3%
45-54 yrs	0	0	0	1	0	3	4	7%	0	0	0	0	0	0	0	0%	4	4%
55-64 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
<b>TOTAL</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>19</b>	<b>9</b>	<b>29</b>	<b>60</b>	<b>100%</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>12</b>	<b>7</b>	<b>17</b>	<b>42</b>	<b>100%</b>	<b>103</b>	<b>100%</b>

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	4	4%
Asian/Pacific Islander	3	3%
Black (not Hispanic)	3	3%
White (not Hispanic)	31	30%
Hispanic	16	16%
Unknown	46	45%
<b>TOTAL</b>	<b>103</b>	<b>100%</b>

Note: 0-4 year age group includes reports of Ophthalmia Neonatorum, chlamydial infection of the infant conjunctiva, which occurs during some births to a chlamydia-infected mother. Totals include cases with sex not reported or unknown.

**Table 7. Gonorrhea by sex and county of residence, Idaho, 2004**

County	SEX			TOTAL	Population (1)	Rate per 100,000
	Male	Female	Unknown			
Ada	29	9	0	38	332,523	11.4
Adams	0	0	0	0	3,451	0.0
Bannock	3	6	1	10	75,672	13.2
Bear Lake	0	0	0	0	6,323	0.0
Benewah	0	2	0	2	8,961	22.3
Bingham	2	2	0	4	43,205	9.3
Blaine	1	1	0	2	21,103	9.5
Boise	0	0	0	0	7,362	0.0
Bonner	0	1	0	1	39,872	2.5
Bonneville	2	0	0	2	89,653	2.2
Boundary	0	0	0	0	10,396	0.0
Butte	0	0	0	0	2,838	0.0
Camas	0	0	0	0	1,013	0.0
Canyon	12	7	0	19	158,038	12.0
Caribou	0	0	0	0	7,213	0.0
Cassia	0	0	0	0	21,393	0.0
Clark	0	0	0	0	906	0.0
Clearwater	0	1	0	1	8,393	11.9
Custer	0	0	0	0	4,114	0.0
Elmore	1	0	0	1	28,878	3.5
Franklin	0	0	0	0	12,199	0.0
Fremont	0	0	0	0	12,263	0.0
Gem	0	1	0	1	15,963	6.3
Gooding	0	1	0	1	14,346	7.0
Idaho	0	0	0	0	15,616	0.0
Jefferson	0	0	0	0	20,782	0.0
Jerome	0	0	0	0	19,279	0.0
Kootenai	3	4	0	7	122,350	5.7
Latah	0	0	0	0	35,169	0.0
Lemhi	0	0	0	0	7,820	0.0
Lewis	0	1	0	1	3,753	26.6
Lincoln	0	0	0	0	4,326	0.0
Madison	0	0	0	0	30,782	0.0
Minidoka	1	1	0	2	19,229	10.4
Nez Perce	3	2	0	5	37,823	13.2
Oneida	0	0	0	0	4,143	0.0
Owyhee	0	0	0	0	10,998	0.0
Payette	0	0	0	0	21,587	0.0
Power	0	0	0	0	7,483	0.0
Shoshone	0	1	0	1	12,827	7.8
Teton	0	0	0	0	7,253	0.0
Twin Falls	3	2	0	5	67,935	7.4
Valley	0	0	0	0	7,970	0.0
Washington	0	0	0	0	10,059	0.0
STATE	60	42	1	103	1,393,262	7.4

# Syphilis

**Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female							Total Cases*	Percent of Total		
	Race/ethnicity						Total Males	Percent Males	Race/ethnicity								Total Females	Percent Females
	American Indian/Alaska Native	Asian/ Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/ Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	2	0	2	5%	0	0	0	0	0	0	0	0%	2	3%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	0	0	0	0	1	0	1	3%	0	0	0	4	5	0	9	23%	10	13%
20-24 yrs	0	0	0	6	8	0	14	37%	1	0	0	7	6	1	15	38%	29	38%
25-29 yrs	0	0	0	1	7	2	10	26%	0	1	0	1	7	0	9	23%	19	25%
30-34 yrs	0	0	0	1	1	0	2	5%	0	0	0	1	0	0	1	3%	3	4%
35-39 yrs	0	0	0	2	2	0	4	11%	0	0	0	0	0	0	0	0%	4	5%
40-44 yrs	0	0	0	0	0	0	0	0%	0	0	0	1	1	0	2	5%	2	3%
45-54 yrs	0	0	0	0	1	0	1	3%	0	0	0	0	0	0	0	0%	1	1%
55-64 yrs	0	0	0	0	2	0	2	5%	0	0	0	0	1	1	2	5%	4	5%
65+ yrs	0	0	0	0	1	1	2	5%	0	0	0	0	0	1	1	3%	3	4%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>10</b>	<b>25</b>	<b>3</b>	<b>38</b>	<b>100%</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>14</b>	<b>20</b>	<b>3</b>	<b>39</b>	<b>100%</b>	<b>77</b>	<b>100%</b>

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	1	1%
Asian/Pacific Islander	1	1%
Black (not Hispanic)	0	0%
White (not Hispanic)	24	31%
Hispanic	45	58%
Unknown	6	8%
<b>TOTAL</b>	<b>77</b>	<b>100%</b>

Note: 0-4 year age group includes reports of Congenital Syphilis.

**Table 9. Syphilis (all stages) by sex and county of residence, Idaho, 2004**

County	SEX			TOTAL	Population (1)	Rate per 100,000
	Male	Female	Unknown			
Ada	7	6	0	13	332,523	3.9
Adams	0	0	0	0	3,451	0.0
Bannock	0	1	0	1	75,672	1.3
Bear Lake	0	0	0	0	6,323	0.0
Benewah	0	0	0	0	8,961	0.0
Bingham	0	0	0	0	43,205	0.0
Blaine	0	0	0	0	21,103	0.0
Boise	0	0	0	0	7,362	0.0
Bonner	2	0	0	2	39,872	5.0
Bonneville	1	1	0	2	89,653	2.2
Boundary	0	0	0	0	10,396	0.0
Butte	0	0	0	0	2,838	0.0
Camas	0	0	0	0	1,013	0.0
Canyon	20	24	0	44	158,038	27.8
Caribou	0	0	0	0	7,213	0.0
Cassia	0	0	0	0	21,393	0.0
Clark	0	0	0	0	906	0.0
Clearwater	0	1	0	1	8,393	11.9
Custer	0	0	0	0	4,114	0.0
Elmore	0	0	0	0	28,878	0.0
Franklin	0	0	0	0	12,199	0.0
Fremont	0	0	0	0	12,263	0.0
Gem	0	0	0	0	15,963	0.0
Gooding	0	0	0	0	14,346	0.0
Idaho	1	0	0	1	15,616	6.4
Jefferson	0	0	0	0	20,782	0.0
Jerome	0	0	0	0	19,279	0.0
Kootenai	0	1	0	1	122,350	0.8
Latah	0	0	0	0	35,169	0.0
Lemhi	0	0	0	0	7,820	0.0
Lewis	0	0	0	0	3,753	0.0
Lincoln	1	1	0	2	4,326	46.2
Madison	0	0	0	0	30,782	0.0
Minidoka	0	0	0	0	19,229	0.0
Nez Perce	0	1	0	1	37,823	2.6
Oneida	0	0	0	0	4,143	0.0
Owyhee	5	1	0	6	10,998	54.6
Payette	1	1	0	2	21,587	9.3
Power	0	0	0	0	7,483	0.0
Shoshone	0	0	0	0	12,827	0.0
Teton	0	1	0	1	7,253	13.8
Twin Falls	0	0	0	0	67,935	0.0
Valley	0	0	0	0	7,970	0.0
Washington	0	0	0	0	10,059	0.0
STATE	38	39	0	77	1,393,262	5.5

# HIV

**Table 10. HIV by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female							Total Cases*	Percent of Total		
	Race/ethnicity						Total Males	Percent Males	Race/ethnicity								Total Females	Percent Females
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	0	0	0	1	0	0	1	5%	0	0	0	0	0	0	0	0%	1	5%
20-24 yrs	0	0	0	2	0	0	2	10%	0	0	0	0	0	0	0	0%	2	9%
25-29 yrs	0	0	1	2	0	0	3	15%	0	0	0	0	1	0	1	50%	4	18%
30-34 yrs	1	0	0	4	0	0	5	25%	0	0	0	0	0	0	0	0%	5	23%
35-39 yrs	0	0	0	1	1	0	2	10%	0	0	0	0	0	0	0	0%	2	9%
40-44 yrs	0	0	0	5	1	0	6	30%	0	0	0	0	0	0	0	0%	6	27%
45-54 yrs	0	0	0	1	0	0	1	5%	0	0	0	1	0	0	1	50%	2	9%
55-64 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
TOTAL	1	0	1	16	2	0	20	100%	0	0	0	1	1	0	2	100%	22	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	1	5%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	1	5%
White (not Hispanic)	17	77%
Hispanic	3	14%
Unknown	0	0%
TOTAL	22	100%



# AIDS

**Table 11. AIDS by sex, race/ethnicity, and age group, Idaho, 2004**

Age at Diagnosis	SEX														TOTAL			
	Male							Female										
	Race/ethnicity						Total Males	Percent Males	Race/ethnicity						Total Females	Percent Females		
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown			American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown Race				
0- 4 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	1	0	1	20%	1	6%
20-24 yrs	0	0	0	1	0	0	1	9%	0	0	0	0	0	0	0	0%	1	6%
25-29 yrs	0	0	0	1	0	0	1	9%	0	0	0	0	0	0	0	0%	1	6%
30-34 yrs	0	0	0	1	0	0	1	9%	0	0	0	1	0	0	1	20%	2	13%
35-39 yrs	0	0	0	5	0	0	5	45%	1	0	0	0	1	0	2	40%	7	44%
40-44 yrs	0	0	0	1	0	0	1	9%	0	0	0	0	0	0	0	0%	1	6%
45-54 yrs	1	0	0	1	0	0	2	18%	0	0	0	1	0	0	1	20%	3	19%
55-64 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
TOTAL	1	0	0	10	0	0	11	100%	1	0	0	2	2	0	5	100%	16	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	2	13%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	0	0%
White (not Hispanic)	12	75%
Hispanic	2	13%
Unknown	0	0%
TOTAL	16	100%

## District tables

### District 1

**Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	1	0	0	0	0	1	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	5	0	0	0	0	5	1%
15-19 yrs	1	124	1	0	0	0	126	34%
20-24 yrs	0	144	5	1	0	0	150	41%
25-29 yrs	0	40	2	0	0	0	42	11%
30-34 yrs	0	20	2	0	0	0	22	6%
35-39 yrs	0	5	0	0	0	1	6	2%
40-44 yrs	0	4	0	0	0	0	4	1%
45-54 yrs	0	2	1	0	1	2	6	2%
55-64 yrs	0	0	0	2	0	0	2	1%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	3	0	0	0	0	3	1%
<b>TOTAL</b>	<b>1</b>	<b>348</b>	<b>11</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>367</b>	<b>100%</b>

**Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	219	6	1	4	6
1996	198	16	1	3	5
1997	209	14	0	1	8
1998	176	12	3	2	6
1999	252	11	0	4	4
2000	256	8	1	3	3
2001	276	15	1	2	0
2002	292	10	1	3	6
2003	320	11	1	0	6
2004	348	11	3	1	3

## District 2

**Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	1	0	0	0	0	1	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%
15-19 yrs	0	85	2	0	0	0	87	31%
20-24 yrs	0	127	3	1	0	0	131	47%
25-29 yrs	0	34	0	0	0	0	34	12%
30-34 yrs	0	18	1	0	0	0	19	7%
35-39 yrs	0	2	1	0	0	1	4	1%
40-44 yrs	0	2	0	0	0	0	2	1%
45-54 yrs	0	0	0	0	0	0	0	0%
55-64 yrs	0	0	0	1	0	0	1	0%
65+ yrs	0	0	0	1	0	0	1	0%
Unknown	0	0	0	0	0	0	0	0%
<b>TOTAL</b>	<b>0</b>	<b>269</b>	<b>7</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>280</b>	<b>100%</b>

**Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	146	5	3	3	1
1996	114	8	1	1	1
1997	102	4	0	1	1
1998	124	8	1	1	4
1999	125	2	4	3	0
2000	96	3	0	2	2
2001	88	2	0	0	4
2002	196	13	1	2	1
2003	203	11	1	4	1
2004	269	7	3	0	1

## District 3

**Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	1	0	2	0	0	3	1%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	8	0	0	0	0	8	1%
15-19 yrs	0	186	6	9	0	0	201	36%
20-24 yrs	0	175	10	17	0	0	202	37%
25-29 yrs	0	64	3	16	1	1	85	15%
30-34 yrs	0	21	0	0	1	1	23	4%
35-39 yrs	0	16	1	2	1	1	21	4%
40-44 yrs	0	3	0	2	1	0	6	1%
45-54 yrs	0	4	0	1	0	1	6	1%
55-64 yrs	0	1	0	1	0	0	2	0%
65+ yrs	0	1	0	2	0	0	3	1%
Unknown	0	1	0	0	0	0	1	0%
<b>TOTAL</b>	<b>0</b>	<b>481</b>	<b>20</b>	<b>52</b>	<b>4</b>	<b>4</b>	<b>553</b>	<b>101%</b>

**Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	191	26	1	3	1
1996	215	24	6	8	5
1997	286	35	5	5	6
1998	369	71	5	0	7
1999	277	38	2	3	2
2000	300	33	0	9	3
2001	302	14	1	3	0
2002	468	22	9	1	4
2003	433	11	24	4	2
2004	481	20	52	4	4

## District 4

**Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	2	0	0	0	0	2	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	4	0	0	0	0	4	0%
15-19 yrs	0	250	8	0	1	0	259	25%
20-24 yrs	0	488	10	9	0	0	507	49%
25-29 yrs	0	152	6	2	1	1	162	16%
30-34 yrs	0	38	5	2	3	1	49	5%
35-39 yrs	0	17	6	0	0	1	24	2%
40-44 yrs	0	9	1	0	3	0	13	1%
45-54 yrs	0	7	3	0	1	1	12	1%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	1	0	0	0	0	1	0%
<b>TOTAL</b>	<b>0</b>	<b>968</b>	<b>39</b>	<b>13</b>	<b>9</b>	<b>4</b>	<b>1033</b>	<b>100%</b>

**Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	605	73	6	15	23
1996	571	38	9	8	13
1997	639	71	13	11	20
1998	742	60	4	10	14
1999	617	24	2	8	7
2000	724	35	6	17	6
2001	813	28	6	13	10
2002	940	26	7	13	7
2003	814	23	8	10	4
2004	968	39	13	9	4

## District 5

**Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	0	0	0	0	0	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	4	0	0	0	0	4	1%
15-19 yrs	0	100	4	0	0	1	105	32%
20-24 yrs	0	136	2	0	2	0	140	42%
25-29 yrs	0	44	3	1	1	0	49	15%
30-34 yrs	0	20	0	0	0	0	20	6%
35-39 yrs	0	5	0	1	0	0	6	2%
40-44 yrs	0	4	1	0	2	0	7	2%
45-54 yrs	0	0	0	0	0	0	0	0%
55-64 yrs	0	1	0	0	0	0	1	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
<b>TOTAL</b>	<b>0</b>	<b>314</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>1</b>	<b>332</b>	<b>100%</b>

**Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	139	12	1	5	1
1996	173	6	4	2	6
1997	155	18	3	1	1
1998	265	10	1	3	2
1999	222	4	3	6	0
2000	214	4	1	6	2
2001	227	6	4	0	2
2002	287	5	3	3	3
2003	252	7	7	1	3
2004	314	10	2	5	1

## District 6

**Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	2	0	0	0	0	2	1%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%
15-19 yrs	0	75	1	0	0	0	76	26%
20-24 yrs	0	133	7	1	0	0	141	48%
25-29 yrs	0	47	3	0	0	0	50	17%
30-34 yrs	1	10	1	0	1	1	14	5%
35-39 yrs	0	5	1	0	0	1	7	2%
40-44 yrs	0	1	1	0	0	0	2	1%
45-54 yrs	0	2	0	0	0	0	2	1%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
<b>TOTAL</b>	<b>1</b>	<b>275</b>	<b>14</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>294</b>	<b>100%</b>

**Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	214	9	1	1	3
1996	149	3	2	5	2
1997	169	10	1	4	8
1998	215	14	0	10	1
1999	170	5	1	0	4
2000	164	11	2	3	1
2001	175	5	0	3	0
2002	180	10	2	4	2
2003	184	2	2	2	2
2004	275	14	1	1	2

## District 7

**Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2004**

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	1	0	0	0	0	1	1%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	1	0	0	0	0	1	1%
15-19 yrs	0	42	0	1	0	0	43	31%
20-24 yrs	0	53	0	0	0	0	53	39%
25-29 yrs	0	20	2	0	1	0	23	17%
30-34 yrs	0	8	0	1	0	0	9	7%
35-39 yrs	0	3	0	1	1	1	6	4%
40-44 yrs	0	1	0	0	0	0	1	1%
45-54 yrs	0	0	0	0	0	0	0	0%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
<b>TOTAL</b>	<b>0</b>	<b>129</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>137</b>	<b>100%</b>

**Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1995—2004**

Year of report	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1995	99	9	0	4	2
1996	67	1	0	2	4
1997	120	5	3	0	5
1998	128	6	1	1	2
1999	114	5	1	0	3
2000	153	4	1	3	0
2001	143	6	0	1	1
2002	172	10	0	0	1
2003	160	3	2	2	2
2004	129	2	3	2	1