

Idaho Reported Sexually Transmitted Disease, 2005



Snake River Canyon. Photo: Bureau of Land Management

**Idaho Department of Health & Welfare
Office of Epidemiology and Food Protection
450 W State St, 4th Floor
Boise, ID 83720**



**IDAH O D E P A R T M E N T O F
HEALTH & WELFARE**

Acknowledgements

Jared Bartschi, MHE, IDHW Office of Epidemiology and Food Protection
Christine Hahn, MD, IDHW Office of Epidemiology and Food Protection
Merideth Duran, IDHW Office of Epidemiology and Food Protection
District Health Departments

Contents

Acknowlegements	i
Listing of Tables and Figures.....	iii
Methods	iv
Historical trends	5
Statewide Totals	7
Chancroid	8
Chlamydia.....	9
Gonorrhea	11
Syphilis	13
HIV	15
AIDS	16
District Tables	17
District 1	17
District 2	18
District 3	19
District 4	20
District 5	21
District 6	22
District 7	23

Listing of Tables and Figures

Tables

Table 1. Sexually Transmitted Disease (STD), Idaho, 2005	7
Table 2. STD by health district of residence, Idaho, 2005	7
Table 3. Chancroid by sex, race/ethnicity, and age group, Idaho, 2005	8
Table 4. Chlamydia by sex, race/ethnicity, and age group, Idaho, 2005	9
Table 5. Chlamydia by sex and county of residence, Idaho, 2005.....	10
Table 6. Gonorrhea by sex, race/ethnicity, and age group, Idaho, 2005	11
Table 7. Gonorrhea by sex and county of residence, Idaho, 2005	12
Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group, Idaho, 2005	13
Table 9. Syphilis (all stages) by sex and county of residence, Idaho, 2005	14
Table 10. HIV by sex, race/ethnicity, and age group, Idaho, 2005	15
Table 11. AIDS by sex, race/ethnicity, and age group, Idaho, 2005	16
Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2005.....	17
Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1996—2005	17
Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2005.....	18
Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1996—2005	18
Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2005.....	19
Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1996—2005	19
Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2005.....	20
Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1996—2005	20
Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2005.....	21
Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1996—2005	21
Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2005.....	22
Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1996—2005	22
Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2005.....	23
Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1996—2005	23

Figures

Figure 1. Idaho's counties and health districts	iv
Figure 2. Chancroid by year of report, Idaho, 1984—2005	5
Figure 3. Chlamydia by year of report, Idaho, 1986—2005 ¹	5
Figure 4. Gonorrhea by year of report, Idaho, 1984—2005	5
Figure 5. Syphilis (all stages) by year of report, Idaho, 1984—2005	6
Figure 6. HIV (not AIDS) by year of report, Idaho, 1986—2005 ¹	6
Figure 7. AIDS by year of report, Idaho, 1984—2005	6

Methods

Chlamydia, gonorrhea, syphilis, HIV/AIDS, and chancroid are sexually transmitted diseases (STDs) which are required to be reported by name. Providers who diagnose these STDs report to district health departments or the Idaho Department of Health and Welfare. Reports include patient-level information, including sex, race, ethnicity, address, diagnosis, and diagnosing provider. This report contains aggregate data from reported cases of STD in individuals residing in Idaho.

This report presents data from HIV and AIDS among residents of Idaho at first HIV or AIDS diagnosis. HIV/AIDS Surveillance guidelines state, "Cases of HIV and AIDS are reported based on the place of residence at diagnosis of HIV and/or AIDS regardless of where the exposure may have occurred." This applies even when the residence state is a state that did not require HIV infection reporting at the time of diagnosis or uses a non-name identifier, if the diagnosis can be verified through patient records. Ongoing nationwide HIV/AIDS case deduplication processes can result in identification of cases reported in Idaho which were reported previously outside of Idaho. This publication supersedes prior publications. For more detailed analysis of HIV/AIDS in Idaho, consult the latest Epidemiologic Profile of HIV/AIDS in Idaho (<http://www.healthandwelfare.idaho.gov>).

Historical trends are presented for the past 22 years through 2005 or from the year the disease/condition was made reportable in Idaho.

Race is collected independent from ethnicity. A person with Hispanic ethnicity may be of any race. For practical purposes, all reports of infection in individuals with Hispanic ethnicity are categorized as "Hispanic"; all other race/ethnic categories exclude Hispanic ethnicity. Reports can include more than one race, categorized in this document as "Other race".

Rates in this report are raw rates per 100,000 population for the geographic area calculated. U.S. Census Bureau estimates for 2005 (Release date 3/16/2006) were used for county population denominators. Rates are not adjusted for age using a standardized population.

Figure 1. Idaho's counties and health districts



Historical trends

Figure 2. Chancroid by year of report, Idaho, 1984—2005





Figure 3. Chlamydia by year of report, Idaho, 1986—2005¹



1. Chlamydia was not reported in Idaho prior to 1986.

Figure 4. Gonorrhea by year of report, Idaho, 1984—2005




Figure 5. Syphilis (all stages) by year of report, Idaho, 1984—2005






Figure 6. HIV (not AIDS) by year of report, Idaho, 1986—2005¹



1. HIV became reportable in Idaho in 1986. This graph presents data by year of report, not year of diagnosis. In 1990, Idaho's HIV/AIDS reporting system was updated. Because the report date is calculated by the system upon entry of the record, HIV-only records received prior to the update show as being reported in 1990, causing an artificially large number for that year. For a more accurate depiction of HIV/AIDS trends using diagnosis year, see the 2004 Idaho Epidemiologic Profile for HIV/AIDS Prevention and Care Planning. A nationwide de-duplication project during late 2004–2005 resulted in identification of cases which were initially diagnosed outside of Idaho. Thus, totals have changed from prior publications.

Figure 7. AIDS by year of report, Idaho, 1984—2005



Statewide Totals

Table 1. Sexually Transmitted Disease (STD), Idaho, 2005

Condition	Sex			TOTAL
	Male	Female	Unknown	
Chancroid	0	0	0	0
Chlamydia	616	2162	21	2799
Gonorrhea	60	57	2	119
Syphilis (all stages)	27	28	0	55
HIV (not AIDS)	20	5	0	25
AIDS	21	5	0	26
TOTAL	744	2257	23	3024

Table 2. STD by health district of residence, Idaho, 2005

Condition	DISTRICT							TOTAL
	1	2	3	4	5	6	7	
Chancroid	0	0	0	0	0	0	0	0
Chlamydia	294	202	617	1057	278	241	110	2799
Gonorrhea	8	3	35	53	8	8	4	119
Syphilis (all stages)	1	1	34	7	10	2	0	55
HIV (not AIDS)	0	6	0	15	3	1	0	25
AIDS	5	1	6	12	1	1	0	26
TOTAL	308	213	692	1144	300	253	114	3024

Chancroid

Table 3. Chancroid by sex, race/ethnicity, and age group, Idaho, 2005

No chancroid reported during 2005

Chlamydia

Table 4. Chlamydia by sex, race/ethnicity, and age group, Idaho, 2005

Age at Diagnosis	Sex										TOTAL							
	Male					Female												
	Race					Race												
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Other/Unknown	Total	Percent	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Other/Unknown	Total	Percent	Total Cases ¹	Percent of Total
0-4 yrs	0	0	0	2	0	0	2	0%	0	0	0	2	0	3	5	0%	7	0%
5-9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	3	0	3	0%	1	0	0	7	11	0	19	1%	22	1%
15-19 yrs	4	0	5	51	19	26	105	17%	25	6	4	459	104	173	771	36%	885	32%
20-24 yrs	2	4	13	119	37	82	257	42%	31	7	16	529	135	216	934	43%	1198	43%
25-29 yrs	0	0	5	62	20	40	127	21%	7	3	4	155	36	70	275	13%	405	14%
30-34 yrs	0	2	5	17	8	23	55	9%	3	1	0	44	24	25	97	4%	152	5%
35-39 yrs	0	0	0	19	2	13	34	6%	1	1	0	14	8	6	30	1%	65	2%
40-44 yrs	0	0	0	14	3	1	18	3%	0	0	0	5	4	4	13	1%	31	1%
45-54 yrs	0	0	0	7	1	2	10	2%	0	0	0	5	2	3	10	0%	21	1%
55-64 yrs	0	0	0	2	0	1	3	0%	1	0	0	0	0	1	2	0%	5	0%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	1	0	1	2	0%	0	0	0	4	0	2	6	0%	8	0%
TOTAL	6	6	28	294	93	189	616	100%	69	18	24	1224	324	503	2162	100%	2799	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	75	3%
Asian/Pacific Islander	24	1%
Black (not Hispanic)	53	2%
White (not Hispanic)	1521	54%
Hispanic	418	15%
Unknown	708	25%
TOTAL	2799	100%

1. Total includes 21 cases of unknown sex.

Note: 0-4 year age group cases are Ophthalmia Neonatorum, chlamydial infection of the infant conjunctiva, which occurs during some births to a chlamydia-infected mother.

Table 5. Chlamydia by sex and county of residence, Idaho, 2005

SEX						
County	Male	Female	Unknown	TOTAL	Population	Rate per 100,000
Ada	226	644	8	878	344,727	254.7
Adams	0	5	0	5	3,591	139.2
Bannock	29	137	2	168	78,155	215.0
Bear Lake	0	1	0	1	6,176	16.2
Benewah	2	11	0	13	9,218	141.0
Bingham	4	45	0	49	43,739	112.0
Blaine	2	24	0	26	21,166	122.8
Boise	2	7	0	9	7,535	119.4
Bonner	8	25	0	33	40,908	80.7
Bonneville	14	66	3	83	91,856	90.4
Boundary	1	5	0	6	10,619	56.5
Butte	0	2	0	2	2,808	71.2
Camas	1	1	0	2	1,050	190.5
Canyon	105	393	4	502	164,593	305.0
Caribou	0	5	0	5	7,131	70.1
Cassia	6	20	0	26	21,324	121.9
Clark	0	0	0	0	943	0.0
Clearwater	0	7	0	7	8,373	83.6
Custer	0	1	0	1	4,077	24.5
Elmore	61	92	0	153	28,634	534.3
Franklin	1	4	0	5	12,371	40.4
Fremont	2	5	0	7	12,242	57.2
Gem	7	24	0	31	16,273	190.5
Gooding	5	13	0	18	14,461	124.5
Idaho	2	4	0	6	15,697	38.2
Jefferson	1	3	1	5	21,580	23.2
Jerome	6	37	0	43	19,638	219.0
Kootenai	36	191	1	228	127,668	178.6
Latah	23	53	0	76	34,714	218.9
Lemhi	0	4	0	4	7,909	50.6
Lewis	0	3	0	3	3,750	80.0
Lincoln	2	3	0	5	4,545	110.0
Madison	3	4	0	7	30,975	22.6
Minidoka	4	29	0	33	19,014	173.6
Nez Perce	20	90	0	110	37,931	290.0
Oneida	0	2	0	2	4,209	47.5
Owyhee	2	13	0	15	11,073	135.5
Payette	7	32	0	39	22,197	175.7
Power	0	9	0	9	7,753	116.1
Shoshone	5	10	0	15	13,157	114.0
Teton	1	2	0	3	7,467	40.2
Twin Falls	23	101	1	125	69,419	180.1
Valley	2	15	0	17	8,332	204.0
Washington	3	20	1	24	10,098	237.7
STATE	616	2162	21	2799	1,429,096	195.9

Gonorrhea

Table 6. Gonorrhea by sex, race/ethnicity, and age group, Idaho, 2005

Age at Diagnosis	Sex										TOTAL	
	Male					Female						
	Race					Race						
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Total	Percent	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	Total Cases ¹	
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	
10-14 yrs	0	0	0	0	0	0	0%	0	0	0	2	
15-19 yrs	0	0	0	3	3	9	15%	0	0	0	27	
20-24 yrs	1	0	2	10	4	26	43%	2	0	0	49	
25-29 yrs	1	0	0	2	2	7	12%	0	0	0	16	
30-34 yrs	0	0	0	1	2	5	8%	1	0	0	8	
35-39 yrs	0	0	0	3	2	10	17%	0	0	0	12	
40-44 yrs	0	0	0	2	0	2	3%	0	0	0	3	
45-54 yrs	0	0	0	0	0	0	0%	0	0	0	1	
55-64 yrs	0	0	0	1	0	1	2%	0	0	0	1	
65+ yrs	0	0	0	0	0	0	0%	0	0	0	0	
Unknown	0	0	0	0	0	0	0%	0	0	0	0	
TOTAL	2	0	2	22	13	60	100%	3	0	0	119	
											100%	

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	5	4%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	2	2%
White (not Hispanic)	57	48%
Hispanic	25	21%
Unknown	30	25%
TOTAL	119	100%

1. Total includes 2 cases of unknown sex.

Table 7. Gonorrhea by sex and county of residence, Idaho, 2005

County	SEX			TOTAL	Population	Rate per 100,000
	Male	Female	Unknown			
Ada	29	19	1	49	344,727	14.2
Adams	0	0	0	0	3,591	0.0
Bannock	1	3	0	4	78,155	5.1
Bear Lake	0	0	0	0	6,176	0.0
Benewah	0	0	0	0	9,218	0.0
Bingham	0	2	0	2	43,739	4.6
Blaine	1	0	0	1	21,166	4.7
Boise	0	0	0	0	7,535	0.0
Bonner	0	1	0	1	40,908	2.4
Bonneville	1	3	0	4	91,856	4.4
Boundary	0	0	0	0	10,619	0.0
Butte	0	0	0	0	2,808	0.0
Camas	0	0	0	0	1,050	0.0
Canyon	14	18	0	32	164,593	19.4
Caribou	0	0	0	0	7,131	0.0
Cassia	1	0	0	1	21,324	4.7
Clark	0	0	0	0	943	0.0
Clearwater	0	0	0	0	8,373	0.0
Custer	0	0	0	0	4,077	0.0
Elmore	3	1	0	4	28,634	14.0
Franklin	1	0	0	1	12,371	8.1
Fremont	0	0	0	0	12,242	0.0
Gem	1	1	0	2	16,273	12.3
Gooding	1	0	0	1	14,461	6.9
Idaho	1	0	0	1	15,697	6.4
Jefferson	0	0	0	0	21,580	0.0
Jerome	0	2	0	2	19,638	10.2
Kootenai	3	3	1	7	127,668	5.5
Latah	0	2	0	2	34,714	5.8
Lemhi	0	0	0	0	7,909	0.0
Lewis	0	0	0	0	3,750	0.0
Lincoln	0	0	0	0	4,545	0.0
Madison	0	0	0	0	30,975	0.0
Minidoka	1	0	0	1	19,014	5.3
Nez Perce	0	0	0	0	37,931	0.0
Oneida	0	0	0	0	4,209	0.0
Owyhee	0	0	0	0	11,073	0.0
Payette	0	1	0	1	22,197	4.5
Power	0	1	0	1	7,753	12.9
Shoshone	0	0	0	0	13,157	0.0
Teton	0	0	0	0	7,467	0.0
Twin Falls	2	0	0	2	69,419	2.9
Valley	0	0	0	0	8,332	0.0
Washington	0	0	0	0	10,098	0.0
STATE	60	57	2	119	1,429,096	8.3

Syphilis

Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group, Idaho, 2005

Age at Diagnosis	Sex										TOTAL	
	Male					Female						
	Race					Race						
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Total	Percent	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	1	1 4%
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	0 0%
10-14 yrs	0	0	0	0	0	0	0%	0	0	0	0	0 0%
15-19 yrs	0	0	0	1	1	2	7%	0	0	0	2	6 21%
20-24 yrs	0	0	0	0	7	8	30%	0	0	0	1	7 25%
25-29 yrs	0	0	0	1	5	6	22%	0	0	0	4	6 21%
30-34 yrs	0	0	0	1	3	4	15%	0	0	1	0	3 11%
35-39 yrs	0	0	1	0	0	1	4%	0	0	0	0	2 7%
40-44 yrs	0	0	0	0	1	2	7%	0	0	0	0	1 4%
45-54 yrs	0	0	0	0	1	1	4%	0	0	0	0	1 4%
55-64 yrs	0	0	0	1	0	1	4%	0	0	0	0	1 4%
65+ yrs	0	0	0	1	1	2	7%	0	0	0	0	0 0%
Unknown	0	0	0	0	0	0	0%	0	0	0	0	0 0%
TOTAL	0	0	1	5	19	27	100%	0	0	1	8	18 100%
												55 100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	0	0%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	2	4%
White (not Hispanic)	13	24%
Hispanic	37	67%
Unknown	3	5%
TOTAL	55	100%

Note: 0-4 year age group case was congenital infection.

Table 9. Syphilis (all stages) by sex and county of residence, Idaho, 2005

County	SEX			TOTAL	Population	Rate per 100,000
	Male	Female	Unknown			
Ada	4	2	0	6	344,727	1.7
Adams	0	0	0	0	3,591	0.0
Bannock	0	1	0	1	78,155	1.3
Bear Lake	0	0	0	0	6,176	0.0
Benewah	0	0	0	0	9,218	0.0
Bingham	0	0	0	0	43,739	0.0
Blaine	0	0	0	0	21,166	0.0
Boise	0	0	0	0	7,535	0.0
Bonner	0	0	0	0	40,908	0.0
Bonneville	0	0	0	0	91,856	0.0
Boundary	0	0	0	0	10,619	0.0
Butte	0	0	0	0	2,808	0.0
Camas	0	0	0	0	1,050	0.0
Canyon	14	16	0	30	164,593	18.2
Caribou	1	0	0	1	7,131	14.0
Cassia	1	0	0	1	21,324	4.7
Clark	0	0	0	0	943	0.0
Clearwater	0	0	0	0	8,373	0.0
Custer	0	0	0	0	4,077	0.0
Elmore	0	1	0	1	28,634	3.5
Franklin	0	0	0	0	12,371	0.0
Fremont	0	0	0	0	12,242	0.0
Gem	0	0	0	0	16,273	0.0
Gooding	2	0	0	2	14,461	13.8
Idaho	0	0	0	0	15,697	0.0
Jefferson	0	0	0	0	21,580	0.0
Jerome	2	1	0	3	19,638	15.3
Kootenai	1	0	0	1	127,668	0.8
Latah	1	0	0	1	34,714	2.9
Lemhi	0	0	0	0	7,909	0.0
Lewis	0	0	0	0	3,750	0.0
Lincoln	0	0	0	0	4,545	0.0
Madison	0	0	0	0	30,975	0.0
Minidoka	0	1	0	1	19,014	5.3
Nez Perce	0	0	0	0	37,931	0.0
Oneida	0	0	0	0	4,209	0.0
Owyhee	0	1	0	1	11,073	9.0
Payette	0	1	0	1	22,197	4.5
Power	0	0	0	0	7,753	0.0
Shoshone	0	0	0	0	13,157	0.0
Teton	0	0	0	0	7,467	0.0
Twin Falls	0	3	0	3	69,419	4.3
Valley	0	0	0	0	8,332	0.0
Washington	1	1	0	2	10,098	19.8
STATE	27	28	0	55	1,429,096	3.8

HIV

Table 10. HIV by sex, race/ethnicity, and age group, Idaho, 2005

Age at Diagnosis	SEX										TOTAL		
	Male					Female							
	Race/ethnicity					Race/ethnicity							
American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown	Total	Percent	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Total Cases	Percent of Total
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
15-19 yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
20-24 yrs	0	0	0	3	0	3	15%	0	0	1	1	0	40%
25-29 yrs	0	0	0	3	1	4	20%	0	0	0	0	1	20%
30-34 yrs	0	0	0	2	0	2	10%	0	0	0	0	0	0%
35-39 yrs	0	0	0	4	0	4	20%	1	0	0	0	1	20%
40-44 yrs	2	0	0	4	0	6	30%	0	0	0	1	0	20%
45-54 yrs	0	0	0	1	0	1	5%	0	0	0	0	0	0%
55-64 yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0%	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0%	0	0	0	0	0	0%
TOTAL	2	0	0	17	1	20	100%	1	0	1	2	1	0
												5	100%
												25	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	3	12%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	1	4%
White (not Hispanic)	19	76%
Hispanic	2	8%
Unknown	0	0%
TOTAL	25	100%

AIDS

Table 11. AIDS by sex, race/ethnicity, and age group, Idaho, 2005

Age at Diagnosis	SEX										TOTAL							
	Male					Female												
	Race/ethnicity					Race/ethnicity												
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown	Total	Percent	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown	Total	Percent	Total Cases	Percent of Total
0-4 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
5-9 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
15-19 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
20-24 yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
25-29 yrs	0	0	1	1	0	0	2	10%	0	0	0	0	0	0	0	0%	2	8%
30-34 yrs	0	0	0	1	0	0	1	5%	0	0	0	0	0	0	0	0%	1	4%
35-39 yrs	0	0	0	3	2	1	6	29%	0	0	0	2	0	0	2	40%	8	31%
40-44 yrs	0	0	0	4	0	0	4	19%	0	0	0	2	0	0	2	40%	6	23%
45-54 yrs	0	0	0	6	1	0	7	33%	0	0	0	1	0	0	1	20%	8	31%
55-64 yrs	0	0	0	1	0	0	1	5%	0	0	0	0	0	0	0	0%	1	4%
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
Unknown	0	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0%	0	0%
TOTAL	0	0	1	16	3	1	21	100%	0	0	0	5	0	0	5	100%	26	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	0	0%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	1	4%
White (not Hispanic)	21	81%
Hispanic	3	12%
Unknown	1	4%
TOTAL	26	100%

District tables

District 1

Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2005

Age group at diagnosis	Disease/Condition							TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS			
0-4 yrs	0	0	0	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0	0	0%
10-14 yrs	0	1	0	0	0	0	0	1	0%
15-19 yrs	0	104	2	0	0	0	0	106	34%
20-24 yrs	0	121	2	0	0	0	0	123	40%
25-29 yrs	0	46	2	0	0	0	0	48	16%
30-34 yrs	0	12	0	1	0	0	0	13	4%
35-39 yrs	0	4	1	0	0	1	0	6	2%
40-44 yrs	0	1	0	0	0	2	0	3	1%
45-54 yrs	0	5	1	0	0	2	0	8	3%
55-64 yrs	0	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0	0%
TOTAL	0	294	8	1	0	5	308	100%	

Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1996	0	198	16	1	3	5
1997	0	209	14	0	1	8
1998	0	176	12	3	2	6
1999	0	252	11	0	4	4
2000	0	256	8	1	2	3
2001	0	276	15	1	2	0
2002	0	292	10	1	3	6
2003	0	320	11	1	0	6
2004	1	348	11	3	1	3
2005	0	294	8	1	0	5

District 2

Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2005

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	0	0	0	0	0	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	1	0	0	0	0	1	0%
15-19 yrs	0	56	0	0	0	0	56	26%
20-24 yrs	0	104	3	0	0	0	107	50%
25-29 yrs	0	22	0	0	1	1	24	11%
30-34 yrs	0	12	0	0	1	0	13	6%
35-39 yrs	0	3	0	0	3	0	6	3%
40-44 yrs	0	1	0	0	1	0	2	1%
45-54 yrs	0	0	0	0	0	0	0	0%
55-64 yrs	0	1	0	1	0	0	2	1%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	2	0	0	0	0	2	1%
TOTAL	0	202	3	1	6	1	213	100%

Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1996	0	114	8	1	1	1
1997	0	102	4	0	1	1
1998	0	124	8	1	1	4
1999	0	125	2	4	3	0
2000	0	96	3	0	2	2
2001	0	88	2	0	0	4
2002	0	196	13	1	2	1
2003	0	203	11	1	4	1
2004	0	269	7	3	0	1
2005	0	202	3	1	6	1

District 3

Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2005

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	2	0	1	0	0	3	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	10	1	0	0	0	11	2%
15-19 yrs	0	228	10	5	0	0	243	35%
20-24 yrs	0	235	14	9	0	0	258	38%
25-29 yrs	0	68	3	10	0	0	81	12%
30-34 yrs	0	38	2	3	0	1	44	6%
35-39 yrs	0	18	2	1	0	2	23	3%
40-44 yrs	0	10	2	1	0	1	14	2%
45-54 yrs	0	6	0	2	0	2	10	1%
55-64 yrs	0	1	1	1	0	0	3	0%
65+ yrs	0	0	0	1	0	0	1	0%
Unknown	0	1	0	0	0	0	1	0%
TOTAL	0	617	35	34	0	6	686	100%

Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1996	0	215	24	6	8	5
1997	0	286	35	5	5	6
1998	0	369	71	5	0	7
1999	0	277	38	2	3	2
2000	0	300	33	0	9	3
2001	0	302	14	1	3	0
2002	0	468	22	9	1	4
2003	0	433	11	24	4	2
2004	0	481	20	52	4	4
2005	0	617	35	34	0	6

District 4

Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2005

Age group at diagnosis	Disease/Condition					TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)		
0-4 yrs	0	2	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0%
10-14 yrs	0	4	0	0	0	0	0%
15-19 yrs	0	282	12	1	0	0	26%
20-24 yrs	0	482	24	2	5	0	45%
25-29 yrs	0	180	4	1	3	0	16%
30-34 yrs	0	58	5	1	1	0	6%
35-39 yrs	0	29	7	1	1	5	4%
40-44 yrs	0	9	1	1	4	2	1%
45-54 yrs	0	6	0	0	1	4	1%
55-64 yrs	0	2	0	0	0	1	0%
65+ yrs	0	0	0	0	0	0	0%
Unknown	0	3	0	0	0	0	0%
TOTAL	0	1057	53	7	15	12	100%

Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	
					AIDS	
1996	0	571	38	9	8	13
1997	0	639	71	13	11	20
1998	0	742	60	4	10	14
1999	0	617	24	2	8	7
2000	0	724	35	6	17	6
2001	0	813	28	6	13	10
2002	0	940	26	7	13	7
2003	0	814	23	8	10	4
2004	0	968	39	13	10	4
2005	0	1057	53	7	15	12

District 5

Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2005

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	0	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	5	0	0	0	0	5	2%
15-19 yrs	0	100	1	2	0	0	103	34%
20-24 yrs	0	108	3	3	0	0	114	38%
25-29 yrs	0	31	2	1	1	0	35	12%
30-34 yrs	0	17	0	2	0	0	19	6%
35-39 yrs	0	6	2	0	0	0	8	3%
40-44 yrs	0	8	0	1	2	1	12	4%
45-54 yrs	0	2	0	0	0	0	2	1%
55-64 yrs	0	1	0	0	0	0	1	0%
65+ yrs	0	0	0	1	0	0	1	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	278	8	10	3	1	300	100%

Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)		AIDS
1996	0	173	6	4	2	6	
1997	0	155	18	3	1	1	
1998	0	265	10	1	3	2	
1999	0	222	4	3	6	0	
2000	0	214	4	1	5	3	
2001	0	227	6	4	0	2	
2002	0	287	5	3	3	3	
2003	0	252	7	7	1	3	
2004	0	314	10	2	5	1	
2005	0	278	8	10	3	1	

District 6

Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2005

Age group at diagnosis	Disease/Condition					TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)		
0-4 yrs	0	2	0	0	0	0	1%
5-9 yrs	0	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0%
15-19 yrs	0	83	1	0	0	0	33%
20-24 yrs	0	102	2	1	0	0	42%
25-29 yrs	0	40	4	0	0	1	18%
30-34 yrs	0	5	1	0	0	0	2%
35-39 yrs	0	5	0	1	1	0	3%
40-44 yrs	0	2	0	0	0	0	1%
45-54 yrs	0	1	0	0	0	0	0%
55-64 yrs	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0%
Unknown	0	1	0	0	0	0	0%
TOTAL	0	241	8	2	1	1	100%

Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	
					AIDS	
1996	0	149	3	2	5	2
1997	0	169	10	1	4	8
1998	0	215	14	0	10	1
1999	0	170	5	1	0	4
2000	0	164	11	2	3	1
2001	0	175	5	0	3	0
2002	0	180	10	2	4	2
2003	0	184	2	2	2	2
2004	1	275	14	1	1	2
2005	0	241	8	2	1	1

District 7

Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2005

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	1	0	0	0	0	1	1%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	1	1	0	0	0	2	2%
15-19 yrs	0	32	1	0	0	0	33	29%
20-24 yrs	0	46	1	0	0	0	47	41%
25-29 yrs	0	18	1	0	0	0	19	17%
30-34 yrs	0	10	0	0	0	0	10	9%
35-39 yrs	0	0	0	0	0	0	0	0%
40-44 yrs	0	0	0	0	0	0	0	0%
45-54 yrs	0	1	0	0	0	0	1	1%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	1	0	0	0	0	1	1%
TOTAL	0	110	4	0	0	0	114	100%

Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1996—2005

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)		AIDS
1996	0	67	1	0	2	4	
1997	0	120	5	3	0	5	
1998	0	128	6	1	1	2	
1999	0	114	5	1	0	3	
2000	0	153	4	1	3	0	
2001	0	143	6	0	1	1	
2002	0	172	10	0	0	1	
2003	0	160	3	2	2	2	
2004	0	129	2	3	2	1	
2005	0	110	4	0	0	0	

