

Idaho Reported Sexually Transmitted Disease

2007



Acknowledgements

Jared Bartschi, MHE, IDHW Office of Epidemiology and Food Protection
Christine Hahn, MD, IDHW Office of Epidemiology and Food Protection
Rhonda Jones, IDHW Office of Epidemiology and Food Protection
District Health Departments

Contents

Acknowlegements	i
Listing of Tables and Figures.....	iv
Methods	v
Historical trends	1
Statewide Totals	3
Chancroid	4
Chlamydia.....	5
Gonorrhea	7
Syphilis	9
HIV	11
AIDS	12
District Tables	13
District 1	13
District 2	14
District 3	15
District 4	16
District 5	17
District 6	18
District 7	19

Listing of Tables and Figures

Tables

Table 1. Sexually Transmitted Disease (STD)—Idaho, 2007	3
Table 2. STD by health district of residence—Idaho, 2007	3
Table 3. Chancroid by sex, race/ethnicity, and age group—Idaho, 2007	4
Table 4. Chlamydia by sex, race/ethnicity, and age group—Idaho, 2007	5
Table 5. Chlamydia by sex and county of residence—Idaho, 2007	6
Table 6. Gonorrhea by sex, race/ethnicity, and age group—Idaho, 2007	7
Table 7. Gonorrhea by sex and county of residence—Idaho, 2007	8
Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group—Idaho, 2007	9
Table 9. Syphilis (all stages) by sex and county of residence—Idaho, 2007	10
Table 10. HIV by sex, race/ethnicity, and age group—Idaho, 2007	11
Table 11. AIDS by sex, race/ethnicity, and age group—Idaho, 2007	12
Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2007	13
Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1998–2007	13
Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2007	14
Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1998–2007	14
Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2007	15
Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1998–2007	15
Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2007	16
Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1998–2007	16
Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2007	17
Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1998–2007	17
Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2007	18
Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1998–2007	18
Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2007	19
Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1998–2007	19

Figures

Figure 1. Idaho counties and health districts.....	v
Figure 2. Chancroid by year of report—Idaho, 1984–2007	1
Figure 3. Chlamydia by year of report—Idaho, 1986–2007	1
Figure 4. Gonorrhea by year of report—Idaho, 1984–2007	1
Figure 5. Syphilis (all stages) by year of report—Idaho, 1984–2007	2
Figure 6. HIV (not AIDS) by year of report—Idaho, 1986–2007	2
Figure 7. AIDS by year of report—Idaho, 1984–2007	2

Methods

Chlamydia, gonorrhea, syphilis, HIV/AIDS, and chancroid are sexually transmitted diseases (STDs) which are required to be reported by name. Providers who diagnose these STDs report to district health departments or the Idaho Department of Health and Welfare. Reports include patient-level information, including sex, race, ethnicity, address, diagnosis, and diagnosing provider. This report contains aggregate data from reported cases of STD in individuals residing in Idaho.

This report presents data from HIV and AIDS among residents of Idaho at first HIV or AIDS diagnosis. HIV/AIDS Surveillance guidelines state, "Cases of HIV and AIDS are reported based on the place of residence at diagnosis of HIV and/or AIDS regardless of where the exposure may have occurred." This applies even when the residence state is a state that did not require HIV infection reporting at the time of diagnosis or uses a non-name identifier, if the diagnosis can be verified through patient records. Ongoing nationwide HIV/AIDS case deduplication processes can result in identification of cases reported in Idaho which were reported previously outside of Idaho. This publication supersedes prior publications. For more detailed analysis of HIV/AIDS in Idaho, consult the latest Epidemiologic Profile of HIV/AIDS in Idaho (<http://www.healthandwelfare.idaho.gov>).

Historical trends are presented for the past 23 years through 2007 or from the year the disease/condition was made reportable in Idaho.

Race is collected independent from ethnicity. A person with Hispanic ethnicity may be of any race. For practical purposes, all reports of infection in individuals with Hispanic ethnicity are categorized as "Hispanic" in this report; all other race/ethnic categories exclude Hispanic ethnicity. Case reports can include more than one race, categorized in this document as "Other race".

Rates in this report are raw rates per 100,000 population for the geographic area calculated. U.S. Census Bureau estimates for 2007 (Release date 3/20/2008) were used for county population denominators. Rates are not adjusted for age using a standardized population.

Figure 1. Idaho counties and health districts



Historical trends

Figure 2. Chancroid by year of report—Idaho, 1984–2007





Figure 3. Chlamydia by year of report—Idaho, 1986–2007¹



1. Chlamydia was not reported in Idaho prior to 1986.

Figure 4. Gonorrhea by year of report—Idaho, 1984–2007




Figure 5. Syphilis (all stages) by year of report—Idaho, 1984–2007






Figure 6. HIV (not AIDS) by year of report—Idaho, 1986–2007¹



1. HIV became reportable in Idaho in 1986. This graph presents data by year of report, not year of diagnosis. In 1990, Idaho's HIV/AIDS reporting system was updated. Because the report date is calculated by the system upon entry of the record, HIV-only records received prior to the update show as being reported in 1990, causing an artificially large number for that year. For a more accurate depiction of HIV/AIDS trends using diagnosis year, see the 2006 Idaho Epidemiologic Profile for HIV/AIDS Prevention and Care Planning. A nationwide de-duplication project during late 2004–2005 resulted in identification of cases which were initially diagnosed outside of Idaho. Thus, totals have changed from prior publications.

Figure 7. AIDS by year of report—Idaho, 1984–2007



Statewide Totals

Table 1. Sexually Transmitted Disease (STD)—Idaho, 2007

Condition	Sex			TOTAL
	Male	Female	Unknown	
Chancroid	0	0	0	0
Chlamydia	1,030	2,660	32	3,722
Gonorrhea	112	152	5	269
Syphilis (all stages)	9	5	0	14
HIV (not AIDS)	23	5	0	28
AIDS	13	1	0	14
TOTAL	1,187	2,823	37	4,047

Table 2. STD by health district of residence—Idaho, 2007

Condition	DISTRICT							TOTAL
	1	2	3	4	5	6	7	
Chancroid	0	0	0	0	0	0	0	0
Chlamydia	479	196	829	1,389	353	305	171	3,722
Gonorrhea	40	14	59	109	38	3	6	269
Syphilis (all stages)	4	1	1	4	1	1	2	14
HIV (not AIDS)	3	1	0	15	2	5	2	28
AIDS	3	1	1	5	0	3	1	14
TOTAL	529	213	890	1,522	394	317	182	4,047

Chancroid

Table 3. Chancroid by sex, race/ethnicity, and age group—Idaho, 2007

No chancroid reported during 2007

Chlamydia

Table 4. Chlamydia by sex, race/ethnicity, and age group—Idaho, 2007

Age at Diagnosis	Sex										TOTAL	
	Male					Female						
	Race					Race						
American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Other/Unknown	Total Males	Percent of Males	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	
0-4 yrs	0	0	0	2	0	2	4	0%	0	0	0	
5-9 yrs	0	0	0	0	0	0	0	0%	0	0	0	
10-14 yrs	0	0	0	1	3	1	5	0%	2	0	0	
15-19 yrs	5	1	8	103	46	47	210	20%	28	7	7	
20-24 yrs	8	2	18	227	67	97	419	41%	24	9	12	
25-29 yrs	1	5	10	131	22	58	227	22%	8	2	1	
30-34 yrs	0	0	1	42	16	26	85	8%	2	2	0	
35-39 yrs	1	0	1	19	10	18	49	5%	1	0	0	
40-44 yrs	0	0	0	5	7	7	19	2%	1	0	0	
45-54 yrs	0	0	0	5	0	4	9	1%	0	1	0	
55-64 yrs	0	0	0	1	0	1	2	0%	0	0	0	
65+ yrs	0	0	0	0	0	0	0	0%	0	0	0	
Unknown	0	0	0	1	0	0	1	0%	0	0	1	
TOTAL	15	8	38	537	171	261	1,030	100%	66	21	20	
									1,483	382	688	
										2,660	100%	
											3,722	
											100%	

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	81	2%
Asian/Pacific Islander	29	1%
Black (not Hispanic)	58	2%
White (not Hispanic)	2023	54%
Hispanic	555	15%
Unknown	976	26%
TOTAL	3722	100%

1. Total includes 32 cases of unknown sex.

Note: 0-4 year age group cases are Ophthalmia Neonatorum, chlamydial infection of the infant conjunctiva, which occurs during some births to chlamydia-infected mothers.

Table 5. Chlamydia by sex and county of residence—Idaho, 2007

SEX						
County	Male	Female	Unknown	TOTAL	Population	Rate per 100,000
Ada	378	879	11	1,268	373,406	339.6
Adams	1	3	0	4	3,546	112.8
Bannock	58	154	0	212	79,925	265.2
Bear Lake	1	2	0	3	5,863	51.2
Benewah	8	16	0	24	9,243	259.7
Bingham	13	43	0	56	43,466	128.8
Blaine	7	19	1	27	21,560	125.2
Boise	2	4	0	6	7,571	79.2
Bonner	17	29	0	46	41,050	112.1
Bonneville	33	78	1	112	96,545	116.0
Boundary	3	10	0	13	10,872	119.6
Butte	1	2	0	3	2,771	108.3
Camas	0	0	0	0	1,102	0.0
Canyon	202	486	13	701	179,381	390.8
Caribou	2	4	0	6	6,862	87.4
Cassia	3	29	0	32	20,960	152.7
Clark	0	1	0	1	906	110.4
Clearwater	3	2	0	5	8,231	60.7
Custer	0	1	0	1	4,166	24.0
Elmore	33	61	0	94	28,856	325.8
Franklin	4	5	0	9	12,203	73.8
Fremont	3	5	0	8	12,517	63.9
Gem	11	39	0	50	16,496	303.1
Gooding	2	17	0	19	14,250	133.3
Idaho	6	12	0	18	15,345	117.3
Jefferson	8	14	0	22	22,851	96.3
Jerome	7	58	0	65	20,066	323.9
Kootenai	106	283	1	390	134,442	290.1
Latah	29	49	0	78	36,299	214.9
Lemhi	3	6	0	9	7,717	116.6
Lewis	2	5	0	7	3,581	195.5
Lincoln	0	7	1	8	4,497	177.9
Madison	0	9	0	9	36,647	24.6
Minidoka	5	21	1	27	18,564	145.4
Nez Perce	23	65	0	88	38,932	226.0
Oneida	1	3	0	4	4,106	97.4
Owyhee	9	15	0	24	10,835	221.5
Payette	5	34	0	39	22,751	171.4
Power	0	11	1	12	7,684	156.2
Shoshone	1	5	0	6	12,838	46.7
Teton	2	7	0	9	8,349	107.8
Twin Falls	34	140	1	175	73,058	239.5
Valley	2	18	1	21	8,945	234.8
Washington	2	9	0	11	10,147	108.4
STATE	1,030	2,660	32	3,722	1,499,402	248.2

Gonorrhea

Table 6. Gonorrhea by sex, race/ethnicity, and age group—Idaho, 2007

Age at Diagnosis	Sex										TOTAL	
	Male					Female						
	Race					Race						
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Total Males	Percent of Males	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	Total Females	Percent of Females
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0%	0	0	2	1	0
15-19 yrs	0	1	1	12	2	24	21%	0	0	1	27	9
20-24 yrs	0	0	3	20	12	46	41%	2	1	1	26	7
25-29 yrs	0	0	1	10	5	20	18%	0	0	0	13	3
30-34 yrs	0	0	1	3	1	8	7%	0	0	0	8	7
35-39 yrs	0	0	1	6	1	10	9%	0	0	0	2	1
40-44 yrs	0	0	0	2	1	4	4%	0	0	0	0	0
45-54 yrs	0	0	0	0	0	0	0%	0	0	0	0	1
55-64 yrs	0	0	0	0	0	0	0%	0	0	0	0	0
65+ yrs	0	0	0	0	0	0	0%	0	0	0	0	0
Unknown	0	0	0	0	0	0	0%	0	0	0	0	0
TOTAL	0	1	7	53	22	112	100%	2	1	2	78	28
								41			152	100%
											269	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	2	1%
Asian/Pacific Islander	2	1%
Black (not Hispanic)	9	3%
White (not Hispanic)	131	49%
Hispanic	50	19%
Unknown	75	28%
TOTAL	269	100%

1. Total includes 5 cases of unknown sex.

Table 7. Gonorrhea by sex and county of residence—Idaho, 2007

County	SEX			TOTAL	Population	Rate per 100,000
	Male	Female	Unknown			
Ada	42	60	2	104	373,406	27.9
Adams	0	0	0	0	3,546	0.0
Bannock	0	3	0	3	79,925	3.8
Bear Lake	0	0	0	0	5,863	0.0
Benewah	0	2	0	2	9,243	21.6
Bingham	0	0	0	0	43,466	0.0
Blaine	4	1	0	5	21,560	23.2
Boise	0	1	0	1	7,571	13.2
Bonner	1	0	0	1	41,050	2.4
Bonneville	2	1	0	3	96,545	3.1
Boundary	0	0	0	0	10,872	0.0
Butte	0	0	0	0	2,771	0.0
Camas	0	0	0	0	1,102	0.0
Canyon	24	26	1	51	179,381	28.4
Caribou	0	0	0	0	6,862	0.0
Cassia	0	1	0	1	20,960	4.8
Clark	0	0	0	0	906	0.0
Clearwater	0	1	0	1	8,231	12.1
Custer	0	0	0	0	4,166	0.0
Elmore	0	2	0	2	28,856	6.9
Franklin	0	0	0	0	12,203	0.0
Fremont	0	0	0	0	12,517	0.0
Gem	0	3	0	3	16,496	18.2
Gooding	1	0	0	1	14,250	7.0
Idaho	0	0	0	0	15,345	0.0
Jefferson	0	0	0	0	22,851	0.0
Jerome	1	3	0	4	20,066	19.9
Kootenai	15	20	0	35	134,442	26.0
Latah	4	3	0	7	36,299	19.3
Lemhi	1	0	0	1	7,717	13.0
Lewis	0	0	0	0	3,581	0.0
Lincoln	0	0	0	0	4,497	0.0
Madison	0	1	0	1	36,647	2.7
Minidoka	1	3	1	5	18,564	26.9
Nez Perce	1	5	0	6	38,932	15.4
Oneida	0	0	0	0	4,106	0.0
Owyhee	1	1	0	2	10,835	18.5
Payette	1	2	0	3	22,751	13.2
Power	0	0	0	0	7,684	0.0
Shoshone	1	1	0	2	12,838	15.6
Teton	1	0	0	1	8,349	12.0
Twin Falls	11	11	0	22	73,058	30.1
Valley	0	1	1	2	8,945	22.4
Washington	0	0	0	0	10,147	0.0
STATE	112	152	5	269	1,499,402	17.9

Syphilis

Table 8. Syphilis (all stages) by sex, race/ethnicity, and age group—Idaho, 2007

Age at Diagnosis	Sex										TOTAL	
	Male					Female						
	Race					Race						
	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Total Males	Percent of Males	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	Total Females	Percent of Females
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
15-19 yrs	0	0	0	0	0	0	0%	0	0	0	0	0%
20-24 yrs	0	0	0	0	0	0	0%	0	0	0	1	20%
25-29 yrs	0	0	1	1	0	3	33%	1	0	0	0	1
30-34 yrs	0	0	0	0	2	2	22%	0	0	0	0	0
35-39 yrs	0	0	0	0	0	0	0%	0	0	0	1	20%
40-44 yrs	0	0	0	1	0	1	11%	0	0	0	1	1
45-54 yrs	0	0	0	0	0	0	0%	0	0	0	1	20%
55-64 yrs	0	0	0	1	0	1	11%	0	0	0	0	0
65+ yrs	0	0	0	1	0	2	22%	0	0	0	0	0
Unknown	0	0	0	0	0	0	0%	0	0	0	0	0%
TOTAL	0	0	1	4	2	9	100%	1	0	0	1	2
								2	1		5	100%
											14	100%

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	1	7%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	1	7%
White (not Hispanic)	5	36%
Hispanic	4	29%
Unknown	3	21%
TOTAL	14	100%

Table 9. Syphilis (all stages) by sex and county of residence—Idaho, 2007

County	SEX			TOTAL	Population	Rate per 100,000
	Male	Female	Unknown			
Ada	4	0	0	4	373,406	1.1
Adams	0	0	0	0	3,546	0.0
Bannock	1	0	0	1	79,925	1.3
Bear Lake	0	0	0	0	5,863	0.0
Benewah	0	1	0	1	9,243	10.8
Bingham	0	0	0	0	43,466	0.0
Blaine	0	0	0	0	21,560	0.0
Boise	0	0	0	0	7,571	0.0
Bonner	2	1	0	3	41,050	7.3
Bonneville	0	2	0	2	96,545	2.1
Boundary	0	0	0	0	10,872	0.0
Butte	0	0	0	0	2,771	0.0
Camas	0	0	0	0	1,102	0.0
Canyon	0	1	0	1	179,381	0.6
Caribou	0	0	0	0	6,862	0.0
Cassia	0	0	0	0	20,960	0.0
Clark	0	0	0	0	906	0.0
Clearwater	0	0	0	0	8,231	0.0
Custer	0	0	0	0	4,166	0.0
Elmore	0	0	0	0	28,856	0.0
Franklin	0	0	0	0	12,203	0.0
Fremont	0	0	0	0	12,517	0.0
Gem	0	0	0	0	16,496	0.0
Gooding	0	0	0	0	14,250	0.0
Idaho	1	0	0	1	15,345	6.5
Jefferson	0	0	0	0	22,851	0.0
Jerome	0	0	0	0	20,066	0.0
Kootenai	0	0	0	0	134,442	0.0
Latah	0	0	0	0	36,299	0.0
Lemhi	0	0	0	0	7,717	0.0
Lewis	0	0	0	0	3,581	0.0
Lincoln	0	0	0	0	4,497	0.0
Madison	0	0	0	0	36,647	0.0
Minidoka	0	0	0	0	18,564	0.0
Nez Perce	0	0	0	0	38,932	0.0
Oneida	0	0	0	0	4,106	0.0
Owyhee	0	0	0	0	10,835	0.0
Payette	0	0	0	0	22,751	0.0
Power	0	0	0	0	7,684	0.0
Shoshone	0	0	0	0	12,838	0.0
Teton	0	0	0	0	8,349	0.0
Twin Falls	1	0	0	1	73,058	1.4
Valley	0	0	0	0	8,945	0.0
Washington	0	0	0	0	10,147	0.0
STATE	9	5	0	14	1499402	0.9

HIV

Table 10. HIV by sex, race/ethnicity, and age group—Idaho, 2007

Age at Diagnosis	SEX										TOTAL	
	Male					Female						
	Race/ethnicity					Race/ethnicity						
American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown	Total Males	Percent of Males	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	Total Females	
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	
10-14 yrs	0	0	1	0	0	1	4%	0	0	0	0	
15-19 yrs	0	0	0	0	0	0	0%	0	0	0	0	
20-24 yrs	0	0	0	3	0	3	13%	1	0	0	1	
25-29 yrs	0	0	0	1	2	4	17%	0	0	0	1	
30-34 yrs	0	2	0	2	1	5	22%	0	0	0	0	
35-39 yrs	0	0	0	3	0	3	13%	0	0	0	0	
40-44 yrs	0	0	0	2	0	2	9%	0	0	0	1	
45-54 yrs	0	0	0	5	0	5	22%	0	0	0	0	
55-64 yrs	0	0	0	0	0	0	0%	0	0	0	0	
65+ yrs	0	0	0	0	0	0	0%	0	0	0	0	
Unknown	0	0	0	0	0	0	0%	0	0	0	0	
TOTAL	0	2	1	16	3	23	100%	1	0	0	3	
								1	0	0	1	
								0	0	0	0	
								0	0	0	5	
								0	0	0	100%	
											28	
											100%	

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	1	4%
Asian/Pacific Islander	2	7%
Black (not Hispanic)	1	4%
White (not Hispanic)	19	68%
Hispanic	4	14%
Unknown	1	4%
TOTAL	28	100%

AIDS

Table 11. AIDS by sex, race/ethnicity, and age group—Idaho, 2007

Age at Diagnosis	SEX										TOTAL	
	Male					Female						
	Race/ethnicity					Race/ethnicity						
American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	White (not Hispanic)	Hispanic	Unknown	Total Males	Percent of Males	American Indian/Alaska Native	Asian/Pacific Islander	Black (not Hispanic)	Total Females	
0-4 yrs	0	0	0	0	0	0	0%	0	0	0	0	
5-9 yrs	0	0	0	0	0	0	0%	0	0	0	0	
10-14 yrs	0	0	0	0	0	0	0%	0	0	0	0	
15-19 yrs	0	0	0	0	0	0	0%	0	0	0	0	
20-24 yrs	0	0	1	1	0	2	15%	0	0	0	0	
25-29 yrs	0	0	0	1	0	1	8%	0	0	0	0	
30-34 yrs	0	0	0	3	0	3	23%	0	0	0	0	
35-39 yrs	0	0	0	0	0	0	0%	0	0	0	1	
40-44 yrs	0	0	0	4	0	4	31%	0	0	0	0	
45-54 yrs	0	0	0	1	1	2	15%	0	0	0	0	
55-64 yrs	0	0	0	0	0	0	0%	0	0	0	0	
65+ yrs	0	0	1	0	0	1	8%	0	0	0	0	
Unknown	0	0	0	0	0	0	0%	0	0	0	0	
TOTAL	0	0	2	10	1	13	100%	0	0	0	1	
											1	
											100%	
											14	
											100%	

Total race/ethnicity	Number	Percent
American Indian/Alaska Native	0	0%
Asian/Pacific Islander	0	0%
Black (not Hispanic)	2	14%
White (not Hispanic)	10	71%
Hispanic	1	7%
Unknown	1	7%
TOTAL	14	100%

District tables

District 1

Table 12. STD, HIV, and AIDS by diagnosis and age group, Health District 1, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	1	0	0	0	0	1	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	2	0	0	0	0	2	0%
15-19 yrs	0	141	11	0	0	0	152	29%
20-24 yrs	0	200	13	1	0	1	215	41%
25-29 yrs	0	83	4	1	0	0	88	17%
30-34 yrs	0	31	8	1	1	1	42	8%
35-39 yrs	0	13	4	0	1	0	18	3%
40-44 yrs	0	6	0	0	0	1	7	1%
45-54 yrs	0	0	0	0	1	0	1	0%
55-64 yrs	0	1	0	0	0	0	1	0%
65+ yrs	0	0	0	1	0	0	1	0%
Unknown	0	1	0	0	0	0	1	0%
TOTAL	0	479	40	4	3	3	529	100%

Table 13. STD, HIV, and AIDS by year of report, Health District 1, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1998	0	176	12	3	1	6
1999	0	252	11	0	4	4
2000	0	256	8	1	2	3
2001	0	276	15	1	2	0
2002	0	292	10	1	3	6
2003	0	320	11	1	0	6
2004	1	348	11	3	1	3
2005	0	294	8	1	0	4
2006	0	417	9	1	4	2
2007	0	479	40	4	3	3

District 2

Table 14. STD, HIV, and AIDS by diagnosis and age group, Health District 2, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0- 4 yrs	0	0	0	0	0	0	0	0%
5- 9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	1	0	0	0	0	1	0%
15-19 yrs	0	41	2	0	0	0	43	20%
20-24 yrs	0	108	7	0	1	0	116	54%
25-29 yrs	0	32	4	0	0	0	36	17%
30-34 yrs	0	10	1	1	0	0	12	6%
35-39 yrs	0	3	0	0	0	1	4	2%
40-44 yrs	0	0	0	0	0	0	0	0%
45-54 yrs	0	1	0	0	0	0	1	0%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	196	14	1	1	1	213	100%

Table 15. STD, HIV, and AIDS by year of report, Health District 2, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1998	0	124	8	1	1	4
1999	0	125	2	4	3	0
2000	0	96	3	0	2	2
2001	0	88	2	0	0	4
2002	0	196	13	1	2	1
2003	0	203	11	1	3	1
2004	0	269	7	3	0	1
2005	0	202	3	1	5	1
2006	0	183	13	3	3	2
2007	0	196	14	1	1	1

District 3

Table 16. STD, HIV, and AIDS by diagnosis and age group, Health District 3, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	1	0	0	0	0	1	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	14	0	0	0	0	14	2%
15-19 yrs	0	294	16	0	0	0	310	35%
20-24 yrs	0	316	18	0	0	0	334	38%
25-29 yrs	0	122	13	0	0	0	135	15%
30-34 yrs	0	48	7	0	0	1	56	6%
35-39 yrs	0	17	3	1	0	0	21	2%
40-44 yrs	0	11	2	0	0	0	13	1%
45-54 yrs	0	4	0	0	0	0	4	0%
55-64 yrs	0	2	0	0	0	0	2	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	829	59	1	0	1	890	100%

Table 17. STD, HIV, and AIDS by year of report, Health District 3, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1998	0	369	71	5	0	7
1999	0	277	38	2	3	2
2000	0	300	33	0	9	3
2001	0	302	14	1	3	0
2002	0	468	22	9	1	4
2003	0	433	11	24	5	2
2004	0	481	20	52	4	4
2005	0	617	35	34	1	4
2006	0	693	43	5	5	10
2007	0	829	59	1	0	1

District 4

Table 18. STD, HIV, and AIDS by diagnosis and age group, Health District 4, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	4	0	0	0	0	4	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	7	2	0	1	0	10	1%
15-19 yrs	0	417	35	0	0	0	452	30%
20-24 yrs	0	555	43	0	4	1	603	40%
25-29 yrs	0	255	19	2	2	0	278	18%
30-34 yrs	0	74	5	0	3	0	82	5%
35-39 yrs	0	54	3	0	1	0	58	4%
40-44 yrs	0	14	1	0	1	2	18	1%
45-54 yrs	0	9	1	0	3	1	14	1%
55-64 yrs	0	0	0	1	0	0	1	0%
65+ yrs	0	0	0	1	0	1	2	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	1389	109	4	15	5	1522	100%

Table 19. STD, HIV, and AIDS by year of report, Health District 4, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)		AIDS
1998	0	742	60	4	10	14	
1999	0	617	24	2	8	7	
2000	0	724	35	6	17	6	
2001	0	813	28	6	11	10	
2002	0	940	26	7	11	7	
2003	0	814	23	8	8	4	
2004	0	968	39	13	9	4	
2005	0	1,057	53	7	18	12	
2006	0	1,264	107	0	12	10	
2007	0	1,389	109	4	15	5	

District 5

Table 20. STD, HIV, and AIDS by diagnosis and age group, Health District 5, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	0	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	7	1	0	0	0	8	2%
15-19 yrs	0	135	9	0	0	0	144	37%
20-24 yrs	0	136	16	0	0	0	152	39%
25-29 yrs	0	48	5	0	1	0	54	14%
30-34 yrs	0	14	3	0	0	0	17	4%
35-39 yrs	0	11	3	0	1	0	15	4%
40-44 yrs	0	1	1	1	0	0	3	1%
45-54 yrs	0	0	0	0	0	0	0	0%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	1	0	0	0	0	1	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	353	38	1	2	0	394	100%

Table 21. STD, HIV, and AIDS by year of report, Health District 5, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)		AIDS
1998	0	265	10	1	3	2	
1999	0	222	4	3	6	0	
2000	0	214	4	1	5	3	
2001	0	227	6	4	0	2	
2002	0	287	5	3	3	3	
2003	0	252	7	7	1	3	
2004	0	314	10	2	4	1	
2005	0	278	8	10	2	1	
2006	0	323	25	1	0	1	
2007	0	353	38	1	2	0	

District 6

Table 22. STD, HIV, and AIDS by diagnosis and age group, Health District 6, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	0	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	3	0	0	0	0	3	1%
15-19 yrs	0	102	1	0	0	0	103	32%
20-24 yrs	0	134	1	0	0	0	135	43%
25-29 yrs	0	42	0	1	1	1	45	14%
30-34 yrs	0	13	1	0	1	1	16	5%
35-39 yrs	0	3	0	0	0	0	3	1%
40-44 yrs	0	7	0	0	2	1	10	3%
45-54 yrs	0	1	0	0	1	0	2	1%
55-64 yrs	0	0	0	0	0	0	0	0%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	0	0	0	0	0	0	0%
TOTAL	0	305	3	1	5	3	317	100%

Table 23. STD, HIV, and AIDS by year of report, Health District 6, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)	AIDS
1998	0	215	14	0	9	1
1999	0	170	5	1	0	4
2000	0	164	11	2	3	1
2001	0	175	5	0	3	0
2002	0	180	10	2	4	2
2003	0	184	2	2	1	2
2004	1	275	14	1	1	2
2005	0	241	8	2	2	1
2006	0	299	5	0	1	5
2007	0	305	3	1	5	3

District 7

Table 24. STD, HIV, and AIDS by diagnosis and age group, Health District 7, 2007

Age group at diagnosis	Disease/Condition						TOTAL	Percent
	Chancroid	Chlamydia	Gonorrhea	Syphilis (all stages)	HIV (not AIDS)	AIDS		
0-4 yrs	0	0	0	0	0	0	0	0%
5-9 yrs	0	0	0	0	0	0	0	0%
10-14 yrs	0	0	0	0	0	0	0	0%
15-19 yrs	0	59	1	0	0	0	60	33%
20-24 yrs	0	69	2	0	0	0	71	39%
25-29 yrs	0	26	2	0	2	0	30	16%
30-34 yrs	0	10	0	0	0	0	10	5%
35-39 yrs	0	3	1	0	0	0	4	2%
40-44 yrs	0	1	0	1	0	0	2	1%
45-54 yrs	0	1	0	1	0	1	3	2%
55-64 yrs	0	1	0	0	0	0	1	1%
65+ yrs	0	0	0	0	0	0	0	0%
Unknown	0	1	0	0	0	0	1	1%
TOTAL	0	171	6	2	2	1	182	100%

Table 25. STD, HIV, and AIDS by year of report, Health District 7, 1998–2007

Year of report	Chancroid	Chlamydia	Gonorrhea	Syphilis	HIV (not AIDS)		AIDS
1998	0	128	6	1	1	2	
1999	0	114	5	1	0	3	
2000	0	153	4	1	3	0	
2001	0	143	6	0	1	1	
2002	0	172	10	0	0	1	
2003	0	160	3	2	1	2	
2004	0	129	2	3	1	1	
2005	0	110	4	0	0	0	
2006	0	166	4	2	1	1	
2007	0	171	6	2	2	1	

