


Sexually Transmitted Diseases Reported Cases Among Residents of Idaho July - September 2012

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis*	Congenital Syphilis	Late or Unknown Duration Syphilis**	TOTAL
1	0	113	2	0	0	0	115
2	1	38	3	0	0	0	42
3	0	189	7	1	0	1	198
4	3	389	17	10	0	0	419
5	0	64	1	0	0	1	66
6	0	95	2	0	0	0	97
7	0	83	2	1	0	0	86
Total	4	971	34	12	0	2	1,023

Sexually Transmitted Diseases Reported Cases Among Residents of Idaho July - September 2011

District	HIV	AIDS	Chlamydia	Gonorrhea	Early Syphilis*	Congenital Syphilis	Late or Unknown Duration Syphilis**	TOTAL
1	1	0	166	2	0	0	0	169
2	2	0	91	7	1	0	0	101
3	0	0	311	9	1	0	0	321
4	9	3	521	14	9	0	0	556
5	1	0	103	2	0	0	0	106
6	2	0	133	3	0	0	0	138
7	1	0	80	5	0	0	1	87
Total	16	3	1,405	42	11	0	1	1,478

¶Newly-diagnosed HIV infection among residents of Idaho, including concurrent AIDS diagnosis. Sometimes referred to as HIV/AIDS. *Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.
**Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.



Idaho District Health Departments						
District 1	Coeur d'Alene	415-5100				
District 2	Lewiston	799-3100				
District 3	Caldwell	455-5300				
District 4	Boise	375-5211				
District 5	Twin Falls	734-5900				
District 6	Pocatello	233-9080				
District 7	Idaho Falls	522-0310				

Repor	ted <u>Idaho</u> H	IV and AIDS C	ases Presum	ed Living	g* by Diagnostic St	atus as of Sept	ember 30, 2012
District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living***
1	75	10	65	164	76	88	153
2	49	6	43	69	24	45	88
3	97	11	86	148	52	96	182
4	347	36	311	485	214	271	582
5	62	8	54	107	44	63	117
6	83	10	73	116	52	64	137
7	58	4	54	94	41	53	107
TOTAL	771	85	686	1,183	503	680	1,366

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

^{*}Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

^{**}Number of reported individuals with HIV (not yet AIDS) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with AIDS or have progressed to AIDS

^{***}Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

HIV and A	HIV and AIDS (HIV Stage 3) reports among residents of Idaho at d						
1		Н	IV	All	DS	COMB	INED
Sex		110					
Male		416	83%	628	85%	1,044	84%
Female		88	17%	114	15%	202	16%
Total		504	100%	742	100%	1,246	100%
	ult & Adolescent	=0.4	2001		000/	4 000	2004
	scents (13 or above)	501	99%	737	99%	1,238	99%
Pediatric (<1	3 years)	3	1%	5	1%	8	1%
Total	1	504	100%	742	100%	1,246	100%
Race/Ethnici		50	400/	00	440/	420	440/
Hispanic - All		58 10	12% 2%	80 11	11% 1%	138 21	11%
Not Hispanic	American Indian/Alaska Native Asian	3	1%	1	0%	4	2% 0%
	Black	21	4%	23	3%	44	4%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	397	79%	617	83%	1,014	81%
	Legacy Asian/Pacific Islander	0	0%	3	0%	3	0%
	Multi-race	3	1%	3	0%	6	0%
	Unknown	12	2%	4	1%	16	1%
Total		504	100%	742	100%	1,246	100%
Exposure Categories - Adults/Adolescents							
Men who have sex with men (MSM)			49%	379	51%	622	50%
Injection drug use			10%	82	11%	134	11%
MSM and inje		53	11%	62	8%	115	9%
	Coagulation disorder	1	0%	18	2%	19	2%
	erosexual contact	58	12%	94	13%	152	12%
Presumed he	eterosexual contact	11	2%	14	2%	25	2%
Receipt of blo	ood, components, or tissue	2	0%	11	1%	13	1%
Other/risk no	t reported or identified	81	16%	77	10%	158	13%
Total		501	100%	737	100%	1,238	100%
Exposure Ca	tegories - Pediatric						
Hemophilia/C	Coagulation disorder	0	0%	0	0%	0	0%
Mother with/a	at risk for HIV infection	2	67%	2	40%	4	50%
	ood, components, or tissue	0	0%	2	40%	2	25%
	t reported or identified	1	33%	1	20%	2	25%
Total		3	100%	5	100%	8	100%
Cases by Ag	e Group						
Under 5		2	0%	2	0%	4	0%
5-12		1	0%	1	0%	2	0%
13-19		13	3%	7	1%	20	2%
20-29	210 153	42%	113	15%	323	26%	
30-39			30%	303	41%	456	37%
40-49			19%	214	29%	311	25%
Over 49		28	6%	102	14%	130	10%
Unknown		0	0%	7.10	0%	0	0%
Total	-4:\	504	100%	742	100%	1,246	100%
Rate (Cumul	ative) per 100,000 Residents	31	.0	46	8.8	78	.0

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional.

Reports of HIV positive and AIDS cases should be made to the Bureau of Communicable Disease Prevention and Control as required by Idaho Code 39-602. Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at haumanna@dhw.idaho.gov.