



**Sexually Transmitted Diseases
Reported Cases Among Residents of Idaho
July - September 2013***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	173	9	0	0	0	182
2	0	85	2	0	0	0	87
3	0	294	13	1	0	0	308
4	10	461	32	2	0	1	506
5	0	157	4	0	0	2	163
6	0	101	4	0	0	0	105
7	1	81	3	0	0	0	85
Total	11	1,352	67	3	0	3	1,436

**Sexually Transmitted Diseases
Reported Cases Among Residents of Idaho
July - September 2012**

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	113	2	0	0	0	115
2	1	38	3	0	0	0	42
3	0	189	7	1	0	1	198
4	3	389	17	10	0	0	419
5	0	64	1	0	0	1	66
6	0	95	2	0	0	0	97
7	0	83	2	1	0	0	86
Total	4	971	34	12	0	2	1,023

¶Newly-diagnosed HIV infection among residents of Idaho, including concurrent AIDS diagnosis. Sometimes referred to as HIV/AIDS. HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3." HIV Stage 1, 2, 3, and unknown are surveillance case definitions which take into account CD4 levels and clinical criteria. For more information, visit http://www.cdc.gov/nndss/document/2012_Case%20Definitions.pdf

*Data are provisional. Percentages may not equal 100 due to rounding. **Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis. †Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported <u>Idaho</u> HIV and AIDS Cases Presumed Living* by Diagnostic Status as of September 30, 2013							
District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living***
1	78	11	67	169	76	93	160
2	53	8	45	77	25	52	97
3	104	10	94	157	54	103	197
4	388	37	351	516	214	299	650
5	70	9	61	110	44	66	127
6	85	10	75	120	52	68	143
7	60	4	56	98	42	56	112
TOTAL	838	89	749	1,247	510	737	1,486

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

*Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

**Number of reported individuals with HIV (not yet AIDS) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with AIDS or have progressed to AIDS

***Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through 9/30/2013

		HIV		AIDS		COMBINED	
Sex							
Male		435	83%	640	84%	1,075	84%
Female		90	17%	118	16%	208	16%
Total		525	100%	758	100%	1,283	100%
Pediatric/Adult & Adolescent							
Adults/Adolescents (13 or above)		523	100%	753	99%	1,276	99%
Pediatric (<13 years)		2	0%	5	1%	7	1%
Total		525	100%	758	100%	1,283	100%
Race/Ethnicity							
Hispanic - All Races		58	11%	82	11%	140	11%
Not Hispanic	American Indian/Alaska Native	11	2%	11	1%	22	2%
	Asian	3	1%	1	0%	4	0%
	Black	24	5%	23	3%	47	4%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	412	78%	631	83%	1,043	81%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	4	2%	5	1%	13	1%
	Unknown	13	2%	3	0%	16	1%
Total		525	100%	758	100%	1,283	100%
Exposure Categories - Adults/Adolescents							
Men who have sex with men (MSM)		252	48%	383	51%	635	50%
Injection drug use		54	10%	84	11%	138	11%
MSM and inject drugs		60	11%	67	9%	127	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		57	11%	95	13%	152	12%
Presumed heterosexual contact		11	2%	14	2%	25	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		86	16%	81	11%	167	13%
Total		523	100%	753	100%	1,276	100%
Exposure Categories - Pediatric							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		2	100%	2	40%	4	57%
Receipt of blood, components, or tissue		0	0%	2	40%	2	29%
Other/risk not reported or identified		0	0%	1	20%	1	14%
Total		2	100%	5	100%	7	100%
Cases by Age Group							
Under 5		2	0%	2	0%	4	0%
5-12		0	0%	1	0%	1	0%
13-19		13	2%	7	1%	20	2%
20-29		214	41%	115	15%	329	26%
30-39		160	30%	306	40%	466	36%
40-49		99	19%	220	29%	319	25%
Over 49		37	7%	107	14%	144	11%
Unknown		0	0%	0	0%	0	0%
Total		525	100%	758	100%	1,283	100%
Rate (Cumulative) per 100,000 Residents		33.5		48.4		81.8	

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Reports of HIV positive and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at haumann@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.