



**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho
July - September 2014***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	1	191	1	1	0	0	194
2	0	97	8	0	0	1	106
3	1	276	4	0	0	1	282
4	1	431	36	0	0	3	471
5	2	175	9	0	0	1	187
6	0	57	1	0	0	1	59
7	0	101	2	0	0	0	103
Unknown	7	0	0	1	0	0	8
Total	12	1,328	61	2	0	7	1,410

**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho
July - September 2013***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	173	9	0	0	0	182
2	0	85	2	0	0	0	87
3	0	294	13	1	0	0	308
4	10	461	32	2	0	1	506
5	0	157	4	0	0	2	163
6	0	101	4	0	0	0	105
7	1	81	3	0	0	0	85
Total	11	1,352	67	3	0	3	1,436

¶Newly-diagnosed HIV infection among residents of Idaho, including concurrent AIDS diagnosis. Sometimes referred to as HIV/AIDS. HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3." HIV Stage 1, 2, 3, and unknown are surveillance case definitions which take into account CD4 levels and clinical criteria. For more information, visit http://www.cdc.gov/nndss/document/2012_Case%20Definitions.pdf

*Data are provisional. Percentages may not equal 100 due to rounding. **Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis. †Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported <u>Idaho</u> HIV and AIDS Cases Presumed Living* by Diagnostic Status as of September 30, 2014							
District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living***
1	83	10	73	175	82	93	166
2	53	8	45	80	26	54	99
3	110	10	100	168	60	108	208
4	395	42	353	545	227	318	671
5	70	10	60	116	45	71	131
6	84	11	73	125	54	71	144
7	64	4	60	104	46	58	118
TOTAL	859	95	764	1,313	540	773	1,537

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

*Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

**Number of reported individuals with HIV (not yet AIDS) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with AIDS or have progressed to AIDS

***Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through 9/30/2014

		HIV		AIDS		COMBINED	
Sex							
Male		444	84%	666	84%	1,110	84%
Female		86	16%	126	16%	212	16%
Total		530	100%	792	100%	1,322	100%
Pediatric/Adult & Adolescent							
Adults/Adolescents (13 or above)		529	100%	783	99%	1,312	99%
Pediatric (<13 years)		1	0%	9	1%	10	1%
Total		530	100%	792	100%	1,322	100%
Race/Ethnicity							
Hispanic - All Races		59	11%	87	11%	146	11%
Not Hispanic	American Indian/Alaska Native	13	2%	11	1%	24	2%
	Asian	3	1%	2	0%	5	0%
	Black	22	4%	27	3%	49	4%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	413	78%	651	82%	1,064	80%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	5	1%	5	1%	10	1%
	Unknown	15	3%	7	1%	22	2%
Total		530	100%	792	100%	1,322	100%
Exposure Categories - Adults/Adolescents							
Men who have sex with men (MSM)		257	49%	395	51%	652	50%
Injection drug use		54	10%	85	11%	139	11%
MSM and inject drugs		63	12%	70	9%	133	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		57	11%	97	12%	154	12%
Presumed heterosexual contact		9	2%	17	2%	26	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		86	16%	86	11%	172	13%
Total		529	100%	779	100%	1,308	100%
Exposure Categories - Pediatric							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		1	100%	6	46%	7	50%
Receipt of blood, components, or tissue		0	0%	2	15%	2	14%
Other/risk not reported or identified		0	0%	5	38%	5	36%
Total		1	100%	13	100%	14	100%
Cases by Age Group							
Under 5		1	0%	5	1%	6	0%
5-12		0	0%	4	1%	4	0%
13-19		13	2%	9	1%	22	2%
20-29		217	41%	190	24%	407	31%
30-39		159	30%	306	39%	465	35%
40-49		103	19%	177	22%	280	21%
Over 49		37	7%	101	13%	138	10%
Unknown		0	0%	0	0%	0	0%
Total		530	100%	792	100%	1,322	99%
Rate (Cumulative) per 100,000 Residents		33.8		50.5		84.3	

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Reports of HIV positive and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at haumann@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.