



**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho
July - September 2015***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	1	171	11	1	0	0	184
2	0	128	4	0	0	0	132
3	2	306	21	8	0	0	337
4	3	501	37	10	0	3	554
5	1	176	15	0	0	1	193
6	2	138	5	2	0	1	148
7	1	110	6	2	0	1	120
Unknown	0	0	0	0	0	0	0
Total	10	1,530	99	23	0	6	1,668

**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho
July - September 2014***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	1	191	1	1	0	0	194
2	0	97	8	0	0	1	106
3	1	276	4	0	0	1	282
4	1	431	36	0	0	3	471
5	2	175	9	0	0	1	187
6	0	57	1	0	0	1	59
7	0	101	2	0	0	0	103
Unknown	7	0	0	1	0	0	8
Total	12	1,328	61	2	0	7	1,410

*Data are provisional. Percentages may not sum to 100% due to rounding.

**syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis

†syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3".

HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria. For more information, visit http://wwwn.cdc.gov/nndss/document/2012_Case%20Definitions.pdf

Formatted: No Spacing, Centered, Indent:
Left: 0", First line: 0", Line spacing: Exactly 7
pt



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported Idaho HIV and AIDS Cases Presumed Living* by Diagnostic Status as of September 30, 2015							
District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living***
1	86	11	75	181	81	100	175
2	56	8	48	79	29	50	98
3	113	12	101	176	61	115	216
4	415	45	370	562	232	330	700
5	71	9	62	124	47	77	139
6	86	11	75	135	56	79	154
7	67	5	62	106	46	60	122
TOTAL	894	101	793	1,363	552	811	1,604

¹ Presumed living: Cases ever reported in Idaho and not determined to be deceased.

² Number of reported cases of HIV Infection (not yet HIV Stage 3 [AIDS]) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS) or have progressed to HIV Stage 3 (AIDS).

³ Number of reported cases of Stage 3 HIV Infection (AIDS) ever reported in Idaho.

HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through 9/30/2015							
		HIV		AIDS		COMBINED	
Sex							
Male		463	84%	691	84%	1,154	84%
Female		87	16%	127	16%	214	16%
Total		550	100%	818	100%	1,368	100%
Pediatric/Adult & Adolescent							
Adults/Adolescents (13 or above)		547	99%	812	99%	1,359	99%
Pediatric (<13 years)		3	1%	6	1%	9	1%
Total		550	100%	818	100%	1,368	100%
Race/Ethnicity							
Hispanic - All Races		74	9%	94	11%	168	10%
Not Hispanic	American Indian/Alaska Native	84	10%	11	1%	95	6%
	Asian	91	11%	1	0%	92	6%
	Black	113	14%	30	4%	143	9%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	433	53%	666	81%	1,099	67%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	4	0%	6	1%	10	1%
	Unknown	13	2%	8	1%	21	1%
	Total	812	100%	818	100%	1,630	100%
Exposure Categories - Adults/Adolescents							
Men who have sex with men (MSM)		266	49%	410	50%	676	50%
Injection drug use		55	10%	88	11%	143	11%
MSM and inject drugs		64	12%	71	9%	135	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		58	11%	98	12%	156	11%
Presumed heterosexual contact		9	2%	17	2%	26	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		92	17%	99	12%	191	14%
Total		547	100%	812	100%	1,359	100%
Exposure Categories - Pediatric							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		3	100%	3	50%	6	67%
Receipt of blood, components, or tissue		0	0%	2	33%	2	22%
Other/risk not reported or identified		0	0%	1	17%	1	11%
Total		3	100%	6	100%	9	100%
Cases by Age Group							
Under 5		3	0%	2	0%	5	0%
5-12		0	0%	1	0%	1	0%
13-19		13	2%	8	1%	21	2%
20-29		225	41%	120	15%	345	25%
30-39		163	30%	329	40%	492	36%
40-49		106	19%	234	29%	340	25%
Over 49		40	7%	124	15%	164	12%
Unknown		0	0%	0	0%	0	0%
Total		550	100%	818	100%	1,368	100%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Reports of HIV positive and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at haumann@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.