

# Idaho Poison Control Report 2009



***INJURY PREVENTION & SURVEILLANCE PROGRAM***

***BUREAU OF COMMUNITY & ENVIRONMENTAL HEALTH***

***DIVISION OF PUBLIC HEALTH***


***DATA PROVIDED BY ROCKY MOUNTAIN POISON & DRUG CENTER***

***MAY 2010***

## INTRODUCTION

The 2009 Idaho Poison Control Report is produced to provide Idahoans, public health practitioners and policy-makers with a better understanding of the scope and magnitude of unintentional and intentional poisoning in Idaho. Poisoning is the second leading cause of injury-related deaths in the United States. During 2008 (the most recent year for which mortality data is available) poisoning was the third leading cause of unintentional injury deaths among Idahoans, subsequent only to motor vehicle crashes and falls. That year, a total of 112 Idahoans died as the result of accidental poisoning and exposure to noxious substances<sup>1</sup>.

In the absence of hospital discharge data, that is, data provided to health departments by hospitals and critical care facilities regarding patient outcomes, the Department of Health and Welfare relies on other data sources to characterize the burden of poisoning in Idaho. The Rocky Mountain Poison and Drug Center (RMPDC) is the principal provider of poison exposure information to the Department of Health and Welfare. The RMPDC, the designated regional poison control center for Idaho, provides 24-hours per day, seven days a week consultation and assistance regarding poisoning exposures, treatment options, and drug information requests to the Idaho residents and health care facilities. The RMPDC receives over 26,000 such calls each year from Idaho residents. In 2009, over 16,000 of these calls (61.5%) are for consultation and assistance with exposures to poisons, drugs and other noxious substances in humans (Figure 1).



**Figure 1. 2009 RMPDC Call Volume by Type of Call**

Nearly one-third of all calls (32.9%) received by RMPDC from the Idaho public were for general drug information and drug identification purposes. Beginning in 2009, RMPDC initiated an automated interactive voice recognition system to assist with this call volume, handling 815 calls in this manner. Exposure of household pets and other animals to poisonous substances accounted for 670 calls, or 2.5% of the total call volume.

Of the over 16,000 calls received by RMPDC for consultation and assistance associated with poison exposure in humans, 10,482 of these calls (or 63.7%) were for children 5-years of age and younger. The leading causes of poisoning in young children are exposure to analgesics (pain relievers such as aspirin and ibuprophen), healthcare products, common household cleansers, and cosmetics.

<sup>1</sup> *Idaho Vital Statistics 2008*, Idaho Department of Health and Welfare, Division of Health, Bureau of Vital Records and Health Statistics, May 2010.

Figure 2 below shows the majority of calls received by RMPDC are for actual or potential poison exposure in infants and toddlers, particularly between the ages of 1 and 2-years.




Figure 2. Human Exposure Call Volume by Age and Gender

RMPDC receives calls from a broad cross-section of caller sites, including home residences, health care facilities, workplaces, fire service, law enforcement and others. As shown in Figure 3, the majority of calls (81.9%), are received from home residences. The remaining categories depict healthcare facilities, sites of unknown origin, and all other site classes combined.




Figure 3. Call Volume by Type of Caller Site

## **How This Report is Organized**

The *2009 Idaho Poison Control Report* offers a variety of perspectives on the burden of unintentional and intentional poisoning in Idaho based on data provided by the Rocky Mountain Poison and Drug Center (RMPDC). These include:

- Call Volume by Call Type (Human Exposure, Drug Information and Drug Identification, and Animal Exposure)
- Call Volume by Age and Gender of Exposed Person
- Top 25 Most Frequently Cited Drug or Substance in Exposed Persons (Child and Adult)
- Call Volume by Individual Idaho Counties (both rank and human exposure rate per 100,000 population).
- Call Volume by Site of Exposure (Residence, Healthcare Facility, etc.)
- Human Exposure and Drug Information Call Volume by Idaho Health Care Facility
- Patient Outcomes as the Result of Potential or Actual Poison Exposure by Idaho Health Care Facility
- Listing of the 25 Most Hazardous Drugs or Substances based on Patient Outcomes


## 2009 IDAHO POISON CONTROL REPORT

### REPORTS INCLUDED

---

- Report 1. Information Calls by Volume and Type [V1]
- Report 2. Call Volume by Age and Gender of Exposed Person (Data Sort by Age Group)—[A1]
- Report 3. Call Volume by Major Drug/Substance and Age Group of Exposed Child (Data Sort by Major Drug/Substance Category)-[A2]
- Report 4. Call Volume by Major Drug/Substance and Age Group of Exposed Child (Data Sort by Total Calls desc)-[A3]
- Report 5. Top 25 Drug/Substances Exposed Child Under the Age of 20 (Data Sort by Call Volume desc)—[AA2]
- Report 6. Top 25 Drug/Substances Exposed Adult Age 20 and Over (Data Sort by Call Volume desc)—[AA3]
- Report 7. Call Volume by County and Call Type (Data Sort by County Name)—[C1]
- Report 8. Call Volume by County and Call Type (Data Sort by Total Call Volume Rank)—[C2]
- Report 9. Call Volume by County and Call Type (Data Sort by Human Exposure Call Volume Rate desc)--[C3]
- Report 10. Drug Information Call Volume Rate by County (Data Sort by Drug Info Call Volume Rate desc)—[C4]
- Report 11. Call Volume by Site of Exposure (Residence, HCF, etc.)—[E1]
- Report 12. Human Exposure & Drug Info. Call Volume by Health Care Facility (Sort by HCF)—[H1]
- Report 13. Human Exposure & Drug Information Call Volume by Health Care Facility (Total Calls desc)—[H2]
- Report 14. Reported Patient Outcomes by Health Care Facility (Sort by HCF)—[H3]
- Report 15. Medical Outcome Definition Table—[H4]
- Report 16. 25 Most Hazardous Drugs/Substance by Cumulative Hazard Score—[S1]

**SECTION ONE**  
**CALL VOLUME BY TYPE OF CALL**



- Human Exposures (61.5%)
- General Information (32.9%)
- Drug Identification ( Interactive Voice Recognition) (3.0%)
- Animal Exposures (2.5%)

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
Call Volume  
by  
Call Type**

Data Sort by Call Volume (Descending)

---

Call Type	Call Volume
Human Exposure	16,466
General Information	8,809
Drug Identification (Interactive Voice Recognition)	815
Animal Exposure	670

---

---


Total Number of Calls to Rocky Mountain Poison & Drug Center During 2009: **26,760**

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

## SECTION TWO

### CALL VOLUME BY AGE AND GENDER OF EXPOSED PERSON



# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Report

### Call Volume by Age and Gender of Exposed Person

Data Sort by Age Group

<i>Age Group</i>	Male Call Volume	Female Call Volume	Gender Unknown Call Volume	Total Call Volume
<i>Less Than 1 Year</i>	565	522	1	1088
<i>1 Year</i>	1842	1655	6	3503
<i>2 Years</i>	1844	1589	5	3438
<i>3 Years</i>	797	668	2	1467
<i>4 Years</i>	353	281	1	635
<i>5 Years</i>	174	137	1	312
<i>Age Less Than 5 Years--Not Otherwise Specified</i>	17	12	10	39
<i>6 to 12 Years</i>	489	355	1	845
<i>13 to 19 Years</i>	461	473	2	936
<i>Child's Age Unknown</i>	15	13	6	34
<i>20 to 29 Years</i>	579	508	1	1088

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>Age Group</i>	<b>Male Call Volume</b>	<b>Female Call Volume</b>	<b>Gender Unknown Call Volume</b>	<b>Total Call Volume</b>
<i>30 to 39 Years</i>	320	385	2	707
<i>40 to 49 Years</i>	242	355	3	600
<i>50 to 59 Years</i>	210	297	0	507
<i>60 to 69 Years</i>	121	205	0	326
<i>70 to 79 Years</i>	78	127	1	206
<i>80 to 89 Years</i>	46	79	0	125
<i>Age 90 and Greater</i>	6	17	0	23
<i>Adult--Age Not Specified</i>	188	233	9	430
<i>Age and Gender Not Reported</i>	59	62	36	157

***Grand Sums:***

**8,406                      7,973                      87                      16,466**

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**Injury Prevention & Surveillance Program**  
**2009 Idaho Poison Control Report**  
**Call Volume by Major Drug/Substance Category**  
**and**  
**Age Group of Exposed Child**

Data Sort by Major Drug/Substance Category--Children Less Than 20 Years

*Major Drug/Substance Category*

	Calls Children Less Than 5 Years	Calls Children 6 to 12 Years	Calls Children 13 to 19 Years	Total Calls Children Less Than 20 Years
<i>Adhesives-glues</i>	49	6	7	62
<i>Alcohols</i>	150	9	33	192
<i>Analgesics</i>	1234	78	222	1534
<i>Anesthetics</i>	43	4	4	51
<i>Anticholinergic drugs</i>	5	0	4	9
<i>Anticoagulants</i>	22	1	0	23
<i>Anticonvulsants</i>	63	14	33	110
<i>Antidepressants</i>	143	22	97	262
<i>Antihistamines</i>	362	40	54	456
<i>Antimicrobials</i>	245	20	23	288

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Antineoplastic</i></b>			
4	0	0	4
<b><i>Arts-crafts-office supplies</i></b>			
141	14	6	161
<b><i>Asthma therapies</i></b>			
81	16	1	98
<b><i>Automotive-aircraft-boat products</i></b>			
39	4	9	52
<b><i>Batteries</i></b>			
34	6	4	44
<b><i>Bites and envenomations</i></b>			
43	22	18	83
<b><i>Building and construction products</i></b>			
42	2	1	45
<b><i>Cardiovascular drugs</i></b>			
143	24	23	190
<b><i>Chemicals</i></b>			
83	18	20	121
<b><i>Cleaning substances (household)</i></b>			
984	33	40	1057
<b><i>Cold and cough preparations</i></b>			
252	44	64	360
<b><i>Cosmetics-personal care products</i></b>			
1206	42	39	1287
<b><i>Deodorizers</i></b>			
129	6	3	138

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Diagnostic agents</i></b>			
1	0	0	1
<b><i>Dietary supplements-herbals-homeopathic</i></b>			
244	10	8	262
<b><i>Diuretics</i></b>			
23	3	1	27
<b><i>Dyes</i></b>			
2	0	1	3
<b><i>Electrolytes and minerals</i></b>			
237	9	4	250
<b><i>Essential oils</i></b>			
38	3	1	42
<b><i>Eye-ear-nose-throat preparations</i></b>			
98	5	7	110
<b><i>Fertilizers</i></b>			
56	9	1	66
<b><i>Fire extinguishers</i></b>			
3	0	2	5
<b><i>Food products-food poisoning</i></b>			
110	21	26	157
<b><i>Foreign bodies-toys-miscellaneous</i></b>			
607	57	21	685
<b><i>Fumes-gases-vapors</i></b>			
16	12	19	47
<b><i>Gastrointestinal preparations</i></b>			
309	6	10	325

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Heavy metals</i></b>			
31	4	11	46
<b><i>Hormones and hormone antagonists</i></b>			
222	15	11	248
<b><i>Hydrocarbons</i></b>			
136	14	31	181
<b><i>Industrial cleaners</i></b>			
17	1	5	23
<b><i>Lacrimators</i></b>			
17	5	1	23
<b><i>Matches-fireworks-explosives</i></b>			
18	2	0	20
<b><i>Miscellaneous drugs</i></b>			
89	11	8	108
<b><i>Muscle relaxants</i></b>			
31	2	20	53
<b><i>Mushrooms</i></b>			
54	5	4	63
<b><i>Narcotic antagonists</i></b>			
0	0	0	0
<b><i>Other unknown non-drug substances</i></b>			
145	26	4	175
<b><i>Paints and stripping agents</i></b>			
82	5	5	92
<b><i>Pesticides</i></b>			
363	57	17	437

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Photographic products</i></b>			
0	0	3	3
<b><i>Plants</i></b>			
335	46	16	397
<b><i>Polishes and waxes</i></b>			
33	1	1	35
<b><i>Radioisotopes</i></b>			
0	0	0	0
<b><i>Sedative-hypnotics-antipsychotics</i></b>			
124	23	99	246
<b><i>Serums, toxoids, vaccines</i></b>			
4	0	1	5
<b><i>Sporting equipment</i></b>			
4	0	0	4
<b><i>Stimulants and street drugs</i></b>			
52	35	31	118
<b><i>Swimming pool-aquarium</i></b>			
21	6	2	29
<b><i>Tobacco products</i></b>			
77	1	0	78
<b><i>Topical preparations</i></b>			
728	23	11	762
<b><i>Unknown drug</i></b>			
46	3	15	64
<b><i>Veterinary drugs</i></b>			
2	2	1	5

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

*Major Drug/Substance Category*

**Calls  
Children Less  
Than 5 Years**

**Calls  
Children  
6 to 12 Years**

**Calls  
Children  
13 to 19 Years**

**Total Calls  
Children Less  
Than 20 Years**

---

*Vitamins*

384

21

9

414

*Weapons of mass destruction*

0

0

0

0

---

---

*Grand Sums:*

**10,256**

**868**

**1,112**

**12,236**

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**Injury Prevention & Surveillance Program**  
**2009 Idaho Poison Control Report**  
**Call Volume by Major Drug/Substance Category**  
**and**  
**Age Group of Exposed Child**

Data Sort by Total Calls-Children Less Than 20 Years, Descending

*Major Drug/Substance Category*

	Calls Children Less Than 5 Years	Calls Children 6 to 12 Years	Calls Children 13 to 19 Years	Total Calls Children Less Than 20 Years
<i>Analgesics</i>	1234	78	222	1534
<i>Cosmetics-personal care products</i>	1206	42	39	1287
<i>Cleaning substances (household)</i>	984	33	40	1057
<i>Topical preparations</i>	728	23	11	762
<i>Foreign bodies-toys-miscellaneous</i>	607	57	21	685
<i>Antihistamines</i>	362	40	54	456
<i>Pesticides</i>	363	57	17	437
<i>Vitamins</i>	384	21	9	414
<i>Plants</i>	335	46	16	397
<i>Cold and cough preparations</i>	252	44	64	360

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Gastrointestinal preparations</i></b>			
309	6	10	325
<b><i>Antimicrobials</i></b>			
245	20	23	288
<b><i>Antidepressants</i></b>			
143	22	97	262
<b><i>Dietary supplements-herbals-homeopathic</i></b>			
244	10	8	262
<b><i>Electrolytes and minerals</i></b>			
237	9	4	250
<b><i>Hormones and hormone antagonists</i></b>			
222	15	11	248
<b><i>Sedative-hypnotics-antipsychotics</i></b>			
124	23	99	246
<b><i>Alcohols</i></b>			
150	9	33	192
<b><i>Cardiovascular drugs</i></b>			
143	24	23	190
<b><i>Hydrocarbons</i></b>			
136	14	31	181
<b><i>Other unknown non-drug substances</i></b>			
145	26	4	175
<b><i>Arts-crafts-office supplies</i></b>			
141	14	6	161
<b><i>Food products-food poisoning</i></b>			
110	21	26	157

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Deodorizers</i></b>			
129	6	3	138
<b><i>Chemicals</i></b>			
83	18	20	121
<b><i>Stimulants and street drugs</i></b>			
52	35	31	118
<b><i>Anticonvulsants</i></b>			
63	14	33	110
<b><i>Eye-ear-nose-throat preparations</i></b>			
98	5	7	110
<b><i>Miscellaneous drugs</i></b>			
89	11	8	108
<b><i>Asthma therapies</i></b>			
81	16	1	98
<b><i>Paints and stripping agents</i></b>			
82	5	5	92
<b><i>Bites and envenomations</i></b>			
43	22	18	83
<b><i>Tobacco products</i></b>			
77	1	0	78
<b><i>Fertilizers</i></b>			
56	9	1	66
<b><i>Unknown drug</i></b>			
46	3	15	64
<b><i>Mushrooms</i></b>			
54	5	4	63

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Adhesives-glues</i></b>			
49	6	7	62
<b><i>Muscle relaxants</i></b>			
31	2	20	53
<b><i>Automotive-aircraft-boat products</i></b>			
39	4	9	52
<b><i>Anesthetics</i></b>			
43	4	4	51
<b><i>Fumes-gases-vapors</i></b>			
16	12	19	47
<b><i>Heavy metals</i></b>			
31	4	11	46
<b><i>Building and construction products</i></b>			
42	2	1	45
<b><i>Batteries</i></b>			
34	6	4	44
<b><i>Essential oils</i></b>			
38	3	1	42
<b><i>Polishes and waxes</i></b>			
33	1	1	35
<b><i>Swimming pool-aquarium</i></b>			
21	6	2	29
<b><i>Diuretics</i></b>			
23	3	1	27
<b><i>Anticoagulants</i></b>			
22	1	0	23

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

**Major Drug/Substance Category**

<b>Calls Children Less Than 5 Years</b>	<b>Calls Children 6 to 12 Years</b>	<b>Calls Children 13 to 19 Years</b>	<b>Total Calls Children Less Than 20 Years</b>
<b><i>Industrial cleaners</i></b>			
17	1	5	23
<b><i>Lacrimators</i></b>			
17	5	1	23
<b><i>Matches-fireworks-explosives</i></b>			
18	2	0	20
<b><i>Anticholinergic drugs</i></b>			
5	0	4	9
<b><i>Fire extinguishers</i></b>			
3	0	2	5
<b><i>Serums, toxoids, vaccines</i></b>			
4	0	1	5
<b><i>Veterinary drugs</i></b>			
2	2	1	5
<b><i>Antineoplastic</i></b>			
4	0	0	4
<b><i>Sporting equipment</i></b>			
4	0	0	4
<b><i>Dyes</i></b>			
2	0	1	3
<b><i>Photographic products</i></b>			
0	0	3	3
<b><i>Diagnostic agents</i></b>			
1	0	0	1
<b><i>Narcotic antagonists</i></b>			
0	0	0	0

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

*Major Drug/Substance Category*

**Calls  
Children Less  
Than 5 Years**

**Calls  
Children  
6 to 12 Years**

**Calls  
Children  
13 to 19 Years**

**Total Calls  
Children Less  
Than 20 Years**

---

*Radioisotopes*

0

0

0

0

*Weapons of mass destruction*

0

0

0

0

---

---

*Grand Sums:*

**10,256**

**868**

**1,112**

**12,236**

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**SECTION THREE**  
**CALL VOLUME BY TOP 25 DRUGS OR SUBSTANCES**  
**IN**  
**EXPOSED CHILDREN AND ADULTS**

**Injury Prevention & Surveillance Program  
 2009 Idaho Poison Control Report  
 Call Volume  
 by  
 Top 25 Drugs or Substances  
 in  
 Exposed Children - Age Under 20**

Data Sort by Call Volume, Descending

<i>Rank</i>	<i>Major Drug/Substance Category</i>	<i>Call Volume</i>
1	<i>NSAID: IBUPROFEN</i>	669
2	<i>TOPICALS: DIAPER CARE AND RASH PRODUCTS</i>	333
3	<i>ACETAMINOPHEN: PEDIATRIC</i>	280
4	<i>FOREIGN BODY: DESICCANTS</i>	247
5	<i>DENTAL CARE: TOOTHPASTE WITH FLUORIDE</i>	218
6	<i>ANTIHISTAMINES: OTHER ANTIHISTAMINES-ALONE (EXCLUDING COUGH/COLD)</i>	203
7	<i>COSMETICS: CREAMS, LOTIONS, MAKE-UP</i>	187
8	<i>NON-DRUG SUBSTANCE: OTHER</i>	176
9	<i>GLOW PRODUCT</i>	164
10	<i>HOMEOPATHIC</i>	163
11	<i>ANTIHISTAMINES: DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX)</i>	161
12	<i>COSMETICS: DEODORANTS</i>	159

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>Rank</i>	<i>Major Drug/Substance Category</i>	<i>Call Volume</i>
13	<i>ANTIBIOTICS: SYSTEMIC (PO, IV, IM)</i>	151
14	<i>ELECTROLYTE/MINERAL: CALCIUM AND CALCIUM SALTS</i>	150
15	<i>VITAMINS: MULTIPLE TAB: CHILDREN (NO IRON/FLUORIDE)</i>	141
16	<i>ANTIDEPRESSANTS: SSRI's</i>	141
17	<i>RODENTICIDE: LONG-ACTING ANTICOAGULANT</i>	126
18	<i>ACETAMINOPHEN: ADULT</i>	114
19	<i>CLEANER: BLEACH - HYPOCHLORITE (LIQUID &amp; DRY)</i>	112
20	<i>PLANTS: UNKNOWN TOXIC PLANT OR UNKNOWN IF TOXIC</i>	108
21	<i>COUGH/COLD: ANTIHIST OR DECONGEST./NO PPA/NO NARCOTIC</i>	103
22	<i>GI: LAXATIVES</i>	100
23	<i>MISC: OTHER RX OR OTC DRUG</i>	95
24	<i>HORMONE: THYROID PREPARATIONS (INCLUDING SYNTHETICS/EXTRACTS)</i>	93
25	<i>ATYPICAL ANTIPSYCHOTIC</i>	89

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
Call Volume  
by  
Top 25 Drugs or Substances  
in  
Exposed Adults - Age 20 and Over**

Data Sort by Call Volume, Descending

<i>Rank</i>	<i>Major Drug/Substance Category</i>	<i>Call Volume</i>
1	<i>SEDATIVE/ANTI-PSYCHOTIC: BENZODIAZEPINES</i>	223
2	<i>ALCOHOL: ETHANOL (BEVERAGE)</i>	187
3	<i>ANTIDEPRESSANTS: SSRIs</i>	135
4	<i>ACETAMINOPHEN WITH HYDROCODONE</i>	113
5	<i>SEDATIVE/ANTI-PSYCHOTIC: OTHER</i>	103
6	<i>ATYPICAL ANTIPSYCHOTIC</i>	100
7	<i>HYDROCARBON: GASOLINE</i>	80
8	<i>ANTICONVULSANTS: OTHER (EXCLUDING BARBITURATES)</i>	74
9	<i>FOOD: DOCUMENTED BACTERIAL FOOD POISONING-- CAUSE UNKNOWN</i>	71
10	<i>PYRETHROID</i>	67
11	<i>ANTI-HISTAMINES: DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX)</i>	62

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>Rank</i>	<i>Major Drug/Substance Category</i>	<i>Call Volume</i>
12	<i>NSAID: IBUPROFEN</i>	61
13	<i>ANTIDEPRESSANTS: OTHER</i>	60
14	<i>CLEANER: BLEACH - HYPOCHLORITE (LIQUID &amp; DRY)</i>	58
15	<i>BITE/STING: OTHER SPIDER BITE/ENVENOMATION</i>	57
16	<i>ANTIBIOTICS: SYSTEMIC (PO, IV, IM)</i>	55
17	<i>ANTIHISTAMINES: OTHER ANTIHISTAMINES-ALONE (EXCLUDING COUGH/COLD)</i>	54
18	<i>CARDIOVASCULAR: BETA BLOCKERS (INCLUDE ALL PROPRANOLOL CASES)</i>	53
19	<i>FUME/GAS/VAPOR: CARBON MONOXIDE</i>	53
20	<i>ANTIDEPRESSANTS: TRAZODONE</i>	52
21	<i>MISC: OTHER RX OR OTC DRUG</i>	50
22	<i>ACETAMINOPHIN: ADULT</i>	49
23	<i>ANTICHOLINERGIC DRUGS (EXCLUDING COUGH &amp; COLD PREPS)</i>	48
24	<i>ANALGESIC COMBO: APAP WITH: OTHER DRUG-ADULT</i>	47
25	<i>NON-DRUG SUBSTANCE: OTHER</i>	46

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**SECTION FOUR**  
**CALL VOLUME BY INDIVIDUAL IDAHO COUNTIES**

# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Report

### Call Volume by County and Call Type

Data Sort by County Name

Human Exposure Calls	Animal Exposure Calls	Drug Information Calls	Total Calls
<b>Ada</b>			
3767	222	2272	6261
<b>Adams</b>			
33	3	8	44
<b>Bannock</b>			
1111	32	752	1895
<b>Bear Lake</b>			
60	1	31	92
<b>Benewah</b>			
95	4	47	146
<b>Bingham</b>			
506	17	177	700
<b>Blaine</b>			
156	13	37	206
<b>Boise</b>			
36	5	27	68
<b>Bonner</b>			
375	19	214	608

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b>Bonneville</b>			
1220	30	604	1854
<b>Boundary</b>			
120	4	178	302
<b>Butte</b>			
30	1	2	33
<b>Camas</b>			
7	0	1	8
<b>Canyon</b>			
1872	52	700	2624
<b>Caribou</b>			
84	1	85	170
<b>Cassia</b>			
236	7	72	315
<b>Clark</b>			
2	0	0	2
<b>Clearwater</b>			
54	5	33	92
<b>Custer</b>			
26	0	4	30
<b>Elmore</b>			
307	8	100	415

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

	<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b><i>Franklin</i></b>	156	0	14	170
<b><i>Fremont</i></b>	93	3	7	103
<b><i>Gem</i></b>	122	7	36	165
<b><i>Gooding</i></b>	125	2	27	154
<b><i>Idaho</i></b>	85	5	17	107
<b><i>Jefferson</i></b>	295	3	32	330
<b><i>Jerome</i></b>	188	7	79	274
<b><i>Kootenai</i></b>	1351	71	1320	2742
<b><i>Latah</i></b>	332	13	68	413
<b><i>Lemhi</i></b>	45	4	8	57
<b><i>Lewis</i></b>	31	2	13	46

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

	Human Exposure Calls	Animal Exposure Calls	Drug Information Calls	Total Calls
<b><i>Lincoln</i></b>	40	2	8	50
<b><i>Madison</i></b>	463	7	37	507
<b><i>Minidoka</i></b>	168	7	54	229
<b><i>Nez Perce</i></b>	278	20	336	634
<b><i>Oneida</i></b>	45	3	7	55
<b><i>Owyhee</i></b>	71	1	12	84
<b><i>Payette</i></b>	157	2	19	178
<b><i>Power</i></b>	73	1	11	85
<b><i>Shoshone</i></b>	109	3	258	370
<b><i>Teton</i></b>	119	0	18	137
<b><i>Twin Falls</i></b>	771	23	555	1349

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Human Exposure Calls	Animal Exposure Calls	Drug Information Calls	Total Calls
<b>Valley</b>			
118	6	16	140
<b>Washington</b>			
66	2	6	74

*Total Number Human Exposure Calls: 15,398*  
*Total Number Animal Exposure Calls: 618*  
*Total Number Drug Information Calls: 8,302*

# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Report

### Call Volume by County and Call Type

Data Sort by Total Call Volume Rank

<i>County</i>	<b>Total Call Volume Rank</b>			
	Human Exposure Calls	Animal Exposure Calls	Drug Information Calls	Total Calls
<b><i>Ada</i></b>		<b>1</b>		
	3767	222	2272	6261
<b><i>Kootenai</i></b>		<b>2</b>		
	1351	71	1320	2742
<b><i>Canyon</i></b>		<b>3</b>		
	1872	52	700	2624
<b><i>Bannock</i></b>		<b>4</b>		
	1111	32	752	1895
<b><i>Bonneville</i></b>		<b>5</b>		
	1220	30	604	1854
<b><i>Twin Falls</i></b>		<b>6</b>		
	771	23	555	1349
<b><i>Bingham</i></b>		<b>7</b>		
	506	17	177	700
<b><i>Nez Perce</i></b>		<b>8</b>		
	278	20	336	634
<b><i>Bonner</i></b>		<b>9</b>		
	375	19	214	608

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>County</i>	<b>Total Call Volume Rank</b>			
	<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b><i>Madison</i></b>	<b>10</b>			
	463	7	37	507
<b><i>Elmore</i></b>	<b>11</b>			
	307	8	100	415
<b><i>Latah</i></b>	<b>12</b>			
	332	13	68	413
<b><i>Shoshone</i></b>	<b>13</b>			
	109	3	258	370
<b><i>Jefferson</i></b>	<b>14</b>			
	295	3	32	330
<b><i>Cassia</i></b>	<b>15</b>			
	236	7	72	315
<b><i>Boundary</i></b>	<b>16</b>			
	120	4	178	302
<b><i>Jerome</i></b>	<b>17</b>			
	188	7	79	274
<b><i>Minidoka</i></b>	<b>18</b>			
	168	7	54	229
<b><i>Blaine</i></b>	<b>19</b>			
	156	13	37	206
<b><i>Payette</i></b>	<b>20</b>			
	157	2	19	178

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>County</i>	<b>Total Call Volume Rank</b>			
	<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b><i>Franklin</i></b>	<b>21</b>			
	156	0	14	170
<b><i>Caribou</i></b>	<b>22</b>			
	84	1	85	170
<b><i>Gem</i></b>	<b>23</b>			
	122	7	36	165
<b><i>Gooding</i></b>	<b>24</b>			
	125	2	27	154
<b><i>Benewah</i></b>	<b>25</b>			
	95	4	47	146
<b><i>Valley</i></b>	<b>26</b>			
	118	6	16	140
<b><i>Teton</i></b>	<b>27</b>			
	119	0	18	137
<b><i>Idaho</i></b>	<b>28</b>			
	85	5	17	107
<b><i>Fremont</i></b>	<b>29</b>			
	93	3	7	103
<b><i>Bear Lake</i></b>	<b>30</b>			
	60	1	31	92
<b><i>Clearwater</i></b>	<b>31</b>			
	54	5	33	92

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>County</i>	<b>Total Call Volume Rank</b>			
	<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b><i>Power</i></b>	<b>32</b>			
	73	1	11	85
<b><i>Owyhee</i></b>	<b>33</b>			
	71	1	12	84
<b><i>Washington</i></b>	<b>34</b>			
	66	2	6	74
<b><i>Boise</i></b>	<b>35</b>			
	36	5	27	68
<b><i>Lemhi</i></b>	<b>36</b>			
	45	4	8	57
<b><i>Oneida</i></b>	<b>37</b>			
	45	3	7	55
<b><i>Lincoln</i></b>	<b>38</b>			
	40	2	8	50
<b><i>Lewis</i></b>	<b>39</b>			
	31	2	13	46
<b><i>Adams</i></b>	<b>40</b>			
	33	3	8	44
<b><i>Butte</i></b>	<b>41</b>			
	30	1	2	33
<b><i>Custer</i></b>	<b>42</b>			
	26	0	4	30

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>County</i>	<b>Total Call Volume Rank</b>			
	<b>Human Exposure Calls</b>	<b>Animal Exposure Calls</b>	<b>Drug Information Calls</b>	<b>Total Calls</b>
<b>Camas</b>		<b>43</b>		
	7	0	1	8
<b>Clark</b>		<b>44</b>		
	2	0	0	2

*Total Number Human Exposure Calls: 15,398*

*Total Number Animal Exposure Calls: 618*

*Total Number Drug Information Calls: 8,302*

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Data

### Call Volume by County and Call Type

Data Sort by Human Exposure Call Volume Rate

<i>County</i>	Human Exposure Calls	2009 Estimated County Population	Human Exposure Call Rate Per 1,000 County Resident Population
<i>Valley</i>	118	8,726	13.52
<i>Bannock</i>	1111	82,539	13.46
<i>Teton</i>	119	9,337	12.74
<i>Franklin</i>	156	12,676	12.31
<i>Caribou</i>	84	6,914	12.15
<i>Madison</i>	463	38,440	12.04
<i>Bonneville</i>	1220	101,329	12.04
<i>Jefferson</i>	295	24,802	11.89
<i>Bingham</i>	506	44,668	11.33
<i>Boundary</i>	120	10,951	10.96
<i>Cassia</i>	236	21,698	10.88
<i>Butte</i>	30	2,764	10.85

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>County</b>	<b>Human Exposure Calls</b>	<b>2009 Estimated County Population</b>	<b>Human Exposure Call Rate Per 1,000 County Resident Population</b>
<b>Oneida</b>	45	4,221	10.66
<b>Elmore</b>	307	28,820	10.65
<b>Bear Lake</b>	60	5,774	10.39
<b>Benewah</b>	95	9,258	10.26
<b>Twin Falls</b>	771	75,296	10.24
<b>Canyon</b>	1872	186,615	10.03
<b>Ada</b>	3767	384,656	9.79
<b>Kootenai</b>	1351	139,390	9.69
<b>Power</b>	73	7,734	9.44
<b>Adams</b>	33	3,520	9.38
<b>Bonner</b>	375	41,403	9.06
<b>Jerome</b>	188	21,262	8.84
<b>Minidoka</b>	168	19,226	8.74
<b>Latah</b>	332	38,046	8.73
<b>Gooding</b>	125	14,430	8.66

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>County</b>	<b>Human Exposure Calls</b>	<b>2009 Estimated County Population</b>	<b>Human Exposure Call Rate Per 1,000 County Resident Population</b>
<b>Lincoln</b>	40	4,645	8.61
<b>Shoshone</b>	109	12,660	8.61
<b>Lewis</b>	31	3,735	8.30
<b>Gem</b>	122	16,437	7.42
<b>Fremont</b>	93	12,691	7.33
<b>Nez Perce</b>	278	39,211	7.09
<b>Blaine</b>	156	22,328	6.99
<b>Payette</b>	157	23,099	6.80
<b>Clearwater</b>	54	8,043	6.71
<b>Washington</b>	66	10,119	6.52
<b>Owyhee</b>	71	11,223	6.33
<b>Camas</b>	7	1,109	6.31
<b>Custer</b>	26	4,240	6.13
<b>Lemhi</b>	45	7,908	5.69
<b>Idaho</b>	85	15,461	5.50

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<i>County</i>	Human Exposure Calls	2009 Estimated County Population	Human Exposure Call Rate Per 1,000 County Resident Population
<i>Boise</i>	36	7,445	4.84
<i>Clark</i>	2	952	2.10

**Total Number 2009 Human Exposure Calls: 15,398**

**Injury Prevention & Surveillance Program**  
**2009 Idaho Poison Control Data**  
**Drug Information Call Volume Rate by County**

Data Sort by Drug Information Call Volume Rate

<i>County</i>	Drug Information Calls	2009 Estimated County Population	Drug Information Call Rate Per 1,000 County Resident Population
<i>Shoshone</i>	258	12,660	20.38
<i>Boundary</i>	178	10,951	16.25
<i>Caribou</i>	85	6,914	12.29
<i>Kootenai</i>	1320	139,390	9.47
<i>Bannock</i>	752	82,539	9.11
<i>Nez Perce</i>	336	39,211	8.57
<i>Twin Falls</i>	555	75,296	7.37
<i>Bonneville</i>	604	101,329	5.96
<i>Ada</i>	2272	384,656	5.91
<i>Bear Lake</i>	31	5,774	5.37
<i>Bonner</i>	214	41,403	5.17

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>County</b>	<b>Drug Information Calls</b>	<b>2009 Estimated County Population</b>	<b>Drug Information Call Rate Per 1,000 County Resident Population</b>
<b>Benewah</b>	47	9,258	5.08
<b>Clearwater</b>	33	8,043	4.10
<b>Bingham</b>	177	44,668	3.96
<b>Canyon</b>	700	186,615	3.75
<b>Jerome</b>	79	21,262	3.72
<b>Boise</b>	27	7,445	3.63
<b>Lewis</b>	13	3,735	3.48
<b>Elmore</b>	100	28,820	3.47
<b>Cassia</b>	72	21,698	3.32
<b>Minidoka</b>	54	19,226	2.81
<b>Adams</b>	8	3,520	2.27
<b>Gem</b>	36	16,437	2.19
<b>Teton</b>	18	9,337	1.93
<b>Gooding</b>	27	14,430	1.87

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>County</b>	<b>Drug Information Calls</b>	<b>2009 Estimated County Population</b>	<b>Drug Information Call Rate Per 1,000 County Resident Population</b>
<b>Valley</b>	16	8,726	1.83
<b>Latah</b>	68	38,046	1.79
<b>Lincoln</b>	8	4,645	1.72
<b>Oneida</b>	7	4,221	1.66
<b>Blaine</b>	37	22,328	1.66
<b>Power</b>	11	7,734	1.42
<b>Jefferson</b>	32	24,802	1.29
<b>Franklin</b>	14	12,676	1.10
<b>Idaho</b>	17	15,461	1.10
<b>Owyhee</b>	12	11,223	1.07
<b>Lemhi</b>	8	7,908	1.01
<b>Madison</b>	37	38,440	0.96
<b>Custer</b>	4	4,240	0.94
<b>Camas</b>	1	1,109	0.90


Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>County</b>	<b>Drug Information Calls</b>	<b>2009 Estimated County Population</b>	<b>Drug Information Call Rate Per 1,000 County Resident Population</b>
<b>Payette</b>	19	23,099	0.82
<b>Butte</b>	2	2,764	0.72
<b>Washington</b>	6	10,119	0.59
<b>Fremont</b>	7	12,691	0.55
<b>Clark</b>	0	952	0.00

**Total Number 2009 Drug Information Calls: 8,302**

*Note: Of 8,809 Drug Information calls received by Rocky Mountain Poison and Drug Center during 2009, a total of 507 calls had no associated zip code information, thus the difference in total counts in this report.*

**SECTION FIVE**  
**CALL VOLUME BY SITE OF EXPOSURE**



- Home Residences (81.9%)
- Health Care Facilities (7.7%)
- Sites of Unknown Origin (6.4%)
- All Others Combined (4.0%)

# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Data

### Call Volume by Exposure Site

Data Sort by Call Volume - Descending

Site of Exposure	Call Volume	Percent of Total
<i>Home Residence</i>		
Other Residence	304	1.2%
Own Residence	20,950	80.7%
<b>Total:</b>	<b>21,254</b>	<b>81.9%</b>
<i>Health Care Facilities</i>		
Clinic/MD Office	124	0.5%
Free Standing Emergency Clinic	79	0.3%
Health Care Facilities	1,626	6.3%
Mental Health/Detox	28	0.1%
Nurse Line	55	0.2%
Nursing Home/LTC Facility	29	0.1%
Pharmacy/Pharmacist	48	0.2%
<b>Total:</b>	<b>1,989</b>	<b>7.7%</b>
<i>Sites of Unknown Origin</i>		
Sites of Unknown Origin	1,673	6.4%
<b>Total:</b>	<b>1,673</b>	<b>6.4%</b>

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Site of Exposure	Call Volume	Percent of Total
<i>Other</i>		
Fire/Medic/Police	13	0.1%
Other	409	1.6%
Poison Centers	27	0.1%
Public Area	21	0.1%
Restaurant/Food Service	8	0.0%
School/Day Care	113	0.4%
Vehicles	115	0.4%
Veterinary Sites	78	0.3%
Workplace	245	0.9%
<b>Total:</b>	<b>1,029</b>	<b>4.0%</b>

**Total Call Volume: 25,945**

**SECTION SIX**  
**HUMAN EXPOSURE AND DRUG INFORMATION**  
**CALL VOLUME**  
**BY**  
**HEALTH CARE FACILITY**

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
Human Exposure & Drug Information Call Volume  
by  
Health Care Facility**

Data Sort by Health Care Facility (Ascending)

Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
Bear Lake Memorial	9	1	10
Benewah Community	12	0	12
Bingham Memorial Hospital	57	0	57
Bonner General	34	2	36
Boundary County Community	13	0	13
Caribou Memorial	23	0	23
Cascade Medical Center	5	0	5
Cassia Regional Medical	41	0	41

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
Clearwater Valley Hospital	7	0	7
Council Community Hospital	1	0	1
Eastern Idaho Regional Medical Center	23	3	26
Elmore Medical Center	35	2	37
Franklin County Medical	25	1	26
Gooding County Memorial	22	1	23
Gritman Medical Center	42	0	42
Harms Memorial Hospital	15	0	15
HCF- Unknown/Out of Region	11	5	16
Intermountain Psych. Hos	5	1	6
Kootenai Medical Center	109	7	116
Lost Rivers District Hospital	4	0	4
Madison Memorial	39	3	42

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
McCall Memorial	30	0	30
Mercy Medical Center	169	3	172
Minidoka Memorial	12	1	13
Mt. Home AFB - 366th Medical Group	18	0	18
Not Specified	4	0	4
Oneida County Hospital	5	2	7
Portneuf East (aka: Pocatello RMC)	34	4	38
Portneuf West (aka: Bannock RMC)	28	2	30
Shoshone Medical Center ID	22	2	24
St Lukes Magic Valley RMC	47	5	52
St. Alphonsus Eagle Health Plaza	2	0	2
St. Alphonsus RMC	111	9	120
St. Benedict's FMC	12	0	12

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
St. Joseph's RMC	29	0	29
St. Luke's FMC/Downtown	106	13	119
St. Luke's Meridian (West)	164	9	173
St. Lukes Wood River Medical Center	5	3	8
St. Mary's Hospital	5	0	5
Steele Memorial Hospital	18	0	18
Syringa General Hospital	15	0	15
Teton Valley Hospital	33	0	33
Twin Falls Clinic	7	0	7
Veterans Affairs	19	0	19
Walter Knox Memorial	20	0	20
Weiser Memorial Hospital	11	0	11
West Valley Medical Center	31	4	35

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

---

Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
Call Volume Across All Facilities:	<b>1489</b>	<b>83</b>	<b>1572</b>

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
Human Exposure & Drug Information Call Volume  
by  
Health Care Facility**

Data Sort by Total Calls (Descending)

---

(Rank)	Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
1	St. Luke's Meridian (West)	164	9	173
2	Mercy Medical Center	169	3	172
3	St. Alphonsus RMC	111	9	120
4	St. Luke's FMC/Downtown	106	13	119
5	Kootenai Medical Center	109	7	116
6	Bingham Memorial Hospital	57	0	57
7	St Lukes Magic Valley RMC	47	5	52

---

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>(Rank)</b>	<b>Health Care Facility</b>	<b>Total Human Exposure Calls</b>	<b>Total Drug Information Calls</b>	<b>Total Calls</b>
<b>8</b>	<b>Gritman Medical Center</b>	<b>42</b>	<b>0</b>	<b>42</b>
<b>9</b>	<b>Madison Memorial</b>	<b>39</b>	<b>3</b>	<b>42</b>
<b>10</b>	<b>Cassia Regional Medical</b>	<b>41</b>	<b>0</b>	<b>41</b>
<b>11</b>	<b>Portneuf East (aka: Pocatello RMC)</b>	<b>34</b>	<b>4</b>	<b>38</b>
<b>12</b>	<b>Elmore Medical Center</b>	<b>35</b>	<b>2</b>	<b>37</b>
<b>13</b>	<b>Bonner General</b>	<b>34</b>	<b>2</b>	<b>36</b>
<b>14</b>	<b>West Valley Medical Center</b>	<b>31</b>	<b>4</b>	<b>35</b>
<b>15</b>	<b>Teton Valley Hospital</b>	<b>33</b>	<b>0</b>	<b>33</b>
<b>16</b>	<b>McCall Memorial</b>	<b>30</b>	<b>0</b>	<b>30</b>
<b>17</b>	<b>Portneuf West (aka: Bannock RMC)</b>	<b>28</b>	<b>2</b>	<b>30</b>
<b>18</b>	<b>St. Joseph's RMC</b>	<b>29</b>	<b>0</b>	<b>29</b>
<b>19</b>	<b>Eastern Idaho Regional Medical Center</b>	<b>23</b>	<b>3</b>	<b>26</b>

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>(Rank) Health Care Facility</b>	<b>Total Human Exposure Calls</b>	<b>Total Drug Information Calls</b>	<b>Total Calls</b>
<b>20 Franklin County Medical</b>	<b>25</b>	<b>1</b>	<b>26</b>
<b>21 Shoshone Medical Center ID</b>	<b>22</b>	<b>2</b>	<b>24</b>
<b>22 Gooding County Memorial</b>	<b>22</b>	<b>1</b>	<b>23</b>
<b>23 Caribou Memorial</b>	<b>23</b>	<b>0</b>	<b>23</b>
<b>24 Walter Knox Memorial</b>	<b>20</b>	<b>0</b>	<b>20</b>
<b>25 Veterans Affairs</b>	<b>19</b>	<b>0</b>	<b>19</b>
<b>26 Mt. Home AFB - 366th Medical Group</b>	<b>18</b>	<b>0</b>	<b>18</b>
<b>27 Steele Memorial Hospital</b>	<b>18</b>	<b>0</b>	<b>18</b>
<b>28 HCF- Unknown/Out of Region</b>	<b>11</b>	<b>5</b>	<b>16</b>
<b>29 Harms Memorial Hospital</b>	<b>15</b>	<b>0</b>	<b>15</b>
<b>30 Syringa General Hospital</b>	<b>15</b>	<b>0</b>	<b>15</b>
<b>31 Boundary County Community</b>	<b>13</b>	<b>0</b>	<b>13</b>

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

(Rank)	Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
32	Minidoka Memorial	12	1	13
33	St. Benedict's FMC	12	0	12
34	Benewah Community	12	0	12
35	Weiser Memorial Hospital	11	0	11
36	Bear Lake Memorial	9	1	10
37	St. Lukes Wood River Medical Center	5	3	8
38	Clearwater Valley Hospital	7	0	7
39	Oneida County Hospital	5	2	7
40	Twin Falls Clinic	7	0	7
41	Intermountain Psych. Hos	5	1	6
42	Cascade Medical Center	5	0	5
43	St. Mary's Hospital	5	0	5

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

(Rank)	Health Care Facility	Total Human Exposure Calls	Total Drug Information Calls	Total Calls
44	Not Specified	4	0	4
45	Lost Rivers District Hospital	4	0	4
46	St. Alphonsus Eagle Health Plaza	2	0	2
47	Council Community Hospital	1	0	1
Call Volume Across All Facilities:		1489	83	1572
Average Call Volume Across All Facilities:		31.7	1.8	33.4

Data used in this report was provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

**SECTION SEVEN**  
**PATIENT OUTCOMES AS THE RESULT**  
**OF**  
**POTENTIAL OR ACTUAL POISON EXPOSURES**

Note: The Rocky Mountain Poison and Drug Center (RMPDC) reported only 2 deaths among Idaho residents during 2009 attributed to poisoning. The Idaho Bureau of Vital Records and Health Statistics, however, recorded 121 such deaths during 2009. The large variance in these numbers is because Idaho health care facilities or coroners infrequently report these deaths to the RMPDC.

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
Patient Outcomes as Result  
of  
Potential or Actual Poison Exposures**

Data Sort by Health Care Facility (Ascending)

Death	Major	Moderate	Minor	No Effect	Other	Total
<i>Bear Lake Memorial</i>						
0	0	2	6	1	0	9
<i>Benewah Community</i>						
0	0	2	3	5	2	12
<i>Bingham Memorial Hospital</i>						
0	2	15	21	13	6	57
<i>Bonner General</i>						
0	1	9	15	6	3	34
<i>Boundary County Community</i>						
0	0	2	7	3	1	13
<i>Caribou Memorial</i>						
0	0	2	6	11	4	23
<i>Cascade Medical Center</i>						
0	0	0	2	2	1	5
<i>Cassia Regional Medical</i>						
0	0	6	24	7	4	41

Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>Death</b>	<b>Major</b>	<b>Moderate</b>	<b>Minor</b>	<b>No Effect</b>	<b>Other</b>	<b>Total</b>
<b><i>Clearwater Valley Hospital</i></b>						
0	0	2	3	1	1	7
<b><i>Council Community Hospital</i></b>						
0	0	0	1	0	0	1
<b><i>Eastern Idaho Regional Medical Center</i></b>						
0	0	4	8	8	3	23
<b><i>Elmore Medical Center</i></b>						
0	0	8	13	11	3	35
<b><i>Franklin County Medical</i></b>						
0	0	4	11	9	1	25
<b><i>Gooding County Memorial</i></b>						
0	0	3	14	3	2	22
<b><i>Gritman Medical Center</i></b>						
0	2	13	15	8	4	42
<b><i>Harms Memorial Hospital</i></b>						
0	0	3	5	6	1	15
<b><i>HCF- Unknown/Out of Region</i></b>						
0	0	0	4	2	6	12
<b><i>Intermountain Psych. Hospital</i></b>						
0	1	1	0	0	3	5
<b><i>Kootenai Medical Center</i></b>						
0	4	13	58	24	10	109

Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Death	Major	Moderate	Minor	No Effect	Other	Total
<b><i>Lost Rivers District Hospital</i></b>						
0	0	0	1	1	2	4
<b><i>Madison Memorial</i></b>						
0	1	4	18	14	2	39
<b><i>McCall Memorial</i></b>						
0	1	3	11	8	7	30
<b><i>Mercy Medical Center</i></b>						
0	3	24	76	52	12	167
<b><i>Minidoka Memorial</i></b>						
0	0	3	6	2	1	12
<b><i>Mt. Home AFB - 366th Medical Group</i></b>						
0	0	0	10	8	0	18
<b><i>Oneida County Hospital</i></b>						
0	0	1	1	3	0	5
<b><i>Portneuf East (aka: Pocatello RMC)</i></b>						
0	0	5	11	11	7	34
<b><i>Portneuf West (aka: Bannock RMC)</i></b>						
0	2	4	10	12	0	28
<b><i>Shoshone Medical Center</i></b>						
0	1	3	10	6	2	22
<b><i>St Luke's Magic Valley RMC</i></b>						
0	2	11	15	16	3	47

Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

<b>Death</b>	<b>Major</b>	<b>Moderate</b>	<b>Minor</b>	<b>No Effect</b>	<b>Other</b>	<b>Total</b>
<b><i>St. Alphonsus Eagle Health Plaza</i></b>						
0	0	0	2	0	0	2
<b><i>St. Alphonsus RMC</i></b>						
1	12	32	34	28	4	111
<b><i>St. Benedict's FMC</i></b>						
0	0	0	6	5	1	12
<b><i>St. Joseph's RMC</i></b>						
0	0	5	9	12	3	29
<b><i>St. Luke's Wood River Medical Center</i></b>						
0	0	1	1	3	0	5
<b><i>St. Luke's FMC / Downtown</i></b>						
0	4	23	47	22	10	106
<b><i>St. Luke's Meridian (West)</i></b>						
1	5	35	65	44	14	164
<b><i>St. Mary's Hosp</i></b>						
0	0	0	2	2	1	5
<b><i>Steele Memorial Hospital</i></b>						
0	1	1	10	3	3	18
<b><i>Syringa General Hospital</i></b>						
0	1	3	3	5	3	15
<b><i>Teton Valley Hospital</i></b>						
0	0	6	14	10	3	33

Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.

Death	Major	Moderate	Minor	No Effect	Other	Total
<i>Twin Falls Clinic</i>						
0	0	0	1	4	2	7
<i>Veterans Affairs</i>						
0	3	3	6	5	2	19
<i>Walter Knox Memorial</i>						
0	0	3	7	5	5	20
<i>Weiser Memorial Hospital</i>						
0	1	3	5	2	0	11
<i>West Valley Medical Cent</i>						
0	0	2	8	17	4	31

***Grand Sums of Patient Outcomes during 2009:***

**2      47      264      605      420      146      1484**

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

# Injury Prevention & Surveillance Program

## 2009 Idaho Poison Control Report

### Medical Outcomes Definition Table

---

Medical Outcome	Medical Outcome Definition	Examples
No Effect	The patient developed no symptoms as a result of the exposure. Follow-up is required to make this determination unless the initial poison center call occurs sufficiently long after the exposure that you are reasonably certain no effects will occur. If this response is selected, do not code the duration of clinical effects.	<ul style="list-style-type: none"><li>•mild GI symptoms (self-limited, no dehydration)</li><li>•Drowsiness</li><li>•Skin irritation or 1° burn</li><li>•Sinus tachycardia without hypotension</li><li>•Bleach ingestion followed by one or two episodes of vomiting</li><li>•Oral irritation from dieffenbachia</li><li>•Insect bite with only pain, swelling and erythema</li><li>•Transient cough</li><li>•Tinnitus as the only manifestation of salicylism</li><li>•Iron ingestion with abdominal pain and one episode of vomiting and/or diarrhea without acidosis and without Deferoxamine therapy</li></ul>

---

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

Medical Outcome	Medical Outcome Definition	Examples
Minor Effect	<p>The patient exhibited some symptoms as a result of the exposure, but they were minimally bothersome to the patient. The symptoms usually resolve rapidly and usually involve skin or mucous membrane manifestations. The patient has returned to a pre-exposure state of well being and has no residual disability or disfigurement. Follow-up is required to make this determination unless the initial poison center call occurs sufficiently long after the exposure that you are reasonably certain that the clinical effect(s) will not worsen. Symptomatic patients must be followed until symptoms have resolved or nearly resolved, unless the residual symptoms are anticipated to be long-term and of minimal clinical significance. If this response is selected, you must also code duration of clinical effects.</p>	<ul style="list-style-type: none"> <li>•Mild GI symptoms (self-limited, no dehydration)</li> <li>•Drowsiness</li> <li>•Skin irritation or 1° burn</li> <li>•Sinus tachycardia without hypotension</li> <li>•Bleach ingestion followed by one or two episodes of vomiting</li> <li>•Oral irritation from dieffenbachia</li> <li>•Insect bite with only pain, swelling and erythema</li> <li>•Transient cough</li> <li>•Tinnitus as the only manifestation of salicylism</li> <li>•Iron ingestion with abdominal pain and one episode of vomiting and/or diarrhea without acidosis and without Deferoxamine therapy</li> </ul>

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

Medical Outcome	Medical Outcome Definition	Examples
Moderate Effect	<p>The patient exhibited symptoms as a result of the exposure which are more pronounced, more prolonged or more of a systemic nature than minor symptoms. Usually some form of treatment is or would have been indicated. Symptoms were not life-threatening and the patient has returned to a pre-exposure state of well-being with no residual disability or disfigurement. Follow-up is required to make this determination unless the initial poison center call occurs sufficiently long after the exposure that you are certain the clinical effect(s) will not get worse. Symptomatic patients must be followed until symptoms have resolved or nearly resolved, unless the residual symptoms are anticipated to be long-term and of minimal clinical significance. If this response is selected, you must also code a response in the duration of clinical effects area.</p>	<ul style="list-style-type: none"> <li>•A corneal abrasion</li> <li>•Acid-base disturbance</li> <li>•High fever</li> <li>•Disorientation</li> <li>•Hypotension which rapidly responds to treatment</li> <li>•Isolated brief seizures which resolve spontaneously or readily respond to treatment</li> <li>•Minor creatinine elevations without clinical evidence of renal failure</li> <li>•Hepatic injury without encephalopathy</li> <li>•GI symptoms causing dehydration</li> <li>•Caustic injury to esophagus without perforation or residual injury</li> <li>•Conduction disturbance without hypotension</li> <li>•Acetaminophen poisoning with AST or ALT &gt;100U/L, without a prolonged PT and without encephalopathy, GI bleeding or acidosis</li> <li>•Snake envenomation with extensive swelling and ecchymosis</li> <li>•Theophylline overdose with vomiting and tachycardia</li> <li>•Methanol ingestion manifesting only anion gap metabolic acidosis</li> <li>•Cyclic antidepressant overdose with a conduction disturbance but no seizures, no coma and no life-threatening dysrhythmias</li> <li>•Aspirin overdose with acidosis, anion gap and no alteration of mental status</li> <li>•Hypoglycemia with confusion</li> </ul>

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

<b>Medical Outcome</b>	<b>Medical Outcome Definition</b>	<b>Examples</b>
Major Effect	<p>The patient has exhibited symptoms as a result of the exposure which were life-threatening or resulted in significant residual disability or disfigurement. Follow-up is required to make this determination unless the initial poison center call occurs sufficiently long after the exposure that you are certain the clinical effect(s) will not get worse. Symptomatic patients must be followed until symptoms have resolved or nearly resolved, unless the symptoms are anticipated to be long-term or permanent. If this response is selected, you must also code duration of clinical effects.</p>	<ul style="list-style-type: none"> <li>•Patients who require intubation and mechanical ventilation</li> <li>•Repeated seizures or status</li> <li>•Ventricular tachycardia with hypotension</li> <li>•Cardiovascular instability</li> <li>•Coma with hypotension</li> <li>•Cardiac arrest or respiratory arrest</li> <li>•Ventricular fibrillation</li> <li>•Esophageal stricture</li> <li>•Disseminated intravascular coagulation (DIC)</li> <li>•Cerebrovascular accident (CVA) or intracranial bleed</li> <li>•Clinical evidence of renal failure (not just minor increases in creatinine)</li> <li>•Cyanosis plus respiratory depression</li> <li>•Rhabdomyolysis with myoglobinuria and marked CPK elevations</li> <li>•Rhabdomyolysis with increased creatinine</li> </ul>

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

Medical Outcome	Medical Outcome Definition	Examples
Death	The patient died as a result of the exposure or as a direct complication of the exposure where the complication was unlikely to have occurred had the toxic exposure not preceded the complication. Only include those deaths which are probably or undoubtedly related to the exposure. Code outcome for unrelated or probably unrelated deaths as unrelated. If this response is selected, DO NOT code duration of clinical effects. An H-02 fatality verification form must be submitted to AAPCC for all human exposures coded as death. Include a blinded copy of the post-mortem report if available.	
Not Followed-Judged As Nontoxic Exposure	The patient was not followed because in your clinical judgment the exposure was likely to be nontoxic because: (1) The agent involved was nontoxic, (2) The amount implicated in the exposure was insignificant (nontoxic), and/or (3) The route of exposure was unlikely to result in a clinical effect.	If this response is selected, the clinician must be reasonably certain that the patient will not experience any clinical effect from the exposure. Clinicians may also include cases that refused follow-up if the exposure was judged nontoxic.

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

<b>Medical Outcome</b>	<b>Medical Outcome Definition</b>	<b>Examples</b>
Not Followed-Minimal Clinical Effects Possible	The patient was not followed because, in your clinical judgment, the exposure was likely to result in only minimal toxicity of a trivial nature. If you select this response you must be reasonably certain, in a worst case scenario, that the patient will experience no more than a minor effect. You may also include cases that refused follow-up if the exposure would possibly result in minimal clinical effects and would cause no more than a minor effect.	<ul style="list-style-type: none"> <li>•You are called within 30 minutes after a child ingests up to 80 mg/kg of acetaminophen. You are very certain of the maximum possible amount. You choose not to follow the case because in your estimation the child is not expected to develop anything more than minor GI disturbance.</li> <li>•An asymptomatic 10-month-old swallowed a mouthful of liquid dish detergent. No follow-up is provided.</li> </ul>
Unable to Follow-Judged as a Potentially Toxic Exposure	The patient was lost to follow-up (or you neglected to provide follow-up) and in your judgment the exposure was significant and may have resulted in toxic manifestations with a moderate, major or fatal outcome.	None provided.
Unrelated Effect	Based upon all the information available to you the exposure was probably not responsible for the effect(s).	None provided.
Confirmed Nonexposure	You have reliable and objective evidence that the exposure never occurred and that any symptoms exhibited by the patient were not related to the reported exposure or any other toxic problem.	<ul style="list-style-type: none"> <li>•All missing pills are located</li> <li>•The other parent confirms there were no missing pills</li> </ul>

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

Medical Outcome	Medical Outcome Definition	Examples
Death-Indirect Report	A reported fatality is coded as "indirect" if no inquiry was placed to the poison center.	<ul style="list-style-type: none"> <li>•The case was obtained from a medical examiner who sends post mortem reports to the poison center or from a newspaper article. An inquiry to the poison center after the patient died is not necessarily indirect.</li> <li>•A medical examiner calling with a question about the cause of death or a family member calling with a question about a toxicology laboratory result is not an indirect report.</li> </ul>

*Data used in this report were provided to the Idaho Department of Health and Welfare by the Rocky Mountain Poison and Drug Center through Contract HC605300.*

**May 2010**

**Report (H4)--Page 7 of 7**

**SECTION EIGHT**  
**25 MOST HAZARDOUS DRUGS AND SUBSTANCES**  
**BY**  
**(QUALITATIVE) HAZARD SCORE<sup>\*</sup>**

\*DERIVATION OF HAZARD SCORE: The Cumulative Hazard Score is a relative, qualitative measure assigned by the INJURY PREVENTION & SURVEILLANCE PROGRAM equal to the sum of patient outcomes as reported by all treating healthcare facilities, where DEATH = 10 points; MAJOR OUTCOME (e.g., patient admitted to intensive care unit) = 5 points; and MODERATE OUTCOME (e.g., patient held at least 24-hours for observation) = 3 points.

**Injury Prevention & Surveillance Program  
2009 Idaho Poison Control Report  
25 Most Hazardous Drugs/Substances  
by  
Hazard Score\***

Data Sort by Drug Hazard Score (Descending)

Major Drug Category (Minor Drug Category) <b>GENERIC DRUG/SUBSTANCE NAME</b>	<b>Cumulative Hazard Score</b>
Sedative-hypnotics-antipsychotics (Sedative-hypnotics-antipsychotics )	
<b>1 SEDATIVE/ANTI-PSYCHOTIC: BENZODIAZEPINES</b>	<b>190</b>
Alcohols (Alcohols)	
<b>2 ALCOHOL: ETHANOL (BEVERAGE)</b>	<b>159</b>
Sedative-hypnotics-antipsychotics (Sedative-hypnotics-antipsychotics )	
<b>3 ATYPICAL ANTIPSYCHOTIC</b>	<b>141</b>
Antidepressants (Antidepressants)	
<b>4 ANTIDEPRESSANTS: SSRI s</b>	<b>94</b>

\*DERIVATION OF HAZARD SCORE: See explanation on last page of this report.

Major Drug Category (Minor Drug Category) GENERIC DRUG/SUBSTANCE NAME	Cumulative Hazard Score
Anticonvulsants (Anticonvulsants)	
5 ANTICONVULSANTS: OTHER (EXCLUDING BARBITURATES)	81
Antidepressants (Antidepressants)	
6 ANTIDEPRESSANTS: OTHER	80
Analgesics (Acetaminophen in combination with:)	
7 ACETAMINOPHEN WITH HYDROCODONE	72
Sedative-hypnotics-antipsychotics (Sedative-hypnotics-antipsychotics )	
8 SEDATIVE/ANTI-PSYCHOTIC: OTHER	71
Analgesics (Acetaminophen only)	
9 APAP: UNKNOWN	62
Antidepressants (Cyclic antidepressants)	
10 ANTIDEPRESSANTS: AMITRIPTYLINE	54
Antihistamines (Antihistamines)	
11 ANTIHISTAMINES: DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX)	54

Major Drug Category (Minor Drug Category) GENERIC DRUG/SUBSTANCE NAME	Cumulative Hazard Score
Cardiovascular drugs (Cardiovascular drugs)	
<b>12 CARDIOVASCULAR: BETA BLOCKERS (INCLUDE ALL PROPRANOLOL CASES)</b>	<b>53</b>
Antidepressants (Antidepressants)	
<b>13 ANTIDEPRESSANTS: TRAZODONE</b>	<b>51</b>
Analgesics (Acetaminophen in combination with:)	
<b>14 ANALGESIC COMBO: APAP WITH: OTHER DRUG-ADULT</b>	<b>48</b>
Analgesics (Opioids)	
<b>15 NARCOTICS: OTHER/UNKNOWN</b>	<b>47</b>
Analgesics (Aspirin alone)	
<b>16 ASA: UNKNOWN</b>	<b>37</b>
Muscle relaxants (Muscle relaxants)	
<b>17 MUSCLE RELAXANTS: CARISOPRODOL (FORMULATED ALONE)</b>	<b>36</b>
Analgesics (Acetaminophen only)	
<b>18 APAP: ADULT</b>	<b>35</b>

Major Drug Category (Minor Drug Category)	Cumulative Hazard Score
GENERIC DRUG/SUBSTANCE NAME	
Automotive-aircraft-boat products (Automotive-aircraft-boat products)	
<b>19 AUTOMOTIVE: ETHYLENE GLYCOL (ANTIFREEZE)</b>	<b>35</b>
Unknown drug (Unknown drug)	
<b>20 UNKNOWN DRUGS</b>	<b>35</b>
Antidepressants (Antidepressants)	
<b>21 ANTIDEPRESSANTS: LITHIUM</b>	<b>34</b>
Antihistamines (Antihistamines)	
<b>22 ANTIHISTAMINES: OTHER ANTIHISTAMINES-ALONE (EXCLUDING COUGH/COLD)</b>	<b>34</b>
Cardiovascular drugs (Cardiovascular drugs)	
<b>23 CARDIOVASCULAR: CALCIUM ANTAGONISTS</b>	<b>33</b>
Anticonvulsants (Anticonvulsants)	
<b>24 ANTICONVULSANTS: VALPROIC ACID</b>	<b>31</b>
Analgesics (Other nonsteroidal anti-inflammatory drugs)	
<b>25 NSAID: IBUPROFEN</b>	<b>28</b>

---

Major Drug Category (Minor Drug Category)

GENERIC DRUG/SUBSTANCE NAME

Cumulative  
Hazard Score

---

**\*DERIVATION OF HAZARD SCORE:** The Cumulative Hazard Score is a relative, qualitative measure assigned by the INJURY PREVENTION & SURVEILLANCE PROGRAM equal to the sum of patient outcomes as reported by all treating healthcare facilities, where DEATH = 10 points; MAJOR OUTCOME (e.g., patient admitted to intensive care unit) = 5 points; and MODERATE OUTCOME (e.g., patient held at least 24-hours for observation) = 3 points.