Special thanks go to Patricia Herman with the Idaho Secretary of State's Office for providing the county seals. Each county seal represents the uniqueness of the county and is placed on the map where the county is located in Idaho. Special thanks also go to Jeff Harder of Boise, Idaho, for his excellent artwork and his design of the cover and divider pages.

For more information on this report or other vital statistics, please contact the Bureau of Health Policy and Vital Statistics at (208) 334-5977. This report and other reports from the Bureau of Health Policy and Vital Statistics are available on the web at www.healthandwelfare.idaho.gov under Health Statistics.

Suggested citation: *Idaho Vital Statistics 2005*, Idaho Department of Health and Welfare, Division of Health, Bureau of Health Policy and Vital Statistics, 2007.

TABLE OF CONTENTS

	Page
DEFINITIONS AND FORMULAS	vi
POPULATION	1
July 1, 2004-2005 population estimates, 1990 and 2000 census, and percent change (*U.S., states*)	2
July 1, 2003-2005 population estimates, 1980, 1990, and 2000 census, and percent change *(Idaho, districts, counties)*	3
July 1, 2005 population estimates, 1990 and 2000 census, and percent change *(cities)*	5
July 1, 2005 population estimates by race/ethnicity *(Idaho, districts, counties)*	9
July 1, 2005 population estimates by race by ethnicity *(Idaho, districts, counties)*	10
July 1, 2005 population estimates by age by race/ethnicity *(Idaho)*	11
July 1, 2005 population estimates by age and sex *(Idaho, districts, counties)*	12
July 1, 2005 population estimates by single years of age and sex *(Idaho)*	16
TRENDS AND SUMMARY	17
Idaho vital statistics, 1996-2005	18
Summary of 2005 births, deaths, marriages, divorces *(U.S., Idaho, districts, counties)*	20
Summary of 2005 infant, fetal, perinatal mortality *(U.S., Idaho, districts, counties)*	21
Live births, number and rate, 1922-2005	22
Teen pregnancies, number and rate by age, 1996-2005	23
Teen live births, number and rate by age, 1996-2005	23
Deaths, number and rate, 1922-2005	24
Marriage and divorces, number and rate, 1952-2005	25
Idaho vital events, 2005	26
NATALITY	27
Live births and rates, 2001-2005 *(U.S., Idaho, districts, counties)*	32
2005 Live births: sex and race/ethnicity *(Idaho, districts, counties)*	33
2005 Live births: age of mother *(Idaho, districts, counties)*	34
2005 Live births: education of mother *(Idaho, districts, counties)*	35
2005 Live births: attendant at birth *(Idaho, districts, counties)*	36
2005 Live births: place of birth *(Idaho, districts, counties)*	37
2005 Live births: birth and fertility rates *(U.S., Idaho, districts, counties)*	38
2005 Live births: live birth order by age of mother	39
2005 Live births: fertility and age-specific rates *(U.S., Idaho)*	39
Prenatal care	40
2005 Live births: prenatal care by mother's characteristics	41
2005 Live births: trimester when prenatal care began *(Idaho, districts, counties)*	42
2005 Live births: APNCU Index of prenatal care *(Idaho, districts, counties)*	43
2005 Low birth weight live births: weight at birth *(U.S., Idaho, districts, counties)*	44
2005 Low birth weight live births: race/ethnicity of mother *(Idaho, districts, counties)*	45
2005 Low birth weight live births: age of mother *(Idaho, districts, counties)*	46
2005 Low birth weight live births: live birth order by age of mother	47
2005 Low birth weight live births: age-specific percents *(U.S., Idaho)*	47
2005 Live births: gestational age in weeks (*Idaho, districts*)	48
2005 Live births: gestational age by plurality	48
2005 Live births: birth weight by plurality	48
2005 Live births: Apgar scores	49
2005 Live births: WIC participation, infant breastfed *(Idaho, districts)*	49
Out-of-wedlock live births	50
2005 Out-of-wedlock live births: race/ethnicity of mother *(Idaho, districts, counties)*	52
2005 Out-of-wedlock live births: age of mother *(Idaho, districts, counties)*	53

TABLE OF CONTENTS (CONTINUED)

2005 Out-of-wedlock live births: live birth order by age of mother 54
2005 Out-of-wedlock live births: age-specific percents *(U.S., Idaho)* 54
2005 Live births: risk factors, infections present and/or treated during pregnancy by age of mother 55
2005 Live births: risk factors, infections present and/or treated during pregnancy 55
2005 Live births: maternal morbidity (complications), characteristics of labor and delivery by age of mother 56
2005 Live births: maternal morbidity (complications), characteristics of labor and delivery 56
2005 Live births: abnormal conditions of the newborn, congenital anomalies 57
2005 Live births: cigarette smoking by age of mother 58
2005 Live births: cigarette smoking by race and ethnicity of mother 58
2005 Live births: cigarette smoking before and during pregnancy by trimester (*Idaho, districts*) 59
2005 Live births: cigarette smoking by birth weight 59
2005 Live births: method of delivery (*U.S., Idaho, districts*) 60
2005 Live births: method of delivery by age of mother 60
2005 Live births: main payment source for delivery (*Idaho, districts*) 61
2005 Live births: main payment source for delivery by age of mother 61
2005 Teen pregnancy: fertility rates, percent out-of-wedlock, percent low birth weight by age *(U.S., Idaho)* 62
2005 Teen pregnancy: pregnancy rates, abortion rates and ratios by age 62
2005 Teen pregnancy: total pregnancies and rates by age of mother *(Idaho, districts, counties)* 65
2005 Teen live births: age of mother *(Idaho, districts, counties)* 66
2005 Teen live births: out-of-wedlock percents by age of mother (*(Idaho, districts, counties)* 67
2005 Teen live births: low birth weight percents by age of mother *(Idaho, districts, counties)* 68
2005 Teen abortions: abortions, ratios and rates by age of patient *(Idaho, districts, counties)* 69
Most common given names and selected unique names, 2005 70

MORTALITY 71
Deaths and rates, 2001-2005 *(U.S., Idaho, districts, counties)* 73
2005 Deaths: sex and race/ethnicity *(Idaho, districts, counties)* 74
2005 Deaths: age at death *(Idaho, districts, counties)* 75
2005 Deaths: ten leading causes, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 76
2005 Deaths: ten leading causes by sex, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 77
2005 Deaths: ten leading causes by age groups 78
2005 Deaths: ten leading causes of premature deaths, total and by sex, based on years of potential life lost before age 75 79
2005 Deaths: life expectancy, by sex *(Idaho, districts)* 80
2005 Deaths: malignant neoplasms *(Idaho, districts, counties)* 81
2005 Deaths: primary site of malignant neoplasms by sex 82
2005 Deaths: selected causes *(Idaho, districts, counties)* 84
2005 Deaths: 113 selected causes by age 86
2005 Deaths: accidental deaths by age 92
2005 Deaths: accidental deaths by place of injury, accident type and age 96
2005 Deaths: work injury deaths occurring in Idaho by manner, sex and age 97
2005 Deaths: accidental work injury deaths occurring in Idaho by industry and place of injury 97
2005 Deaths: firearm injury, alcohol-induced, and drug-induced deaths (*U.S., Idaho, districts*) by age and sex (*Idaho*) and years potential life lost before age 75 98
2005 Deaths: disposition method *(Idaho, districts, counties)* 99
Infant, fetal, and maternal mortality 100
Infant deaths and rates, 2001-2005 *(U.S., Idaho, districts, counties)* 103
2005 Infant deaths: sex and race/ethnicity *(Idaho, districts, counties)* 104

TABLE OF CONTENTS (CONTINUED)

2005 Infant deaths: causes of death, neonatal and postneonatal 105
2005 Infant deaths and rates: age of mother 105
2003-2005 Infant deaths: causes of death *(Idaho, districts, counties)* 106
2005 Infant deaths: neonatal, postneonatal *(U.S., Idaho, districts, counties)* 107
Infant mortality: three-year rates, 1994-1996 through 2003-2005 *(Idaho, districts, counties)* 108
Stillbirths and ratios, 2001-2005 *(Idaho, districts, counties)* 109
Perinatal deaths and ratios, 2001-2005 *(Idaho, districts, counties)* 110

INDUCED ABORTION 111
2005 Induced abortions in Idaho and to Idaho residents *(Idaho, districts, counties)* 112
2005 Induced abortions to Idaho residents: ratios and race/ethnicity *(Idaho, districts, counties)* 113
2005 Induced abortions to Idaho residents: age *(Idaho, districts, counties)* 114
2005 Induced abortions in Idaho: procedure by length of gestation 115
2005 Induced abortions in Idaho: procedure by complications 115
2005 Induced abortions in Idaho: age of patient by marital status 116
2005 Induced abortions in Idaho: previous abortions, living children 116

MARRIAGE AND DIVORCE 117
Marriages, 1996-2005 *(Idaho, districts, counties)* 118
2005 Marriages: age of groom by age of bride 119
2005 Marriages: race/ethnicity of groom by race/ethnicity of bride 119
2005 Marriages: age of bride by previous marital status 120
2005 Marriages: age of groom by previous marital status 120
2005 Marriages: occurrence by Idaho residence (*Idaho, districts, counties*) 121
Divorces, 1996-2005 *(Idaho, districts, counties, tribal courts)* 122
2005 Divorces: number this marriage (husband, wife) 123
Divorces, 2003-2005: duration of marriage 123
2005 Divorces: number of children <18 years of age in household 124
2005 Divorces: legal grounds 124
2005 Divorces: occurrence by Idaho residence (*Idaho, districts, counties, tribal courts*) 125

DISTRICT AND COUNTY PROFILE 127
Counties comprising Idaho public health districts 127
2005 Vital statistics profile of Idaho by district and county 128

TECHNICAL NOTES 135
Natality 135
Mortality 144
Population 149

DEFINITIONS AND FORMULAS

RESIDENCE DATA -- data allocated by place of residence of the registrant, or by place of residence of the infant's mother (births, stillbirths)

OCCURRENCE DATA -- data allocated by place where event occurred, regardless of the person's place of residence

LIVE BIRTH -- a birth that shows any sign of life after delivery

(CRUDE) BIRTH RATE -- number of live births per 1,000 population

$$\frac{\text{live births}}{\text{population}} \times 1{,}000$$

FERTILITY RATE -- number of live births per 1,000 women 15-44 years of age

$$\frac{\text{live births}}{\text{females 15-44}} \times 1{,}000$$

OUT-OF-WEDLOCK BIRTH -- a live birth to a woman who was not married at conception, birth, or anytime between

OUT-OF-WEDLOCK RATE (percent) -- number of out-of-wedlock live births per 100 live births

$$\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 100$$

LOW BIRTH WEIGHT -- a live birth weighing under 2,500 grams (5 ½ pounds or less)

LOW BIRTH WEIGHT RATE (percent) -- number of low birth weight live births per 100 live births with stated birth weight

$$\frac{\text{low birth weight live births}}{\text{live births with stated birth weight}} \times 100$$

STILLBIRTH -- a spontaneous fetal death of at least 20 weeks gestation or a weight of at least 350 grams (does not include any induced abortions)

STILLBIRTH RATIO -- number of stillbirths per 1,000 live births

$$\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000$$

INFANT DEATH -- death of an infant under 1 year of age

INFANT MORTALITY RATE -- number of infant deaths per 1,000 live births

$$\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000$$

NEONATAL DEATH -- death of an infant within the first 27 days of life

NEONATAL MORTALITY RATE -- number of neonatal deaths per 1,000 live births

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000$$

POSTNEONATAL DEATH -- death of an infant 28 days through 11 months of life

POSTNEONATAL MORTALITY RATE -- number of postneonatal deaths per 1,000 live births

$$\frac{\text{postneonatal}}{\text{live births}} \times 1{,}000$$

DEFINITIONS AND FORMULAS (continued)

PERINATAL DEATH -- includes stillbirths and deaths of infants within the first 6 days of life

PERINATAL MORTALITY RATIO -- number of perinatal deaths per 1,000 live births

$$\frac{\text{perinatal deaths}}{\text{live births}} \times 1{,}000$$

MATERNAL DEATH -- death attributable to complications of pregnancy, childbirth, or the puerperium based on ICD-10 codes A34, O00-O95, and O98-O99.

MATERNAL MORTALITY RATE -- number of maternal deaths per 100,000 live births

$$\frac{\text{maternal deaths}}{\text{live births}} \times 100{,}000$$

(CRUDE) DEATH RATE -- number of deaths per 1,000 population

$$\frac{\text{deaths}}{\text{population}} \times 1{,}000$$

CAUSE-SPECIFIC DEATH RATE -- number of deaths from a specific cause per 100,000 population

$$\frac{\text{deaths from specific cause}}{\text{population}} \times 100{,}000$$

AGE-ADJUSTED DEATH RATE (DIRECT METHOD) -- number of deaths per 100,000 standard population. Age-adjusted death rates are artificial measurements and should be used only to compare to other age-adjusted death rates calculated using the same standard population. Idaho and U.S. age-adjusted rates shown were calculated using the 2000 population estimate as the standard population.

$$\frac{\text{sum of (age-specific death rates per 100,000 for selected population x standard population in corresponding age groups)}}{\text{sum of standard population}}$$

INDUCED ABORTION -- a legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1{,}000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1{,}000$$

DEFINITIONS AND FORMULAS (continued)

In this publication, there are references to preliminary and provisional U.S. data. If the U.S. statistics are not noted as preliminary or provisional, they are considered final. The following definitions have been added to clarify the differences among the three types of U.S. data.

U.S. Provisional Data

Prior to 1996, the National Center for Health Statistics (NCHS) released U.S. vital data and rates in two basic forms: provisional and final. Provisional data are based on monthly summary counts of birth, death, marriage, and divorce records received in state vital registration offices. Rates for 12-month periods, January through December, are the sum of events for the period per population estimated at the midpoint of the period. Provisional divorce rates are based on 46 reporting states and the District of Columbia; populations have been estimated by NCHS for the 12-month divorce rates based on these reporting states. The 2005 U.S. marriage and divorce, and select death and infant death rates in this publication are provisional measures. Final data for 2005 may differ from the provisional estimates.

U.S. Preliminary Data

In 1996, the National Center for Health Statistics (NCHS) introduced a new statistical series for births and deaths: preliminary vital data. Preliminary vital data are based on a continuous flow of records received and processed by NCHS by a specified date (May 31, 2006, for births in 2005[1] and September 12, 2005 for deaths in 2004[2]). For live births, these records represent 99.2 percent of the births that occurred in the United States during 2005. For deaths, this comprises approximately 90 percent of death records. To develop the preliminary U.S. birth and death estimates, the records were weighted using independent control counts of births and deaths, registered in state vital statistics offices during calendar year 2005. The U.S. birth and death data in this publication are 2005 preliminary measures where available. Final birth and death statistics for 2005 may differ from the preliminary estimates.

U.S. Final Data

Final U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 99 percent of the births and deaths occurring in this country are registered through the state vital registration system.[3,4,5] U.S. 2004 final death data provided in the Health E-Stats report were limited to select tables on leading cause of death. Where 2005 preliminary and 2004 final death data are not available, 2003 U.S. data are shown.

1. "Births: Preliminary Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Health E-Stats, Released November 21, 2006.
2. "Deaths: Preliminary Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 19, June 28, 2006.
3. "Deaths: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 13, April 19, 2005.
4. "Births: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 55, No. 1, September 29, 2006.
5. "Deaths: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Health E-Stats, Released November 24, 2006.

VITAL REGISTRATION AND DATA COLLECTION

The Idaho Bureau of Health Policy and Vital Statistics is responsible for managing Idaho's vital records program, and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Births, Deaths, and Stillbirths

Registration of births, deaths, and stillbirths is a legal requirement. The attending physician, midwife, or parent must file the birth certificate with the local registrar within 15 days of the birth. Most certificates of births occurring at Idaho hospitals are filed electronically. Death certificates are usually completed by physicians, coroners, and funeral directors. The certificate must be filed with the county's local registrar within five days from the date of death. A stillbirth certificate must be filed for all spontaneous fetal deaths of at least 20 weeks gestation or with a weight of at least 350 grams.

Unless otherwise stated, birth, death, and stillbirth data contained in this report are provided for Idaho residents, regardless of where the event occurred. There is an agreement among all registration areas in the United States for resident exchange of copies of birth, death, and stillbirth certificates.

Marriages and Divorces

Idaho vital statistics law makes marriages and divorces occurring in Idaho reportable events. Marriages are registered with the county recorder in the county where the license was issued; divorces are filed with the clerk of the court where the divorce was granted. These records are then forwarded to the Bureau of Health Policy and Vital Statistics. There is no agreement among states to exchange certificates of resident marriages or divorces that occur out of state. Marriage and divorce data provided in this annual report are based on events occurring in Idaho, regardless of the party's residence.

Induced Abortions

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The Bureau of Health Policy and Vital Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho residents and abortions occurring in Idaho.

POPULATION

State and county 2005 postcensal estimates became available from the U.S. Bureau of the Census in March of 2006. Since the 2000 Census, Idaho's population increased by 135,143 (10.4 percent) from 1,293,953 in 2000 to 1,429,096 in 2005. From 2000 to 2005, the Mountain states (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming) experienced a higher growth rate than any other region. In the Mountain region, Nevada (20.8 percent), Arizona (15.8 percent), and Utah (10.6 percent) experienced a higher growth rate than Idaho's 10.4 percent.

Idaho counties that experienced the largest percentage increases from April 1, 2000, to July 1, 2005, were Canyon, Teton, Kootenai, and Ada. Numerically, Ada, Canyon, Kootenai, and Bonneville gained the most population. Clark, Clearwater, Custer, and Minidoka reflected the greatest percentage decreases. Numerically, Minidoka, Shoshone, Clearwater, and Elmore experienced the greatest losses in population from 2000 to 2005.

Change, April 1, 2000 to July 1, 2005

County	Percent Change	County	Numeric Change
Canyon	+25.2%	Ada	+43,823
Teton	24.5	Canyon	33,152
Kootenai	17.5	Kootenai	18,983
Ada	14.6	Bonneville	9,334
Clark	-7.7	Minidoka	-1,160
Clearwater	-6.2	Shoshone	-614
Custer	-6.1	Clearwater	-557
Minidoka	-5.7	Elmore	-496

The National Center for Health Statistics contracts with the U.S. Census Bureau to develop and disseminate detailed population estimates for the states. These population estimates include "bridged" race data in which multiple race estimates are allocated to a single race. Estimates are available by county, race, ethnic origin, age, and by sex. From 2000 to 2005, Idaho population for whites increased by 127,502 (10.2 percent), blacks by 3,475 (45.8 percent), Native Americans by 1,251 (6.1percent), and Asians and Pacific Islanders by 2,915 (19.1 percent). Persons of Hispanic ethnicity may be of any race and are included in the appropriate race totals. The Hispanic population increased 27.7 percent from 101,690 in 2000 to 129,880 in 2005.

Of the Idaho cities with at least 1,000 population in 2000, the highest growth rates in the past five years were in Kuna (+88.6 percent), Ammon (+76.6 percent), Eagle (+56.4 percent), Rexburg (+52.2 percent), and Meridian (+49.6 percent). Cities under 1,000 in 2000 with highest growth rates were Victor (+62.5 percent), Dover (+40.1 percent), Hagerman (+27.7 percent), Melba (+23.9 percent), and Notus (+17.9 percent).

RESIDENT POPULATION OF STATES
April 1, 1990 and April 1, 2000 Census
July 1, 2004 and July 1, 2005 Estimates

(Includes Armed Forces residing in each state.)

REGION, DIVISION, AND STATE	ESTIMATES		CENSUS		CHANGE 4/1/00 TO 7/1/05	
	July 1, 2005	July 1, 2004	April 1, 2000	April 1, 1990	Number	Percent
UNITED STATES, TOTAL	296,410,404	293,655,404	281,421,906	248,765,170	14,988,498	5.3%
NORTHEAST:	54,641,895	54,571,147	53,594,378	50,828,313	1,047,517	2.0
Middle Atlantic	40,402,171	40,332,259	39,671,861	37,621,370	730,310	1.8
New England	14,239,724	14,238,888	13,922,517	13,206,943	317,207	2.3
MIDWEST:	65,971,974	65,729,852	64,392,776	59,669,135	1,579,198	2.5
East North Central	46,156,447	46,031,860	45,155,037	42,008,929	1,001,410	2.2
West North Central	19,815,527	19,697,992	19,237,739	17,660,206	577,788	3.0
SOUTH:	107,505,413	105,944,965	100,236,820	85,455,793	7,268,593	7.3
East South Central	17,615,260	17,480,032	17,022,810	15,179,959	592,450	3.5
South Atlantic	56,179,519	55,182,959	51,769,160	43,571,473	4,410,359	8.5
West South Central	33,710,634	33,281,974	31,444,850	26,704,361	2,265,784	7.2
WEST:	68,291,122	67,409,440	63,197,932	52,811,929	5,093,190	8.1
Mountain	20,291,305	19,798,992	18,172,295	13,658,794	2,119,010	11.7
Pacific	47,999,817	47,610,448	45,025,637	39,153,135	2,974,180	6.6
NEW ENGLAND:						
Connecticut	3,510,297	3,503,604	3,405,565	3,287,116	104,732	3.1
Maine	1,321,505	1,317,253	1,274,923	1,227,928	46,582	3.7
Massachusetts	6,398,743	6,416,505	6,349,097	6,016,425	49,646	0.8
New Hampshire	1,309,940	1,299,500	1,235,786	1,109,252	74,154	6.0
Rhode Island	1,076,189	1,080,632	1,048,319	1,003,464	27,870	2.7
Vermont	623,050	621,394	608,827	562,758	14,223	2.3
MIDDLE ATLANTIC:						
New Jersey	8,717,925	8,698,879	8,414,350	7,747,750	303,575	3.6
New York	19,254,630	19,227,088	18,976,457	17,990,778	278,173	1.5
Pennsylvania	12,429,616	12,406,292	12,281,054	11,882,842	148,562	1.2
EAST NORTH CENTRAL:						
Illinois	12,763,371	12,713,634	12,419,293	11,430,602	344,078	2.8
Indiana	6,271,973	6,237,569	6,080,485	5,544,156	191,488	3.1
Michigan	10,120,860	10,112,620	9,938,444	9,295,287	182,416	1.8
Ohio	11,464,042	11,459,011	11,353,140	10,847,115	110,902	1.0
Wisconsin	5,536,201	5,509,026	5,363,675	4,891,769	172,526	3.2
WEST NORTH CENTRAL:						
Iowa	2,966,334	2,954,451	2,926,324	2,776,831	40,010	1.4
Kansas	2,744,687	2,735,502	2,688,418	2,477,588	56,269	2.1
Minnesota	5,132,799	5,100,958	4,919,479	4,375,665	213,320	4.3
Missouri	5,800,310	5,754,618	5,595,211	5,116,901	205,099	3.7
Nebraska	1,758,787	1,747,214	1,711,263	1,578,417	47,524	2.8
North Dakota	636,677	634,366	642,200	638,800	-5,523	-0.9
South Dakota	775,933	770,883	754,844	696,004	21,089	2.8
SOUTH ATLANTIC:						
Delaware	843,524	830,364	783,600	666,168	59,924	7.6
District of Columbia	550,521	553,523	572,059	606,900	-21,538	-3.8
Florida	17,789,864	17,397,161	15,982,378	12,938,071	1,807,486	11.3
Georgia	9,072,576	8,829,383	8,186,453	6,478,149	886,123	10.8
Maryland	5,600,388	5,558,058	5,296,486	4,780,753	303,902	5.7
North Carolina	8,683,242	8,541,221	8,049,313	6,632,448	633,929	7.9
South Carolina	4,255,083	4,198,068	4,012,012	3,486,310	243,071	6.1
Virginia	7,567,465	7,459,827	7,078,515	6,189,197	488,950	6.9
West Virginia	1,816,856	1,815,354	1,808,344	1,793,477	8,512	0.5
EAST SOUTH CENTRAL:						
Alabama	4,557,808	4,530,182	4,447,100	4,040,389	110,708	2.5
Kentucky	4,173,405	4,145,922	4,041,769	3,686,892	131,636	3.3
Mississippi	2,921,088	2,902,966	2,844,658	2,575,475	76,430	2.7
Tennessee	5,962,959	5,900,962	5,689,283	4,877,203	273,676	4.8
WEST SOUTH CENTRAL:						
Arkansas	2,779,154	2,752,629	2,673,400	2,350,624	105,754	4.0
Louisiana	4,523,628	4,515,770	4,468,976	4,221,826	54,652	1.2
Oklahoma	3,547,884	3,523,553	3,450,654	3,145,576	97,230	2.8
Texas	22,859,968	22,490,022	20,851,820	16,986,335	2,008,148	9.6
MOUNTAIN:						
Arizona	5,939,292	5,743,834	5,130,632	3,665,339	808,660	15.8
Colorado	4,665,177	4,601,403	4,301,261	3,294,473	363,916	8.5
Idaho	1,429,096	1,393,262	1,293,953	1,006,734	135,143	10.4
Montana	935,670	926,865	902,195	799,065	33,475	3.7
Nevada	2,414,807	2,334,771	1,998,257	1,201,675	416,550	20.8
New Mexico	1,928,384	1,903,289	1,819,046	1,515,069	109,338	6.0
Utah	2,469,585	2,389,039	2,233,169	1,722,850	236,416	10.6
Wyoming	509,294	506,529	493,782	453,589	15,512	3.1
PACIFIC:						
Alaska	663,661	655,435	626,932	550,043	36,729	5.9
California	36,132,147	35,893,799	33,871,648	29,785,857	2,260,499	6.7
Hawaii	1,275,194	1,262,840	1,211,537	1,108,229	63,657	5.3
Oregon	3,641,056	3,594,586	3,421,399	2,842,337	219,657	6.4
Washington	6,287,759	6,203,788	5,894,121	4,866,669	393,638	6.7

Source: U.S. Census Bureau, 1990 and 2000 Census: Internet release April 2, 2001; 2004: Internet release December 22, 2004; 2005: Internet release December 22, 2005.

IDAHO RESIDENT POPULATION
April 1, 1980, April 1, 1990 and April 1, 2000 Census
July 1, 2003 - July 1, 2005 Estimates
Idaho, Districts and Counties

RESIDENCE	ESTIMATES[1] July 1, 2005	ESTIMATES[1] July 1, 2004	ESTIMATES[1] July 1, 2003	CENSUS April 1, 2000	CENSUS April 1, 1990	CENSUS April 1, 1980	CHANGE 4/1/00 TO 7/1/05 Number	CHANGE 4/1/00 TO 7/1/05 Percent
IDAHO	1,429,096	1,393,262	1,366,332	1,293,953	1,006,734	944,127	135,143	10.4%
District 1	201,570	194,406	188,838	178,333	126,617	118,740	23,237	13.0
District 2	100,465	100,754	100,348	100,533	90,160	91,246	-68	-0.1
District 3	227,825	220,096	213,465	191,297	138,550	131,975	36,528	19.1
District 4	389,228	376,733	369,002	344,355	236,598	203,293	44,873	13.0
District 5	170,617	168,624	167,444	162,397	136,831	132,881	8,220	5.1
District 6	162,342	159,076	158,266	156,906	139,384	139,875	5,436	3.5
District 7	177,049	173,573	168,969	160,132	138,594	126,117	16,917	10.6
Ada	344,727	332,523	325,151	300,904	205,775	173,125	43,823	14.6
Adams	3,591	3,451	3,515	3,476	3,254	3,347	115	3.3
Bannock	78,155	75,672	75,630	75,565	66,026	65,421	2,590	3.4
Bear Lake	6,176	6,323	6,306	6,411	6,084	6,931	-235	-3.7
Benewah	9,218	8,961	9,029	9,171	7,937	8,292	47	0.5
Bingham	43,739	43,205	42,926	41,735	37,583	36,489	2,004	4.8
Blaine	21,166	21,103	20,791	18,991	13,552	9,841	2,175	11.5
Boise	7,535	7,362	7,236	6,670	3,509	2,999	865	13.0
Bonner	40,908	39,872	39,162	36,835	26,622	24,163	4,073	11.1
Bonneville	91,856	89,653	87,007	82,522	72,207	65,980	9,334	11.3
Boundary	10,619	10,396	10,173	9,871	8,332	7,289	748	7.6
Butte	2,808	2,838	2,873	2,899	2,918	3,342	-91	-3.1
Camas	1,050	1,013	1,049	991	727	818	59	6.0
Canyon	164,593	158,038	151,508	131,441	90,076	83,756	33,152	25.2
Caribou	7,131	7,213	7,152	7,304	6,963	8,695	-173	-2.4
Cassia	21,324	21,393	21,610	21,416	19,532	19,427	-92	-0.4
Clark	943	906	904	1,022	762	798	-79	-7.7
Clearwater	8,373	8,393	8,401	8,930	8,505	10,390	-557	-6.2
Custer	4,077	4,114	4,090	4,342	4,133	3,385	-265	-6.1
Elmore	28,634	28,878	28,872	29,130	21,205	21,565	-496	-1.7
Franklin	12,371	12,199	11,874	11,329	9,232	8,895	1,042	9.2
Fremont	12,242	12,263	12,107	11,819	10,937	10,813	423	3.6
Gem	16,273	15,963	15,795	15,181	11,844	11,972	1,092	7.2
Gooding	14,461	14,346	14,329	14,155	11,633	11,874	306	2.2
Idaho	15,697	15,616	15,413	15,511	13,768	14,769	186	1.2
Jefferson	21,580	20,782	20,194	19,155	16,543	15,304	2,425	12.7
Jerome	19,638	19,279	18,913	18,342	15,138	14,840	1,296	7.1
Kootenai	127,668	122,350	117,481	108,685	69,795	59,770	18,983	17.5
Latah	34,714	35,169	35,087	34,935	30,617	28,749	-221	-0.6
Lemhi	7,909	7,820	7,731	7,806	6,899	7,460	103	1.3
Lewis	3,750	3,753	3,748	3,747	3,516	4,118	3	0.1
Lincoln	4,545	4,326	4,321	4,044	3,308	3,436	501	12.4
Madison	30,975	30,782	29,878	27,467	23,674	19,480	3,508	12.8
Minidoka	19,014	19,229	19,349	20,174	19,361	19,718	-1,160	-5.7
Nez Perce	37,931	37,823	37,699	37,410	33,754	33,220	521	1.4
Oneida	4,209	4,143	4,132	4,125	3,492	3,258	84	2.0
Owyhee	11,073	10,998	11,186	10,644	8,392	8,272	429	4.0
Payette	22,197	21,587	21,466	20,578	16,434	15,825	1,619	7.9
Power	7,753	7,483	7,373	7,538	7,086	6,844	215	2.9
Shoshone	13,157	12,827	12,993	13,771	13,931	19,226	-614	-4.5
Teton	7,467	7,253	7,058	5,999	3,439	2,897	1,468	24.5
Twin Falls	69,419	67,935	67,082	64,284	53,580	52,927	5,135	8.0
Valley	8,332	7,970	7,743	7,651	6,109	5,604	681	8.9
Washington	10,098	10,059	9,995	9,977	8,550	8,803	121	1.2

1. 2003-2005 population estimates based on 2000 Census.

Source: 1980, 1990, and 2000 Census: U.S. Bureau of the Census. July 1, 2003-July 1, 2005: U.S. Census in collaboration with the National Center for Health Statistics, 2003 estimates are from Internet release April 9, 2004; 2004 estimates are from Internet release April 14, 2005, and 2005 estimates are from Internet release March 16, 2006.

IDAHO RESIDENT POPULATION
Percent Change, 2000 - 2005



IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2005 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/90 TO 4/1/00		CHANGE 4/1/00 TO 7/1/05	
City or Place	County	July 1, 2005	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Aberdeen	Bingham	1,828	1,840	1,406	434	30.9	-12	-0.7
Acequia	Minidoka	135	144	106	38	35.8	-9	-6.3
Albion	Cassia	258	262	305	-43	-14.1	-4	-1.5
American Falls	Power	4,162	4,111	3,757	354	9.4	51	1.2
Ammon	Bonneville	10,925	6,187	5,002	1,185	23.7	4,738	76.6
Arco	Butte	989	1,026	1,016	10	1.0	-37	-3.6
Arimo	Bannock	319	348	311	37	11.9	-29	-8.3
Ashton	Fremont	1,105	1,129	1,114	15	1.3	-24	-2.1
Athol	Kootenai	707	676	346	330	95.4	31	4.6
Atomic City	Bingham	26	25	25	-	-	1	4.0
Bancroft	Caribou	363	382	393	-11	-2.8	-19	-5.0
Basalt	Bingham	427	419	407	12	2.9	8	1.9
Bellevue	Blaine	2,203	1,876	1,275	601	47.1	327	17.4
Blackfoot	Bingham	10,828	10,419	9,646	773	8.0	409	3.9
Bliss	Gooding	260	275	185	90	48.6	-15	-5.5
Bloomington	Bear Lake	237	251	197	54	27.4	-14	-5.6
Boise City	Ada	193,161	185,787	126,685	59,102	46.7	7,374	4.0
Bonners Ferry	Boundary	2,725	2,515	2,193	322	14.7	210	8.3
Bovill	Latah	285	305	256	49	19.1	-20	-6.6
Buhl	Twin Falls	4,015	3,985	3,516	469	13.3	30	0.8
Burley	Cassia, Minidoka	9,131	9,316	8,702	614	7.1	-185	-2.0
Butte City	Butte	74	76	59	17	28.8	-2	-2.6
Caldwell	Canyon	34,433	25,967	18,586	7,381	39.7	8,466	32.6
Cambridge	Washington	354	360	374	-14	-3.7	-6	-1.7
Carey	Blaine	511	513	427	86	20.1	-2	-0.4
Cascade	Valley	1,005	997	877	120	13.7	8	0.8
Castleford	Twin Falls	274	277	179	98	54.7	-3	-1.1
Challis	Custer	844	909	1,073	-164	-15.3	-65	-7.2
Chatcolet*	Benewah	NA	NA	72	NA	NA	NA	NA
Chubbuck	Bannock	10,707	9,700	7,794	1,906	24.5	1,007	10.4
Clark Fork	Bonner	578	530	448	82	18.3	48	9.1
Clayton	Custer	26	27	26	1	3.8	-1	-3.7
Clifton	Franklin	237	213	228	-15	-6.6	24	11.3
Coeur d'Alene	Kootenai	40,059	34,514	24,561	9,953	40.5	5,545	16.1
Cottonwood	Idaho	1,070	944	822	122	14.8	126	13.3
Council	Adams	742	816	831	-15	-1.8	-74	-9.1
Craigmont	Lewis	548	556	542	14	2.6	-8	-1.4
Crouch	Boise	167	154	75	79	105.3	13	8.4
Culdesac	Nez Perce	375	378	280	98	35.0	-3	-0.8
Dalton Gardens	Kootenai	2,400	2,278	1,951	327	16.8	122	5.4
Dayton	Franklin	463	444	357	87	24.4	19	4.3
Deary	Latah	515	552	529	23	4.3	-37	-6.7
Declo	Cassia	332	338	279	59	21.1	-6	-1.8
Dietrich	Lincoln	164	150	127	23	18.1	14	9.3
Donnelly	Valley	149	138	135	3	2.2	11	8.0
Dover	Bonner	479	342	294	48	16.3	137	40.1
Downey	Bannock	577	613	626	-13	-2.1	-36	-5.9
Driggs	Teton	1,197	1,100	846	254	30.0	97	8.8
Drummond	Fremont	15	15	37	-22	-59.5	-	-
Dubois	Clark	642	647	420	227	54.0	-5	-0.8

*Chatcolet City disincorporation effective December 13, 1994.
NA - not applicable.
Source: U.S. Bureau of the Census, 1990 Census: Internet release September 15, 2000; 2000 Census: Internet release March 23, 2001; 2005 Estimate: Internet release June 21, 2006.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2005 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/90 TO 4/1/00		CHANGE 4/1/00 TO 7/1/05	
City or Place	County	July 1, 2005	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Eagle	Ada	17,338	11,085	3,327	7,758	233.2	6,253	56.4
East Hope	Bonner	218	200	215	-15	-7.0	18	9.0
Eden	Jerome	416	411	314	97	30.9	5	1.2
Elk River	Clearwater	142	156	149	7	4.7	-14	-9.0
Emmett	Gem	6,124	5,490	4,601	889	19.3	634	11.5
Fairfield	Camas	392	395	371	24	6.5	-3	-0.8
Ferdinand	Idaho	146	145	135	10	7.4	1	0.7
Fernan Lake Village	Kootenai	189	186	170	16	9.4	3	1.6
Filer	Twin Falls	1,768	1,620	1,511	109	7.2	148	9.1
Firth	Bingham	417	408	429	-21	-4.9	9	2.2
Franklin	Franklin	673	641	478	163	34.1	32	5.0
Fruitland	Payette	4,406	3,805	2,400	1,405	58.5	601	15.8
Garden City	Ada	11,424	10,624	6,369	4,255	66.8	800	7.5
Genesee	Latah	879	946	725	221	30.5	-67	-7.1
Georgetown	Bear Lake	494	538	558	-20	-3.6	-44	-8.2
Glenns Ferry	Elmore	1,451	1,611	1,304	307	23.5	-160	-9.9
Gooding	Gooding	3,320	3,384	2,820	564	20.0	-64	-1.9
Grace	Caribou	972	990	973	17	1.7	-18	-1.8
Grand View	Owyhee	477	470	330	140	42.4	7	1.5
Grangeville	Idaho	3,151	3,228	3,226	2	0.1	-77	-2.4
Greenleaf	Canyon	890	862	648	214	33.0	28	3.2
Hagerman	Gooding	838	656	600	56	9.3	182	27.7
Hailey	Blaine	7,583	6,200	3,575	2,625	73.4	1,383	22.3
Hamer	Jefferson	12	12	79	-67	-84.8	-	-
Hansen	Twin Falls	961	970	848	122	14.4	-9	-0.9
Harrison	Kootenai	282	267	226	41	18.1	15	5.6
Hauser	Kootenai	705	668	380	288	75.8	37	5.5
Hayden	Kootenai	11,906	9,159	4,888	4,271	87.4	2,747	30.0
Hayden Lake	Kootenai	540	494	338	156	46.2	46	9.3
Hazelton	Jerome	720	687	394	293	74.4	33	4.8
Heyburn	Minidoka	2,755	2,899	2,714	185	6.8	-144	-5.0
Hollister	Twin Falls	236	237	144	93	64.6	-1	-0.4
Homedale	Owyhee	2,577	2,528	1,963	565	28.8	49	1.9
Hope	Bonner	86	79	99	-20	-20.2	7	8.9
Horseshoe Bend	Boise	834	770	643	127	19.8	64	8.3
Huetter	Kootenai	100	96	82	14	17.1	4	4.2
Idaho City	Boise	488	458	322	136	42.2	30	6.6
Idaho Falls	Bonneville	52,338	50,730	43,973	6,757	15.4	1,608	3.2
Inkom	Bannock	686	738	769	-31	-4.0	-52	-7.0
Iona	Bonneville	1,256	1,201	1,049	152	14.5	55	4.6
Irwin	Bonneville	155	157	108	49	45.4	-2	-1.3
Island Park	Fremont	224	215	159	56	35.2	9	4.2
Jerome	Jerome	8,503	7,780	6,529	1,251	19.2	723	9.3
Juliaetta	Latah	561	609	488	121	24.8	-48	-7.9
Kamiah	Idaho, Lewis	1,148	1,160	1,157	3	0.3	-12	-1.0
Kellogg	Shoshone	2,298	2,395	2,591	-196	-7.6	-97	-4.1
Kendrick	Latah	344	369	325	44	13.5	-25	-6.8
Ketchum	Blaine	3,145	3,003	2,523	480	19.0	142	4.7
Kimberly	Twin Falls	2,686	2,614	2,367	247	10.4	72	2.8
Kooskia	Idaho	665	675	692	-17	-2.5	-10	-1.5
Kootenai	Bonner	480	441	327	114	34.9	39	8.8
Kuna	Ada	10,153	5,382	1,955	3,427	175.3	4,771	88.6

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2005 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/90 TO 4/1/00		CHANGE 4/1/00 TO 7/1/05	
City or Place	County	July 1, 2005	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Lapwai	Nez Perce	1,116	1,134	932	202	21.7	-18	-1.6
Lava Hot Springs	Bannock	504	521	420	101	24.0	-17	-3.3
Leadore	Lemhi	89	90	74	16	21.6	-1	-1.1
Lewiston	Nez Perce	31,081	30,904	28,082	2,822	10.0	177	0.6
Lewisville	Jefferson	497	467	471	-4	-0.8	30	6.4
Mackay	Custer	529	566	574	-8	-1.4	-37	-6.5
Malad City	Oneida	2,124	2,158	1,946	212	10.9	-34	-1.6
Malta	Cassia	174	177	171	6	3.5	-3	-1.7
Marsing	Owyhee	976	890	798	92	11.5	86	9.7
McCall	Valley	2,415	2,084	2,005	79	3.9	331	15.9
McCammon	Bannock	789	805	722	83	11.5	-16	-2.0
Melba	Canyon	544	439	252	187	74.2	105	23.9
Menan	Jefferson	726	707	601	106	17.6	19	2.7
Meridian	Ada	52,240	34,919	9,596	25,323	263.9	17,321	49.6
Middleton	Canyon	4,409	2,978	1,851	1,127	60.9	1,431	48.1
Midvale	Washington	185	176	136	40	29.4	9	5.1
Minidoka	Minidoka	121	129	67	62	92.5	-8	-6.2
Montpelier	Bear Lake	2,507	2,785	2,656	129	4.9	-278	-10.0
Moore	Butte	190	196	190	6	3.2	-6	-3.1
Moscow	Latah	21,862	21,291	18,398	2,893	15.7	571	2.7
Mountain Home	Elmore	11,565	11,143	7,913	3,230	40.8	422	3.8
Moyie Springs	Boundary	722	656	415	241	58.1	66	10.1
Mud Lake	Jefferson	270	270	179	91	50.8	-	-
Mullan	Shoshone	788	840	821	19	2.3	-52	-6.2
Murtaugh	Twin Falls	138	139	134	5	3.7	-1	-0.7
Nampa	Canyon	71,713	51,867	28,365	23,502	82.9	19,846	38.3
Newdale	Fremont	360	358	377	-19	-5.0	2	0.6
New Meadows	Adams	492	533	534	-1	-0.2	-41	-7.7
New Plymouth	Payette	1,403	1,400	1,313	87	6.6	3	0.2
Nezperce	Lewis	514	523	453	70	15.5	-9	-1.7
Notus	Canyon	540	458	380	78	20.5	82	17.9
Oakley	Cassia	663	668	635	33	5.2	-5	-0.7
Oldtown	Bonner	208	190	151	39	25.8	18	9.5
Onaway	Latah	215	230	203	27	13.3	-15	-6.5
Orofino	Clearwater	3,145	3,247	2,868	379	13.2	-102	-3.1
Osburn	Shoshone	1,458	1,545	1,579	-34	-2.2	-87	-5.6
Oxford	Franklin	55	53	44	9	20.5	2	3.8
Paris	Bear Lake	518	576	581	-5	-0.9	-58	-10.1
Parker	Fremont	321	319	288	31	10.8	2	0.6
Parkline*	Benewah	NA	65	72	-7	-9.7	NA	NA
Parma	Canyon	1,799	1,771	1,597	174	10.9	28	1.6
Paul	Minidoka	947	998	901	97	10.8	-51	-5.1
Payette	Payette	7,560	7,054	5,672	1,382	24.4	506	7.2
Peck	Nez Perce	184	186	160	26	16.3	-2	-1.1
Pierce	Clearwater	551	617	746	-129	-17.3	-66	-10.7
Pinehurst	Shoshone	1,588	1,661	1,722	-61	-3.5	-73	-4.4
Placerville	Boise	61	60	14	46	328.6	1	1.7
Plummer	Benewah	985	990	804	186	23.1	-5	-0.5
Pocatello	Bannock, Power	53,372	51,466	46,117	5,349	11.6	1,906	3.7
Ponderay	Bonner	697	638	449	189	42.1	59	9.2
Post Falls	Kootenai	23,162	17,247	7,349	9,898	134.7	5,915	34.3

*Parkline city incorporation effective December 13, 1994. City was created from part of Chatcolet city. City was disincorporated in 2001.
NA - not applicable.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2005 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/90 TO 4/1/00		CHANGE 4/1/00 TO 7/1/05	
City or Place	County	July 1, 2005	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Potlatch	Latah	735	791	790	1	0.1	-56	-7.1
Preston	Franklin	5,019	4,682	3,710	972	26.2	337	7.2
Priest River	Bonner	1,909	1,754	1,560	194	12.4	155	8.8
Rathdrum	Kootenai	5,740	4,816	2,000	2,816	140.8	924	19.2
Reubens	Lewis	74	72	46	26	56.5	2	2.8
Rexburg	Madison	26,265	17,257	14,298	2,959	20.7	9,008	52.2
Richfield	Lincoln	437	412	383	29	7.6	25	6.1
Rigby	Jefferson	3,245	2,998	2,681	317	11.8	247	8.2
Riggins	Idaho	404	410	443	-33	-7.4	-6	-1.5
Ririe	Bonneville, Jefferson	531	545	596	-51	-8.6	-14	-2.6
Roberts	Jefferson	665	647	557	90	16.2	18	2.8
Rockland	Power	330	316	264	52	19.7	14	4.4
Rupert	Minidoka	5,225	5,645	5,455	190	3.5	-420	-7.4
Salmon	Lemhi	3,072	3,122	2,941	181	6.2	-50	-1.6
Sandpoint	Bonner	8,105	6,835	5,561	1,274	22.9	1,270	18.6
Shelley	Bingham	4,131	3,813	3,536	277	7.8	318	8.3
Shoshone	Lincoln	1,574	1,398	1,249	149	11.9	176	12.6
Smelterville	Shoshone	618	651	464	187	40.3	-33	-5.1
Soda Springs	Caribou	3,256	3,381	3,111	270	8.7	-125	-3.7
Spencer	Clark	35	38	19	19	100.0	-3	-7.9
Spirit Lake	Kootenai	1,500	1,376	790	586	74.2	124	9.0
Stanley	Custer	96	100	71	29	40.8	-4	-4.0
Star*	Ada	2,767	1,795	648	1,147	177.0	972	54.2
State Line	Kootenai	29	28	26	2	7.7	1	3.6
Stites	Idaho	229	226	205	21	10.2	3	1.3
St. Anthony	Fremont	3,348	3,342	3,010	332	11.0	6	0.2
St. Charles	Bear Lake	139	156	189	-33	-17.5	-17	-10.9
St. Maries	Benewah	2,634	2,652	2,442	210	8.6	-18	-0.7
Sugar City	Madison	1,479	1,242	1,275	-33	-2.6	237	19.1
Sun Valley	Blaine	1,444	1,427	938	489	52.1	17	1.2
Swan Valley	Bonneville	230	213	141	72	51.1	17	8.0
Tensed	Benewah	124	126	90	36	40.0	-2	-1.6
Teton	Fremont	573	569	570	-1	-0.2	4	0.7
Tetonia	Teton	243	247	132	115	87.1	-4	-1.6
Troy	Latah	744	798	699	99	14.2	-54	-6.8
Twin Falls	Twin Falls	38,630	34,469	27,634	6,835	24.7	4,161	12.1
Ucon	Bonneville	1,015	943	895	48	5.4	72	7.6
Victor	Teton	1,365	840	292	548	187.7	525	62.5
Wallace	Shoshone	907	960	1,010	-50	-5.0	-53	-5.5
Wardner	Shoshone	203	215	246	-31	-12.6	-12	-5.6
Warm River	Fremont	10	10	9	1	11.1	-	-
Weippe	Clearwater	390	416	532	-116	-21.8	-26	-6.3
Weiser	Washington	5,420	5,343	4,571	772	16.9	77	1.4
Wendell	Gooding	2,396	2,338	1,963	375	19.1	58	2.5
Weston	Franklin	450	425	390	35	9.0	25	5.9
White Bird	Idaho	107	106	108	-2	-1.9	1	0.9
Wilder	Canyon	1,451	1,462	1,232	230	18.7	-11	-0.8
Winchester	Lewis	308	308	262	46	17.6	-	-
Worley	Kootenai	224	223	182	41	22.5	1	0.4

*Star city incorporation effective December 10, 1997

Source: U.S. Bureau of the Census, 1990 Census: Internet release September 15, 2000; 2000 Census: Internet release March 23, 2001; 2005 Estimate: Internet release June 21, 2006.

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Race and Ethnicity
Idaho Districts and Counties

RESIDENCE	TOTAL	RACE				HISPANIC*
		White	Black	Native American	Asian/ Pacific Islander	
IDAHO	1,429,096	1,378,040	11,055	21,846	18,155	129,880
(percent)		96.4%	0.8%	1.5%	1.3%	9.1%
District 1	201,570	196,021	774	3,601	1,174	5,464
District 2	100,465	94,921	656	3,452	1,436	2,216
District 3	227,825	221,090	1,521	2,684	2,530	41,770
District 4	389,228	372,036	5,077	3,239	8,876	23,098
District 5	170,617	166,973	888	1,543	1,213	29,260
District 6	162,342	153,799	963	6,138	1,442	13,715
District 7	177,049	173,200	1,176	1,189	1,484	14,357
Ada	344,727	329,802	3,931	2,801	8,193	18,884
Adams	3,591	3,515	5	54	17	77
Bannock	78,155	73,822	694	2,567	1,072	4,118
Bear Lake	6,176	6,107	19	40	10	145
Benewah	9,218	8,400	26	775	17	192
Bingham	43,739	40,110	178	3,172	279	6,141
Blaine	21,166	20,742	118	92	214	3,252
Boise	7,535	7,430	14	70	21	275
Bonner	40,908	40,153	120	484	151	783
Bonneville	91,856	89,409	867	699	881	7,560
Boundary	10,619	10,258	21	262	78	353
Butte	2,808	2,763	22	17	6	136
Camas	1,050	1,036	11	1	2	62
Canyon	164,593	159,399	1,361	1,827	2,006	33,377
Caribou	7,131	7,091	4	22	14	274
Cassia	21,324	20,960	68	205	91	4,498
Clark	943	922	7	10	4	372
Clearwater	8,373	8,155	29	154	35	143
Custer	4,077	4,047	2	28	-	215
Elmore	28,634	26,584	1,112	306	632	3,700
Franklin	12,371	12,272	18	60	21	827
Fremont	12,242	12,064	37	77	64	1,516
Gem	16,273	15,992	47	166	68	1,151
Gooding	14,461	14,214	75	130	42	2,909
Idaho	15,697	15,096	23	518	60	269
Jefferson	21,580	21,224	87	142	127	2,112
Jerome	19,638	19,263	111	180	84	4,603
Kootenai	127,668	124,323	589	1,871	885	3,822
Latah	34,714	33,063	371	344	936	938
Lemhi	7,909	7,836	11	51	11	230
Lewis	3,750	3,544	16	168	22	98
Lincoln	4,545	4,398	49	79	19	797
Madison	30,975	30,343	144	136	352	1,314
Minidoka	19,014	18,591	80	232	111	5,220
Nez Perce	37,931	35,063	217	2,268	383	768
Oneida	4,209	4,185	5	15	4	102
Owyhee	11,073	10,614	30	348	81	2,518
Payette	22,197	21,709	55	209	224	3,016
Power	7,753	7,449	23	245	36	1,972
Shoshone	13,157	12,887	18	209	43	314
Teton	7,467	7,355	21	46	45	1,038
Twin Falls	69,419	67,769	376	624	650	7,919
Valley	8,332	8,220	20	62	30	239
Washington	10,098	9,861	23	80	134	1,631

* Race and Hispanic origin are reported separately. Persons of Hispanic origin are included in appropriate race totals. Data on two or more races available upon request, see Technical Notes for information on bridged race estimates.

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2005, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Race by Ethnicity
Idaho Districts and Counties

	RACE BY ETHNICITY							
	White		Black		Native American		Asian/ Pacific Islander	
RESIDENCE	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic
IDAHO	1,254,455	123,585	8,778	2,277	18,864	2,982	17,119	1,036
District 1	190,990	5,031	653	121	3,319	282	1,144	30
District 2	92,917	2,004	623	33	3,292	160	1,417	19
District 3	180,950	40,140	992	529	1,947	737	2,166	364
District 4	350,295	21,741	4,464	613	2,801	438	8,570	306
District 5	138,757	28,216	378	510	1,158	385	1,064	149
District 6	141,076	12,723	780	183	5,381	757	1,390	52
District 7	159,470	13,730	888	288	966	223	1,368	116
Ada	312,046	17,756	3,458	473	2,425	376	7,914	279
Adams	3,447	68	5	-	46	8	16	1
Bannock	70,160	3,662	601	93	2,246	321	1,030	42
Bear Lake	5,979	128	11	8	33	7	8	2
Benewah	8,258	142	26	-	729	46	13	4
Bingham	34,396	5,714	120	58	2,810	362	272	7
Blaine	17,671	3,071	27	91	58	34	158	56
Boise	7,163	267	13	1	68	2	16	5
Bonner	39,419	734	117	3	441	43	148	3
Bonneville	82,227	7,182	679	188	559	140	831	50
Boundary	9,944	314	13	8	235	27	74	4
Butte	2,634	129	17	5	15	2	6	-
Camas	984	52	2	9	1	-	1	1
Canyon	127,366	32,033	866	495	1,291	536	1,693	313
Caribou	6,824	267	3	1	17	5	13	1
Cassia	16,597	4,363	14	54	140	65	75	16
Clark	550	372	7	-	10	-	4	-
Clearwater	8,024	131	22	7	150	4	34	1
Custer	3,836	211	1	1	25	3	-	-
Elmore	23,078	3,506	988	124	257	49	611	21
Franklin	11,471	801	12	6	40	20	21	-
Fremont	10,578	1,486	25	12	69	8	54	10
Gem	14,887	1,105	45	2	125	41	65	3
Gooding	11,388	2,826	39	36	84	46	41	1
Idaho	14,842	254	23	-	505	13	58	2
Jefferson	19,231	1,993	31	56	109	33	97	30
Jerome	14,770	4,493	46	65	140	40	79	5
Kootenai	120,762	3,561	479	110	1,737	134	868	17
Latah	32,179	884	356	15	315	29	926	10
Lemhi	7,613	223	8	3	47	4	11	-
Lewis	3,455	89	16	-	160	8	21	1
Lincoln	3,678	720	8	41	43	36	19	-
Madison	29,078	1,265	128	16	115	21	340	12
Minidoka	13,452	5,139	61	19	181	51	100	11
Nez Perce	34,417	646	206	11	2,162	106	378	5
Oneida	4,085	100	5	-	13	2	4	-
Owyhee	8,211	2,403	10	20	275	73	59	22
Payette	18,756	2,953	43	12	164	45	218	6
Power	5,527	1,922	11	12	207	38	36	-
Shoshone	12,607	280	18	-	177	32	41	2
Teton	6,357	998	9	12	32	14	31	14
Twin Falls	60,217	7,552	181	195	511	113	591	59
Valley	8,008	212	5	15	51	11	29	1
Washington	8,283	1,578	23	-	46	34	115	19

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2005, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate
Age by Race and Ethnicity* and Sex

Age	RACE								
	White			Black			American Indian		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	1,378,040	691,215	686,825	11,055	6,129	4,926	21,846	10,905	10,941
< 1	21,230	10,854	10,376	202	102	100	383	187	196
1-4	80,866	41,308	39,558	832	416	416	1,329	666	663
5-9	95,616	49,019	46,597	1,350	705	645	1,886	950	936
10-14	98,593	50,802	47,791	1,169	606	563	1,993	985	1,008
15-17	62,654	32,154	30,500	607	324	283	1,274	654	620
18-19	42,606	21,861	20,745	481	252	229	898	464	434
20-24	110,133	55,729	54,404	1,254	705	549	2,027	1,003	1,024
25-29	94,427	49,146	45,281	1,052	621	431	1,629	845	784
30-34	87,850	45,457	42,393	884	513	371	1,580	825	755
35-39	88,933	45,393	43,540	840	485	355	1,621	837	784
40-44	97,878	49,335	48,543	737	431	306	1,613	817	796
45-49	100,465	50,200	50,265	554	326	228	1,375	635	740
50-54	94,494	47,244	47,250	409	265	144	1,308	640	668
55-59	80,645	40,554	40,091	236	144	92	1,005	488	517
60-64	60,627	29,914	30,713	139	77	62	673	330	343
65-69	47,420	23,956	23,464	124	75	49	477	247	230
70-74	37,691	17,588	20,103	69	33	36	341	160	181
75-79	30,388	13,666	16,722	57	22	35	210	84	126
80-84	22,402	9,217	13,185	32	19	13	113	51	62
85+	23,122	7,818	15,304	27	8	19	111	37	74

Age	RACE			ETHNICITY					
	Asian or Pacific Islander			Non-Hispanic			Hispanic		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	18,155	8,628	9,527	1,299,216	647,524	651,692	129,880	69,353	60,527
< 1	232	126	106	19,052	9,769	9,283	2,995	1,500	1,495
1-4	963	506	457	72,428	37,092	35,336	11,562	5,804	5,758
5-9	1,182	582	600	85,725	43,891	41,834	14,309	7,365	6,944
10-14	1,119	561	558	89,653	46,165	43,488	13,221	6,789	6,432
15-17	700	365	335	58,110	29,871	28,239	7,125	3,626	3,499
18-19	511	251	260	39,645	20,344	19,301	4,851	2,484	2,367
20-24	1,533	785	748	101,735	50,945	50,790	13,212	7,277	5,935
25-29	1,923	986	937	86,216	44,113	42,103	12,815	7,485	5,330
30-34	1,976	974	1,002	81,017	41,450	39,567	11,273	6,319	4,954
35-39	1,648	769	879	83,159	42,054	41,105	9,883	5,430	4,453
40-44	1,384	618	766	93,223	46,618	46,605	8,389	4,583	3,806
45-49	1,237	570	667	97,155	48,184	48,971	6,476	3,547	2,929
50-54	1,093	455	638	92,645	46,059	46,586	4,659	2,545	2,114
55-59	788	314	474	79,395	39,759	39,636	3,279	1,741	1,538
60-64	533	214	319	59,860	29,465	30,395	2,112	1,070	1,042
65-69	384	170	214	47,007	23,731	23,276	1,398	717	681
70-74	336	119	217	37,451	17,449	20,002	986	451	535
75-79	268	109	159	30,284	13,547	16,737	639	334	305
80-84	185	90	95	22,394	9,236	13,158	338	141	197
85+	160	64	96	23,062	7,782	15,280	358	145	213

* Race and Hispanic origin are reported separately. Persons of non-Hispanic origin and persons of Hispanic origin are included in appropriate race totals. The four race categories will sum to Idaho total; non-Hispanic and Hispanic will sum to Idaho total.

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2005, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Age and Sex
Idaho Districts and Counties

	ALL AGES			< 5		5 - 9		10 -14	
RESIDENCE	TOTAL	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	1,429,096	716,877	712,219	54,165	51,872	51,256	48,778	52,954	49,920
District 1	201,570	100,225	101,345	5,881	5,815	6,463	6,113	7,162	6,710
District 2	100,465	50,927	49,538	2,808	2,663	2,649	2,519	3,020	2,767
District 3	227,825	113,843	113,982	9,583	9,088	8,989	8,594	9,097	8,639
District 4	389,228	197,626	191,602	14,483	13,827	13,830	13,341	13,959	13,043
District 5	170,617	85,779	84,838	6,680	6,310	6,219	5,831	6,450	6,180
District 6	162,342	80,579	81,763	6,994	6,762	6,453	6,065	6,272	6,086
District 7	177,049	87,898	89,151	7,736	7,407	6,653	6,315	6,994	6,495
Ada	344,727	173,602	171,125	12,761	12,223	12,339	11,850	12,393	11,614
Adams	3,591	1,823	1,768	71	71	84	61	117	98
Bannock	78,155	38,473	39,682	3,485	3,460	3,018	2,790	2,683	2,578
Bear Lake	6,176	3,057	3,119	203	187	206	206	238	236
Benewah	9,218	4,665	4,553	284	299	301	260	338	290
Bingham	43,739	21,880	21,859	1,937	1,835	1,850	1,734	1,903	1,840
Blaine	21,166	11,010	10,156	667	653	639	534	668	623
Boise	7,535	3,888	3,647	201	162	238	239	246	238
Bonner	40,908	20,434	20,474	1,014	933	1,152	1,147	1,378	1,219
Bonneville	91,856	45,662	46,194	4,018	3,902	3,590	3,375	3,731	3,496
Boundary	10,619	5,291	5,328	313	377	364	342	375	372
Butte	2,808	1,395	1,413	107	93	75	102	118	116
Camas	1,050	530	520	27	33	22	21	30	26
Canyon	164,593	82,123	82,470	7,395	7,026	6,831	6,512	6,559	6,283
Caribou	7,131	3,558	3,573	250	249	246	257	285	262
Cassia	21,324	10,669	10,655	938	878	873	878	954	907
Clark	943	501	442	47	35	32	34	42	40
Clearwater	8,373	4,541	3,832	213	156	194	180	260	223
Custer	4,077	2,064	2,013	66	80	88	125	133	130
Elmore	28,634	15,833	12,801	1,294	1,264	1,060	1,073	1,061	951
Franklin	12,371	6,239	6,132	570	474	578	558	555	589
Fremont	12,242	6,328	5,914	519	537	480	475	502	465
Gem	16,273	8,096	8,177	536	471	528	553	627	555
Gooding	14,461	7,445	7,016	620	559	547	514	543	517
Idaho	15,697	8,092	7,605	392	373	412	392	471	492
Jefferson	21,580	10,865	10,715	938	922	933	833	983	954
Jerome	19,638	10,056	9,582	797	805	757	776	830	782
Kootenai	127,668	63,264	64,404	3,947	3,881	4,271	4,013	4,639	4,430
Latah	34,714	17,865	16,849	969	935	850	782	911	793
Lemhi	7,909	3,923	3,986	201	168	207	203	287	249
Lewis	3,750	1,890	1,860	103	116	97	79	140	128
Lincoln	4,545	2,309	2,236	174	194	174	145	191	181
Madison	30,975	14,553	16,422	1,560	1,445	1,031	982	1,017	871
Minidoka	19,014	9,494	9,520	823	747	735	671	812	739
Nez Perce	37,931	18,539	19,392	1,131	1,083	1,096	1,086	1,238	1,131
Oneida	4,209	2,126	2,083	154	140	151	149	163	144
Owyhee	11,073	5,805	5,268	441	411	425	359	475	444
Payette	22,197	11,025	11,172	788	829	779	814	947	883
Power	7,753	3,851	3,902	288	324	329	269	327	321
Shoshone	13,157	6,571	6,586	323	325	375	351	432	399
Teton	7,467	4,002	3,465	387	318	292	288	299	290
Twin Falls	69,419	34,266	35,153	2,634	2,441	2,472	2,292	2,422	2,405
Valley	8,332	4,303	4,029	227	178	193	179	259	240
Washington	10,098	4,971	5,127	352	280	342	295	372	376

Source: National Center for Health Statistics. Estimates of the July 1, 2005 resident population from the Vintage 2005 postcensal series by state, county, year, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release August 16, 2006.

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Age and Sex
Idaho Districts and Counties

	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	56,325	53,406	58,222	56,725	51,598	47,433	47,769	44,521	47,484	45,558
District 1	7,630	6,891	6,720	6,601	6,007	5,945	6,184	5,855	6,190	6,553
District 2	4,371	3,896	5,450	5,310	3,467	2,685	3,002	2,653	2,805	2,764
District 3	8,755	8,109	8,788	8,496	9,121	8,878	8,271	7,925	7,687	7,286
District 4	13,773	12,488	14,909	13,793	15,329	13,896	15,803	13,736	16,186	14,127
District 5	6,824	6,331	6,475	5,962	5,616	4,688	5,225	4,889	5,234	5,082
District 6	6,877	6,540	7,084	7,655	5,712	5,215	4,581	4,771	4,498	4,740
District 7	8,095	9,151	8,796	8,908	6,346	6,126	4,703	4,692	4,884	5,006
Ada	12,073	11,072	12,780	12,493	13,484	12,768	14,020	12,395	14,128	12,636
Adams	157	127	111	115	61	60	67	70	89	87
Bannock	2,982	2,895	3,706	4,366	3,247	2,845	2,370	2,493	2,175	2,298
Bear Lake	308	273	258	234	131	137	112	133	155	169
Benewah	339	299	304	278	148	194	213	235	283	268
Bingham	2,039	1,939	1,840	1,755	1,404	1,299	1,124	1,267	1,243	1,297
Blaine	709	665	626	494	760	512	793	694	896	740
Boise	297	258	247	220	180	169	168	198	207	222
Bonner	1,535	1,414	1,340	1,297	1,128	1,043	1,060	1,111	1,091	1,193
Bonneville	3,811	3,385	3,494	3,895	3,458	3,325	2,624	2,700	2,722	2,811
Boundary	413	384	387	346	288	246	288	273	269	311
Butte	129	86	90	82	31	43	58	54	67	84
Camas	49	37	33	34	27	28	33	27	38	23
Canyon	6,270	5,866	6,528	6,459	7,307	7,146	6,407	6,155	5,822	5,442
Caribou	292	277	262	268	170	168	176	168	175	201
Cassia	980	868	853	824	549	480	564	562	551	613
Clark	38	40	44	33	18	17	19	29	28	31
Clearwater	286	246	279	203	167	103	247	148	335	173
Custer	166	140	119	89	55	49	88	81	112	124
Elmore	1,073	905	1,598	828	1,494	806	1,430	954	1,622	1,043
Franklin	566	545	495	463	429	382	418	365	346	355
Fremont	612	475	477	409	399	303	314	306	381	354
Gem	585	562	580	600	500	497	445	464	475	459
Gooding	612	474	509	478	508	329	428	395	437	428
Idaho	634	552	664	479	341	216	375	286	386	389
Jefferson	969	964	1,048	955	744	683	585	570	608	605
Jerome	821	720	754	603	672	599	659	550	627	592
Kootenai	4,917	4,436	4,337	4,338	4,151	4,226	4,303	3,911	4,185	4,409
Latah	2,019	1,738	3,101	2,800	1,703	1,381	1,160	1,016	900	926
Lemhi	283	284	238	240	171	153	141	182	181	205
Lewis	152	110	108	108	69	54	73	95	98	100
Lincoln	187	196	184	148	173	144	135	156	127	132
Madison	1,907	3,588	3,105	3,135	1,230	1,377	596	587	515	554
Minidoka	759	731	756	754	498	403	470	459	483	571
Nez Perce	1,280	1,250	1,298	1,720	1,187	931	1,147	1,108	1,086	1,176
Oneida	203	162	173	195	112	94	108	92	97	105
Owyhee	485	393	408	360	385	246	373	287	370	327
Payette	906	817	841	635	608	674	700	690	700	722
Power	358	363	260	292	188	247	215	199	240	231
Shoshone	426	358	352	342	292	236	320	325	362	372
Teton	309	275	271	152	271	219	336	237	337	322
Twin Falls	2,707	2,640	2,760	2,627	2,429	2,193	2,143	2,046	2,075	1,983
Valley	330	253	284	252	171	153	185	189	229	226
Washington	352	344	320	327	260	255	279	259	231	249

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Age and Sex
Idaho Districts and Counties

	40 - 44		45 - 49		50 - 54		55 - 59		60 - 64	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	51,201	50,411	51,731	51,900	48,604	48,700	41,500	41,174	30,535	31,437
District 1	7,255	7,314	7,712	8,218	7,776	8,086	7,122	7,033	5,223	5,327
District 2	3,360	3,286	3,579	3,708	3,672	3,542	3,267	3,161	2,494	2,555
District 3	7,797	7,542	7,274	7,262	6,665	6,942	5,830	5,785	4,434	4,839
District 4	15,802	15,300	15,031	14,757	13,508	13,517	11,306	10,994	7,673	7,819
District 5	6,156	6,126	6,317	6,115	5,885	5,866	4,913	5,132	3,882	3,898
District 6	5,023	5,180	5,713	5,748	5,437	5,282	4,488	4,495	3,289	3,322
District 7	5,808	5,663	6,105	6,092	5,661	5,465	4,574	4,574	3,540	3,677
Ada	13,811	13,531	13,289	13,174	11,987	12,013	10,022	9,842	6,672	6,829
Adams	123	143	159	156	159	168	165	141	135	132
Bannock	2,245	2,436	2,671	2,670	2,531	2,607	2,221	2,192	1,492	1,478
Bear Lake	196	191	246	251	242	205	171	205	148	150
Benewah	348	308	353	378	376	378	358	313	286	303
Bingham	1,464	1,408	1,529	1,606	1,464	1,346	1,145	1,168	877	920
Blaine	901	916	972	957	952	995	825	851	614	570
Boise	309	300	359	356	367	380	337	271	254	232
Bonner	1,424	1,440	1,704	1,896	1,870	1,898	1,772	1,669	1,241	1,233
Bonneville	3,205	3,117	3,365	3,378	3,088	3,054	2,531	2,478	1,838	2,006
Boundary	362	345	380	469	459	484	436	375	244	275
Butte	99	99	114	115	106	127	94	86	78	91
Camas	55	70	46	41	28	45	40	36	44	28
Canyon	5,561	5,341	4,930	4,972	4,608	4,800	3,869	3,839	2,873	3,175
Caribou	243	246	323	272	271	261	220	204	196	176
Cassia	737	694	732	729	676	681	558	562	474	457
Clark	36	29	47	20	25	27	25	24	30	21
Clearwater	362	343	358	327	394	330	358	336	307	272
Custer	170	181	201	175	219	183	174	158	160	149
Elmore	1,371	1,159	1,005	823	711	695	587	567	450	484
Franklin	371	405	410	401	363	346	275	267	238	247
Fremont	445	365	470	412	388	397	288	305	292	303
Gem	583	582	591	575	559	546	487	517	403	418
Gooding	528	452	508	499	499	450	386	409	349	354
Idaho	559	563	615	671	727	691	623	572	511	509
Jefferson	701	755	796	780	677	662	550	544	420	397
Jerome	732	696	763	679	715	597	498	526	415	386
Kootenai	4,613	4,700	4,701	4,958	4,501	4,790	4,038	4,163	3,055	3,092
Latah	981	1,000	1,022	1,062	1,049	1,034	924	903	678	665
Lemhi	267	291	317	331	321	322	344	347	272	279
Lewis	131	118	156	170	137	126	146	125	122	100
Lincoln	161	161	174	138	144	144	135	123	100	89
Madison	616	628	616	709	643	575	461	504	401	422
Minidoka	664	679	704	659	619	609	554	568	414	451
Nez Perce	1,327	1,262	1,428	1,478	1,365	1,361	1,216	1,225	876	1,009
Oneida	151	132	159	154	141	139	133	117	96	95
Owyhee	431	385	403	345	355	337	325	316	246	280
Payette	759	752	843	840	628	704	671	652	511	566
Power	254	263	261	279	319	251	229	256	164	165
Shoshone	508	521	574	517	570	536	518	513	397	424
Teton	368	297	293	287	300	245	201	214	127	100
Twin Falls	2,378	2,458	2,418	2,413	2,252	2,345	1,917	2,057	1,472	1,563
Valley	311	310	378	404	443	429	360	314	297	274
Washington	340	339	348	374	356	387	313	320	266	268

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate by Age and Sex
Idaho Districts and Counties

	65 - 69		70 - 74		75 - 79		80 - 84		85+	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	24,448	23,957	17,900	20,537	13,881	17,042	9,377	13,355	7,927	15,493
District 1	4,407	4,095	3,274	3,527	2,425	2,810	1,537	2,128	1,257	2,324
District 2	2,195	1,965	1,678	1,819	1,399	1,552	866	1,229	845	1,464
District 3	3,705	3,765	2,725	3,166	2,117	2,779	1,559	2,213	1,446	2,674
District 4	5,594	5,689	3,839	4,743	2,994	3,780	2,017	3,145	1,590	3,607
District 5	3,081	3,127	2,366	2,798	1,871	2,391	1,360	1,865	1,225	2,247
District 6	2,712	2,685	2,035	2,306	1,572	1,784	1,043	1,440	796	1,687
District 7	2,754	2,631	1,983	2,178	1,503	1,946	995	1,335	768	1,490
Ada	4,782	4,937	3,225	4,199	2,647	3,340	1,781	2,873	1,408	3,336
Adams	111	122	88	81	73	52	23	38	30	46
Bannock	1,198	1,257	938	1,018	671	863	486	673	354	763
Bear Lake	133	143	112	132	95	88	49	79	54	100
Benewah	256	209	224	189	133	120	56	100	65	132
Bingham	703	686	499	602	415	424	246	329	198	404
Blaine	412	317	221	241	195	166	104	92	56	136
Boise	166	149	146	96	69	78	50	47	47	32
Bonner	986	927	698	725	493	557	320	371	228	401
Bonneville	1,444	1,393	1,039	1,187	789	1,111	551	755	364	826
Boundary	225	203	188	192	152	146	87	93	61	95
Butte	77	76	54	54	42	49	33	20	23	36
Camas	24	23	13	17	9	11	7	8	5	12
Canyon	2,312	2,361	1,678	2,048	1,304	1,836	938	1,489	931	1,720
Caribou	132	138	116	168	111	76	48	80	42	102
Cassia	351	371	309	338	218	289	183	254	169	270
Clark	26	18	19	20	9	6	10	8	6	10
Clearwater	286	248	186	188	157	150	93	108	59	98
Custer	97	110	82	67	67	72	41	44	26	56
Elmore	406	389	303	288	165	237	114	157	89	178
Franklin	201	193	143	156	127	133	76	117	78	136
Fremont	239	220	202	208	153	168	81	94	86	118
Gem	382	363	261	298	210	253	185	182	159	282
Gooding	307	268	220	245	184	243	103	163	157	239
Idaho	475	395	337	331	268	302	147	178	155	214
Jefferson	334	307	197	249	180	205	103	149	99	181
Jerome	278	320	285	294	189	251	141	208	123	198
Kootenai	2,566	2,371	1,907	2,112	1,409	1,733	917	1,362	807	1,479
Latah	515	424	379	389	293	338	182	290	229	373
Lemhi	232	205	172	162	124	138	86	112	79	115
Lewis	125	118	85	86	75	72	43	67	30	88
Lincoln	70	82	54	57	59	58	40	37	27	51
Madison	309	314	211	239	155	190	95	143	85	159
Minidoka	372	385	252	340	245	307	199	253	135	194
Nez Perce	794	780	691	825	606	690	401	586	372	691
Oneida	99	76	60	77	43	66	60	70	23	76
Owyhee	215	194	180	172	116	171	103	115	69	126
Payette	420	470	341	314	235	270	185	233	163	307
Power	169	116	113	99	68	85	45	72	24	70
Shoshone	374	385	257	309	238	254	157	202	96	217
Teton	73	64	61	46	26	56	28	30	23	25
Twin Falls	1,267	1,361	1,012	1,266	772	1,066	583	850	553	1,147
Valley	240	214	165	160	113	125	72	68	46	61
Washington	265	255	177	253	179	197	125	156	94	193

IDAHO RESIDENT POPULATION
July 1, 2005 Estimate
Single Age by Sex

AGE	TOTAL	MALE	FEMALE	AGE	TOTAL	MALE	FEMALE
<1	22,047	11,269	10,778	44	21,097	10,562	10,535
1	21,753	11,114	10,639	45	21,500	10,984	10,516
2	21,080	10,775	10,305	46	20,536	10,119	10,417
3	20,501	10,465	10,036	47	20,686	10,279	10,407
4	20,656	10,542	10,114	48	20,789	10,370	10,419
5	20,199	10,329	9,870	49	20,120	9,979	10,141
6	20,076	10,306	9,770	50	20,481	10,180	10,301
7	19,760	10,249	9,511	51	20,024	9,979	10,045
8	19,896	10,150	9,746	52	19,628	9,812	9,816
9	20,103	10,222	9,881	53	19,016	9,557	9,459
10	19,959	10,289	9,670	54	18,155	9,076	9,079
11	20,080	10,248	9,832	55	17,917	8,913	9,004
12	20,559	10,590	9,969	56	17,161	8,626	8,535
13	20,930	10,830	10,100	57	17,084	8,566	8,518
14	21,346	10,997	10,349	58	17,455	8,875	8,580
15	21,809	11,247	10,562	59	13,057	6,520	6,537
16	21,290	10,805	10,485	60	13,208	6,559	6,649
17	22,136	11,445	10,691	61	13,108	6,408	6,700
18	22,098	11,269	10,829	62	13,237	6,501	6,736
19	22,398	11,559	10,839	63	11,576	5,729	5,847
20	22,869	11,730	11,139	64	10,843	5,338	5,505
21	22,696	11,772	10,924	65	10,355	5,257	5,098
22	22,992	11,879	11,113	66	9,882	5,019	4,863
23	23,541	12,035	11,506	67	9,859	4,933	4,926
24	22,849	10,806	12,043	68	9,095	4,596	4,499
25	21,157	10,172	10,985	69	9,214	4,643	4,571
26	20,163	10,672	9,491	70	8,539	4,072	4,467
27	19,844	10,739	9,105	71	7,837	3,697	4,140
28	19,559	10,387	9,172	72	7,702	3,583	4,119
29	18,308	9,628	8,680	73	7,048	3,341	3,707
30	18,302	9,596	8,706	74	7,311	3,207	4,104
31	17,798	9,236	8,562	75	6,810	2,990	3,820
32	17,960	9,333	8,627	76	6,559	3,027	3,532
33	18,590	9,525	9,065	77	6,275	2,943	3,332
34	19,640	10,079	9,561	78	5,790	2,573	3,217
35	19,660	10,042	9,618	79	5,489	2,348	3,141
36	18,812	9,539	9,273	80	5,189	2,291	2,898
37	18,096	9,303	8,793	81	4,852	2,044	2,808
38	18,081	9,239	8,842	82	4,527	1,877	2,650
39	18,393	9,361	9,032	83	4,157	1,602	2,555
40	19,327	9,775	9,552	84	4,007	1,563	2,444
41	19,818	9,952	9,866	85+	23,420	7,927	15,493
42	20,481	10,265	10,216				
43	20,889	10,647	10,242	TOTAL	1,429,096	716,877	712,219

Source: U.S. Census Bureau and National Center for Health Statistics, Internet release August 16, 2006.

2005 IDAHO SUMMARY

BIRTHS..... The number of Idaho resident live births increased by 2 percent in 2005, up 535 births from 22,529 in 2004 to 23,064 in 2005. The birth rate decreased 1 percent, from 16.2 births per 1,000 population in 2004 to 16.1 in 2005.

OUT-OF-WEDLOCK BIRTHS ..... The number of births to unmarried women increased 4 percent from 5,079, to a record high of 5,273 in 2005. At the same time, the percent of out-of-wedlock births increased 2 percent from 22.5 percent in 2004 to 22.9 percent in 2005.

DEATHS ..... Idaho resident deaths increased by 5 percent in 2005, up 500 deaths from 10,013 in 2004 to 10,513 in 2005. Likewise, the mortality rate increased 3 percent, from 7.2 deaths per 1,000 population in 2004 to 7.4 in 2005.

STILLBIRTHS ..... The number and ratio of Idaho resident stillbirths have fluctuated considerably over the past decade. In 2005, the number of reported stillbirths increased to 134 from 125 in 2004. The stillbirth ratio increased 5 percent from 5.5 per 1,000 live births in 2004 to 5.8 in 2005.

INFANT DEATHS ..... The infant mortality rate remained the same in 2005, 6.2 per 1,000 live births. The number of infant deaths increased 2 percent from 139 to 142 in 2005. The neonatal mortality rate remained the same in 2005, 4.0 per 1,000 live births; the postneonatal mortality rate decreased from 2.2 per 1,000 live births in 2004 to 2.1 in 2005.

INDUCED ABORTIONS ..... The number of induced abortions among Idaho residents increased 13 percent from 1,618 in 2004 to 1,827 in 2005 and the rate increased from 5.5 per 1,000 females aged 15-44 to 6.1. The number of induced abortions occurring in Idaho was up 14 percent from 963 in 2004 to 1,099 in 2005.

MARRIAGES ..... The number of marriages occurring in Idaho decreased slightly in 2005, from 14,997 in 2004 to 14,933 in 2005. The 2005 marriage rate decreased from 10.8 marriages per 1,000 population to 10.4. This rate is the lowest marriage rate recorded for Idaho in the last 50 years.

DIVORCES ..... The number of divorces occurring in Idaho increased 3 percent in 2005 to 7,118 from 6,921 in 2004. The 2005 divorce rate remained the same in 2005, 5.0 per 1,000 population. The 2005 divorce rate is the lowest rate Idaho has experienced since 1971 when the rate was also 5.0 per 1,000 population.

IDAHO VITAL STATISTICS
1996-2005

	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996
LIVE BIRTHS	23,064	22,529	21,794	20,973	20,686	20,305	19,870	19,350	18,537	18,564
Birth Rate	16.1	16.2	16.0	15.6	15.7	15.7	15.9	15.7	15.3	15.6
Fertility Rate	77.4	77.2	76.0	73.8	73.5	73.1	73.2	72.2	70.1	71.1
Males	11,748	11,600	11,172	10,698	10,448	10,362	10,114	9,949	9,631	9,406
Females	11,316	10,929	10,622	10,275	10,238	9,943	9,756	9,401	8,906	9,158
OUT-OF-WEDLOCK LIVE BIRTHS	5,273	5,079	4,859	4,603	4,561	4,389	4,306	4,258	3,843	3,968
Percent	22.9	22.5	22.3	21.9	22.0	21.6	21.7	22.0	20.7	21.4
LOW BIRTH WEIGHT LIVE BIRTHS	1,544	1,538	1,415	1,289	1,333	1,357	1,225	1,161	1,160	1,064
Percent	6.7	6.8	6.5	6.2	6.4	6.7	6.2	6.0	6.3	5.7
DEATHS	10,513	10,013	10,364	9,909	9,751	9,535	9,508	9,141	8,952	8,706
Crude Death Rate	7.4	7.2	7.6	7.4	7.4	7.4	7.6	7.4	7.4	7.3
Age-Adjusted Death Rate	7.6	7.5	8.0	7.9	8.1	8.1	8.2	8.1	8.2	8.2
Males	5,360	5,065	5,220	5,005	4,979	4,768	4,883	4,705	4,744	7,644
Females	5,153	4,948	5,144	4,904	4,772	4,767	4,625	4,436	4,208	4,062
INFANT DEATHS	142	139	138	127	129	152	134	140	127	137
Rate	6.2	6.2	6.3	6.1	6.2	7.5	6.7	7.2	6.9	7.4
<28 Days	4.0	4.0	3.8	4.0	4.1	5.4	4.6	4.6	4.3	4.4
28 Days - <1 Year	2.1	2.2	2.6	2.1	2.2	2.1	2.1	2.6	2.6	3.0
STILLBIRTHS[1, 2]	134	125	113	103	131	120	118	121	110	125
Ratio	5.8	5.5	5.2	4.9	6.3	5.9	5.9	6.3	5.9	6.7
PERINATAL DEATHS[1, 2]	217	206	181	174	201	214	197	195	178	195
Ratio	9.4	9.1	8.3	8.3	9.7	10.5	9.9	10.1	9.6	10.5
MATERNAL DEATHS[3]	6	2	3	-	-	2	1	2	2	1
Rate/100,000	26.0	8.9	13.8	-	-	9.8	5.0	10.3	10.8	5.4
INDUCED ABORTIONS[2]										
Idaho Residents	1,827	1,618	1,620	1,493	1,473	1,553	1,561	1,636	1,623	1,806
Rate	6.1	5.5	5.6	5.3	5.2	5.6	5.8	6.1	6.1	6.9
Ratio	79.2	71.8	74.3	71.2	71.2	76.5	78.6	84.5	87.6	97.3
Occurring in Idaho[4]	1,099	963	911	829	738	801	867	888	878	1,022
Ratio	48.8	43.9	42.8	40.5	36.6	40.3	44.7	46.8	48.1	56.0
MARRIAGES[4]	14,933	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114	15,027
Rate	10.4	10.8	10.9	10.9	11.2	11.6	12.4	12.4	12.5	12.7
DIVORCES[4]	7,118	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035	6,985
Rate	5.0	5.0	5.2	5.3	5.3	5.5	5.6	5.7	5.8	5.9

1. Number and ratio of stillbirths and perinatal deaths in 1996-2004 differ from previously published data due to revisions in the database.
2. Number, rate, and ratio may differ slightly from previously published data due to revisions in the database.
3. In 2003, a question on pregnancy status among females aged 10-54 was added to the Idaho death certificate resulting in the identification of more maternal deaths. Maternal death data for 2003-2005 are not comparable with data prior to 2003.
4. Marriage, divorce, and specified abortion data are for events occurring in Idaho; all other data reflect events occurring to Idaho residents.

Rates for 1996-1999 are based on the 1990 Census from the U.S. Census Bureau, Internet release March 9, 2000. Rates for 2000 are based on 2000 Census, Internet release date August 1, 2001. Estimates for 2001-2005 are based on the 2000 Census, U.S. Census Bureau and National Center for Health Statistics, Internet release August 8, 2003, April 9, 2004, April 14, 2005, and March 16, 2006.

IDAHO VITAL STATISTICS
Births, Deaths, Marriages, Divorces
1995-2005



IDAHO VITAL STATISTICS
Birth, Death, Marriage, and Divorce Rates
1995-2005



SUMMARY OF IDAHO VITAL STATISTICS
Births, Deaths, Marriages, Divorces
2005

	POPULATION ESTIMATE July 1, 2005[1]	LIVE BIRTHS[2]		DEATHS[2]		MARRIAGES[3]		DIVORCES[3]	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates			14.0 (2005 Preliminary)		8.2 (2004 Final)		7.5 (2005 Provisional)		3.6 (2005 Provisional)
IDAHO	1,429,096	23,064	16.1	10,513	7.4	14,933	10.4	7,118	5.0
District 1	201,570	2,284	11.3	1,753	8.7	4,332	21.5	1,082	5.4
District 2	100,465	1,136	11.3	883	8.8	750	7.5	450	4.5
District 3	227,825	4,092	18.0	1,725	7.6	1,731	7.6	1,376	6.0
District 4	389,228	6,073	15.6	2,419	6.2	3,577	9.2	1,862	4.8
District 5	170,617	2,861	16.8	1,445	8.5	1,357	8.0	806	4.7
District 6	162,342	3,004	18.5	1,169	7.2	1,083	6.7	678	4.2
District 7	177,049	3,614	20.4	1,119	6.3	2,103	11.9	864	4.9
Ada	344,727	5,415	15.7	2,154	6.2	3,057	8.9	1,635	4.7
Adams	3,591	29	8.1	31	8.6	37	10.3	10	2.8
Bannock	78,155	1,536	19.7	555	7.1	591	7.6	349	4.5
Bear Lake	6,176	84	13.6	59	9.6	36	5.8	28	4.5
Benewah	9,218	119	12.9	92	10.0	56	6.1	45	4.9
Bingham	43,739	835	19.1	287	6.6	251	5.7	186	4.3
Blaine	21,166	304	14.4	79	3.7	191	9.0	76	3.6
Boise	7,535	44	5.8	45	6.0	62	8.2	18	2.4
Bonner	40,908	406	9.9	378	9.2	362	8.8	225	5.5
Bonneville	91,856	1,799	19.6	615	6.7	1,549	16.9	608	6.6
Boundary	10,619	130	12.2	118	11.1	74	7.0	29	2.7
Butte	2,808	38	13.5	23	8.2	9	3.2	14	5.0
Camas	1,050	17	16.2	3	2.9	12	11.4	1	1.0
Canyon	164,593	3,222	19.6	1,123	6.8	1,256	7.6	1,077	6.5
Caribou	7,131	103	14.4	61	8.6	57	8.0	17	2.4
Cassia	21,324	395	18.5	176	8.3	152	7.1	108	5.1
Clark	943	27	28.6	2	2.1	3	3.2	1	1.1
Clearwater	8,373	64	7.6	81	9.7	74	8.8	43	5.1
Custer	4,077	37	9.1	40	9.8	79	19.4	13	3.2
Elmore	28,634	527	18.4	155	5.4	281	9.8	172	6.0
Franklin	12,371	216	17.5	86	7.0	69	5.6	43	3.5
Fremont	12,242	223	18.2	87	7.1	120	9.8	33	2.7
Gem	16,273	235	14.4	170	10.4	118	7.3	84	5.2
Gooding	14,461	239	16.5	137	9.5	95	6.6	49	3.4
Idaho	15,697	146	9.3	144	9.2	120	7.6	51	3.2
Jefferson	21,580	430	19.9	116	5.4	129	6.0	68	3.2
Jerome	19,638	380	19.4	144	7.3	161	8.2	95	4.8
Kootenai	127,668	1,513	11.9	1,018	8.0	3,750	29.4	718	5.6
Latah	34,714	428	12.3	204	5.9	194	5.6	107	3.1
Lemhi	7,909	81	10.2	92	11.6	88	11.1	40	5.1
Lewis	3,750	47	12.5	47	12.5	23	6.1	6	1.6
Lincoln	4,545	87	19.1	44	9.7	27	5.9	8	1.8
Madison	30,975	881	28.4	132	4.3	85	2.7	74	2.4
Minidoka	19,014	318	16.7	196	10.3	131	6.9	44	2.3
Nez Perce	37,931	451	11.9	407	10.7	339	8.9	238	6.3
Oneida	4,209	67	15.9	45	10.7	27	6.4	10	2.4
Owyhee	11,073	160	14.4	100	9.0	72	6.5	18	1.6
Payette	22,197	315	14.2	181	8.2	186	8.4	134	6.0
Power	7,753	125	16.1	53	6.8	43	5.5	30	3.9
Shoshone	13,157	116	8.8	147	11.2	90	6.8	64	4.9
Teton	7,467	136	18.2	35	4.7	50	6.7	27	3.6
Twin Falls	69,419	1,121	16.1	666	9.6	588	8.5	425	6.1
Valley	8,332	87	10.4	65	7.8	177	21.2	37	4.4
Washington	10,098	131	13.0	120	11.9	62	6.1	53	5.2

1. Source for population: U.S. Bureau of the Census, Internet release March 16, 2006.
2. Births, deaths: county of residence. Rate: number per 1,000 population.
3. Marriages, divorces: county of occurrence. (Divorces by county will not total district and state totals because 41 tribal court divorces are not included in county totals; tribal court divorces are included in district totals. See page 122 for number of divorces granted by tribal courts). Rate: number per 1,000 population.

SUMMARY OF IDAHO VITAL STATISTICS
Resident Infant, Fetal, Perinatal Mortality
2005

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS		STILLBIRTHS		PERINATAL DEATHS	
		Number	Rate	Number	Ratio	Number	Ratio
U.S. Rate			6.8 (2004 final)		NA		NA
IDAHO	23,064	142	6.2	134	5.8	217	9.4
District 1	2,284	17	7.4	12	5.3	22	9.6
District 2	1,136	9	7.9	4	3.5	8	7.0
District 3	4,092	30	7.3	26	6.4	48	11.7
District 4	6,073	41	6.8	33	5.4	56	9.2
District 5	2,861	15	5.2	17	5.9	23	8.0
District 6	3,004	16	5.3	16	5.3	24	8.0
District 7	3,614	14	3.9	26	7.2	36	10.0
Ada	5,415	33	6.1	29	5.4	49	9.0
Adams	29	-	-	-	-	-	-
Bannock	1,536	9	5.9	6	3.9	13	8.5
Bear Lake	84	-	-	1	11.9	1	11.9
Benewah	119	1	8.4	-	-	1	8.4
Bingham	835	7	8.4	7	8.4	8	9.6
Blaine	304	4	13.2	1	3.3	3	9.9
Boise	44	1	22.7	1	22.7	1	22.7
Bonner	406	3	7.4	1	2.5	2	4.9
Bonneville	1,799	7	3.9	15	8.3	20	11.1
Boundary	130	1	7.7	-	-	-	-
Butte	38	-	-	-	-	-	-
Camas	17	-	-	-	-	-	-
Canyon	3,222	17	5.3	22	6.8	34	10.6
Caribou	103	-	-	-	-	-	-
Cassia	395	1	2.5	3	7.6	3	7.6
Clark	27	-	-	1	37.0	1	37.0
Clearwater	64	1	15.6	-	-	-	-
Custer	37	1	27.0	-	-	1	27.0
Elmore	527	6	11.4	3	5.7	6	11.4
Franklin	216	-	-	2	9.3	2	9.3
Fremont	223	2	9.0	1	4.5	2	9.0
Gem	235	3	12.8	2	8.5	3	12.8
Gooding	239	1	4.2	1	4.2	2	8.4
Idaho	146	1	6.8	-	-	-	-
Jefferson	430	1	2.3	2	4.7	3	7.0
Jerome	380	2	5.3	3	7.9	4	10.5
Kootenai	1,513	11	7.3	10	6.6	17	11.2
Latah	428	-	-	1	2.3	1	2.3
Lemhi	81	-	-	-	-	-	-
Lewis	47	-	-	-	-	-	-
Lincoln	87	-	-	1	11.5	1	11.5
Madison	881	3	3.4	6	6.8	8	9.1
Minidoka	318	-	-	2	6.3	2	6.3
Nez Perce	451	7	15.5	3	6.7	7	15.5
Oneida	67	-	-	-	-	-	-
Owyhee	160	2	12.5	-	-	2	12.5
Payette	315	6	19.0	1	3.2	6	19.0
Power	125	-	-	-	-	-	-
Shoshone	116	1	8.6	1	8.6	2	17.2
Teton	136	-	-	1	7.4	1	7.4
Twin Falls	1,121	7	6.2	6	5.4	8	7.1
Valley	87	1	11.5	-	-	-	-
Washington	131	2	15.3	1	7.6	3	22.9

Infant death rate: Number of infant deaths under one year of age per 1,000 live births.
Stillbirth ratio: Number of spontaneous fetal deaths of at least 20 weeks gestation or a weight of 350 grams per 1,000 live births.
Perinatal ratio: Number of stillbirths plus infant deaths within the first 6 days of life per 1,000 live births.
NA: not available.

IDAHO BIRTHS
Number and Rate per 1,000 Population
1922-2005

IDAHO BIRTHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1922	10,500	NA	1950	15,666	26.6	1978	19,355	21.9
1923	10,047	NA	1951	16,182	26.6	1979	19,919	22.0
1924	9,872	NA	1952	16,402	26.4	1980	20,140	21.3
1925	9,070	NA	1953	16,499	26.0	1981	19,488	20.3
1926	10,128	NA	1954	16,747	25.9	1982	19,581	20.4
1927	9,777	NA	1955	16,705	25.4	1983	18,742	19.0
1928	9,099	NA	1956	16,428	24.5	1984	17,996	18.0
1929	9,925	NA	1957	16,500	23.9	1985	17,539	17.5
1930	9,711	21.8	1958	16,732	24.1	1986	16,424	16.6
1931	9,908	NA	1959	17,009	25.7	1987	15,926	16.2
1932	8,887	NA	1960	17,016	25.5	1988	15,732	16.0
1933	8,448	NA	1961	16,701	24.7	1989	15,865	16.0
1934	9,594	NA	1962	16,303	23.7	1990	16,442	16.2
1935	9,763	NA	1963	14,734	21.0	1991	16,789	16.2
1936	10,367	NA	1964	14,080	20.5	1992	17,319	16.2
1937	10,631	NA	1965	13,370	19.3	1993	17,412	15.8
1938	11,376	NA	1966	12,978	18.7	1994	17,541	15.4
1939	11,307	NA	1967	12,762	18.3	1995	18,003	15.5
1940	11,761	22.4	1968	13,101	18.6	1996	18,564	15.6
1941	11,970	NA	1969	13,468	18.9	1997	18,537	15.3
1942	11,537	NA	1970	14,540	20.4	1998	19,350	15.7
1943	12,675	NA	1971	14,387	19.5	1999	19,870	15.9
1944	12,432	NA	1972	14,250	18.9	2000	20,305	15.7
1945	11,811	NA	1973	14,507	18.7	2001	20,686	15.7
1946	13,495	NA	1974	15,570	19.5	2002	20,973	15.6
1947	15,940	NA	1975	16,242	20.0	2003	21,794	16.0
1948	15,720	NA	1976	17,322	20.8	2004	22,529	16.2
1949	15,802	NA	1977	18,813	22.0	2005	23,064	16.1

NA: Birth rates for 1922-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.
Births from 1922 to 1963 are numbers occurring in Idaho regardless of person's state of residence.
Births from 1964 to 2005 are numbers occurring to residents of Idaho, regardless of state of occurrence.
Birth rate: number of births per 1,000 population in corresponding year.
Source for population: 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.
Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2005 not including the Census years, are based on number of births and postcensal population estimates provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO RESIDENT TEEN PREGNANCIES[1]
Number of Pregnancies and Rates[2] by Age
1996-2005

YEAR	IDAHO RESIDENT PREGNANCIES BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1996	48	1.0	2,970	56.2	1,006	32.0	1,964	91.6
1997	52	1.1	2,750	50.8	916	28.6	1,834	83.0
1998	41	0.9	2,845	51.8	928	29.0	1,917	83.6
1999	38	0.8	2,805	51.2	926	29.3	1,879	80.8
2000	28	0.5	2,697	49.3	801	25.1	1,896	83.1
2001	31	0.6	2,586	48.1	736	23.2	1,850	83.8
2002	26	0.5	2,411	45.3	714	22.6	1,697	78.3
2003	31	0.6	2,421	45.8	653	20.9	1,768	81.6
2004	20	0.4	2,396	45.2	655	20.9	1,741	80.2
2005	28	0.6	2,387	44.7	659	20.8	1,728	79.7

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).
2. Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Idaho rates are calculated using population estimates from the U.S. Bureau of the Census. For 2005 rates, Internet release 8/16/2006, for 2004 rates, Internet release 9/9/2005, for 2003 rates, Internet release 8/18/2004, for 2001-2002 rates, Internet release 8/8/2003, for 2000 rates, Internet release 8/1/2001, and for 1996-1999 rates, Internet release 3/9/2000. In 2003, Idaho received additional abortion records from Montana for Idaho resident induced abortions occurring in Montana. In 2006, Idaho received additional stillbirth records from Utah and Washington for Idaho resident stillbirths occurring in these states. Data bases from 1996-2004 have been revised to include these records in pregnancy numbers and shown on this table. Data may differ from previous publications due to updates in the data base, revisions in population estimates, and standardization of file cutoff dates.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number of Births and Rates[1] by Age
1996-2005

YEAR	IDAHO RESIDENT LIVE BIRTHS BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1996	26	0.5	2,488	47.1	833	26.5	1,655	77.2
1997	36	0.7	2,332	43.1	746	23.3	1,586	71.8
1998	28	0.6	2,450	44.6	784	24.5	1,666	72.6
1999	31	0.6	2,396	43.7	794	25.2	1,602	68.9
2000	16	0.3	2,339	42.7	669	21.0	1,670	73.2
2001	21	0.4	2,208	41.0	604	19.0	1,604	72.7
2002	16	0.3	2,078	39.0	582	18.4	1,496	69.0
2003	19	0.4	2,076	39.3	545	17.5	1,531	70.7
2004	14	0.3	2,058	38.8	525	16.8	1,533	70.6
2005	19	0.4	2,019	37.8	532	16.8	1,487	68.6

1. Live birth rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Idaho rates are calculated using population estimates from the U.S. Bureau of the Census. For 2005 rates, Internet release 8/16/2006, for 2004 rates, Internet release 9/9/2005, for 2003 rates, Internet release 8/18/2004, for 2001-2002 rates, Internet release 8/8/2003, for 2000 rates, Internet release 8/1/2001, and for 1996-1999 rates, Internet release 3/9/2000.

IDAHO DEATHS
Number and Rate per 1,000 Population
1922-2005

IDAHO DEATHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1922	3,729	NA	1950	4,698	8.0	1978	6,487	7.4
1923	3,406	NA	1951	4,891	8.0	1979	6,386	7.1
1924	3,791	NA	1952	4,722	7.6	1980	6,753	7.2
1925	3,488	NA	1953	4,902	7.7	1981	6,902	7.2
1926	3,910	NA	1954	4,773	7.3	1982	6,924	7.1
1927	3,781	NA	1955	4,836	7.3	1983	7,204	7.3
1928	3,931	NA	1956	4,931	7.3	1984	7,229	7.2
1929	4,640	NA	1957	5,095	7.4	1985	7,105	7.1
1930	4,246	9.5	1958	5,092	7.3	1986	7,345	7.4
1931	4,117	NA	1959	5,295	7.9	1987	7,305	7.4
1932	3,920	NA	1960	5,252	7.9	1988	7,654	7.8
1933	4,106	NA	1961	5,357	7.9	1989	7,386	7.4
1934	4,502	NA	1962	5,362	7.8	1990	7,386	7.3
1935	4,604	NA	1963	5,619	8.0	1991	7,678	7.4
1936	5,003	NA	1964	5,833	8.4	1992	7,870	7.4
1937	4,852	NA	1965	5,939	8.6	1993	8,360	7.6
1938	4,566	NA	1966	5,939	8.6	1994	8,394	7.4
1939	4,796	NA	1967	5,898	8.4	1995	8,491	7.3
1940	4,897	9.3	1968	6,000	8.5	1996	8,706	7.3
1941	4,466	NA	1969	6,119	8.6	1997	8,952	7.4
1942	4,627	NA	1970	6,146	8.6	1998	9,141	7.4
1943	4,712	NA	1971	6,336	8.6	1999	9,508	7.6
1944	4,650	NA	1972	6,283	8.3	2000	9,535	7.4
1945	4,615	NA	1973	6,465	8.3	2001	9,751	7.4
1946	4,540	NA	1974	6,452	8.1	2002	9,909	7.4
1947	4,666	NA	1975	6,505	8.0	2003	10,364	7.6
1948	4,782	NA	1976	6,635	8.0	2004	10,013	7.2
1949	4,577	NA	1977	6,448	7.5	2005	10,513	7.4

NA: Death rates for 1922-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.
Deaths from 1922 to 1963 are numbers occurring in Idaho regardless of person's state of residence.
Deaths from 1964 to 2005 are numbers occurring to residents of Idaho, regardless of state of occurrence.
Death rate: number of deaths per 1,000 population in corresponding year.

Source for population: 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2005 not including the Census years, are based on number of deaths and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO
Number and Rate per 1,000 Population
1952-2005

MARRIAGES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1952	8,120	13.4	1979	13,429	14.8
1953	8,486	13.9	1980	13,428	14.2
1954	8,915	14.4	1981	14,175	14.7
1955	8,879	14.1	1982	14,066	14.4
1956	9,132	14.4	1983	13,421	13.6
1957	8,995	14.0	1984	13,264	13.3
1958	9,522	14.6	1985	12,277	12.2
1959	9,343	14.2	1986	11,957	11.9
1960	10,325	15.5	1987	11,428	11.5
1961	11,151	16.5	1988	12,165	12.3
1962	11,934	17.4	1989	13,193	13.3
1963	12,680	18.1	1990	14,064	13.9
1964	14,019	20.4	1991	14,352	13.8
1965	15,864	22.9	1992	14,458	13.6
1966	17,129	24.6	1993	14,836	13.5
1967	14,108	20.1	1994	14,895	13.1
1968	11,130	16.0	1995	15,106	13.0
1969	10,993	15.5	1996	15,027	12.7
1970	10,915	15.3	1997	15,114	12.5
1971	11,356	15.4	1998	15,266	12.4
1972	12,086	16.0	1999	15,489	12.4
1973	12,236	15.8	2000	15,057	11.6
1974	12,489	15.7	2001	14,820	11.2
1975	12,688	15.6	2002	14,683	10.9
1976	13,104	15.8	2003	14,867	10.9
1977	13,691	16.0	2004	14,997	10.8
1978	13,570	15.4	2005	14,933	10.4

DIVORCES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1952	2,586	4.3	1979	6,449	7.1
1953	2,584	4.2	1980	6,596	7.0
1954	2,523	4.1	1981	6,770	7.0
1955	2,414	3.8	1982	6,238	6.4
1956	2,214	3.5	1983	6,228	6.3
1957	2,360	3.7	1984	6,210	6.3
1958	2,372	3.6	1985	6,207	6.2
1959	2,652	4.0	1986	6,067	6.1
1960	2,515	3.8	1987	5,892	6.0
1961	2,685	4.0	1988	5,987	6.1
1962	2,547	3.7	1989	6,275	6.3
1963	2,798	4.0	1990	6,446	6.4
1964	2,876	4.1	1991	6,619	6.4
1965	2,874	4.2	1992	6,857	6.4
1966	3,062	4.4	1993	6,899	6.3
1967	3,183	4.6	1994	6,799	6.0
1968	3,278	4.7	1995	6,749	5.8
1969	3,506	5.0	1996	6,985	5.9
1970	3,612	5.1	1997	7,035	5.8
1971	3,664	5.0	1998	6,980	5.7
1972	3,847	5.1	1999	6,947	5.6
1973	4,341	5.6	2000	7,110	5.5
1974	4,808	6.0	2001	7,025	5.3
1975	5,203	6.4	2002	7,087	5.3
1976	5,699	6.8	2003	7,080	5.2
1977	6,013	7.0	2004	6,921	5.0
1978	6,356	7.2	2005	7,118	5.0

Note: Husband's and/or wife's residency may have been in Idaho or out of state.
Marriage rate: number of marriages occurring in Idaho per 1,000 population in Idaho in corresponding year.
Divorce rate: number of divorces occurring in Idaho per 1,000 population in Idaho in corresponding year.

Source for population: 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1952-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2005, not including the Census years, are based on number of marriages or divorces and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO VITAL EVENTS
Among Idaho Residents, each day in 2005, there were approximately:



* Marriage and divorce data are based on events occurring in Idaho; all other data reflect events occurring to Idaho residents.

NATALITY

U.S.

The United States recorded an estimated 4,140,419 live births in 2005 (preliminary), an increase of 1 percent from the 4,112,052 live births reported in 2004. The preliminary 2005 birth rate was 14.0 per 1,000 population, unchanged from 2004. The U.S. preliminary 2005 fertility rate (the number of births per 1,000 women aged 15-44) was 66.7, a slight increase over the rate for 2004 (66.3).

Idaho

Following decades of consistently higher birth and fertility rates, Idaho's birth rates fell considerably in the 1980s to converge with the U.S. rate in 1988 for the first time. After 3 years below the U.S. rate, Idaho's birth rate rose above the U.S. birth rate again from 1992 through 2005. In 2005, the birth rate for Idaho was 16.1, a 1 percent decrease from 16.2 in 2004. The estimated fertility rate increased slightly, from 77.2 in 2004 to 77.4 in 2005. The actual number of births rose 2 percent from 22,529 to 23,064. This is the highest number of resident births recorded for the state, but much of the increase is a result of population growth.

Idaho resident 2005 live birth rates ranged from a low of 11.3 per 1,000 population in District 1 and District 2 to a high of 20.4 per 1,000 in District 7. Three districts experienced higher birth rates in 2005: District 2 (11.3), District 6 (18.5), and District 7 (20.4). District 1, District 3, and District 5 recorded lower rates in 2005 than 2004. The rate in District 4 (15.6) remained the same.

Revised Idaho Birth Certificate

In 2004, Idaho implemented the latest revision of the U.S. certificate called the 2003 U.S. Standard Certificate of Live Birth. As a result, data collected in 2005 may not be comparable with data collected prior to 2004. Furthermore, not all states revised their certificates by 2005; therefore, not all data items are collected by other states. Data highlights below will reflect changes in the collection of data on the birth certificate. For more information, see Technical Notes on the Revision of the Certificate of Live Birth.

Race and Ethnicity of Mother

The collection of race and ethnicity was revised on the 2004 Idaho Birth Certificate. Beginning in 2004, one or more race and one or more Hispanic origin may be reported on the certificate. However, not all states collected data for more than one race and ethnicity. To be comparable with the U.S. and other states, Idaho data were collapsed into six race categories: white, black, American Indian, Asian and Pacific Islander, other race, or race not stated. Ethnicity data were collapsed into Hispanic, non-Hispanic, or ethnicity not stated. In addition, the method race data are categorized changed in 2004, therefore race data in 2005 are not comparable with race data prior to 2004. In 2005, 92.6 percent of Idaho mothers were white, 0.6 percent were black, 1.7 percent were Native American, 1.6 percent were Asian or Pacific Islander and 3.5 percent indicated other race. A total of 15.2 percent of mothers were of Hispanic origin and 84.8 percent were non-Hispanic. Race and Hispanic origin are reported separately on birth certificate and mothers of Hispanic origin may be of any race.

Age of Mother

The mean age of all Idaho mothers was 26.6 years in 2005. For first-time mothers, the mean age was 23.8 years in 2005 compared with 25.2 years for first-time mothers in the U.S. in 2004. The ages for first-time mothers ranged from 13 to 51 in Idaho in 2005.

Birth Attendant

In 2005, physicians attended 95 percent of births to Idaho residents, which was a slight increase from 94 percent in 2004. The number of births attended by certified nurse midwives decreased from 723 to 682 and the number of births attended by lay midwives increased from 384 to 406 from 2004 to 2005.

Place of Birth

Approximately 3 percent (629) of Idaho's 2005 resident births occurred in a non-hospital setting. The percent of resident births in non-hospital settings has steadily decreased over the last decade, from 4 percent in 1994. Most of the out-of-hospital births occurred at home (343) or in freestanding birthing centers (285).

Prenatal Care

The collection of prenatal care data changed dramatically with the revision of the Idaho birth certificate in 2004. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit, the length of gestation, and the date of birth. Prior to 2004, prenatal care on the certificate was based on the month prenatal care began (first, second, third, etc. month of pregnancy). In 2005, 71.4 percent of births were to mothers with a first visit in the first trimester. A total of 22.8 percent of births were to mothers with their first visit in the second trimester, and 4.8 percent of births were to mothers with their first visit in the third trimester. One percent of births were to mothers with no prenatal care visits. Idaho prenatal care data based on date of first visit in 2005 are not comparable with prenatal care data based on month prenatal care began.

Education of mother

In 2004, education data collected on the birth certificate were revised to report the highest degree or level of school completed at the time of delivery. Prior to 2004, the number of years of school completed was reported on the Idaho birth certificate. In 2005, 16.3 percent of mothers were not high school graduates and 83.7 percent of mothers were high school graduates, had their GED or attained a higher level of education at the time of delivery. Of the Idaho mothers aged less than 18 years, 90.4 percent had not yet received their high school diploma. Nearly forty percent (39.9 percent) of mothers aged 18 and 19 had not received their diploma, and 12.7 percent of mothers aged 20 and older had not received their diploma at the time of delivery.

Low Birth Weight and Preterm Births

Nationally, 8.2 percent of births were low birthweight (< 2,500 grams) in 2005 (preliminary). Among Idaho residents, the percent of low birth weight live births decreased 2 percent from 6.8 percent in 2004 to 6.7 percent in 2005. Preliminary 2005 U.S. data indicate 12.7 percent of live births were preterm (less than 37 completed weeks of gestation). The percent of preterm infants was 11.4 percent in Idaho in 2005 up from 10.9 percent in 2004. There is a correlation between low birth weight babies and preterm births; of the 1,544 low birth weight Idaho babies in 2005, 66.0 percent were born preterm. There has been an upward trend in low birth weight and preterm births in recent years which has been influenced in part by the upsurge in the multiple births. In 2005, there were 635 twins and 48 triplets or higher-order births. The percent of low birth weight infants was 5.0 for singletons, 59.7 for twins, and 95.8 percent for triplets or higher-order births in 2005. The Idaho preterm rate was 9.7 percent for singletons, 66.5 percent for twins, and 87.5 percent for triplets or higher-order births in 2005.

The highest percentage of low birth weight infants were to District 6 mothers (7.6 percent) and District 4 mothers (6.9 percent). The highest percentage of preterm births were to District 4 and District 3 mothers (13.0 and 11.9, respectively).

Out of Wedlock

Out-of-wedlock births increased 4 percent in number from 5,079 in 2004 to 5,273 in 2005. The percent of out-of-wedlock Idaho births increased 2 percent, from 22.5 percent in 2004 to 22.9 percent in 2005. Nationally in 2005 (preliminary), 36.8 percent of all births were to unmarried women.

Method of Delivery

In 2005, Idaho resident birth rate for vaginal, non-VBAC (vaginal deliveries after a cesarean) births was 75.8 deliveries per 100 births compared with 69.8 per 100 births in the U.S. (2004). Conversely, Idaho's total cesarean rate (22.6 deliveries per 100 births) in 2005 was lower than the national rate of 29.1 per 100 births in 2004. Rates for vaginal deliveries after a cesarean and repeat cesareans are based on mothers with a previous cesarean. Idaho's VBAC rate was 16.6 deliveries per 100 births to women with previous cesarean, higher than the national rate of 9.2 in 2004. The repeat cesarean rate for Idaho was 83.4 per 100 births to women with a previous cesarean; the national rate was 90.8. In 2004, the wording for the method of delivery item changed on the Idaho certificate and outcome data are not 100 percent comparable to data based on non-revised items.

Payment Source for Delivery

In 2005, 51.0 percent of deliveries were paid by private insurance in Idaho. According to birth certificate data, 32.5 percent of births were paid by Medicaid and 10.2 of births were paid by the mother or family. A total of 4.3 percent of births were paid by other governmental agencies (Indian Health Services, CHAMPUS/TRICARE, federal, state, or local government). A total of 2.0 of births had "other" payment source or did not have any payment source reported for the delivery. The payment source for delivery may change after the birth certificate is filed with the state.

Cigarette Smoking

Prior to 2004, tobacco use during pregnancy (yes or no) was reported on the Idaho birth certificate. Beginning in 2004, cigarette smoking before and during pregnancy is reported on the revised birth certificate. Among birth certificates with reported data on cigarette smoking, 17.5 percent of mothers reported smoking the three months prior to pregnancy; 12.8 percent reported smoking during the first three months of pregnancy; 10.6 percent reported smoking during the second three months of pregnancy; and 9.8 percent reported smoking during the third three months of pregnancy. Overall, 13.2 percent of Idaho mothers reported smoking any time during pregnancy.

Risk Factors

The section on maternal risk factors was revised on the 2004 birth certificate. A total of 5,127 births (22.3 percent) were to Idaho mothers with at least one risk factor during pregnancy. The most common risk factor to mothers was previous cesarean delivery (2,291) followed by hypertension (1,489 total, 145 with prepregnancy hypertension and 1,344 with gestational hypertension), and diabetes (941 total, 162 with prepregnancy diabetes, 768 with gestational diabetes, and 11 with unknown if prepregnancy or gestational diabetes).

Infections

There are 12 infections listed on the revised Idaho birth certificate plus a category for "other" infections present and/or treated during this pregnancy. The most common infection reported among Idaho mothers was group B streptococcus. A total of 3,970 (17.3 percent) births were to mothers with group B streptococcus treated and/or present during pregnancy. In all, 4,825 (21.0 percent) births were to mothers with at least one infection present or treated during pregnancy in 2005.

Characteristics of Labor and Delivery

The most common characteristics of labor and delivery reported in 2005 were: epidural or spinal anesthesia during labor (15,452 births), induction of labor (6,506 births), augmentation of labor (4,570 births), and antibiotics received by mother during pregnancy (4,326).

Maternal Morbidity

Maternal morbidity is defined on the Idaho birth certificate as complications associated with labor and delivery. 1.7 percent of Idaho births (395) were to mothers with one or more complications of labor and delivery reported on the birth certificate in 2005. The leading complications reported were: third or fourth degree perineal laceration (248 births), unplanned operating room procedure following delivery (77 births), and maternal transfusion (76 births).

Abnormal Conditions of the Newborn

One in seven newborns had at least one abnormal condition reported on the 2005 birth certificate (3,352 or 14.6 percent). The most common abnormal condition reported was Neonatal Intensive Care Unit (NICU) admission (1,890), followed by assisted ventilation required immediately following delivery (1,096), and failed newborn hearing test (860).

Congenital Anomalies of the Newborn

A total of 154 newborns had one or more congenital anomaly(ies) reported on the 2005 birth certificate. Other suspected chromosomal disorders with karotype pending was reported for 33 births (6 had confirmed karotype disorders), cyanotic congenital heart disease was reported for 29 births, cleft lip with or without cleft palate was reported for 21 births (7 had cleft palate alone).

WIC (Supplemental Nutritional Program for Women, Infants, and Children)

The revised 2004 Idaho birth certificate includes a new variable for reporting if mother received WIC food for herself during this pregnancy (yes or no)? A total of 22,189 birth records had data for WIC participation; 875 records did not have data regarding WIC participation. Among Idaho residents with known data for WIC participation, 38.5 percent of mothers received WIC food for herself during her pregnancy. Mothers aged less than 20 were twice as likely to receive WIC food (70.7 percent) than mothers aged 20 and older (35.4 percent). Unmarried mothers were twice as likely to received WIC food (63.0 percent) than married mothers (31.3 percent).

Breastfeeding

The revised 2004 birth certificate includes a new item for reporting if infant was being breastfed at birth. Of the Idaho resident records with known data for breast feeding, 88.0 percent indicated the infant was being breastfed at birth. Mothers aged less than 20 were slightly less likely to have breastfed at the time of birth (83.4 percent) than mothers aged 20 and older (88.5 percent). Fewer unmarried mothers breastfed at birth (79.4 percent) than married mothers (90.6 percent).

Teen Pregnancy

Reportable pregnancies included live births, abortions, and stillbirths. Miscarriages under 20 weeks are not reportable in Idaho. In 2005, there were 2,415 reportable pregnancies among Idaho females under the age of 20 (2,038 live births, 365 abortions, and 12 stillbirths). During the past decade there has been a steady decline in the annual teen pregnancy numbers and rate among Idahoans. From 1996 to 2005, the pregnancy rate for females aged less than 15 declined 40.0 percent from 1.0 per 1,000 to 0.6 per 1,000. At the same time, the pregnancy rate for teens aged 15-17 years declined 35.0 percent from 32.0 per 1,000 in 1996 to 20.8 per 1,000 in 2005. The pregnancy rate for females aged 18-19 decreased from 91.6 per 1,000 to 79.7 per 1,000 (13.0 percent decline).

IDAHO RESIDENT LIVE BIRTHS
1995-2005



U.S., IDAHO RESIDENT LIVE BIRTH RATES
1995-2005



*U.S. rate for 2005 is preliminary.

IDAHO RESIDENT LIVE BIRTHS
Number of Live Births and Live Birth Rates
2001-2005

	2005		2004		2003		2002		2001	
RESIDENCE	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		14.0 (Preliminary)		14.0		14.1		13.9		14.1
IDAHO	23,064	16.1	22,529	16.2	21,794	16.0	20,973	15.6	20,686	15.7
District 1	2,284	11.3	2,367	12.2	2,266	12.0	2,226	12.1	2,286	12.6
District 2	1,136	11.3	1,130	11.2	1,102	11.0	1,189	11.9	1,149	11.5
District 3	4,092	18.0	4,051	18.4	3,814	17.9	3,715	18.1	3,608	18.1
District 4	6,073	15.6	5,859	15.6	5,824	15.8	5,563	15.3	5,493	15.4
District 5	2,861	16.8	2,855	16.9	2,727	16.3	2,550	15.4	2,631	16.1
District 6	3,004	18.5	2,828	17.8	2,852	18.0	2,789	17.6	2,720	17.2
District 7	3,614	20.4	3,439	19.8	3,209	19.0	2,941	17.9	2,799	17.3
Ada	5,415	15.7	5,209	15.7	5,108	15.7	4,939	15.4	4,832	15.4
Adams	29	8.1	27	7.8	32	9.1	20	5.8	23	6.7
Bannock	1,536	19.7	1,407	18.6	1,465	19.4	1,427	18.8	1,375	18.1
Bear Lake	84	13.6	85	13.4	77	12.2	92	14.5	73	11.3
Benewah	119	12.9	111	12.4	116	12.8	111	12.3	119	13.2
Bingham	835	19.1	790	18.3	765	17.8	745	17.5	752	17.8
Blaine	304	14.4	267	12.7	266	12.8	286	14.0	276	14.0
Boise	44	5.8	55	7.5	74	10.2	51	7.2	75	10.8
Bonner	406	9.9	388	9.7	369	9.4	395	10.3	397	10.6
Bonneville	1,799	19.6	1,674	18.7	1,671	19.2	1,562	18.3	1,460	17.4
Boundary	130	12.2	117	11.3	135	13.3	133	13.2	123	12.4
Butte	38	13.5	36	12.7	41	14.3	40	13.8	44	15.4
Camas	17	16.2	13	12.8	13	12.4	8	7.7	12	11.9
Canyon	3,222	19.6	3,202	20.3	2,956	19.5	2,901	20.0	2,721	19.6
Caribou	103	14.4	92	12.8	113	15.8	99	13.5	100	13.5
Cassia	395	18.5	423	19.8	386	17.9	377	17.4	386	17.9
Clark	27	28.6	15	16.6	19	21.0	12	12.0	18	18.1
Clearwater	64	7.6	55	6.6	77	9.2	67	7.9	76	8.8
Custer	37	9.1	32	7.8	30	7.3	26	6.2	39	9.1
Elmore	527	18.4	517	17.9	560	19.4	502	17.0	510	17.4
Franklin	216	17.5	240	19.7	200	16.8	229	19.6	215	18.7
Fremont	223	18.2	235	19.2	225	18.6	206	17.4	211	17.8
Gem	235	14.4	188	11.8	208	13.2	185	11.9	215	13.9
Gooding	239	16.5	256	17.8	259	18.1	234	16.4	200	14.0
Idaho	146	9.3	166	10.6	139	9.0	168	11.0	154	10.0
Jefferson	430	19.9	446	21.5	378	18.7	342	17.3	354	18.3
Jerome	380	19.4	365	18.9	331	17.5	320	17.1	320	17.3
Kootenai	1,513	11.9	1,635	13.4	1,517	12.9	1,471	12.9	1,516	13.6
Latah	428	12.3	391	11.1	397	11.3	452	12.8	415	11.8
Lemhi	81	10.2	71	9.1	78	10.1	62	8.1	76	10.0
Lewis	47	12.5	47	12.5	43	11.5	41	11.0	41	11.3
Lincoln	87	19.1	73	16.9	72	16.7	66	15.7	71	17.1
Madison	881	28.4	823	26.7	666	22.3	595	21.5	503	18.4
Minidoka	318	16.7	333	17.3	343	17.7	301	15.5	350	17.9
Nez Perce	451	11.9	471	12.5	446	11.8	461	12.4	463	12.5
Oneida	67	15.9	51	12.3	58	14.0	45	10.9	58	13.9
Owyhee	160	14.4	190	17.3	175	15.6	177	16.3	197	18.1
Payette	315	14.2	313	14.5	324	15.1	297	14.1	323	15.5
Power	125	16.1	127	17.0	133	18.0	112	15.2	103	13.8
Shoshone	116	8.8	116	9.0	129	9.9	116	8.9	131	9.7
Teton	136	18.2	143	19.7	142	20.1	136	19.8	138	21.3
Twin Falls	1,121	16.1	1,125	16.6	1,057	15.8	958	14.6	1,016	15.7
Valley	87	10.4	78	9.8	82	10.6	71	9.4	76	9.9
Washington	131	13.0	131	13.0	119	11.9	135	13.6	129	13.0

County and district rates for 2001-2002 are based on the National Center for Health Statistics (NCHS), estimates for July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, Internet release date August 8, 2003. Rates for 2003, 2004, and 2005 are based on NCHS estimates for July 1, 2003, July 1, 2004, and July 1, 2005 United States resident population from the vintage 2003, 2004, and 2005 postcensal series, Internet release dates August 18, 2004, September 9, 2005, and August 16, 2006, respectively. Vintage data sets were prepared under a collaborative arrangement with the U.S. Census Bureau.

Birth rate: Number of live births per 1,000 population.

IDAHO RESIDENT LIVE BIRTHS
Sex of Child and Race/Ethnicity of Mother[1]
2005

RESIDENCE	TOTAL LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER						MOTHER HISPANIC[2]
		Male	Female	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	23,064*	11,748	11,316	21,117	133	383	364	791	267	3,487
District 1	2,284*	1,174	1,110	2,171	7	53	19	10	20	92
District 2	1,136*	540	596	1,016	5	66	24	12	10	35
District 3	4,092	2,085	2,007	3,678	20	38	40	222	94	1,172
District 4	6,073	3,132	2,941	5,479	79	48	204	192	71	559
District 5	2,861	1,469	1,392	2,641	4	26	21	145	24	843
District 6	3,004	1,537	1,467	2,722	6	137	30	85	24	357
District 7	3,614*	1,811	1,803	3,410	12	15	26	125	24	429
Ada	5,415	2,789	2,626	4,938	63	37	181	145	51	460
Adams	29	13	16	29	-	-	-	-	-	-
Bannock	1,536	799	737	1,432	6	64	23	10	1	102
Bear Lake	84	34	50	81	-	1	1	1	-	2
Benewah	119*	60	59	99	-	15	2	1	-	1
Bingham	835	411	424	690	-	65	3	55	22	166
Blaine	304	169	135	221	-	1	4	67	11	101
Boise	44	23	21	42	-	-	1	-	1	4
Bonner	406*	214	192	384	-	10	6	-	4	16
Bonneville	1,799*	934	865	1,692	5	8	11	73	9	235
Boundary	130	61	69	121	-	3	1	4	1	9
Butte	38	21	17	38	-	-	-	-	-	-
Camas	17	10	7	17	-	-	-	-	-	1
Canyon	3,222	1,648	1,574	2,876	16	28	32	187	83	956
Caribou	103	48	55	101	-	-	-	1	1	8
Cassia	395	185	210	381	1	5	-	7	1	129
Clark	27	13	14	23	-	-	-	4	-	10
Clearwater	64*	33	31	59	-	3	1	-	-	1
Custer	37	21	16	34	-	-	-	1	2	3
Elmore	527	270	257	417	16	8	22	46	18	87
Franklin	216	121	95	202	-	3	1	10	-	20
Fremont	223	115	108	203	-	-	3	14	3	47
Gem	235	117	118	208	-	2	7	16	2	36
Gooding	239	125	114	221	-	2	-	15	1	91
Idaho	146	82	64	136	1	8	-	-	1	3
Jefferson	430	208	222	406	-	4	-	17	3	60
Jerome	380	191	189	342	1	5	-	27	5	161
Kootenai	1,513	776	737	1,454	7	23	10	5	14	64
Latah	428*	202	226	391	2	4	16	7	6	15
Lemhi	81*	34	47	76	-	1	1	1	1	2
Lewis	47	14	33	42	-	5	-	-	-	1
Lincoln	87	46	41	77	-	2	-	6	2	24
Madison	881	425	456	843	7	1	11	13	6	46
Minidoka	318	182	136	292	-	2	3	20	1	144
Nez Perce	451	209	242	388	2	46	7	5	3	15
Oneida	67	32	35	66	-	-	1	-	-	1
Owyhee	160	76	84	145	-	1	-	9	5	70
Payette	315	171	144	299	3	5	1	6	1	76
Power	125	71	54	112	-	4	1	8	-	58
Shoshone	116	63	53	113	-	2	-	-	1	2
Teton	136	61	75	133	-	1	-	2	-	26
Twin Falls	1,121	561	560	1,090	2	9	14	3	3	192
Valley	87	50	37	82	-	3	-	1	1	8
Washington	131	60	71	121	1	2	-	4	3	34

1. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2005 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes nine (9) out-of-state births with multiple races; one each in Bonneville County (District 7), Clearwater County (District 2), and Lemhi County (District 7); two each in Benewah County (District 1), Bonner County (District 1), and Latah County (District 2). For more information, see Technical Notes.
2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LIVE BIRTHS
Age of Mother
2005

RESIDENCE	TOTAL LIVE BIRTHS	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	23,064*	19	2,019	532	1,487	7,183	7,135	4,387	1,880	407	28
District 1	2,284*	2	208	49	159	693	654	453	216	56	1
District 2	1,136*	1	82	25	57	344	357	207	113	26	2
District 3	4,092*	4	499	132	367	1,274	1,271	706	279	56	2
District 4	6,073	4	391	85	306	1,524	1,935	1,450	631	124	14
District 5	2,861	4	344	104	240	952	833	463	198	63	4
District 6	3,004	2	255	69	186	1,024	964	515	210	34	-
District 7	3,614	2	240	68	172	1,372	1,121	593	233	48	5
Ada	5,415	4	324	75	249	1,292	1,730	1,346	597	108	14
Adams	29	-	4	-	4	10	9	4	2	-	-
Bannock	1,536	1	116	33	83	544	511	252	100	12	-
Bear Lake	84	-	6	1	5	28	29	14	6	1	-
Benewah	119	-	16	7	9	45	34	14	9	1	-
Bingham	835	-	92	27	65	284	246	150	51	12	-
Blaine	304	-	21	7	14	63	77	68	51	24	-
Boise	44	-	2	1	1	9	12	14	2	5	-
Bonner	406	-	46	11	35	118	116	75	40	11	-
Bonneville	1,799	2	148	50	98	585	609	315	113	23	4
Boundary	130	-	7	1	6	42	41	25	13	2	-
Butte	38	-	2	-	2	12	15	5	3	1	-
Camas	17	-	1	1	-	4	6	4	2	-	-
Canyon	3,222*	3	388	105	283	990	1,016	564	220	38	2
Caribou	103	-	8	1	7	35	29	20	9	2	-
Cassia	395	2	39	13	26	146	118	64	20	5	1
Clark	27	-	2	-	2	7	10	6	2	-	-
Clearwater	64	-	11	4	7	17	17	10	8	1	-
Custer	37	-	6	1	5	6	12	7	6	-	-
Elmore	527	-	56	8	48	201	166	71	26	7	-
Franklin	216	-	16	2	14	60	72	41	23	4	-
Fremont	223	-	18	5	13	90	63	31	17	4	-
Gem	235	-	31	6	25	61	71	49	16	7	-
Gooding	239	1	31	9	22	81	70	36	10	9	1
Idaho	146	-	7	3	4	53	39	25	16	6	-
Jefferson	430	-	24	6	18	151	140	90	21	3	1
Jerome	380	-	51	19	32	144	92	60	26	6	1
Kootenai	1,513*	2	121	25	96	446	437	320	144	41	1
Latah	428*	-	7	1	6	128	159	84	40	8	-
Lemhi	81	-	8	-	8	23	23	14	9	4	-
Lewis	47	-	3	-	3	18	10	11	2	3	-
Lincoln	87	-	8	-	8	28	31	17	3	-	-
Madison	881	-	28	5	23	485	223	98	36	11	-
Minidoka	318	1	44	18	26	112	87	50	18	6	-
Nez Perce	451*	1	54	17	37	128	132	77	47	8	2
Oneida	67	-	7	2	5	17	29	8	6	-	-
Owyhee	160	-	28	9	19	50	46	23	9	4	-
Payette	315	1	34	10	24	118	90	44	24	4	-
Power	125	1	8	3	5	44	33	25	12	2	-
Shoshone	116	-	18	5	13	42	26	19	10	1	-
Teton	136	-	6	1	5	25	41	32	29	3	-
Twin Falls	1,121	-	149	37	112	374	352	164	68	13	1
Valley	87	-	9	1	8	22	27	19	6	4	-
Washington	131	-	14	2	12	45	39	22	8	3	-

* Total includes six (6) births with mother's age not stated; one each in Canyon County (District 3) and Kootenai County (District 1); two each in Latah County (District 2) and Nez Perce County (District 2).

IDAHO RESIDENT LIVE BIRTHS
Education of Mother*
2005

RESIDENCE	TOTAL LIVE BIRTHS	HIGHEST DEGREE OR LEVEL OF SCHOOL COMPLETED						
		8th Grade or Less	9th-12th Grade, But No Diploma	GED or Diploma	Some College, No Degree (Includes Associates)	Bachelor's Degree	Master's, Doctorate or Professional Degree	Unknown
IDAHO	23,064	918	2,780	6,022	8,234	3,868	912	330
District 1	2,284	20	279	699	849	322	92	23
District 2	1,136	5	97	250	422	290	65	7
District 3	4,092	281	740	1,197	1,191	452	83	148
District 4	6,073	136	487	1,375	2,180	1,364	425	106
District 5	2,861	268	500	702	994	308	65	24
District 6	3,004	90	330	985	1,022	479	89	9
District 7	3,614	118	347	814	1,576	653	93	13
Ada	5,415	112	400	1,177	1,929	1,293	402	102
Adams	29	-	4	13	9	3	-	-
Bannock	1,536	10	131	490	526	317	61	1
Bear Lake	84	1	11	33	29	8	1	1
Benewah	119	-	28	47	38	5	-	1
Bingham	835	49	131	236	315	87	14	3
Blaine	304	39	37	50	73	76	25	4
Boise	44	1	2	16	16	6	3	-
Bonner	406	1	60	127	127	65	21	5
Bonneville	1,799	56	221	499	682	281	56	4
Boundary	130	5	22	58	24	14	7	-
Butte	38	-	4	13	16	5	-	-
Camas	17	1	5	2	4	5	-	-
Canyon	3,222	197	572	914	969	379	65	126
Caribou	103	2	4	36	38	20	2	1
Cassia	395	26	61	111	158	29	7	3
Clark	27	2	3	7	11	2	1	1
Clearwater	64	-	14	17	21	8	4	-
Custer	37	1	6	10	12	6	2	-
Elmore	527	22	71	153	218	45	15	3
Franklin	216	8	20	104	52	22	9	1
Fremont	223	17	34	52	89	25	3	3
Gem	235	13	41	82	66	22	6	5
Gooding	239	38	53	49	71	20	5	3
Idaho	146	2	18	51	41	28	5	1
Jefferson	430	20	31	116	202	53	6	2
Jerome	380	60	84	98	100	30	2	6
Kootenai	1,513	13	148	421	625	228	63	15
Latah	428	1	17	63	147	154	43	3
Lemhi	81	1	11	23	23	17	4	2
Lewis	47	1	7	17	14	8	-	-
Lincoln	87	9	14	26	30	5	2	1
Madison	881	11	30	85	507	235	12	1
Minidoka	318	35	66	85	111	16	1	4
Nez Perce	451	1	41	102	199	92	13	3
Oneida	67	-	9	32	16	8	-	2
Owyhee	160	25	34	41	38	7	1	14
Payette	315	36	60	105	76	27	8	3
Power	125	20	20	41	30	12	2	-
Shoshone	116	1	21	46	35	10	1	2
Teton	136	10	11	22	50	34	9	-
Twin Falls	1,121	60	180	281	447	127	23	3
Valley	87	1	14	29	17	20	5	1
Washington	131	10	29	42	33	14	3	-

* In 2004, the Idaho birth certificate was revised for the question on mother's education. Prior to 2004, the question on education was based on the number of years of school completed; beginning in 2004, education is based on the highest degree or level of school completed at time of delivery. Data in 2005 are not comparable with data prior to 2004.

IDAHO RESIDENT LIVE BIRTHS
Attendant at Birth
2005

RESIDENCE	TOTAL LIVE BIRTHS	ATTENDANT AT BIRTH						
		Physician M.D., D.O.	Certified Nurse Midwife	Nurse	Naturopath	Lay Midwife	Other	Not Stated
IDAHO	23,064	21,825	682	37	26	406	74	14
District 1	2,284	1,960	172	22	1	112	13	4
District 2	1,136	1,099	2	1	-	25	4	5
District 3	4,092	3,915	56	3	6	86	24	2
District 4	6,073	5,779	159	1	14	108	11	1
District 5	2,861	2,779	28	10	3	30	9	2
District 6	3,004	2,820	165	-	1	15	3	-
District 7	3,614	3,473	100	-	1	30	10	-
Ada	5,415	5,142	157	1	14	94	7	-
Adams	29	29	-	-	-	-	-	-
Bannock	1,536	1,400	128	-	-	6	2	-
Bear Lake	84	78	5	-	-	-	1	-
Benewah	119	109	4	1	-	3	1	1
Bingham	835	823	9	-	1	2	-	-
Blaine	304	297	-	-	-	5	1	1
Boise	44	41	-	-	-	3	-	-
Bonner	406	357	8	-	-	32	7	2
Bonneville	1,799	1,774	11	-	-	11	3	-
Boundary	130	110	1	-	-	18	1	-
Butte	38	37	1	-	-	-	-	-
Camas	17	17	-	-	-	-	-	-
Canyon	3,222	3,108	33	3	5	65	6	2
Caribou	103	102	1	-	-	-	-	-
Cassia	395	392	-	-	-	3	-	-
Clark	27	27	-	-	-	-	-	-
Clearwater	64	63	-	-	-	1	-	-
Custer	37	35	1	-	-	-	1	-
Elmore	527	514	2	-	-	8	2	1
Franklin	216	206	5	-	-	5	-	-
Fremont	223	210	11	-	-	2	-	-
Gem	235	220	6	-	-	8	1	-
Gooding	239	231	2	2	-	3	1	-
Idaho	146	132	-	-	-	11	3	-
Jefferson	430	410	13	-	1	3	3	-
Jerome	380	362	8	5	1	3	1	-
Kootenai	1,513	1,278	155	16	-	59	4	1
Latah	428	413	2	-	-	9	1	3
Lemhi	81	74	-	-	-	6	1	-
Lewis	47	47	-	-	-	-	-	-
Lincoln	87	74	9	1	-	1	2	-
Madison	881	829	47	-	-	4	1	-
Minidoka	318	315	2	-	-	-	1	-
Nez Perce	451	444	-	1	-	4	-	2
Oneida	67	60	6	-	-	1	-	-
Owyhee	160	152	-	-	-	7	1	-
Payette	315	282	12	-	1	5	15	-
Power	125	114	10	-	-	1	-	-
Shoshone	116	106	4	5	1	-	-	-
Teton	136	114	17	-	-	4	1	-
Twin Falls	1,121	1,091	7	2	2	15	3	1
Valley	87	82	-	-	-	3	2	-
Washington	131	124	5	-	-	1	1	-

IDAHO RESIDENT LIVE BIRTHS
Place of Birth
2005

RESIDENCE	TOTAL LIVE BIRTHS	PLACE OF BIRTH					
		Hospital*	Freestanding Birthing Center	Clinic/Doctor's Office	Home	Other	Not Stated
IDAHO	23,064	22,429	285	1	343	-	6
District 1	2,284	2,164	27	-	93	-	-
District 2	1,136	1,103	-	-	29	-	4
District 3	4,092	3,868	151	-	72	-	1
District 4	6,073	5,922	98	-	53	-	-
District 5	2,861	2,817	4	1	39	-	-
District 6	3,004	2,982	3	-	18	-	1
District 7	3,614	3,573	2	-	39	-	-
Ada	5,415	5,284	89	-	42	-	-
Adams	29	29	-	-	-	-	-
Bannock	1,536	1,527	1	-	8	-	-
Bear Lake	84	83	-	-	1	-	-
Benewah	119	116	-	-	3	-	-
Bingham	835	832	-	-	3	-	-
Blaine	304	297	-	1	6	-	-
Boise	44	40	3	-	1	-	-
Bonner	406	369	9	-	28	-	-
Bonneville	1,799	1,786	-	-	13	-	-
Boundary	130	111	3	-	16	-	-
Butte	38	38	-	-	-	-	-
Camas	17	17	-	-	-	-	-
Canyon	3,222	3,040	130	-	51	-	1
Caribou	103	102	1	-	-	-	-
Cassia	395	392	-	-	3	-	-
Clark	27	27	-	-	-	-	-
Clearwater	64	63	-	-	1	-	-
Custer	37	36	-	-	1	-	-
Elmore	527	516	5	-	6	-	-
Franklin	216	210	-	-	5	-	1
Fremont	223	221	-	-	2	-	-
Gem	235	224	6	-	5	-	-
Gooding	239	235	1	-	3	-	-
Idaho	146	132	-	-	14	-	-
Jefferson	430	423	-	-	7	-	-
Jerome	380	375	-	-	5	-	-
Kootenai	1,513	1,453	15	-	45	-	-
Latah	428	417	-	-	9	-	2
Lemhi	81	73	2	-	6	-	-
Lewis	47	47	-	-	-	-	-
Lincoln	87	85	-	-	2	-	-
Madison	881	876	-	-	5	-	-
Minidoka	318	316	1	-	1	-	-
Nez Perce	451	444	-	-	5	-	2
Oneida	67	66	-	-	1	-	-
Owyhee	160	146	7	-	7	-	-
Payette	315	302	5	-	8	-	-
Power	125	124	1	-	-	-	-
Shoshone	116	115	-	-	1	-	-
Teton	136	131	-	-	5	-	-
Twin Falls	1,121	1,100	2	-	19	-	-
Valley	87	82	1	-	4	-	-
Washington	131	127	3	-	1	-	-

* Babies born en route to facility are included in appropriate facility category. In 2005, 17 babies were born en route to a hospital.

IDAHO RESIDENT LIVE BIRTHS
Birth and Fertility Rates
2005

RESIDENCE	TOTAL LIVE BIRTHS	BIRTH RATES		FERTILITY RATES	
		Estimated Population July 1, 2005[1]	Birth Rate[2]	Estimated Females 15-44 July 1, 2005[1]	Fertility Rate[3]
U.S. (Preliminary)			14.0		66.7
IDAHO	23,064	1,429,096	16.1	298,054	77.4
District 1	2,284	201,570	11.3	39,159	58.3
District 2	1,136	100,465	11.3	20,594	55.2
District 3	4,092	227,825	18.0	48,236	84.8
District 4	6,073	389,228	15.6	83,340	72.9
District 5	2,861	170,617	16.8	33,078	86.5
District 6	3,004	162,342	18.5	34,101	88.1
District 7	3,614	177,049	20.4	39,546	91.4
Ada	5,415	344,727	15.7	74,895	72.3
Adams	29	3,591	8.1	602	48.2
Bannock	1,536	78,155	19.7	17,333	88.6
Bear Lake	84	6,176	13.6	1,137	73.9
Benewah	119	9,218	12.9	1,582	75.2
Bingham	835	43,739	19.1	8,965	93.1
Blaine	304	21,166	14.4	4,021	75.6
Boise	44	7,535	5.8	1,367	32.2
Bonner	406	40,908	9.9	7,498	54.1
Bonneville	1,799	91,856	19.6	19,233	93.5
Boundary	130	10,619	12.2	1,905	68.2
Butte	38	2,808	13.5	448	84.8
Camas	17	1,050	16.2	219	77.6
Canyon	3,222	164,593	19.6	36,409	88.5
Caribou	103	7,131	14.4	1,328	77.6
Cassia	395	21,324	18.5	4,041	97.7
Clark	27	943	28.6	179	150.8
Clearwater	64	8,373	7.6	1,216	52.6
Custer	37	4,077	9.1	664	55.7
Elmore	527	28,634	18.4	5,695	92.5
Franklin	216	12,371	17.5	2,515	85.9
Fremont	223	12,242	18.2	2,212	100.8
Gem	235	16,273	14.4	3,164	74.3
Gooding	239	14,461	16.5	2,556	93.5
Idaho	146	15,697	9.3	2,485	58.8
Jefferson	430	21,580	19.9	4,532	94.9
Jerome	380	19,638	19.4	3,760	101.1
Kootenai	1,513	127,668	11.9	26,020	58.1
Latah	428	34,714	12.3	8,861	48.3
Lemhi	81	7,909	10.2	1,355	59.8
Lewis	47	3,750	12.5	585	80.3
Lincoln	87	4,545	19.1	937	92.8
Madison	881	30,975	28.4	9,869	89.3
Minidoka	318	19,014	16.7	3,597	88.4
Nez Perce	451	37,931	11.9	7,447	60.6
Oneida	67	4,209	15.9	780	85.9
Owyhee	160	11,073	14.4	1,998	80.1
Payette	315	22,197	14.2	4,290	73.4
Power	125	7,753	16.1	1,595	78.4
Shoshone	116	13,157	8.8	2,154	53.9
Teton	136	7,467	18.2	1,502	90.5
Twin Falls	1,121	69,419	16.1	13,947	80.4
Valley	87	8,332	10.4	1,383	62.9
Washington	131	10,098	13.0	1,773	73.9

1. Source for county total population estimates: National Center for Health Statistics, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.
2. Birth rate: Number of live births per 1,000 population.
3. Fertility rate: Number of live births per 1,000 women 15-44 years of age.

IDAHO RESIDENT LIVE BIRTHS
Live Birth Order by Age of Mother
2005

LIVE BIRTH ORDER	TOTAL LIVE BIRTHS	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	23,064*	19	532	1,487	7,183	7,135	4,387	1,880	407	28
1	8,438	19	495	1,184	3,575	1,969	823	302	65	6
2	6,983	-	35	264	2,452	2,379	1,272	488	89	4
3	4,269*	-	2	35	893	1,809	1,053	399	75	2
4	1,973	-	-	3	213	700	698	295	60	4
5	802	-	-	1	36	182	356	191	35	1
6	328	-	-	-	6	67	117	101	36	1
7	122	-	-	-	1	18	39	47	16	1
8	57	-	-	-	-	4	12	27	11	3
9	24	-	-	-	-	-	6	11	6	1
10-14	37	-	-	-	2	-	4	13	13	5
15+	-	-	-	-	-	-	-	-	-	-
Not stated	31*	-	-	-	5	7	7	6	1	-

* Total includes: five (5) births with age of mother not stated and live birth order not stated; and one (1) birth with age of mother not stated and live birth order equals three.

IDAHO RESIDENT LIVE BIRTHS
Fertility Rate and Birth Rates by Age of Mother
2005

AGE	IDAHO			U.S.
	Total Live Births	Female Population Estimate July 1, 2005[1]	Fertility Rate and Age-Specific Birth Rates, 2005	Fertility Rate and Age-Specific Birth Rates, (2005 Preliminary)
TOTAL	23,064	298,054[2]	77.4[3]	66.7[3]
<15	19	49,920[4]	0.4	0.7
15-19	2,019	53,406	37.8	40.4
15-17	532	31,738	16.8	21.4
18-19	1,487	21,668	68.6	69.9
20-24	7,183	56,725	126.6	102.2
25-29	7,135	47,433	150.4	115.6
30-34	4,387	44,521	98.5	95.9
35-39	1,880	45,558	41.3	46.3
40-44	407	50,411	8.1	9.1
45+	28	51,900[5]	0.1	0.6
Not stated	6	-	NA	NA

1. Source: National Center for Health Statistics, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.
2. Total female population aged 15-44 NOT including women under 15 or over 44.
3. Total number of live births per 1,000 women 15-44 years of age.
4. Total female population aged 10-14; rates for females aged <15 are based on female population 10-14.
5. Total female population aged 45-49; rates for females aged 45+ are based on female population 45-49.

PRENATAL CARE

The effects of prenatal care are difficult to quantify, but appropriate care can promote healthier pregnancies by detecting and managing pre-existing medical conditions, and providing health behavior advice[1]. The measurement of prenatal care in the U.S. and Idaho changed dramatically with the implementation of the 2003 U.S. Standard Certificate. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation, and the baby's birth date are used to estimate the onset of prenatal care. According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because care is based on a date in a prenatal medical record rather than mother's recollection of month of first visit[2]. Prenatal care data based on the 2003 revision and the previous standard (1989 U.S. Standard Certificate) are not directly comparable.

In 2004, NCHS published prenatal care based on the seven states using the 2003 U.S. Standard Certificate, including Idaho, and published prenatal care based on 41states, New York City, and Washington D.C. using the 1989 U.S. Standard Certificate. Much, if not all of the difference between states using the 2003 U.S. Standard Certificate and states using the 1989 U.S. Standard Certificate is related to changes in reporting and *not* to changes in the timing or utilization of prenatal care[1].

PERCENT BEGINNING PRENATAL CARE IN THE FIRST TRIMESTER*	
U.S., 2004, States based on 2003 U.S. Standard Certificate[1]	72.9%
Idaho, 2004	71.9%
Idaho, 2005	71.4%
U.S., 2004, States based on 1989 U.S. Standard Certificate[1]	83.9%

* Prenatal care data based on the 2003 Revision of the U.S. Certificate are not comparable with data based on 1989 U.S. Certificate.

One measure of prenatal care in which classifications of the adequacy of prenatal care are based on the onset of prenatal care, the number of prenatal visits, and the length of gestation is the Adequacy of Prenatal Care Utilization (APNCU) Index. The APNCU Index is based on full recommendations set forth by the American College of Obstetricians and Gynecologists (ACOG). This index classifies care as intensive, adequate, intermediate, inadequate, or no care by comparing the number of actual prenatal care visits to the number of visits that a woman was expected to receive, given the onset of prenatal care and the length of gestation.

In reviewing Trimester of First Prenatal Care Visit and APNCU data, keep in mind:

1) Prenatal care data based on date of first visit are not comparable with prenatal care data based on month prenatal care began. There is a break in the Idaho trend line between 2003 and 2004.
2) There were a high proportion of Idaho records with date of first visit and/or date of last menstrual period not stated in 2005.
3) Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. Idaho resident births occurring in states with non-revised certificates will not have comparable data for onset of prenatal care. Data are shown as not stated in data table(s).

1. "Births: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 55/No.1, September 29, 2006.
2. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

IDAHO RESIDENT LIVE BIRTHS
Prenatal Care by Mother's Characteristics
2005

	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT[1]								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent[2]	Number	Percent[2]	Number	Percent[2]	Number	Percent[2]	Number
IDAHO	23,064	15,889	71.4%	5,063	22.8%	1,076	4.8%	217	1.0%	819
Mother's Age										
<15	19	6	33.3	9	50.0	2	11.1	1	5.6	1
15-19	2,019	1,044	53.7	724	37.2	153	7.9	24	1.2	74
15-17	532	236	46.4	217	42.6	47	9.2	9	1.8	23
18-19	1,487	808	56.3	507	35.3	106	7.4	15	1.0	51
20-24	7,183	4,697	67.8	1,764	25.5	387	5.6	76	1.1	259
25-29	7,135	5,174	75.1	1,364	19.8	284	4.1	65	0.9	248
30-34	4,387	3,337	78.5	732	17.2	155	3.6	26	0.6	137
35-39	1,880	1,339	74.5	372	20.7	70	3.9	17	0.9	82
40-44	407	270	68.5	91	23.1	25	6.3	8	2.0	13
45+	28	21	75.0	7	25.0	-	-	-	-	-
Not stated	6	1	NA	-	NA	-	NA	-	NA	5
Race/Ethnicity[3]										
White	21,117	14,771	72.6	4,496	22.1	899	4.4	187	0.9	764
Black	133	72	56.7	44	34.6	7	5.5	4	3.1	6
American Indian	383	181	49.5	135	36.9	38	10.4	12	3.3	17
Asian/Pacific Islander	364	266	74.1	61	17.0	28	7.8	4	1.1	5
Other race	800	466	59.1	243	30.8	72	9.1	8	1.0	11
Race not stated	267	133	NA	84	NA	32	NA	2	NA	16
Hispanic	3,487	1,932	57.7	1,086	32.4	289	8.6	41	1.2	139
Mother's Education										
Did not graduate high school	3,698	1,860	52.8	1,227	34.9	330	9.4	103	2.9	178
Graduated high school	19,036	13,851	75.2	3,742	20.3	720	3.9	109	0.6	614
Not stated	330	178	NA	94	NA	26	NA	5	NA	27
Payment Source[4]										
Private Insurance	11,473	9,289	81.8	1,778	15.7	259	2.3	23	0.2	124
Medicaid	7,299	4,416	61.4	2,216	30.8	515	7.2	49	0.7	103
Self Pay	2,304	1,256	55.0	736	32.3	221	9.7	69	3.0	22
Other Government	957	634	67.2	241	25.6	56	5.9	12	1.3	14
Not applicable or Other	451	266	61.9	85	19.8	21	4.9	58	13.5	21
Not stated	580	28	NA	7	NA	4	NA	6	NA	535
Cigarette Smoking[5]										
Yes	3,033	1,698	57.6	940	31.9	258	8.7	54	1.8	83
No	19,968	14,167	73.6	4,117	21.4	816	4.2	161	0.8	707
Not stated	63	24	NA	6	NA	2	NA	2	NA	29
Parity[6]										
High for age	677	346	52.9	223	34.1	58	8.9	27	4.1	23
Not high for age	22,355	15,542	72.0	4,840	22.4	1,017	4.7	187	0.9	769
Not stated	32	1	NA	-	NA	1	NA	3	NA	27

1. In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record. Data are NOT comparable with data based on month prenatal care began. NA: not applicable.

2. Percents based on records with stated date of first prenatal care visit.

3. Race and ethnicity data in 2005 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Other race includes nine (9) out-of-state births with multiple races. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals.

4. 'Other Government' includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).

5. Based on cigarette smoking during pregnancy. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2005 are not comparable to data prior to 2004. For more information, see Technical Notes.

6. High parity for age: one or more previous live births for females 17 years or age or younger; three or more previous live births for females 18-21 years of age; four or more previous live births for females 22-24 years of age; and five or more previous live births for females aged 25 years and older. Not high parity for age: includes all other combinations of parity and age of mother.

IDAHO RESIDENT LIVE BIRTHS
Trimester of Pregnancy of First Prenatal Care Visit*
2005

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	23,064	15,889	71.4%	5,063	22.8%	1,076	4.8%	217	1.0%	819
District 1	2,284	1,636	73.4	492	22.1	89	4.0	12	0.5	55
District 2	1,136	718	64.3	351	31.4	41	3.7	7	0.6	19
District 3	4,092	2,464	65.3	986	26.1	239	6.3	82	2.2	321
District 4	6,073	4,653	77.4	1,081	18.0	222	3.7	54	0.9	63
District 5	2,861	1,772	62.6	841	29.7	182	6.4	37	1.3	29
District 6	3,004	1,959	70.7	647	23.4	149	5.4	14	0.5	235
District 7	3,614	2,687	76.4	665	18.9	154	4.4	11	0.3	97
Ada	5,415	4,203	78.3	924	17.2	191	3.6	47	0.9	50
Adams	29	13	46.4	13	46.4	2	7.1	-	-	1
Bannock	1,536	1,078	71.4	351	23.2	74	4.9	7	0.5	26
Bear Lake	84	44	67.7	19	29.2	2	3.1	-	-	19
Benewah	119	87	75.0	24	20.7	5	4.3	-	-	3
Bingham	835	583	71.2	184	22.5	49	6.0	3	0.4	16
Blaine	304	211	69.9	71	23.5	18	6.0	2	0.7	2
Boise	44	27	62.8	14	32.6	1	2.3	1	2.3	1
Bonner	406	287	71.9	82	20.6	27	6.8	3	0.8	7
Bonneville	1,799	1,367	76.8	335	18.8	73	4.1	5	0.3	19
Boundary	130	89	69.0	29	22.5	9	7.0	2	1.6	1
Butte	38	23	62.2	12	32.4	2	5.4	-	-	1
Camas	17	9	52.9	6	35.3	2	11.8	-	-	-
Canyon	3,222	2,080	65.5	829	26.1	211	6.6	58	1.8	44
Caribou	103	62	71.3	19	21.8	6	6.9	-	-	16
Cassia	395	239	61.9	118	30.6	26	6.7	3	0.8	9
Clark	27	19	70.4	8	29.6	-	-	-	-	-
Clearwater	64	48	77.4	11	17.7	3	4.8	-	-	2
Custer	37	19	51.4	13	35.1	3	8.1	2	5.4	-
Elmore	527	371	71.9	114	22.1	27	5.2	4	0.8	11
Franklin	216	77	71.3	26	24.1	5	4.6	-	-	108
Fremont	223	166	74.8	45	20.3	10	4.5	1	0.5	1
Gem	235	154	68.8	57	25.4	9	4.0	4	1.8	11
Gooding	239	147	62.3	71	30.1	16	6.8	2	0.8	3
Idaho	146	92	64.3	42	29.4	7	4.9	2	1.4	3
Jefferson	430	311	72.7	102	23.8	14	3.3	1	0.2	2
Jerome	380	222	58.7	118	31.2	35	9.3	3	0.8	2
Kootenai	1,513	1,102	74.9	320	21.8	43	2.9	6	0.4	42
Latah	428	268	63.7	133	31.6	18	4.3	2	0.5	7
Lemhi	81	46	75.4	11	18.0	4	6.6	-	-	20
Lewis	47	26	56.5	17	37.0	2	4.3	1	2.2	1
Lincoln	87	51	58.6	24	27.6	11	12.6	1	1.1	-
Madison	881	696	79.5	135	15.4	43	4.9	1	0.1	6
Minidoka	318	170	54.0	114	36.2	28	8.9	3	1.0	3
Nez Perce	451	284	63.8	148	33.3	11	2.5	2	0.4	6
Oneida	67	11	57.9	7	36.8	-	-	1	5.3	48
Owyhee	160	106	66.7	38	23.9	7	4.4	8	5.0	1
Payette	315	67	58.8	29	25.4	7	6.1	11	9.6	201
Power	125	81	65.3	29	23.4	11	8.9	3	2.4	1
Shoshone	116	71	62.3	37	32.5	5	4.4	1	0.9	2
Teton	136	63	72.4	16	18.4	7	8.0	1	1.1	49
Twin Falls	1,121	723	65.1	319	28.7	46	4.1	23	2.1	10
Valley	87	52	60.5	29	33.7	3	3.5	2	2.3	1
Washington	131	44	64.7	20	29.4	3	4.4	1	1.5	63

Percents based on records with stated date of first prenatal care visit.

Caution is advised that Franklin, Oneida, Payette, Teton, and Washington counties have 30 percent or more records with date of first prenatal care visit not stated.

* In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record. Data are NOT comparable with data based on month prenatal care began.

IDAHO RESIDENT LIVE BIRTHS
Adequacy of Prenatal Care Utilization Index*
2005

RESIDENCE	TOTAL LIVE BIRTHS	PRENATAL CARE (APNCU INDEX)										
		Intensive		Adequate		Intermediate		Inadequate		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	23,064	7,158	32.3%	9,293	41.9%	2,136	9.6%	3,385	15.3%	217	1.0%	875
District 1	2,284	773	34.9	984	44.4	159	7.2	289	13.0	12	0.5	67
District 2	1,136	339	30.5	528	47.5	89	8.0	149	13.4	7	0.6	24
District 3	4,092	1,089	29.0	1,364	36.3	481	12.8	739	19.7	82	2.2	337
District 4	6,073	2,136	35.6	2,548	42.5	519	8.6	745	12.4	54	0.9	71
District 5	2,861	790	28.0	1,294	45.8	142	5.0	562	19.9	37	1.3	36
District 6	3,004	1,057	38.2	1,082	39.1	188	6.8	424	15.3	14	0.5	239
District 7	3,614	974	27.7	1,493	42.5	558	15.9	477	13.6	11	0.3	101
Ada	5,415	1,975	36.9	2,279	42.5	430	8.0	626	11.7	47	0.9	58
Adams	29	3	10.7	6	21.4	9	32.1	10	35.7	-	-	1
Bannock	1,536	623	41.3	594	39.3	75	5.0	211	14.0	7	0.5	26
Bear Lake	84	23	35.4	27	41.5	3	4.6	12	18.5	-	-	19
Benewah	119	49	42.2	45	38.8	7	6.0	15	12.9	-	-	3
Bingham	835	314	38.5	305	37.4	52	6.4	142	17.4	3	0.4	19
Blaine	304	112	37.5	124	41.5	4	1.3	57	19.1	2	0.7	5
Boise	44	12	27.9	19	44.2	1	2.3	10	23.3	1	2.3	1
Bonner	406	169	42.9	142	36.0	19	4.8	61	15.5	3	0.8	12
Bonneville	1,799	684	38.5	754	42.4	114	6.4	220	12.4	5	0.3	22
Boundary	130	48	37.2	53	41.1	7	5.4	19	14.7	2	1.6	1
Butte	38	11	29.7	14	37.8	5	13.5	7	18.9	-	-	1
Camas	17	5	29.4	5	29.4	1	5.9	6	35.3	-	-	-
Canyon	3,222	905	28.6	1,155	36.5	418	13.2	631	19.9	58	1.8	55
Caribou	103	33	37.9	41	47.1	5	5.7	8	9.2	-	-	16
Cassia	395	138	35.8	153	39.6	22	5.7	70	18.1	3	0.8	9
Clark	27	8	29.6	12	44.4	4	14.8	3	11.1	-	-	-
Clearwater	64	14	22.6	32	51.6	10	16.1	6	9.7	-	-	2
Custer	37	10	27.0	17	45.9	1	2.7	7	18.9	2	5.4	-
Elmore	527	136	26.4	220	42.6	65	12.6	91	17.6	4	0.8	11
Franklin	216	11	10.3	45	42.1	33	30.8	18	16.8	-	-	109
Fremont	223	30	13.5	96	43.2	59	26.6	36	16.2	1	0.5	1
Gem	235	83	37.6	72	32.6	21	9.5	41	18.6	4	1.8	14
Gooding	239	50	21.4	110	47.0	20	8.5	52	22.2	2	0.9	5
Idaho	146	31	21.8	71	50.0	13	9.2	25	17.6	2	1.4	4
Jefferson	430	102	23.9	178	41.7	84	19.7	62	14.5	1	0.2	3
Jerome	380	76	20.1	179	47.4	27	7.1	93	24.6	3	0.8	2
Kootenai	1,513	478	32.7	695	47.5	108	7.4	177	12.1	6	0.4	49
Latah	428	135	32.2	187	44.6	36	8.6	59	14.1	2	0.5	9
Lemhi	81	25	41.0	18	29.5	7	11.5	11	18.0	-	-	20
Lewis	47	11	23.9	20	43.5	7	15.2	7	15.2	1	2.2	1
Lincoln	87	28	32.2	34	39.1	3	3.4	21	24.1	1	1.1	-
Madison	881	103	11.8	390	44.6	262	29.9	119	13.6	1	0.1	6
Minidoka	318	79	25.2	125	39.8	27	8.6	80	25.5	3	1.0	4
Nez Perce	451	148	33.4	218	49.2	23	5.2	52	11.7	2	0.5	8
Oneida	67	4	21.1	8	42.1	3	15.8	3	15.8	1	5.3	48
Owyhee	160	43	27.2	59	37.3	24	15.2	24	15.2	8	5.1	2
Payette	315	34	30.1	42	37.2	6	5.3	20	17.7	11	9.7	202
Power	125	38	30.6	48	38.7	12	9.7	23	18.5	3	2.4	1
Shoshone	116	29	25.4	49	43.0	18	15.8	17	14.9	1	0.9	2
Teton	136	12	13.8	28	32.2	27	31.0	19	21.8	1	1.1	49
Twin Falls	1,121	302	27.2	564	50.8	38	3.4	183	16.5	23	2.1	11
Valley	87	13	15.1	30	34.9	23	26.7	18	20.9	2	2.3	1
Washington	131	21	30.9	30	44.1	3	4.4	13	19.1	1	1.5	63

Percents based on records with stated data to calculate APNCU (date of first prenatal care visit, number of visits, and length of gestation).

Caution is advised that Franklin, Oneida, Payette, Teton, and Washington counties have 30 percent or more records with APNCU not stated.

* In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record; 2005 APNCU data are NOT comparable with APNCU data based on month care began.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Weight at Birth
2005

RESIDENCE	TOTAL LIVE BIRTHS	LOW BIRTH WEIGHT LIVE BIRTHS						2,500+ Grams	Weight Not Stated
		Total		<1,500 Grams		1,500-2,499 Grams			
		Number	Percent	Number	Percent	Number	Percent		
U.S. (Preliminary)			8.2%		1.5%		6.7%		
IDAHO	23,064	1,544	6.7%	257	1.1%	1,287	5.6%	21,505	15
District 1	2,284	149	6.5	38	1.7	111	4.9	2,134	1
District 2	1,136	65	5.7	10	0.9	55	4.9	1,067	4
District 3	4,092	268	6.6	46	1.1	222	5.4	3,821	3
District 4	6,073	419	6.9	83	1.4	336	5.5	5,653	1
District 5	2,861	187	6.5	21	0.7	166	5.8	2,671	3
District 6	3,004	227	7.6	35	1.2	192	6.4	2,775	2
District 7	3,614	229	6.3	24	0.7	205	5.7	3,384	1
Ada	5,415	383	7.1	78	1.4	305	5.6	5,031	1
Adams	29	1	3.4	1	3.4	-	-	28	-
Bannock	1,536	105	6.8	17	1.1	88	5.7	1,431	-
Bear Lake	84	8	9.5	3	3.6	5	6.0	76	-
Benewah	119	8	6.7	3	2.5	5	4.2	111	-
Bingham	835	72	8.6	9	1.1	63	7.6	761	2
Blaine	304	19	6.3	5	1.7	14	4.6	283	2
Boise	44	3	6.8	-	-	3	6.8	41	-
Bonner	406	21	5.2	4	1.0	17	4.2	384	1
Bonneville	1,799	127	7.1	12	0.7	115	6.4	1,672	-
Boundary	130	4	3.1	-	-	4	3.1	126	-
Butte	38	3	7.9	-	-	3	7.9	35	-
Camas	17	-	-	-	-	-	-	17	-
Canyon	3,222	200	6.2	35	1.1	165	5.1	3,020	2
Caribou	103	7	6.8	-	-	7	6.8	96	-
Cassia	395	16	4.1	1	0.3	15	3.8	378	1
Clark	27	6	22.2	1	3.7	5	18.5	21	-
Clearwater	64	2	3.1	1	1.6	1	1.6	62	-
Custer	37	1	2.7	-	-	1	2.7	36	-
Elmore	527	32	6.1	5	0.9	27	5.1	495	-
Franklin	216	13	6.0	2	0.9	11	5.1	203	-
Fremont	223	16	7.2	1	0.4	15	6.7	207	-
Gem	235	23	9.8	2	0.9	21	8.9	212	-
Gooding	239	20	8.4	3	1.3	17	7.1	219	-
Idaho	146	8	5.5	1	0.7	7	4.8	138	-
Jefferson	430	22	5.1	3	0.7	19	4.4	408	-
Jerome	380	30	7.9	1	0.3	29	7.6	350	-
Kootenai	1,513	106	7.0	27	1.8	79	5.2	1,407	-
Latah	428	21	4.9	2	0.5	19	4.5	405	2
Lemhi	81	6	7.4	-	-	6	7.4	75	-
Lewis	47	5	10.6	-	-	5	10.6	42	-
Lincoln	87	6	6.9	-	-	6	6.9	81	-
Madison	881	42	4.8	4	0.5	38	4.3	839	-
Minidoka	318	17	5.3	-	-	17	5.3	301	-
Nez Perce	451	29	6.5	6	1.3	23	5.1	420	2
Oneida	67	9	13.4	2	3.0	7	10.4	58	-
Owyhee	160	6	3.8	1	0.6	5	3.1	153	1
Payette	315	31	9.8	6	1.9	25	7.9	284	-
Power	125	10	8.0	2	1.6	8	6.4	115	-
Shoshone	116	10	8.6	4	3.4	6	5.2	106	-
Teton	136	9	6.7	3	2.2	6	4.4	126	1
Twin Falls	1,121	79	7.0	11	1.0	68	6.1	1,042	-
Valley	87	1	1.1	-	-	1	1.1	86	-
Washington	131	7	5.3	1	0.8	6	4.6	124	-

Percents are based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Race/Ethnicity of Mother[1]
2005

RESIDENCE	LOW BIRTH WEIGHT LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC[3]
	Total	Percent[2]	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	1,544	6.7%	1,399	9	34	27	60	15	227
(Percent)			6.6%	6.8%	8.9%	7.4%	7.6%	NA	6.5%
District 1	149	6.5	141	1	3	2	-	2	2
District 2	65	5.7	60	-	4	1	-	-	1
District 3	268	6.6	228	-	4	5	25	6	77
District 4	419	6.9	376	7	3	16	14	3	33
District 5	187	6.5	178	-	1	1	6	1	54
District 6	227	7.6	196	-	19	1	9	2	32
District 7	229	6.3	220	1	-	1	6	1	28
Ada	383	7.1	348	2	2	16	12	3	31
Adams	1	3.4	1	-	-	-	-	-	-
Bannock	105	6.8	96	-	6	1	1	1	9
Bear Lake	8	9.5	8	-	-	-	-	-	-
Benewah	8	6.7	8	-	-	-	-	-	-
Bingham	72	8.6	53	-	12	-	6	1	15
Blaine	19	6.3	16	-	-	-	2	1	4
Boise	3	6.8	3	-	-	-	-	-	-
Bonner	21	5.2	18	-	-	2	-	1	-
Bonneville	127	7.1	120	-	-	1	5	1	16
Boundary	4	3.1	4	-	-	-	-	-	-
Butte	3	7.9	3	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	200	6.2	166	-	4	2	22	6	62
Caribou	7	6.8	7	-	-	-	-	-	-
Cassia	16	4.1	16	-	-	-	-	-	9
Clark	6	22.2	5	-	-	-	1	-	2
Clearwater	2	3.1	2	-	-	-	-	-	-
Custer	1	2.7	1	-	-	-	-	-	-
Elmore	32	6.1	24	5	1	-	2	-	2
Franklin	13	6.0	13	-	-	-	-	-	2
Fremont	16	7.2	16	-	-	-	-	-	2
Gem	23	9.8	19	-	-	3	1	-	4
Gooding	20	8.4	19	-	-	-	1	-	7
Idaho	8	5.5	7	-	1	-	-	-	-
Jefferson	22	5.1	22	-	-	-	-	-	2
Jerome	30	7.9	30	-	-	-	-	-	10
Kootenai	106	7.0	101	1	3	-	-	1	2
Latah	21	4.9	20	-	-	1	-	-	-
Lemhi	6	7.4	6	-	-	-	-	-	-
Lewis	5	10.6	5	-	-	-	-	-	-
Lincoln	6	6.9	4	-	-	-	2	-	2
Madison	42	4.8	41	1	-	-	-	-	5
Minidoka	17	5.3	17	-	-	-	-	-	12
Nez Perce	29	6.4	26	-	3	-	-	-	1
Oneida	9	13.4	9	-	-	-	-	-	-
Owyhee	6	3.8	6	-	-	-	-	-	1
Payette	31	9.8	29	-	-	-	2	-	9
Power	10	8.0	7	-	1	-	2	-	6
Shoshone	10	8.6	10	-	-	-	-	-	-
Teton	9	6.6	9	-	-	-	-	-	1
Twin Falls	79	7.0	76	-	1	1	1	-	10
Valley	1	1.1	1	-	-	-	-	-	-
Washington	7	5.3	7	-	-	-	-	-	1

1. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2005 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category. For more information, see Technical Notes.
2. Percents are based on records with stated birth weight.
3. Race and Hispanic origin are reported separately on birth certificate. Mothers of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother
2005

RESIDENCE	TOTAL LOW BIRTH WEIGHT	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	1,544	1	169	52	117	434	457	273	164	37	9
(Percent)	6.7%	5.3%	8.4%	9.8%	7.9%	6.0%	6.4%	6.2%	8.7%	9.1%	32.1%
District 1	149	-	14	3	11	48	35	22	21	9	-
District 2	65	-	3	1	2	21	19	13	8	1	-
District 3	268	1	38	9	29	79	79	47	19	5	-
District 4	419	-	33	6	27	79	129	105	54	12	7
District 5	187	-	26	11	15	51	56	30	17	7	-
District 6	227	-	34	13	21	67	71	28	25	2	-
District 7	229	-	21	9	12	89	68	28	20	1	2
Ada	383	-	26	5	21	72	115	99	52	12	7
Adams	1	-	1	-	1	-	-	-	-	-	-
Bannock	105	-	13	7	6	31	37	10	13	1	-
Bear Lake	8	-	1	1	-	1	5	1	-	-	-
Benewah	8	-	-	-	-	3	4	1	-	-	-
Bingham	72	-	17	5	12	20	13	12	9	1	-
Blaine	19	-	-	-	-	-	5	9	5	-	-
Boise	3	-	-	-	-	1	1	-	1	-	-
Bonner	21	-	3	1	2	8	3	2	4	1	-
Bonneville	127	-	13	7	6	46	37	19	9	1	2
Boundary	4	-	-	-	-	3	1	-	-	-	-
Butte	3	-	-	-	-	1	2	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	200	1	24	6	18	62	61	37	12	3	-
Caribou	7	-	1	-	1	1	2	2	1	-	-
Cassia	16	-	3	3	-	5	4	3	1	-	-
Clark	6	-	1	-	1	4	-	1	-	-	-
Clearwater	2	-	-	-	-	1	1	-	-	-	-
Custer	1	-	-	-	-	-	1	-	-	-	-
Elmore	32	-	6	1	5	6	13	6	1	-	-
Franklin	13	-	1	-	1	1	8	1	2	-	-
Fremont	16	-	2	-	2	5	8	-	1	-	-
Gem	23	-	6	2	4	6	4	4	2	1	-
Gooding	20	-	3	-	3	3	10	1	2	1	-
Idaho	8	-	-	-	-	3	3	1	1	-	-
Jefferson	22	-	1	-	1	11	7	1	2	-	-
Jerome	30	-	5	2	3	13	4	5	2	1	-
Kootenai	106	-	11	2	9	33	24	18	12	8	-
Latah	21	-	2	1	1	7	5	4	3	-	-
Lemhi	6	-	-	-	-	2	2	1	1	-	-
Lewis	5	-	-	-	-	1	2	2	-	-	-
Lincoln	6	-	-	-	-	2	2	2	-	-	-
Madison	42	-	4	2	2	21	11	4	2	-	-
Minidoka	17	-	3	2	1	7	3	2	1	1	-
Nez Perce	29	-	1	-	1	9	8	6	4	1	-
Oneida	9	-	1	-	1	3	4	1	-	-	-
Owyhee	6	-	3	1	2	-	-	2	-	1	-
Payette	31	-	1	-	1	11	11	3	5	-	-
Power	10	-	-	-	-	9	-	1	-	-	-
Shoshone	10	-	-	-	-	1	3	1	5	-	-
Teton	9	-	-	-	-	-	2	2	5	-	-
Twin Falls	79	-	12	4	8	21	28	8	6	4	-
Valley	1	-	1	-	1	-	-	-	-	-	-
Washington	7	-	3	-	3	-	3	1	-	-	-

Percents based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Live Birth Order by Age of Mother
2005

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	1,544	1	52	117	434	457	273	164	37	9
1	603	1	45	93	207	144	59	41	10	3
2	442	-	7	22	129	139	81	52	10	2
3	265	-	-	1	63	109	61	25	5	1
4	137	-	-	-	29	42	43	20	3	-
5	60	-	-	1	3	18	19	17	2	-
6	22	-	-	-	1	5	4	5	6	1
7	6	-	-	-	-	-	4	1	-	1
8	4	-	-	-	-	-	2	1	-	1
9	-	-	-	-	-	-	-	-	-	-
10-14	1	-	-	-	-	-	-	-	1	-
15-19	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	-	-	2	-	-	2	-	-

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother and Percent Low Birth Weight
2005

AGE OF MOTHER	IDAHO			U.S. (2004)
	Total Live Births	Low Birth Weight Live Births	Percent Low Birth Weight	Percent Low Birth Weight
TOTAL	23,064	1,544	6.7%	8.1%
<15	19	1	5.3	13.6
15-19	2,019	169	8.4	9.9
15-17	532	52	9.8	10.5
18-19	1,487	117	7.9	9.6
20-24	7,183	434	6.0	8.1
25-29	7,135	457	6.4	7.3
30-34	4,387	273	6.2	7.5
35-39	1,880	164	8.7	8.7
40-44	407	37	9.1	10.8
45+	28	9	32.1	21.2
Not stated	6	-	NA	NA

Percents are based on records with stated birth weight.

IDAHO RESIDENT LIVE BIRTHS
Gestational Age by Mother's District of Residence
2005

DISTRICT OF RESIDENCE	TOTAL LIVE BIRTHS	GESTATIONAL AGE IN WEEKS				
		< 37 Completed Weeks Gestation (Preterm Births)		37+ Completed Weeks Gestation (Term Births)		Not Stated
	Number	Number	Percent	Number	Percent	Number
Idaho	23,064	2,637	11.4%	20,406	88.5%	21
District 1	2,284	234	10.2	2,048	89.7	2
District 2	1,136	118	10.4	1,013	89.2	5
District 3	4,092	488	11.9	3,598	87.9	6
District 4	6,073	789	13.0	5,278	86.9	6
District 5	2,861	332	11.6	2,527	88.3	2
District 6	3,004	349	11.6	2,655	88.4	-
District 7	3,614	327	9.0	3,287	91.0	-

IDAHO RESIDENT LIVE BIRTHS
Gestational Age by Plurality
2005

GESTATIONAL AGE	PLURALITY					
	Single		Twin		Triplet or Quadruplet	
	Number	Percent	Number	Percent	Number	Percent
TOTAL, ALL BIRTHS	22,381	100.0%	635	100.0%	48	100.0%
<37 Completed Weeks Gestation (Preterm Births)	2,173	9.7	422	66.5	42	87.5
37+ Completed Weeks Gestation (Term Births)	20,187	90.3	213	33.5	6	12.5
Gestational Age Not Stated	21	NA	-	NA	-	NA

Percents based on records with stated gestational age.

The primary measure used to determine the gestation age of the newborn is the interval between the first day of mother's last normal menstrual period (LMP) and the date of birth. If LMP is less than 16 completed weeks, greater than 48 completed week's, not stated, or implausible with birth weight, then the obstetric estimate of completed weeks gestation is used. Gestational age based on LMP and obstetric estimate are comparable with data based on LMP and obstetric estimate only.

IDAHO RESIDENT LIVE BIRTHS
Birth Weight by Plurality
2005

BIRTH WEIGHT	PLURALITY					
	Single		Twin		Triplet or Quadruplet	
	Number	Percent	Number	Percent	Number	Percent
TOTAL, ALL BIRTH WEIGHTS	22,381	100.0%	635	100.0%	48	100.0%
Total Low Birth Weight	1,119	5.0	379	59.7	46	95.8
<1,500 grams	166	0.7	73	11.5	18	37.5
1,500 - 2,499 grams	953	4.3	306	48.2	28	58.3
2,500+ grams	21,247	95.0	256	40.3	2	4.2
Birth weight not stated	15	NA	-	NA	-	NA

IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes
2005

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	
	Number	Percent
TOTAL	23,064	100.0%
0-2	111	0.5
3-4	133	0.6
5-6	503	2.2
7-8	5,141	22.4
9-10	17,065	74.3
Not Stated	111	NA

Percents are based on records with known APGAR data.

IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes, Ten Minutes*
2005

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	TEN-MINUTE APGAR SCORE					
		0-2	3-4	5-6	7-8	9-10	Not Stated
TOTAL	389	51	22	73	179	55	9
0-2	111	46	10	18	28	5	4
3-4	133	5	11	33	63	18	3
5	145	-	1	22	88	32	2

*Apgar score at 10 minutes is reported only for infants with 5-minute apgar scores of less than 6.

1-minute Apgar score no longer reported.

IDAHO RESIDENT LIVE BIRTHS
WIC Participation and Infant Breastfed
2005

DISTRICT OF RESIDENCE	TOTAL LIVE BIRTHS	WIC Participation[1]		Breastfed[2]	
		Number	Percent[3]	Number	Percent[3]
IDAHO	23,064	8,544	38.5%	19,627	88.0%
District 1	2,284	873	40.1	1,991	88.4
District 2	1,136	427	38.4	1,004	89.9
District 3	4,092	1,671	44.6	3,389	90.0
District 4	6,073	1,383	22.9	5,442	90.1
District 5	2,861	1,244	44.0	2,386	84.1
District 6	3,004	1,436	51.9	2,314	83.7
District 7	3,614	1,510	42.9	3,101	88.1

1. WIC participation: Did mother get WIC food for herself during this pregnancy? WIC is a supplemental nutritional program for women, infants, and children. Data from birth certificate may differ from data from the WIC Program.
2. The revised 2004 birth certificate includes a new variable for reporting if infant was being breastfed at birth or at the time the birth certificate was completed (yes or no)?
3. Percents are based on records with known breast feeding or WIC data.

OUT-OF-WEDLOCK BIRTHS

Following a decline in the number of Idaho resident out-of-wedlock live births in 1997, the number increased each year from 1998 to 2005. The number of out-of-wedlock births rose 4 percent between 2004 and 2005, from 5,079 to 5,273. At the same time, the percentage of total live births that were out-of-wedlock births increased 2 percent from 22.5 in 2004 to 22.9 in 2005.

The 2005 out-of-wedlock percentages decreased for blacks and Asian/Pacific Islanders, and increased for whites, Native Americans, "other race" and Hispanics. Note, that Idaho has a relatively small data base by race; some fluctuation from year to year may be expected.

IDAHO RACE/ETHNICITY-SPECIFIC PERCENTAGES					
	2005[1]	2004[1]	2003	2002	2001
Total	22.9%	22.5%	22.3%	21.9%	22.0%
White	21.7	21.3	21.6	21.2	21.4
Black	30.1	40.6	38.5	33.3	40.5
Native American	59.0	58.1	59.3	54.0	56.9
Asian/Pacific Islander	12.1	17.7	14.2	13.8	11.6
Other race	36.3	36.1	15.4	0.0	28.6
Ethnicity: Hispanic[2]	37.8	37.3	36.4	36.1	34.1

1. The collection of race and ethnicity data changed in 2004; for more information, see Technical Notes.
2. Race and Hispanic origin are reported separately on the birth certificate. Women of Hispanic origin are included in appropriate race totals.

The U.S. out-of-wedlock live birth rate increased 3 percent in 2004 to 35.8 percent from 34.6 percent in 2003. By race, U.S. 2004 out-of-wedlock percent for whites was 41 percent higher than Idaho's percent, and the U.S. black percent was 129 percent higher than Idaho's percent. The U.S. 2004 Hispanic percent was 23 percent higher than Idaho's percent in 2005.

			All Other		
	Total	White	Total	Black	Ethnicity: Hispanic
U.S. 2004[1]	35.8%	30.5%	54.7%	68.8%	46.4%
Idaho	22.9	21.7	35.7	30.1	37.8

When comparing Idaho with the U.S., one should keep in mind that Idaho has a predominantly white population; the usually higher rates for most other races/ethnicities have less effect on the overall rate in Idaho.

From 2004 to 2005, the percentage of out-of-wedlock births increased in Health Districts 2, 3, 4, and 7. District 3 recorded the highest proportion of live births that were out of wedlock (27.9 percent) followed by District 5 (27.3 percent). District 7 again recorded the lowest percent (15.6 percent).

Counties with the highest percentages of out-of-wedlock births were Adams (55.2 percent), Clearwater (43.8 percent), Benewah (37.8 percent), Shoshone (37.1 percent), and Nez Perce (36.1 percent). The lowest percentages occurred for Madison (3.9 percent), Franklin (7.4 percent), Butte (10.5 percent), Bear Lake (11.9 percent), and Jefferson (13.7 percent) Counties.

1. "Births: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 55/No.1, September 29, 2006.

PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary), Idaho, and Districts
2005



PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary) and Idaho (Total and White)
1995-2005



*U.S. white percent not available for 2005.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Race/Ethnicity of Mother[1]
2005

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC[2]
	Total	Percent	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	5,273*	22.9%	4,579	40	226	44	287	95	1,319
(Percent)			21.7%	30.1%	59.0%	12.1%	36.3%	NA	37.8%
District 1	612	26.8	568	4	30	2	3	5	28
District 2	306*	26.9	253	1	45	2	4	-	12
District 3	1,142	27.9	973	13	18	3	91	44	457
District 4	1,277	21.0	1,141	17	16	26	57	20	190
District 5	781	27.3	687	2	15	4	62	11	329
District 6	591	19.7	454	1	94	6	29	7	141
District 7	564*	15.6	503	2	8	1	41	8	162
Ada	1,125	20.8	1,020	15	12	23	41	14	158
Adams	16	55.2	16	-	-	-	-	-	-
Bannock	293	19.1	240	1	44	5	3	-	47
Bear Lake	10	11.9	9	-	1	-	-	-	1
Benewah	45	37.8	36	-	9	-	-	-	-
Bingham	210	25.1	133	-	47	-	23	7	73
Blaine	84	27.6	47	-	1	-	31	5	44
Boise	13	29.5	11	-	-	1	-	1	2
Bonner	107	26.4	99	-	6	1	-	1	3
Bonneville	362	20.1	325	2	4	1	26	4	97
Boundary	27	20.8	25	-	2	-	-	-	1
Butte	4	10.5	4	-	-	-	-	-	-
Camas	6	35.3	6	-	-	-	-	-	1
Canyon	884	27.4	743	9	15	2	77	38	373
Caribou	21	20.4	20	-	-	-	1	-	3
Cassia	102	25.8	96	1	2	-	2	1	47
Clark	7	25.9	5	-	-	-	2	-	5
Clearwater	28*	43.8	24	-	3	-	-	-	1
Custer	9	24.3	7	-	-	-	1	1	1
Elmore	109	20.7	83	2	3	2	15	4	26
Franklin	16	7.4	13	-	2	-	1	-	2
Fremont	47	21.1	42	-	-	-	4	1	21
Gem	57	24.3	50	-	-	1	6	-	11
Gooding	61	25.5	55	-	2	-	3	1	27
Idaho	41	28.1	35	1	5	-	-	-	-
Jefferson	59	13.7	49	-	3	-	6	1	21
Jerome	122	32.1	104	-	3	-	13	2	76
Kootenai	390	25.8	367	4	12	1	3	3	22
Latah	59	13.8	54	-	2	1	2	-	3
Lemhi	15*	18.5	13	-	-	-	1	-	1
Lewis	15	31.9	14	-	1	-	-	-	-
Lincoln	19	21.8	15	-	1	-	2	1	7
Madison	34	3.9	32	-	-	-	1	1	7
Minidoka	84	26.4	71	-	-	2	10	1	56
Nez Perce	163	36.1	126	-	34	1	2	-	8
Oneida	10	14.9	9	-	-	1	-	-	-
Owyhee	39	24.4	33	-	-	-	3	3	22
Payette	108	34.3	99	3	2	-	3	1	37
Power	27	21.6	26	-	-	-	1	-	15
Shoshone	43	37.1	41	-	1	-	-	1	2
Teton	31	22.8	30	-	1	-	-	-	9
Twin Falls	303	27.0	293	1	6	2	1	-	71
Valley	30	34.5	27	-	1	-	1	1	4
Washington	38	29.0	32	1	1	-	2	2	14

1. In 2005, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2005 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes two (2) out-of-state births with multiple races; one in District 2 (Clearwater County) and one in District 7 (Lemhi County). For more information, see Technical Notes.
2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in appropriate race totals.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother
2005

RESIDENCE	TOTAL	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	5,273	19	1,352	435	917	2,158	1,047	406	219	69	3
District 1	612	2	150	43	107	254	127	44	27	8	-
District 2	306	1	63	20	43	133	59	27	18	5	-
District 3	1,142	4	339	105	234	448	225	77	40	8	1
District 4	1,277	4	277	72	205	551	261	107	52	23	2
District 5	781	4	223	83	140	297	156	50	37	14	-
District 6	591	2	152	57	95	253	108	52	18	6	-
District 7	564	2	148	55	93	222	111	49	27	5	-
Ada	1,125	4	241	64	177	493	223	96	47	19	2
Adams	16	-	4	-	4	6	5	1	-	-	-
Bannock	293	1	78	27	51	126	55	23	10	-	-
Bear Lake	10	-	3	-	3	5	1	1	-	-	-
Benewah	45	-	14	6	8	18	10	2	1	-	-
Bingham	210	-	54	24	30	85	35	23	7	6	-
Blaine	84	-	19	7	12	28	22	6	6	3	-
Boise	13	-	1	-	1	5	2	3	1	1	-
Bonner	107	-	30	10	20	41	21	10	2	3	-
Bonneville	362	2	100	41	59	144	68	32	14	2	-
Boundary	27	-	6	1	5	11	3	3	4	-	-
Butte	4	-	2	-	2	2	-	-	-	-	-
Camas	6	-	1	1	-	1	2	1	1	-	-
Canyon	884	3	266	85	181	333	177	63	37	4	1
Caribou	21	-	3	1	2	13	4	1	-	-	-
Cassia	102	2	23	9	14	41	24	6	5	1	-
Clark	7	-	1	-	1	1	4	-	1	-	-
Clearwater	28	-	8	2	6	7	7	4	1	1	-
Custer	9	-	4	1	3	1	3	-	1	-	-
Elmore	109	-	30	7	23	46	23	6	2	2	-
Franklin	16	-	5	1	4	5	4	2	-	-	-
Fremont	47	-	10	3	7	23	8	3	3	-	-
Gem	57	-	19	5	14	22	11	3	-	2	-
Gooding	61	1	15	8	7	25	14	2	3	1	-
Idaho	41	-	7	3	4	24	6	1	3	-	-
Jefferson	59	-	16	5	11	26	10	5	1	1	-
Jerome	122	-	36	14	22	41	24	10	7	4	-
Kootenai	390	2	88	23	65	166	87	25	17	5	-
Latah	59	-	3	-	3	32	14	4	6	-	-
Lemhi	15	-	4	-	4	3	6	-	1	1	-
Lewis	15	-	2	-	2	7	2	4	-	-	-
Lincoln	19	-	4	-	4	10	1	1	3	-	-
Madison	34	-	9	4	5	16	5	3	-	1	-
Minidoka	84	1	30	13	17	31	11	5	5	1	-
Nez Perce	163	1	43	15	28	63	30	14	8	4	-
Oneida	10	-	3	1	2	4	3	-	-	-	-
Owyhee	39	-	15	6	9	16	6	1	-	1	-
Payette	108	1	25	8	17	54	17	8	2	1	-
Power	27	1	4	3	1	13	6	2	1	-	-
Shoshone	43	-	12	3	9	18	6	4	3	-	-
Teton	31	-	4	1	3	8	7	6	6	-	-
Twin Falls	303	-	95	31	64	120	58	19	7	4	-
Valley	30	-	5	1	4	7	13	2	2	1	-
Washington	38	-	10	1	9	17	9	1	1	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Live Birth Order by Age of Mother
2005

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	5,273	19	435	917	2,158	1,047	406	219	69	3
1	2,722	19	409	756	1,116	296	77	37	11	1
2	1,363	-	24	142	659	352	114	53	18	1
3	737	-	2	18	294	237	116	54	16	-
4	274	-	-	1	69	100	54	32	17	1
5	115	-	-	-	14	42	29	28	2	-
6	38	-	-	-	4	15	12	5	2	-
7	14	-	-	-	-	4	2	6	2	-
8	4	-	-	-	-	1	1	1	1	-
9	2	-	-	-	-	-	1	1	-	-
10-14	2	-	-	-	1	-	-	1	-	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	1	-	-	1	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother and Percent Out-of-Wedlock
2005

AGE OF MOTHER	IDAHO			U.S. (2004)
	Total Live Births	Out-of-Wedlock Live Births	Percent Out of Wedlock	Percent Out of Wedlock
TOTAL	23,064	5,273	22.9%	35.8%
<15	19	19	100.0	97.4
15-19	2,019	1,352	67.0	82.4
15-17	532	435	81.8	90.3
18-19	1,487	917	61.7	78.7
20-24	7,183	2,158	30.0	54.8
25-29	7,135	1,047	14.7	27.8
30-34	4,387	406	9.3	16.1
35-39	1,880	219	11.6	15.2
40+	435	72	16.6	18.2
Not stated	6	-	NA	NA

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections Present or Treated by Age of Mother
2005

AGE	Total Live Births	Risk Factors In This Pregnancy		Infections Present/Treated During This Pregnancy	
		Number	Percent	Number	Percent
Total	23,064	5,127	22.3%	4,824	21.0%
<15	19	1	5.6	5	27.8
15-19	2,019	233	11.6	440	21.9
15-17	532	55	10.5	122	23.2
18-19	1,487	178	12.0	318	21.4
20-24	7,183	1,242	17.3	1,359	19.0
25-29	7,135	1,607	22.6	1,425	20.1
30-34	4,387	1,249	28.6	1,009	23.1
35-39	1,880	622	33.3	470	25.1
40-44	407	165	40.6	102	25.2
45+	28	8	28.6	13	46.4
Not stated	6	-	-	1	-

Percents based on records with stated risk factors and infections reported.

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections
2005

Risk Factors	Number	Infections	Number
Total Births	23,064	Total Births	23,064
Births with Risk Factor(s) reported	5,127	Births with Infection(s) reported	4,824
Prepregnancy diabetes	162	Gonorrhea	15
Gestational diabetes	768	Syphilis	13
Unknown if prepregnancy or gestational diabetes	11	HIV Infection	8
		Herpes Simplex Virus (HSV)	385
Prepregnancy hypertension	145	Chlamydia	270
Gestational hypertension	1,344		
		Listeria	13
Previous preterm birth	407	Group B Streptococcus	3,970
Other previous poor pregnancy outcome*	244	Cytomegalovirus	8
		Parvovirus	21
Vaginal bleeding prior to onset of labor	433	Toxoplasmosis	1
Pregnancy resulted from infertility treatment	169	Hepatitis B	24
		Hepatitis C	29
Mother had a previous cesarean	2,291		
		Other infection not elsewhere speciified	309
None of the above	17,844	None of the above	18,137
Risk factors in pregnancy not stated	93	Infections not stated	103

* Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth.

More than one type of risk factor or infection may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery by Age of Mother
2005

AGE	Total Live Births	Maternal Morbidity (Complications)		Characteristics of Labor and Delivery	
		Number	Percent	Number	Percent
Total	23,064	395	1.7%	18,989	82.5%
<15	19	2	11.1	17	89.5
15-19	2,019	48	2.4	1,731	85.9
15-17	532	15	2.8	462	87.0
18-19	1,487	33	2.2	1,269	85.5
20-24	7,183	139	1.9	5,999	83.7
25-29	7,135	124	1.7	5,836	81.9
30-34	4,387	50	1.1	3,533	80.7
35-39	1,880	22	1.2	1,528	81.3
40-44	407	9	2.2	323	79.4
45+	28	1	3.6	22	78.6
Not stated	6	-	-	-	-

Percents based on records with stated maternal morbidity and characteristics of labor and delivery reported.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery
2005

Maternal Morbidity (Complications)	Number
Total Births	23,064
Births with Maternal Morbidity(ies) reported	395
Maternal transfusion	76
Third or fourth degree perineal laceration	248
Ruptured uterus	1
Unplanned hysterectomy	2
Admission to intensive care unit	17
Unplanned operating room procedure following delivery	77
None of the above	22,582
Maternal morbidity not stated	87

Characteristics of Labor and Delivery	Number
Total Births	23,064
Births with Characteristic(s) reported	18,989
Induction of labor	6,506
Augmentation of labor	4,570
Non-vertex presentation	405
Steroids for fetal lung maturation received by mother prior to delivery	412
Antibiotics received by mother during labor	4,326
Clinical chorioamnionitis diagnosed during labor or maternal temperature >=38°C (100.4°F)	263
Moderate/heavy meconium staining of the amniotic fluid	867
Fetal intolerance to labor*	1,524
Epidural or spinal anesthesia during labor	15,452
None of the above	4,027
Characteristic of labor and delivery not stated	48

* Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery.

More than one type of morbidity or characteristic may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Abnormal Conditions of the Newborn
2005

Abnormal Conditions of Newborn	Number
Total Births	23,064
Births with Abnormal Condition(s) reported	3,352
Assisted ventilation required	
Immediately following delivery	1,096
For more than six hours	436
NICU admission	1,890
Newborn given surfactant replacement therapy	211
Antibiotics given for suspected neonatal sepsis	677
Seizure or serious neurologic dysfunction	12
Significant birth injury*	24
Failed newborn hearing test	860
None of the above	19,630
Abnormal conditions not stated	82

* Significant birth injury includes skeletal fracture, peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention.

More than one type of abnormal condition may be reported for a live birth. Starting with 2004, the collection process for abnormal condition data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Congenital Anomalies
2005

Congenital Anomalies	Number
Total Births	23,064
Births with Congenital Anomaly(ies) reported	142
Congenital malformations of the nervous system	
Anencephaly	4
Meningomyelocele/Spina Bifida	6
Congenital malformations of the circulatory system	
Cyanotic congenital heart disease	29
Cleft lip and cleft palate	
Cleft lip with or without cleft palate	20
Cleft palate alone	7
Congenital malformations of genital organs	
Hypospadias	19
Congenital malformations and deformations of the musculoskeletal system	
Congenital diaphragmatic hernia	5
Gastroschisis	3
Limb reduction defect	8
Omphalocele	9
Down syndrome	
Karyotype confirmed	7
Karyotype pending	12
Suspected other chromosomal disorder	
Karyotype confirmed	6
Karyotype pending	22
None of the above	22,832
Congenital anomalies not stated	90

More than one congenital anomaly may be reported for a live birth. Starting with 2004, the collection process for congenital anomaly data has changed. Some data may not be comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking[1] by Age of Mother
2005

AGE OF MOTHER	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent	Number	Percent	Number
TOTAL	23,064	3,033	13.2%	19,968	86.8%	63
<15	19	3	15.8	16	84.2	-
15-19	2,019	471	23.4	1,543	76.6	5
15-17	532	104	19.6	427	80.4	1
18-19	1,487	367	24.7	1,116	75.3	4
20-24	7,183	1,313	18.3	5,848	81.7	22
25-29	7,135	774	10.9	6,347	89.1	14
30-34	4,387	314	7.2	4,065	92.8	8
35-39	1,880	127	6.8	1,746	93.2	7
40-44	407	31	7.7	374	92.3	2
45+	28	-	-	28	100.0	-
Not Stated	6	-	-	1	-	5

Percents are based on records with stated cigarette smoking data.

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2005 are not comparable to data prior to 2004. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking[1] by Race and Ethnicity of Mother[2]
2005

RACE AND ETHNICITY	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent	Number	Percent	Number
TOTAL	23,064	3,033	13.2%	19,968	86.8%	63
Race						
White	21,117	2,850	13.5	18,224	86.5	43
Black	133	17	12.8	116	87.2	-
Native American	383	87	22.7	296	77.3	-
Asian/Pacific Islander	364	24	6.6	340	93.4	-
Other Race	791	39	4.9	752	95.1	-
Race not stated	267	16	6.5	232	93.5	19
Ethnicity[3]						
Non-Hispanic	19,460	2,816	14.5	16,608	85.5	36
Hispanic	3,487	198	5.7	3,283	94.3	6
Ethnicity not stated	117	19	19.8	77	80.2	21

Percents are based on records with stated cigarette smoking data.

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2005 are not comparable to data prior to 2004. For more information, see Technical Notes.
2. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2005 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Total includes nine (9) out-of-state births with multiple races. For more information, see Technical Notes.
3. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in appropriate totals.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking Before and During Pregnancy by District of Residence
2005

DISTRICT OF RESIDENCE	CIGARETTE SMOKING									
	Three Months Before Pregnancy		During Pregnancy							
			Any Time During Pregnancy		First Three Months of Pregnancy		Second Three Months of Pregnancy		Third Three Months of Pregnancy	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	3,925	17.5%	3,033	13.2%	2,953	12.8%	2,429	10.6%	2,265	9.8%
District 1	636	28.1	511	22.5	499	22.0	412	18.2	377	16.6
District 2	226	20.2	180	16.0	176	15.6	156	13.8	148	13.1
District 3	622	16.4	501	12.3	492	12.1	416	10.2	394	9.7
District 4	1,087	17.9	744	12.3	727	12.0	554	9.1	506	8.3
District 5	510	18.0	390	13.7	379	13.3	322	11.3	299	10.5
District 6	492	17.8	403	13.5	388	13.0	315	10.5	292	9.7
District 7	352	10.0	304	8.4	292	8.1	254	7.0	249	6.9

Percents based on records with stated cigarette smoking.

Starting with 2004, the collection process for tobacco use has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking by Birth Weight
2005

BIRTH WEIGHT	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
	Number	Number	Percent	Number	Percent	Number
TOTAL	23,064	3,033	13.2%	19,968	86.8%	63
Total Low Birth Weight	1,544	296	19.3	1,241	80.7	7
<1,500 grams	257	48	18.8	207	81.2	2
1,500-2,499 grams	1,287	248	19.3	1,034	80.7	5
2,500+ grams	21,505	2,736	12.8	18,718	87.2	51
Birth weight not stated	15	1	NA	9	NA	5

Percents based on records with stated cigarette smoking.

Starting with 2004, the collection process for tobacco use has changed. Data are not comparable to previous years. For more information, see Technical Notes.

U.S. AND IDAHO RESIDENT LIVE BIRTHS
Method of Delivery by District of Residence
2005

RESIDENCE	TOTAL LIVE BIRTHS	METHOD OF DELIVERY										
		Vaginal Births				Cesarean Births						Not Stated
		Vaginal[1]		VBAC[2]		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
U.S. 2004			69.8		9.2		29.1		20.6		90.8	
IDAHO	23,064	17,456	75.8	381	16.6	5,204	22.6	3,294	15.9	1,910	83.4	23
District 1	2,284	1,699	74.4	22	8.5	563	24.6	327	16.1	236	91.5	-
District 2	1,136	875	77.4	11	10.7	245	21.7	153	14.9	92	89.3	5
District 3	4,092	3,096	75.7	98	21.5	896	21.9	538	14.8	358	78.5	2
District 4	6,073	4,574	75.5	116	21.1	1,369	22.6	934	17.0	435	78.9	14
District 5	2,861	2,126	74.4	46	14.1	687	24.0	406	16.0	281	85.9	2
District 6	3,004	2,217	73.8	33	9.9	754	25.1	452	16.9	302	90.1	-
District 7	3,614	2,869	79.4	55	21.1	690	19.1	484	14.4	206	78.9	-

IDAHO RESIDENT LIVE BIRTHS
Method of Delivery By Age of Mother
2005

AGE OF MOTHER	TOTAL LIVE BIRTHS	METHOD OF DELIVERY										
		Vaginal Births				Cesarean Births						Not Stated
		Vaginal[1]		VBAC[2]		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	23,064	17,456	75.8	381	16.6	5,204	22.6	3,294	15.9	1,910	83.4	23
<15	19	15	78.9	-	-	4	21.1	4	21.1	-	-	-
15-19	2,019	1,704	84.4	5	10.2	309	15.3	265	13.5	44	89.8	1
15-17	532	456	85.7	-	-	76	14.3	69	13.1	7	100.0	-
18-19	1,487	1,248	84.0	5	11.9	233	15.7	196	13.6	37	88.1	1
20-24	7,183	5,706	79.5	58	12.0	1,410	19.7	983	14.7	427	88.0	9
25-29	7,135	5,440	76.3	124	17.3	1,565	22.0	973	15.2	592	82.7	6
30-34	4,387	3,113	71.0	135	21.2	1,137	25.9	634	16.9	503	78.8	2
35-39	1,880	1,224	65.1	48	14.6	608	32.3	327	21.1	281	85.4	-
40-44	407	238	58.5	11	15.3	158	38.8	97	29.0	61	84.7	-
45+	28	15	53.6	-	-	13	46.4	11	42.3	2	100.0	-
Not stated	6	1	-	-	-	-	-	-	-	-	-	5

1. Vaginal births, not including VBAC.
2. VBAC: Vaginal birth after previous cesarean.

Rates are based on records with known data for method of delivery.
Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births.
Vaginal birth after previous cesarean (VBAC): Number of vaginal deliveries per 100 births to women with a previous cesarean.
Total cesarean rate: Number of cesarean deliveries per 100 births.
Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans.
Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.
In 2004 the Idaho birth certificate was revised; collection process for method of delivery data changed. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery[1] by District of Residence
2005

RESIDENCE	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										
		Self pay		Private Insurance		Medicaid[2]		Other Government[3]		Not Applicable or Other[4]		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
IDAHO	23,064	2,304	10.2%	11,473	51.0%	7,299	32.5%	957	4.3%	451	2.0%	580
District 1	2,284	237	10.4	1,107	48.6	883	38.8	45	2.0	4	0.2	8
District 2	1,136	61	5.4	633	56.5	368	32.9	42	3.8	16	1.4	16
District 3	4,092	593	15.2	1,779	45.6	1,190	30.5	258	6.6	83	2.1	189
District 4	6,073	406	6.7	3,669	60.5	1,513	25.0	440	7.3	35	0.6	10
District 5	2,861	583	20.5	1,035	36.4	966	34.0	92	3.2	168	5.9	17
District 6	3,004	149	5.4	1,320	47.6	1,112	40.1	68	2.5	123	4.4	232
District 7	3,614	275	7.8	1,930	55.0	1,267	36.1	12	0.3	22	0.6	108

Percents are percents of total live births by district of residence and are based on records with known data for payment for delivery.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery[1] by Age of Mother
2005

AGE OF MOTHER	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										
		Self pay		Private Insurance		Medicaid[2]		Other Government[3]		Not Applicable or Other[4]		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	23,064	2,304	10.2%	11,473	51.0%	7,299	32.5%	957	4.3%	451	2.0%	580
<15	19	-	-	2	11.1	14	77.8	2	11.1	-	-	1
15-19	2,019	253	12.8	263	13.4	1,296	65.8	128	6.5	29	1.5	50
15-17	532	83	16.0	70	13.5	328	63.1	34	6.5	5	1.0	12
18-19	1,487	170	11.7	193	13.3	968	66.8	94	6.5	24	1.7	38
20-24	7,183	692	9.9	2,561	36.5	3,295	47.0	334	4.8	131	1.9	170
25-29	7,135	685	9.8	4,211	60.5	1,686	24.2	247	3.6	128	1.8	178
30-34	4,387	434	10.1	2,950	68.9	660	15.4	156	3.6	80	1.9	107
35-39	1,880	170	9.4	1,243	68.4	277	15.2	66	3.6	62	3.4	62
40-44	407	65	16.3	222	55.5	68	17.0	24	6.0	21	5.3	7
45+	28	4	14.3	21	75.0	3	10.7	-	-	-	-	-
Not stated	6	1	-	-	-	-	-	-	-	-	-	5

Percents are percents of total live births by age of mother and are based on records with known data for payment for delivery.

In 2004 the Idaho birth certificate was revised; collection process for payment source for delivery data changed. For more information, see Technical Notes.

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
4. Not applicable or other payment source includes births in which there was no payment for the delivery.

U.S. AND IDAHO RESIDENT TEEN LIVE BIRTHS
Summary
Idaho (2005), U.S. (see footnote)[1,2]

	Fertility Rate[3]	Percent Out-of-Wedlock	Percent Low Birth Weight[4]
IDAHO TOTAL			
<15[5]	0.4	100.0%	5.3%
15-19	37.8	67.0	8.4
15-17	16.8	81.8	9.8
18-19	68.6	61.7	7.9
IDAHO WHITE			
<15[5]	0.3	100.0	-
15-19	34.3	66.3	8.1
15-17	15.0	81.0	9.8
18-19	62.7	61.2	7.5
U.S. TOTAL[1,2]			
<15[5]	0.7	97.9	13.6
15-19	40.4	82.8	9.9
15-17	21.4	90.4	10.5
18-19	69.9	79.1	10.1
U.S. WHITE[1,2]			
<15[5]	0.2	96.5	12.4
15-19	26.0	78.0	8.9
15-17	11.5	88.5	9.6
18-19	48.1	74.1	9.2

1. Fertility rates and unmarried total: "Births: Preliminary Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Health E-Stats, Released November 21, 2006.
2. Low birth weight and unmarried white: "Births: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 55, No. 1 September 29, 2006.
3. Fertility rate: Number of live births per 1,000 females in corresponding age group.
4. Percents are based on records with known birth weight.
5. Rates for <15 age group are based on females aged 10-14.

IDAHO RESIDENT TEEN PREGNANCIES AND ABORTIONS
2005

	PREGNANCIES[1]		INDUCED ABORTIONS		
	Number	Rate[2]	Number	Rate[3]	Ratio[4]
TOTAL	2,415	23.4	365	3.5	179.1
<15[5]	28	0.6	9	0.2	473.7
15-19	2,387	44.7	356	6.7	176.3
15-17	659	20.8	127	4.0	238.7
18-19	1,728	79.7	229	10.6	154.0
WHITE	2,109	21.3	325	3.3	183.3
<15[5]	25	0.5	9	0.2	562.5
15-19	2,084	40.7	316	6.2	179.9
15-17	568	18.6	111	3.6	242.9
18-19	1,516	73.1	205	9.9	157.7

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law.)
2. Number of pregnancies per 1,000 females in corresponding age group.
3. Induced abortion rate: Number of induced abortions per 1,000 females in corresponding age group.
4. Induced abortion ratio: Number of induced abortions per 1,000 live births in corresponding age group.
5. Rates for <15 age group are based on females aged 10-14.

U.S. data for teen pregnancies and abortions are not shown because they are not comparable to Idaho data. Abortion data from the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion (NCCDPHP) are adjusted to national totals compiled by The Guttmacher Institute (AGI) from their surveys of all known abortion providers because abortion data by age are not reported for three states (Alaska, California, and New Hampshire). The numbers of abortions published by NCCDPHP tend to be lower than the numbers published by AGI. For example, the total number of abortions reported by NCCDPHP was about 20 percent lower in 2000 than reported by AGI for the same reporting areas.

TEEN BIRTH RATES BY AGE
U.S. (Preliminary) and Idaho (Total and White)
2005



TEEN OUT-OF-WEDLOCK BIRTH PERCENTS BY AGE
U.S.* and Idaho (Total and White)
2005



*U.S. total are preliminary 2005 data; U.S. white are final 2004 data.

TEEN STILLBIRTH, ABORTION, AND BIRTH RATES BY AGE
Idaho
2005



TEEN PREGNANCY RATES
Idaho and Districts, 15-19 Year-Olds
2005



IDAHO RESIDENT TEEN PREGNANCY
Total Pregnancies and Rates by Age of Mother
2005

	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
RESIDENCE	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	28	0.6	2,387	44.7	659	20.8	1,728	79.7
District 1	2	0.3	292	42.4	77	17.1	215	89.7
District 2	2	0.7	106	27.2	32	17.1	74	36.6
District 3	7	0.8	532	65.6	145	28.1	387	131.2
District 4	6	0.5	549	44.0	141	17.7	408	90.7
District 5	7	1.1	374	59.1	114	29.0	260	108.2
District 6	2	0.3	280	42.8	78	19.5	202	79.7
District 7	2	0.3	254	27.8	72	16.8	182	37.4
Ada	6	0.5	470	42.4	123	17.4	347	86.9
Adams	-	-	4	31.5	-	-	4	97.6
Bannock	1	0.4	133	45.9	41	25.7	92	70.9
Bear Lake	-	-	6	22.0	1	5.2	5	62.5
Benewah	-	-	20	66.9	10	50.8	10	98.0
Bingham	-	-	98	50.5	28	22.4	70	101.4
Blaine	1	1.6	26	39.1	10	23.0	16	69.3
Boise	-	-	4	15.5	3	16.5	1	13.2
Bonner	-	-	56	39.6	13	13.5	43	94.9
Bonneville	2	0.6	156	46.1	51	22.7	105	92.5
Boundary	-	-	9	23.4	2	7.5	7	60.3
Butte	-	-	2	23.3	-	-	2	83.3
Camas	-	-	1	27.0	1	43.5	-	-
Canyon	6	1.0	417	71.1	117	32.0	300	135.7
Caribou	-	-	9	32.5	1	5.4	8	87.0
Cassia	3	3.3	40	46.1	13	22.6	27	92.2
Clark	-	-	2	50.0	-	-	2	153.8
Clearwater	-	-	13	52.8	4	24.4	9	109.8
Custer	-	-	6	42.9	1	10.5	5	111.1
Elmore	-	-	60	66.3	10	17.8	50	146.2
Franklin	-	-	16	29.4	2	5.2	14	87.0
Fremont	-	-	21	44.2	6	19.7	15	87.7
Gem	-	-	33	58.7	6	16.1	27	142.1
Gooding	1	1.9	32	67.5	9	29.2	23	138.6
Idaho	-	-	8	14.5	4	10.5	4	23.5
Jefferson	-	-	24	24.9	6	9.4	18	54.7
Jerome	1	1.3	52	72.2	19	42.0	33	123.1
Kootenai	2	0.5	183	41.3	44	15.5	139	87.3
Latah	-	-	17	9.8	3	5.6	14	11.6
Lemhi	-	-	10	35.2	2	10.2	8	90.9
Lewis	-	-	5	45.5	2	26.7	3	85.7
Lincoln	-	-	10	51.0	1	8.0	9	126.8
Madison	-	-	29	8.1	5	8.4	24	8.0
Minidoka	1	1.4	47	64.3	19	40.3	28	108.1
Nez Perce	2	1.8	63	50.4	19	26.4	44	83.2
Oneida	-	-	8	49.4	2	18.2	6	115.4
Owyhee	-	-	29	73.8	9	32.6	20	170.9
Payette	1	1.1	35	42.8	11	20.7	24	84.2
Power	1	3.1	8	22.0	3	13.2	5	36.8
Shoshone	-	-	24	67.0	8	35.6	16	120.3
Teton	-	-	6	21.8	1	5.5	5	54.3
Twin Falls	-	-	166	62.9	42	27.3	124	112.7
Valley	-	-	15	59.3	5	30.5	10	112.4
Washington	-	-	14	40.7	2	8.4	12	113.2

Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law). Rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on total females aged 10-14. Rates are based on July 1, 2005 female population estimates from the National Center for Health Statistics, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT TEEN LIVE BIRTHS
Live Births and Rates by Age of Mother
2005

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	19	0.4	2,019	37.8	532	16.8	1,487	68.6
District 1	2	0.3	208	30.2	49	10.9	159	66.3
District 2	1	0.4	82	21.0	25	13.3	57	28.2
District 3	4	0.5	499	61.5	132	25.6	367	124.4
District 4	4	0.3	391	31.3	85	10.6	306	68.0
District 5	4	0.6	344	54.3	104	26.5	240	99.9
District 6	2	0.3	255	39.0	69	17.2	186	73.4
District 7	2	0.3	240	26.2	68	15.9	172	35.3
Ada	4	0.3	324	29.3	75	10.6	249	62.4
Adams	-	-	4	31.5	-	-	4	97.6
Bannock	1	0.4	116	40.1	33	20.7	83	63.9
Bear Lake	-	-	6	22.0	1	5.2	5	62.5
Benewah	-	-	16	53.5	7	35.5	9	88.2
Bingham	-	-	92	47.4	27	21.6	65	94.2
Blaine	-	-	21	31.6	7	16.1	14	60.6
Boise	-	-	2	7.8	1	5.5	1	13.2
Bonner	-	-	46	32.5	11	11.4	35	77.3
Bonneville	2	0.6	148	43.7	50	22.2	98	86.3
Boundary	-	-	7	18.2	1	3.7	6	51.7
Butte	-	-	2	23.3	-	-	2	83.3
Camas	-	-	1	27.0	1	43.5	-	-
Canyon	3	0.5	388	66.1	105	28.7	283	128.0
Caribou	-	-	8	28.9	1	5.4	7	76.1
Cassia	2	2.2	39	44.9	13	22.6	26	88.7
Clark	-	-	2	50.0	-	-	2	153.8
Clearwater	-	-	11	44.7	4	24.4	7	85.4
Custer	-	-	6	42.9	1	10.5	5	111.1
Elmore	-	-	56	61.9	8	14.2	48	140.4
Franklin	-	-	16	29.4	2	5.2	14	87.0
Fremont	-	-	18	37.9	5	16.4	13	76.0
Gem	-	-	31	55.2	6	16.1	25	131.6
Gooding	1	1.9	31	65.4	9	29.2	22	132.5
Idaho	-	-	7	12.7	3	7.9	4	23.5
Jefferson	-	-	24	24.9	6	9.4	18	54.7
Jerome	-	-	51	70.8	19	42.0	32	119.4
Kootenai	2	0.5	121	27.3	25	8.8	96	60.3
Latah	-	-	7	4.0	1	1.9	6	5.0
Lemhi	-	-	8	28.2	-	-	8	90.9
Lewis	-	-	3	27.3	-	-	3	85.7
Lincoln	-	-	8	40.8	-	-	8	112.7
Madison	-	-	28	7.8	5	8.4	23	7.7
Minidoka	1	1.4	44	60.2	18	38.1	26	100.4
Nez Perce	1	0.9	54	43.2	17	23.6	37	69.9
Oneida	-	-	7	43.2	2	18.2	5	96.2
Owyhee	-	-	28	71.2	9	32.6	19	162.4
Payette	1	1.1	34	41.6	10	18.8	24	84.2
Power	1	3.1	8	22.0	3	13.2	5	36.8
Shoshone	-	-	18	50.3	5	22.2	13	97.7
Teton	-	-	6	21.8	1	5.5	5	54.3
Twin Falls	-	-	149	56.4	37	24.0	112	101.8
Valley	-	-	9	35.6	1	6.1	8	89.9
Washington	-	-	14	40.7	2	8.4	12	113.2

Number of births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

Rates are based on July 1, 2005 female population estimates from the National Center for Health Statistics, United States resident population from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT TEEN LIVE BIRTHS
Out-of-Wedlock Live Births and Percents by Age of Mother
2005

	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
RESIDENCE	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	19	100.0%	1,352	67.0%	435	81.8%	917	61.7%
District 1	2	100.0	150	72.1	43	87.8	107	67.3
District 2	1	100.0	63	76.8	20	80.0	43	75.4
District 3	4	100.0	339	67.9	105	79.5	234	63.8
District 4	4	100.0	277	70.8	72	84.7	205	67.0
District 5	4	100.0	223	64.8	83	79.8	140	58.3
District 6	2	100.0	152	59.6	57	82.6	95	51.1
District 7	2	100.0	148	61.7	55	80.9	93	54.1
Ada	4	100.0	241	74.4	64	85.3	177	71.1
Adams	-	-	4	100.0	-	-	4	100.0
Bannock	1	100.0	78	67.2	27	81.8	51	61.4
Bear Lake	-	-	3	50.0	-	-	3	60.0
Benewah	-	-	14	87.5	6	85.7	8	88.9
Bingham	-	-	54	58.7	24	88.9	30	46.2
Blaine	-	-	19	90.5	7	100.0	12	85.7
Boise	-	-	1	50.0	-	-	1	100.0
Bonner	-	-	30	65.2	10	90.9	20	57.1
Bonneville	2	100.0	100	67.6	41	82.0	59	60.2
Boundary	-	-	6	85.7	1	100.0	5	83.3
Butte	-	-	2	100.0	-	-	2	100.0
Camas	-	-	1	100.0	1	100.0	-	-
Canyon	3	100.0	266	68.6	85	81.0	181	64.0
Caribou	-	-	3	37.5	1	100.0	2	28.6
Cassia	2	100.0	23	59.0	9	69.2	14	53.8
Clark	-	-	1	50.0	-	-	1	50.0
Clearwater	-	-	8	72.7	2	50.0	6	85.7
Custer	-	-	4	66.7	1	100.0	3	60.0
Elmore	-	-	30	53.6	7	87.5	23	47.9
Franklin	-	-	5	31.3	1	50.0	4	28.6
Fremont	-	-	10	55.6	3	60.0	7	53.8
Gem	-	-	19	61.3	5	83.3	14	56.0
Gooding	1	100.0	15	48.4	8	88.9	7	31.8
Idaho	-	-	7	100.0	3	100.0	4	100.0
Jefferson	-	-	16	66.7	5	83.3	11	61.1
Jerome	-	-	36	70.6	14	73.7	22	68.8
Kootenai	2	100.0	88	72.7	23	92.0	65	67.7
Latah	-	-	3	42.9	-	-	3	50.0
Lemhi	-	-	4	50.0	-	-	4	50.0
Lewis	-	-	2	66.7	-	-	2	66.7
Lincoln	-	-	4	50.0	-	-	4	50.0
Madison	-	-	9	32.1	4	80.0	5	21.7
Minidoka	1	100.0	30	68.2	13	72.2	17	65.4
Nez Perce	1	100.0	43	79.6	15	88.2	28	75.7
Oneida	-	-	3	42.9	1	50.0	2	40.0
Owyhee	-	-	15	53.6	6	66.7	9	47.4
Payette	1	100.0	25	73.5	8	80.0	17	70.8
Power	1	100.0	4	50.0	3	100.0	1	20.0
Shoshone	-	-	12	66.7	3	60.0	9	69.2
Teton	-	-	4	66.7	1	100.0	3	60.0
Twin Falls	-	-	95	63.8	31	83.8	64	57.1
Valley	-	-	5	55.6	1	100.0	4	50.0
Washington	-	-	10	71.4	1	50.0	9	75.0

Percent of total live births in each age group that are out-of-wedlock.

Out-of-wedlock percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN LIVE BIRTHS
Low Birth Weight Live Births and Percents by Age of Mother
2005

	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
RESIDENCE	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	1	5.3%	169	8.4%	52	9.8%	117	7.9%
District 1	-	-	14	6.7	3	6.1	11	6.9
District 2	-	-	3	3.7	1	4.0	2	3.5
District 3	1	25.0	38	7.6	9	6.8	29	7.9
District 4	-	-	33	8.4	6	7.1	27	8.8
District 5	-	-	26	7.6	11	10.6	15	6.3
District 6	-	-	34	13.3	13	18.8	21	11.3
District 7	-	-	21	8.8	9	13.2	12	7.0
Ada	-	-	26	8.0	5	6.7	21	8.4
Adams	-	-	1	25.0	-	-	1	25.0
Bannock	-	-	13	11.2	7	21.2	6	7.2
Bear Lake	-	-	1	16.7	1	100.0	-	-
Benewah	-	-	-	-	-	-	-	-
Bingham	-		17	18.5	5	18.5	12	18.5
Blaine	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	3	6.5	1	9.1	2	5.7
Bonneville	-	-	13	8.8	7	14.0	6	6.1
Boundary	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	1	33.3	24	6.2	6	5.7	18	6.4
Caribou	-	-	1	12.5	-	-	1	14.3
Cassia	-	-	3	7.7	3	23.1	-	-
Clark	-	-	1	50.0	-	-	1	50.0
Clearwater	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	6	10.7	1	12.5	5	10.4
Franklin	-	-	1	6.3	-	-	1	7.1
Fremont	-	-	2	11.1	-	-	2	15.4
Gem	-	-	6	19.4	2	33.3	4	16.0
Gooding	-	-	3	9.7	-	-	3	13.6
Idaho	-	-	-	-	-	-	-	-
Jefferson	-	-	1	4.2	-	-	1	5.6
Jerome	-	-	5	9.8	2	10.5	3	9.4
Kootenai	-	-	11	9.1	2	8.0	9	9.4
Latah	-	-	2	28.6	1	100.0	1	16.7
Lemhi	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-
Madison	-	-	4	14.3	2	40.0	2	8.7
Minidoka	-	-	3	6.8	2	11.1	1	3.8
Nez Perce	-	-	1	1.9	-	-	1	2.7
Oneida	-	-	1	14.3	-	-	1	20.0
Owyhee	-	-	3	10.7	1	11.1	2	10.5
Payette	-	-	1	2.9	-	-	1	4.2
Power	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-
Twin Falls	-	-	12	8.1	4	10.8	8	7.1
Valley	-	-	1	11.1	-	-	1	12.5
Washington	-	-	3	21.4	-	-	3	25.0

Percent of total live births in each age group that are low birth weight (<2,500 grams). Percents are based on records with stated birth weight.

Low birth weight percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN ABORTIONS
Abortions, Ratios and Rates by Age of Patient
2005

	AGE OF PATIENT											
	<15			15-19			15-17			18-19		
RESIDENCE	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate
IDAHO	9	473.7	0.2	356	176.3	6.7	127	238.7	4.0	229	154.0	10.6
District 1	-	-	-	83	399.0	12.0	28	571.4	6.2	55	345.9	22.9
District 2	1	1,000.0	0.4	24	292.7	6.2	7	280.0	3.7	17	298.2	8.4
District 3	3	750.0	0.3	31	62.1	3.8	13	98.5	2.5	18	49.0	6.1
District 4	2	500.0	0.2	154	393.9	12.3	56	658.8	7.0	98	320.3	21.8
District 5	3	750.0	0.5	28	81.4	4.4	10	96.2	2.5	18	75.0	7.5
District 6	-	-	-	24	94.1	3.7	9	130.4	2.2	15	80.6	5.9
District 7	-	-	-	12	50.0	1.3	4	58.8	0.9	8	46.5	1.6
Ada	2	-	0.2	142	438.3	12.8	48	640.0	6.8	94	377.5	23.5
Adams	-	-	-	-	-	-	-	-	-	-	-	-
Bannock	-	-	-	17	146.6	5.9	8	242.4	5.0	9	108.4	6.9
Bear Lake	-	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	4	250.0	13.4	3	428.6	15.2	1	111.1	9.8
Bingham	-	-	-	5	54.3	2.6	1	37.0	0.8	4	61.5	5.8
Blaine	1	**	1.6	4	190.5	6.0	3	428.6	6.9	1	71.4	4.3
Boise	-	-	-	2	1,000.0	7.8	2	2,000.0	11.0	-	-	-
Bonner	-	-	-	10	217.4	7.1	2	181.8	2.1	8	228.6	17.7
Bonneville	-	-	-	7	47.3	2.1	1	20.0	0.4	6	61.2	5.3
Boundary	-	-	-	2	285.7	5.2	1	1,000.0	3.7	1	166.7	8.6
Butte	-	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	3	1,000.0	0.5	27	69.6	4.6	12	114.3	3.3	15	53.0	6.8
Caribou	-	-	-	1	125.0	3.6	-	-	-	1	142.9	10.9
Cassia	1	500.0	1.1	1	25.6	1.2	-	-	-	1	38.5	3.4
Clark	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	2	181.8	8.1	-	-	-	2	285.7	24.4
Custer	-	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	4	71.4	4.4	2	250.0	3.6	2	41.7	5.8
Franklin	-	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	3	166.7	6.3	1	200.0	3.3	2	153.8	11.7
Gem	-	-	-	2	64.5	3.6	-	-	-	2	80.0	10.5
Gooding	-	-	-	1	32.3	2.1	-	-	-	1	45.5	6.0
Idaho	-	-	-	1	142.9	1.8	1	333.3	2.6	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-	-
Jerome	1	**	1.3	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	61	504.1	13.8	19	760.0	6.7	42	437.5	26.4
Latah	-	-	-	10	1,428.6	5.8	2	2,000.0	3.7	8	1,333.3	6.6
Lemhi	-	-	-	2	250.0	7.0	2	**	10.2	-	-	-
Lewis	-	-	-	2	666.7	18.2	2	**	26.7	-	-	-
Lincoln	-	-	-	2	250.0	10.2	1	**	8.0	1	125.0	14.1
Madison	-	-	-	-	-	-	-	-	-	-	-	-
Minidoka	-	-	-	3	68.2	4.1	1	55.6	2.1	2	76.9	7.7
Nez Perce	1	1,000.0	0.9	9	166.7	7.2	2	117.6	2.8	7	189.2	13.2
Oneida	-	-	-	1	142.9	6.2	-	-	-	1	200.0	19.2
Owyhee	-	-	-	1	35.7	2.5	-	-	-	1	52.6	8.5
Payette	-	-	-	1	29.4	1.2	1	100.0	1.9	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	6	333.3	16.8	3	600.0	13.3	3	230.8	22.6
Teton	-	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	17	114.1	6.4	5	135.1	3.2	12	107.1	10.9
Valley	-	-	-	6	666.7	23.7	4	4,000.0	24.4	2	250.0	22.5
Washington	-	-	-	-	-	-	-	-	-	-	-	-

**Ratio cannot be computed; no live births. Ratio: Number of induced abortions per 1,000 live births in corresponding age group.

Rate: Number of induced abortions per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Rates are based on July 1, 2005 female population estimates from the National Center for Health Statistics, from the Vintage 2005 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2006.

IDAHO RESIDENT LIVE BIRTHS
Most Common Given Names
2005

GIRLS		
1. Emma	9. (tie) Elizabeth	17. (tie) Ava
2. Madison	Grace	Chloe
3. Emily	Samantha	19. Kaylee
4. Hailey	12. Brooklyn	20. (tie) Alyssa
5. Abigail	13. (tie) Isabella	Natalie
6. Hannah	Taylor	22. Morgan
7. Olivia	15. Sydney	23. (tie) Lily
8. Alexis	16. Ella	Paige
		25. (tie) Sarah
		Sophia

BOYS		
1. Ethan	9. Joshua	18. Benjamin
2. Jacob	10. (tie) Alexander	19. (tie) Daniel
3. Gabriel	William	Matthew
4. Samuel	12. (tie) Carter	Noah
5. Logan	Isaac	22. (tie) Caleb
6. Michael	14. Ryan	Joseph
7. Tyler	15. Hunter	24. (tie) Dylan
8. Andrew	16. (tie) Austin	Mason
	Zachary	

Each spelling constitutes a different name.

Selected Unique Names, Yewneek Spellings:

GIRLS				
Alaska	Chili	Itali	Kronic	Oyuky
Alpine	England	Juniper	Libbertie	Saoirse
Aquilla	Graceland	Jynnjer	Lixy	Tanaquil
Autumn Hunnie	Happy	Kahlua	Mali	Wyntre
Cascade	Holland	Khlover	Manhattan	Zipaya

BOYS				
Anthem	Drizzt	Kleveland	Perrigrine	Tearin
Ayerik	Havoc	Kryzstian	Quirt	Trapper
Candyladio	Izik	Kudter	Rook	Troix
Cotton	Kaschus	Lucky	Salad	Truth
Dodger	Khargo	Nickel	Snuepy	Western

MORTALITY

U.S. and Idaho

The number of Idaho deaths increased 5 percent from 10,013 deaths in 2004 to 10,513 deaths in 2005. At the same time, the death rate increased 3 percent (from 7.2 per 1,000 population in 2004 to 7.4 in 2005). There were 2,397,615 deaths in the United States in 2004 which was a 2 percent decrease from 2,448,288 deaths in 2003. The 2004 U.S. crude death rate was 8.2 deaths per 1,000 population compared with 8.4 deaths per 1,000 population in 2003.

Cause of Death Ranking

The leading causes of death in U.S in 2004 were identical to Idaho's top-two causes in 2005; however, there were differences in the crude rates per 100,000 population. In the U.S., Chronic lower respiratory diseases and Cerebrovascular diseases were ranked in reverse order of Idaho. Diabetes mellitus and Alzheimer's disease were sixth and seventh in the U.S. and were seventh and sixth in Idaho. Suicide ranked ninth in Idaho and eleventh in the U.S. The ninth and tenth leading causes of death in the U.S. were Nephritis, nephrotic syndrome and nephrosis (ninth) and Septicemia (tenth), which were ranked twelfth and seventeenth, respectively in Idaho in 2005.

Causes Ranked 1-10 in U.S.	2004 U.S. Crude Rate	2005 Idaho Crude Rate (Rank)
1. Diseases of heart	222.2	170.9 (1)
2. Malignant neoplasms (cancer)	188.6	164.9 (2)
3. Cerebrovascular diseases (stroke)	51.1	49.8 (4)
4. Chronic lower respiratory diseases	41.5	50.3 (3)
5. Accidents	38.1	41.7 (5)
6. Diabetes mellitus	24.9	20.7 (7)
7. Alzheimer's disease	22.5	28.8 (6)
8. Influenza and pneumonia	20.3	20.4 (8)
9. Nephritis, nephrotic syndrome and nephrosis (kidney disease)	14.5	7.4 (12)
10. Septicemia	11.4	4.3 (17)

Crude rates are per 100,000 population.

U.S. mortality rates are consistently much higher than those in Idaho for Diseases of the heart, Malignant neoplasms, Nephritis, nephrotic syndrome and nephrosis, and Septicemia. Higher Idaho rates are recorded for Intentional self-harm (suicide) and Accidents.

From 2004 to 2005, there were several changes in the ranking of the ten leading causes of death to Idaho residents. Cerebrovascular disease, the third leading cause in 2004 became the fourth leading cause in 2005; Accidents, the fourth leading cause in 2004, became the fifth leading cause in 2005; Chronic lower respiratory diseases, the fifth leading cause in 2004, increased to the third leading cause. Suicide, the eighth leading cause in 2004, dropped to ninth. Influenza and pneumonia, the ninth leading cause in 2004, became the eighth leading cause.

Of the 10 leading causes of death in Idaho, half of the cause-specific death rates increased and half of the cause-specific rates decreased from 2004 to 2005. Increases were seen for Malignant neoplasms, Chronic lower respiratory diseases, Alzheimer's disease, Influenza and pneumonia, and Chronic liver disease and cirrhosis. Crude rates were lower for Diseases of heart, Cerebrovascular diseases, Accidents, Diabetes mellitus, and Intentional self-harm (suicide).

IDAHO RESIDENT DEATHS
1995-2005



U.S., IDAHO RESIDENT DEATH RATES
1995-2005



* US rate for 2005 is provisional.

IDAHO RESIDENT DEATHS
Number of Deaths and Rates
2001-2005

RESIDENCE	2005		2004		2003		2002		2001	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		8.2 (Provisional)		8.2		8.4		8.5		8.5
IDAHO	10,513	7.4	10,013	7.2	10,364	7.6	9,909	7.4	9,751	7.4
District 1	1,753	8.7	1,633	8.4	1,610	8.5	1,568	8.5	1,530	8.4
District 2	883	8.8	905	9.0	953	9.5	989	9.9	867	8.7
District 3	1,725	7.6	1,616	7.3	1,678	8.2	1,532	7.4	1,518	7.6
District 4	2,419	6.2	2,228	5.9	2,270	6.2	2,118	5.8	2,118	5.9
District 5	1,445	8.5	1,350	8.0	1,455	8.8	1,393	8.4	1,392	8.5
District 6	1,169	7.2	1,190	7.5	1,250	7.9	1,236	7.8	1,181	7.5
District 7	1,119	6.3	1,091	6.3	1,148	7.0	1,073	6.5	1,145	7.1
Ada	2,154	6.2	1,960	5.9	2,022	6.2	1,881	5.9	1,863	6.0
Adams	31	8.6	27	7.8	30	8.5	25	7.3	31	9.0
Bannock	555	7.1	564	7.5	615	8.1	598	7.9	572	7.6
Bear Lake	59	9.6	68	10.8	68	10.8	57	9.0	63	9.9
Benewah	92	10.0	93	10.4	101	11.2	108	12.0	84	9.3
Bingham	287	6.6	290	6.7	282	6.6	294	6.9	289	6.8
Blaine	79	3.7	79	3.7	97	4.7	77	3.8	71	3.6
Boise	45	6.0	40	5.4	39	5.4	25	3.5	40	5.7
Bonner	378	9.2	342	8.6	341	8.7	328	8.6	315	8.4
Bonneville	615	6.7	613	6.8	645	7.4	593	7.0	637	7.6
Boundary	118	11.1	100	9.6	107	10.5	79	7.8	91	9.2
Butte	23	8.2	33	11.6	27	9.4	29	10.0	18	6.3
Camas	3	2.9	9	8.9	7	6.7	5	4.8	7	7.0
Canyon	1,123	6.8	1,047	6.6	1,095	7.2	971	6.7	952	6.8
Caribou	61	8.6	55	7.6	58	8.1	73	10.0	62	8.4
Cassia	176	8.3	178	8.3	189	8.7	183	8.4	184	8.5
Clark	2	2.1	4	4.4	5	5.5	6	6.0	11	11.3
Clearwater	81	9.7	83	9.9	90	10.7	90	10.7	102	11.9
Custer	40	9.8	32	7.8	34	8.3	35	8.4	36	8.4
Elmore	155	5.4	160	5.5	137	4.7	155	5.3	166	5.7
Franklin	86	7.0	82	6.7	95	8.0	91	7.8	93	8.0
Fremont	87	7.1	89	7.3	98	8.1	92	7.8	96	8.1
Gem	170	10.4	169	10.6	185	11.7	157	10.1	160	10.3
Gooding	137	9.5	124	8.6	138	9.6	162	11.3	148	10.4
Idaho	144	9.2	162	10.4	165	10.7	166	10.8	143	9.3
Jefferson	116	5.4	135	6.5	123	6.1	116	5.9	142	7.3
Jerome	144	7.3	122	6.3	132	7.0	159	8.5	137	7.4
Kootenai	1,018	8.0	934	7.6	909	7.7	894	7.8	873	7.8
Latah	204	5.9	213	6.1	225	6.4	238	6.8	194	5.6
Lemhi	92	11.6	74	9.5	107	13.8	84	11.0	86	11.3
Lewis	47	12.5	47	12.5	43	11.5	41	11.0	36	9.9
Lincoln	44	9.7	47	10.9	32	7.4	28	6.7	28	6.8
Madison	132	4.3	118	3.8	109	3.6	117	4.2	110	4.0
Minidoka	196	10.3	162	8.4	196	10.1	157	8.1	189	9.6
Nez Perce	407	10.7	400	10.6	430	11.4	454	12.2	392	10.6
Oneida	45	10.7	43	10.4	45	10.9	40	9.7	50	11.9
Owyhee	100	9.0	83	7.5	84	7.5	80	7.4	80	7.3
Payette	181	8.2	181	8.4	169	7.9	185	8.8	191	9.2
Power	53	6.8	55	7.3	60	8.1	54	7.3	34	4.6
Shoshone	147	11.2	164	12.8	152	11.7	159	12.1	167	12.4
Teton	35	4.7	26	3.6	27	3.8	30	4.4	27	4.2
Twin Falls	666	9.6	629	9.3	664	9.9	622	9.5	628	9.7
Valley	65	7.8	68	8.5	72	9.3	57	7.6	49	6.4
Washington	120	11.9	109	10.8	115	11.5	114	11.5	104	10.4

Death rate: Number of deaths per 1,000 population.

IDAHO RESIDENT DEATHS
Sex, Race and Ethnicity[1]
2005

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC
		Male	Female	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	10,513*	5,360	5,153	10,205	16	128	62	98	2	276
District 1	1,753*	904	849	1,720	1	21	4	6	-	13
District 2	883	465	418	859	-	17	3	4	-	8
District 3	1,725	881	844	1,685	1	8	12	18	1	80
District 4	2,419	1,156	1,263	2,364	9	13	18	14	1	43
District 5	1,445*	760	685	1,385	1	5	8	45	-	85
District 6	1,169	625	544	1,092	2	63	7	5	-	25
District 7	1,119	569	550	1,100	2	1	10	6	-	22
Ada	2,154	1,025	1,129	2,102	8	13	17	13	1	37
Adams	31	14	17	31	-	-	-	-	-	-
Bannock	555	299	256	520	2	28	3	2	-	11
Bear Lake	59	31	28	59	-	-	-	-	-	-
Benewah	92	44	48	87	-	5	-	-	-	-
Bingham	287	155	132	256	-	29	-	2	-	6
Blaine	79	45	34	77	-	-	2	-	-	8
Boise	45	25	20	45	-	-	-	-	-	1
Bonner	378	205	173	377	-	-	-	1	-	3
Bonneville	615	312	303	606	2	-	6	1	-	9
Boundary	118	61	57	112	-	5	-	1	-	1
Butte	23	13	10	22	-	-	1	-	-	-
Camas	3	-	3	3	-	-	-	-	-	-
Canyon	1,123	573	550	1,096	1	5	7	13	1	62
Caribou	61	31	30	60	-	1	-	-	-	1
Cassia	176	95	81	167	1	2	-	6	-	16
Clark	2	2	-	2	-	-	-	-	-	-
Clearwater	81	45	36	78	-	2	1	-	-	1
Custer	40	26	14	39	-	-	-	1	-	1
Elmore	155	76	79	153	1	-	1	-	-	3
Franklin	86	46	40	82	-	1	3	-	-	-
Fremont	87	48	39	86	-	-	-	1	-	3
Gem	170	89	81	169	-	-	1	-	-	-
Gooding	137	73	64	127	-	-	1	9	-	9
Idaho	144	79	65	142	-	2	-	-	-	1
Jefferson	116	59	57	113	-	1	1	1	-	5
Jerome	144	84	60	140	-	-	-	4	-	8
Kootenai	1,018*	517	501	999	1	10	4	3	-	8
Latah	204	115	89	202	-	-	2	-	-	2
Lemhi	92	43	49	92	-	-	-	-	-	-
Lewis	47	27	20	44	-	1	-	2	-	2
Lincoln	44	23	21	41	-	-	1	2	-	5
Madison	132	58	74	128	-	-	3	1	-	1
Minidoka	196	99	97	177	-	1	2	16	-	27
Nez Perce	407	199	208	393	-	12	-	2	-	2
Oneida	45	24	21	44	-	1	-	-	-	-
Owyhee	100	50	50	94	-	1	3	2	-	10
Payette	181	100	81	176	-	2	-	3	-	6
Power	53	26	27	49	-	3	-	1	-	7
Shoshone	147	77	70	145	-	1	-	1	-	1
Teton	35	21	14	34	-	-	-	1	-	3
Twin Falls	666*	341	325	653	-	2	2	8	-	12
Valley	65	30	35	64	-	-	-	1	-	2
Washington	120	55	65	119	-	-	1	-	-	2

* Race is based on single or bridged-race for persons with more than one race listed on death certificate. Bridged race data are not available for out-of-state deaths. Total includes one (1) death in Kootenai County (District 1) and one (1) death in Twin Falls County (District 5) with more than one race stated for decedent's race.

IDAHO RESIDENT DEATHS
Age at Death
2005

RESIDENCE	TOTAL DEATHS	AGE AT DEATH										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
IDAHO	10,513	142	32	33	154	184	312	685	1,060	1,717	2,932	3,262
District 1	1,753	17	3	7	18	21	61	119	183	309	494	521
District 2	883	9	2	-	12	11	29	48	78	143	248	303
District 3	1,725	30	2	3	30	25	39	108	177	307	483	521
District 4	2,419	41	5	6	31	37	69	179	250	362	642	797
District 5	1,445	15	8	9	25	30	34	95	146	220	384	479
District 6	1,169	16	8	2	16	35	32	79	112	193	346	330
District 7	1,119	14	4	6	22	25	48	57	114	183	335	311
Ada	2,154	33	5	6	27	32	64	153	215	313	584	722
Adams	31	-	-	-	4	-	-	1	4	7	4	11
Bannock	555	9	1	-	5	18	20	40	55	83	183	141
Bear Lake	59	-	-	-	1	-	2	4	5	11	20	16
Benewah	92	1	-	-	-	-	4	6	15	17	17	32
Bingham	287	7	6	1	5	13	8	22	32	49	64	80
Blaine	79	4	-	-	6	4	2	10	9	7	20	17
Boise	45	1	-	-	1	-	1	5	9	9	11	8
Bonner	378	3	-	2	5	5	16	38	42	55	106	106
Bonneville	615	7	1	2	13	10	33	31	64	101	186	167
Boundary	118	1	1	-	3	3	9	5	12	17	30	37
Butte	23	-	-	-	-	-	-	2	3	4	7	7
Camas	3	-	-	-	-	-	-	-	1	-	-	2
Canyon	1,123	17	1	3	22	20	24	78	121	190	313	334
Caribou	61	-	1	1	1	1	1	4	2	14	12	24
Cassia	176	1	1	-	2	2	4	6	21	21	52	66
Clark	2	-	-	-	-	-	-	-	-	-	2	-
Clearwater	81	1	-	-	2	-	6	5	7	17	25	18
Custer	40	1	-	-	-	2	2	3	9	5	9	9
Elmore	155	6	-	-	3	5	2	12	17	27	39	44
Franklin	86	-	-	-	3	-	-	3	8	11	34	27
Fremont	87	2	-	1	1	3	5	4	6	18	20	27
Gem	170	3	1	-	1	2	7	10	9	25	56	56
Gooding	137	1	1	2	4	1	3	8	15	27	32	43
Idaho	144	1	-	-	2	-	3	9	23	31	32	43
Jefferson	116	1	-	-	2	5	3	2	13	19	44	27
Jerome	144	2	1	-	4	4	7	10	17	27	41	31
Kootenai	1,018	11	2	4	10	12	29	61	97	198	289	305
Latah	204	-	1	-	4	4	4	13	16	28	51	83
Lemhi	92	-	-	1	-	-	2	7	9	16	34	23
Lewis	47	-	-	-	1	-	3	2	5	15	14	7
Lincoln	44	-	-	2	2	-	3	4	3	4	12	14
Madison	132	3	2	2	4	3	3	6	10	18	33	48
Minidoka	196	-	2	3	2	4	8	9	24	26	63	55
Nez Perce	407	7	1	-	3	7	13	19	27	52	126	152
Oneida	45	-	-	-	-	-	-	1	4	7	16	17
Owyhee	100	2	-	-	1	-	3	7	10	25	23	29
Payette	181	6	-	-	2	2	4	7	24	35	55	46
Power	53	-	-	-	1	3	1	3	3	14	10	18
Shoshone	147	1	-	1	-	1	3	9	17	22	52	41
Teton	35	-	1	-	2	2	-	4	3	6	7	10
Twin Falls	666	7	3	2	5	15	7	48	56	108	164	251
Valley	65	1	-	-	-	-	2	9	9	13	8	23
Washington	120	2	-	-	-	1	1	5	9	25	32	45

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans
Cause-Specific Crude and Age-Adjusted Rates
2005

CAUSE OF DEATH[1]	DEATHS		DEATH RATES[2]			
			Crude		Age-Adjusted[3]	
	Number	Percent	Idaho[4]	U.S.[5] 2004	Idaho[4]	U.S.[5] 2004
ALL CAUSES	10,513	100.0%	735.6	816.5	763.5	800.8
1. Diseases of heart	2,443	23.2%	170.9	222.2	177.4	217.0
2. Malignant neoplasms (cancer)	2,356	22.4%	164.9	188.6	173.2	185.8
3. Chronic lower respiratory diseases	719	6.8%	50.3	41.5	54.0	41.1
-- Bronchitis, chronic and unspecified	4	0.0%	0.3	0.3	NA	0.3
-- Emphysema	98	0.9%	6.9	4.7	7.4	4.7
-- Asthma	24	0.2%	1.7	1.3	1.8	1.3
-- Other chronic lower respiratory diseases	593	5.6%	41.5	35.9	44.6	35.9
4. Cerebrovascular diseases	712	6.8%	49.8	51.1	51.8	50.0
5. Accidents	596	5.7%	41.7	38.1	42.5	37.7
-- Transport accidents	305	2.9%	21.3	16.0	21.4	15.8
------ Motor vehicle accidents	276	2.6%	19.3	15.0	19.3	14.8
-- Nontransport accidents	291	2.8%	20.4	21.0	21.1	20.8
6. Alzheimer's disease	411	3.9%	28.8	22.5	29.6	21.8
7. Diabetes mellitus	296	2.8%	20.7	24.9	21.9	24.5
8. Influenza and Pneumonia	292	2.8%	20.4	20.3	20.7	19.8
9. Intentional self-harm (suicide)	225	2.1%	15.7	11.0	16.0	10.9
10. Chronic liver disease and cirrhosis	128	1.2%	9.0	9.2	9.0	9.0
All other causes	2,335	22.2%	NA	NA	NA	NA

1. Data are based on tenth revision of the International Classification of Diseases (ICD-10).
2. Rates are per 100,000 population.
3. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
4. Idaho rates are based on 2005 population estimates based on 2000 Census.
5. U.S. crude and age-adjusted rates are 2004 final data for leading causes of death and are 2004 preliminary for sub-category causes of death. Rates are calculated using 2004 population estimates based on the 2000 Census.

NA: Age-adjusted rates not calculated for causes with fewer than 20 deaths; crude and age-adjusted rates not applicable for all other causes.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans by Sex
Cause-Specific Crude and Age-Adjusted Rates
2005

MALES						
CAUSE OF DEATH[1]	DEATHS		DEATH RATES[2]			
			Crude		Age-Adjusted[3]	
	Number	Percent	Idaho	U.S.[4] 2003	Idaho	U.S.[4] 2003
ALL CAUSES	5,360	100.0%	747.7	840.3	901.0	994.3
1. Diseases of heart	1,282	23.9%	178.8	235.0	222.2	286.6
2. Malignant neoplasms (cancer)	1,273	23.8%	177.6	201.3	210.7	233.3
3. Accidents	391	7.3%	54.5	49.3	57.6	51.8
4. Chronic lower respiratory diseases	378	7.1%	52.7	42.4	66.8	52.3
5. Cerebrovascular diseases	291	5.4%	40.6	42.9	52.1	54.1
6. Intentional self-harm (suicide)	190	3.5%	26.5	17.6	28.0	18.0
7. Diabetes mellitus	162	3.0%	22.6	24.8	27.5	28.9
8. Influenza and pneumonia	136	2.5%	19.0	20.1	24.7	26.1
9. Alzheimer's disease	129	2.4%	18.0	12.8	24.4	17.5
10. Chronic liver disease and cirrhosis	82	1.5%	11.4	12.5	11.8	13.0
All other causes	1,046	19.5%	NA	NA	NA	NA

FEMALES						
CAUSE OF DEATH[1]	DEATHS		DEATH RATES[2]			
			Crude		Age-Adjusted[3]	
	Number	Percent	Idaho	U.S.[4] 2003	Idaho	U.S.[4] 2003
ALL CAUSES	5,153	100.0%	723.5	843.4	648.3	706.2
1. Diseases of heart	1,161	22.5%	163.0	236.2	141.4	190.3
2. Malignant neoplasms (cancer)	1,083	21.0%	152.1	182.0	144.7	160.9
3. Cerebrovascular diseases	421	8.2%	59.1	65.1	50.6	52.3
4. Chronic lower respiratory diseases	341	6.6%	47.9	44.4	45.7	37.8
5. Alzheimer's disease	282	5.5%	39.6	30.5	32.7	23.3
6. Accidents	205	4.0%	28.8	26.2	27.3	24.1
7. Influenza and pneumonia	156	3.0%	21.9	24.6	18.0	19.4
8. Diabetes mellitus	134	2.6%	18.8	26.2	17.2	22.5
9. Nephritis, nephrotic syndrome, nephrosis	61	1.2%	8.6	14.9	7.4	12.4
10. Parkinson's disease	47	0.9%	6.6	5.3	5.7	4.2
All other causes	1,262	24.5%	NA	NA	NA	NA

1. Data are based on tenth revision of the International Classification of Diseases (ICD-10).
2. Rates are per 100,000 population. NA: not applicable.
3. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
4. U.S. crude and age-adjusted rates are 2003 data. Rates are calculated using 2003 population estimates based on the 2000 Census and provided to the National Center for Health Statistics by the U.S. Bureau of the Census. Idaho rates are calculated using 2005 population estimates based on 2000 Census.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2005

RANK	AGE GROUP												ALL AGES
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (41)	Accidents (13) (Transport: 7 All other: 6)	Accidents (7) (Transport: 5 All other: 2)	Accidents (10) (Transport: 5 All other: 5)	Accidents (36) (Transport: 30 All other: 6)	Accidents (52) (Transport: 46 All other: 6)	Accidents (70) (Transport: 52 All other: 18)	Accidents (79) (Transport: 45 All other: 34)	Malignant neoplasms (183)	Malignant neoplasms (386)	Malignant neoplasms (611)	Diseases of heart (1,694)	Diseases of heart (2,443)
2	Short gestation/low birth weight (21)	Assault (Homicide) (6)	Assault (Homicide) (3)	Intentional self-harm (Suicide) (3)	Intentional self-harm (Suicide) (10)	Intentional self-harm (Suicide) (18)	Intentional self-harm (Suicide) (36)	Diseases of heart (50)	Diseases of heart (120)	Diseases of heart (220)	Diseases of heart (346)	Malignant neoplasms (1,102)	Malignant neoplasms (2,356)
3	Sudden infant death syndrome (12)	Congenital malformations (3)	(Tie) Congenital malformations; Malignant neoplasms (2 each)		(Tie) Congenital malformations; Malignant neoplasms (3 each)	Assault (Homicide) (7)	Malignant neoplasms (17)	Malignant neoplasms (46)	Accidents (84) (Transport: 37 All other: 47)	Chronic lower respiratory diseases (67)	Chronic lower respiratory diseases (165)	Cerebrovas-cular diseases (556)	Chronic lower respiratory diseases (719)
4	Accidents (9) (Transport: 2 All other: 7)					Malignant neoplasms (4)	(Tie) Assault (Homicide); Diseases of heart (9 each)	Intentional self-harm (Suicide) (40)	Intentional self-harm (Suicide) (46)	Accidents (47) (Transport: 26 All other: 21)	Cerebrovas-cular diseases (92)	Chronic lower respiratory diseases (462)	Cerebrovas-cular diseases (712)
5	Maternal complications of pregnancy (8)				Assault (Homicide) (2)	(Tie) Congenital malformations; Pregnancy, childbirth, and the puerperium (2 each)		Chronic liver disease and cirrhosis (14)	Chronic liver disease and cirrhosis (33)	Cerebrovas-cular diseases (42)	Diabetes mellitus (70)	Alzheimer's disease (380)	Accidents (596) (Transport: 305 All other: 291)
6	Neonatal hemorrhage (7)						(Tie) Influenza and pneumonia; Chronic liver disease and cirrhosis; Pregnancy, childbirth, and the puerperium (3 each)	Assault (Homicide) (8)	Diabetes mellitus (20)	Chronic liver disease and cirrhosis (37)	Accidents (63) (Transport: 28 All other: 35)	Influenza and pneumonia (234)	Alzheimer's disease (411)
7	Respiratory distress (5)							Cerebrovas-cular diseases (7)	Chronic lower respiratory diseases (18)	Intentional self-harm (Suicide) (28)	Influenza and pneumonia (29)	Diabetes mellitus (175)	Diabetes mellitus (296)
8	(Tie) Complications of placenta cord and membrane; Intrauterine hypoxia and birth asphyxia (3 each)							Chronic lower respiratory diseases (6)	Cerebrovas-cular diseases (13)	Diabetes mellitus (24)	Alzheimer's disease (25)	Accidents (126) (Transport: 22 All other: 104)	Influenza and pneumonia (292)
9							(Tie) Diabetes mellitus; HIV (2 each)	Diabetes mellitus (4)	Influenza and pneumonia (10)	Influenza and pneumonia (11)	Chronic liver disease and cirrhosis (23)	Parkinson's disease (94)	Intentional self-harm (Suicide) (225)
10	(Tie)[1] (2 each)							In situ neoplasms (3)	Viral hepatitis (8)	Septicemia (10)	Aortic aneurysm and dissection (16)	Nephritis, neph-rotic syndrome, nephrosis (78)	Chronic liver disease and cirrhosis (128)
Residual[2]	25	10	1	5	6	9	30	55	150	188	277	1,293	2,335
Total	142	32	15	18	60	94	184	312	685	1,060	1,717	6,194	10,513

Causes of death with one death are not shown. See Technical Notes for methodology. Note: Number of deaths in parentheses.

1. Tie at rank 10 for age group <1: Hydrops fetalis not due to hemolytic disease (2), Gastritis, duodenitis, and noninfective enteritis and colitis (2), Influenza and pneumonia (2), Septicemia (2).
2. Residual: Total number of deaths for all other causes not listed.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Ten Leading Causes of Death Based on Premature Mortality[1]
Total Population and by Sex
2005

Cause of Death	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
	Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate[2]
Total Population	4,319	100.0%	19.1	82,573.5	6,107.4
1. Accidents	470	10.9	35.2	16,556.0	1,224.5
--Transport accident	283	6.6	38.4	10,861.5	803.4
----Motor vehicle accident	256	5.9	39.1	10,010.0	740.4
--Nontransport accident	187	4.3	30.5	5,694.5	421.2
2. Malignant neoplasms (cancer)	1,254	29.0	12.6	15,863.0	1,173.3
3. Diseases of heart	749	17.3	13.4	10,016.5	740.9
4. Intentional self-harm (suicide)	196	4.5	32.8	6,426.0	475.3
5. Certain conditions originating in the perinatal period	59	1.4	74.5	4,395.5	325.1
6. Congenital malformations	65	1.5	60.6	3,939.5	291.4
7. Chronic lower respiratory diseases	257	6.0	9.4	2,411.5	178.4
8. Chronic liver disease and cirrhosis	110	2.5	19.0	2,095.0	155.0
9. Assault (homicide)	44	1.0	46.9	2,065.0	152.7
10. Cerebrovascular diseases	156	3.6	10.9	1,695.0	125.4
All Other Causes	959	22.2	17.8	17,110.5	1,265.5
Total Males	2,616	100.0	19.9	52,007.0	7,584.6
1. Accidents	335	12.8	35.0	11,738.5	1,711.9
--Transport accident	196	7.5	38.3	7,506.0	1,094.7
----Motor vehicle accident	174	6.7	38.9	6,764.0	986.4
--Nontransport accident	139	5.3	30.4	4,232.5	617.3
2. Malignant neoplasms (cancer)	696	26.6	12.3	8,555.0	1,247.6
3. Diseases of heart	510	19.5	13.8	7,050.0	1,028.2
4. Intentional self-harm (suicide)	162	6.2	33.2	5,382.0	784.9
5. Certain conditions originating in the perinatal period	38	1.5	74.5	2,831.0	412.9
6. Congenital malformations	26	1.0	64.8	1,684.0	245.6
7. Assault (homicide)	34	1.3	46.5	1,582.0	230.7
8. Chronic liver disease and cirrhosis	71	2.7	18.5	1,312.5	191.4
9. Chronic lower respiratory diseases	132	5.0	8.9	1,181.0	172.2
10. Diabetes mellitus	76	2.9	13.9	1,057.0	154.2
All Other Causes	536	20.5	18.0	9,634.0	1,405.0
Total Females	1,703	100.0	17.9	30,566.5	4,587.3
1. Malignant neoplasms (cancer)	558	32.8	13.1	7,308.0	1,096.8
2. Accidents	135	7.9	35.7	4,817.5	723.0
--Transport accident	87	5.1	38.6	3,355.5	503.6
----Motor vehicle accident	82	4.8	39.6	3,246.0	487.1
--Nontransport accident	48	2.8	30.5	1,462.0	219.4
3. Diseases of heart	239	14.0	12.4	2,966.5	445.2
4. Congenital malformations	39	2.3	57.8	2,255.5	338.5
5. Certain conditions originating in the perinatal period	21	1.2	74.5	1,564.5	234.8
6. Chronic lower respiratory diseases	125	7.3	9.8	1,230.5	184.7
7. Intentional self-harm (suicide)	34	2.0	30.7	1,044.0	156.7
8. Chronic liver disease and cirrhosis	39	2.3	20.1	782.5	117.4
9. Cerebrovascular diseases	69	4.1	9.6	663.5	99.6
10. Assault (homicide)	10	0.6	48.3	483.0	72.5
All Other Causes	434	25.5	17.2	7,451.0	1,118.2

1. Ranking based on total number of years potential lost life (YPLL).
2. YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years. See Technical Notes for methodology.

LIFE EXPECTANCY
Age in Years by Sex
2005

EXACT AGE IN YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($^{o}e_{x}$)		
	Total	Male	Female
0	78.9	76.6	81.3
1	78.4	76.1	80.7
5	74.5	72.2	76.9
10	69.6	67.3	71.9
15	64.7	62.4	66.9
20	59.8	57.6	62.1
25	55.1	52.9	57.2
30	50.3	48.3	52.3
35	45.5	43.6	47.5
40	40.8	38.9	42.7
45	36.2	34.3	38.0
50	31.6	29.9	33.3
55	27.3	25.6	28.8
60	23.0	21.4	24.4
65	19.0	17.5	20.3
70	15.3	14.0	16.5
75	12.0	10.9	13.0
80	9.2	8.3	9.8
85	7.2	6.6	7.5

U.S. life expectancy in 2004 (preliminary) was 77.9 years, 75.2 years for males, and 80.4 years for females.

See Technical Notes for methodology.

LIFE EXPECTANCY AT BIRTH
By District of Residence
2005

RESIDENCE	AVERAGE NUMBER OF YEARS LIFE EXPECTANCY AT BIRTH		
	Total	Male	Female
Idaho	78.9	76.6	81.3
District 1	78.3	76.0	80.6
District 2	79.5	77.1	82.0
District 3	78.5	76.1	81.0
District 4	79.6	77.7	81.4
District 5	78.3	75.3	81.4
District 6	78.4	75.5	81.5
District 7	79.1	76.8	81.3

See Technical Notes for methodology.

IDAHO RESIDENT DEATHS
Malignant Neoplasms (Cancer)
2005

RESIDENCE	Total Malignant Neoplasm Deaths	Trachea, Bronchus, and Lung	Colon	Pancreas	Prostate[1]	Female Breast[2]	Non-Hodgkin's Lymphoma	Brain	All Other Malignant Neoplasms
IDAHO	2,356	606	176	165	161	144	98	79	927
Rates	164.9	42.4	12.3	11.5	22.5	20.2	6.9	5.5	64.9
District 1	432	122	25	27	27	29	13	17	172
Rates	214.3	60.5	12.4	13.4	26.9	28.6	6.4	8.4	85.3
District 2	214	54	13	8	18	14	11	6	90
Rates	213.0	53.8	12.9	8.0	35.3	28.3	10.9	6.0	89.6
District 3	378	104	25	29	31	18	17	11	143
Rates	165.9	45.6	11.0	12.7	27.2	15.8	7.5	4.8	62.8
District 4	594	146	39	55	32	38	28	22	234
Rates	152.6	37.5	10.0	14.1	16.2	19.8	7.2	5.7	60.1
District 5	312	85	24	17	19	19	11	12	125
Rates	182.9	49.8	14.1	10.0	22.1	22.4	6.4	7.0	73.3
District 6	217	48	21	10	17	14	9	7	91
Rates	133.7	29.6	12.9	6.2	21.1	17.1	5.5	4.3	56.1
District 7	209	47	29	19	17	12	9	4	72
Rates	118.0	26.5	16.4	10.7	19.3	13.5	5.1	2.3	40.7
Ada	539	124	37	49	29	35	27	21	217
Adams	8	2	1	1	-	1	1	-	2
Bannock	101	25	10	5	3	5	4	3	46
Bear Lake	9	1	1	-	1	2	-	1	3
Benewah	21	9	1	1	1	-	2	-	7
Bingham	55	9	5	2	10	3	2	2	22
Blaine	27	5	3	2	5	1	-	1	10
Boise	6	3	-	-	-	-	1	-	2
Bonner	94	20	5	5	9	4	2	3	46
Bonneville	106	24	16	12	8	6	5	3	32
Boundary	29	5	1	1	3	3	3	-	13
Butte	10	3	1	1	2	1	1	-	1
Camas	1	1	-	-	-	-	-	-	-
Canyon	238	65	14	19	19	12	8	5	96
Caribou	10	2	-	-	-	1	-	-	7
Cassia	36	6	2	3	3	1	2	1	18
Clark	-	-	-	-	-	-	-	-	-
Clearwater	17	4	2	-	2	1	1	-	7
Custer	8	5	-	-	-	-	-	-	3
Elmore	31	9	1	5	1	2	-	1	12
Franklin	12	1	3	1	1	-	1	-	5
Fremont	20	3	4	1	1	4	1	-	6
Gem	30	10	1	1	4	-	2	2	10
Gooding	29	11	3	2	2	2	1	-	8
Idaho	44	7	2	3	5	4	-	-	23
Jefferson	28	4	4	4	3	1	1	1	10
Jerome	28	9	2	1	1	4	-	1	10
Kootenai	241	66	15	18	14	18	6	12	92
Latah	51	11	5	3	2	4	4	-	22
Lemhi	23	8	3	2	-	-	-	-	10
Lewis	12	5	-	-	1	-	1	1	4
Lincoln	8	2	-	1	1	-	-	-	4
Madison	21	2	1	-	4	1	2	-	11
Minidoka	44	11	3	3	2	1	1	2	21
Nez Perce	90	27	4	2	8	5	5	5	34
Oneida	8	2	-	-	-	2	1	-	3
Owyhee	21	2	2	4	-	-	1	-	12
Payette	52	16	2	1	5	5	1	2	20
Power	12	5	1	1	-	-	-	1	4
Shoshone	47	22	3	2	-	4	-	2	14
Teton	3	1	1	-	1	-	-	-	-
Twin Falls	139	40	11	5	5	10	7	7	54
Valley	18	10	1	1	2	1	-	-	3
Washington	29	9	5	3	3	-	4	2	3

Malignant neoplasm death rate: Number of deaths per 100,000 population.
1. Prostate cancer death rates are expressed as the number of deaths per 100,000 male population.
2. Female breast cancer death rates are expressed as the number of deaths per 100,000 female population.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2005

ICD-10 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C00-C97	TOTAL MALIGNANT NEOPLASM DEATHS	2,356	1,273	1,083
C00-C14	LIP, ORAL CAVITY AND PHARYNX	41	29	12
C00	Lip	-	-	-
C01-C02	Tongue	12	7	5
C10-C13, C14.0	Pharynx	15	14	1
C03-C09, C14.2-C14.8	Other and unspecified sites within the lip, oral cavity, and pharynx	14	8	6
C15-C26	DIGESTIVE ORGANS	550	285	265
C15	Esophagus	56	45	11
C16	Stomach	39	20	19
C17	Small intestine	7	3	4
C18	Colon	176	78	98
C19-C20	Rectosigmoid junction and rectum	29	14	15
C21	Anus and anal canal	3	3	-
C22.0, C22.2-C22.9	Liver	45	36	9
C22.1	Intrahepatic bile duct	18	10	8
C23-C24	Gallbladder and extrahepatic bile ducts	9	3	6
C25	Pancreas	165	72	93
C26	Other and ill-defined digestive organs	3	1	2
C30-C39	RESPIRATORY AND INTRATHORACIC ORGANS	622	362	260
C30-C31	Nasal cavity, middle ear, and accessory sinuses	4	4	-
C32	Larynx	10	8	2
C33-C34	Trachea, bronchus, and lung	606	349	257
C37-C38	Thymus, heart, mediastinum, and pleura	2	1	1
C39	Other and ill-defined sites in the respiratory system and intrathoracic organs	-	-	-
C40-C41	BONE AND ARTICULAR CARTILAGE	8	5	3
C43-C44	MELANOMA AND OTHER MALIGNANT NEOPLASMS OF SKIN	63	43	20
C43	Melanoma of skin	47	30	17
C44	Other malignant neoplasms of skin	16	13	3
C45-C49	MESOTHELIAL AND SOFT TISSUE	34	24	10
C45	Mesothelioma	13	13	-
C46	Kaposi's sarcoma	-	-	-
C47-C49	Other mesothelial and soft tissue	21	11	10
C50	BREAST	144	-	144
C51-C58	FEMALE GENITAL ORGANS	105	-	105
C51-C52	Vulva and vagina	5	-	5
C53	Cervix uteri	13	-	13
C54-C55	Corpus uteri and uterus, part unspecified	31	-	31
C56	Ovary	56	-	56
C57	Other and unspecified female genital organs	-	-	-
C58	Placenta	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical Notes for methodology.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2005 (continued)

ICD-10 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C60-C63	MALE GENITAL ORGANS	167	167	-
C61	Prostate	161	161	-
C62	Testis	5	5	-
C60, C63	Penis and other and unspecified male genital organs	1	1	-
C64-C68	URINARY TRACT	109	74	35
C64-C65	Kidney and renal pelvis	47	30	17
C67	Bladder	58	42	16
C66, C68	Other and unspecified sites within the urinary tract	4	2	2
C69	EYE AND ADNEXA	-	-	-
C70-C72	MENINGES, BRAIN, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	81	43	38
C71	Brain	79	42	37
C70, C72	Other parts of central nervous system	2	1	1
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	11	4	7
C76-C80, C97	OTHER MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	166	88	78
C81-C96	LYMPHOID, HEMATOPOIETIC, AND RELATED TISSUE	255	149	106
C81	Hodgkin's disease	6	2	4
C82-C85	Non-Hodgkin's lymphoma	98	65	33
C88	Malignant immunoproliferative diseases	2	1	1
C90	Multiple myeloma and malignant plasma cell neoplasms	42	25	17
C91	Lymphoid leukemia	31	13	18
C92	Myeloid leukemia	58	31	27
C93	Monocytic leukemia	2	1	1
C94-C95	Other and unspecified leukemia	16	11	5
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical Notes for methodology.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2005

RESIDENCE	TOTAL DEATHS	Diseases of heart	Malignant neoplasms (cancer)	Chronic lower respiratory diseases	Cerebro-vascular diseases	Accidents	Accidents		
							Non-Transport Accidents	Motor Vehicle Accidents	Other Transport Accidents
IDAHO	10,513	2,443	2,356	719	712	596	291	276	29
Rate	735.6	170.9	164.9	50.3	49.8	41.7	20.4	19.3	2.0
District 1	1,753	412	432	116	132	83	45	34	4
Rate	869.7	204.4	214.3	57.5	65.5	41.2	22.3	16.9	2.0
District 2	883	201	214	62	57	61	27	29	5
Rate	878.9	200.1	213.0	61.7	56.7	60.7	26.9	28.9	5.0
District 3	1,725	420	378	135	113	74	39	31	4
Rate	757.2	184.4	165.9	59.3	49.6	32.5	17.1	13.6	1.8
District 4	2,419	536	594	143	151	125	70	50	5
Rate	621.5	137.7	152.6	36.7	38.8	32.1	18.0	12.8	1.3
District 5	1,445	327	312	116	92	89	40	48	1
Rate	846.9	191.7	182.9	68.0	53.9	52.2	23.4	28.1	0.6
District 6	1,169	275	217	78	93	72	30	37	5
Rate	720.1	169.4	133.7	48.0	57.3	44.4	18.5	22.8	3.1
District 7	1,119	272	209	69	74	92	40	47	5
Rate	632.0	153.6	118.0	39.0	41.8	52.0	22.6	26.5	2.8
Ada	2,154	475	539	133	134	98	54	40	4
Adams	31	8	8	1	2	4	-	4	-
Bannock	555	133	101	40	46	29	7	18	4
Bear Lake	59	15	9	5	2	4	4	-	-
Benewah	92	27	21	4	5	2	-	2	-
Bingham	287	70	55	16	18	21	10	11	-
Blaine	79	6	27	5	4	11	2	9	-
Boise	45	12	6	3	3	5	1	4	-
Bonner	378	77	94	25	36	23	11	8	4
Bonneville	615	151	106	34	41	39	20	18	1
Boundary	118	40	29	3	7	10	2	8	-
Butte	23	4	10	2	3	-	-	-	-
Camas	3	1	1	-	-	-	-	-	-
Canyon	1,123	265	238	84	74	47	23	21	3
Caribou	61	10	10	6	8	6	3	3	-
Cassia	176	45	36	14	15	8	5	3	-
Clark	2	2	-	-	-	-	-	-	-
Clearwater	81	20	17	7	3	8	4	4	-
Custer	40	3	8	7	3	9	4	3	2
Elmore	155	37	31	6	8	15	8	6	1
Franklin	86	22	12	2	7	6	4	2	-
Fremont	87	24	20	5	7	6	1	5	-
Gem	170	32	30	21	13	11	7	3	1
Gooding	137	25	29	14	8	9	5	4	-
Idaho	144	33	44	7	12	11	2	9	-
Jefferson	116	29	28	7	8	8	4	4	-
Jerome	144	35	28	14	7	11	5	6	-
Kootenai	1,018	238	241	75	71	41	26	15	-
Latah	204	35	51	12	12	17	7	7	3
Lemhi	92	15	23	6	6	10	4	6	-
Lewis	47	10	12	6	4	4	2	1	1
Lincoln	44	11	8	4	2	7	1	6	-
Madison	132	38	21	10	8	13	4	7	2
Minidoka	196	50	44	15	8	15	8	7	-
Nez Perce	407	103	90	30	26	21	12	8	1
Oneida	45	9	8	1	3	3	2	1	-
Owyhee	100	23	21	9	8	6	3	3	-
Payette	181	60	52	14	6	3	3	-	-
Power	53	12	12	6	6	3	-	2	1
Shoshone	147	30	47	9	13	7	6	1	-
Teton	35	10	3	-	1	7	3	4	-
Twin Falls	666	154	139	50	48	28	14	13	1
Valley	65	12	18	1	6	7	7	-	-
Washington	120	32	29	6	10	3	3	-	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2005 (continued)

RESIDENCE	Alzheimer's disease	Diabetes mellitus	Influenza and pneumonia	Intentional self-harm (suicide)	Chronic liver disease and cirrhosis	Parkinson's disease	Nephritis, nephrotic syndrome, and nephrosis	Assault (homicide)	Human immuno-deficiency virus (HIV) infection
IDAHO	411	296	292	225	128	108	106	46	8
Rate	28.8	20.7	20.4	15.7	9.0	7.6	7.4	3.2	0.6
District 1	69	56	30	46	23	10	16	9	2
Rate	34.2	27.8	14.9	22.8	11.4	5.0	7.9	4.5	1.0
District 2	30	21	28	17	13	9	10	4	-
Rate	29.9	20.9	27.9	16.9	12.9	9.0	10.0	4.0	-
District 3	72	59	56	30	18	19	22	10	1
Rate	31.6	25.9	24.6	13.2	7.9	8.3	9.7	4.4	0.4
District 4	116	48	52	47	38	35	19	8	1
Rate	29.8	12.3	13.4	12.1	9.8	9.0	4.9	2.1	0.3
District 5	58	31	63	26	9	14	13	7	1
Rate	34.0	18.2	36.9	15.2	5.3	8.2	7.6	4.1	0.6
District 6	35	42	39	25	16	6	14	7	1
Rate	21.6	25.9	24.0	15.4	9.9	3.7	8.6	4.3	0.6
District 7	31	39	24	34	11	15	12	1	2
Rate	17.5	22.0	13.6	19.2	6.2	8.5	6.8	0.6	1.1
Ada	99	45	47	39	31	34	16	7	1
Adams	1	1	-	1	-	-	-	-	-
Bannock	23	20	25	10	8	5	3	2	1
Bear Lake	4	-	1	2	1	-	-	-	-
Benewah	1	1	5	1	2	-	-	-	-
Bingham	3	12	4	10	4	1	7	4	-
Blaine	-	-	3	5	-	1	-	-	-
Boise	-	-	1	2	3	-	1	-	-
Bonner	17	8	3	6	6	6	3	2	1
Bonneville	15	24	13	22	8	10	7	-	1
Boundary	1	4	4	3	1	-	3	-	-
Butte	-	-	-	-	-	-	1	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	54	45	29	18	9	11	13	9	1
Caribou	2	1	3	2	-	-	-	-	-
Cassia	5	7	8	2	1	1	2	-	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	1	4	3	-	2	1	-	1	-
Custer	-	1	1	1	-	-	-	1	-
Elmore	13	2	2	3	2	-	2	1	-
Franklin	2	4	2	-	2	-	3	-	-
Fremont	-	2	3	3	1	1	-	-	-
Gem	3	2	13	5	4	6	2	1	-
Gooding	6	3	9	-	1	2	2	3	-
Idaho	1	2	2	2	1	-	2	1	-
Jefferson	3	7	-	4	1	4	-	-	-
Jerome	2	3	5	5	1	2	2	1	-
Kootenai	43	35	17	35	13	4	10	7	1
Latah	8	4	10	5	3	5	3	1	-
Lemhi	2	-	5	1	-	-	4	-	-
Lewis	-	2	2	2	-	1	1	-	-
Lincoln	1	-	-	-	1	-	-	1	-
Madison	8	4	2	1	-	-	-	-	-
Minidoka	5	3	8	2	-	2	2	-	-
Nez Perce	20	9	11	8	7	2	4	1	-
Oneida	-	3	3	-	1	-	-	-	-
Owyhee	3	3	3	3	3	-	2	-	-
Payette	7	3	3	1	1	2	2	-	-
Power	1	2	1	1	-	-	-	1	-
Shoshone	7	8	1	1	1	-	-	-	-
Teton	3	1	-	2	1	-	1	-	1
Twin Falls	39	15	30	12	5	6	5	2	1
Valley	4	1	2	3	2	1	-	-	-
Washington	4	5	8	2	1	-	3	-	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
	TOTAL, ALL CAUSES	A01-Y99	10,513	142	32	33	154	184	312	685	1,060	1,717	2,932	3,262
#	Salmonella infections	A01-A02	-	-	-	-	-	-	-	-	-	-	-	-
#	Shigellosis and amebiasis	A03, A06	-	-	-	-	-	-	-	-	-	-	-	-
	Certain other intestinal infections	A04, A07-A09	8	-	-	-	-	-	-	1	-	3	1	3
#	Tuberculosis	A16-A19	2	-	-	-	-	-	-	1	-	1	-	-
	Respiratory tuberculosis	A16	1	-	-	-	-	-	-	-	-	1	-	-
	Other tuberculosis	A17-A19	1	-	-	-	-	-	-	1	-	-	-	-
#	Whooping cough	A37	-	-	-	-	-	-	-	-	-	-	-	-
#	Scarlet fever and erysipelas	A38, A46	-	-	-	-	-	-	-	-	-	-	-	-
#	Meningococcal infection	A39	1	-	1	-	-	-	-	-	-	-	-	-
#	Septicemia	A40-A41	62	2	1	-	-	-	1	4	10	11	17	16
#	Syphilis	A50-A53	-	-	-	-	-	-	-	-	-	-	-	-
#	Acute poliomyelitis	A80	-	-	-	-	-	-	-	-	-	-	-	-
#	Arthropod-borne viral encephalitis	A83-A84, A85.2	-	-	-	-	-	-	-	-	-	-	-	-
#	Measles	B05	-	-	-	-	-	-	-	-	-	-	-	-
#	Viral hepatitis	B15-B19	14	-	-	-	-	-	2	8	2	1	1	-
#	Human immunodeficiency virus (HIV) disease	B20-B24	8	-	-	-	-	2	2	4	-	-	-	-
#	Malaria	B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified infectious and parasitic diseases and their sequelae	See footnote 1	41	1	-	-	-	-	-	14	10	4	9	3
#	Malignant neoplasms (cancer)	C00-C97	2,356	1	1	2	7	17	46	183	386	611	718	384
	Lip, oral cavity and pharynx	C00-C14	41	-	-	-	-	-	-	5	9	10	9	8
	Esophagus	C15	56	-	-	-	-	-	1	6	13	19	15	2
	Stomach	C16	39	-	-	-	-	1	-	5	4	8	13	8
	Colon, rectum and anus	C18-C21	208	-	-	-	2	1	4	14	23	48	61	55
	Liver and intrahepatic bile ducts	C22	63	-	-	-	-	1	-	7	19	13	13	10
	Pancreas	C25	165	-	-	-	-	1	1	10	35	44	52	22
	Larynx	C32	10	-	-	-	-	-	-	1	3	4	2	-
	Trachea, bronchus and lung	C33-C34	606	-	-	-	-	-	7	40	93	192	206	68
	Malignant melanoma of skin	C43	47	-	-	-	-	1	3	6	9	9	12	7

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. Other and unspecified infectious and parasitic diseases and their sequelae: A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
	Breast	C50	144	-	-	-	-	1	5	16	25	44	29	24
	Cervix uteri	C53	13	-	-	-	-	-	3	5	3	1	1	-
	Corpus uteri and uterus, part unspecified	C54-C55	31	-	-	-	-	-	-	5	4	9	6	7
	Ovary	C56	56	-	-	-	-	-	2	7	10	7	21	9
	Prostate	C61	161	-	-	-	-	-	-	2	16	26	63	54
	Kidney and renal pelvis	C64-C65	47	-	-	-	-	-	1	6	14	8	15	3
	Bladder	C67	58	-	-	-	-	-	-	2	4	17	20	15
	Meninges, brain and other parts of central nervous system	C70-C72	81	-	-	1	3	5	4	16	17	23	7	5
	Lymphoid, hematopoietic and related tissue	C81-C96	255	1	-	1	2	3	8	11	42	56	88	43
	Hodgkin's disease	C81	6	-	-	-	-	-	1	-	2	1	2	-
	Non-Hodgkin's lymphoma	C82-C85	98	-	-	-	1	2	1	6	18	22	35	13
	Leukemia	C91-C95	107	1	-	1	1	1	6	4	14	22	40	17
	Multiple myeloma and immunoproliferative neoplasms	C88, C90	44	-	-	-	-	-	-	1	8	11	11	13
	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	C96	-	-	-	-	-	-	-	-	-	-	-	-
	All other and unspecified malignant neoplasms	See footnote 1	275	-	1	-	-	3	7	19	43	73	85	44
#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	56	-	-	-	-	1	3	3	3	6	23	17
#	Anemias	D50-D64	6	-	-	-	-	-	-	-	3	-	1	2
#	Diabetes mellitus	E10-E14	296	-	-	-	1	2	4	20	24	70	94	81
#	Nutritional deficiencies	E40-E64	14	-	-	-	-	-	-	-	1	2	5	6
	Malnutrition	E40-E46	12	-	-	-	-	-	-	-	1	2	4	5
	Other nutritional deficiencies	E50-E64	2	-	-	-	-	-	-	-	-	-	1	1
#	Meningitis	G00, G03	3	-	-	-	-	-	-	1	1	-	-	1
#	Parkinson's disease	G20-G21	108	-	-	-	-	-	-	-	3	11	47	47
#	Alzheimer's disease	G30	411	-	-	-	-	-	-	-	6	25	128	252

Causes designated by the symbol # are ranked to determine the leading causes of death.
1. All other and unspecified malignant neoplasms: C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
	Major cardiovascular diseases	I00-I78	3,369	-	2	1	2	11	58	143	275	475	1,008	1,394
#	Diseases of heart	I00-I09, I11, I13, I20-I51	2,443	-	1	1	2	9	50	120	220	346	722	972
	Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09	24	-	-	-	-	-	-	-	4	4	7	9
	Hypertensive heart disease	I11	92	-	-	-	-	-	4	5	5	9	26	43
	Hypertensive heart and renal disease	I13	11	-	-	-	-	-	-	-	1	-	3	7
	Ischemic heart diseases	I20-I25	1,576	-	-	-	-	3	30	87	165	264	479	548
	Acute myocardial infarction	I21-I22	769	-	-	-	-	2	16	61	118	146	217	209
	Other acute ischemic heart diseases	I24	2	-	-	-	-	-	-	-	1	-	-	1
	Other forms of chronic ischemic heart disease	I20, I25	805	-	-	-	-	1	14	26	46	118	262	338
	Atherosclerotic cardiovascular disease, so described	I25.0	90	-	-	-	-	-	-	4	6	10	27	43
	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9	715	-	-	-	-	1	14	22	40	108	235	295
	Other heart diseases	I26-I51	740	-	1	1	2	6	16	28	45	69	207	365
	Acute and subacute endocarditis	I33	3	-	-	-	-	-	-	-	2	-	1	-
	Diseases of pericardium and acute myocarditis	I30-I31, I40	3	-	-	-	-	-	-	-	-	1	1	1
	Heart failure	I50	253	-	-	1	-	1	-	-	5	18	78	150
	All other forms of heart disease	I26-I28, I34-I38, I42-I49, I51	481	-	1	-	2	5	16	28	38	50	127	214
#	Essential (primary) hypertension and hypertensive renal disease	I10, I12	74	-	-	-	-	-	-	3	4	11	20	36
#	Cerebrovascular diseases	I60-I69	712	-	1	-	-	1	7	13	42	92	222	334
#	Atherosclerosis	I70	23	-	-	-	-	-	-	-	-	2	2	19
	Other diseases of circulatory system	I71-I78	117	-	-	-	-	1	1	7	9	24	42	33
#	Aortic aneurysm and dissection	I71	75	-	-	-	-	-	-	4	5	16	29	21
	Other diseases of arteries, arterioles and capillaries	I72-I78	42	-	-	-	-	1	1	3	4	8	13	12
	Other disorders of circulatory system	I80-I99	19	1	-	-	-	1	1	2	3	-	6	5

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
#	Influenza and pneumonia	J10-J18	292	2	-	-	1	3	2	10	11	29	62	172
	Influenza	J10-J11	9	-	-	-	-	-	-	1	1	-	1	6
	Pneumonia	J12-J18	283	2	-	-	1	3	2	9	10	29	61	166
	Other acute lower respiratory infections	J20-J22	1	-	-	1	-	-	-	-	-	-	-	-
#	Acute bronchitis and bronchiolitis	J20-J21	1	-	-	1	-	-	-	-	-	-	-	-
	Unspecified acute lower respiratory infections	J22	-	-	-	-	-	-	-	-	-	-	-	-
#	Chronic lower respiratory diseases	J40-J47	719	-	1	-	-	-	6	18	67	165	293	169
	Bronchitis, chronic and unspecified	J40-J42	4	-	-	-	-	-	-	-	-	1	1	2
	Emphysema	J43	98	-	-	-	-	-	1	3	6	31	38	19
	Asthma	J45-J46	24	-	1	-	-	-	2	1	4	3	7	6
	Other chronic lower respiratory diseases	J44, J47	593	-	-	-	-	-	3	14	57	130	247	142
#	Pneumoconioses and chemical effects	J60-J66, J68	3	-	-	-	-	-	-	-	-	2	1	-
#	Pneumonitis due to solids and liquids	J69	90	-	-	-	1	1	1	3	9	12	25	38
	Other diseases of respiratory system	J00-J06, J30-J39, J67, J70-J98	121	1	-	-	-	2	2	6	12	21	35	42
#	Peptic ulcer	K25-K28	22	-	-	-	-	-	1	2	2	3	7	7
#	Diseases of appendix	K35-K38	3	-	-	-	-	-	-	1	-	1	-	1
#	Hernia	K40-K46	8	-	-	-	-	-	-	1	-	1	2	4
#	Chronic liver disease and cirrhosis	K70, K73-K74	128	-	-	-	-	3	14	33	37	23	11	7
	Alcoholic liver disease	K70	103	-	-	-	-	3	13	30	33	17	5	2
	Other chronic liver disease and cirrhosis	K73-K74	25	-	-	-	-	-	1	3	4	6	6	5
#	Cholelithiasis and other disorders of gallbladder	K80-K82	13	-	-	-	-	-	-	2	1	-	8	2
#	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	106	-	-	-	1	-	-	4	8	15	32	46
	Acute and rapidly progressive nephritic and nephrotic syndrome	N00-N01, N04	-	-	-	-	-	-	-	-	-	-	-	-
	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	N02-N03, N05-N07, N26	10	-	-	-	-	-	-	1	2	3	2	2
	Renal failure	N17-N19	96	-	-	-	1	-	-	3	6	12	30	44
	Other disorders of kidney	N25, N27	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
#	Infections of kidney	N10-N12, N13.6, N15.1	9	-	-	-	-	-	-	-	2	-	2	5
#	Hyperplasia of prostate	N40	5	-	-	-	-	-	-	-	-	1	2	2
#	Inflammatory diseases of female pelvic organs	N70-N76	-	-	-	-	-	-	-	-	-	-	-	-
#	Pregnancy, childbirth and the puerperium	O00-O99	8	-	-	-	2	3	-	3	-	-	-	-
	Pregnancy with abortive outcome	O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
	Other complications of pregnancy, childbirth and the puerperium	O10-O99	8	-	-	-	2	3	-	3	-	-	-	-
#	Certain conditions originating in the perinatal period	P00-P96	59	59	-	-	-	-	-	-	-	-	-	-
#	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	69	41	3	2	5	-	2	4	4	4	3	1
	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99	166	18	1	-	1	1	4	7	2	5	22	105
	Sudden infant death syndrome	R95	12	12	-	-	-	-	-	-	-	-	-	-
	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99	154	6	1	-	1	1	4	7	2	5	22	105
	All other diseases (residual)	See footnote 1	1,015	6	3	2	6	19	28	62	96	134	275	384
#	Accidents (unintentional injuries)	V01-X59, Y85-Y86	596	9	13	17	88	70	79	84	47	63	71	55
	Transport accidents	V01-V99, Y85	305	2	7	10	76	52	45	37	26	28	17	5
	Motor vehicle accidents	See footnote 2	276	2	7	9	72	48	40	31	23	24	15	5
	Other land transport accidents	See footnote 3	7	-	-	1	1	1	2	1	-	1	-	-
	Water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	22	-	-	-	3	3	3	5	3	3	2	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. All other diseases (residual): D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98.
2. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
3. Other land transport accidents: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2005

	CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
	Nontransport accidents	W00-X59, Y86	291	7	6	7	12	18	34	47	21	35	54	50
	Falls	W00-W19	101	-	-	2	1	1	2	3	5	11	36	40
	Accidental discharge of firearms	W32-W34	5	-	-	1	3	-	-	1	-	-	-	-
	Accidental drowning and submersion	W65-W74	23	2	1	1	2	3	2	7	2	2	-	1
	Accidental exposure to smoke, fire and flames	X00-X09	20	-	2	-	-	-	2	2	2	5	5	2
	Accidental poisoning and exposure to noxious substances	X40-X49	65	-	-	-	4	11	23	20	6	-	-	1
	Other and unspecified nontransport accidents and their sequelae	See footnote 1	77	5	3	3	2	3	5	14	6	17	13	6
#	Intentional self-harm (suicide)	U03, X60-X84, Y87.0	225	-	-	3	28	36	40	46	28	15	20	9
	Discharge of firearms	X72-X74	159	-	-	2	19	22	27	27	23	12	20	7
	Other and unspecified means and their sequelae	U03, X60-X71, X75-X84, Y87.0	66	-	-	1	9	14	13	19	5	3	-	2
#	Assault (homicide)	See footnote 2	46	1	6	4	9	9	8	3	3	1	2	-
	Discharge of firearms	U01.4, X93-X95	29	-	2	1	8	8	5	1	1	1	2	-
	Other and unspecified means and their sequelae	See footnote 2	17	1	4	3	1	1	3	2	2	-	-	-
#	Legal intervention	Y35, Y89.0	1	-	-	-	-	-	1	-	-	-	-	-
	Events of undetermined intent	Y10-Y34, Y87.2, Y89.9	28	-	-	1	2	3	7	10	4	1	-	-
	Discharge of firearms	Y22-Y24	1	-	-	-	1	-	-	-	-	-	-	-
	Other and unspecified events of undetermined intent and their sequelae	Y10-Y21, Y25-Y34, Y87.2, Y89.9	27	-	-	1	1	3	7	10	4	1	-	-
#	Operations of war and their sequelae[3]	Y36, Y89.1	-	-	-	-	-	-	-	-	-	-	-	-
#	Complications of medical and surgical care	Y40-Y84, Y88	6	-	-	-	-	-	-	2	-	1	1	2

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. Other and unspecified nontransport accidents and their sequelae: W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86.
2. Assault (homicide): U01-U02, X85-Y09, Y87.1; other and unspecified means and their sequelae: U01.1-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1.
3. Operations of war and their sequelae includes deaths due to late effects of injury of war. Deaths occurring overseas during military activities are registered with the U.S. Department of State and are not reported to the Bureau of Health Policy and Vital Statistics.

IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2005

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidents (unintentional injuries)	V01-X59, Y85-Y86	596	9	13	7	10	36	52	70	79	84	47	63	71	55
Total Transport accidents	V01-V99, Y85	305	2	7	5	5	30	46	52	45	37	26	28	17	5
Total Motor vehicle accidents	See footnote 1	276	2	7	5	4	29	43	48	40	31	23	24	15	5
Pedestrian involved in collision with motor vehicle	V02-V04	16	-	5	1	-	1	1	1	2	1	-	2	2	-
Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6	3	-	-	1	-	-	-	-	1	-	-	-	-	1
Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39	24	-	-	-	-	-	3	5	8	4	2	2	-	-
Motorcyclist involved in collision with railway train	V25-V35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with railway train	See footnote 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with fixed object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object)	See footnote 3	16	-	-	-	-	4	2	2	3	2	1	1	-	1
Occupant of motor vehicle involved in collision with other motor vehicle	V42-V44, V49, V52- V54, V59	82	2	1	2	1	5	21	11	8	6	7	9	8	1
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72- V74, V79	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78	98	-	-	-	3	17	14	20	13	14	7	8	1	1
Occupant of special-use motor vehicle (ATV) involved in any accident	V83-V86	10	-	-	1	-	-	-	2	1	2	2	1	1	-
Pedestrian injury with other or unspecified motor vehicle	V09.0, V09.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Motor vehicle accident involving collision with railway train: V25, V35, V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6.
3. Occupant of motor vehicle involved in collision with other object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object): V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77.

IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2005

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Animal rider or occupant of animal-drawn vehicle, injury with other or unspecified motor vehicle	V80.3-V80.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified motor vehicle accidents	See footnote 1	25	-	1	-	-	2	2	7	2	2	4	1	3	1
Total Other land transport accidents	See footnote 2	7	-	-	-	1	1	-	1	2	1	-	1	-	-
Railway accidents (not with motor vehicle)	V05, V15, V80.6, V81.2-V81.9	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Streetcar accident (not with motor vehicle)	V82.2-V82.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist not involving collision with motor vehicle or railway train	V10-V11, V19.3, V19.8-V19.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (not with motor vehicle or train)	See footnote 3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Rider of animal or occupant of animal-drawn vehicle, not with motor vehicle or train	V80-V80.2, V80.7-V80.9	2	-	-	-	-	1	-	1	-	-	-	-	-	-
Person injured in other specified transport accidents	V87.9, V88.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified nonmotor-vehicle accident	V89.1, V89.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident	V89.9	3	-	-	-	1	-	-	-	1	-	-	1	-	-
Total water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	22	-	-	-	-	-	3	3	3	5	3	3	2	-
Water transport accidents	V90-V94	6	-	-	-	-	-	-	1	1	3	-	-	1	-
Air and space transport accidents	V95-V97	7	-	-	-	-	-	2	-	1	2	1	1	-	-
Other and unspecified transport accidents and their sequelae	V98-V99, Y85	9	-	-	-	-	-	1	2	1	-	2	2	1	-

1. Other and unspecified motor vehicle accidents: V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2.
2. Other and unspecified land transport accidents: V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9.
3. Pedestrian injury not with motor vehicle or train: V01.0, V01.1, V01.9, V06.0, V06.1, V06.9, V09.1, V09.3, V09.9.

IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2005

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total Non-Transport accidents	W00-X50, Y86	291	7	6	2	5	6	6	18	34	47	21	35	54	50
Accidental falls	W00-W19	101	-	-	-	2	1	-	1	2	3	5	11	36	40
Accidental discharge of firearms	W32-W34	5	-	-	-	1	1	2	-	-	1	-	-	-	-
Accidental explosion	W39-W40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion	W65-W74	23	2	1	-	1	1	1	3	2	7	2	2	-	1
Accidental inhalation and ingestion of food or other objects	W78-W80	19	1	1	-	-	-	-	-	1	2	2	7	3	2
Other accidental and unspecified threats to breathing	W75-W77, W81-W84	8	4	-	-	1	-	-	1	1	1	-	-	-	-
Accidental exposure to electric current	W85-W87	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Accidental exposure to radiation	W88-W91	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to smoke, fire and flames	X00-X09	20	-	2	-	-	-	-	-	2	2	2	5	5	2
Accidental contact with heat and hot substances	X10-X19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lightning	X33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Cataclysmic storm and flood	V37-X38	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by drugs and other biological substances	X40-X44	62	-	-	-	-	3	1	9	23	19	6	-	-	1
Accidental poisoning by other and unspecified solid or liquid substances	X45-X46, X48-X49	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Accidental poisoning by and exposure to other gases and vapors	X47	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other accidents and their sequelae[1]	See footnote 1	47	-	2	2	-	-	2	1	3	10	3	10	10	4
Struck by thrown, projected, or falling object	W20	11	-	-	-	-	-	-	-	1	5	-	2	3	-

1. Other accidents and their sequelae: W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86. Other accidents and their sequelae with at least one death are shown below by cause of death. Causes with no deaths during the year are not shown; therefore, causes of death shown in the annual report will vary each year.

IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2005

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Striking against or struck by other objects	W22	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Caught, crushed, jammed, or pinched in or between objects	W23	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Contact with agricultural machinery	W30	6	-	2	-	-	-	-	-	-	1	1	1	-	1
Contact with other and unspecified machinery	W31	3	-	-	-	-	-	1	-	-	-	2	-	-	-
Explosion and rupture of gas cylinder	W36	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bitten or struck by other mammals	W55	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Exposure to excessive natural cold	X31	6	-	-	-	-	-	-	1	1	2	-	1	1	-
Exposure to unspecified factor	X59	8	-	-	-	-	-	-	-	-	-	-	1	4	3
Sequelae of other accidents	Y86	7	-	-	2	-	-	1	-	1	-	-	2	1	-

IDAHO RESIDENT DEATHS
Place of Injury and Type of Accidental Death by Age Group
2005

PLACE OF INJURY AND TYPE OF ACCIDENTAL DEATH	Age Group							
	Total	<5	5-14	15-24	25-44	45-64	65-74	75+
TOTAL ACCIDENTAL DEATHS	596	22	17	88	149	131	63	126
HOME	162	10	2	8	33	37	18	54
Falls	55	-	-	-	1	5	7	42
Firearms	5	-	1	3	-	1	-	-
Drowning and submersion	9	2	-	1	2	3	1	-
Suffocation, food or object	2	-	-	-	1	1	-	-
Suffocation, mechanical	5	3	-	-	1	1	-	-
Fires	18	2	-	-	2	2	5	7
Poisoning by drugs	47	-	-	3	23	20	-	1
Poisoning by unspecified substance	1	-	-	-	1	-	-	-
Poisoning by gases and vapors	1	-	-	-	1	-	-	-
Other and unspecified accidents	19	3	1	1	1	4	5	4
RESIDENTIAL OR PUBLIC INSTITUTION, HOSPITAL, SCHOOL, OR NURSING HOME	35	-	-	-	-	3	3	29
Falls	28	-	-	-	-	-	1	27
Drowning and submersion	1	-	-	-	-	-	-	1
Suffocation, food or object	3	-	-	-	-	1	2	-
Poisoning by drugs	2	-	-	-	-	2	-	-
Other and unspecified accidents	1	-	-	-	-	-	-	1
STREET OR HIGHWAY*	266	5	9	71	84	50	25	22
Injury to pedestrian	10	1	1	2	2	1	1	2
Injury to pedal cyclist	3	-	1	-	1	-	-	1
Injury to motorcyclist	22	-	-	3	11	6	2	-
Collision with railroad train	-	-	-	-	-	-	-	-
Collision with another object	16	-	-	6	5	3	1	1
Collision with other vehicle, heavy transport or bus	82	3	3	26	19	13	9	9
Noncollision	93	-	3	31	32	18	8	1
Other and unspecified motor vehicle accidents	38	1	1	3	12	9	4	8
Injury due to special-use vehicle (ATV)	2	-	-	-	2	-	-	-
OTHER PUBLIC PLACE (not street or highway)	107	4	6	8	31	38	9	11
Injury to pedestrian with motor vehicle	1	-	-	-	1	-	-	-
Motorcyclist, except with railway train	2	-	-	-	2	-	-	-
Motor vehicle collision with vehicle, heavy transport, or bus	1	-	-	-	1	-	-	-
Motor vehicle, noncollision	4	-	-	-	1	3	-	-
Special-use (ATV) vehicle in any accident	7	-	1	-	1	3	1	1
Other and unspecified motor vehicle accidents	2	-	-	-	1	1	-	-
Railroad (not with motor vehicle)	1	-	-	-	1	-	-	-
Rider of animal or occupant of animal-drawn vehicle, not with motor vehicle or train	2	-	-	1	1	-	-	-
Water transportation	6	-	-	-	2	3	-	1
Air and space transportation	7	-	-	2	1	3	1	-
Falls	15	-	2	1	2	3	3	4
Drowning and submersion	13	1	1	1	3	6	1	-
Suffocation, food or object	1	-	-	-	-	-	-	1
Suffocation, mechanical	3	1	1	-	1	-	-	-
Exposure to electric current	2	-	-	-	-	2	-	-
Fire	1	-	-	-	-	1	-	-
Lightning, avalanche, earthquake, volcano, storm, or flood	1	-	-	-	1	-	-	-
Poisoning, drugs	11	-	-	1	8	2	-	-
Poisoning, unspecified	1	-	-	-	-	1	-	-
All other accidents and late effects	26	2	1	2	4	10	3	4
UNKNOWN PLACE OF INJURY	26	3	-	1	1	3	8	10

* Motor vehicle accidents occurring in street or highway unless another vehicle is specified.

Note: Data are shown for deaths to Idaho residents; injury and/or death may have occurred in Idaho or out of state.

WORK INJURY DEATHS OCCURRING IN IDAHO[1]
Manner of Death by Sex and Age
2005

MANNER OF DEATH	TOTAL IN IDAHO	SEX		AGE GROUP					
		Male	Female	<15	15-24	25-44	45-64	65-74	75+
Total Work Injury Deaths	29	28	1	-	2	7	14	5	1
Unintentional injury (accidental)	29	28	1	-	2	7	14	5	1
Intentional self-harm (suicide)	-	-	-	-	-	-	-	-	-
Intentional assault (homicide)	-	-	-	-	-	-	-	-	-
Operations of war and their sequelae[2]	-	-	-	-	-	-	-	-	-
Undetermined intent	-	-	-	-	-	-	-	-	-

1. Work injury deaths occurring in Idaho: Death occurred in Idaho; however, the injury may have occurred in Idaho or out of state.
2. The category "Operations of war and their sequelae" includes deaths due to late effects of injuries from war.

ACCIDENTAL WORK INJURY DEATHS OCCURRING IN IDAHO
Industry by Place of Injury
2005

INDUSTRY	TOTAL IN IDAHO	PLACE OF INJURY							
		Home, residential institution, or nursing home	School, hospital, or other public institution	Sports and athletic area	Street or highway	Trade and service area	Industrial or construction area	Farm or ranch	Other or unspecified area
Total Accidental Work Injury Deaths	29	2	-	-	10	2	6	2	7
Agriculture, forestry, and fisheries	-	-	-	-	-	-	-	-	-
Mining, quarrying, oil and gas wells	7	2	-	-	2	-	-	2	1
Construction	-	-	-	-	-	-	-	-	-
Manufacturing	8	-	-	-	2	-	4	-	2
Transportation	5	-	-	-	2	-	2	-	1
Wholesale and retail trade	3	-	-	-	2	-	-	-	1
Service and education	3	-	-	-	1	1	-	-	1
Government and public administration	2	-	-	-	1	1	-	-	-
Active duty military	-	-	-	-	-	-	-	-	-
Other and unspecified	1	-	-	-	-	-	-	-	1

Note: Information regarding injury at work are not available for all Idaho resident deaths occurring in other states. Therefore, data on these charts are for deaths occurring in Idaho, regardless of decedent's state of residence. Other unintentional and intentional injury data in this publication are for Idaho residents, regardless of where the death occurred. Therefore, these totals will differ from totals found in other charts.

IDAHO RESIDENT DEATHS
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
By Health District of Residence, Age Group, and Sex
2005

	CAUSE OF DEATH					
	Firearm-Injury		Alcohol-Induced		Drug-Induced	
	Number	Rate	Number	Rate	Number	Rate
U.S. 2004 (preliminary)		9.9		6.9		9.7
Idaho	195	13.6	135	9.4	119	8.3
HEALTH DISTRICT						
District 1	37	18.4	27	13.4	19	9.4
District 2	17	16.9	13	12.9	9	9.0
District 3	30	13.2	18	7.9	14	6.1
District 4	37	9.5	36	9.2	33	8.5
District 5	23	13.5	9	5.3	18	10.5
District 6	25	15.4	21	12.9	16	9.9
District 7	26	14.7	11	6.2	10	5.6
AGE GROUP						
< 15	6	1.9	-	-	3	1.0
15-19	10	9.1	-	-	4	3.6
20-24	21	18.3	-	-	2	1.7
25-34	30	15.7	3	1.6	15	7.8
35-44	33	17.0	17	8.7	36	18.5
45-54	29	14.4	44	21.9	38	18.9
55-64	24	16.6	41	28.3	17	11.8
65-74	13	15.0	21	24.2	2	2.3
75-84	22	41.0	6	11.2	-	-
85 +	7	29.9	3	12.8	2	8.5
SEX						
Male	172	24.0	90	12.6	75	10.5
Female	23	3.2	45	6.3	44	6.2

Rate: Number of deaths per 100,000 population in corresponding group.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
2005

	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
CAUSE OF DEATH	Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate*
Firearm-Injury	166	3.8%	34.7	5,757	425.8
Alcohol-Induced	126	2.9	20.0	2,515	186.0
Drug-Induced	117	2.7	31.8	3,723	275.3

* YPLL Rate: Total number of years of potential life lost per 100,000 aged less than 75 years.

Firearm injury, alcohol-induced, and drug-induced deaths are subsets of select causes of death; these death categories are not ranked for leading causes of death.

For definition of firearm injury, alcohol-induced, and drug-induced deaths and information on YPLL, see Technical Notes.

IDAHO RESIDENT DEATHS
Disposition Method
2005

RESIDENCE	TOTAL DEATHS	DISPOSITION METHOD						
		Burial and Entombment in Idaho		Cremation in Idaho		Other*		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	10,513	4,477	45.0%	4,747	47.7%	730	7.3%	559
District 1	1,753	375	23.5	1,050	65.7	174	10.9	154
District 2	883	266	33.9	476	60.6	43	5.5	98
District 3	1,725	771	46.5	772	46.6	115	6.9	67
District 4	2,419	888	37.5	1,334	56.4	143	6.0	54
District 5	1,445	768	54.8	572	40.8	61	4.4	44
District 6	1,169	725	67.1	281	26.0	74	6.9	89
District 7	1,119	684	64.2	262	24.6	120	11.3	53
Ada	2,154	795	37.7	1,180	56.0	131	6.2	48
Adams	31	14	46.7	15	50.0	1	3.3	1
Bannock	555	304	58.0	190	36.3	30	5.7	31
Bear Lake	59	43	82.7	7	13.5	2	3.8	7
Benewah	92	23	28.8	52	65.0	5	6.3	12
Bingham	287	203	74.4	51	18.7	19	7.0	14
Blaine	79	18	23.4	51	66.2	8	10.4	2
Boise	45	12	26.7	30	66.7	3	6.7	-
Bonner	378	71	21.7	196	59.9	60	18.3	51
Bonneville	615	363	61.2	195	32.9	35	5.9	22
Boundary	118	38	35.5	66	61.7	3	2.8	11
Butte	23	16	72.7	6	27.3	-	-	1
Camas	3	2	66.7	1	33.3	-	-	-
Canyon	1,123	503	45.7	532	48.4	65	5.9	23
Caribou	61	43	75.4	11	19.3	3	5.3	4
Cassia	176	116	69.9	44	26.5	6	3.6	10
Clark	2	2	100.0	-	-	-	-	-
Clearwater	81	24	32.9	46	63.0	3	4.1	8
Custer	40	11	28.2	11	28.2	17	43.6	1
Elmore	155	67	44.7	78	52.0	5	3.3	5
Franklin	86	51	79.7	1	1.6	12	18.8	22
Fremont	87	63	78.8	16	20.0	1	1.3	7
Gem	170	95	57.2	65	39.2	6	3.6	4
Gooding	137	80	59.3	49	36.3	6	4.4	2
Idaho	144	53	40.5	74	56.5	4	3.1	13
Jefferson	116	86	76.1	19	16.8	8	7.1	3
Jerome	144	72	50.7	66	46.5	4	2.8	2
Kootenai	1,018	208	21.9	639	67.3	103	10.8	68
Latah	204	49	27.4	117	65.4	13	7.3	25
Lemhi	92	34	41.5	1	1.2	47	57.3	10
Lewis	47	14	35.0	21	52.5	5	12.5	7
Lincoln	44	27	64.3	15	35.7	-	-	2
Madison	132	106	84.1	13	10.3	7	5.6	6
Minidoka	196	129	67.9	50	26.3	11	5.8	6
Nez Perce	407	126	34.8	218	60.2	18	5.0	45
Oneida	45	30	83.3	2	5.6	4	11.1	9
Owyhee	100	48	49.5	46	47.4	3	3.1	3
Payette	181	67	44.4	54	35.8	30	19.9	30
Power	53	35	67.3	13	25.0	4	7.7	1
Shoshone	147	35	25.9	97	71.9	3	2.2	12
Teton	35	19	61.3	7	22.6	5	16.1	4
Twin Falls	666	324	50.2	296	45.8	26	4.0	20
Valley	65	14	21.9	46	71.9	4	6.3	1
Washington	120	44	38.6	60	52.6	10	8.8	6

* Other includes deaths with "Removal from Idaho (except for donation)", "Donation (regardless of state)", and "Other" listed as disposition.

INFANT, FETAL, AND MATERNAL MORTALITY

U.S.

The U.S. infant mortality rate decreased from 6.9 in 2003 to 6.8 (preliminary) in 2004[1]; the U.S provisional rate in 2005 was also 6.8[2]. Except for an increase in the national rate from 6.9 in 2001 to 7.0 in 2002, the infant mortality rate has either decreased or remained level each successive year since 1958. Preliminary 2004 U.S. data indicate the leading cause of infant death in the U.S was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (136.6 death per 100,000 live births), followed by disorders related to short gestation and low birth weight (113.8 per 100,000 live births), and Sudden infant death syndrome (SIDS) (51.2 per 100,000 live births)[1].

Idaho

In the past ten years, Idaho's infant mortality rate fluctuated between record low rates in 2002 (6.1 per 1,000 live births) and a high rate of 7.5 in 2000. In 2005, there were 142 infant deaths and the infant death rate was 6.2 per 1,000 live births. Considering the small size of the data base, some irregularity is not unusual. The graph on the following page illustrates the trend of Idaho's infant death rates as a one- to two-year "up-and-down" cycle.

Neonatal and postneonatal death rates also produce yearly changes in Idaho. The neonatal mortality rate (infant deaths less than 28 days) in 2005 remained the same as the rate in 2004 (4.0); the postneonatal rate (infant deaths from 28 days through 11 months) decreased slightly from 2.2 in 2004 to 2.1 in 2005.

Infant mortality rates were highest in northern Idaho in 2005. District 2 experienced the highest infant mortality rate in 2005 at 7.9 followed by District 1 (7.4). District 7 had the lowest rate in 2005 (3.9). Neonatal mortality ranged from a low of 2.8 deaths per 1,000 births in District 5 to a high of 5.4 deaths per 1,000 births in District 3; the postneonatal mortality was lowest in District 7 (0.8) and highest in District 2 (4.4).

Because Idaho infant deaths provide a small data base that tends to fluctuate or produce abnormally high rates in small counties, moving three-year rates have been calculated. See page 107 for three-year infant mortality rates by district and county, from 1994-1996 through 2003-2005; the overall trend is more readily apparent.

Leading Causes of Infant Death

In 2005, there were 59 deaths for the general infant death category, "Certain conditions originating in the perinatal period." This category includes such conditions as short gestation and low birth weight, respiratory distress of newborn, and neonatal hemorrhage. In ranking the leading causes of infant deaths, however, the conditions within this general category are used to determine leading causes of death, rather than the general category. The leading cause of Idaho infant deaths was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (41 deaths; 177.8 deaths per 100,000 births). Overall, disorders related to short gestation and low birth weight was the second leading cause of death (21 deaths; 91.1 deaths per 100,000 births), and Sudden infant death syndrome (12 deaths; 52.0 deaths per 100,000 births) was the third leading cause of infant death.

1. "E-Stats Deaths: Final Data for 2004," http://www.cdc.gov/nchs, National Center for Health Statistics, Released November, 2006.
2. "Births, Marriages, Divorces, and Deaths: Provisional Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 20, July 21, 2006.

The leading single cause of neonatal mortality was Congenital malformations, deformations and chromosomal abnormalities (birth defects), with a neonatal death rate of 138.7 per 100,000 live births. SIDS was the leading single cause of death in the postneonatal period at 52.0 deaths per 100,000 live births and accounted for 24.5 percent of all postneonatal deaths.

Stillbirths and Perinatal Deaths

Idaho reportable stillbirth deliveries are defined as a spontaneous fetal death of twenty (20) completed weeks gestation or more, based on a clinical estimate of gestation, or a weight of three hundred fifty (350) grams (12.35 ounces) or more. In 2005 there were 134 stillbirths to Idaho residents; the ratio of stillbirths to live births was 5.8 stillbirths per 1,000 live births. From 2001 to 2005, the stillbirth ratio ranged from a low of 4.9 per 1,000 live births in 2002 to a high of 6.3 per 1,000 live births in 2001.

Perinatal death is defined as the number of stillbirths plus the number of deaths to infants under seven (7) days of age per 1,000 live births. In 2005, there were 217 perinatal deaths to Idaho residents. The perinatal death ratio from 2004 to 2005 increased 3.2 percent from 9.1 per 1,000 live births to 9.4 per 1,000 live births in 2005.

In 2006, additional stillbirth records were forwarded to Idaho from Utah and Washington for the years 1993 to 2004. The Idaho data bases were revised to include these additional records and the stillbirth and perinatal death numbers and ratios in the 2005 annual report include these additional records.

Maternal Deaths

Maternal causes of death include pregnancies with an abortive or live outcome and include direct and indirect obstetric causes and complications. The World Health Organization defines maternal death as “the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes.”[1]

In 2003, the Idaho death certificate was revised to include a separate question regarding pregnancy status of females aged 10 to 54. Data are reported if female was pregnant at time of death, within 42 days of death, or 43 to one year prior to death. Data from the response to this question are used in conjunction with cause of death information reported in Part I and Part II on the death certificate to determine the underlying cause of death (ICD-10 code). The separate pregnancy status question on the death certificate resulted in the identification of more maternal deaths in states with the revised death certificate[1]. Idaho data for 2003 and later are not comparable to Idaho data prior to 2003.

In 2005, there were six maternal deaths to Idaho residents (death rate of 26.0 per 100,000 live births). The ICD-10 codes used for maternal deaths are A34, O00-O95, and O98-O99[1]. In addition to the six maternal deaths during pregnancy or within 42 days of termination of pregnancy, there were two deaths to women due to pregnancy, childbirth, and the puerperium which occurred more than 42 days after delivery or termination of pregnancy. The ICD-10 codes used for these deaths are O96-O97 and these deaths are not included in the count or the rate for maternal deaths.

1. "Deaths: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 13, April 19, 2006.

U.S., IDAHO INFANT DEATH RATES
1995-2005



*2005 U.S. rate is provisional.

IDAHO, DISTRICT INFANT DEATH RATES
Neonatal and Postneonatal
2005



IDAHO RESIDENT INFANT DEATHS
Number of Infant Deaths and Rates
2001-2005

RESIDENCE	2005		2004		2003		2002		2001	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		6.8 (Provisional)		6.8		6.9		7.0		6.8
IDAHO	142	6.2	139	6.2	138	6.3	127	6.1	129	6.2
District 1	17	7.4	15	6.3	9	4.0	14	6.3	17	7.4
District 2	9	7.9	10	8.8	6	5.4	3	2.5	8	7.0
District 3	30	7.3	28	6.9	28	7.3	27	7.3	23	6.4
District 4	41	6.8	39	6.7	40	6.9	35	6.3	24	4.4
District 5	15	5.2	15	5.3	20	7.3	17	6.7	20	7.6
District 6	16	5.3	16	5.7	18	6.3	16	5.7	17	6.3
District 7	14	3.9	16	4.7	17	5.3	15	5.1	20	7.1
Ada	33	6.1	36	6.9	36	7.0	32	6.5	19	3.9
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	5.9	8	5.7	13	8.9	9	6.3	9	6.5
Bear Lake	-	-	-	-	2	26.0	-	-	-	-
Benewah	1	8.4	2	18.0	1	8.6	1	9.0	-	-
Bingham	7	8.4	5	6.3	2	2.6	4	5.4	5	6.6
Blaine	4	13.2	1	3.7	5	18.8	1	3.5	3	10.9
Boise	1	22.7	-	-	-	-	-	-	-	-
Bonner	3	7.4	3	7.7	3	8.1	4	10.1	4	10.1
Bonneville	7	3.9	9	5.4	8	4.8	5	3.2	7	4.8
Boundary	1	7.7	3	25.6	-	-	-	-	1	8.1
Butte	-	-	-	-	-	-	-	-	1	22.7
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	17	5.3	24	7.5	21	7.1	18	6.2	19	7.0
Caribou	-	-	2	21.7	1	8.8	-	-	-	-
Cassia	1	2.5	1	2.4	3	7.8	2	5.3	4	10.4
Clark	-	-	1	66.7	-	-	-	-	-	-
Clearwater	1	15.6	1	18.2	-	-	-	-	1	13.2
Custer	1	27.0	-	-	-	-	-	-	-	-
Elmore	6	11.4	3	5.8	4	7.1	3	6.0	4	7.8
Franklin	-	-	-	-	-	-	3	13.1	2	9.3
Fremont	2	9.0	1	4.3	3	13.3	4	19.4	1	4.7
Gem	3	12.8	-	-	2	9.6	2	10.8	-	-
Gooding	1	4.2	1	3.9	1	3.9	4	17.1	-	-
Idaho	1	6.8	2	12.0	-	-	-	-	1	6.5
Jefferson	1	2.3	4	9.0	4	10.6	1	2.9	6	16.9
Jerome	2	5.3	1	2.7	3	9.1	1	3.1	1	3.1
Kootenai	11	7.3	7	4.3	4	2.6	7	4.8	11	7.3
Latah	-	-	1	2.6	4	10.1	2	4.4	3	7.2
Lemhi	-	-	-	-	-	-	-	-	1	13.2
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	1	15.2	-	-
Madison	3	3.4	-	-	2	3.0	3	5.0	5	9.9
Minidoka	-	-	3	9.0	1	2.9	1	3.3	9	25.7
Nez Perce	7	15.5	6	12.7	2	4.5	1	2.2	3	6.5
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	2	12.5	1	5.3	2	11.4	3	16.9	1	5.1
Payette	6	19.0	1	3.2	2	6.2	4	13.5	2	6.2
Power	-	-	1	7.9	-	-	-	-	-	-
Shoshone	1	8.6	-	-	1	7.8	2	17.2	1	7.6
Teton	-	-	1	7.0	-	-	2	14.7	-	-
Twin Falls	7	6.2	8	7.1	7	6.6	7	7.3	3	3.0
Valley	1	11.5	-	-	-	-	-	-	1	13.2
Washington	2	15.3	2	15.3	1	8.4	-	-	1	7.8

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Sex and Race/Ethnicity of Infant
2005

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC*
		Male	Female	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	142	82	60	123	1	3	3	12	-	28
District 1	17	8	9	17	-	-	-	-	-	-
District 2	9	4	5	9	-	-	-	-	-	1
District 3	30	16	14	25	-	-	-	5	-	11
District 4	41	24	17	32	1	1	3	4	-	7
District 5	15	13	2	13	-	-	-	2	-	4
District 6	16	9	7	13	-	2	-	1	-	2
District 7	14	8	6	14	-	-	-	-	-	3
Ada	33	21	12	24	1	1	3	4	-	7
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	6	3	9	-	-	-	-	-	1
Bear Lake	-	-	-	-	-	-	-	-	-	-
Benewah	1	1	-	1	-	-	-	-	-	-
Bingham	7	3	4	4	-	2	-	1	-	1
Blaine	4	3	1	4	-	-	-	-	-	1
Boise	1	1	-	1	-	-	-	-	-	-
Bonner	3	1	2	3	-	-	-	-	-	-
Bonneville	7	4	3	7	-	-	-	-	-	2
Boundary	1	-	1	1	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	17	8	9	16	-	-	-	1	-	6
Caribou	-	-	-	-	-	-	-	-	-	-
Cassia	1	1	-	1	-	-	-	-	-	1
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	1	1	-	1	-	-	-	-	-	1
Custer	1	1	-	1	-	-	-	-	-	-
Elmore	6	1	5	6	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-
Fremont	2	1	1	2	-	-	-	-	-	1
Gem	3	1	2	3	-	-	-	-	-	-
Gooding	1	1	-	1	-	-	-	-	-	-
Idaho	1	1	-	1	-	-	-	-	-	-
Jefferson	1	1	-	1	-	-	-	-	-	-
Jerome	2	1	1	1	-	-	-	1	-	1
Kootenai	11	6	5	11	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-
Madison	3	1	2	3	-	-	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-
Nez Perce	7	2	5	7	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	2	1	1	1	-	-	-	1	-	2
Payette	6	5	1	3	-	-	-	3	-	3
Power	-	-	-	-	-	-	-	-	-	-
Shoshone	1	-	1	1	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-
Twin Falls	7	7	-	6	-	-	-	1	-	1
Valley	1	1	-	1	-	-	-	-	-	-
Washington	2	1	1	2	-	-	-	-	-	-

* Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT INFANT DEATHS
Cause of Death by Neonatal and Postneonatal Periods
2005

CAUSE OF DEATH AND ICD-10 CODE(S)[1]	IDAHO						U.S.
	Total		Neonatal		Postneonatal		2004 Rate[1,2]
	Number	Rate[1]	Number	Rate[1]	Number	Rate[1]	
ALL CAUSES	142	615.7	93	403.2	49	212.5	676.9
Influenza and pneumonia (J10-J11)	2	8.7	-	-	2	8.7	6.7
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	41	177.8	32	138.7	9	39.0	136.8
Total, Certain conditions originating in the perinatal period (P00-P96)	59	255.8	58	251.5	1	4.3	338.2
Newborn affected by maternal complications of pregnancy (P01)	8	34.7	8	34.7	-	-	41.5
Newborn affected by complications of placenta, cord and membranes (P02)	3	13.0	2	8.7	1	4.3	24.3
Disorders related to short gestation and unspecified low birth weight (P07)	21	91.1	21	91.1	-	-	113.9
Birth trauma (P10-P15)	-	-	-	-	-	-	0.5
Intrauterine hypoxia and birth asphyxia (P20-P21)	3	13.0	3	13.0	-	-	12.2
Respiratory distress of newborn (P22)	5	21.7	5	21.7	-	-	21.3
Infections specific to the perinatal period (P35-P39)	-	-	-	-	-	-	24.2
Neonatal hemorrhage (P50-P52, P54)	7	30.4	7	30.4	-	-	14.4
Other conditions originating in the perinatal period (residual of P00-P96)	12	52.0	12	52.0	-	-	85.9
Sudden infant death syndrome (R95)	12	52.0	-	-	12	52.0	51.3
Accidents (V01-X95)	9	39.0	1	4.3	8	34.7	24.2
All other causes (residual)	19	82.4	2	8.7	17	73.7	119.7

1. Rates in this chart are cause-specific (number per 100,000 live births).
2. U.S. Rates are 2004 preliminary rates (latest cause-specific rates available as of January 2007).

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal Deaths by Age of Mother
2005

AGE OF MOTHER (At time of infant's birth)	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
TOTAL	142	6.2	93	4.0	49	2.1
<15	-	-	-	-	-	-
15-19	17	8.4	8	4.0	9	4.5
15-17	5	9.4	3	5.6	2	3.8
18-19	12	8.1	5	3.4	7	4.7
20-34	106	5.7	70	3.7	36	1.9
35+	18	7.8	15	6.5	3	1.3
Unknown	1	NA	-	NA	1	NA

Rates in this chart are per 1,000 live births in corresponding mother's age group at time of infant's birth.

IDAHO RESIDENT INFANT DEATHS
Causes of Infant Deaths
Three-Year Aggregate, 2003-2005[1]

RESIDENCE	THREE-YEAR TOTAL INFANT DEATHS		CAUSE OF INFANT DEATH						
	Number	Rate[2]	Congenital malform-ations[3]	Short Gestation / Unspecified Low Birth Weight	Respiratory Distress of Newborn	All Other Conditions Originating in Perinatal Period	Sudden Infant Death Syndrome (SIDS)	External Causes	All Other Causes
IDAHO	419	6.2	102	56	10	108	50	30	63
District 1	41	5.9	8	2	2	9	8	3	9
District 2	25	7.4	10	6	-	3	1	3	2
District 3	86	7.2	18	15	3	24	6	5	15
District 4	120	6.8	34	19	1	31	11	7	17
District 5	50	5.9	12	4	3	3	7	7	14
District 6	50	5.8	13	2	-	15	13	3	4
District 7	47	4.6	7	8	1	23	4	2	2
Ada	105	6.7	32	17	1	27	10	3	15
Adams	-	-	-	-	-	-	-	-	-
Bannock	30	6.8	8	2	-	9	8	1	2
Bear Lake	2	8.1	1	-	-	-	-	-	1
Benewah	4	11.6	-	-	1	2	1	-	-
Bingham	14	5.9	3	-	-	5	4	2	-
Blaine	10	11.9	-	2	-	1	3	1	3
Boise	1	5.8	-	-	-	-	-	1	-
Bonner	9	7.7	1	1	-	1	2	1	3
Bonneville	24	4.7	4	4	-	11	3	1	1
Boundary	4	10.5	1	-	-	1	1	-	1
Butte	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	62	6.6	13	12	2	17	5	4	9
Caribou	3	9.7	-	-	-	1	1	-	1
Cassia	5	4.2	2	1	1	1	-	-	-
Clark	1	16.4	1	-	-	-	-	-	-
Clearwater	2	10.2	-	-	-	-	-	1	1
Custer	1	10.1	-	-	-	1	-	-	-
Elmore	13	8.1	2	2	-	4	1	2	2
Franklin	-	-	-	-	-	-	-	-	-
Fremont	6	8.8	1	-	1	4	-	-	-
Gem	5	7.9	-	1	-	1	-	1	2
Gooding	3	4.0	1	-	-	-	-	-	2
Idaho	3	6.7	1	-	-	1	1	-	-
Jefferson	9	7.2	-	2	-	5	1	1	-
Jerome	6	5.6	1	1	-	1	-	3	-
Kootenai	22	4.7	6	1	1	4	3	2	5
Latah	5	4.1	4	-	-	-	-	1	-
Lemhi	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-
Madison	5	2.1	1	2	-	1	-	-	1
Minidoka	4	4.0	2	-	-	-	1	-	1
Nez Perce	15	11.0	5	6	-	2	-	1	1
Oneida	-	-	-	-	-	-	-	-	-
Owyhee	5	9.5	1	1	-	2	-	-	1
Payette	9	9.5	3	-	-	3	1	-	2
Power	1	2.6	1	-	-	-	-	-	-
Shoshone	2	5.5	-	-	-	1	1	-	-
Teton	1	2.4	-	-	-	1	-	-	-
Twin Falls	22	6.7	6	-	2	-	3	3	8
Valley	1	4.0	-	-	-	-	-	1	-
Washington	5	13.1	1	1	1	1	-	-	1

1. Beginning with the 2005 annual report, infant deaths by district and county of residence by cause of death are shown using three-year aggregate number of deaths. One-year data are available by district of residence upon request.
2. Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.
3. Shortened ICD-10 title for Congenital malformations, deformations and chromosomal abnormalities (birth defects).

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal
2005

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS					
		Total		Neonatal		Postneonatal	
		Number	Rate	Number	Rate	Number	Rate
U.S. Rates, 2004			6.8		4.5		2.3
IDAHO	23,064	142	6.2	93	4.0	49	2.1
District 1	2,284	17	7.4	12	5.3	5	2.2
District 2	1,136	9	7.9	4	3.5	5	4.4
District 3	4,092	30	7.3	22	5.4	8	2.0
District 4	6,073	41	6.8	25	4.1	16	2.6
District 5	2,861	15	5.2	8	2.8	7	2.4
District 6	3,004	16	5.3	11	3.7	5	1.7
District 7	3,614	14	3.9	11	3.0	3	0.8
Ada	5,415	33	6.1	21	3.9	12	2.2
Adams	29	-	-	-	-	-	-
Bannock	1,536	9	5.9	8	5.2	1	0.7
Bear Lake	84	-	-	-	-	-	-
Benewah	119	1	8.4	1	8.4	-	-
Bingham	835	7	8.4	3	3.6	4	4.8
Blaine	304	4	13.2	2	6.6	2	6.6
Boise	44	1	22.7	-	-	1	22.7
Bonner	406	3	7.4	2	4.9	1	2.5
Bonneville	1,799	7	3.9	5	2.8	2	1.1
Boundary	130	1	7.7	-	-	1	7.7
Butte	38	-	-	-	-	-	-
Camas	17	-	-	-	-	-	-
Canyon	3,222	17	5.3	12	3.7	5	1.6
Caribou	103	-	-	-	-	-	-
Cassia	395	1	2.5	1	2.5	-	-
Clark	27	-	-	-	-	-	-
Clearwater	64	1	15.6	-	-	1	15.6
Custer	37	1	27.0	1	27.0	-	-
Elmore	527	6	11.4	4	7.6	2	3.8
Franklin	216	-	-	-	-	-	-
Fremont	223	2	9.0	2	9.0	-	-
Gem	235	3	12.8	1	4.3	2	8.5
Gooding	239	1	4.2	1	4.2	-	-
Idaho	146	1	6.8	-	-	1	6.8
Jefferson	430	1	2.3	1	2.3	-	-
Jerome	380	2	5.3	1	2.6	1	2.6
Kootenai	1,513	11	7.3	8	5.3	3	2.0
Latah	428	-	-	-	-	-	-
Lemhi	81	-	-	-	-	-	-
Lewis	47	-	-	-	-	-	-
Lincoln	87	-	-	-	-	-	-
Madison	881	3	3.4	2	2.3	1	1.1
Minidoka	318	-	-	-	-	-	-
Nez Perce	451	7	15.5	4	8.9	3	6.7
Oneida	67	-	-	-	-	-	-
Owyhee	160	2	12.5	2	12.5	-	-
Payette	315	6	19.0	5	15.9	1	3.2
Power	125	-	-	-	-	-	-
Shoshone	116	1	8.6	1	8.6	-	-
Teton	136	-	-	-	-	-	-
Twin Falls	1,121	7	6.2	3	2.7	4	3.6
Valley	87	1	11.5	-	-	1	11.5
Washington	131	2	15.3	2	15.3	-	-

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Three-Year Rates
1994-1996 Through 2003-2005

RESIDENCE	2003-05	2002-04	2001-03	2000-02	1999-01	1998-00	1997-99	1996-98	1995-97	1994-96
IDAHO	6.2	6.2	6.2	6.6	6.8	7.2	6.9	7.2	6.8	6.8
District 1	5.9	5.5	5.9	7.1	8.1	8.3	7.9	7.7	7.0	7.7
District 2	7.4	5.6	4.9	4.7	7.4	7.3	8.1	7.6	7.3	7.3
District 3	7.2	7.2	7.0	7.3	6.8	7.3	6.8	7.2	6.5	6.6
District 4	6.8	6.6	5.9	5.9	5.7	6.1	5.4	5.2	4.8	5.0
District 5	5.9	6.4	7.2	8.5	8.9	10.2	8.7	9.1	7.9	8.8
District 6	5.8	5.9	6.1	5.8	5.8	6.1	7.3	8.8	8.7	8.0
District 7	4.6	5.0	5.8	6.5	6.8	6.2	6.8	6.6	7.4	5.9
Ada	6.7	6.8	5.8	5.8	5.5	5.8	4.9	4.7	4.5	4.5
Adams	-	-	-	-	-	-	12.3	12.3	12.0	-
Bannock	6.8	7.0	7.3	6.5	6.5	6.4	6.5	7.6	7.7	7.5
Bear Lake	8.1	7.9	8.3	-	-	3.9	4.3	4.2	4.0	3.8
Benewah	11.6	11.8	5.8	8.6	11.2	17.5	11.7	6.1	5.8	5.7
Bingham	5.9	4.8	4.9	5.7	5.3	5.9	6.6	9.5	9.0	9.6
Blaine	11.9	8.5	10.9	7.4	8.2	5.9	4.4	6.0	4.6	3.2
Boise	5.8	-	-	-	4.4	9.2	8.7	8.8	4.3	14.5
Bonner	7.7	8.7	9.5	8.6	7.1	7.3	7.4	8.0	6.1	7.0
Bonneville	4.7	4.5	4.3	4.7	6.3	6.5	7.4	6.4	7.2	5.7
Boundary	10.5	7.8	2.6	2.6	2.6	-	-	2.8	5.4	8.2
Butte	-	-	8.0	8.5	9.2	-	18.2	17.9	16.5	6.8
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	6.6	7.0	6.8	6.4	6.4	6.8	6.9	7.0	5.5	5.8
Caribou	9.7	9.9	3.2	3.3	6.0	6.2	6.5	7.3	13.6	12.9
Cassia	4.2	5.1	7.8	8.6	9.3	7.7	6.0	4.3	6.1	8.0
Clark	16.4	21.7	-	-	-	-	-	-	-	-
Clearwater	10.2	5.0	4.5	4.7	9.0	4.2	3.9	-	-	-
Custer	10.1	-	-	-	-	-	15.3	12.8	12.9	-
Elmore	8.1	6.3	7.0	6.5	7.7	7.8	8.3	7.9	7.5	8.3
Franklin	-	4.5	7.8	9.3	7.8	9.6	19.0	18.2	15.0	7.0
Fremont	8.8	12.0	12.5	9.8	3.3	3.4	5.1	8.8	8.7	8.7
Gem	7.9	6.9	6.6	3.4	1.7	5.1	5.1	6.7	9.1	13.1
Gooding	4.0	8.0	7.2	9.0	6.1	10.2	7.4	10.6	8.1	10.3
Idaho	6.7	4.2	2.2	6.3	6.5	11.1	8.8	10.9	6.3	6.0
Jefferson	7.2	7.7	10.2	9.4	9.5	5.7	6.8	7.8	9.0	8.0
Jerome	5.6	4.9	5.1	5.2	6.1	8.1	7.5	10.0	9.4	9.7
Kootenai	4.7	3.9	4.9	6.2	7.5	7.7	7.8	8.4	7.4	7.9
Latah	4.1	5.6	7.1	3.9	6.4	4.7	7.0	6.9	8.4	6.9
Lemhi	-	-	4.6	15.5	14.9	9.8	-	-	7.0	10.3
Lewis	-	-	-	-	-	-	8.8	8.5	8.3	-
Lincoln	-	4.7	4.8	4.7	-	-	-	6.7	6.6	13.2
Madison	2.1	2.4	5.7	7.1	7.0	5.7	6.7	6.7	6.3	3.1
Minidoka	4.0	5.1	11.1	15.1	19.2	16.2	14.3	8.9	3.7	5.6
Nez Perce	11.0	6.5	4.4	5.2	9.0	9.7	9.5	8.8	8.1	10.3
Oneida	-	-	-	-	-	-	-	7.0	6.9	7.2
Owyhee	9.5	11.1	10.9	14.7	9.2	13.3	11.6	15.6	11.8	8.0
Payette	9.5	7.5	8.5	11.9	9.9	8.9	6.9	6.6	9.2	7.8
Power	2.6	2.7	-	-	3.0	3.0	2.7	5.1	4.7	5.1
Shoshone	5.5	8.3	10.6	14.9	18.0	16.7	12.2	6.1	7.9	9.4
Teton	2.4	7.1	4.8	10.1	8.2	12.2	6.7	3.4	3.6	7.2
Twin Falls	6.7	7.0	5.6	7.9	7.6	11.3	10.0	11.4	10.8	11.0
Valley	4.0	-	4.4	9.7	9.7	16.2	9.3	8.9	4.1	4.2
Washington	13.1	7.8	5.2	12.0	11.5	9.3	-	-	5.0	7.7

Three-year infant death rate: Number of deaths to infants under one year in three-year period per 1,000 live births in corresponding three-year period.

IDAHO RESIDENT STILLBIRTHS
Number of Stillbirths and Ratios
2001-2005

RESIDENCE	2005		2004*		2003*		2002*		2001*	
	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	134	5.8	125	5.5	113	5.2	103	4.9	131	6.3
District 1	12	5.3	13	5.5	7	3.1	12	5.4	17	7.4
District 2	4	3.5	6	5.3	13	11.8	5	4.2	8	7.0
District 3	26	6.4	24	5.9	25	6.6	15	4.0	27	7.5
District 4	33	5.4	23	3.9	25	4.3	21	3.8	24	4.4
District 5	17	5.9	25	8.8	12	4.4	22	8.6	14	5.3
District 6	16	5.3	19	6.7	15	5.3	7	2.5	17	6.3
District 7	26	7.2	15	4.4	16	5.0	21	7.1	24	8.6
Ada	29	5.4	20	3.8	20	3.9	17	3.4	22	4.6
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	6	3.9	9	6.4	5	3.4	4	2.8	8	5.8
Bear Lake	1	11.9	-	-	2	26.0	-	-	1	13.7
Benewah	-	-	1	9.0	-	-	-	-	1	8.4
Bingham	7	8.4	4	5.1	6	7.8	1	1.3	7	9.3
Blaine	1	3.3	1	3.7	-	-	3	10.5	1	3.6
Boise	1	22.7	1	18.2	-	-	1	19.6	-	-
Bonner	1	2.5	3	7.7	2	5.4	1	2.5	5	12.6
Bonneville	15	8.3	7	4.2	8	4.8	15	9.6	14	9.6
Boundary	-	-	1	8.5	-	-	2	15.0	-	-
Butte	-	-	2	55.6	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	22	6.8	16	5.0	19	6.4	10	3.4	25	9.2
Caribou	-	-	1	10.9	1	8.8	1	10.1	-	-
Cassia	3	7.6	2	4.7	2	5.2	1	2.7	1	2.6
Clark	1	37.0	-	-	-	-	1	83.3	-	-
Clearwater	-	-	2	36.4	-	-	1	14.9	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	3	5.7	2	3.9	5	8.9	3	6.0	2	3.9
Franklin	2	9.3	1	4.2	1	5.0	-	-	1	4.7
Fremont	1	4.5	-	-	-	-	-	-	3	14.2
Gem	2	8.5	4	21.3	2	9.6	3	16.2	-	-
Gooding	1	4.2	3	11.7	4	15.4	2	8.5	-	-
Idaho	-	-	-	-	1	7.2	1	6.0	-	-
Jefferson	2	4.7	3	6.7	1	2.6	-	-	2	5.6
Jerome	3	7.9	4	11.0	-	-	2	6.3	1	3.1
Kootenai	10	6.6	6	3.7	5	3.3	9	6.1	11	7.3
Latah	1	2.3	-	-	4	10.1	1	2.2	3	7.2
Lemhi	-	-	-	-	1	12.8	1	16.1	-	-
Lewis	-	-	-	-	1	23.3	-	-	-	-
Lincoln	1	11.5	-	-	-	-	1	15.2	-	-
Madison	6	6.8	4	4.9	5	7.5	4	6.7	5	9.9
Minidoka	2	6.3	4	12.0	4	11.7	4	13.3	3	8.6
Nez Perce	3	6.7	4	8.5	7	15.7	2	4.3	5	10.8
Oneida	-	-	2	39.2	-	-	-	-	-	-
Owyhee	-	-	2	10.5	1	5.7	-	-	1	5.1
Payette	1	3.2	2	6.4	3	9.3	2	6.7	-	-
Power	-	-	-	-	-	-	1	8.9	-	-
Shoshone	1	8.6	2	17.2	-	-	-	-	-	-
Teton	1	7.4	1	7.0	1	7.0	-	-	-	-
Twin Falls	6	5.4	11	9.8	2	1.9	9	9.4	8	7.9
Valley	-	-	-	-	-	-	-	-	-	-
Washington	1	7.6	-	-	-	-	-	-	1	7.8

Stillbirth ratio: Number of stillbirths per 1,000 live births.

* In 2006, additional stillbirth reports were forwarded from Washington and Utah for Idaho residents who had stillbirths in these states from 1993 to 2004. The Idaho data bases were revised with these additional records; data in this table are revised for 2001-2004.

IDAHO RESIDENT PERINATAL DEATHS
Number of Perinatal Deaths and Ratios
2001-2005

	2005		2004*		2003*		2002*		2001*	
RESIDENCE	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	217	9.4	206	9.1	181	8.3	174	8.3	201	9.7
District 1	22	9.6	20	8.4	11	4.9	19	8.5	22	9.6
District 2	8	7.0	13	11.5	17	15.4	7	5.9	13	11.3
District 3	48	11.7	44	10.9	39	10.2	32	8.6	37	10.3
District 4	56	9.2	48	8.2	45	7.7	41	7.4	39	7.1
District 5	23	8.0	28	9.8	16	5.9	28	11.0	24	9.1
District 6	24	8.0	28	9.9	22	7.7	15	5.4	28	10.3
District 7	36	10.0	25	7.3	31	9.7	32	10.9	38	13.6
Ada	49	9.0	43	8.3	36	7.0	35	7.1	33	6.8
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	13	8.5	14	10.0	10	6.8	8	5.6	15	10.9
Bear Lake	1	11.9	-	-	3	39.0	-	-	1	13.7
Benewah	1	8.4	2	18.0	1	8.6	1	9.0	1	8.4
Bingham	8	9.6	6	7.6	7	9.2	2	2.7	8	10.6
Blaine	3	9.9	1	3.7	1	3.8	3	10.5	2	7.2
Boise	1	22.7	1	18.2	-	-	1	19.6	-	-
Bonner	2	4.9	4	10.3	3	8.1	2	5.1	5	12.6
Bonneville	20	11.1	12	7.2	15	9.0	18	11.5	18	12.3
Boundary	-	-	3	25.6	-	-	2	15.0	-	-
Butte	-	-	2	55.6	-	-	-	-	1	22.7
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	34	10.6	33	10.3	30	10.1	21	7.2	33	12.1
Caribou	-	-	2	21.7	1	8.8	1	10.1	-	-
Cassia	3	7.6	3	7.1	3	7.8	3	8.0	3	7.8
Clark	1	37.0	1	66.7	-	-	1	83.3	-	-
Clearwater	-	-	2	36.4	-	-	1	14.9	-	-
Custer	1	27.0	-	-	-	-	-	-	-	-
Elmore	6	11.4	4	7.7	9	16.1	5	10.0	5	9.8
Franklin	2	9.3	1	4.2	1	5.0	3	13.1	3	14.0
Fremont	2	9.0	1	4.3	3	13.3	3	14.6	3	14.2
Gem	3	12.8	4	21.3	3	14.4	4	21.6	-	-
Gooding	2	8.4	4	15.6	4	15.4	3	12.8	-	-
Idaho	-	-	1	6.0	1	7.2	1	6.0	1	6.5
Jefferson	3	7.0	5	11.2	4	10.6	1	2.9	7	19.8
Jerome	4	10.5	4	11.0	1	3.0	2	6.3	2	6.3
Kootenai	17	11.2	9	5.5	7	4.6	13	8.8	16	10.6
Latah	1	2.3	1	2.6	6	15.1	2	4.4	5	12.0
Lemhi	-	-	-	-	1	12.8	1	16.1	-	-
Lewis	-	-	-	-	1	23.3	-	-	-	-
Lincoln	1	11.5	-	-	-	-	1	15.2	-	-
Madison	8	9.1	4	4.9	7	10.5	7	11.8	10	19.9
Minidoka	2	6.3	4	12.0	4	11.7	5	16.6	9	25.7
Nez Perce	7	15.5	9	19.1	9	20.2	3	6.5	7	15.1
Oneida	-	-	2	39.2	-	-	-	-	-	-
Owyhee	2	12.5	3	15.8	2	11.4	3	16.9	1	5.1
Payette	6	19.0	2	6.4	4	12.3	4	13.5	1	3.1
Power	-	-	1	7.9	-	-	1	8.9	-	-
Shoshone	2	17.2	2	17.2	-	-	1	8.6	-	-
Teton	1	7.4	2	14.0	1	7.0	1	7.4	-	-
Twin Falls	8	7.1	12	10.7	3	2.8	11	11.5	8	7.9
Valley	-	-	-	-	-	-	-	-	1	13.2
Washington	3	22.9	2	15.3	-	-	-	-	2	15.5

Perinatal death ratio: Number of stillbirths plus deaths of infants under 7 days of age per 1,000 live births.

* In 2006, additional stillbirth reports were forwarded from Washington and Utah for Idaho residents who had stillbirths in these states from 1993 to 2004. The Idaho data bases were revised with these additional records; data in this table are revised for 2001-2004.

INDUCED ABORTION

In 2003, 49 reporting areas out of 52 reporting areas, (50 States, District of Columbia, and New York City), provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the U.S. A total of 848,163 legal abortions were reported to the CDC by 49 reporting areas in 2003 (latest year U.S. data are available). In 2003, the U.S. abortion ratio (reported abortions per 1,000 live births) was 241. The number of abortions in 2003 represents a slight decrease from 2002, for which 854,122 abortions were reported from the same 49 reporting areas.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S. 2003[1]	848,163	241	16
Idaho 2005 (Occurrence)	1,099	48	4
Idaho 2005 (Residence)	1,827	79	6

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2005 was 1,099, a 14 percent increase from the 963 reported in 2004. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,099 abortions performed in Idaho, 1,065 were to residents of Idaho and 34 were to non-residents.

Abortions to Idaho residents increased 13 percent, from 1,618 in 2004 to 1,827 in 2005. Abortions to Idaho residents may occur in Idaho or out of state. In 2005, 1,065 abortions to Idaho residents occurred in Idaho and 762 were performed out of state. Of the 762 abortions obtained by Idaho residents out of state, 591 were performed in Washington, 104 in Utah, 45 in Oregon, 20 in Montana, and 1 each in South Dakota and Texas.

IDAHO INDUCED ABORTIONS
Idaho Residents and Abortions in Idaho
1995-2005



1. "Abortion Surveillance - United States, 2003," Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol. 55/No. SS-11, November 24, 2006.

INDUCED ABORTIONS OCCURRING IN IDAHO
INDUCED ABORTIONS OCCURRING TO IDAHO RESIDENTS
2005

	ABORTIONS OCCURRING IN IDAHO			ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Abortion in Idaho, Place of Occurrence, Total	Place of Occurrence, Resident of Idaho	Place of Occurrence, Resident of Other State	Place of Residence, Total	Place of Residence, Abortion in Idaho	Place of Residence, Abortion in Other State
IDAHO	1,099	1,065	34	1,827	1,065	762
District 1	-	-	-	423	1	422
District 2	-	-	-	161	1	160
District 3	-	-	-	192	175	17
District 4	1,018	986	32	744	689	55
District 5	18	18	-	150	121	29
District 6	63	61	2	91	45	46
District 7	-	-	-	66	33	33
Ada	1,018	986	32	703	654	49
Adams	-	-	-	2	2	-
Bannock	63	61	2	58	28	30
Bear Lake	-	-	-	-	-	-
Benewah	-	-	-	12	-	12
Bingham	-	-	-	21	14	7
Blaine	18	18	-	54	47	7
Boise	-	-	-	3	2	1
Bonner	-	-	-	62	-	62
Bonneville	-	-	-	40	24	16
Boundary	-	-	-	14	-	14
Butte	-	-	-	1	-	1
Camas	-	-	-	-	-	-
Canyon	-	-	-	161	145	16
Caribou	-	-	-	1	-	1
Cassia	-	-	-	9	8	1
Clark	-	-	-	1	-	1
Clearwater	-	-	-	8	-	8
Custer	-	-	-	3	2	1
Elmore	-	-	-	25	20	5
Franklin	-	-	-	5	-	5
Fremont	-	-	-	5	3	2
Gem	-	-	-	9	9	-
Gooding	-	-	-	5	3	2
Idaho	-	-	-	5	-	5
Jefferson	-	-	-	4	3	1
Jerome	-	-	-	14	12	2
Kootenai	-	-	-	313	-	313
Latah	-	-	-	79	1	78
Lemhi	-	-	-	6	-	6
Lewis	-	-	-	4	-	4
Lincoln	-	-	-	4	3	1
Madison	-	-	-	3	1	2
Minidoka	-	-	-	6	2	4
Nez Perce	-	-	-	65	-	65
Oneida	-	-	-	1	-	1
Owyhee	-	-	-	7	7	-
Payette	-	-	-	10	9	1
Power	-	-	-	4	3	1
Shoshone	-	-	-	22	1	21
Teton	-	-	-	4	-	4
Twin Falls	-	-	-	58	46	12
Valley	-	-	-	13	13	-
Washington	-	-	-	3	3	-

Data for abortions occurring in Idaho and for abortions to Idaho residents are not mutually exclusive. Abortions occurring in Idaho may be to Idaho residents or out-of-state residents; abortions to Idaho residents may occur in Idaho or out of state.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios by District and County of Residence
Race/Ethnicity of Patient
2005

RESIDENCE	TOTAL ABORTIONS		RACE OF PATIENT						HISPANIC[2]
	Number	Ratio[1]	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	1,827	79.2	1,628	20	41	49	4	85	159
District 1	423	185.2	368	-	12	7	-	36	10
District 2	161	141.7	134	-	10	3	-	14	5
District 3	192	46.9	179	4	1	3	1	4	49
District 4	744	122.5	673	13	11	31	1	15	51
District 5	150	52.4	137	1	2	3	2	5	26
District 6	91	30.3	77	2	4	1	-	7	9
District 7	66	18.3	60	-	1	1	-	4	9
Ada	703	129.8	641	9	11	27	1	14	49
Adams	2	69.0	2	-	-	-	-	-	-
Bannock	58	37.8	52	2	2	1	-	1	2
Bear Lake	-	-	-	-	-	-	-	-	-
Benewah	12	100.8	4	-	4	1	-	3	-
Bingham	21	25.1	16	-	2	-	-	3	5
Blaine	54	177.6	53	-	-	-	-	1	11
Boise	3	68.2	3	-	-	-	-	-	-
Bonner	62	152.7	54	-	1	-	-	7	-
Bonneville	40	22.2	37	-	1	1	-	1	4
Boundary	14	107.7	11	-	1	-	-	2	2
Butte	1	26.3	1	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	161	50.0	149	4	1	2	1	4	43
Caribou	1	9.7	-	-	-	-	-	1	-
Cassia	9	22.8	8	-	-	1	-	-	1
Clark	1	37.0	-	-	-	-	-	1	1
Clearwater	8	125.0	8	-	-	-	-	-	-
Custer	3	81.1	3	-	-	-	-	-	-
Elmore	25	47.4	16	4	-	4	-	1	1
Franklin	5	23.1	4	-	-	-	-	1	-
Fremont	5	22.4	4	-	-	-	-	1	3
Gem	9	38.3	9	-	-	-	-	-	-
Gooding	5	20.9	3	-	-	-	-	2	1
Idaho	5	34.2	4	-	1	-	-	-	-
Jefferson	4	9.3	4	-	-	-	-	-	1
Jerome	14	36.8	12	-	1	1	-	-	1
Kootenai	313	206.9	281	-	5	6	-	21	8
Latah	79	184.6	69	-	3	3	-	4	3
Lemhi	6	74.1	6	-	-	-	-	-	-
Lewis	4	85.1	4	-	-	-	-	-	-
Lincoln	4	46.0	4	-	-	-	-	-	1
Madison	3	3.4	3	-	-	-	-	-	-
Minidoka	6	18.9	4	-	-	-	2	-	3
Nez Perce	65	144.1	49	-	6	-	-	10	2
Oneida	1	14.9	1	-	-	-	-	-	-
Owyhee	7	43.8	7	-	-	-	-	-	3
Payette	10	31.7	9	-	-	1	-	-	2
Power	4	32.0	3	-	-	-	-	1	2
Shoshone	22	189.7	18	-	1	-	-	3	-
Teton	4	29.4	3	-	-	-	-	1	-
Twin Falls	58	51.7	53	1	1	1	-	2	8
Valley	13	149.4	13	-	-	-	-	-	1
Washington	3	22.9	3	-	-	-	-	-	1

1. Number of induced abortions per 1,000 live births.
2. Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

In 2005, there were 123 records with Hispanic origin not stated; therefore, counts for Hispanics may be underreported.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Age of Patient
2005

RESIDENCE	TOTAL	AGE OF PATIENT									
			15-19								
		<15	Total	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1,827*	9	356	127	229	579	412	219	177	68	5
District 1	423	-	83	28	55	131	99	48	44	15	3
District 2	161	1	24	7	17	67	27	18	17	7	-
District 3	192	3	31	13	18	62	46	28	18	4	-
District 4	744*	2	154	56	98	221	186	87	62	29	2
District 5	150*	3	28	10	18	43	18	22	23	12	-
District 6	91	-	24	9	15	29	24	11	3	-	-
District 7	66	-	12	4	8	26	12	5	10	1	-
Ada	703*	2	142	48	94	207	178	83	60	28	2
Adams	2	-	-	-	-	-	1	1	-	-	-
Bannock	58	-	17	8	9	18	13	8	2	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	12	-	4	3	1	4	1	1	2	-	-
Bingham	21	-	5	1	4	6	8	1	1	-	-
Blaine	54	1	4	3	1	12	10	9	14	4	-
Boise	3	-	2	2	-	-	-	-	-	1	-
Bonner	62	-	10	2	8	18	13	9	12	-	-
Bonneville	40	-	7	1	6	16	8	3	5	1	-
Boundary	14	-	2	1	1	2	4	4	1	-	1
Butte	1	-	-	-	-	-	-	1	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	161	3	27	12	15	51	36	26	14	4	-
Caribou	1	-	1	-	1	-	-	-	-	-	-
Cassia	9	1	1	-	1	3	1	2	-	1	-
Clark	1	-	-	-	-	-	-	1	-	-	-
Clearwater	8	-	2	-	2	3	1	1	1	-	-
Custer	3	-	-	-	-	2	-	-	1	-	-
Elmore	25	-	4	2	2	11	6	2	2	-	-
Franklin	5	-	-	-	-	4	-	1	-	-	-
Fremont	5	-	3	1	2	1	-	-	1	-	-
Gem	9	-	2	-	2	1	3	1	2	-	-
Gooding	5	-	1	-	1	2	-	1	1	-	-
Idaho	5	-	1	1	-	2	-	-	2	-	-
Jefferson	4	-	-	-	-	3	1	-	-	-	-
Jerome	14	1	-	-	-	4	2	4	1	2	-
Kootenai	313	-	61	19	42	101	74	34	27	14	2
Latah	79	-	10	2	8	39	13	10	5	2	-
Lemhi	6	-	2	2	-	2	-	-	2	-	-
Lewis	4	-	2	2	-	2	-	-	-	-	-
Lincoln	4	-	2	1	1	2	-	-	-	-	-
Madison	3	-	-	-	-	1	2	-	-	-	-
Minidoka	6*	-	3	1	2	2	-	-	-	-	-
Nez Perce	65	1	9	2	7	21	13	7	9	5	-
Oneida	1	-	1	-	1	-	-	-	-	-	-
Owyhee	7	-	1	-	1	3	2	-	1	-	-
Payette	10	-	1	1	-	5	4	-	-	-	-
Power	4	-	-	-	-	1	3	-	-	-	-
Shoshone	22	-	6	3	3	6	7	-	2	1	-
Teton	4	-	-	-	-	1	1	1	1	-	-
Twin Falls	58	-	17	5	12	18	5	6	7	5	-
Valley	13	-	6	4	2	3	2	2	-	-	-
Washington	3	-	-	-	-	2	-	-	1	-	-

* Total includes two with age not stated, one in Ada County (District 4), and one in Minidoka County (District 5).

INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
2005

TERMINATION PROCEDURE[1]	TOTAL IN IDAHO	WEEKS OF GESTATION[2]							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,099	645	303	118	15	13	4	1	-
Suction curettage	967	536	299	116	14	2	-	-	-
Sharp curettage	4	2	1	1	-	-	-	-	-
Dilation and evacuation (D&E)	3	-	-	1	1	1	-	-	-
Intra-uterine saline/ prostanglandin instillation	4	-	-	-	-	2	2	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	117	107	3	-	-	5	1	1	-
Other	4	-	-	-	-	3	1	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Termination procedures listed on induced abortion report were revised in 1999.
2. Gestation categories were modified in 2000.

INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Reported Complications
2005

TERMINATION PROCEDURE[1]	TOTAL IN IDAHO	REPORTED COMPLICATIONS[2]						
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	1,099	1,096	1	-	-	-	1	1
Suction curettage	967	966	1	-	-	-	-	-
Sharp curettage	4	4	-	-	-	-	-	-
Dilation and evacuation (D&E)	3	3	-	-	-	-	-	-
Intra-uterine saline / prostanglandin instillation	4	3	-	-	-	-	-	1
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	117	116	-	-	-	-	1	-
Other	4	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Termination procedures listed on induced abortion report were revised in 1999.
2. One or more complications may be reported per termination procedure; therefore, the sum of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2005

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,099	219	878	2
<15	6	-	6	-
15-19	208	8	200	-
15-17	73	-	73	-
18-19	135	8	127	-
20-24	330	44	286	-
25-29	267	70	196	1
30-34	138	42	95	1
35-39	107	41	66	-
40-44	41	13	28	-
45+	2	1	1	-
Not stated	-	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Previous Induced Abortions and Number of Living Children
2005

	PREVIOUS INDUCED ABORTIONS		NUMBER OF LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,099	100.0%	1,099	100.0%
None	856	78.2	530	48.3
1	177	16.2	239	21.8
2	46	4.2	225	20.5
3+	15	1.4	103	9.4
Not stated	5	NA	2	NA

Percents based on records with stated number of previous induced abortions or number of living children.

MARRIAGE AND DIVORCE

The number of marriages occurring in Idaho decreased slightly from 14,997 in 2004 to 14,933 in 2005. This follows a 1 percent increase from 2003 to 2004. Although the number of marriages that occurred in Idaho in 2005 was slightly lower than occurred in the state ten years ago, the marriage rate declined 20 percent from 13.0 per 1,000 population in 1995 to 10.4 in 2005 due to a greater increase in the population. However, marriages occur at a higher frequency in Idaho than in the U.S. as a whole; the provisional 2005 U.S. marriage rate was 7.5, which was a 1 percent increase from 7.4 (provisional) in 2004. Much of the difference between Idaho and U.S. rates can be accounted for by the high number of nonresidents who marry in northern Idaho.

The number of divorces occurring in Idaho increased 3 percent from 6,921 in 2004 to 7,118 in 2005. The divorce rate remained the same, 5.0 per 1,000 population, for 2004 and 2005, which is the lowest rate since 1971, when the rate was 5.0. Like marriages, divorces occur more frequently in Idaho than in the remainder of the nation; the 2005 U.S. divorce rate was 3.6 (provisional), down 3 percent from the 2004 provisional rate of 3.7.

MARRIAGES AND DIVORCES
Occurring in Idaho
1995-2005



MARRIAGES OCCURRING IN IDAHO
District and County of Marriage
1996-2005

OCCURRENCE	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996
IDAHO	14,933	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114	15,027
District 1	4,332	4,576	4,633	4,646	4,650	4,765	5,078	5,138	5,072	5,125
District 2	750	730	782	725	733	795	717	779	833	805
District 3	1,731	1,621	1,633	1,617	1,652	1,633	1,610	1,593	1,638	1,619
District 4	3,577	3,485	3,300	3,333	3,290	3,286	3,338	3,124	2,995	3,003
District 5	1,357	1,434	1,432	1,350	1,421	1,477	1,484	1,446	1,466	1,431
District 6	1,083	1,102	1,100	1,109	1,124	1,153	1,161	1,246	1,171	1,183
District 7	2,103	2,049	1,987	1,903	1,950	1,948	2,101	1,940	1,939	1,861
Ada	3,057	2,960	2,810	2,862	2,832	2,832	2,854	2,636	2,567	2,554
Adams	37	37	29	35	30	43	33	25	31	32
Bannock	591	539	581	528	594	586	578	631	553	611
Bear Lake	36	55	44	66	40	45	59	55	58	50
Benewah	56	78	58	58	57	56	60	55	53	62
Bingham	251	292	284	310	273	271	289	292	305	287
Blaine	191	212	230	227	246	255	237	228	244	219
Boise	62	70	69	45	71	73	65	73	75	59
Bonner	362	370	326	301	302	310	315	304	285	310
Bonneville	1,549	1,548	1,488	1,431	1,458	1,373	1,513	1,376	1,353	1,307
Boundary	74	83	76	73	83	77	87	99	72	86
Butte	9	20	12	17	18	26	15	22	25	15
Camas	12	13	15	15	7	9	12	9	10	12
Canyon	1,256	1,166	1,150	1,100	1,185	1,088	1,060	1,056	1,095	1,074
Caribou	57	49	42	52	53	74	45	72	53	54
Cassia	152	161	139	132	158	164	173	194	186	171
Clark	3	3	6	7	10	6	10	8	5	5
Clearwater	74	64	81	62	65	69	62	68	76	77
Custer	79	77	72	61	71	89	76	81	74	80
Elmore	281	274	273	301	246	265	269	256	219	247
Franklin	69	77	65	76	57	65	84	78	75	82
Fremont	120	111	98	90	92	125	110	119	118	91
Gem	118	106	110	125	112	130	113	131	98	125
Gooding	95	107	97	88	89	105	104	100	93	97
Idaho	120	86	123	93	120	124	106	118	134	115
Jefferson	129	117	100	122	124	138	155	149	138	119
Jerome	161	120	144	129	140	122	154	139	131	144
Kootenai	3,750	3,956	4,080	4,121	4,089	4,231	4,515	4,553	4,538	4,554
Latah	194	211	202	206	170	199	176	194	190	222
Lemhi	88	77	86	73	57	79	91	58	92	89
Lewis	23	22	32	30	27	22	32	30	33	31
Lincoln	27	25	23	28	29	39	24	37	22	30
Madison	85	76	100	84	101	100	106	112	114	119
Minidoka	131	154	166	156	166	146	157	137	166	148
Nez Perce	339	347	344	334	351	381	341	369	400	360
Oneida	27	27	19	22	29	33	40	29	35	28
Owyhee	72	63	49	53	64	67	67	71	56	60
Payette	186	180	205	222	201	233	236	223	268	240
Power	43	43	53	38	60	53	51	67	67	56
Shoshone	90	89	93	93	119	91	101	127	124	113
Teton	50	40	37	35	37	38	40	37	45	51
Twin Falls	588	642	618	575	586	637	623	602	614	610
Valley	177	181	148	125	141	116	150	159	134	143
Washington	62	69	90	82	60	72	101	87	90	88

MARRIAGES OCCURRING IN IDAHO
Age of Groom by Age of Bride
2005

AGE OF GROOM	TOTAL	AGE OF BRIDE											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not Stated
TOTAL	14,933	1	1,922	4,347	2,564	1,595	1,202	1,080	1,496	521	159	46	-
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	699	1	534	148	13	1	1	1	-	-	-	-	-
20-24	4,062	-	1,131	2,460	370	64	27	6	4	-	-	-	-
25-29	2,982	-	191	1,265	1,142	270	69	32	12	-	-	1	-
30-34	1,878	-	36	312	633	578	211	71	36	1	-	-	-
35-39	1,392	-	17	98	248	400	382	159	85	3	-	-	-
40-44	1,079	-	7	45	94	166	257	302	192	15	1	-	-
45-54	1,676	-	6	17	57	106	213	412	768	94	3	-	-
55-64	791	-	-	1	6	10	36	86	343	286	22	1	-
65-74	264	-	-	1	1	-	6	10	43	114	83	6	-
75+	110	-	-	-	-	-	-	1	13	8	50	38	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-

MARRIAGES OCCURRING IN IDAHO
Race/Ethnicity of Groom by Race/Ethnicity of Bride
2005

RACE OF GROOM	TOTAL	RACE OF BRIDE						SPANISH SURNAME*
		White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
TOTAL	14,933	14,025	67	246	247	21	327	908
White	13,965	13,582	36	144	182	7	14	873
Black	212	166	26	10	8	2	-	18
Native American	229	136	3	86	3	1	-	6
Asian/Pacific Islander	153	99	1	2	50	1	-	9
Other race	23	13	-	1	-	9	-	-
Not stated	351	29	1	3	4	1	313	2
SPANISH SURNAME*	1,046	1,015	5	18	7	-	1	595

* Included in "white" totals.

MARRIAGES OCCURRING IN IDAHO
Bride: Age by Previous Marital Status
2005

AGE OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS: BRIDE			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,933	8,606	450	5,874	3
<15	1	1	-	-	-
15-19	1,922	1,899	-	23	-
20-24	4,347	3,924	6	416	1
25-29	2,564	1,672	10	882	-
30-34	1,595	593	25	977	-
35-39	1,202	253	30	918	1
40-44	1,080	139	34	907	-
45-54	1,496	103	130	1,263	-
55-64	521	17	91	412	1
65-74	159	3	92	64	-
75+	46	2	32	12	-
Not stated	-	-	-	-	-
Median age	26.0	21.7	53.2	37.4	NA

MARRIAGES OCCURRING IN IDAHO
Groom: Age by Previous Marital Status
2005

AGE OF GROOM	TOTAL	PREVIOUS MARITAL STATUS: GROOM			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,933	8,940	381	5,608	4
<15	-	-	-	-	-
15-19	699	694	-	5	-
20-24	4,062	3,892	1	168	1
25-29	2,982	2,359	4	617	2
30-34	1,878	1,005	14	859	-
35-39	1,392	498	9	885	-
40-44	1,079	222	22	835	-
45-54	1,676	210	61	1,405	-
55-64	791	50	96	644	1
65-74	264	7	97	160	-
75+	110	3	77	30	-
Not stated	-	-	-	-	-
Median age	28.4	23.8	62.4	40.8	NA

MARRIAGES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2005

OCCURRENCE	TOTAL MARRIAGES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	14,933	10,682	858	3,393	-
District 1	4,332	1,566	160	2,606	-
District 2	750	535	61	154	-
District 3	1,731	1,537	95	99	-
District 4	3,577	3,113	236	228	-
District 5	1,357	1,209	54	94	-
District 6	1,083	952	74	57	-
District 7	2,103	1,770	178	155	-
Ada	3,057	2,699	191	167	-
Adams	37	34	2	1	-
Bannock	591	530	36	25	-
Bear Lake	36	25	2	9	-
Benewah	56	42	3	11	-
Bingham	251	232	14	5	-
Blaine	191	128	11	52	-
Boise	62	57	4	1	-
Bonner	362	247	19	96	-
Bonneville	1,549	1,311	142	96	-
Boundary	74	61	4	9	-
Butte	9	6	3	-	-
Camas	12	12	-	-	-
Canyon	1,256	1,154	54	48	-
Caribou	57	48	4	5	-
Cassia	152	135	8	9	-
Clark	3	2	-	1	-
Clearwater	74	66	4	4	-
Custer	79	68	3	8	-
Elmore	281	209	36	36	-
Franklin	69	53	9	7	-
Fremont	120	103	4	13	-
Gem	118	110	6	2	-
Gooding	95	90	2	3	-
Idaho	120	95	7	18	-
Jefferson	129	110	10	9	-
Jerome	161	158	3	-	-
Kootenai	3,750	1,144	130	2,476	-
Latah	194	151	14	29	-
Lemhi	88	63	9	16	-
Lewis	23	16	2	5	-
Lincoln	27	25	1	1	-
Madison	85	79	4	2	-
Minidoka	131	123	2	6	-
Nez Perce	339	207	34	98	-
Oneida	27	19	5	3	-
Owyhee	72	63	7	2	-
Payette	186	123	23	40	-
Power	43	39	1	3	-
Shoshone	90	72	4	14	-
Teton	50	34	6	10	-
Twin Falls	588	538	27	23	-
Valley	177	148	5	24	-
Washington	62	53	3	6	-

DIVORCES GRANTED IN IDAHO
District and County of Divorce
1996-2005

OCCURRENCE	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996
IDAHO	7,118	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035	6,985
District 1	1,082	1,134	1,146	1,127	1,210	1,069	1,027	1,106	1,049	1,055
District 2	450	421	474	540	468	470	469	543	566	543
District 3	1,376	1,217	1,230	1,143	1,115	1,067	1,064	1,020	1,039	1,023
District 4	1,862	1,813	1,960	2,024	1,883	2,163	2,116	1,933	1,938	1,987
District 5	806	877	881	889	864	854	851	976	904	887
District 6	678	633	624	621	622	678	622	602	659	614
District 7	864	826	765	743	863	809	798	800	880	876
Ada	1,635	1,550	1,729	1,751	1,633	1,841	1,807	1,643	1,688	1,719
Adams	10	27	11	12	15	9	7	17	19	17
Bannock	349	314	280	349	310	360	314	289	317	300
Bear Lake	28	23	28	27	38	29	35	29	24	29
Benewah	45	35	40	35	50	45	55	48	46	47
Bingham	186	163	152	130	143	172	160	156	149	157
Blaine	76	78	98	89	74	61	90	73	98	82
Boise	18	12	13	22	17	32	31	27	19	26
Bonner	225	240	219	182	236	190	199	225	186	192
Bonneville	608	569	531	500	599	554	534	557	598	613
Boundary	29	39	44	39	123	38	25	35	25	36
Butte	14	3	6	4	10	9	7	3	11	10
Camas	1	4	7	4	3	1	1	6	7	3
Canyon	1,077	933	881	811	799	742	716	711	691	703
Caribou	17	30	38	29	32	31	38	32	32	41
Cassia	108	98	119	120	104	101	115	111	137	116
Clark	1	-	-	-	-	-	1	3	-	-
Clearwater	43	39	32	61	52	52	32	44	53	56
Custer	13	13	19	13	18	12	16	23	27	35
Elmore	172	203	173	202	188	243	216	207	169	191
Franklin	43	47	54	25	40	33	26	30	33	19
Fremont	33	46	55	66	42	32	35	35	39	40
Gem	84	79	99	85	100	88	92	81	104	83
Gooding	49	50	66	55	48	52	56	60	53	41
Idaho	51	52	65	83	54	53	63	61	61	60
Jefferson	68	67	42	49	56	78	84	60	85	56
Jerome	95	105	128	157	154	131	118	141	102	91
Kootenai	718	772	752	783	744	730	673	698	708	688
Latah	107	97	131	131	131	113	130	127	167	124
Lemhi	40	45	39	27	45	42	45	44	42	46
Lewis	6	13	10	11	19	16	18	20	16	24
Lincoln	8	20	15	11	16	21	18	34	18	14
Madison	74	62	57	62	80	63	55	54	59	66
Minidoka	44	58	68	78	85	82	55	100	81	101
Nez Perce	238	210	228	239	210	232	224	282	252	279
Oneida	10	8	13	16	10	16	8	15	16	9
Owyhee	18	17	29	22	28	35	20	17	27	24
Payette	134	112	154	160	118	143	164	132	144	143
Power	30	18	20	26	29	24	28	30	29	34
Shoshone	64	44	83	73	56	66	71	97	75	60
Teton	27	24	22	26	23	28	28	24	30	20
Twin Falls	425	464	380	375	380	405	398	451	408	439
Valley	37	48	45	49	45	47	62	56	62	51
Washington	53	49	56	53	55	50	65	62	54	53
Tribal Courts:										
Coeur d'Alene	1	4	7	13	1	-	4	2	8	32
Kootenai	-	-	1	2	-	-	-	1	1	NA
Nez Perce	5	10	8	15	2	4	2	9	17	NA
Shoshone-Bannock	1	27	33	15	10	4	6	18	48	15

Tribal court data are included in District totals.

DIVORCES GRANTED IN IDAHO
Number This Marriage: Husband, Wife
2005

NUMBER THIS MARRIAGE	HUSBAND	WIFE
TOTAL DIVORCES	7,118	7,118
Number this marriage:		
First	2,838	2,717
Second	1,123	1,182
Third	412	444
Fourth	118	140
Fifth	46	43
Sixth	8	17
Seventh +	5	14
Not stated	2,568	2,561

DIVORCES GRANTED IN IDAHO
Duration of Marriage
2003 - 2005

DURATION OF MARRIAGE	2005		2004	2003
	Number	Percent	Percent	Percent
TOTAL	7,118	100.0%	(6,921)	(7,080)
0-4 years	2,720	38.4%	40.6%	40.5%
<1 year	434	6.1	6.4	6.3
1-4 years	2,286	32.3	34.3	34.3
5-9 years	1,872	26.4	25.3	25.1
10-14 years	1,014	14.3	13.7	14.0
15-19 years	597	8.4	8.2	8.9
20-24 years	437	6.2	5.8	5.9
25-29 years	250	3.5	3.0	3.1
30-34 years	109	1.5	1.9	1.4
35-39 years	52	0.7	0.8	0.7
40+ years	37	0.5	0.7	0.4
Not stated	30	NA	(49)	(40)
Median years duration	5.8		5.5	5.5

Percents based on records with stated duration of marriage.

Total numbers of divorces and numbers of divorces with duration of marriage not stated in 2003 and 2004 are shown in parentheses.

DIVORCES GRANTED IN IDAHO
Number of Children <18 Years of Age in Household
2005

NUMBER OF CHILDREN <18 YEARS OF AGE IN HOUSEHOLD	TOTAL DIVORCES	TOTAL CHILDREN
TOTAL	7,118	6,968
No children	3,300	-
1 child	1,481	1,481
2 children	1,420	2,840
3 children	528	1,584
4 children	157	628
5 children	56	280
6 children	13	78
7 children	5	35
8 children	4	32
9 children	-	-
10+ children	1	10
Not stated	153	-

DIVORCES GRANTED IN IDAHO
Legal Grounds
2005

LEGAL GROUNDS	TOTAL	DIVORCES	ANNULMENTS
TOTAL	7,118	7,090	28
Adultery	4	4	-
Bigamy	2	-	2
Conviction of a felony	-	-	-
Habitual intemperance	1	1	-
Extreme cruelty	8	8	-
Five-year continuous separation			-
without cohabitation	-	-	-
Fraud, misrepresentation	25	-	25
Incapacity	1	-	1
Irreconcilable differences	7,075	7,075	-
Permanent insanity	-	-	-
Underage	-	-	-
Willful desertion	1	1	-
Willful neglect or nonsupport	-	-	-
Other	-	-	-
Not stated	1	1	-

DIVORCES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2005

OCCURRENCE	TOTAL DIVORCES	RESIDENCE: Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	7,118	5,662	1,323	40	93
District 1	1,082	820	243	9	10
District 2	450	313	123	6	8
District 3	1,376	1,143	215	1	17
District 4	1,862	1,524	311	8	19
District 5	806	657	127	4	18
District 6	678	530	129	6	13
District 7	864	675	175	6	8
Ada	1,635	1,355	254	7	19
Adams	10	7	3	-	-
Bannock	349	282	58	2	7
Bear Lake	28	19	8	-	1
Benewah	45	34	11	-	-
Bingham	186	147	35	1	3
Blaine	76	58	18	-	-
Boise	18	15	3	-	-
Bonner	225	172	47	3	3
Bonneville	608	484	116	5	3
Boundary	29	24	2	-	3
Butte	14	12	1	-	1
Camas	1	1	-	-	-
Canyon	1,077	924	139	-	14
Caribou	17	13	3	1	-
Cassia	108	83	20	1	4
Clark	1	1	-	-	-
Clearwater	43	30	10	1	2
Custer	13	9	4	-	-
Elmore	172	123	48	1	-
Franklin	43	24	16	2	1
Fremont	33	26	5	-	2
Gem	84	67	15	-	2
Gooding	49	38	8	1	2
Idaho	51	32	17	1	1
Jefferson	68	57	11	-	-
Jerome	95	79	16	-	-
Kootenai	718	539	171	5	3
Latah	107	73	31	1	2
Lemhi	40	24	12	1	3
Lewis	6	5	1	-	-
Lincoln	8	8	-	-	-
Madison	74	58	16	-	-
Minidoka	44	42	2	-	-
Nez Perce	238	170	63	2	3
Oneida	10	7	3	-	-
Owyhee	18	12	5	1	-
Payette	134	90	43	-	1
Power	30	25	5	-	-
Shoshone	64	50	12	1	1
Teton	27	16	11	-	-
Twin Falls	425	348	63	2	12
Valley	37	31	6	-	-
Washington	53	43	10	-	-
Tribal Courts:					
Coeur d'Alene	1	1	-	-	-
Kootenai	-	-	-	-	-
Nez Perce	5	3	1	1	-
Shoshone-Bannock	1	1	-	-	-

Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	IDAHO		DISTRICT 1		DISTRICT 2		DISTRICT 3		DISTRICT 4		DISTRICT 5		DISTRICT 6		DISTRICT 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	1,429,096		201,570		100,465		227,825		389,228		170,617		162,342		177,049	
LIVE BIRTHS	23,064	16.1	2,284	11.3	1,136	11.3	4,092	18.0	6,073	15.6	2,861	16.8	3,004	18.5	3,614	20.4
Fertility rate		77.4		58.3		55.2		84.8		72.9		86.5		88.1		91.4
Out-of-wedlock births[2]	5,273	22.9%	612	26.8%	306	26.9%	1,142	27.9%	1,277	21.0%	781	27.3%	591	19.7%	564	15.6%
Low birth weight[2]	1,544	6.7%	149	6.5%	65	5.7%	268	6.6%	419	6.9%	187	6.5%	227	7.6%	229	6.3%
INFANT DEATHS	142	6.2	17	7.4	9	7.9	30	7.3	41	6.8	15	5.2	16	5.3	14	3.9
Neonatal deaths	93	4.0	12	5.3	4	3.5	22	5.4	25	4.1	8	2.8	11	3.7	11	3.0
Postneonatal deaths	49	2.1	5	2.2	5	4.4	8	2.0	16	2.6	7	2.4	5	1.7	3	0.8
PERINATAL DEATHS	217	9.4	22	9.6	8	7.0	48	11.7	56	9.2	23	8.0	24	8.0	36	10.0
Stillbirths	134	5.8	12	5.3	4	3.5	26	6.4	33	5.4	17	5.9	16	5.3	26	7.2
INDUCED ABORTIONS (resident)	1,827	6.1	423	10.8	161	7.8	192	4.0	744	8.9	150	4.5	91	2.7	66	1.7
(ratio)		79.2		185.2		141.7		46.9		122.5		52.4		30.3		18.3
DEATHS[3]	10,513	735.6	1,753	869.7	883	878.9	1,725	757.2	2,419	621.5	1,445	846.9	1,169	720.1	1,119	632.0
Diseases of heart	2,443	170.9	412	204.4	201	200.1	420	184.4	536	137.7	327	191.7	275	169.4	272	153.6
Malignant neoplasms (cancer)	2,356	164.9	432	214.3	214	213.0	378	165.9	594	152.6	312	182.9	217	133.7	209	118.0
Chronic lower respiratory diseases	719	50.3	116	57.5	62	61.7	135	59.3	143	36.7	116	68.0	78	48.0	69	39.0
Cerebrovascular diseases	712	49.8	132	65.5	57	56.7	113	49.6	151	38.8	92	53.9	93	57.3	74	41.8
Accidents	596	41.7	83	41.2	61	60.7	74	32.5	125	32.1	89	52.2	72	44.4	92	52.0
Alzheimer's disease	411	28.8	69	34.2	30	29.9	72	31.6	116	29.8	58	34.0	35	21.6	31	17.5
Diabetes mellitus	296	20.7	56	27.8	21	20.9	59	25.9	48	12.3	31	18.2	42	25.9	39	22.0
Influenza and pneumonia	292	20.4	30	14.9	28	27.9	56	24.6	52	13.4	63	36.9	39	24.0	24	13.6
Intentional self-harm (suicide)	225	15.7	46	22.8	17	16.9	30	13.2	47	12.1	26	15.2	25	15.4	34	19.2
Chronic liver disease and cirrhosis	128	9.0	23	11.4	13	12.9	18	7.9	38	9.8	9	5.3	16	9.9	11	6.2
All other causes	2,335	NA	354	NA	179	NA	370	NA	569	NA	322	NA	277	NA	264	NA
MARRIAGES	14,933	10.4	4,332	21.5	750	7.5	1,731	7.6	3,577	9.2	1,357	8.0	1,083	6.7	2,103	11.9
DIVORCES[4]	7,118	5.0	1,082	5.4	450	4.5	1,376	6.0	1,862	4.8	806	4.7	678	4.2	864	4.9

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	ADA		ADAMS		BANNOCK		BEAR LAKE		BENEWAH		BINGHAM		BLAINE		BOISE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	344,727		3,591		78,155		6,176		9,218		43,739		21,166		7,535	
LIVE BIRTHS	5,415	15.7	29	8.1	1,536	19.7	84	13.6	119	12.9	835	19.1	304	14.4	44	5.8
Fertility rate		72.3		48.2		88.6		73.9		75.2		93.1		75.6		32.2
Out-of-wedlock births[2]	1,125	20.8%	16	55.2%	293	19.1%	10	11.9%	45	37.8%	210	25.1%	84	27.6%	13	29.5%
Low birth weight[2]	383	7.1%	1	3.4%	105	6.8%	8	9.5%	8	6.7%	72	8.6%	19	6.3%	3	6.8%
INFANT DEATHS	33	6.1	-	-	9	5.9	-	-	1	8.4	7	8.4	4	13.2	1	22.7
Neonatal deaths	21	3.9	-	-	8	5.2	-	-	1	8.4	3	3.6	2	6.6	-	-
Postneonatal deaths	12	2.2	-	-	1	0.7	-	-	-	-	4	4.8	2	6.6	1	22.7
PERINATAL DEATHS	49	9.0	-	-	13	8.5	1	11.9	1	8.4	8	9.6	3	9.9	1	22.7
Stillbirths	29	5.4	-	-	6	3.9	1	11.9	-	-	7	8.4	1	3.3	1	22.7
INDUCED ABORTIONS (resident)	703	9.4	2	3.3	58	3.3	-	-	12	7.6	21	2.3	54	13.4	3	2.2
(ratio)		129.8		69.0		37.8		-		100.8		25.1		177.6		68.2
DEATHS[3]	2,154	624.8	31	863.3	555	710.1	59	955.3	92	998.0	287	656.2	79	373.2	45	597.2
Diseases of heart	475	137.8	8	222.8	133	170.2	15	242.9	27	292.9	70	160.0	6	28.3	12	159.3
Malignant neoplasms (cancer)	539	156.4	8	222.8	101	129.2	9	145.7	21	227.8	55	125.7	27	127.6	6	79.6
Chronic lower respiratory diseases	133	38.6	1	27.8	40	51.2	5	81.0	4	43.4	16	36.6	5	23.6	3	39.8
Cerebrovascular diseases	134	38.9	2	55.7	46	58.9	2	32.4	5	54.2	18	41.2	4	18.9	3	39.8
Accidents	98	28.4	4	111.4	29	37.1	4	64.8	2	21.7	21	48.0	11	52.0	5	66.4
Alzheimer's disease	99	28.7	1	27.8	23	29.4	4	64.8	1	10.8	3	6.9	-	-	-	-
Diabetes mellitus	45	13.1	1	27.8	20	25.6	-	-	1	10.8	12	27.4	-	-	-	-
Influenza and pneumonia	47	13.6	-	-	25	32.0	1	16.2	5	54.2	4	9.1	3	14.2	1	13.3
Intentional self-harm (suicide)	39	11.3	1	27.8	10	12.8	2	32.4	1	10.8	10	22.9	5	23.6	2	26.5
Chronic liver disease and cirrhosis	31	9.0	-	-	8	10.2	1	16.2	2	21.7	4	9.1	-	-	3	39.8
All other causes	514	NA	5	NA	120	NA	16	NA	23	NA	74	NA	18	NA	10	NA
MARRIAGES	3,057	8.9	37	10.3	591	7.6	36	5.8	56	6.1	251	5.7	191	9.0	62	8.2
DIVORCES	1,635	4.7	10	2.8	349	4.5	28	4.5	45	4.9	186	4.3	76	3.6	18	2.4

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	BONNER		BONNEVILLE		BOUNDARY		BUTTE		CAMAS		CANYON		CARIBOU		CASSIA	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	40,908		91,856		10,619		2,808		1,050		164,593		7,131		21,324	
LIVE BIRTHS	406	9.9	1,799	19.6	130	12.2	38	13.5	17	16.2	3,222	19.6	103	14.4	395	18.5
Fertility rate		54.1		93.5		68.2		84.8		77.6		88.5		77.6		97.7
Out-of-wedlock births[2]	107	26.4%	362	20.1%	27	20.8%	4	10.5%	6	35.3%	884	27.4%	21	20.4%	102	25.8%
Low birth weight[2]	21	5.2%	127	7.1%	4	3.1%	3	7.9%	-	-	200	6.2%	7	6.8%	16	4.1%
INFANT DEATHS	3	7.4	7	3.9	1	7.7	-	-	-	-	17	5.3	-	-	1	2.5
Neonatal deaths	2	4.9	5	2.8	-	-	-	-	-	-	12	3.7	-	-	1	2.5
Postneonatal deaths	1	2.5	2	1.1	1	7.7	-	-	-	-	5	1.6	-	-	-	-
PERINATAL DEATHS	2	4.9	20	11.1	-	-	-	-	-	-	34	10.6	-	-	3	7.6
Stillbirths	1	2.5	15	8.3	-	-	-	-	-	-	22	6.8	-	-	3	7.6
INDUCED ABORTIONS (resident)	62	8.3	40	2.1	14	7.3	1	2.2	-	-	161	4.4	1	0.8	9	2.2
(ratio)		152.7		22.2		107.7		26.3		-		50.0		9.7		22.8
DEATHS[3]	378	924.0	615	669.5	118	1,111.2	23	819.1	3	285.7	1,123	682.3	61	855.4	176	825.4
Diseases of heart	77	188.2	151	164.4	40	376.7	4	142.5	1	95.2	265	161.0	10	140.2	45	211.0
Malignant neoplasms (cancer)	94	229.8	106	115.4	29	273.1	10	356.1	1	95.2	238	144.6	10	140.2	36	168.8
Chronic lower respiratory diseases	25	61.1	34	37.0	3	28.3	2	71.2	-	-	84	51.0	6	84.1	14	65.7
Cerebrovascular diseases	36	88.0	41	44.6	7	65.9	3	106.8	-	-	74	45.0	8	112.2	15	70.3
Accidents	23	56.2	39	42.5	10	94.2	-	-	-	-	47	28.6	6	84.1	8	37.5
Alzheimer's disease	17	41.6	15	16.3	1	9.4	-	-	-	-	54	32.8	2	28.0	5	23.4
Diabetes mellitus	8	19.6	24	26.1	4	37.7	-	-	-	-	45	27.3	1	14.0	7	32.8
Influenza and pneumonia	3	7.3	13	14.2	4	37.7	-	-	-	-	29	17.6	3	42.1	8	37.5
Intentional self-harm (suicide)	6	14.7	22	24.0	3	28.3	-	-	-	-	18	10.9	2	28.0	2	9.4
Chronic liver disease and cirrhosis	6	14.7	8	8.7	1	9.4	-	-	-	-	9	5.5	-	-	1	4.7
All other causes	83	NA	162	NA	16	NA	4	NA	1	NA	260	NA	13	NA	35	NA
MARRIAGES	362	8.8	1,549	16.9	74	7.0	9	3.2	12	11.4	1,256	7.6	57	8.0	152	7.1
DIVORCES	225	5.5	608	6.6	29	2.7	14	5.0	1	1.0	1,077	6.5	17	2.4	108	5.1

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	CLARK		CLEARWATER		CUSTER		ELMORE		FRANKLIN		FREMONT		GEM		GOODING	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	943		8,373		4,077		28,634		12,371		12,242		16,273		14,461	
LIVE BIRTHS	27	28.6	64	7.6	37	9.1	527	18.4	216	17.5	223	18.2	235	14.4	239	16.5
Fertility rate		150.8		52.6		55.7		92.5		85.9		100.8		74.3		93.5
Out-of-wedlock births[2]	7	25.9%	28	43.8%	9	24.3%	109	20.7%	16	7.4%	47	21.1%	57	24.3%	61	25.5%
Low birth weight[2]	6	22.2%	2	3.1%	1	2.7%	32	6.1%	13	6.0%	16	7.2%	23	9.8%	20	8.4%
INFANT DEATHS	-	-	1	15.6	1	27.0	6	11.4	-	-	2	9.0	3	12.8	1	4.2
Neonatal deaths	-	-	-	-	1	27.0	4	7.6	-	-	2	9.0	1	4.3	1	4.2
Postneonatal deaths	-	-	1	15.6	-	-	2	3.8	-	-	-	-	2	8.5	-	-
PERINATAL DEATHS	1	37.0	-	-	1	27.0	6	11.4	2	9.3	2	9.0	3	12.8	2	8.4
Stillbirths	1	37.0	-	-	-	-	3	5.7	2	9.3	1	4.5	2	8.5	1	4.2
INDUCED ABORTIONS (resident)	1	5.6	8	6.6	3	4.5	25	4.4	5	2.0	5	2.3	9	2.8	5	2.0
(ratio)		37.0		125.0		81.1		47.4		23.1		22.4		38.3		20.9
DEATHS[3]	2	212.1	81	967.4	40	981.1	155	541.3	86	695.2	87	710.7	170	1,044.7	137	947.4
Diseases of heart	2	212.1	20	238.9	3	73.6	37	129.2	22	177.8	24	196.0	32	196.6	25	172.9
Malignant neoplasms (cancer)	-	-	17	203.0	8	196.2	31	108.3	12	97.0	20	163.4	30	184.4	29	200.5
Chronic lower respiratory diseases	-	-	7	83.6	7	171.7	6	21.0	2	16.2	5	40.8	21	129.0	14	96.8
Cerebrovascular diseases	-	-	3	35.8	3	73.6	8	27.9	7	56.6	7	57.2	13	79.9	8	55.3
Accidents	-	-	8	95.5	9	220.8	15	52.4	6	48.5	6	49.0	11	67.6	9	62.2
Alzheimer's disease	-	-	1	11.9	-	-	13	45.4	2	16.2	-	-	3	18.4	6	41.5
Diabetes mellitus	-	-	4	47.8	1	24.5	2	7.0	4	32.3	2	16.3	2	12.3	3	20.7
Influenza and pneumonia	-	-	3	35.8	1	24.5	2	7.0	2	16.2	3	24.5	13	79.9	9	62.2
Intentional self-harm (suicide)	-	-	-	-	1	24.5	3	10.5	-	-	3	24.5	5	30.7	-	-
Chronic liver disease and cirrhosis	-	-	2	23.9	-	-	2	7.0	2	16.2	1	8.2	4	24.6	1	6.9
All other causes	-	NA	16	NA	7	NA	36	NA	27	NA	16	NA	36	NA	33	NA
MARRIAGES	3	3.2	74	8.8	79	19.4	281	9.8	69	5.6	120	9.8	118	7.3	95	6.6
DIVORCES	1	1.1	43	5.1	13	3.2	172	6.0	43	3.5	33	2.7	84	5.2	49	3.4

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	IDAHO		JEFFERSON		JEROME		KOOTENAI		LATAH		LEMHI		LEWIS		LINCOLN	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	15,697		21,580		19,638		127,668		34,714		7,909		3,750		4,545	
LIVE BIRTHS	146	9.3	430	19.9	380	19.4	1,513	11.9	428	12.3	81	10.2	47	12.5	87	19.1
Fertility rate		58.8		94.9		101.1		58.1		48.3		59.8		80.3		92.8
Out-of-wedlock births[2]	41	28.1%	59	13.7%	122	32.1%	390	25.8%	59	13.8%	15	18.5%	15	31.9%	19	21.8%
Low birth weight[2]	8	5.5%	22	5.1%	30	7.9%	106	7.0%	21	4.9%	6	7.4%	5	10.6%	6	6.9%
INFANT DEATHS	1	6.8	1	2.3	2	5.3	11	7.3	-	-	-	-	-	-	-	-
Neonatal deaths	-	-	1	2.3	1	2.6	8	5.3	-	-	-	-	-	-	-	-
Postneonatal deaths	1	6.8	-	-	1	2.6	3	2.0	-	-	-	-	-	-	-	-
PERINATAL DEATHS	-	-	3	7.0	4	10.5	17	11.2	1	2.3	-	-	-	-	1	11.5
Stillbirths	-	-	2	4.7	3	7.9	10	6.6	1	2.3	-	-	-	-	1	11.5
INDUCED ABORTIONS (resident)	5	2.0	4	0.9	14	3.7	313	12.0	79	8.9	6	4.4	4	6.8	4	4.3
(ratio)		34.2		9.3		36.8		206.9		184.6		74.1		85.1		46.0
DEATHS[3]	144	917.4	116	537.5	144	733.3	1,018	797.4	204	587.7	92	1,163.2	47	1,253.3	44	968.1
Diseases of heart	33	210.2	29	134.4	35	178.2	238	186.4	35	100.8	15	189.7	10	266.7	11	242.0
Malignant neoplasms (cancer)	44	280.3	28	129.7	28	142.6	241	188.8	51	146.9	23	290.8	12	320.0	8	176.0
Chronic lower respiratory diseases	7	44.6	7	32.4	14	71.3	75	58.7	12	34.6	6	75.9	6	160.0	4	88.0
Cerebrovascular diseases	12	76.4	8	37.1	7	35.6	71	55.6	12	34.6	6	75.9	4	106.7	2	44.0
Accidents	11	70.1	8	37.1	11	56.0	41	32.1	17	49.0	10	126.4	4	106.7	7	154.0
Alzheimer's disease	1	6.4	3	13.9	2	10.2	43	33.7	8	23.0	2	25.3	-	-	1	22.0
Diabetes mellitus	2	12.7	7	32.4	3	15.3	35	27.4	4	11.5	-	-	2	53.3	-	-
Influenza and pneumonia	2	12.7	-	-	5	25.5	17	13.3	10	28.8	5	63.2	2	53.3	-	-
Intentional self-harm (suicide)	2	12.7	4	18.5	5	25.5	35	27.4	5	14.4	1	12.6	2	53.3	-	-
Chronic liver disease and cirrhosis	1	6.4	1	4.6	1	5.1	13	10.2	3	8.6	-	-	-	-	1	22.0
All other causes	29	NA	21	NA	33	NA	209	NA	47	NA	24	NA	5	NA	10	NA
MARRIAGES	120	7.6	129	6.0	161	8.2	3,750	29.4	194	5.6	88	11.1	23	6.1	27	5.9
DIVORCES	51	3.2	68	3.2	95	4.8	718	5.6	107	3.1	40	5.1	6	1.6	8	1.8

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	MADISON		MINIDOKA		NEZ PERCE		ONEIDA		OWYHEE		PAYETTE		POWER		SHOSHONE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	30,975		19,014		37,931		4,209		11,073		22,197		7,753		13,157	
LIVE BIRTHS	881	28.4	318	16.7	451	11.9	67	15.9	160	14.4	315	14.2	125	16.1	116	8.8
Fertility rate		89.3		88.4		60.6		85.9		80.1		73.4		78.4		53.9
Out-of-wedlock births[2]	34	3.9%	84	26.4%	163	36.1%	10	14.9%	39	24.4%	108	34.3%	27	21.6%	43	37.1%
Low birth weight[2]	42	4.8%	17	5.3%	29	6.5%	9	13.4%	6	3.8%	31	9.8%	10	8.0%	10	8.6%
INFANT DEATHS	3	3.4	-	-	7	15.5	-	-	2	12.5	6	19.0	-	-	1	8.6
Neonatal deaths	2	2.3	-	-	4	8.9	-	-	2	12.5	5	15.9	-	-	1	8.6
Postneonatal deaths	1	1.1	-	-	3	6.7	-	-	-	-	1	3.2	-	-	-	-
PERINATAL DEATHS	8	9.1	2	6.3	7	15.5	-	-	2	12.5	6	19.0	-	-	2	17.2
Stillbirths	6	6.8	2	6.3	3	6.7	-	-	-	-	1	3.2	-	-	1	8.6
INDUCED ABORTIONS (resident)	3	0.3	6	1.7	65	8.7	1	1.3	7	3.5	10	2.3	4	2.5	22	10.2
(ratio)		3.4		18.9		144.1		14.9		43.8		31.7		32.0		189.7
DEATHS[3]	132	426.2	196	1,030.8	407	1,073.0	45	1,069.1	100	903.1	181	815.4	53	683.6	147	1,117.3
Diseases of heart	38	122.7	50	263.0	103	271.5	9	213.8	23	207.7	60	270.3	12	154.8	30	228.0
Malignant neoplasms (cancer)	21	67.8	44	231.4	90	237.3	8	190.1	21	189.7	52	234.3	12	154.8	47	357.2
Chronic lower respiratory diseases	10	32.3	15	78.9	30	79.1	1	23.8	9	81.3	14	63.1	6	77.4	9	68.4
Cerebrovascular diseases	8	25.8	8	42.1	26	68.5	3	71.3	8	72.2	6	27.0	6	77.4	13	98.8
Accidents	13	42.0	15	78.9	21	55.4	3	71.3	6	54.2	3	13.5	3	38.7	7	53.2
Alzheimer's disease	8	25.8	5	26.3	20	52.7	-	-	3	27.1	7	31.5	1	12.9	7	53.2
Diabetes mellitus	4	12.9	3	15.8	9	23.7	3	71.3	3	27.1	3	13.5	2	25.8	8	60.8
Influenza and pneumonia	2	6.5	8	42.1	11	29.0	3	71.3	3	27.1	3	13.5	1	12.9	1	7.6
Intentional self-harm (suicide)	1	3.2	2	10.5	8	21.1	-	-	3	27.1	1	4.5	1	12.9	1	7.6
Chronic liver disease and cirrhosis	-	-	-	-	7	18.5	1	23.8	3	27.1	1	4.5	-	-	1	7.6
All other causes	27	NA	46	NA	82	NA	14	NA	18	NA	31	NA	9	NA	23	NA
MARRIAGES	85	2.7	131	6.9	339	8.9	27	6.4	72	6.5	186	8.4	43	5.5	90	6.8
DIVORCES	74	2.4	44	2.3	238	6.3	10	2.4	18	1.6	134	6.0	30	3.9	64	4.9

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2005

	TETON		TWIN FALLS		VALLEY		WASHINGTON	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2005[1]	7,467		69,419		8,332		10,098	
LIVE BIRTHS	136	18.2	1,121	16.1	87	10.4	131	13.0
Fertility rate		90.5		80.4		62.9		73.9
Out-of-wedlock births[2]	31	22.8%	303	27.0%	30	34.5%	38	29.0%
Low birth weight[2]	9	6.7%	79	7.0%	1	1.1%	7	5.3%
INFANT DEATHS	-	-	7	6.2	1	11.5	2	15.3
Neonatal deaths	-	-	3	2.7	-	-	2	15.3
Postneonatal deaths	-	-	4	3.6	1	11.5	-	-
PERINATAL DEATHS	1	7.4	8	7.1	-	-	3	22.9
Stillbirths	1	7.4	6	5.4	-	-	1	7.6
INDUCED ABORTIONS (resident)	4	2.7	58	4.2	13	9.4	3	1.7
(ratio)		29.4		51.7		149.4		22.9
DEATHS[3]	35	468.7	666	959.4	65	780.1	120	1,188.4
Diseases of heart	10	133.9	154	221.8	12	144.0	32	316.9
Malignant neoplasms (cancer)	3	40.2	139	200.2	18	216.0	29	287.2
Chronic lower respiratory diseases	-	-	50	72.0	1	12.0	6	59.4
Cerebrovascular diseases	1	13.4	48	69.1	6	72.0	10	99.0
Accidents	7	93.7	28	40.3	7	84.0	3	29.7
Alzheimer's disease	3	40.2	39	56.2	4	48.0	4	39.6
Diabetes mellitus	1	13.4	15	21.6	1	12.0	5	49.5
Influenza and pneumonia	-	-	30	43.2	2	24.0	8	79.2
Intentional self-harm (suicide)	2	26.8	12	17.3	3	36.0	2	19.8
Chronic liver disease and cirrhosis	1	13.4	5	7.2	2	24.0	1	9.9
All other causes	7	NA	146	NA	9	NA	20	NA
MARRIAGES	50	6.7	588	8.5	177	21.2	62	6.1
DIVORCES	27	3.6	425	6.1	37	4.4	53	5.2

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

TECHNICAL NOTES

Natality

Revision of the Certificate of Live Birth

The U.S. Standard Certificate of Live Birth was revised in 2003. In 2003, Pennsylvania and Washington were the first two states to implement the 2003 revision. In 2004, Idaho implemented the 2003 U.S. Standard Certificate of Live Birth. Some items on the certificate were added or changed from previous years and some items were removed from the Idaho certificate in 2004.

New Items:

- Mother's height
- Mother's prepregnancy weight and weight at delivery
- Date of first prenatal care visit
- Date of last prenatal care visit
- Did mother get WIC food for herself during this pregnancy?
- Is infant being breastfed?
- Apgar score at 10 minutes
- Infant living at time of report

Revised Items:

- Mother's and father's race
- Mother's and father's ethnicity
- Mother's and father's education
- Cigarette smoking before and during pregnancy
- Principal source of payment for delivery
- Risk factors in this pregnancy
- Infections present and/or treated during this pregnancy
- Obstetric procedures
- Characteristics of labor and delivery
- Method of delivery
- Maternal morbidity (complications of labor and delivery)
- Abnormal conditions of the newborn
- Congenital anomalies of the newborn

Removed items:

- Month prenatal care began
- Alcohol use during pregnancy
- Weight gain during pregnancy
- Apgar score at 1 minute

Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. For births to Idaho residents delivered in states with unrevised certificates, unknown and non-compatible data were entered as "not stated" in the Idaho data base. For data analysis, only records with known data were used to calculate percents and means.

Overview of New and Revised Items

Height and weight of mother

The 2004 certificate collected data on the mother's height, prepregnancy weight, and weight at delivery for the first time. Previously, the certificate only asked for mother's weight gain during pregnancy. Height and weight information are needed to calculate maternal body mass index (BMI).

Date of first prenatal care visit

In 2004, the prenatal care item was revised from collecting month prenatal care began to collecting date of first prenatal care visit. With the revision, the calculation of trimester prenatal care began is based on date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation in weeks, and the baby's birth date are used to estimate the onset of prenatal care. If the day of first prenatal visit is missing, the day is imputed for statistical purposes based on the previous birth record with the same month of first prenatal care visit. If either month or year of prenatal care is missing or implausible, date of visit is coded to unknown.

According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because the timing for care is based on a date in the mother's medical record rather than based on mother's recollection of month of first visit[1]. Because of the changes in sources for these data, prenatal care based on date of first visit is not comparable to prenatal care based on month prenatal care began.

Did mother get WIC food for herself during this pregnancy?

WIC is the Idaho Health and Welfare program for women, infants, and children that provides nutritional education, monetary checks for food, and health referrals. Data on WIC from the birth certificate may differ from data from the WIC Program.

Is infant being breastfed?

The NCHS recommended adding this item to the birth certificate because the information is important for the Maternal and Child Health program to track breast feeding levels. Data are based on infant being breastfed at the time of birth through the time the birth certificate is completed.

Apgar score

The Apgar score was developed in the 1950s by Virginia Apgar, M.D., as a means of evaluating the physical condition of the infant after birth. The score is calculated by assessing five signs of the infant at birth and designating the score of 0, 1, or 2 for each sign. The five signs checked are heart rate, respiratory effort, muscle tone, reflex irritability, and color. The Apgar score is the sum of these five values and ranges from 0 to 10, with 10 being optimum. A score of 0-3 indicates an infant in need of resuscitation; a score of 4-6 is considered intermediate; a score of 7-10 indicates good to excellent physical condition[2].

Data items on apgar scores were revised in 2004. The one-minute apgar score was removed from the Idaho birth certificate; the five-minute apgar remained, and the ten-minute apgar was added. The ten-minute apgar is to be completed only for infants with five-minute apgar less than six.

Infant living at time of report

If infant is not living at time of report, there is follow-up at the Bureau of Health Policy and Vital Statistics to obtain a matching infant death certificate from the state of death.

Mother's and father's race

Beginning in 2004, parents may choose multiple races on the Idaho birth certificate. In 2005, there were 241 in-state births and nine out-of-state births in which the mother reported more than one race. For statistical analysis, Idaho birth records with more than one race were provided to the National Centers for Health Statistics (NCHS) for NCHS to re-code and provide the bridged-race codes back to Idaho for in-state births. However, bridged-race codes are not provided to Idaho for out-of-state births. Idaho resident birth data provided in the table on page 33 entitled "Idaho Resident Births by Race of Mother and Residence, 2005" are based on single-race and bridged-race categories for births in Idaho and single-race categories for births out of state. The nine out-of-state births with multiple race of mother in 2005 are included in the total number of births, but are not shown in the table.

Year	Births to Idaho Mothers in Idaho			Births to Idaho Mothers Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2004	21,398	21,185	213	1,131	1,126	5
2005	21,974	21,733	241	1,090	1,081	9

Prior to 2004, mother's and father's race was written on the birth certificate. For statistical analysis, races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". In 2004, the birth certificate was revised to include check boxes for races and parents had the ability to select one or more race. At the same time, the race category structure was revised. Prior to use of check boxes, write-ins of "Hispanic" or "Mexican" for race were coded to white. Beginning with 2004 births, check boxes of "other race" with write-ins of "Hispanic" or "Mexican" were coded to "other race". Therefore, race data in 2004-2005 are not comparable with race data for births prior to 2004.

Bridged Race of Mother	2003 Live Births	2004 Live Births	2005 Live Births
White	20,721	20,795	21,117
Black	104	101	133
Native American	361	372	383
Asian or Pacific Islander	344	294	364
Other race	13	670	791
Race not stated	251	292	267

Because of the bridged-race code rules implemented in 2004, there was a large increase in the number of Idaho resident mothers with race coded to "other race" in 2004-2005. Nearly 95 percent of the records to mothers with race coded to "other race" were of Hispanic ethnicity.

Mother's and father's ethnicity

The 2004 Idaho certificate includes check boxes for Hispanic origin and allows the mother and father to choose more than one Hispanic origin. Origin is then categorized as Hispanic or non-Hispanic. Race and Hispanic origin are reported separately on the birth certificate. Data shown for Hispanic mothers may be of any race.

Mother's and father's education

The 2004 birth certificate was revised to report the highest degree or level of school completed at delivery. Prior to 2004, education was reported as years of school completed. Because of this change, data in 2005 are not comparable with data prior to 2004. For birth occurring out of state in states with unrevised birth certificates, years of schooling were entered as close as possible to highest level of school completed.

Number of Years Schooling Conversion to Highest Degree or Level of School Completed	
Number of Years Schooling	Highest Level of School Completed
0-8 years	8th grade of less (includes none)
9-11 years	9th – 12th grade, but no diploma
12 years	High school graduate or GED completed
13-15 years	Some college credit, but no degree, includes associate's degree
16 years	Bachelor's degree
17 or more years	Master's, doctorate or professional degree

Cigarette smoking before and during pregnancy

Prior to 2004, tobacco use during pregnancy (yes or no) and average number of cigarettes per day were reported on the birth certificate. Beginning in 2004, the Idaho birth certificate includes four data items for cigarette smoking before and during pregnancy. The revised certificate collects data on average number of cigarettes smoked per day during the three months before pregnancy, the first three months of pregnancy, the second three months of pregnancy, and the third three months of pregnancy. For births occurring out of state in states with unrevised certificates, if mother used tobacco during pregnancy, the birth record was coded to mother smoked cigarettes during all three trimesters of pregnancy. There were 34 records in 2005 in which mother smoked during pregnancy and birth occurred in a state which does not ask for cigarette smoking data by trimester of pregnancy. Data for cigarette smoking prior to pregnancy were not collected on the unrevised certificate and were coded to "not stated" for data analysis.

Data based on mother's cigarette smoking status during the three trimesters of pregnancy were used to generate a data item for mother smoking during pregnancy. Mother's who smoked during the first three months of pregnancy, the second three months of pregnancy ,or the third three months of pregnancy were coded to "yes" smoked cigarettes during pregnancy for data analysis. Because of changes in the method data are collected for smoking during pregnancy, Idaho data for 2004-2005 are not comparable with Idaho data prior to 2004 or other data based on tobacco use during pregnancy.

Medical and health section

The medical and health section for mother includes risk factors in this pregnancy, infections present and/or treated during this pregnancy, obstetric procedures that applied to this pregnancy, onset of labor, characteristics of labor and delivery, method of delivery, and maternal morbidity (complications of labor and delivery). The medical and health section for the infant includes abnormal conditions of the newborn and congenital anomalies of the newborn. There were extensive changes for each of these items on the revised certificate. Every effort was made to code information for births born out of state in states with unrevised certificates to the appropriate data item in the Idaho data base.

Risk factors in this pregnancy

Definitions of risk factors in this pregnancy are provided by the Centers for Disease Control and Prevention (CDC), NCHS[3].

Prepregnancy diabetes – Glucose intolerance requiring treatment diagnosed prior to this pregnancy.

Gestational diabetes - Glucose intolerance requiring treatment diagnosed during this pregnancy.

Prepregnancy hypertension – Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed prior to the onset of this pregnancy.

Gestational hypertension - Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed during this pregnancy.

Previous preterm birth – History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.

Other previous poor pregnancy outcome – History of pregnancy(ies) with fetal and neonatal death, small for gestational age, and/or intrauterine growth restricted birth.

Vaginal bleeding during pregnancy – Any reported or observed bleeding per vaginum at any time in the pregnancy presenting prior to the onset of labor.

Infertility treatment- Any assisted reproduction technique whether artificial insemination, drugs, or any technical procedures (in-vitro fertilization) used to initiate the pregnancy.

Previous cesarean delivery - Previous operative delivery in which the fetus is extracted through an incision in the maternal abdominal and uterine walls.

Infections present and/or treated during this pregnancy

The revised U.S. birth certificate includes six infections which are known to cause concomitant fetal and/or subsequent neonatal infection. The infections listed on the U.S. revised certificate are Gonorrhea, Syphilis, Herpes Simplex Virus (HSV), Chlamydia, Hepatitis B, and Hepatitis C. In addition to the infections listed on the revised U.S. certificate, the Idaho birth certificate includes HIV, Listeria, group B streptococcus, Cytomegalovirus, Parvovirus, and Toxoplasmosis. The CDC provides more information on these infections at http://www.cdc.gov/.

Gonorrhea - Infection due to *Neisseria gonorrhoeae* transmitted sexually (a STD) in most cases, but also by contact with infected exudates in neonatal infants at birth.

Syphilis - A subacute to chronic infectious disease caused by the spirochete *Treponema pallidum*, which is usually transmitted sexually or acquired in utero.

HIV (Human immunodeficiency virus) – HIV is the virus that causes AIDS (acquired immune deficiency syndrome). HIV may be transmitted sexually or through infected blood or contact with an infected person's broken skin or mucous membranes. In addition, infected pregnant women can pass HIV to their baby during pregnancy or delivery, as well as through breast-feeding.

Herpes Simplex Virus (HSV) – Infection of the skin on the genital area by herpes simplex virus and is transmitted sexually.

Chlamydia - A disease transmitted sexually that is caused by the bacterium Chlamydia trachomatis.

Listeria - A genus of bacteria of uncertain affiliation, closely resembling those of the family Corynebacteriacese, made up of small, coccoid gram-positive rods that have a tendency to form chains and palisades; they are found in the feces of humans and other animals, on vegetation, and in silage.

Group B Streptococcus (GBS) - A type of bacteria that can cause serious illness and death in newborns. Group B streptococcus is the most common cause of sepsis (blood infection) and meningitis (infection of the fluid and lining around the brain) in newborns. It is not spread by the consumption of water or food or transmitted sexually.

Cytomegalovirus (CMV) – A common virus of the subfamily Betaherpesvirinae that can be present in the body without causing infection. It is spread from person to person by contact with urine, saliva, breast milk, blood, semen, and possibly other body fluids. The virus can be spread from an infected mother to her fetus or newborn baby.

Parvovirus - Parvovirus B19 is a virus that commonly infects humans; about 50 percent of all adults have been infected sometime during childhood or adolescence. Parvovirus B19 infects only humans. There are also animal parvoviruses, but they do not infect humans. Therefore, a person cannot catch parvovirus B19 from a dog or cat.

Toxoplasmosis - A disease caused by a single-cell parasite called *Toxoplasma gondii.* The Toxoplasma infection could cause serious health problems in pregnant women. Toxoplasma infection occurs from contaminated food or drinking water and cat feces from a Toxoplasma-infected cat. Most infants are infected while still in the womb. They have no symptoms at birth, but they may develop symptoms later in life.

Hepatitis B (HBV) - A serious disease caused by a virus that attacks the liver. This virus can cause lifelong infection, cirrhosis (scarring) of the liver, liver cancer, liver failure, and death. The Hepatitis virus may be transmitted sexually, through contaminated blood, or from infected mothers to their infants at birth.

Hepatitis C - A disease caused by the Hepatitis C virus which results in infection of the liver. The Hepatitis C virus is spread by contact with contaminated blood or plasma. The role of person-to-person contact and sexually transmission is unclear, but it may be transmitted from an infected mother to her baby during birth.

Characteristics of labor and delivery

Characteristic of labor and delivery include information about the course of the delivery. Definitions of characteristics of labor are provided by the CDC, NCHS[3].

Induction of labor - Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor.

Augmentation of labor - Stimulation of uterine contractions by drug or manipulative technique with the intent to reduce the time to delivery.

Non-vertex presentation - Includes any non-vertex fetal presentation, e.g., breech, shoulder, brow, face presentations, and transverse lie in the active phase of labor or at delivery other than vertex.

Steroids (glucocorticoids) for fetal lung maturation - Steroids received by the mother prior to delivery including betamethasone, dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Excludes steroid medication given to the mother as an anti-inflammatory treatment.

Antibiotics during labor - Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery.

Chorioamnionitis or Maternal temp. >100.4 degrees F - A clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, and fetal tachycardia.

Moderate/heavy meconium staining of amniotic fluid - Staining of the amniotic fluid caused by passage of fetal bowel contents during labor and/or delivery which is more than enough to cause a greenish color change of the fluid.

Fetal intolerance of labor - In-utero resuscitation measure (maternal position change, oxygen administration to the mother, IV fluid, amnioinfusion, support of maternal blood pressure, uterine relaxing agents), further fetal assessment (scalp pH, scalp stimulation, acoustic stimulation), operative delivery/intervention to shorten time to deliver the fetus.

Epidural or spinal anesthesia during labor - Administration of a regional anesthetic to the mother for control of the pain of labor, i.e., delivery of an agent into a limited space with the distribution of the analgesic effect limited to the lower body.

Maternal morbidity (complications of labor and delivery)

Maternal morbidity includes serious complications experienced by the mother associated with the labor and delivery. Definitions of maternal morbidity are provided by the CDC, NCHS[3].

Maternal transfusion - Includes infusion of whole blood or packed red blood cells within the period specified.

Third or fourth degree perineal laceration - Third degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body, and anal sphincter. Fourth degree laceration is all of the above with extension through the rectal mucosa.

Ruptured uterus - Tearing of the uterine wall.

Unplanned hysterectomy - Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure.

ICU admission - Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care (ICU).

Unplanned operating room procedure following delivery - Any transfer of the mother back to a surgical area for an operative procedure that was not planned prior to the admission for delivery. This complication excludes postpartum tubal ligations.

Abnormal conditions of the newborn

Abnormal conditions of the newborn include disorders or significant morbidity experienced by the newborn infant. Definitions of abnormal conditions are provided by the CDC, NCHS[3].

Assisted ventilation required immediately following delivery - Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes from birth for any duration.

Assisted ventilation required for more than six hours – Infant given mechanical ventilation (breathing assistance) by any method for more than six hours.

Seizure or serious neurologic dysfunction - Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma.

Significant birth injury (injury present immediately following delivery or manifesting following delivery) - Any bone fracture or weakness or loss of sensation. This condition excludes fractured clavicles and transient facial nerve palsy.

NICU admission – NICU (neonatal intensive care unit) is defined as a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn. The infant may require additional or other medical support in an NICU than continuous mechanical ventilatory support.

Newborn given surfactant replacement therapy - Treatment of surfactant deficiency either due to preterm birth or pulmonary injury resulting in decreased lung compliance.

Antibiotics received by the newborn for suspected neonatal sepsis - Any antibacterial drug given systemically.

Failed newborn hearing test - Failure of the newborn hearing screening test in one or both ears. Data are based on infants given the test in which test results were available prior to the birth certificate being filed with the state. Newborn hearing screening tests may vary by birth facility.

Congenital anomalies of the newborn

Anomalies which are diagnosable within the first 24 hours following birth using widely available conventional diagnostic techniques. Definitions are provided by the CDC, NCHS[3].

Anencephaly - Absence of the cerebral hemispheres.

Meningomyelocele/spina bifida - Developmental anomaly characterized by defective closure of the bony encasement of the spinal cord, through which the cord and meninges may or may not protrude.

Cyanotic congenital heart disease - Congenial heart defects which cause cyanosis. Includes, but is not limited to, transposition of the great arteries, teratology of Fallot, pulmonary or pulmonic valvular atresia, tricuspid atresia, truncus arteriousus, and total or partial anomalous pulmonary venous return with or without obstruction.

Congenital diaphragmatic hernia - Defects in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.

Omphalocele - Protrusion of variable amounts of abdominal viscera from a midline defect at the base of the umbilicus.

Gastroschsis - The abdominal viscera protrude through an abdominal wall defect, usually on the right side of the umbilical cord insertion.

Limb reduction defect - Complete or partial absence of a portion of an extremity secondary to failure to develop. Congenital amputation and dwarfing syndromes are excluded.

Cleft lip with or without cleft palate - Refers to incomplete closure of the lip. Cleft lip may be unilateral, bilateral, or median.

Cleft palate alone - Refers to incomplete fusion of the palatal shelves. This may be limited to the soft palate or may also extend into the hard palate.

Down syndrome (karyotype confirmed and karyotype pending - The most common chromosomal defect, with most cases resulting from an extra chromosome (Trisomy 21).

Suspected other chromosomal disorder (karyotype confirmed and karyotype pending) - Includes any constellation of congenital malformations resulting from or compatible with known syndromes caused by detectable defects in chromosome structure.

Hypospadias – Congenital malformations of genital organs.

Method of delivery

In 2004, the Idaho birth certificate was revised to collect additional data for cesarean births. The revised certificate asks for two additional data items regarding cesarean deliveries, 1) was a trial of labor attempted, and 2) number of previous cesarean deliveries.

The formulas for calculating rates by method of delivery are based on mother's delivery history. For mothers with no previous deliveries or with a previous vaginal delivery, the method of delivery for this birth will either be vaginal or primary cesarean. For women with a previous cesarean delivery, the method of delivery for this birth will either be vaginal birth after cesarean (VBAC) or repeat cesarean.

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: [(vaginal, non-VBAC births)/(total births-births with unknown method of delivery)] x 100

Vaginal birth after previous cesarean (VBAC) rate: Number of vaginal deliveries per 100 births to women with a previous cesarean.

Formula: [(VBAC births) / (VBAC births + repeat cesarean births)] x 100

Total cesarean rate: Number of cesarean deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: [(total cesarean births) / (total births - births with unknown method of delivery)] x 100

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans. Rate is based on records with known data for method of delivery.

Formula: [(primary cesarean births) / (total births - VBAC's - repeat cesareans - births with unknown method of delivery)] x 100

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

Formula: [(repeat cesarean births) / (repeat cesarean births + VBAC births)] x 100

Principal source of payment for delivery

In 2004, the Idaho birth certificate included eight check boxes for the principle source of payment for this delivery: private insurance, Medicaid, self-pay, Indian Health Services, CHAMPUS/TRICARE, other government, other, and none. If no check box was selected, payment source was coded to "not stated". For data analysis, records with Indian Health Services, CHAMPUS/TRICARE, or other government selected were categorized as "other government". Principal source for payment was added to the Idaho certificate in 1996. The categories listed from 1996 to 2003 were: HMO, self-pay, other health insurance, Medicaid, and other government. Data from 1996 to 2003 are not comparable with 2004-2005 data for payment source for delivery. Data for Medicaid-paid births from the birth certificate may not match data from the Medicaid Program. In addition, the principal source for payment may change after the certificate is filed with the state.

Mortality

Revision of the Certificate of Death

A new U.S. Standard Certificate of Death was implemented on January 1, 2003 and at that time five states including Idaho implemented the revision within their states. The revision of the death certificate included three new data fields relating to the cause of death:

1) Did tobacco use contribute to the death?
2) What was the pregnancy status of females aged 10-54?
3) What type of safety device(s) did decedent use/employ (transportation deaths)?

In addition to the new variables, there were notable changes to existing data fields. One was a revision to the manner in which decedent's education is collected. Prior to 2003, data collected for decedent's education were based on number of years of school; beginning in 2003, data are based on the education level that best describes the highest degree or level of school completed at time of death.

Another notable change to the death certificate in 2003 was on decedent's race and ethnicity. In 2003, the Idaho death certificate was revised to allow for more than one race and more than one Hispanic origin of the decedent. To facilitate coding and processing of multiple-race data in a uniform manner for all vital statistics jurisdictions, the National Center for Health Statistics (NCHS) developed a computer system to code and edit reported race and ethnicity data.

Race of decedent

Beginning in 2003, Idaho Vital Statistics transmitted Idaho death records to NCHS, NCHS re-coded multiple-race categories to single-race codes; NCHS returned the records back to Idaho for analysis. The data used for analysis was the "bridged-multiple race" code on each death certificate. The bridging procedure is similar to the procedure used to bridge multiracial population estimates. For Idaho death certificates, multiracial decedents are imputed to a single race using a coding algorithm according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The categories for the bridged race codes are the four main categories used by NCHS – White, Black, American Indian or Alaskan Native, Asian or Pacific Islander. In addition, there is a fifth category in Idaho for "other race of decedent".

The imputation of multiple-race to single-race procedure is described at the CDC's website at: http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm.

Idaho was one of the first states to adopt a new death certificate in 2003; however, not all states adopted multiple-race options in 2003. In 2003, all records received by Idaho Vital Statistics for Idahoans who died out state reported single-race. In 2005, there were two out-of-state death certificates with multiple-races of decedent reported. Bridged-race codes are not provided to Idaho for out-of-state records; therefore not all Idaho resident records have bridged-race codes to be used for data analysis.

Idaho resident death data provided in the table on page 74 entitled "Idaho Resident Deaths by Sex, Race and Ethnicity, 2005" are based on single-race and bridged-race categories for deaths in Idaho and single-race categories for deaths out of state. There were two out-of-state deaths with multiple races listed for decedent in 2005; these records were included in the total number of deaths, but are not shown in the table.

Year	Deaths to Idaho Residents in Idaho			Deaths to Idaho Residents Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2004	9,430	9,408	22	583	582	1
2005	9,954	9,931	23	559	557	2

Other race category

Prior to 2003, decedent's race was a write-in response on the death certificate. Races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". With the change to check boxes on the certificates and the ability to select one or more race, the race category structure was revised. Prior to use of check boxes, if the term "Hispanic" or "Mexican" was written on the certificate as race, then race was coded to white. Beginning in 2003, if the check box "other race" was checked and the write-in for other race was specified as "Hispanic" or "Mexican", then race was coded to "other race". Therefore, race data for deaths in 2003-2005 are not comparable with race data prior to 2003.

Prior to 2003, the number of deaths categorized as "other race" was historically low. For example, in 2002, there were four residents deaths reported as "other race". Due to the change in the methodology, the number of records with "other race" of decedent increased from four in 2002 to 58 in 2003, 77 in 2004 and 98 in 2005.

Cause-of-Death Classification

Mortality statistics are compiled in accordance with the World Health Organization (WHO) regulations, which specify that member nations, including the United States, classify and code causes of death in accordance with the International Statistical Classification of Diseases and Related Heath Problems. The tenth revision of the International Classification of Diseases (ICD-10) was implemented in the United States beginning with deaths occurring in 1999 and replaces the

ninth revision of the ICD (ICD-9), which was used from 1979 through 1998. Some changes from ICD-9 to ICD-10 include:

1. ICD-10 is far more detailed than ICD-9, with about 8,000 categories compared with 4,000 categories.
2. ICD-10 uses 4-digit alphanumeric codes, compared to 4-digit numeric codes in ICD-9.
3. Some cause-of-death titles have been changed, and conditions have been regrouped.
4. Some cause-of-death coding rules have been changed.

For more information on ICD, go to the Centers for Disease Control and Prevention website link at http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm

Comparability Ratio

The change from ICD-9 to ICD-10 in 1999 may result in discontinuities in cause-of-death trends. These discontinuities are measured using comparability ratios. NCHS developed comparability ratios to measure the level of agreement between classification systems for causes of death. Go to http://www.cdc.gov/nchs/datawh/nchsdefs/comparabilityratio.htm for more information regarding comparability ratios.

The comparability ratio is the result of a study completed by NCHS in which a sample of U.S. mortality records was coded by both the new (ICD-10) and the old revision (ICD-9) codes.

$$\text{Comparability ratio:} \quad \frac{\text{Number of deaths for a cause of death based on ICD-10 code(s)}}{\text{Number of deaths for a cause of death based on the most comparable ICD-9 code(s)}}$$

To show trends in data, NCHS has instructed states to treat ICD-10 as the standard and adjust statistics prior to 1999 using Modified ICD-9 codes and comparability ratios. Therefore, mortality statistics provided in this report are NOT comparable to previously published mortality statistics based on non-modified ICD-9 codes. Idaho trend data using Modified ICD-9 codes and comparability ratios are available upon request.

Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths

Deaths attributed to firearm injury, alcohol-induced, and drug-induced causes are sub-sets of mortality categories used to rank leading causes of death such as accidents, intentional self-harm (suicide), and assault (homicide). Firearm injury, alcohol-induced, and drug-induced deaths are not used to rank leading cause of death.

Firearm Injury

Causes of death attributable to firearm-injury deaths include ICD-10 codes: U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0. Firearm injury deaths include terrorism involving firearms (homicide); accidental discharge of firearms, intentional self-harm (suicide) by discharge of firearms, assault (homicide) by discharge of firearms, discharge of firearms, undetermined intent, and legal intervention involving firearm discharge. Death from injury by firearms exclude deaths due to explosives and other causes indirectly related to firearms.

Alcohol-Induced

The list of ICD-10 codes included in alcohol-induced causes was expanded in 2003 to include the ICD-10 codes of E24.4, G72.1, and K86.0 with the codes used prior to 2003: F10, G31.2, G62.1, I42.6, K29.2, K70, , R78.0, X45, X65, and Y15. Alcohol-induced deaths include mental and behavioral disorders due to alcohol use, degeneration of nervous system due to alcohol, alcoholic polyneuropathy, alcoholic cardiomyopathy, alcoholic gastritis, alcoholic liver disease, alcohol-induced chronic pancreatitis, findings of alcohol in blood, accidental poisoning by and exposure to alcohol, intentional self-poisoning (suicide) by exposure to alcohol, poisoning by exposure to alcohol, and poisoning by exposure to alcohol, undetermined intent. Alcohol-induced deaths do not include homicides, accidents such as falls and motor vehicle crashes, and other causes indirectly related to alcohol use. This category also excludes newborn deaths associated with maternal alcohol use.

Drug-Induced

In 2003, NCHS expanded the list of ICD-10 codes for drug-induced causes to be more comprehensive. Drug-induced ICD-10 codes include: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0- F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0, L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1- R78.5, X40-X44, X60-X64, X85, and Y10-Y14. Drug-induced deaths include deaths due to drug psychosis, drug dependence, nondependent use of drugs not including alcohol and tobacco, accidental poisoning by drugs, medicaments, and biologicals, suicide by drugs, medicaments, and biologicals, assault from poisoning by drugs and medicaments, and poisoning by drugs, medicaments, and biologicals, undetermined whether accidental or purposely inflicted. Drug-induced deaths do not include accidents, homicides, and other causes indirectly related to drug use. Also excluded are newborn deaths associated with maternal drug use. Types of drugs listed on the death certificate include prescriptions, over-the-counter drugs, and narcotics.

Life Expectancy

Data used to calculate Idaho life expectancy are based on July 1, 2005, population estimates from the U.S. Bureau of the Census, age-specific population estimates computed by the Bureau of Health Policy and Vital Statistics, and 2005 Idaho resident mortality rates. Average number of years of life remaining ($^{o}e_x$) is the expectation of life for those who survived to age x.

$$^{o}e_x = T_x / l_x$$

T_x is the total time lived beyond age x by all individuals of the life table proportion alive at age x; l_x is the number of persons who survive to the exact age marking the beginning of each age interval. The number alive at age 0 (l_0) is taken arbitrarily as 100,000.

Mortality Rates Age-Adjusted to the Year 2000 U.S. Standard

Age adjustment is a statistical technique used to standardize rates. The technique is employed when comparing two or more populations with different age distributions. Age-adjusted rates are artificial measures for comparison purposes only and should not be used to measure the absolute magnitude of a health issue. To allow for comparison, the same standard population must be used. If different standard populations are used to compute the age-adjusted rates (1940 and 2000, for example), then the age-adjusted rates are NOT comparable. Statistically, it is a weighted average of the age-specific death rates, where the weights represent the fixed population proportions by age.

There are two methods for age-adjusting rates: direct and indirect. In this report, Idaho age-adjusted rates were developed using the following steps for the direct method:

1) Calculate **age-specific rates** for the 11 age groups used in the 2000 standard million: less than 1, 1-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85 and older.

$$\frac{\text{(Annual number of deaths in age group)}}{\text{(Population of age group for corresponding year)}}$$

2) Calculate **expected number of deaths** for each age group.

(2000 U.S. standard million population of age group)*(Age-specific rate)

3) Calculate **total expected number of deaths**.

(Sum of expected deaths for all age groups)

4) Calculate **age-adjusted rate per 100,000 persons**.

$$\frac{\text{(Total expected deaths)}}{\text{(Standard million)}} \quad *100{,}000$$

YEAR 2000 U.S. STANDARD POPULATION			
All ages	1,000,000	35-44 years	162,613
Under 1 year	13,818	45-54 years	134,834
1-4 years	55,317	55-64 years	87,247
5-14 years	145,565	65-74 years	66,037
15-24 years	138,646	75-84 years	44,842
25-34 years	135,573	85+ years	15,508

Years of Potential Life Lost (YPLL)

Years of potential life lost (YPLL) is a statistic used to measure the number of years of life lost in a population when persons in that population die prematurely. YPLL provides valuable information regarding the causes of death that contribute most significantly to premature mortality. For example, in 2005, Accidents was the fifth-leading cause of death of Idahoans and accounted for 5.7 percent of all resident deaths. However, Accidents was the forth leading cause of premature death under age 75 and accounted for 20.1 percent of all YPLL in 2005.

In order to calculate YPLL, a standard must be chosen (e.g., age 75) as a reference point for years of life lost. The number of years of life lost is then calculated for each person dying before the standard age. Assume a standard of 75 years of age is chosen. For calculation purposes, all

people are considered half way through the year of their age at death. For example, an infant who dies under one year of age is considered .5 years of age at death, and a child who dies at age one - between its first and second birthday - is considered 1.5 years of age, and so forth. Therefore, a person dying at 39 has lost 35.5 years of life relative to the standard (i.e., 75 years – 39.5 years = 35.5 years). To obtain YPLL, the number of years of life lost for each person in the population dying before the standard age is summed. Persons dying at 75 years of age or older would be excluded from the analysis, because they have not lost years of life relative to the standard. For this report, a standard of 75 years of age was chosen to calculate YPLL.

Population

The Office of Management and Budget announced revisions to the standards for classification of federal data on race and ethnicity on October 30, 1997. These standards require that agencies offer individuals the opportunity to select one or more races when reporting information on race in federal data collections. The Census in 2000 was the first nationwide implementation of the revised standards.

The files released from the U.S. Census Bureau for April 1, 2000 Census contain data for single race categories (including "other race" category) and multiple race categories. This presents problems for vital rates from two standpoints. First, the file contains counts of persons with more than one race and therefore, is not compatible with states vital statistics numerators based on single race categories; second, the file contains the "other race" category that is not used to calculate national vital statistics rates. For U.S. vital statistics "other race" is allocated to the four main race categories.

Standard Race Categories
April 1, 2000 Census for Idaho

Race	Number	Percent
Total	1,293,953	100.0%
White	1,177,304	91.0%
Black	5,456	0.4%
American Indian/Alaskan Native	17,645	1.4%
Asian	11,889	0.9%
Native Hawaiian/Pacific Islander	1,308	0.1%
Other race	54,742	4.2%
Two or more races	25,609	2.0%

NCHS contracted with the Census Bureau to produce a "bridged" data set in which all multiple race persons are allocated to a single race, to reproduce what these people would have reported had they not had the option to report more than one race. In August 2006, NCHS released state and county population estimates for July 1, 2005. These estimates are for the four race groups (White, Black, American Indian or Alaska Native, Asian or Pacific Islander, including Native Hawaiian) by single year of age, sex, and Hispanic origin.

Standard Race Categories Idaho Bridged Postcensal 2003, 2004 and 2005 Estimates						
	July 1, 2003		July 1, 2004		July 1, 2005	
Race	Number	Percent	Number	Percent	Number	Percent
Total	1,366,332	100.0%	1,393,262	100.0%	1,429,096	100.0%
White	1,316,780	96.4%	1,343,609	96.4%	1,378,040	96.4%
Black	9,764	0.7%	10,178	0.7%	11,055	0.8%
American Indian/ Alaskan Native	21,760	1.6%	21,951	1.6%	21,846	1.5%
Asian/Pacific Islander	18,028	1.3%	17,524	1.3%	18,155	1.3%

1. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

2. "Births: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54/No.2, September 8, 2005.

3. "Birth Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Birth" National Center for Health Statistics, Division of Vital Statistics, April 2004, Updated March 18, 2005.

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 March 2007