

Idaho Department of
Health and Welfare

2006
IDAHO
VITAL
STATISTICS

Bureau of Vital Records
and Health Statistics

Idaho Department of
Health and Welfare

2006
IDAHO
VITAL
STATISTICS

Bureau of Vital Records
and Health Statistics



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Special thanks go to Jeff Harder of Boise, Idaho, for his excellent artwork and his design of the cover and divider pages.

For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6571. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at www.healthandwelfare.idaho.gov under Health Statistics.

Suggested citation: *Idaho Vital Statistics 2006*, Idaho Department of Health and Welfare, Division of Health, Bureau of Vital Records and Health Statistics, 2008.

TABLE OF CONTENTS

	Page
DEFINITIONS AND FORMULAS	vi
POPULATION	1
July 1, 2005-2006 population estimates, 1990 and 2000 census, and percent change (<i>U.S., states</i>).....	2
July 1, 2004-2006 population estimates, 1980, 1990, and 2000 census, and percent change (<i>Idaho, districts, counties</i>).....	3
July 1, 2006 population estimates, 1990 and 2000 census, and percent change (<i>cities</i>)	5
July 1, 2006 population estimates by race/ethnicity (<i>Idaho, districts, counties</i>)	9
July 1, 2006 population estimates by race by ethnicity (<i>Idaho, districts, counties</i>)	10
July 1, 2006 population estimates by age by race/ethnicity (<i>Idaho</i>).....	11
July 1, 2006 population estimates by age and sex (<i>Idaho, districts, counties</i>).....	12
July 1, 2006 population estimates by single years of age and sex (<i>Idaho</i>)	16
TRENDS AND SUMMARY	17
Idaho vital statistics, 1997-2006	18
Summary of 2006 births, deaths, marriages, divorces (<i>U.S., Idaho, districts, counties</i>).....	20
Summary of 2006 infant, fetal, perinatal mortality (<i>U.S., Idaho, districts, counties</i>).....	21
Live births, number and rate, 1922-2006.....	22
Teen pregnancies, number and rate by age, 1997-2006	23
Teen live births, number and rate by age, 1997-2006.....	23
Deaths, number and rate, 1922-2006.....	24
Marriage and divorces, number and rate, 1952-2006	25
Idaho vital events, 2006.....	26
NATALITY	27
Live births and rates, 2002-2006 (<i>U.S., Idaho, districts, counties</i>).....	32
2006 Live births: sex and race/ethnicity (<i>Idaho, districts, counties</i>)	33
2006 Live births: age of mother (<i>Idaho, districts, counties</i>).....	34
2006 Live births: education of mother (<i>Idaho, districts, counties</i>)	35
2006 Live births: attendant at birth (<i>Idaho, districts, counties</i>)	36
2006 Live births: place of birth (<i>Idaho, districts, counties</i>).....	37
2006 Live births: birth and fertility rates (<i>U.S., Idaho, districts, counties</i>).....	38
2006 Live births: live birth order by age of mother	39
2006 Live births: fertility and age-specific rates (<i>U.S., Idaho</i>).....	39
<i>Prenatal care</i>	40
2006 Live births: prenatal care by mother's characteristics.....	41
2006 Live births: trimester when prenatal care began (<i>Idaho, districts, counties</i>).....	42
2006 Live births: APNCU Index of prenatal care (<i>Idaho, districts, counties</i>).....	43
2006 Low birth weight live births: weight at birth (<i>U.S., Idaho, districts, counties</i>).....	44
2006 Low birth weight live births: race/ethnicity of mother (<i>Idaho, districts, counties</i>).....	45
2006 Low birth weight live births: age of mother (<i>Idaho, districts, counties</i>).....	46
2006 Low birth weight live births: live birth order by age of mother.....	47
2006 Low birth weight live births: age-specific percents (<i>U.S., Idaho</i>).....	47
2006 Live births: gestational age in weeks (<i>Idaho, districts</i>)	48
2006 Live births: gestational age by plurality.....	48
2006 Live births: birth weight by plurality.....	48
2006 Live births: Apgar scores	49
2006 Live births: WIC participation, infant breastfed (<i>Idaho, districts</i>)	49
<i>Out-of-wedlock live births</i>	50
2006 Out-of-wedlock live births: race/ethnicity of mother (<i>Idaho, districts, counties</i>).....	52
2006 Out-of-wedlock live births: age of mother (<i>Idaho, districts, counties</i>).....	53

TABLE OF CONTENTS (CONTINUED)

2006 Out-of-wedlock live births: live birth order by age of mother	54
2006 Out-of-wedlock live births: age-specific percents (<i>U.S., Idaho</i>)	54
2006 Live births: risk factors, infections present and/or treated during pregnancy by age of mother	55
2006 Live births: risk factors, infections present and/or treated during pregnancy	55
2006 Live births: maternal morbidity (complications), characteristics of labor and delivery by age of mother	56
2006 Live births: maternal morbidity (complications), characteristics of labor and delivery.....	56
2006 Live births: abnormal conditions of the newborn, congenital anomalies	57
2006 Live births: cigarette smoking by age of mother.....	58
2006 Live births: cigarette smoking by race and ethnicity of mother	58
2006 Live births: cigarette smoking before and during pregnancy by trimester (<i>Idaho, districts</i>) ...	59
2006 Live births: cigarette smoking by birth weight	59
2006 Live births: method of delivery (<i>U.S., Idaho, districts</i>).....	60
2006 Live births: method of delivery by age of mother	60
2006 Live births: main payment source for delivery (<i>Idaho, districts</i>)	61
2006 Live births: main payment source for delivery by age of mother.....	61
2006 Teen pregnancy: fertility rates, percent out-of-wedlock, percent low birth weight by age (<i>U.S., Idaho</i>).....	62
2006 Teen pregnancy: pregnancy rates, abortion rates and ratios by age	62
2006 Teen pregnancy: total pregnancies and rates by age of mother (<i>Idaho, districts, counties</i>)...	65
2006 Teen live births: age of mother (<i>Idaho, districts, counties</i>).....	66
2006 Teen live births: out-of-wedlock percents by age of mother (<i>Idaho, districts, counties</i>)	67
2006 Teen live births: low birth weight percents by age of mother (<i>Idaho, districts, counties</i>).....	68
2006 Teen abortions: abortions, ratios and rates by age of patient (<i>Idaho, districts, counties</i>).....	69
Most common given names and selected unique names, 2006	70
MORTALITY	71
Deaths and rates, 2002-2006 (<i>U.S., Idaho, districts, counties</i>).....	73
2006 Deaths: sex and race/ethnicity (<i>Idaho, districts, counties</i>).....	74
2006 Deaths: age at death (<i>Idaho, districts, counties</i>).....	75
2006 Deaths: ten leading causes, percent of deaths, crude rates and age-adjusted rates (<i>U.S., Idaho</i>).....	76
2006 Deaths: ten leading causes by sex, percent of deaths, crude rates and age-adjusted rates (<i>U.S., Idaho</i>).....	77
2006 Deaths: ten leading causes by age groups	78
2006 Deaths: ten leading causes of premature deaths, total and by sex, based on years of potential life lost before age 75	79
2006 Deaths: life expectancy, by sex (<i>Idaho, districts</i>).....	80
2006 Deaths: malignant neoplasms (<i>Idaho, districts, counties</i>).....	81
2006 Deaths: primary site of malignant neoplasms by sex	82
2006 Deaths: selected causes (<i>Idaho, districts, counties</i>).....	84
2006 Deaths: 113 selected causes by age	86
2006 Deaths: accidental deaths by age	92
2006 Deaths: accidental deaths by place of injury and accident type.....	96
2006 Deaths: work injury deaths occurring in Idaho by manner, sex and age.....	97
2006 Deaths: accidental work injury deaths occurring in Idaho by industry and place of injury	97
2006 Deaths: firearm injury, alcohol-induced, and drug-induced deaths (<i>U.S., Idaho, districts</i>) by age and sex (<i>Idaho</i>) and years potential life lost before age 75.....	98
2006 Deaths: disposition method (<i>Idaho, districts, counties</i>).....	99
<i>Infant, fetal, and maternal mortality</i>	100
Infant deaths and rates, 2002-2006 (<i>U.S., Idaho, districts, counties</i>)	103
2006 Infant deaths: sex and race/ethnicity (<i>Idaho, districts, counties</i>).....	104

TABLE OF CONTENTS (CONTINUED)

2006 Infant deaths: causes of death, neonatal and postneonatal.....	105
2006 Infant deaths and rates: age of mother.....	105
2004-2006 Infant deaths: causes of death (<i>Idaho, districts, counties</i>).....	106
2006 Infant deaths: neonatal, postneonatal (<i>U.S., Idaho, districts, counties</i>).....	107
Infant mortality: three-year rates, 1995-1997 through 2004-2006 (<i>Idaho, districts, counties</i>).....	108
Stillbirths and ratios, 2002-2006 (<i>Idaho, districts, counties</i>).....	109
Perinatal deaths and ratios, 2002-2006 (<i>Idaho, districts, counties</i>).....	110
INDUCED ABORTION	111
2006 Induced abortions in Idaho and to Idaho residents (<i>Idaho, districts, counties</i>).....	112
2006 Induced abortions to Idaho residents: ratios and race/ethnicity (<i>Idaho, districts, counties</i>) ...	113
2006 Induced abortions to Idaho residents: age (<i>Idaho, districts, counties</i>).....	114
2006 Induced abortions in Idaho: procedure by length of gestation.....	115
2006 Induced abortions in Idaho: procedure by complications.....	115
2006 Induced abortions in Idaho: age of patient by marital status.....	116
2006 Induced abortions in Idaho: previous abortions, living children.....	116
MARRIAGE AND DIVORCE	117
Marriages, 1997-2006 (<i>Idaho, districts, counties</i>).....	118
2006 Marriages: age of groom by age of bride.....	119
2006 Marriages: race/ethnicity of groom by race/ethnicity of bride.....	119
2006 Marriages: age of bride by previous marital status.....	120
2006 Marriages: age of groom by previous marital status.....	120
2006 Marriages: occurrence by Idaho residence (<i>Idaho, districts, counties</i>).....	121
Divorces, 1997-2006 (<i>Idaho, districts, counties, tribal courts</i>).....	122
2006 Divorces: number this marriage (husband, wife).....	123
Divorces, 2004-2006: duration of marriage.....	123
2006 Divorces: number of children <18 years of age in household.....	124
2006 Divorces: legal grounds.....	124
2006 Divorces: occurrence by Idaho residence (<i>Idaho, districts, counties, tribal courts</i>).....	125
DISTRICT AND COUNTY PROFILE	127
Counties comprising Idaho public health districts.....	127
2006 Vital statistics profile of Idaho by district and county.....	128
TECHNICAL NOTES	135
Nativity.....	135
Mortality.....	144
Population.....	149

DEFINITIONS AND FORMULAS

RESIDENCE DATA -- data allocated by place of residence of the registrant, or by place of residence of the infant's mother (births, stillbirths)

OCCURRENCE DATA -- data allocated by place where event occurred, regardless of the person's place of residence

LIVE BIRTH -- a birth that shows any sign of life after delivery

(CRUDE) BIRTH RATE -- number of live births per 1,000 population

$$\frac{\text{live births}}{\text{population}} \times 1,000$$

FERTILITY RATE -- number of live births per 1,000 women 15-44 years of age

$$\frac{\text{live births}}{\text{females 15-44}} \times 1,000$$

OUT-OF-WEDLOCK BIRTH -- a live birth to a woman who was not married at conception, birth, or anytime between

OUT-OF-WEDLOCK RATE (percent) -- number of out-of-wedlock live births per 100 live births

$$\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 100$$

LOW BIRTH WEIGHT -- a live birth weighing under 2,500 grams (5 ½ pounds or less)

LOW BIRTH WEIGHT RATE (percent) -- number of low birth weight live births per 100 live births with stated birth weight

$$\frac{\text{low birth weight live births}}{\text{live births with stated birth weight}} \times 100$$

STILLBIRTH -- a spontaneous fetal death of at least 20 weeks gestation or a weight of at least 350 grams (does not include any induced abortions)

STILLBIRTH RATIO -- number of stillbirths per 1,000 live births

$$\frac{\text{stillbirths}}{\text{live births}} \times 1,000$$

INFANT DEATH -- death of an infant under 1 year of age

INFANT MORTALITY RATE -- number of infant deaths per 1,000 live births

$$\frac{\text{infant deaths}}{\text{live births}} \times 1,000$$

NEONATAL DEATH -- death of an infant within the first 27 days of life

NEONATAL MORTALITY RATE -- number of neonatal deaths per 1,000 live births

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1,000$$

POSTNEONATAL DEATH -- death of an infant 28 days through 11 months of life

POSTNEONATAL MORTALITY RATE -- number of postneonatal deaths per 1,000 live births

$$\frac{\text{postneonatal}}{\text{live births}} \times 1,000$$

DEFINITIONS AND FORMULAS (continued)

PERINATAL DEATH -- includes stillbirths and deaths of infants within the first 6 days of life

PERINATAL MORTALITY RATIO -- number of perinatal deaths per 1,000 live births

$$\frac{\text{perinatal deaths}}{\text{live births}} \times 1,000$$

MATERNAL DEATH -- death attributable to complications of pregnancy, childbirth, or the puerperium based on ICD-10 codes A34, O00-O95, and O98-O99.

MATERNAL MORTALITY RATE -- number of maternal deaths per 100,000 live births

$$\frac{\text{maternal deaths}}{\text{live births}} \times 100,000$$

(CRUDE) DEATH RATE -- number of deaths per 1,000 population

$$\frac{\text{deaths}}{\text{population}} \times 1,000$$

CAUSE-SPECIFIC DEATH RATE -- number of deaths from a specific cause per 100,000 population

$$\frac{\text{deaths from specific cause}}{\text{population}} \times 100,000$$

AGE-ADJUSTED DEATH RATE (DIRECT METHOD) -- number of deaths per 100,000 standard population. Age-adjusted death rates are artificial measurements and should be used only to compare to other age-adjusted death rates calculated using the same standard population. Idaho and U.S. age-adjusted rates shown were calculated using the 2000 population estimate as the standard population.

$$\frac{\text{sum of (age-specific death rates per 100,000 for selected population x standard population in corresponding age groups)}}{\text{sum of standard population}}$$

INDUCED ABORTION -- a legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

DEFINITIONS AND FORMULAS (continued)

In this publication, there are references to preliminary and provisional U.S. data. If the U.S. statistics are not noted as preliminary or provisional, they are considered final. The following definitions have been added to clarify the differences among the three types of U.S. data.

U.S. Provisional Data

Prior to 1996, the National Center for Health Statistics (NCHS) released U.S. vital data and rates in two basic forms: provisional and final. Provisional data are based on monthly summary counts of birth, death, marriage, and divorce records received in state vital registration offices. Rates for 12-month periods, January through December, are the sum of events for the period per population estimated at the midpoint of the period. Provisional divorce rates are based on 44 reporting states and the District of Columbia. Provisional marriage rates are based on 49 reporting states and the District of Columbia. Populations have been estimated by NCHS for the 12-month divorce and marriage rates based on these reporting states. The 2006 U.S. marriage and divorce, and select death and infant death rates in this publication are provisional measures. Final data for 2006 may differ from the provisional estimates.

U.S. Preliminary Data

In 1996, the National Center for Health Statistics (NCHS) introduced a new statistical series for births and deaths: preliminary vital data. Preliminary vital data are based on a continuous flow of records received and processed by NCHS by a specified date (July 26, 2007 for births in 2006¹ and May 2, 2007 for deaths in 2005²). For live births, these records represent 99.2 percent of the births that occurred in the United States during 2005. For deaths, this comprises approximately 90 percent of death records. To develop the preliminary U.S. birth and death estimates, the records were weighted using independent control counts of births and deaths, registered in state vital statistics offices during calendar year 2005. The U.S. birth data are 2006 preliminary where applicable, and the U.S. death data are 2005 preliminary measures where available. Final birth and death statistics may differ from the preliminary estimates.

U.S. Final Data

Final U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 99 percent of the births and deaths occurring in this country are registered through the state vital registration system.^{3,4}

1. "Births: Preliminary Data for 2006," National Vital Statistics Reports, National Center for Health Statistics, Vol. 56, No. 7, December 5, 2007.
2. "Deaths: Preliminary Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Health E-Stats, Released September 12, 2007.
3. "Births: Final Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Vol. 56, No. 6, December 7, 2007.
4. "Deaths: Final Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 55, No. 19, August 21, 2007.

VITAL REGISTRATION AND DATA COLLECTION

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program, and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Births, Deaths, and Stillbirths

Registration of births, deaths, and stillbirths is a legal requirement. The attending physician, midwife, or parent must file the birth certificate with the local registrar within 15 days of the birth. Most certificates of births occurring at Idaho hospitals are filed electronically. Death certificates are usually completed by physicians, coroners, and funeral directors. The certificate must be filed with the county's local registrar within five days from the date of death. A stillbirth certificate must be filed for all spontaneous fetal deaths of at least 20 weeks gestation or with a weight of at least 350 grams.

Unless otherwise stated, birth, death, and stillbirth data contained in this report are provided for Idaho residents, regardless of where the event occurred. There is an agreement among all registration areas in the United States for resident exchange of copies of birth, death, and stillbirth certificates. The cut-off date for 2006 birth records was June 14, 2007, the cut-off date for 2006 stillbirth records was August 23, 2007, and the cut-off date for 2006 deaths was November 14, 2007. Records may be sent to Idaho after these dates and are included in the vital records mainframe data base, but are not included in the data bases for analysis.

Marriages and Divorces

Idaho vital statistics law makes marriages and divorces occurring in Idaho reportable events. Marriages are registered with the county recorder in the county where the license was issued; divorces are filed with the clerk of the court where the divorce was granted. These records are then forwarded to the Bureau of Vital Records and Health Statistics. There is no agreement among states to exchange certificates of resident marriages or divorces that occur out of state. Marriage and divorce data provided in this annual report are based on events occurring in Idaho, regardless of the party's residence.

Induced Abortions

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho residents and abortions occurring in Idaho.

POPULATION

Idaho's population increased by 172,512 (13.3 percent) from 1,293,953 in 2000 to 1,466,465 in 2006. From 2000 to 2006, the Mountain states (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming) experienced a higher growth rate than any other region at 14.7 percent. In the Mountain region, Nevada (24.9 percent), Arizona (20.2 percent), and Utah (14.2 percent) experienced a higher growth rate than Idaho's 13.3 percent from 2000 to 2006. The only other state to have a higher growth rate than Idaho was Georgia with a 14.4 percent growth rate from 2000 to 2006.

Idaho counties that experienced the largest percentage increases from April 1, 2000, to July 1, 2006, were Canyon, Teton, Kootenai, and Ada. Numerically, Ada, Canyon, Kootenai, and Bonneville gained the most population. Clark, Clearwater, Minidoka, and Shoshone reflected the greatest percentage decreases. Numerically, Minidoka, Elmore, Clearwater, and Shoshone experienced the greatest losses in population from 2000 to 2006.

Change, April 1, 2000 to July 1, 2006

<u>County</u>	<u>Percent Change</u>	<u>County</u>	<u>Numeric Change</u>
Canyon	+31.8%	Ada	+58,131
Teton	+30.7	Canyon	+41,861
Kootenai	+21.0	Kootenai	+22,822
Ada	+19.3	Bonneville	+12,108
Clark	-10.0	Minidoka	-1,133
Clearwater	-6.8	Elmore	-1,016
Minidoka	-5.6	Clearwater	-606
Shoshone	-4.3	Shoshone	-591

The National Center for Health Statistics contracts with the U.S. Census Bureau to develop and disseminate detailed population estimates for the states. These population estimates include "bridged" race data in which multiple race estimates are allocated to a single race. Estimates are available by county, race, ethnic origin, age, and by sex. From 2000 to 2006, Idaho population for whites increased by 160,413 (12.8 percent), blacks by 5,101 (67.3 percent), American Indian and Alaska Natives by 2,314 (11.2 percent), and Asians and Pacific Islanders by 4,684 (30.7 percent). Persons of Hispanic ethnicity may be of any race and are included in the appropriate race totals. The Hispanic population increased 36.6 percent from 101,690 in 2000 to 138,870 in 2006

Of the Idaho cities with at least 1,000 population in 2000, two cities more than doubled in size in the past six years: Star (+122.6 percent growth) and Kuna (+113.9 percent growth). Other cities with high growth rates in the past six years were in Ammon (+95.0 percent), Meridian (+71.3 percent) and Eagle (+66.2 percent). Cities under 1,000 in 2000 with highest growth rates were Victor (+73.1 percent), Dover (+42.1 percent), Island Park (+27.9 percent), Melba (+26.4 percent), and Notus (+19.9 percent).

RESIDENT POPULATION OF STATES April 1, 1990 and April 1, 2000 Census July 1, 2005 and July 1, 2006 Estimates

(Includes Armed Forces residing in each state.)

REGION, DIVISION, AND STATE	ESTIMATES		CENSUS		CHANGE 4/1/00 TO 7/1/06	
	July 1, 2006	July 1, 2005	April 1, 2000	April 1, 1990	Number	Percent
UNITED STATES, TOTAL	299,398,484	296,410,404	281,421,906	248,765,170	17,976,578	6.4%
NORTHEAST:	54,741,353	54,641,895	53,594,378	50,828,313	1,146,975	2.1
Middle Atlantic	40,471,364	40,402,171	39,671,861	37,621,370	799,503	2.0
New England	14,269,989	14,239,724	13,922,517	13,206,943	347,472	2.5
MIDWEST:	66,217,736	65,971,974	64,392,776	59,669,135	1,824,960	2.8
East North Central	46,275,645	46,156,447	45,155,037	42,008,929	1,120,608	2.5
West North Central	19,942,091	19,815,527	19,237,739	17,660,206	704,352	3.7
SOUTH:	109,083,752	107,505,413	100,236,820	85,455,793	8,846,932	8.8
East South Central	17,754,447	17,615,260	17,022,810	15,179,959	731,637	4.3
South Atlantic	57,143,670	56,179,519	51,769,160	43,571,473	5,374,510	10.4
West South Central	34,185,635	33,710,634	31,444,850	26,704,361	2,740,785	8.7
WEST:	69,355,643	68,291,122	63,197,932	52,811,929	6,157,711	9.7
Mountain	20,845,987	20,291,305	18,172,295	13,658,794	2,673,692	14.7
Pacific	48,509,656	47,999,817	45,025,637	39,153,135	3,484,019	7.7
NEW ENGLAND:						
Connecticut	3,504,809	3,510,297	3,405,565	3,287,116	99,244	2.9
Maine	1,321,574	1,321,505	1,274,923	1,227,928	46,651	3.7
Massachusetts	6,437,193	6,398,743	6,349,097	6,016,425	88,096	1.4
New Hampshire	1,314,895	1,309,940	1,235,786	1,109,252	79,109	6.4
Rhode Island	1,067,610	1,076,189	1,048,319	1,003,464	19,291	1.8
Vermont	623,908	623,050	608,827	562,758	15,081	2.5
MIDDLE ATLANTIC:						
New Jersey	8,724,560	8,717,925	8,414,350	7,747,750	310,210	3.7
New York	19,306,183	19,254,630	18,976,457	17,990,778	329,726	1.7
Pennsylvania	12,440,621	12,429,616	12,281,054	11,882,842	159,567	1.3
EAST NORTH CENTRAL:						
Illinois	12,831,970	12,763,371	12,419,293	11,430,602	412,677	3.3
Indiana	6,313,520	6,271,973	6,080,485	5,544,156	233,035	3.8
Michigan	10,095,643	10,120,860	9,938,444	9,295,287	157,199	1.6
Ohio	11,478,006	11,464,042	11,353,140	10,847,115	124,866	1.1
Wisconsin	5,556,506	5,536,201	5,363,675	4,891,769	192,831	3.6
WEST NORTH CENTRAL:						
Iowa	2,982,085	2,966,334	2,926,324	2,776,831	55,761	1.9
Kansas	2,764,075	2,744,687	2,688,418	2,477,588	75,657	2.8
Minnesota	5,167,101	5,132,799	4,919,479	4,375,665	247,622	5.0
Missouri	5,842,713	5,800,310	5,595,211	5,116,901	247,502	4.4
Nebraska	1,768,331	1,758,787	1,711,263	1,578,417	57,068	3.3
North Dakota	635,867	636,677	642,200	638,800	-6,333	-1.0
South Dakota	781,919	775,933	754,844	696,004	27,075	3.6
SOUTH ATLANTIC:						
Delaware	853,476	843,524	783,600	666,168	69,876	8.9
District of Columbia	581,530	550,521	572,059	606,900	9,471	1.7
Florida	18,089,888	17,789,864	15,982,378	12,938,071	2,107,510	13.2
Georgia	9,363,941	9,072,576	8,186,453	6,478,149	1,177,488	14.4
Maryland	5,615,727	5,600,388	5,296,486	4,780,753	319,241	6.0
North Carolina	8,856,505	8,683,242	8,049,313	6,632,448	807,192	10.0
South Carolina	4,321,249	4,255,083	4,012,012	3,486,310	309,237	7.7
Virginia	7,642,884	7,567,465	7,078,515	6,189,197	564,369	8.0
West Virginia	1,818,470	1,816,856	1,808,344	1,793,477	10,126	0.6
EAST SOUTH CENTRAL:						
Alabama	4,599,030	4,557,808	4,447,100	4,040,389	151,930	3.4
Kentucky	4,206,074	4,173,405	4,041,769	3,686,892	164,305	4.1
Mississippi	2,910,540	2,921,088	2,844,658	2,575,475	65,882	2.3
Tennessee	6,038,803	5,962,959	5,689,283	4,877,203	349,520	6.1
WEST SOUTH CENTRAL:						
Arkansas	2,810,872	2,779,154	2,673,400	2,350,624	137,472	5.1
Louisiana	4,287,768	4,523,628	4,468,976	4,221,826	-181,208	-4.1
Oklahoma	3,579,212	3,547,884	3,450,654	3,145,576	128,558	3.7
Texas	23,507,783	22,859,968	20,851,820	16,986,335	2,655,963	12.7
MOUNTAIN:						
Arizona	6,166,318	5,939,292	5,130,632	3,665,339	1,035,686	20.2
Colorado	4,753,377	4,665,177	4,301,261	3,294,473	452,116	10.5
Idaho	1,466,465	1,429,096	1,293,953	1,006,734	172,512	13.3
Montana	944,632	935,670	902,195	799,065	42,437	4.7
Nevada	2,495,529	2,414,807	1,998,257	1,201,675	497,272	24.9
New Mexico	1,954,599	1,928,384	1,819,046	1,515,069	135,553	7.5
Utah	2,550,063	2,469,585	2,233,169	1,722,850	316,894	14.2
Wyoming	515,004	509,294	493,782	453,589	21,222	4.3
PACIFIC:						
Alaska	670,053	663,661	626,932	550,043	43,121	6.9
California	36,457,549	36,132,147	33,871,648	29,785,857	2,585,901	7.6
Hawaii	1,285,498	1,275,194	1,275,194	1,108,229	73,961	6.1
Oregon	3,700,758	3,641,056	3,421,399	2,842,337	279,359	8.2
Washington	6,395,798	6,287,759	5,894,121	4,866,669	501,677	8.5

Source: U.S. Census Bureau, 1990 and 2000 Census: Internet release April 2, 2001; 2005: Internet release December 22, 2005; 2006: Internet release December 22, 2006.


IDAHO RESIDENT POPULATION
April 1, 1980, April 1, 1990 and April 1, 2000 Census
July 1, 2004 - July 1, 2006 Estimates
Idaho, Districts and Counties

RESIDENCE	ESTIMATES ¹			CENSUS			CHANGE 4/1/00 TO 7/1/06	
	July 1, 2006	July 1, 2005	July 1, 2004	April 1, 2000	April 1, 1990	April 1, 1980	Number	Percent
IDAHO	1,466,465	1,429,096	1,393,262	1,293,953	1,006,734	944,127	172,512	13.3%
District 1	206,140	201,570	194,406	178,333	126,617	118,740	27,807	15.6
District 2	101,195	100,465	100,754	100,533	90,160	91,246	662	0.7
District 3	237,246	227,825	220,096	191,297	138,550	131,975	45,949	24.0
District 4	403,626	389,228	376,733	344,355	236,598	203,293	59,271	17.2
District 5	173,626	170,617	168,624	162,397	136,831	132,881	11,229	6.9
District 6	163,022	162,342	159,076	156,906	139,384	139,875	6,116	3.9
District 7	181,610	177,049	173,573	160,132	138,594	126,117	21,478	13.4
Ada	359,035	344,727	332,523	300,904	205,775	173,125	58,131	19.3
Adams	3,485	3,591	3,451	3,476	3,254	3,347	9	0.3
Bannock	78,443	78,155	75,672	75,565	66,026	65,421	2,878	3.8
Bear Lake	6,167	6,176	6,323	6,411	6,084	6,931	-244	-3.8
Benewah	9,347	9,218	8,961	9,171	7,937	8,292	176	1.9
Bingham	44,051	43,739	43,205	41,735	37,583	36,489	2,316	5.5
Blaine	21,501	21,166	21,103	18,991	13,552	9,841	2,510	13.2
Boise	7,641	7,535	7,362	6,670	3,509	2,999	971	14.6
Bonner	41,275	40,908	39,872	36,835	26,622	24,163	4,440	12.1
Bonneville	94,630	91,856	89,653	82,522	72,207	65,980	12,108	14.7
Boundary	10,831	10,619	10,396	9,871	8,332	7,289	960	9.7
Butte	2,781	2,808	2,838	2,899	2,918	3,342	-118	-4.1
Camas	1,088	1,050	1,013	991	727	818	97	9.8
Canyon	173,302	164,593	158,038	131,441	90,076	83,756	41,861	31.8
Caribou	6,996	7,131	7,213	7,304	6,963	8,695	-308	-4.2
Cassia	21,365	21,324	21,393	21,416	19,532	19,427	-51	-0.2
Clark	920	943	906	1,022	762	798	-102	-10.0
Clearwater	8,324	8,373	8,393	8,930	8,505	10,390	-606	-6.8
Custer	4,180	4,077	4,114	4,342	4,133	3,385	-162	-3.7
Elmore	28,114	28,634	28,878	29,130	21,205	21,565	-1,016	-3.5
Franklin	12,494	12,371	12,199	11,329	9,232	8,895	1,165	10.3
Fremont	12,369	12,242	12,263	11,819	10,937	10,813	550	4.7
Gem	16,558	16,273	15,963	15,181	11,844	11,972	1,377	9.1
Gooding	14,404	14,461	14,346	14,155	11,633	11,874	249	1.8
Idaho	15,762	15,697	15,616	15,511	13,768	14,769	251	1.6
Jefferson	22,350	21,580	20,782	19,155	16,543	15,304	3,195	16.7
Jerome	20,130	19,638	19,279	18,342	15,138	14,840	1,788	9.7
Kootenai	131,507	127,668	122,350	108,685	69,795	59,770	22,822	21.0
Latah	35,029	34,714	35,169	34,935	30,617	28,749	94	0.3
Lemhi	7,930	7,909	7,820	7,806	6,899	7,460	124	1.6
Lewis	3,756	3,750	3,753	3,747	3,516	4,118	9	0.2
Lincoln	4,522	4,545	4,326	4,044	3,308	3,436	478	11.8
Madison	31,393	30,975	30,782	27,467	23,674	19,480	3,926	14.3
Minidoka	19,041	19,014	19,229	20,174	19,361	19,718	-1,133	-5.6
Nez Perce	38,324	37,931	37,823	37,410	33,754	33,220	914	2.4
Oneida	4,176	4,209	4,143	4,125	3,492	3,258	51	1.2
Owyhee	11,104	11,073	10,998	10,644	8,392	8,272	460	4.3
Payette	22,595	22,197	21,587	20,578	16,434	15,825	2,017	9.8
Power	7,914	7,753	7,483	7,538	7,086	6,844	376	5.0
Shoshone	13,180	13,157	12,827	13,771	13,931	19,226	-591	-4.3
Teton	7,838	7,467	7,253	5,999	3,439	2,897	1,839	30.7
Twin Falls	71,575	69,419	67,935	64,284	53,580	52,927	7,291	11.3
Valley	8,836	8,332	7,970	7,651	6,109	5,604	1,185	15.5
Washington	10,202	10,098	10,059	9,977	8,550	8,803	225	2.3

1. 2004-2006 population estimates based on 2000 Census.

Source: 1980, 1990, and 2000 Census: U.S. Bureau of the Census. July 1, 2004-July 1, 2006: U.S. Census in collaboration with the National Center for Health Statistics, 2004 estimates are from Internet release April 14, 2005, 2005 estimates are from Internet release March 16, 2006, and 2006 estimates are from Internet release March 22, 2007.

IDAHO RESIDENT POPULATION Percent Change, 2000 - 2006



IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2006 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2006	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
					4/1/90 TO 4/1/00		4/1/00 TO 7/1/06	
Aberdeen	Bingham	1,809	1,840	1,406	434	30.9	-31	-1.7
Acequia	Minidoka	135	144	106	38	35.8	-9	-6.3
Albion	Cassia	257	262	305	-43	-14.1	-5	-1.9
American Falls	Power	4,225	4,111	3,757	354	9.4	114	2.8
Ammon	Bonneville	12,065	6,187	5,002	1,185	23.7	5,878	95.0
Arco	Butte	979	1,026	1,016	10	1.0	-47	-4.6
Arimo	Bannock	307	348	311	37	11.9	-41	-11.8
Ashton	Fremont	1,092	1,129	1,114	15	1.3	-37	-3.3
Athol	Kootenai	692	676	346	330	95.4	16	2.4
Atomic City	Bingham	25	25	25	-	-	-	-
Bancroft	Caribou	353	382	393	-11	-2.8	-29	-7.6
Basalt	Bingham	427	419	407	12	2.9	8	1.9
Bellevue	Blaine	2,190	1,876	1,275	601	47.1	314	16.7
Blackfoot	Bingham	11,007	10,419	9,646	773	8.0	588	5.6
Bliss	Gooding	255	275	185	90	48.6	-20	-7.3
Bloomington	Bear Lake	236	251	197	54	27.4	-15	-6.0
Boise City	Ada	198,638	185,787	126,685	59,102	46.7	12,851	6.9
Bonnars Ferry	Boundary	2,723	2,515	2,193	322	14.7	208	8.3
Bovill	Latah	280	305	256	49	19.1	-25	-8.2
Buhl	Twin Falls	4,023	3,985	3,516	469	13.3	38	1.0
Burley	Cassia, Minidoka	9,174	9,316	8,702	614	7.1	-142	-1.5
Butte City	Butte	73	76	59	17	28.8	-3	-3.9
Caldwell	Canyon	37,056	25,967	18,586	7,381	39.7	11,089	42.7
Cambridge	Washington	352	360	374	-14	-3.7	-8	-2.2
Carey	Blaine	508	513	427	86	20.1	-5	-1.0
Cascade	Valley	1,016	997	877	120	13.7	19	1.9
Castleford	Twin Falls	273	277	179	98	54.7	-4	-1.4
Challis	Custer	873	909	1,073	-164	-15.3	-36	-4.0
Chatcolet*	Benewah	NA	NA	72	NA	NA	NA	NA
Chubbuck	Bannock	10,861	9,700	7,794	1,906	24.5	1,161	12.0
Clark Fork	Bonner	583	530	448	82	18.3	53	10.0
Clayton	Custer	26	27	26	1	3.8	-1	-3.7
Clifton	Franklin	234	213	228	-15	-6.6	21	9.9
Coeur d'Alene	Kootenai	41,328	34,514	24,561	9,953	40.5	6,814	19.7
Cottonwood	Idaho	1,046	944	822	122	14.8	102	10.8
Council	Adams	698	816	831	-15	-1.8	-118	-14.5
Craigmont	Lewis	547	556	542	14	2.6	-9	-1.6
Crouch	Boise	167	154	75	79	105.3	13	8.4
Culdesac	Nez Perce	375	378	280	98	35.0	-3	-0.8
Dalton Gardens	Kootenai	2,382	2,278	1,951	327	16.8	104	4.6
Dayton	Franklin	457	444	357	87	24.4	13	2.9
Deary	Latah	522	552	529	23	4.3	-30	-5.4
Declo	Cassia	331	338	279	59	21.1	-7	-2.1
Dietrich	Lincoln	163	150	127	23	18.1	13	8.7
Donnelly	Valley	151	138	135	3	2.2	13	9.4
Dover	Bonner	486	342	294	48	16.3	144	42.1
Downey	Bannock	553	613	626	-13	-2.1	-60	-9.8
Driggs	Teton	1,253	1,100	846	254	30.0	153	13.9
Drummond	Fremont	15	15	37	-22	-59.5	-	-
Dubois	Clark	624	647	420	227	54.0	-23	-3.6

*Chatcolet City disincorporation effective December 13, 1994.

NA - not applicable.

Source: U.S. Bureau of the Census, 1990 Census: Internet release September 15, 2000; 2000 Census: Internet release March 23, 2001; 2006 Estimate: Internet release June 28, 2007.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2006 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2006	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
					4/1/90 TO 4/1/00		4/1/00 TO 7/1/06	
Eagle	Ada	18,419	11,085	3,327	7,758	233.2	7,334	66.2
East Hope	Bonner	219	200	215	-15	-7.0	19	9.5
Eden	Jerome	418	411	314	97	30.9	7	1.7
Elk River	Clearwater	140	156	149	7	4.7	-16	-10.3
Emmett	Gem	6,284	5,490	4,601	889	19.3	794	14.5
Fairfield	Camas	404	395	371	24	6.5	9	2.3
Ferdinand	Idaho	147	145	135	10	7.4	2	1.4
Fernan Lake Village	Kootenai	185	186	170	16	9.4	-1	-0.5
Filer	Twin Falls	1,880	1,620	1,511	109	7.2	260	16.0
Firth	Bingham	416	408	429	-21	-4.9	8	2.0
Franklin	Franklin	672	641	478	163	34.1	31	4.8
Fruitland	Payette	4,505	3,805	2,400	1,405	58.5	700	18.4
Garden City	Ada	11,353	10,624	6,369	4,255	66.8	729	6.9
Genesee	Latah	861	946	725	221	30.5	-85	-9.0
Georgetown	Bear Lake	494	538	558	-20	-3.6	-44	-8.2
Glenns Ferry	Elmore	1,395	1,611	1,304	307	23.5	-216	-13.4
Gooding	Gooding	3,282	3,384	2,820	564	20.0	-102	-3.0
Grace	Caribou	959	990	973	17	1.7	-31	-3.1
Grand View	Owyhee	475	470	330	140	42.4	5	1.1
Grangeville	Idaho	3,177	3,228	3,226	2	0.1	-51	-1.6
Greenleaf	Canyon	895	862	648	214	33.0	33	3.8
Hagerman	Gooding	761	656	600	56	9.3	105	16.0
Hailey	Blaine	7,751	6,200	3,575	2,625	73.4	1,551	25.0
Hamer	Jefferson	12	12	79	-67	-84.8	-	-
Hansen	Twin Falls	960	970	848	122	14.4	-10	-1.0
Harrison	Kootenai	282	267	226	41	18.1	15	5.6
Hauser	Kootenai	705	668	380	288	75.8	37	5.5
Hayden	Kootenai	12,349	9,159	4,888	4,271	87.4	3,190	34.8
Hayden Lake	Kootenai	553	494	338	156	46.2	59	11.9
Hazelton	Jerome	723	687	394	293	74.4	36	5.2
Heyburn	Minidoka	2,768	2,899	2,714	185	6.8	-131	-4.5
Hollister	Twin Falls	235	237	144	93	64.6	-2	-0.8
Homedale	Owyhee	2,579	2,528	1,963	565	28.8	51	2.0
Hope	Bonner	87	79	99	-20	-20.2	8	10.1
Horseshoe Bend	Boise	824	770	643	127	19.8	54	7.0
Huetter	Kootenai	98	96	82	14	17.1	2	2.1
Idaho City	Boise	491	458	322	136	42.2	33	7.2
Idaho Falls	Bonneville	52,786	50,730	43,973	6,757	15.4	2,056	4.1
Inkom	Bannock	668	738	769	-31	-4.0	-70	-9.5
Iona	Bonneville	1,276	1,201	1,049	152	14.5	75	6.2
Irwin	Bonneville	156	157	108	49	45.4	-1	-0.6
Island Park	Fremont	275	215	159	56	35.2	60	27.9
Jerome	Jerome	8,687	7,780	6,529	1,251	19.2	907	11.7
Juliaetta	Latah	555	609	488	121	24.8	-54	-8.9
Kamiah	Idaho, Lewis	1,151	1,160	1,157	3	0.3	-9	-0.8
Kellogg	Shoshone	2,296	2,395	2,591	-196	-7.6	-99	-4.1
Kendrick	Latah	338	369	325	44	13.5	-31	-8.4
Ketchum	Blaine	3,226	3,003	2,523	480	19.0	223	7.4
Kimberly	Twin Falls	2,782	2,614	2,367	247	10.4	168	6.4
Kooskia	Idaho	670	675	692	-17	-2.5	-5	-0.7
Kootenai	Bonner	451	441	327	114	34.9	10	2.3
Kuna	Ada	11,510	5,382	1,955	3,427	175.3	6,128	113.9

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2006 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2006	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Lapwai	Nez Perce	1,117	1,134	932	202	21.7	-17	-1.5
Lava Hot Springs	Bannock	481	521	420	101	24.0	-40	-7.7
Leadore	Lemhi	88	90	74	16	21.6	-2	-2.2
Lewiston	Nez Perce	31,293	30,904	28,082	2,822	10.0	389	1.3
Lewisville	Jefferson	507	467	471	-4	-0.8	40	8.6
Mackay	Custer	540	566	574	-8	-1.4	-26	-4.6
Malad City	Oneida	2,100	2,158	1,946	212	10.9	-58	-2.7
Malta	Cassia	174	177	171	6	3.5	-3	-1.7
Marsing	Owyhee	964	890	798	92	11.5	74	8.3
McCall	Valley	2,567	2,084	2,005	79	3.9	483	23.2
McCammon	Bannock	777	805	722	83	11.5	-28	-3.5
Melba	Canyon	555	439	252	187	74.2	116	26.4
Menan	Jefferson	719	707	601	106	17.6	12	1.7
Meridian	Ada	59,832	34,919	9,596	25,323	263.9	24,913	71.3
Middleton	Canyon	4,793	2,978	1,851	1,127	60.9	1,815	60.9
Midvale	Washington	184	176	136	40	29.4	8	4.5
Minidoka	Minidoka	121	129	67	62	92.5	-8	-6.2
Montpelier	Bear Lake	2,498	2,785	2,656	129	4.9	-287	-10.3
Moore	Butte	188	196	190	6	3.2	-8	-4.1
Moscow	Latah	22,352	21,291	18,398	2,893	15.7	1,061	5.0
Mountain Home	Elmore	11,656	11,143	7,913	3,230	40.8	513	4.6
Moyie Springs	Boundary	728	656	415	241	58.1	72	11.0
Mud Lake	Jefferson	275	270	179	91	50.8	5	1.9
Mullan	Shoshone	791	840	821	19	2.3	-49	-5.8
Murtaugh	Twin Falls	140	139	134	5	3.7	1	0.7
Nampa	Canyon	76,587	51,867	28,365	23,502	82.9	24,720	47.7
Newdale	Fremont	355	358	377	-19	-5.0	-3	-0.8
New Meadows	Adams	470	533	534	-1	-0.2	-63	-11.8
New Plymouth	Payette	1,422	1,400	1,313	87	6.6	22	1.6
Nezperce	Lewis	514	523	453	70	15.5	-9	-1.7
Notus	Canyon	549	458	380	78	20.5	91	19.9
Oakley	Cassia	712	668	635	33	5.2	44	6.6
Oldtown	Bonner	204	190	151	39	25.8	14	7.4
Onaway	Latah	211	230	203	27	13.3	-19	-8.3
Orofino	Clearwater	3,121	3,247	2,868	379	13.2	-126	-3.9
Osburn	Shoshone	1,459	1,545	1,579	-34	-2.2	-86	-5.6
Oxford	Franklin	54	53	44	9	20.5	1	1.9
Paris	Bear Lake	517	576	581	-5	-0.9	-59	-10.2
Parker	Fremont	319	319	288	31	10.8	-	-
Parkline*	Benewah	NA	65	72	-7	-9.7	NA	NA
Parma	Canyon	1,834	1,771	1,597	174	10.9	63	3.6
Paul	Minidoka	945	998	901	97	10.8	-53	-5.3
Payette	Payette	7,624	7,054	5,672	1,382	24.4	570	8.1
Peck	Nez Perce	184	186	160	26	16.3	-2	-1.1
Pierce	Clearwater	543	617	746	-129	-17.3	-74	-12.0
Pinehurst	Shoshone	1,614	1,661	1,722	-61	-3.5	-47	-2.8
Placerville	Boise	60	60	14	46	328.6	-	-
Plummer	Benewah	998	990	804	186	23.1	8	0.8
Pocatello	Bannock, Power	53,932	51,466	46,117	5,349	11.6	2,466	4.8
Ponderay	Bonner	711	638	449	189	42.1	73	11.4
Post Falls	Kootenai	24,515	17,247	7,349	9,898	134.7	7,268	42.1

*Parkline city incorporation effective December 13, 1994. City was created from part of Chatcolet city. City was disincorporated in 2001.
NA - not applicable.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2006 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2006	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
					4/1/90 TO 4/1/00		4/1/00 TO 7/1/06	
Potlatch	Latah	722	791	790	1	0.1	-69	-8.7
Preston	Franklin	5,089	4,682	3,710	972	26.2	407	8.7
Priest River	Bonner	1,925	1,754	1,560	194	12.4	171	9.7
Rathdrum	Kootenai	6,308	4,816	2,000	2,816	140.8	1,492	31.0
Reubens	Lewis	73	72	46	26	56.5	1	1.4
Rexburg	Madison	26,657	17,257	14,298	2,959	20.7	9,400	54.5
Richfield	Lincoln	430	412	383	29	7.6	18	4.4
Rigby	Jefferson	3,291	2,998	2,681	317	11.8	293	9.8
Riggins	Idaho	407	410	443	-33	-7.4	-3	-0.7
Ririe	Bonneville, Jefferson	526	545	596	-51	-8.6	-19	-3.5
Roberts	Jefferson	655	647	557	90	16.2	8	1.2
Rockland	Power	330	316	264	52	19.7	14	4.4
Rupert	Minidoka	5,214	5,645	5,455	190	3.5	-431	-7.6
Salmon	Lemhi	3,059	3,122	2,941	181	6.2	-63	-2.0
Sandpoint	Bonner	8,206	6,835	5,561	1,274	22.9	1,371	20.1
Shelley	Bingham	4,195	3,813	3,536	277	7.8	382	10.0
Shoshone	Lincoln	1,565	1,398	1,249	149	11.9	167	11.9
Smelterville	Shoshone	618	651	464	187	40.3	-33	-5.1
Soda Springs	Caribou	3,177	3,381	3,111	270	8.7	-204	-6.0
Spencer	Clark	34	38	19	19	100.0	-4	-10.5
Spirit Lake	Kootenai	1,621	1,376	790	586	74.2	245	17.8
Stanley	Custer	101	100	71	29	40.8	1	1.0
Star*	Ada	3,995	1,795	648	1,147	177.0	2,200	122.6
State Line	Kootenai	29	28	26	2	7.7	1	3.6
Stites	Idaho	230	226	205	21	10.2	4	1.8
St. Anthony	Fremont	3,376	3,342	3,010	332	11.0	34	1.0
St. Charles	Bear Lake	138	156	189	-33	-17.5	-18	-11.5
St. Maries	Benewah	2,657	2,652	2,442	210	8.6	5	0.2
Sugar City	Madison	1,458	1,242	1,275	-33	-2.6	216	17.4
Sun Valley	Blaine	1,452	1,427	938	489	52.1	25	1.8
Swan Valley	Bonneville	235	213	141	72	51.1	22	10.3
Tensed	Benewah	127	126	90	36	40.0	1	0.8
Teton	Fremont	565	569	570	-1	-0.2	-4	-0.7
Tetonia	Teton	242	247	132	115	87.1	-5	-2.0
Troy	Latah	735	798	699	99	14.2	-63	-7.9
Twin Falls	Twin Falls	40,380	34,469	27,634	6,835	24.7	5,911	17.1
Ucon	Bonneville	1,066	943	895	48	5.4	123	13.0
Victor	Teton	1,454	840	292	548	187.7	614	73.1
Wallace	Shoshone	907	960	1,010	-50	-5.0	-53	-5.5
Wardner	Shoshone	203	215	246	-31	-12.6	-12	-5.6
Warm River	Fremont	10	10	9	1	11.1	-	-
Weippe	Clearwater	383	416	532	-116	-21.8	-33	-7.9
Weiser	Washington	5,425	5,343	4,571	772	16.9	82	1.5
Wendell	Gooding	2,438	2,338	1,963	375	19.1	100	4.3
Weston	Franklin	446	425	390	35	9.0	21	4.9
White Bird	Idaho	108	106	108	-2	-1.9	2	1.9
Wilder	Canyon	1,453	1,462	1,232	230	18.7	-9	-0.6
Winchester	Lewis	308	308	262	46	17.6	-	-
Worley	Kootenai	220	223	182	41	22.5	-3	-1.3

*Star city incorporation effective December 10, 1997

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Race and Ethnicity*
Idaho Districts and Counties

RESIDENCE	TOTAL	RACE				ETHNICITY	
		White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Non-Hispanic	Hispanic
IDAHO (percent)	1,466,465	1,410,951 96.2%	12,681 0.9%	22,909 1.6%	19,924 1.4%	1,327,595 90.5%	138,870 9.5%
District 1	206,140	200,128	843	3,808	1,361	200,146	5,994
District 2	101,195	95,163	658	3,637	1,737	98,690	2,505
District 3	237,246	229,617	2,037	2,908	2,684	193,081	44,165
District 4	403,626	384,133	6,175	3,722	9,596	377,825	25,801
District 5	173,626	169,795	754	1,679	1,398	142,540	31,086
District 6	163,022	154,375	1,108	5,877	1,662	148,769	14,253
District 7	181,610	177,740	1,106	1,278	1,486	166,544	15,066
Ada	359,035	341,803	5,152	3,254	8,826	337,467	21,568
Adams	3,485	3,402	2	62	19	3,384	101
Bannock	78,443	73,986	757	2,478	1,222	74,119	4,324
Bear Lake	6,167	6,093	24	40	10	5,973	194
Benewah	9,347	8,424	23	880	20	9,149	198
Bingham	44,051	40,529	255	2,949	318	37,725	6,326
Blaine	21,501	21,005	104	105	287	17,882	3,619
Boise	7,641	7,522	12	76	31	7,346	295
Bonner	41,275	40,469	124	487	195	40,348	927
Bonneville	94,630	92,243	742	757	888	86,491	8,139
Boundary	10,831	10,472	22	269	68	10,429	402
Butte	2,781	2,735	16	22	8	2,621	160
Camas	1,088	1,064	12	10	2	1,016	72
Canyon	173,302	167,316	1,883	1,971	2,132	137,775	35,527
Caribou	6,996	6,942	4	21	29	6,733	263
Cassia	21,365	20,942	67	237	119	16,735	4,630
Clark	920	901	6	10	3	560	360
Clearwater	8,324	8,030	23	226	45	8,147	177
Custer	4,180	4,140	4	33	3	3,986	194
Elmore	28,114	26,089	995	324	706	24,440	3,674
Franklin	12,494	12,374	29	62	29	11,643	851
Fremont	12,369	12,179	40	84	66	10,787	1,582
Gem	16,558	16,256	34	165	103	15,331	1,227
Gooding	14,404	14,134	78	150	42	11,308	3,096
Idaho	15,762	15,064	21	606	71	15,468	294
Jefferson	22,350	22,011	95	150	94	20,200	2,150
Jerome	20,130	19,782	58	206	84	15,059	5,071
Kootenai	131,507	127,922	651	1,903	1,031	127,371	4,136
Latah	35,029	33,172	402	358	1,097	33,976	1,053
Lemhi	7,930	7,825	13	71	21	7,678	252
Lewis	3,756	3,530	14	183	29	3,628	128
Lincoln	4,522	4,376	54	66	26	3,632	890
Madison	31,393	30,703	191	127	372	30,070	1,323
Minidoka	19,041	18,599	75	244	123	13,594	5,447
Nez Perce	38,324	35,367	198	2,264	495	37,471	853
Oneida	4,176	4,143	5	19	9	4,065	111
Owyhee	11,104	10,584	47	403	70	8,538	2,566
Payette	22,595	22,086	55	223	231	19,540	3,055
Power	7,914	7,573	18	286	37	5,890	2,024
Shoshone	13,180	12,841	23	269	47	12,849	331
Teton	7,838	7,738	15	46	39	6,772	1,066
Twin Falls	71,575	69,893	306	661	715	63,314	8,261
Valley	8,836	8,719	16	68	33	8,572	264
Washington	10,202	9,973	16	84	129	8,513	1,689

* Race and Hispanic origin are reported separately. Persons of Hispanic origin are included in appropriate race totals. Data on two or more races available upon request; see Technical Notes for information on bridged race estimates.

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2006, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Race by Ethnicity
Idaho Districts and Counties

RESIDENCE	RACE BY ETHNICITY							
	White		Black		American Indian or Alaska Native		Asian or Pacific Islander	
	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic
IDAHO	1,279,306	131,645	9,870	2,811	19,620	3,289	18,799	1,125
District 1	194,572	5,556	758	85	3,500	308	1,316	45
District 2	92,916	2,247	625	33	3,433	204	1,716	21
District 3	187,291	42,326	1,204	833	2,196	712	2,390	294
District 4	360,385	23,748	5,065	1,110	3,179	543	9,196	400
District 5	139,681	30,114	436	318	1,199	480	1,224	174
District 6	141,218	13,157	870	238	5,092	785	1,589	73
District 7	163,243	14,497	912	194	1,021	257	1,368	118
Ada	322,059	19,744	4,145	1,007	2,799	455	8,464	362
Adams	3,308	94	2	-	55	7	19	-
Bannock	70,157	3,829	646	111	2,140	338	1,176	46
Bear Lake	5,918	175	17	7	32	8	6	4
Benewah	8,279	145	23	-	829	51	18	2
Bingham	34,698	5,831	152	103	2,578	371	297	21
Blaine	17,596	3,409	25	79	53	52	208	79
Boise	7,234	288	11	1	75	1	26	5
Bonner	39,609	860	117	7	435	52	187	8
Bonneville	84,420	7,823	642	100	604	153	825	63
Boundary	10,121	351	11	11	234	35	63	5
Butte	2,581	154	15	1	17	5	8	-
Camas	1,000	64	4	8	10	-	2	-
Canyon	133,325	33,991	1,079	804	1,483	488	1,888	244
Caribou	6,683	259	3	1	20	1	27	2
Cassia	16,452	4,490	29	38	150	87	104	15
Clark	541	360	6	-	10	-	3	-
Clearwater	7,862	168	22	1	220	6	43	2
Custer	3,952	188	3	1	28	5	3	-
Elmore	22,611	3,478	905	90	248	76	676	30
Franklin	11,541	833	26	3	47	15	29	-
Fremont	10,620	1,559	29	11	79	5	59	7
Gem	15,077	1,179	31	3	123	42	100	3
Gooding	11,121	3,013	47	31	100	50	40	2
Idaho	14,793	271	20	1	589	17	66	5
Jefferson	19,979	2,032	44	51	109	41	68	26
Jerome	14,790	4,992	36	22	154	52	79	5
Kootenai	124,016	3,906	584	67	1,767	136	1,004	27
Latah	32,178	994	387	15	320	38	1,091	6
Lemhi	7,586	239	11	2	60	11	21	-
Lewis	3,412	118	14	-	175	8	27	2
Lincoln	3,554	822	13	41	40	26	25	1
Madison	29,439	1,264	169	22	102	25	360	12
Minidoka	13,270	5,329	58	17	158	86	108	15
Nez Perce	34,671	696	182	16	2,129	135	489	6
Oneida	4,034	109	5	-	17	2	9	-
Owyhee	8,142	2,442	26	21	321	82	49	21
Payette	19,097	2,989	50	5	169	54	224	7
Power	5,606	1,967	6	12	241	45	37	-
Shoshone	12,547	294	23	-	235	34	44	3
Teton	6,706	1,032	8	7	29	17	29	10
Twin Falls	61,898	7,995	224	82	534	127	658	57
Valley	8,481	238	4	12	57	11	30	3
Washington	8,342	1,631	16	-	45	39	110	19

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2006, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate
Age by Race and Ethnicity* and Sex

Age	RACE								
	White			Black			American Indian or Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	1,410,951	710,265	700,686	12,681	7,001	5,680	22,909	11,611	11,298
< 1	22,031	11,147	10,884	295	151	144	374	219	155
1-4	85,853	44,125	41,728	1,246	608	638	1,474	777	697
5-9	100,850	51,731	49,119	1,539	810	729	1,924	991	933
10-14	102,474	52,796	49,678	1,402	718	684	2,040	1,005	1,035
15-17	65,512	33,644	31,868	705	373	332	1,402	719	683
18-19	40,610	20,070	20,540	463	236	227	837	445	392
20-24	101,943	54,328	47,615	1,353	835	518	1,958	1,049	909
25-29	105,923	55,210	50,713	1,118	656	462	1,924	957	967
30-34	88,640	45,347	43,293	928	547	381	1,557	816	741
35-39	90,328	45,976	44,352	918	532	386	1,604	827	777
40-44	95,463	48,121	47,342	767	440	327	1,657	842	815
45-49	101,071	50,624	50,447	635	344	291	1,537	744	793
50-54	95,535	47,737	47,798	455	278	177	1,281	613	668
55-59	84,982	42,734	42,248	316	194	122	1,120	564	556
60-64	63,805	31,657	32,148	178	93	85	770	362	408
65-69	48,584	24,106	24,478	131	73	58	549	282	267
70-74	38,212	18,174	20,038	95	51	44	376	176	200
75-79	31,633	14,280	17,353	61	27	34	244	107	137
80-84	24,453	10,162	14,291	41	24	17	152	77	75
85+	23,049	8,296	14,753	35	11	24	129	39	90

Age	RACE			ETHNICITY					
	Asian or Pacific Islander			Non-Hispanic			Hispanic		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	19,924	9,489	10,435	1,327,595	663,973	663,622	138,870	74,393	64,477
< 1	331	165	166	19,714	9,979	9,735	3,317	1,703	1,614
1-4	1,359	697	662	76,872	39,480	37,392	13,060	6,727	6,333
5-9	1,399	704	695	90,283	46,336	43,947	15,429	7,900	7,529
10-14	1,315	642	673	92,711	47,681	45,030	14,520	7,480	7,040
15-17	755	374	381	60,265	30,968	29,297	8,109	4,142	3,967
18-19	458	232	226	37,994	18,703	19,291	4,374	2,280	2,094
20-24	1,465	722	743	94,348	49,908	44,440	12,371	7,026	5,345
25-29	2,003	1,057	946	97,143	49,978	47,165	13,825	7,902	5,923
30-34	2,249	1,097	1,152	81,061	40,914	40,147	12,313	6,893	5,420
35-39	1,859	934	925	84,202	42,497	41,705	10,507	5,772	4,735
40-44	1,411	626	785	90,323	45,096	45,227	8,975	4,933	4,042
45-49	1,257	550	707	97,478	48,398	49,080	7,022	3,864	3,158
50-54	1,120	490	630	93,450	46,417	47,033	4,941	2,701	2,240
55-59	928	368	560	83,783	42,010	41,773	3,563	1,850	1,713
60-64	586	242	344	62,983	31,145	31,838	2,356	1,209	1,147
65-69	421	192	229	48,138	23,855	24,283	1,547	798	749
70-74	356	132	224	37,938	18,016	19,922	1,101	517	584
75-79	271	105	166	31,526	14,197	17,329	683	322	361
80-84	210	81	129	24,386	10,125	14,261	470	219	251
85+	171	79	92	22,997	8,270	14,727	387	155	232

* Race and Hispanic origin are reported separately. Persons of non-Hispanic origin and persons of Hispanic origin are included in appropriate race totals. The four race categories will sum to Idaho total; non-Hispanic and Hispanic will sum to Idaho total.

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2006, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	ALL AGES			< 5		5 - 9		10 -14	
	TOTAL	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	1,466,465	738,366	728,099	57,889	55,074	54,236	51,476	55,161	52,070
District 1	206,140	102,900	103,240	6,282	5,950	6,651	6,355	7,331	6,918
District 2	101,195	51,848	49,347	2,919	2,744	2,816	2,666	3,090	2,838
District 3	237,246	118,553	118,693	10,483	9,928	9,571	9,076	9,529	9,063
District 4	403,626	205,341	198,285	15,406	14,574	14,632	14,099	14,804	13,828
District 5	173,626	87,662	85,964	7,188	6,744	6,528	6,229	6,709	6,382
District 6	163,022	81,320	81,702	7,145	7,050	6,871	6,339	6,517	6,294
District 7	181,610	90,742	90,868	8,466	8,084	7,167	6,712	7,181	6,747
Ada	359,035	181,455	177,580	13,672	12,961	13,014	12,505	13,196	12,286
Adams	3,485	1,758	1,727	67	73	84	66	117	96
Bannock	78,443	38,890	39,553	3,569	3,571	3,307	3,029	2,821	2,693
Bear Lake	6,167	3,074	3,093	204	206	209	203	237	251
Benewah	9,347	4,735	4,612	281	286	308	283	378	315
Bingham	44,051	22,065	21,986	2,018	1,917	1,935	1,783	1,963	1,895
Blaine	21,501	11,240	10,261	739	656	675	602	709	621
Boise	7,641	3,917	3,724	173	156	257	240	246	260
Bonner	41,275	20,666	20,609	1,033	1,023	1,152	1,155	1,369	1,245
Bonneville	94,630	47,343	47,287	4,350	4,082	3,886	3,574	3,879	3,684
Boundary	10,831	5,449	5,382	343	331	393	345	373	397
Butte	2,781	1,398	1,383	91	107	86	91	120	125
Camas	1,088	559	529	30	29	22	23	31	28
Canyon	173,302	86,464	86,838	8,331	7,757	7,313	6,934	6,983	6,700
Caribou	6,996	3,528	3,468	233	232	261	250	273	256
Cassia	21,365	10,701	10,664	983	1,005	916	907	939	926
Clark	920	486	434	35	37	42	36	42	41
Clearwater	8,324	4,525	3,799	162	149	190	183	264	224
Custer	4,180	2,142	2,038	88	68	97	124	143	144
Elmore	28,114	15,421	12,693	1,323	1,241	1,143	1,141	1,086	1,042
Franklin	12,494	6,287	6,207	595	563	605	543	577	603
Fremont	12,369	6,435	5,934	531	582	515	482	519	498
Gem	16,558	8,251	8,307	510	496	531	570	608	529
Gooding	14,404	7,461	6,943	642	576	565	544	559	537
Idaho	15,762	8,141	7,621	433	370	423	400	493	478
Jefferson	22,350	11,257	11,093	1,057	1,055	1,010	891	960	974
Jerome	20,130	10,379	9,751	946	862	784	833	862	814
Kootenai	131,507	65,434	66,073	4,309	4,007	4,411	4,225	4,771	4,534
Latah	35,029	18,328	16,701	1,021	966	931	871	964	847
Lemhi	7,930	3,976	3,954	194	163	206	220	292	237
Lewis	3,756	1,908	1,848	113	117	105	91	124	120
Lincoln	4,522	2,318	2,204	185	178	182	167	201	174
Madison	31,393	14,913	16,480	1,821	1,762	1,085	1,066	1,026	880
Minidoka	19,041	9,540	9,501	844	779	756	722	834	755
Nez Perce	38,324	18,946	19,378	1,190	1,142	1,167	1,121	1,245	1,169
Oneida	4,176	2,139	2,037	130	129	147	155	177	141
Owyhee	11,104	5,837	5,267	444	455	440	359	489	464
Payette	22,595	11,231	11,364	819	813	837	833	950	907
Power	7,914	3,939	3,975	305	325	321	285	349	330
Shoshone	13,180	6,616	6,564	316	303	387	347	440	427
Teton	7,838	4,190	3,648	390	335	326	319	320	289
Twin Falls	71,575	35,464	36,111	2,819	2,659	2,628	2,431	2,574	2,527
Valley	8,836	4,548	4,288	238	216	218	213	276	240
Washington	10,202	5,012	5,190	312	334	366	314	382	367

Source: National Center for Health Statistics. Estimates of the July 1, 2006 resident population from the Vintage 2006 postcensal series by state, county, year, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release August 16, 2007.

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39	
	Male	Female								
IDAHO	56,093	54,649	56,934	49,785	57,880	53,088	47,807	45,567	48,269	46,440
District 1	7,586	6,918	6,603	6,170	7,290	6,773	6,059	5,855	6,264	6,653
District 2	4,518	4,047	5,444	4,484	3,754	2,514	2,816	2,614	2,772	2,747
District 3	8,798	8,245	8,447	7,564	10,337	10,672	8,567	8,357	8,017	7,683
District 4	13,809	12,825	14,695	12,374	16,850	15,479	15,746	14,194	16,742	14,555
District 5	6,644	6,312	6,109	5,495	6,512	5,043	5,273	5,056	5,248	5,011
District 6	6,623	6,546	6,637	6,606	6,262	5,416	4,537	4,666	4,446	4,796
District 7	8,115	9,756	8,999	7,092	6,875	7,191	4,809	4,825	4,780	4,995
Ada	12,157	11,423	12,648	11,087	15,069	14,351	14,014	12,913	14,821	13,099
Adams	142	121	111	109	79	75	65	69	86	80
Bannock	2,962	3,031	3,433	3,616	3,324	2,792	2,346	2,417	2,231	2,383
Bear Lake	289	255	241	207	199	151	105	142	139	166
Benewah	334	293	305	233	210	250	199	238	275	277
Bingham	1,913	1,847	1,700	1,628	1,639	1,456	1,124	1,230	1,201	1,306
Blaine	671	674	588	460	792	503	825	668	907	773
Boise	284	255	259	227	230	226	166	194	205	213
Bonner	1,512	1,365	1,286	1,149	1,392	1,265	1,083	1,126	1,078	1,212
Bonneville	3,778	3,284	3,476	3,350	3,861	3,978	2,696	2,838	2,741	2,824
Boundary	394	383	375	318	366	297	272	275	281	314
Butte	124	83	98	70	50	54	54	49	60	71
Camas	48	32	38	43	47	43	39	39	37	18
Canyon	6,405	5,994	6,295	5,704	8,092	8,626	6,726	6,619	6,164	5,831
Caribou	284	276	242	240	206	162	174	159	156	188
Cassia	974	835	769	661	611	523	566	577	540	554
Clark	34	37	35	21	14	16	11	21	28	35
Clearwater	292	246	290	198	199	129	223	142	327	184
Custer	147	132	140	100	56	56	86	82	109	112
Elmore	1,053	879	1,460	751	1,286	672	1,360	890	1,492	994
Franklin	509	540	481	387	495	425	420	376	338	335
Fremont	610	444	461	385	467	331	319	314	377	325
Gem	598	564	542	538	653	619	425	475	476	455
Gooding	605	454	490	384	573	376	422	397	428	420
Idaho	586	551	640	419	459	300	364	255	361	381
Jefferson	935	932	990	902	974	869	660	548	532	635
Jerome	805	718	721	597	771	656	665	571	623	582
Kootenai	4,915	4,507	4,268	4,150	4,939	4,663	4,214	3,904	4,281	4,501
Latah	2,196	1,897	3,112	2,332	1,706	1,071	1,064	1,076	909	912
Lemhi	274	283	229	218	212	200	159	165	166	203
Lewis	156	112	134	111	73	62	81	88	97	92
Lincoln	167	188	164	139	207	161	133	146	124	136
Madison	2,039	4,352	3,392	1,950	984	1,511	540	604	495	544
Minidoka	737	715	682	605	602	483	459	468	469	552
Nez Perce	1,288	1,241	1,268	1,424	1,317	952	1,084	1,053	1,078	1,178
Oneida	185	151	162	162	136	110	119	80	90	111
Owyhee	455	392	404	305	444	302	381	262	359	332
Payette	857	836	790	629	774	757	686	669	685	738
Power	357	363	280	296	213	266	195	213	231	236
Shoshone	431	370	369	320	383	298	291	312	349	349
Teton	298	292	276	166	307	230	338	253	332	317
Twin Falls	2,637	2,696	2,657	2,606	2,909	2,298	2,164	2,190	2,120	1,976
Valley	315	268	328	309	265	230	206	197	224	249
Washington	341	338	305	279	295	293	284	263	247	247

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	40 - 44		45 - 49		50 - 54		55 - 59		60 - 64	
	Male	Female								
IDAHO	50,029	49,269	52,262	52,238	49,118	49,273	43,860	43,486	32,354	32,985
District 1	6,969	7,118	7,787	8,129	7,648	8,126	7,525	7,413	5,539	5,630
District 2	3,252	3,177	3,584	3,739	3,676	3,532	3,510	3,324	2,543	2,570
District 3	7,750	7,515	7,561	7,355	6,742	6,946	6,013	6,105	4,696	5,038
District 4	15,841	15,164	15,221	15,142	13,922	13,867	12,163	11,915	8,378	8,410
District 5	5,885	5,856	6,306	6,099	5,874	5,842	5,103	5,302	4,029	4,057
District 6	4,739	4,998	5,666	5,613	5,499	5,328	4,701	4,707	3,419	3,460
District 7	5,593	5,441	6,137	6,161	5,757	5,632	4,845	4,720	3,750	3,820
Ada	13,917	13,467	13,514	13,502	12,380	12,365	10,756	10,700	7,344	7,325
Adams	104	117	135	164	161	159	160	152	135	126
Bannock	2,117	2,378	2,673	2,614	2,576	2,620	2,315	2,339	1,566	1,558
Bear Lake	168	166	249	236	257	201	175	218	157	160
Benewah	326	297	362	348	374	379	352	343	292	322
Bingham	1,394	1,330	1,501	1,592	1,478	1,351	1,189	1,184	905	970
Blaine	863	843	959	996	957	940	858	912	643	600
Boise	294	295	333	335	377	384	350	291	266	261
Bonner	1,359	1,385	1,671	1,828	1,819	1,937	1,887	1,729	1,309	1,299
Bonneville	3,123	3,022	3,399	3,471	3,114	3,120	2,687	2,571	1,990	2,085
Boundary	343	319	378	491	450	465	463	392	276	311
Butte	98	110	109	108	101	128	108	93	70	70
Camas	42	55	42	38	36	42	35	41	39	23
Canyon	5,690	5,390	5,169	5,106	4,642	4,835	4,046	4,111	3,055	3,293
Caribou	227	240	305	263	275	252	238	216	195	184
Cassia	653	695	733	695	699	668	586	611	490	487
Clark	47	35	52	27	28	28	23	25	32	19
Clearwater	345	289	370	335	368	303	388	351	287	254
Custer	147	177	208	179	226	186	194	170	157	144
Elmore	1,320	1,131	1,009	887	718	700	627	591	472	523
Franklin	328	395	404	376	357	366	296	279	244	238
Fremont	433	348	470	403	409	414	305	299	287	320
Gem	541	560	601	554	551	539	513	525	412	448
Gooding	503	422	509	488	489	448	393	410	338	364
Idaho	514	523	592	654	701	681	687	592	510	516
Jefferson	691	702	790	798	719	711	577	559	427	418
Jerome	724	665	757	692	710	614	518	516	432	393
Kootenai	4,469	4,619	4,821	4,939	4,435	4,791	4,296	4,425	3,254	3,260
Latah	971	1,005	1,063	1,093	1,089	1,067	1,005	963	721	705
Lemhi	243	276	314	336	337	331	358	349	279	277
Lewis	117	116	143	169	144	125	139	137	128	75
Lincoln	169	156	159	139	141	131	142	134	98	80
Madison	555	575	580	652	616	583	486	519	420	443
Minidoka	635	626	711	661	598	610	548	574	427	477
Nez Perce	1,305	1,244	1,416	1,488	1,374	1,356	1,291	1,281	897	1,020
Oneida	140	129	164	144	153	148	136	130	110	103
Owyhee	401	396	424	329	370	313	326	351	241	283
Payette	713	733	870	848	673	722	641	643	564	601
Power	267	250	261	280	302	262	244	248	172	177
Shoshone	472	498	555	523	570	554	527	524	408	438
Teton	354	306	324	295	308	259	215	228	158	114
Twin Falls	2,296	2,394	2,436	2,390	2,244	2,389	2,023	2,104	1,562	1,633
Valley	310	271	365	418	447	418	430	333	296	301
Washington	301	319	362	354	345	378	327	323	289	287

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	65 - 69		70 - 74		75 - 79		80 - 84		85+	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	24,653	25,032	18,533	20,506	14,519	17,690	10,344	14,512	8,425	14,959
District 1	4,419	4,296	3,333	3,548	2,584	2,857	1,726	2,400	1,304	2,131
District 2	2,187	2,105	1,685	1,765	1,392	1,613	1,003	1,395	887	1,473
District 3	3,659	3,944	2,930	3,247	2,262	2,863	1,655	2,355	1,536	2,737
District 4	5,869	6,070	4,123	4,861	3,193	4,081	2,211	3,330	1,736	3,517
District 5	3,064	3,184	2,378	2,748	1,942	2,432	1,501	2,033	1,369	2,139
District 6	2,642	2,665	2,054	2,225	1,614	1,880	1,150	1,478	798	1,635
District 7	2,813	2,768	2,030	2,112	1,532	1,964	1,098	1,521	795	1,327
Ada	5,060	5,332	3,582	4,302	2,795	3,673	1,971	3,026	1,545	3,263
Adams	96	99	83	70	82	62	23	38	28	51
Bannock	1,127	1,223	969	958	646	861	531	691	377	779
Bear Lake	122	136	111	124	103	96	65	77	44	98
Benewah	242	212	211	184	162	114	70	116	54	122
Bingham	712	720	511	592	457	500	250	322	175	363
Blaine	438	366	226	242	205	180	120	110	65	115
Boise	181	143	125	101	80	66	51	53	40	24
Bonner	958	935	704	703	499	571	340	380	215	302
Bonneville	1,494	1,465	1,065	1,188	816	1,125	595	894	393	732
Boundary	244	228	182	174	158	151	97	97	61	94
Butte	75	67	51	53	42	39	33	33	28	32
Camas	31	25	17	19	9	12	11	13	5	6
Canyon	2,309	2,537	1,810	2,111	1,382	1,891	1,047	1,591	1,005	1,808
Caribou	132	129	102	144	113	106	73	82	39	89
Cassia	334	357	322	334	239	282	181	265	166	282
Clark	21	20	20	11	6	8	9	11	7	6
Clearwater	280	256	203	181	155	154	103	117	79	104
Custer	103	119	84	66	71	77	54	51	32	51
Elmore	385	387	281	300	196	222	120	176	90	166
Franklin	217	198	130	167	126	141	89	129	76	146
Fremont	218	221	189	201	157	162	84	102	84	103
Gem	372	376	293	331	246	265	202	190	177	273
Gooding	292	267	223	233	182	222	94	191	154	210
Idaho	460	421	334	324	264	313	164	222	156	221
Jefferson	350	336	211	233	170	223	121	150	83	157
Jerome	292	309	270	296	200	256	154	210	145	167
Kootenai	2,613	2,546	1,974	2,201	1,558	1,793	1,053	1,573	853	1,435
Latah	506	459	378	394	276	326	199	328	217	389
Lemhi	238	215	178	150	119	121	96	118	82	92
Lewis	108	124	82	84	68	74	56	77	40	74
Lincoln	55	71	58	61	42	57	55	48	36	38
Madison	302	307	216	213	157	191	108	170	91	158
Minidoka	362	368	267	329	239	306	218	280	152	191
Nez Perce	833	845	688	782	629	746	481	651	395	685
Oneida	91	66	64	85	50	62	58	69	27	62
Owyhee	203	185	170	165	123	143	90	122	73	109
Payette	427	495	356	332	247	280	179	254	163	274
Power	166	126	116	102	77	75	51	75	32	66
Shoshone	362	375	262	286	207	228	166	234	121	178
Teton	87	85	67	50	36	57	31	25	23	28
Twin Falls	1,260	1,421	995	1,234	826	1,117	668	916	646	1,130
Valley	243	208	135	158	122	120	69	75	61	64
Washington	252	252	218	238	182	222	114	160	90	222

IDAHO RESIDENT POPULATION
July 1, 2006 Estimate
Single Age by Sex

AGE	TOTAL	MALE	FEMALE	AGE	TOTAL	MALE	FEMALE
<1	23,031	11,682	11,349	44	20,625	10,496	10,129
1	23,283	11,982	11,301	45	21,089	10,562	10,527
2	22,885	11,812	11,073	46	21,379	10,936	10,443
3	22,061	11,360	10,701	47	20,588	10,169	10,419
4	21,703	11,053	10,650	48	20,502	10,131	10,371
5	21,814	11,082	10,732	49	20,942	10,464	10,478
6	21,241	10,869	10,372	50	20,124	9,958	10,166
7	21,108	10,840	10,268	51	20,434	10,157	10,277
8	20,619	10,728	9,891	52	19,869	9,864	10,005
9	20,930	10,717	10,213	53	19,190	9,660	9,530
10	21,157	10,787	10,370	54	18,774	9,479	9,295
11	20,953	10,837	10,116	55	17,973	9,022	8,951
12	21,243	10,878	10,365	56	17,880	8,866	9,014
13	21,755	11,193	10,562	57	17,177	8,626	8,551
14	22,123	11,466	10,657	58	17,114	8,633	8,481
15	22,579	11,623	10,956	59	17,202	8,713	8,489
16	23,126	11,980	11,146	60	13,385	6,668	6,717
17	22,669	11,507	11,162	61	13,460	6,696	6,764
18	22,235	11,450	10,785	62	13,409	6,618	6,791
19	20,133	9,533	10,600	63	13,286	6,537	6,749
20	19,238	9,522	9,716	64	11,799	5,835	5,964
21	20,765	11,220	9,545	65	11,041	5,520	5,521
22	22,060	12,176	9,884	66	10,532	5,186	5,346
23	22,303	12,170	10,133	67	9,913	4,983	4,930
24	22,353	11,846	10,507	68	9,273	4,466	4,807
25	23,801	12,805	10,996	69	8,926	4,498	4,428
26	23,643	12,269	11,374	70	8,379	4,026	4,353
27	22,957	11,868	11,089	71	8,379	4,026	4,353
28	20,040	10,536	9,504	72	7,620	3,622	3,998
29	20,527	10,402	10,125	73	7,329	3,467	3,862
30	18,711	9,589	9,122	74	7,332	3,392	3,940
31	19,303	9,957	9,346	75	6,777	3,017	3,760
32	17,979	9,172	8,807	76	6,959	3,228	3,731
33	18,440	9,590	8,850	77	6,428	2,974	3,454
34	18,941	9,499	9,442	78	6,157	2,736	3,421
35	20,027	10,330	9,697	79	5,888	2,564	3,324
36	19,617	10,079	9,538	80	5,563	2,411	3,152
37	18,809	9,486	9,323	81	5,364	2,243	3,121
38	18,069	9,196	8,873	82	5,076	2,168	2,908
39	18,187	9,178	9,009	83	4,531	1,785	2,746
40	18,702	9,499	9,203	84	4,322	1,737	2,585
41	19,450	9,735	9,715	85+	23,384	8,425	14,959
42	20,018	10,084	9,934				
43	20,503	10,215	10,288	TOTAL	1,466,465	738,366	728,099

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2006, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

2006 IDAHO SUMMARY


BIRTHS.....	The number of Idaho resident live births increased by 5 percent in 2006, up 1,121 births from 23,064 in 2005 to 24,185 in 2006. The birth rate increased 2 percent, from 16.1 births per 1,000 population in 2005 to 16.5 in 2006.
OUT-OF-WEDLOCK BIRTHS	The number of births to unmarried women increased 11 percent from 5,273, to a record high of 5,866 in 2006. At the same time, the percent of out-of-wedlock births increased 6 percent from 22.9 percent in 2005 to 24.3 percent in 2006.
DEATHS	Idaho resident deaths increased by .4 percent in 2006, up 43 deaths from 10,513 in 2005 to 10,556 in 2006. With the population growth greater than the increase in deaths, the mortality rate decreased 3 percent, from 7.4 deaths per 1,000 population in 2005 to 7.2 in 2006.
STILLBIRTHS	The number and ratio of Idaho resident stillbirths have fluctuated considerably over the past decade. In 2006, the number of reported stillbirths decreased to 108 from 134 in 2005. The stillbirth ratio decreased 22 percent from 5.8 per 1,000 live births in 2005 to 4.5 in 2006.
INFANT DEATHS	The infant mortality rate increased 10 percent in 2006 to 6.8 per 1,000 live births, up from 6.2 in 2005. The number of infant deaths increased 15 percent from 142 to 164 in 2006. The neonatal mortality rate increased from 4.0 per 1,000 live births in 2005 to 4.6 in 2006; the postneonatal mortality rate increased from 2.1 per 1,000 live births in 2005 to 2.2 per 1,000 live births in 2006.
INDUCED ABORTIONS	The number of induced abortions among Idaho residents increased 5 percent from 1,827 in 2005 to 1,919 in 2006 and the rate increased from 6.1 per 1,000 females aged 15-44 to 6.4. The number of induced abortions occurring in Idaho was up 14 percent from 1,099 in 2005 to 1,249 in 2006.
MARRIAGES	The number of marriages occurring in Idaho decreased slightly in 2006, from 14,933 in 2005 to 14,855 in 2006. The 2006 marriage rate decreased from 10.4 marriages per 1,000 population to 10.1. This rate is the lowest marriage rate recorded for Idaho in the last 50 years.
DIVORCES	The number of divorces occurring in Idaho increased 4 percent in 2006 to 7,392 from 7,118 in 2005. The 2006 divorce rate remained the same in 2006, 5.0 per 1,000 population. The 2006 divorce rate is the lowest rate Idaho has experienced since 1971 when the rate was also 5.0 per 1,000 population.

IDAHO VITAL STATISTICS 1997-2006


	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997
LIVE BIRTHS	24,185	23,064	22,529	21,794	20,973	20,686	20,305	19,870	19,350	18,537
Birth Rate	16.5	16.1	16.2	16.0	15.6	15.7	15.7	15.9	15.7	15.3
Fertility Rate	80.9	77.4	77.2	76.0	73.8	73.5	73.1	73.2	72.2	70.1
Males	12,400	11,748	11,600	11,172	10,698	10,448	10,362	10,114	9,949	9,631
Females	11,785	11,316	10,929	10,622	10,275	10,238	9,943	9,756	9,401	8,906
OUT-OF-WEDLOCK LIVE BIRTHS	5,866	5,273	5,079	4,859	4,603	4,561	4,389	4,306	4,258	3,843
Percent	24.3	22.9	22.5	22.3	21.9	22.0	21.6	21.7	22.0	20.7
LOW BIRTH WEIGHT LIVE BIRTHS	1,676	1,544	1,538	1,415	1,289	1,333	1,357	1,225	1,161	1,160
Percent	6.9	6.7	6.8	6.5	6.2	6.4	6.7	6.2	6.0	6.3
DEATHS	10,556	10,513	10,013	10,364	9,909	9,751	9,535	9,508	9,141	8,952
Crude Death Rate	7.2	7.4	7.2	7.6	7.4	7.4	7.4	7.6	7.4	7.4
Age-Adjusted Death Rate	7.4	7.6	7.5	8.0	7.9	8.1	8.1	8.2	8.1	8.2
Males	5,395	5,360	5,065	5,220	5,005	4,979	4,768	4,883	4,705	4,744
Females	5,161	5,153	4,948	5,144	4,904	4,772	4,767	4,625	4,436	4,208
INFANT DEATHS	164	142	139	138	127	129	152	134	140	127
Rate	6.8	6.2	6.2	6.3	6.1	6.2	7.5	6.7	7.2	6.9
<28 Days	4.6	4.0	4.0	3.8	4.0	4.1	5.4	4.6	4.6	4.3
28 Days - <1 Year	2.2	2.1	2.2	2.6	2.1	2.2	2.1	2.1	2.6	2.6
STILLBIRTHS ¹	108	134	125	113	103	131	120	118	121	110
Ratio	4.5	5.8	5.5	5.2	4.9	6.3	5.9	5.9	6.3	5.9
PERINATAL DEATHS ¹	201	217	206	181	174	201	214	197	195	178
Ratio	8.3	9.4	9.1	8.3	8.3	9.7	10.5	9.9	10.1	9.6
MATERNAL DEATHS ²	3	6	2	3	-	-	2	1	2	2
Rate/100,000 births	12.4	26.0	8.9	13.8	-	-	9.8	5.0	10.3	10.8
INDUCED ABORTIONS ³										
Idaho Residents	1,919	1,827	1,618	1,620	1,493	1,473	1,553	1,561	1,636	1,623
Rate	6.4	6.1	5.5	5.6	5.3	5.2	5.6	5.8	6.1	6.1
Ratio	79.3	79.2	71.8	74.3	71.2	71.2	76.5	78.6	84.5	87.6
Occurring in Idaho ⁴	1,249	1,099	963	911	829	738	801	867	888	878
Ratio	52.7	48.8	43.9	42.8	40.5	36.6	40.3	44.7	46.8	48.1
MARRIAGES ⁴	14,855	14,933	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114
Rate	10.1	10.4	10.8	10.9	10.9	11.2	11.6	12.4	12.4	12.5
DIVORCES ⁴	7,392	7,118	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035
Rate	5.0	5.0	5.0	5.2	5.3	5.3	5.5	5.6	5.7	5.8

1. Number and ratio of stillbirths and perinatal deaths in 1997-2005 may differ from previously published data due to revisions in the database.
2. In 2003, a question on pregnancy status among females aged 10-54 was added to the Idaho death certificate resulting in the identification of more maternal deaths. Maternal death data for 2003-2006 are not comparable with data prior to 2003.
3. Number, rate, and ratio of abortions in 1997-2001 may differ slightly from previously published data due to revisions in the database.
4. Marriage, divorce, and specified abortion data are for events occurring in Idaho; all other data reflect events occurring to Idaho residents.

IDAHO VITAL STATISTICS Births, Deaths, Marriages, Divorces 1996-2006



IDAHO VITAL STATISTICS Birth, Death, Marriage, and Divorce Rates 1996-2006



SUMMARY OF IDAHO VITAL STATISTICS

Births, Deaths, Marriages, Divorces

2006

	POPULATION ESTIMATE July 1, 2006 ¹	LIVE BIRTHS ²		DEATHS ²		MARRIAGES ³		DIVORCES ³	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		14.2 (2006 Preliminary)		8.3 (2005 Final)		7.3 (2006 Provisional)		3.6 (2006 Provisional)	
IDAHO	1,466,465	24,185	16.5	10,556	7.2	14,855	10.1	7,392	5.0
District 1	206,140	2,531	12.3	1,602	7.8	4,236	20.5	1,100	5.3
District 2	101,195	1,123	11.1	880	8.7	750	7.4	465	4.6
District 3	237,246	4,430	18.7	1,763	7.4	1,809	7.6	1,228	5.2
District 4	403,626	6,422	15.9	2,492	6.2	3,600	8.9	2,121	5.3
District 5	173,626	2,955	17.0	1,491	8.6	1,352	7.8	903	5.2
District 6	163,022	2,834	17.4	1,203	7.4	1,098	6.7	683	4.2
District 7	181,610	3,890	21.4	1,125	6.2	2,010	11.1	892	4.9
Ada	359,035	5,700	15.9	2,224	6.2	3,042	8.5	1,853	5.2
Adams	3,485	44	12.6	32	9.2	31	8.9	17	4.9
Bannock	78,443	1,448	18.5	594	7.6	511	6.5	348	4.4
Bear Lake	6,167	70	11.4	65	10.5	56	9.1	30	4.9
Benewah	9,347	126	13.5	89	9.5	58	6.2	53	5.7
Bingham	44,051	789	17.9	297	6.7	288	6.5	143	3.2
Blaine	21,501	316	14.7	71	3.3	207	9.6	80	3.7
Boise	7,641	61	8.0	44	5.8	73	9.6	18	2.4
Bonner	41,275	409	9.9	323	7.8	354	8.6	199	4.8
Bonneville	94,630	1,896	20.0	666	7.0	1,444	15.3	627	6.6
Boundary	10,831	148	13.7	92	8.5	64	5.9	43	4.0
Butte	2,781	44	15.8	31	11.1	18	6.5	5	1.8
Camas	1,088	14	12.9	5	4.6	11	10.1	4	3.7
Canyon	173,302	3,483	20.1	1,167	6.7	1,313	7.6	927	5.3
Caribou	6,996	98	14.0	62	8.9	56	8.0	33	4.7
Cassia	21,365	383	17.9	200	9.4	150	7.0	134	6.3
Clark	920	19	20.7	6	6.5	5	5.4	1	1.1
Clearwater	8,324	78	9.4	86	10.3	83	10.0	57	6.8
Custer	4,180	45	10.8	30	7.2	91	21.8	15	3.6
Elmore	28,114	563	20.0	170	6.0	265	9.4	201	7.1
Franklin	12,494	210	16.8	81	6.5	85	6.8	45	3.6
Fremont	12,369	225	18.2	75	6.1	101	8.2	50	4.0
Gem	16,558	254	15.3	182	11.0	116	7.0	73	4.4
Gooding	14,404	232	16.1	144	10.0	96	6.7	50	3.5
Idaho	15,762	147	9.3	143	9.1	118	7.5	54	3.4
Jefferson	22,350	484	21.7	119	5.3	124	5.5	67	3.0
Jerome	20,130	394	19.6	177	8.8	142	7.1	111	5.5
Kootenai	131,507	1,715	13.0	921	7.0	3,677	28.0	726	5.5
Latah	35,029	409	11.7	202	5.8	206	5.9	113	3.2
Lemhi	7,930	76	9.6	70	8.8	71	9.0	38	4.8
Lewis	3,756	30	8.0	42	11.2	20	5.3	12	3.2
Lincoln	4,522	90	19.9	40	8.8	13	2.9	10	2.2
Madison	31,393	999	31.8	130	4.1	105	3.3	62	2.0
Minidoka	19,041	332	17.4	183	9.6	143	7.5	64	3.4
Nez Perce	38,324	459	12.0	407	10.6	323	8.4	219	5.7
Oneida	4,176	49	11.7	33	7.9	35	8.4	20	4.8
Owyhee	11,104	179	16.1	83	7.5	50	4.5	21	1.9
Payette	22,595	328	14.5	183	8.1	213	9.4	134	5.9
Power	7,914	126	15.9	40	5.1	49	6.2	27	3.4
Shoshone	13,180	133	10.1	177	13.4	83	6.3	69	5.2
Teton	7,838	146	18.6	29	3.7	69	8.8	32	4.1
Twin Falls	71,575	1,194	16.7	671	9.4	590	8.2	450	6.3
Valley	8,836	98	11.1	54	6.1	220	24.9	49	5.5
Washington	10,202	142	13.9	116	11.4	86	8.4	56	5.5

1. Source for population: U.S. Bureau of the Census, Internet release March 22, 2007.
2. Births, deaths: county of residence. Rate: number per 1,000 population.
3. Marriages, divorces: county of occurrence. (Divorces by county will not total district and state totals because 52 tribal court divorces are not included in county totals; tribal court divorces are included in district totals. See page 122 for number of divorces granted by tribal courts). Rate: number per 1,000 population.

SUMMARY OF IDAHO VITAL STATISTICS
Resident Infant, Fetal, Perinatal Mortality
2006

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS		STILLBIRTHS		PERINATAL DEATHS	
		Number	Rate	Number	Ratio	Number	Ratio
U.S. Rate		6.9 (2005 Final)		NA		NA	
IDAHO	24,185	164	6.8	108	4.5	201	8.3
District 1	2,531	12	4.7	7	2.8	12	4.7
District 2	1,123	7	6.2	5	4.5	12	10.7
District 3	4,430	44	9.9	17	3.8	42	9.5
District 4	6,422	43	6.7	29	4.5	61	9.5
District 5	2,955	20	6.8	16	5.4	25	8.5
District 6	2,834	16	5.6	14	4.9	20	7.1
District 7	3,890	22	5.7	20	5.1	29	7.5
Ada	5,700	39	6.8	27	4.7	56	9.8
Adams	44	-	-	-	-	-	-
Bannock	1,448	9	6.2	9	6.2	12	8.3
Bear Lake	70	2	28.6	-	-	2	28.6
Benewah	126	-	-	-	-	-	-
Bingham	789	3	3.8	3	3.8	4	5.1
Blaine	316	2	6.3	1	3.2	2	6.3
Boise	61	-	-	-	-	-	-
Bonner	409	4	9.8	1	2.4	2	4.9
Bonneville	1,896	15	7.9	8	4.2	14	7.4
Boundary	148	-	-	-	-	-	-
Butte	44	-	-	-	-	-	-
Camas	14	-	-	-	-	-	-
Canyon	3,483	39	11.2	12	3.4	34	9.8
Caribou	98	2	20.4	-	-	-	-
Cassia	383	4	10.4	4	10.4	5	13.1
Clark	19	-	-	-	-	-	-
Clearwater	78	-	-	-	-	-	-
Custer	45	-	-	1	22.2	1	22.2
Elmore	563	4	7.1	2	3.6	5	8.9
Franklin	210	-	-	2	9.5	2	9.5
Fremont	225	1	4.4	2	8.9	2	8.9
Gem	254	-	-	1	3.9	1	3.9
Gooding	232	1	4.3	1	4.3	2	8.6
Idaho	147	-	-	2	13.6	2	13.6
Jefferson	484	1	2.1	4	8.3	5	10.3
Jerome	394	1	2.5	2	5.1	2	5.1
Kootenai	1,715	7	4.1	6	3.5	10	5.8
Latah	409	-	-	-	-	-	-
Lemhi	76	-	-	-	-	-	-
Lewis	30	-	-	-	-	-	-
Lincoln	90	-	-	1	11.1	1	11.1
Madison	999	5	5.0	3	3.0	5	5.0
Minidoka	332	2	6.0	4	12.0	5	15.1
Nez Perce	459	7	15.3	3	6.5	10	21.8
Oneida	49	-	-	-	-	-	-
Owyhee	179	2	11.2	1	5.6	2	11.2
Payette	328	2	6.1	3	9.1	4	12.2
Power	126	-	-	-	-	-	-
Shoshone	133	1	7.5	-	-	-	-
Teton	146	-	-	2	13.7	2	13.7
Twin Falls	1,194	10	8.4	3	2.5	8	6.7
Valley	98	-	-	-	-	-	-
Washington	142	1	7.0	-	-	1	7.0

Infant death rate: Number of infant deaths under one year of age per 1,000 live births.

Stillbirth ratio: Number of spontaneous fetal deaths of at least 20 weeks gestation or a weight of 350 grams per 1,000 live births.

Perinatal ratio: Number of stillbirths plus infant deaths within the first 6 days of life per 1,000 live births.

NA: not available.

IDAHO BIRTHS
Number and Rate per 1,000 Population
1920-2006

IDAHO BIRTHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1920	10,227	25.2	1949	15,802	NA	1978	19,355	21.9
1921	10,885	NA	1950	15,666	26.6	1979	19,919	22.0
1922	10,500	NA	1951	16,182	26.6	1980	20,140	21.3
1923	10,047	NA	1952	16,402	26.4	1981	19,488	20.3
1924	9,872	NA	1953	16,499	26.0	1982	19,581	20.4
1925	9,070	NA	1954	16,747	25.9	1983	18,742	19.0
1926	10,128	NA	1955	16,705	25.4	1984	17,996	18.0
1927	9,777	NA	1956	16,428	24.5	1985	17,539	17.5
1928	9,099	NA	1957	16,500	23.9	1986	16,424	16.6
1929	9,925	NA	1958	16,732	24.1	1987	15,926	16.2
1930	9,711	21.8	1959	17,009	25.7	1988	15,732	16.0
1931	9,908	NA	1960	17,016	25.5	1989	15,865	16.0
1932	8,887	NA	1961	16,701	24.7	1990	16,442	16.2
1933	8,448	NA	1962	16,303	23.7	1991	16,789	16.2
1934	9,594	NA	1963	14,734	21.0	1992	17,319	16.2
1935	9,763	NA	1964	14,080	20.5	1993	17,412	15.8
1936	10,367	NA	1965	13,370	19.3	1994	17,541	15.4
1937	10,631	NA	1966	12,978	18.7	1995	18,003	15.5
1938	11,376	NA	1967	12,762	18.3	1996	18,564	15.6
1939	11,307	NA	1968	13,101	18.6	1997	18,537	15.3
1940	11,761	22.4	1969	13,468	18.9	1998	19,350	15.7
1941	11,970	NA	1970	14,540	20.4	1999	19,870	15.9
1942	11,537	NA	1971	14,387	19.5	2000	20,305	15.7
1943	12,675	NA	1972	14,250	18.9	2001	20,686	15.7
1944	12,432	NA	1973	14,507	18.7	2002	20,973	15.6
1945	11,811	NA	1974	15,570	19.5	2003	21,794	16.0
1946	13,495	NA	1975	16,242	20.0	2004	22,529	16.2
1947	15,940	NA	1976	17,322	20.8	2005	23,064	16.1
1948	15,720	NA	1977	18,813	22.0	2006	24,185	16.5

NA: Birth rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.

Births from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Births from 1964 to 2006 are numbers occurring to residents of Idaho, regardless of state of occurrence.

Birth rate: number of births per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2006 not including the Census years, are based on number of births and postcensal population estimates provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO RESIDENT TEEN PREGNANCIES¹
Number of Pregnancies and Rates² by Age
1997-2006

YEAR	IDAHO RESIDENT PREGNANCIES BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1997	52	1.1	2,750	50.8	916	28.6	1,834	83.0
1998	41	0.9	2,845	51.8	928	29.0	1,917	83.6
1999	38	0.8	2,805	51.2	926	29.3	1,879	80.8
2000	28	0.5	2,697	49.3	801	25.1	1,896	83.1
2001	31	0.6	2,586	48.1	736	23.2	1,850	83.8
2002	26	0.5	2,411	45.3	714	22.6	1,697	78.3
2003	31	0.6	2,421	45.8	653	20.9	1,768	81.6
2004	20	0.4	2,396	45.2	655	20.9	1,741	80.2
2005	28	0.6	2,387	44.7	659	20.8	1,728	79.7
2006	31	0.6	2,543	46.5	762	22.9	1,781	83.3

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).
2. Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. In 2003, Idaho received additional abortion records from Montana for Idaho resident induced abortions occurring in Montana. In 2006, Idaho received additional stillbirth records from Utah and Washington for Idaho resident stillbirths occurring in these states. Data bases from 1997-2004 have been revised to include these records in pregnancy numbers and shown on this table. Data may differ from previous publications due to updates in the data base, revisions in population estimates, and standardization of file cutoff dates.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number of Births and Rates¹ by Age
1997-2006

YEAR	IDAHO RESIDENT LIVE BIRTHS BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1997	36	0.7	2,332	43.1	746	23.3	1,586	71.8
1998	28	0.6	2,450	44.6	784	24.5	1,666	72.6
1999	31	0.6	2,396	43.7	794	25.2	1,602	68.9
2000	16	0.3	2,339	42.7	669	21.0	1,670	73.2
2001	21	0.4	2,208	41.0	604	19.0	1,604	72.7
2002	16	0.3	2,078	39.0	582	18.4	1,496	69.0
2003	19	0.4	2,076	39.3	545	17.5	1,531	70.7
2004	14	0.3	2,058	38.8	525	16.8	1,533	70.6
2005	19	0.4	2,019	37.8	532	16.8	1,487	68.6
2006	18	0.3	2,148	39.3	597	17.9	1,551	72.5

1. Live birth rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

IDAHO DEATHS
Number and Rate per 1,000 Population
1920-2006

IDAHO DEATHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1920	3,319	7.7	1949	4,577	NA	1978	6,487	7.4
1921	3,638	NA	1950	4,698	8.0	1979	6,386	7.1
1922	3,729	NA	1951	4,891	8.0	1980	6,753	7.2
1923	3,406	NA	1952	4,722	7.6	1981	6,902	7.2
1924	3,791	NA	1953	4,902	7.7	1982	6,924	7.1
1925	3,488	NA	1954	4,773	7.3	1983	7,204	7.3
1926	3,910	NA	1955	4,836	7.3	1984	7,229	7.2
1927	3,781	NA	1956	4,931	7.3	1985	7,105	7.1
1928	3,931	NA	1957	5,095	7.4	1986	7,345	7.4
1929	4,640	NA	1958	5,092	7.3	1987	7,305	7.4
1930	4,246	9.5	1959	5,295	7.9	1988	7,654	7.8
1931	4,117	NA	1960	5,252	7.9	1989	7,386	7.4
1932	3,920	NA	1961	5,357	7.9	1990	7,386	7.3
1933	4,106	NA	1962	5,362	7.8	1991	7,678	7.4
1934	4,502	NA	1963	5,619	8.0	1992	7,870	7.4
1935	4,604	NA	1964	5,833	8.4	1993	8,360	7.6
1936	5,003	NA	1965	5,939	8.6	1994	8,394	7.4
1937	4,852	NA	1966	5,939	8.6	1995	8,491	7.3
1938	4,566	NA	1967	5,898	8.4	1996	8,706	7.3
1939	4,796	NA	1968	6,000	8.5	1997	8,952	7.4
1940	4,897	9.3	1969	6,119	8.6	1998	9,141	7.4
1941	4,466	NA	1970	6,146	8.6	1999	9,508	7.6
1942	4,627	NA	1971	6,336	8.6	2000	9,535	7.4
1943	4,712	NA	1972	6,283	8.3	2001	9,751	7.4
1944	4,650	NA	1973	6,465	8.3	2002	9,909	7.4
1945	4,615	NA	1974	6,452	8.1	2003	10,364	7.6
1946	4,540	NA	1975	6,505	8.0	2004	10,013	7.2
1947	4,666	NA	1976	6,635	8.0	2005	10,513	7.4
1948	4,782	NA	1977	6,448	7.5	2006	10,556	7.2

NA: Death rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.

Deaths from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Deaths from 1964 to 2006 are numbers occurring to residents of Idaho, regardless of state of occurrence.

Death rate: number of deaths per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2006 not including the Census years, are based on number of deaths and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO
Number and Rate per 1,000 Population
1951-2006

MARRIAGES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1951	7,849	13.2	1979	13,429	14.8
1952	8,120	13.4	1980	13,428	14.2
1953	8,486	13.9	1981	14,175	14.7
1954	8,915	14.4	1982	14,066	14.4
1955	8,879	14.1	1983	13,421	13.6
1956	9,132	14.4	1984	13,264	13.3
1957	8,995	14.0	1985	12,277	12.2
1958	9,522	14.6	1986	11,957	11.9
1959	9,343	14.2	1987	11,428	11.5
1960	10,325	15.5	1988	12,165	12.3
1961	11,151	16.5	1989	13,193	13.3
1962	11,934	17.4	1990	14,064	13.9
1963	12,680	18.1	1991	14,352	13.8
1964	14,019	20.4	1992	14,458	13.6
1965	15,864	22.9	1993	14,836	13.5
1966	17,129	24.6	1994	14,895	13.1
1967	14,108	20.1	1995	15,106	13.0
1968	11,130	16.0	1996	15,027	12.7
1969	10,993	15.5	1997	15,114	12.5
1970	10,915	15.3	1998	15,266	12.4
1971	11,356	15.4	1999	15,489	12.4
1972	12,086	16.0	2000	15,057	11.6
1973	12,236	15.8	2001	14,820	11.2
1974	12,489	15.7	2002	14,683	10.9
1975	12,688	15.6	2003	14,867	10.9
1976	13,104	15.8	2004	14,997	10.8
1977	13,691	16.0	2005	14,933	10.4
1978	13,570	15.4	2006	14,855	10.1

DIVORCES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1951	2,569	4.3	1979	6,449	7.1
1952	2,586	4.3	1980	6,596	7.0
1953	2,584	4.2	1981	6,770	7.0
1954	2,523	4.1	1982	6,238	6.4
1955	2,414	3.8	1983	6,228	6.3
1956	2,214	3.5	1984	6,210	6.3
1957	2,360	3.7	1985	6,207	6.2
1958	2,372	3.6	1986	6,067	6.1
1959	2,652	4.0	1987	5,892	6.0
1960	2,515	3.8	1988	5,987	6.1
1961	2,685	4.0	1989	6,275	6.3
1962	2,547	3.7	1990	6,446	6.4
1963	2,798	4.0	1991	6,619	6.4
1964	2,876	4.1	1992	6,857	6.4
1965	2,874	4.2	1993	6,899	6.3
1966	3,062	4.4	1994	6,799	6.0
1967	3,183	4.6	1995	6,749	5.8
1968	3,278	4.7	1996	6,985	5.9
1969	3,506	5.0	1997	7,035	5.8
1970	3,612	5.1	1998	6,980	5.7
1971	3,664	5.0	1999	6,947	5.6
1972	3,847	5.1	2000	7,110	5.5
1973	4,341	5.6	2001	7,025	5.3
1974	4,808	6.0	2002	7,087	5.3
1975	5,203	6.4	2003	7,080	5.2
1976	5,699	6.8	2004	6,921	5.0
1977	6,013	7.0	2005	7,118	5.0
1978	6,356	7.2	2006	7,392	5.0

Note: Husband's and/or wife's residency may have been in Idaho or out of state.

Marriage rate: number of marriages occurring in Idaho per 1,000 population in Idaho in corresponding year.


Divorce rate: number of divorces occurring in Idaho per 1,000 population in Idaho in corresponding year.

Source for population: 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2006, not including the Census years, are based on number of marriages or divorces and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO VITAL EVENTS

Among Idaho Residents, each day in 2006, there were approximately:



* Marriage and divorce data are based on events occurring in Idaho; all other data reflect events occurring to Idaho residents.

NATALITY

U.S.

The U.S. recorded an estimated 4,265,996 live births in 2006 (preliminary)¹, a 3 percent increase from the 4,138,349 live births reported in 2005². The preliminary 2006 birth rate was 14.2 per 1,000 population¹, a slight increase from 2005². The preliminary 2006 fertility rate (the number of births per 1,000 women aged 15-44) increased 3 percent, from 66.7 in 2005² to 68.5 in 2006¹.

Idaho

Following decades of consistently higher birth and fertility rates, Idaho's birth rates fell considerably in the 1980s to converge with the U.S. rate in 1988 for the first time. After 3 years below the U.S. rate, Idaho's birth rate rose above the U.S. birth rate again from 1992 through 2006. In 2006, the birth rate for Idaho was 16.5, a 2 percent increase from 16.1 in 2005. The estimated fertility rate increased 5 percent, from 77.4 in 2005 to 80.9 in 2006. The actual number of births rose 5 percent from 23,064 to 24,185. This is the highest number of resident births recorded for the state, but much of the increase is a result of population growth.

Idaho resident 2006 live birth rates ranged from a low of 11.1 per 1,000 population in District 2 to a high of 21.4 per 1,000 in District 7. Five districts experienced higher birth rates in 2006: District 1 (12.3), District 3 (18.7), District 4 (15.9), District 5 (17.0), and District 7 (21.4). District 2 and District 6 recorded lower rates in 2006 than 2005.

Revised Idaho Birth Certificate

In 2004, Idaho implemented the latest revision of the U.S. certificate called the 2003 U.S. Standard Certificate of Live Birth. As a result, data collected in 2006 may not be comparable with data collected prior to 2004. Furthermore, not all states revised their certificates by 2006; therefore, not all data items are collected by other states. Data highlights below will reflect changes in the collection of data on the birth certificate. For more information, see Technical Notes on the Revision of the Certificate of Live Birth.

Race and Ethnicity of Mother

The collection of race and ethnicity was revised on the 2004 Idaho Birth Certificate. Beginning in 2004, one or more race and one or more Hispanic origin may be reported. However, not all states collected data for more than one race and ethnicity. To be comparable with the U.S. and other states, Idaho data were collapsed into six race categories: white, black, American Indian, Asian and Pacific Islander, other race, or race not stated. Ethnicity data were collapsed into Hispanic, non-Hispanic, or ethnicity not stated. The method race data are categorized also changed in 2004, therefore race data in 2006 are not comparable with race data prior to 2004. In 2006, 91.8 percent of Idaho mothers were white, 0.5 percent were black, 1.6 percent were American Indian, 1.4 percent were Asian or Pacific Islander and 4.7 percent reported other race. A total of 15.7 percent of mothers were of Hispanic origin and 84.3 percent were non-Hispanic. Race and Hispanic origin are reported separately on the certificate. Mothers of Hispanic origin may be of any race.

Birth Attendant and Place of Birth

In 2006, physicians attended 94 percent of births to Idaho residents, which was a slight decrease from 95 percent in 2005. The number of births attended by certified nurse midwives increased from 682 to 806 and the number of births attended by lay midwives increased from 406 to 489 from 2005 to 2006. Approximately 3 percent (668) of Idaho's 2006 resident births occurred in a non-hospital setting. The percent of resident births in non-hospital settings has steadily decreased over the last decade, from 4 percent in 1994. Most of the out-of-hospital births occurred at home (361) or in freestanding birthing centers (304).

Age of Mother

The mean age of all Idaho mothers was 26.5 years in 2006. For first-time mothers, the mean age was 23.7 years in 2006 compared with 25.2 years for first-time mothers in the U.S. in 2005². The ages for first-time mothers ranged from 13 to 47 in Idaho in 2006. The majority of births, 62.8 percent, were to mothers aged 20 to 29 in 2006. Mothers aged less than 20 accounted for 9.0 percent of all live births.

Education of mother

In 2004, education data collected on the birth certificate were revised to report the highest degree or level of school completed at the time of delivery. Prior to 2004, the number of years of school completed was reported on the Idaho birth certificate. In 2006, 15.9 percent of mothers were not high school graduates and 84.1 percent of mothers were high school graduates, had their GED or attained a higher level of education at the time of delivery. Of the Idaho mothers aged less than 18 years, 87.8 percent had not yet received their high school diploma. Nearly forty percent (37.9 percent) of mothers aged 18 and 19 had not received their diploma, and 12.4 percent of mothers aged 20 and older had not received their diploma at the time of delivery.

Prenatal Care

The collection of prenatal care data changed dramatically with the revision of the Idaho birth certificate in 2004. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit, the length of gestation, and the date of birth. Prior to 2004, prenatal care on the certificate was based on the month prenatal care began (first, second, third, etc. month of pregnancy). In 2006, 71.7 percent of births were to mothers with a first visit in the first trimester. A total of 22.3 percent of births were to mothers with their first visit in the second trimester, and 5.0 percent of births were to mothers with their first visit in the third trimester. One percent of births were to mothers with no prenatal care visits. Idaho prenatal care data based on date of first visit in 2006 are not comparable with prenatal care data based on month prenatal care began.

Low Birth Weight and Preterm Births

Nationally, 8.3 percent of births were low birthweight (< 2,500 grams) in 2006 (preliminary)¹. Among Idaho residents, the percent of low birth weight live births increased 3 percent from 6.7 percent in 2005 to 6.9 percent in 2006. Preliminary 2006 U.S. data indicate 12.8 percent of live births were preterm (less than 37 completed weeks of gestation)¹. The percent of preterm infants was 11.5 percent in Idaho in 2006 up from 11.4 percent in 2005. There is a correlation between low birth weight babies and preterm births; of the 1,676 low birth weight Idaho babies in 2006, 66.2 percent were born preterm. There has been an upward trend in low birth weight and preterm births in recent years which has been influenced in part by the upsurge in the multiple births. In 2006, there were 715 twins and 35 triplets or higher-order births. The percent of low birth weight infants was 5.2 for singletons, 60.1 for twins, and 97.1 percent for triplets or higher-order births in 2006. The Idaho preterm rate was 9.8 percent for singletons, 63.2 percent for twins, and 91.4 percent for triplets or higher-order births in 2006.

The highest percentage of low birth weight infants were to District 4 mothers (7.6 percent) and District 3 and District 6 mothers (7.1 percent). The highest percentage of preterm births were to District 4 and District 3 mothers (12.9 and 12.6, respectively).

Out of Wedlock

The number of out-of-wedlock births increased 11 percent from 5,273 in 2005 to 5,866 in 2006. The percent of out-of-wedlock Idaho births increased 6 percent, from 22.9 percent in 2005 to 24.3 in 2006. Nationally in 2006 (preliminary), 38.5 percent of all births were to unmarried women¹.

Method of Delivery

In 2006, Idaho resident birth rate for vaginal, non-VBAC (vaginal deliveries after a cesarean) births was 75.5 deliveries per 100 births compared with 69.7 per 100 births in the U.S. (2005)². Conversely, Idaho's total cesarean rate (22.8 deliveries per 100 births) in 2006 was lower than the national rate of 30.3 per 100 births in 2005². Rates for VBACs and repeat cesareans are based on mothers with a previous cesarean. Idaho's VBAC rate was 16.8 deliveries per 100 births to women with previous cesarean, higher than the national rate of 10.1 in 2005². The repeat cesarean rate for Idaho was 83.2 per 100 births to women with a previous cesarean; the national rate was 89.9². The wording for the method of delivery item changed for states with revised certificates and data are not 100 percent comparable to data based on non-revised items. U.S. data shown are based on revised areas for VBAC, primary, and repeat rates, and based on all areas for vaginal and total cesarean.

Payment Source for Delivery

In 2006, 52.0 percent of deliveries were paid by private insurance in Idaho. According to birth certificate data, 32.8 percent of births were paid by Medicaid and 10.8 of births were paid by the mother or family. A total of 3.3 percent of births were paid by other governmental agencies (Indian Health Services, CHAMPUS/TRICARE, federal, state, or local government). A total of 1.0 of births had "other" payment source or did not have any payment source reported for the delivery. The payment source for delivery may change after the birth certificate is filed with the state.

Cigarette Smoking

Prior to 2004, tobacco use during pregnancy (yes or no) was reported on the Idaho birth certificate. Beginning in 2004, cigarette smoking before and during pregnancy is reported on the revised birth certificate. Among birth certificates with reported data on cigarette smoking, 16.9 percent of mothers reported smoking the three months prior to pregnancy; 12.3 percent reported smoking during the first three months of pregnancy; 10.0 percent reported smoking during the second three months of pregnancy; and 9.4 percent reported smoking during the third three months of pregnancy. Overall, 12.7 percent of Idaho mothers reported smoking any time during pregnancy.

Risk Factors

The section on maternal risk factors was revised on the 2004 birth certificate. A total of 5,562 births (23.0 percent) were to Idaho mothers with at least one risk factor during pregnancy. The most common risk factor to mothers was previous cesarean delivery (2,453) followed by hypertension (1,536 total, 186 with prepregnancy hypertension and 1,350 with gestational hypertension), and diabetes (1,013 total, 137 with prepregnancy diabetes, 864 with gestational diabetes, and 12 with unknown if prepregnancy or gestational diabetes).

Infections

There are 12 infections listed on the revised Idaho birth certificate plus a category for "other" infections present and/or treated during this pregnancy. The most common infection reported among Idaho mothers was group B streptococcus. A total of 4,200 (17.4 percent) births were to mothers with group B streptococcus. In all, 5,171 (21.4 percent) births were to mothers with at least one infection present and/or treated during pregnancy in 2006.

Maternal Morbidity

Maternal morbidity is defined on the Idaho birth certificate as complications associated with labor and delivery. 1.7 percent of Idaho births (402) were to mothers with one or more complications of labor and delivery reported on the birth certificate in 2006. The leading complications reported were: third or fourth degree perineal laceration (277 births), maternal transfusion (64 births), and unplanned operating room procedure following delivery (58 births).

Characteristics of Labor and Delivery

The most common characteristics of labor and delivery reported in 2006 were: epidural or spinal anesthesia during labor (16,139 births), induction of labor (6,727 births), augmentation of labor (5,212 births), and antibiotics received by mother during pregnancy (4,627).

Abnormal Conditions of the Newborn

One in eight newborns had at least one abnormal condition reported on the 2006 birth certificate (3,099 or 12.8 percent). The most common abnormal condition reported was Neonatal Intensive Care Unit (NICU) admission (1,896), followed by failed newborn hearing test (876), and assisted ventilation required immediately following delivery (750).

Congenital Anomalies of the Newborn

A total of 146 newborns had one or more congenital anomaly(ies) reported on the 2006 birth certificate. Cyanotic congenital heart disease was reported for 22 births, 21 births reported other suspected chromosomal disorders with karyotype pending (7 had confirmed karyotype disorders), cleft lip with or without cleft palate was reported for 20 births (8 had cleft palate alone).

WIC (Supplemental Nutritional Program for Women, Infants, and Children)

The revised 2004 Idaho birth certificate includes a new variable for reporting if mother received WIC food for herself during this pregnancy (yes or no)? A total of 23,349 birth records had data for WIC participation; 836 records did not have data regarding WIC participation. Among Idaho residents with known data for WIC participation, 35.9 percent of mothers received WIC food for herself during her pregnancy. Mothers aged less than 20 were twice as likely to receive WIC food (65.8 percent) than mothers aged 20 and older (33.0 percent). Unmarried mothers were twice as likely to receive WIC food (58.8 percent) than married mothers (28.7 percent).

Breastfeeding

The revised 2004 birth certificate includes a new item for reporting if infant was being breastfed at birth. Of the Idaho resident records with known data for breast feeding, 88.4 percent indicated the infant was being breastfed at birth. Mothers aged less than 20 were slightly less likely to have breastfed at the time of birth (83.6 percent) than mothers aged 20 and older (88.9 percent). Fewer unmarried mothers breastfed at birth (81.2 percent) than married mothers (90.7 percent).


Teen Pregnancy

Reportable pregnancies include live births, abortions, and stillbirths. Miscarriages under 20 weeks are not reportable in Idaho. In 2006, there were 2,574 reportable pregnancies among Idaho females under the age of 20 (2,166 live births, 392 abortions, and 16 stillbirths). During the past decade there has been a steady decline in the annual teen pregnancy numbers and rate among Idahoans. From 1997 to 2006, the pregnancy rate for females aged less than 15 declined 45.5 percent from 1.1 per 1,000 to 0.6 per 1,000. The pregnancy rate for teens aged 15-17 years declined 19.9 percent from 28.6 per 1,000 in 1997 to 22.9 per 1,000 in 2006. At the same time, the pregnancy rate for females aged 18-19 increased slightly from 83.0 per 1,000 to 83.3 per 1,000.


1. "Births: Preliminary Data for 2006," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 56, No. 7, December 5, 2007.

2. "Births: Final Data for 2005," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 56, No. 6, December 7, 2007.

IDAHO RESIDENT LIVE BIRTHS 1996-2006



U.S., IDAHO RESIDENT LIVE BIRTH RATES 1996-2006



*U.S. rate for 2006 is preliminary.

IDAHO RESIDENT LIVE BIRTHS
Number of Live Births and Live Birth Rates
2002-2006

RESIDENCE	2006		2005		2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	14.2 (Preliminary)		14.0		14.0		14.1		13.9	
IDAHO	24,185	16.5	23,064	16.1	22,529	16.2	21,794	16.0	20,973	15.6
District 1	2,531	12.3	2,284	11.3	2,367	12.2	2,266	12.0	2,226	12.1
District 2	1,123	11.1	1,136	11.3	1,130	11.2	1,102	11.0	1,189	11.9
District 3	4,430	18.7	4,092	18.0	4,051	18.4	3,814	17.9	3,715	18.1
District 4	6,422	15.9	6,073	15.6	5,859	15.6	5,824	15.8	5,563	15.3
District 5	2,955	17.0	2,861	16.8	2,855	16.9	2,727	16.3	2,550	15.4
District 6	2,834	17.4	3,004	18.5	2,828	17.8	2,852	18.0	2,789	17.6
District 7	3,890	21.4	3,614	20.4	3,439	19.8	3,209	19.0	2,941	17.9
Ada	5,700	15.9	5,415	15.7	5,209	15.7	5,108	15.7	4,939	15.4
Adams	44	12.6	29	8.1	27	7.8	32	9.1	20	5.8
Bannock	1,448	18.5	1,536	19.7	1,407	18.6	1,465	19.4	1,427	18.8
Bear Lake	70	11.4	84	13.6	85	13.4	77	12.2	92	14.5
Benewah	126	13.5	119	12.9	111	12.4	116	12.8	111	12.3
Bingham	789	17.9	835	19.1	790	18.3	765	17.8	745	17.5
Blaine	316	14.7	304	14.4	267	12.7	266	12.8	286	14.0
Boise	61	8.0	44	5.8	55	7.5	74	10.2	51	7.2
Bonner	409	9.9	406	9.9	388	9.7	369	9.4	395	10.3
Bonneville	1,896	20.0	1,799	19.6	1,674	18.7	1,671	19.2	1,562	18.3
Boundary	148	13.7	130	12.2	117	11.3	135	13.3	133	13.2
Butte	44	15.8	38	13.5	36	12.7	41	14.3	40	13.8
Camas	14	12.9	17	16.2	13	12.8	13	12.4	8	7.7
Canyon	3,483	20.1	3,222	19.6	3,202	20.3	2,956	19.5	2,901	20.0
Caribou	98	14.0	103	14.4	92	12.8	113	15.8	99	13.5
Cassia	383	17.9	395	18.5	423	19.8	386	17.9	377	17.4
Clark	19	20.7	27	28.6	15	16.6	19	21.0	12	12.0
Clearwater	78	9.4	64	7.6	55	6.6	77	9.2	67	7.9
Custer	45	10.8	37	9.1	32	7.8	30	7.3	26	6.2
Elmore	563	20.0	527	18.4	517	17.9	560	19.4	502	17.0
Franklin	210	16.8	216	17.5	240	19.7	200	16.8	229	19.6
Fremont	225	18.2	223	18.2	235	19.2	225	18.6	206	17.4
Gem	254	15.3	235	14.4	188	11.8	208	13.2	185	11.9
Gooding	232	16.1	239	16.5	256	17.8	259	18.1	234	16.4
Idaho	147	9.3	146	9.3	166	10.6	139	9.0	168	11.0
Jefferson	484	21.7	430	19.9	446	21.5	378	18.7	342	17.3
Jerome	394	19.6	380	19.4	365	18.9	331	17.5	320	17.1
Kootenai	1,715	13.0	1,513	11.9	1,635	13.4	1,517	12.9	1,471	12.9
Latah	409	11.7	428	12.3	391	11.1	397	11.3	452	12.8
Lemhi	76	9.6	81	10.2	71	9.1	78	10.1	62	8.1
Lewis	30	8.0	47	12.5	47	12.5	43	11.5	41	11.0
Lincoln	90	19.9	87	19.1	73	16.9	72	16.7	66	15.7
Madison	999	31.8	881	28.4	823	26.7	666	22.3	595	21.5
Minidoka	332	17.4	318	16.7	333	17.3	343	17.7	301	15.5
Nez Perce	459	12.0	451	11.9	471	12.5	446	11.8	461	12.4
Oneida	49	11.7	67	15.9	51	12.3	58	14.0	45	10.9
Owyhee	179	16.1	160	14.4	190	17.3	175	15.6	177	16.3
Payette	328	14.5	315	14.2	313	14.5	324	15.1	297	14.1
Power	126	15.9	125	16.1	127	17.0	133	18.0	112	15.2
Shoshone	133	10.1	116	8.8	116	9.0	129	9.9	116	8.9
Teton	146	18.6	136	18.2	143	19.7	142	20.1	136	19.8
Twin Falls	1,194	16.7	1,121	16.1	1,125	16.6	1,057	15.8	958	14.6
Valley	98	11.1	87	10.4	78	9.8	82	10.6	71	9.4
Washington	142	13.9	131	13.0	131	13.0	119	11.9	135	13.6

Birth rate: Number of live births per 1,000 population.

IDAHO RESIDENT LIVE BIRTHS
Sex of Child and Race/Ethnicity of Mother¹
2006

RESIDENCE	TOTAL LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER						MOTHER HISPANIC ²
		Male	Female	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated	
IDAHO	24,185*	12,400	11,785	22,047	131	376	339	1,119	164	3,786
District 1	2,531*	1,299	1,232	2,441	2	41	13	10	18	102
District 2	1,123*	586	537	1,028	3	64	8	14	5	33
District 3	4,430*	2,258	2,172	3,957	16	35	44	313	63	1,374
District 4	6,422	3,274	3,148	5,838	90	48	191	228	27	623
District 5	2,955	1,511	1,444	2,651	7	30	9	245	13	882
District 6	2,834	1,396	1,438	2,500	7	141	35	126	25	338
District 7	3,890	2,076	1,814	3,632	6	17	39	183	13	434
Ada	5,700	2,895	2,805	5,235	71	33	175	168	18	516
Adams	44*	20	24	42	-	1	-	-	-	3
Bannock	1,448	701	747	1,323	7	69	30	17	2	104
Bear Lake	70	28	42	69	-	-	-	1	-	1
Benewah	126*	72	54	110	-	13	-	-	1	5
Bingham	789	404	385	631	-	67	4	67	20	145
Blaine	316	159	157	220	1	2	-	89	4	115
Boise	61	33	28	58	-	1	-	1	1	2
Bonner	409*	211	198	396	-	3	2	1	6	9
Bonneville	1,896	1,021	875	1,806	2	12	13	51	12	250
Boundary	148	65	83	141	-	3	-	4	-	7
Butte	44	24	20	42	-	-	-	2	-	4
Camas	14	6	8	13	1	-	-	-	-	1
Canyon	3,483*	1,771	1,712	3,087	13	30	35	261	56	1,139
Caribou	98	50	48	94	-	1	-	2	1	6
Cassia	383	201	182	337	2	4	-	35	5	125
Clark	19	7	12	8	-	-	-	10	1	13
Clearwater	78	37	41	76	-	1	-	1	-	2
Custer	45	21	24	42	-	1	-	2	-	2
Elmore	563	293	270	448	19	14	16	58	8	99
Franklin	210	101	109	200	-	-	1	7	2	19
Fremont	225	130	95	189	-	-	1	35	-	37
Gem	254	140	114	223	1	-	5	25	-	41
Gooding	232	119	113	210	1	2	-	19	-	88
Idaho	147	82	65	136	1	8	1	1	-	5
Jefferson	484	250	234	445	1	2	-	36	-	60
Jerome	394	207	187	352	-	4	2	35	1	167
Kootenai	1,715*	882	833	1,662	2	22	11	5	10	77
Latah	409*	201	208	391	1	1	7	4	4	11
Lemhi	76	36	40	74	-	-	2	-	-	1
Lewis	30	12	18	28	-	1	-	1	-	3
Lincoln	90	43	47	73	-	-	-	16	1	25
Madison	999	539	460	931	3	2	23	40	-	50
Minidoka	332	177	155	284	1	8	1	36	2	151
Nez Perce	459	254	205	397	1	53	-	7	1	12
Oneida	49	25	24	49	-	-	-	-	-	2
Owyhee	179	96	83	158	-	2	-	14	5	80
Payette	328	162	166	316	2	1	4	4	1	79
Power	126	63	63	92	-	4	-	30	-	57
Shoshone	133	69	64	132	-	-	-	-	1	4
Teton	146	72	74	137	-	-	-	9	-	21
Twin Falls	1,194	599	595	1,162	1	10	6	15	-	210
Valley	98	53	45	97	-	-	-	1	-	6
Washington	142	69	73	131	-	1	-	9	1	32

1. Beginning in 2004, multiple races and Hispanic origins may be reported on the Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes nine (9) births with multiple races; one each in Adams (District 3), Bonner (District 1), Canyon (District 1), and Latah (District 2) counties; two in Benewah County (District 1); and three in Kootenai County (District 1); for more information, see Technical Notes.

2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LIVE BIRTHS
Age of Mother
2006

RESIDENCE	TOTAL LIVE BIRTHS	AGE OF MOTHER										
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+	Not Stated
			Total	15-17	18-19							
IDAHO	24,185	18	2,148	597	1,551	7,511	7,667	4,531	1,935	347	20	8
District 1	2,531	1	227	56	171	774	776	469	234	45	5	-
District 2	1,123	1	103	28	75	350	381	174	92	19	1	2
District 3	4,430	8	550	175	375	1,391	1,384	761	285	47	2	2
District 4	6,422	4	429	100	329	1,621	2,065	1,497	683	115	7	1
District 5	2,955	3	337	89	248	988	865	491	223	45	2	1
District 6	2,834	-	237	68	169	941	955	496	177	25	1	2
District 7	3,890	1	265	81	184	1,446	1,241	643	241	51	2	-
Ada	5,700	3	351	74	277	1,341	1,872	1,392	630	105	5	1
Adams	44	-	6	1	5	14	13	7	3	1	-	-
Bannock	1,448	-	116	34	82	529	481	221	87	13	-	1
Bear Lake	70	-	5	-	5	25	22	13	3	2	-	-
Benewah	126	-	18	6	12	51	29	21	7	-	-	-
Bingham	789	-	77	24	53	236	253	161	54	7	1	-
Blaine	316	-	34	10	24	71	68	80	50	12	1	-
Boise	61	-	4	-	4	22	10	12	11	1	1	-
Bonner	409	1	41	9	32	111	114	82	51	7	2	-
Bonneville	1,896	1	154	47	107	586	652	342	133	27	1	-
Boundary	148	-	12	2	10	42	43	32	14	5	-	-
Butte	44	-	3	-	3	14	15	9	3	-	-	-
Camas	14	-	2	1	1	3	3	4	2	-	-	-
Canyon	3,483	6	440	145	295	1,074	1,081	619	224	36	1	2
Caribou	98	-	2	-	2	23	47	19	7	-	-	-
Cassia	383	1	37	7	30	139	109	59	28	10	-	-
Clark	19	-	4	4	-	6	3	4	2	-	-	-
Clearwater	78	-	10	2	8	23	23	13	7	2	-	-
Custer	45	-	4	-	4	14	13	6	6	2	-	-
Elmore	563	1	66	25	41	225	156	74	34	7	-	-
Franklin	210	-	12	4	8	58	80	45	13	1	-	1
Fremont	225	-	20	8	12	87	73	30	14	1	-	-
Gem	254	-	26	7	19	87	91	32	16	2	-	-
Gooding	232	-	25	6	19	78	75	34	16	4	-	-
Idaho	147	-	18	5	13	44	42	25	14	4	-	-
Jefferson	484	-	33	8	25	144	176	95	30	6	-	-
Jerome	394	1	58	17	41	135	118	48	29	5	-	-
Kootenai	1,715	-	139	34	105	520	546	321	154	32	3	-
Latah	409	-	15	6	9	127	159	65	36	5	1	1
Lemhi	76	-	3	1	2	28	26	12	4	2	1	-
Lewis	30	-	3	-	3	11	9	5	1	1	-	-
Lincoln	90	-	8	2	6	33	27	15	7	-	-	-
Madison	999	-	40	10	30	549	254	114	34	8	-	-
Minidoka	332	-	46	19	27	126	86	55	18	1	-	-
Nez Perce	459	1	57	15	42	145	148	66	34	7	-	1
Oneida	49	-	3	-	3	19	15	10	2	-	-	-
Owyhee	179	1	21	6	15	54	61	23	18	1	-	-
Payette	328	1	38	11	27	114	99	55	16	4	1	-
Power	126	-	19	6	13	37	42	18	8	2	-	-
Shoshone	133	-	17	5	12	50	44	13	8	1	-	-
Teton	146	-	7	3	4	32	44	40	18	5	-	-
Twin Falls	1,194	1	127	27	100	403	379	196	73	13	1	1
Valley	98	-	8	1	7	33	27	19	8	2	1	-
Washington	142	-	19	5	14	48	39	25	8	3	-	-

IDAHO RESIDENT LIVE BIRTHS
Education of Mother*
2006

RESIDENCE	TOTAL LIVE BIRTHS	HIGHEST DEGREE OR LEVEL OF SCHOOL COMPLETED						
		8th Grade or Less	9th-12th Grade, But No Diploma	GED or Diploma	Some College, No Degree (Includes Associates)	Bachelor's Degree	Master's, Doctorate or Professional Degree	Unknown
IDAHO	24,185	903	2,878	6,300	8,709	4,038	953	404
District 1	2,531	44	274	797	992	308	90	26
District 2	1,123	5	99	303	401	252	59	4
District 3	4,430	295	824	1,333	1,268	420	85	205
District 4	6,422	124	553	1,404	2,268	1,475	471	127
District 5	2,955	239	523	727	1,075	308	63	20
District 6	2,834	78	297	937	991	447	76	8
District 7	3,890	118	308	799	1,714	828	109	14
Ada	5,700	105	450	1,199	2,015	1,372	445	114
Adams	44	-	5	18	8	11	2	-
Bannock	1,448	13	134	474	524	252	49	2
Bear Lake	70	-	7	31	22	9	1	-
Benewah	126	2	18	55	39	9	3	-
Bingham	789	42	101	222	303	109	11	1
Blaine	316	28	50	61	87	76	14	-
Boise	61	-	4	20	16	12	7	2
Bonner	409	3	55	127	139	61	19	5
Bonneville	1,896	61	186	473	763	342	64	7
Boundary	148	23	21	46	40	12	5	1
Butte	44	-	5	17	11	11	-	-
Camas	14	-	2	2	6	3	1	-
Canyon	3,483	221	661	1,004	1,008	341	72	176
Caribou	98	-	12	33	32	18	3	-
Cassia	383	32	59	99	151	36	5	1
Clark	19	5	4	5	4	1	-	-
Clearwater	78	1	10	30	19	17	1	-
Custer	45	2	5	16	16	5	1	-
Elmore	563	17	87	157	208	69	15	10
Franklin	210	3	11	93	57	31	11	4
Fremont	225	13	25	61	88	34	4	-
Gem	254	6	41	99	80	22	2	4
Gooding	232	34	52	59	62	20	1	4
Idaho	147	1	17	62	48	16	3	-
Jefferson	484	23	23	111	233	82	11	1
Jerome	394	55	93	95	111	31	4	5
Kootenai	1,715	14	156	515	735	218	60	17
Latah	409	1	15	56	149	146	39	3
Lemhi	76	1	9	25	26	12	3	-
Lewis	30	-	1	12	16	1	-	-
Lincoln	90	5	19	29	27	9	1	-
Madison	999	8	39	84	534	314	14	6
Minidoka	332	28	65	89	119	27	2	2
Nez Perce	459	2	56	143	169	72	16	1
Oneida	49	-	5	23	13	6	1	1
Owyhee	179	26	32	46	46	5	1	23
Payette	328	33	61	110	87	31	5	1
Power	126	20	22	44	29	11	-	-
Shoshone	133	2	24	54	39	8	3	3
Teton	146	5	17	24	50	38	12	-
Twin Falls	1,194	57	183	293	512	106	35	8
Valley	98	2	12	28	29	22	4	1
Washington	142	9	24	56	39	10	3	1

* In 2004, the Idaho birth certificate was revised for the question on mother's education. Prior to 2004, the question on education was based on the number of years of school completed; beginning in 2004, education is based on the highest degree or level of school completed at time of delivery and are not comparable with data prior to 2004.

IDAHO RESIDENT LIVE BIRTHS
Attendant at Birth
2006

RESIDENCE	TOTAL LIVE BIRTHS	ATTENDANT AT BIRTH						
		Physician M.D., D.O.	Certified Nurse Midwife	Nurse	Naturopath	Lay Midwife	Other	Not Stated
IDAHO	24,185	22,769	806	33	7	489	66	15
District 1	2,531	2,104	250	23	-	138	11	5
District 2	1,123	1,069	3	-	-	45	4	2
District 3	4,430	4,225	71	3	1	112	14	4
District 4	6,422	6,148	146	-	5	112	10	1
District 5	2,955	2,878	24	4	1	38	10	-
District 6	2,834	2,654	158	2	-	11	7	2
District 7	3,890	3,691	154	1	-	33	10	1
Ada	5,700	5,444	142	-	4	102	7	1
Adams	44	42	-	-	-	1	1	-
Bannock	1,448	1,310	131	-	-	6	-	1
Bear Lake	70	65	2	-	-	1	2	-
Benewah	126	109	4	2	-	9	1	1
Bingham	789	775	10	1	-	3	-	-
Blaine	316	310	1	-	-	4	1	-
Boise	61	56	2	-	1	2	-	-
Bonner	409	352	17	4	-	32	3	1
Bonneville	1,896	1,842	35	1	-	10	7	1
Boundary	148	121	3	-	-	19	3	2
Butte	44	44	-	-	-	-	-	-
Camas	14	13	-	-	-	-	1	-
Canyon	3,483	3,351	37	3	-	78	11	3
Caribou	98	91	4	1	-	-	2	-
Cassia	383	378	1	-	-	3	1	-
Clark	19	16	3	-	-	-	-	-
Clearwater	78	74	-	-	-	4	-	-
Custer	45	41	2	-	-	2	-	-
Elmore	563	555	-	-	-	5	3	-
Franklin	210	202	4	-	-	1	2	1
Fremont	225	214	11	-	-	-	-	-
Gem	254	240	6	-	-	8	-	-
Gooding	232	220	5	-	-	6	1	-
Idaho	147	130	-	-	-	16	1	-
Jefferson	484	458	19	-	-	5	2	-
Jerome	394	378	4	3	-	6	3	-
Kootenai	1,715	1,402	220	15	-	73	4	1
Latah	409	382	3	-	-	22	1	1
Lemhi	76	72	-	-	-	4	-	-
Lewis	30	29	-	-	-	-	1	-
Lincoln	90	81	8	-	-	1	-	-
Madison	999	932	58	-	-	9	-	-
Minidoka	332	325	-	-	-	7	-	-
Nez Perce	459	454	-	-	-	3	1	1
Oneida	49	47	1	-	-	-	1	-
Owyhee	179	166	1	-	-	12	-	-
Payette	328	294	22	-	-	11	1	-
Power	126	120	6	-	-	-	-	-
Shoshone	133	120	6	2	-	5	-	-
Teton	146	116	26	-	-	3	1	-
Twin Falls	1,194	1,173	5	1	1	11	3	-
Valley	98	93	2	-	-	3	-	-
Washington	142	132	5	-	1	2	1	1

IDAHO RESIDENT LIVE BIRTHS
Place of Birth
2006

RESIDENCE	TOTAL LIVE BIRTHS	PLACE OF BIRTH					
		Hospital*	Freestanding Birthing Center	Clinic/Doctor's Office	Home	Other	Not Stated
IDAHO	24,185	23,511	304	-	361	3	6
District 1	2,531	2,387	51	-	92	1	-
District 2	1,123	1,074	-	-	47	-	2
District 3	4,430	4,207	148	-	73	-	2
District 4	6,422	6,266	100	-	55	-	1
District 5	2,955	2,910	2	-	43	-	-
District 6	2,834	2,821	-	-	12	-	1
District 7	3,890	3,846	3	-	39	2	-
Ada	5,700	5,558	94	-	47	-	1
Adams	44	43	-	-	1	-	-
Bannock	1,448	1,441	-	-	6	-	1
Bear Lake	70	69	-	-	1	-	-
Benewah	126	117	-	-	9	-	-
Bingham	789	786	-	-	3	-	-
Blaine	316	311	2	-	3	-	-
Boise	61	57	2	-	2	-	-
Bonner	409	375	8	-	25	1	-
Bonneville	1,896	1,878	-	-	17	1	-
Boundary	148	126	7	-	15	-	-
Butte	44	44	-	-	-	-	-
Camas	14	13	-	-	1	-	-
Canyon	3,483	3,303	134	-	44	-	2
Caribou	98	97	-	-	1	-	-
Cassia	383	379	-	-	4	-	-
Clark	19	19	-	-	-	-	-
Clearwater	78	74	-	-	4	-	-
Custer	45	43	2	-	-	-	-
Elmore	563	556	2	-	5	-	-
Franklin	210	209	-	-	1	-	-
Fremont	225	225	-	-	-	-	-
Gem	254	245	5	-	4	-	-
Gooding	232	226	-	-	6	-	-
Idaho	147	130	-	-	17	-	-
Jefferson	484	478	-	-	6	-	-
Jerome	394	386	-	-	8	-	-
Kootenai	1,715	1,641	33	-	41	-	-
Latah	409	386	-	-	22	-	1
Lemhi	76	72	-	-	4	-	-
Lewis	30	29	-	-	1	-	-
Lincoln	90	89	-	-	1	-	-
Madison	999	990	1	-	8	-	-
Minidoka	332	325	-	-	7	-	-
Nez Perce	459	455	-	-	3	-	1
Oneida	49	49	-	-	-	-	-
Owyhee	179	165	4	-	10	-	-
Payette	328	313	4	-	11	-	-
Power	126	126	-	-	-	-	-
Shoshone	133	128	3	-	2	-	-
Teton	146	141	-	-	4	1	-
Twin Falls	1,194	1,181	-	-	13	-	-
Valley	98	95	2	-	1	-	-
Washington	142	138	1	-	3	-	-

* Babies born en route to facility are included in appropriate facility category. In 2006, 10 babies were born en route to a hospital.

IDAHO RESIDENT LIVE BIRTHS
Birth and Fertility Rates
2006

RESIDENCE	TOTAL LIVE BIRTHS	BIRTH RATES		FERTILITY RATES	
		Estimated Population July 1, 2006 ¹	Birth Rate ²	Estimated Females 15-44 July 1, 2006 ¹	Fertility Rate ³
U.S. (Preliminary)			14.2		68.5
IDAHO	24,185	1,466,465	16.5	298,798	80.9
District 1	2,531	206,140	12.3	39,487	64.1
District 2	1,123	101,195	11.1	19,583	57.3
District 3	4,430	237,246	18.7	50,036	88.5
District 4	6,422	403,626	15.9	84,591	75.9
District 5	2,955	173,626	17.0	32,773	90.2
District 6	2,834	163,022	17.4	33,028	85.8
District 7	3,890	181,610	21.4	39,300	99.0
Ada	5,700	359,035	15.9	76,340	74.7
Adams	44	3,485	12.6	571	77.1
Bannock	1,448	78,443	18.5	16,617	87.1
Bear Lake	70	6,167	11.4	1,087	64.4
Benewah	126	9,347	13.5	1,588	79.3
Bingham	789	44,051	17.9	8,797	89.7
Blaine	316	21,501	14.7	3,921	80.6
Boise	61	7,641	8.0	1,410	43.3
Bonner	409	41,275	9.9	7,502	54.5
Bonneville	1,896	94,630	20.0	19,296	98.3
Boundary	148	10,831	13.7	1,906	77.6
Butte	44	2,781	15.8	437	100.7
Camas	14	1,088	12.9	230	60.9
Canyon	3,483	173,302	20.1	38,164	91.3
Caribou	98	6,996	14.0	1,265	77.5
Cassia	383	21,365	17.9	3,845	99.6
Clark	19	920	20.7	165	115.2
Clearwater	78	8,324	9.4	1,188	65.7
Custer	45	4,180	10.8	659	68.3
Elmore	563	28,114	20.0	5,317	105.9
Franklin	210	12,494	16.8	2,458	85.4
Fremont	225	12,369	18.2	2,147	104.8
Gem	254	16,558	15.3	3,211	79.1
Gooding	232	14,404	16.1	2,453	94.6
Idaho	147	15,762	9.3	2,429	60.5
Jefferson	484	22,350	21.7	4,588	105.5
Jerome	394	20,130	19.6	3,789	104.0
Kootenai	1,715	131,507	13.0	26,344	65.1
Latah	409	35,029	11.7	8,293	49.3
Lemhi	76	7,930	9.6	1,345	56.5
Lewis	30	3,756	8.0	581	51.6
Lincoln	90	4,522	19.9	926	97.2
Madison	999	31,393	31.8	9,536	104.8
Minidoka	332	19,041	17.4	3,449	96.3
Nez Perce	459	38,324	12.0	7,092	64.7
Oneida	49	4,176	11.7	743	65.9
Owyhee	179	11,104	16.1	1,989	90.0
Payette	328	22,595	14.5	4,362	75.2
Power	126	7,914	15.9	1,624	77.6
Shoshone	133	13,180	10.1	2,147	61.9
Teton	146	7,838	18.6	1,564	93.4
Twin Falls	1,194	71,575	16.7	14,160	84.3
Valley	98	8,836	11.1	1,524	64.3
Washington	142	10,202	13.9	1,739	81.7

1. Source for county, district, and total population estimates: National Center for Health Statistics, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

2. Birth rate: Number of live births per 1,000 population.

3. Fertility rate: Number of live births per 1,000 women 15-44 years of age.

IDAHO RESIDENT LIVE BIRTHS
Live Birth Order by Age of Mother
2006

LIVE BIRTH ORDER	TOTAL LIVE BIRTHS	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	24,185*	18	597	1,551	7,511	7,667	4,531	1,935	347	20
1	8,794	18	538	1,236	3,752	2,058	841	298	50	3
2	7,312	-	55	269	2,556	2,607	1,236	509	75	5
3	4,481*	-	4	38	934	1,880	1,106	449	69	-
4	2,104	-	-	4	219	807	742	285	45	2
5	849*	-	-	1	34	225	384	170	33	1
6	343	-	-	-	6	61	142	110	23	1
7	150	-	-	-	2	19	49	61	17	2
8	67	-	-	-	1	4	15	29	14	4
9	31	-	-	-	-	1	8	12	8	2
10-14	26	-	-	-	1	1	2	10	12	-
15+	1	-	-	-	-	-	-	-	1	-
Not stated	27*	-	-	3	6	4	6	2	-	-

* Total includes: six (6) births with age of mother not stated and live birth order not stated; one (1) birth with age of mother not stated and live birth order equals three; and one (1) birth with age of mother not stated and live birth order equals five.

IDAHO RESIDENT LIVE BIRTHS
Fertility Rate and Birth Rates by Age of Mother
2006

AGE	IDAHO			U.S.
	Total Live Births	Female Population Estimate July 1, 2006 ¹	Fertility Rate and Age-Specific Birth Rates, 2006	Fertility Rate and Age-Specific Birth Rates, (2006 Preliminary)
TOTAL	24,185	298,798 ²	80.9 ³	68.5 ³
<15	18	52,070 ⁴	0.3	0.6
15-19	2,148	54,649	39.3	41.9
15-17	597	33,264	17.9	22.0
18-19	1,551	21,385	72.5	73.0
20-24	7,511	49,785	150.9	105.9
25-29	7,667	53,088	144.4	116.8
30-34	4,531	45,567	99.4	97.7
35-39	1,935	46,440	41.7	47.3
40-44	347	49,269	7.0	9.4
45+	20	52,238 ⁵	0.4	0.6
Not stated	8	-	NA	NA

1. Source: National Center for Health Statistics, United States resident population from the Vintage 2006 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 16, 2007.

2. Total female population aged 15-44 NOT including women under 15 or over 44.

3. Total number of live births per 1,000 women 15-44 years of age. NA: Not Applicable.

4. Total female population aged 10-14; rates for females aged <15 are based on female population 10-14.

5. Total female population aged 45-49; rates for females aged 45+ are based on female population 45-49.

PRENATAL CARE

The effects of prenatal care are difficult to quantify, but appropriate care can promote healthier pregnancies by detecting and managing pre-existing medical conditions, and providing health behavior advice¹. The measurement of prenatal care in the U.S. and Idaho changed dramatically with the implementation of the 2003 U.S. Standard Certificate. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation, and the baby's birth date are used to estimate the onset of prenatal care. According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because care is based on a date in a prenatal medical record rather than mother's recollection of month of first visit². Prenatal care data based on the 2003 revision and the previous standard (1989 U.S. Standard Certificate) are not directly comparable.

In 2005, NCHS published prenatal care based on the twelve states using the 2003 U.S. Standard Certificate, including Idaho, and published prenatal care based on 37 states, New York City, and Washington D.C. using the 1989 U.S. Standard Certificate. Data for states that revise mid-year are excluded from U.S. statistics. Much, if not all of the difference between states using the 2003 U.S. Standard Certificate and states using the 1989 U.S. Standard Certificate is related to changes in reporting and *not* to changes in the timing or utilization of prenatal care¹.

PERCENT BEGINNING PRENATAL CARE IN THE FIRST TRIMESTER*	
U.S. 2005, States based on 2003 U.S. Standard Certificate ¹	70.2%
Idaho, 2004	71.9%
Idaho, 2005	71.4%
Idaho, 2006	71.7%
U.S. 2005, States based on 1989 U.S. Standard Certificate ¹	83.9%

* Prenatal care data based on the 2003 Revision of the U.S. Certificate are not comparable with data based on 1989 U.S. Certificate.

One measure of prenatal care in which classifications of the adequacy of prenatal care are based on the onset of prenatal care, the number of prenatal visits, and the length of gestation is the Adequacy of Prenatal Care Utilization (APNCU) Index. The APNCU Index is based on full recommendations set forth by the American College of Obstetricians and Gynecologists (ACOG). This index classifies care as intensive, adequate, intermediate, inadequate, or no care by comparing the number of actual prenatal care visits to the number of visits that a woman was expected to receive, given the onset of prenatal care and the length of gestation.

In reviewing Trimester of First Prenatal Care Visit and APNCU data, keep in mind:

- 1) Prenatal care data based on date of first visit are not comparable with prenatal care data based on month prenatal care began. There is a break in the Idaho trend line between 2003 and 2004.
- 2) There were a high proportion of Idaho records with date of first visit and/or date of last menstrual period not stated in 2006.
- 3) Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. Idaho resident births occurring in states with non-revised certificates will not have comparable data for onset of prenatal care. Data are shown as not stated in data table(s).

1. "Births: Final Data for 2005," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 56/No.6, December 5, 2007.
 2. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

IDAHO RESIDENT LIVE BIRTHS
Prenatal Care by Mother's Characteristics
2006

	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT ¹								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent ²	Number	Percent ²	Number	Percent ²	Number	Percent ²	Number
IDAHO	24,185	16,773	71.7%	5,216	22.3%	1,170	5.0%	232	1.0%	794
Mother's Age										
<15	18	9	50.0	5	27.8	2	11.1	2	11.1	-
15-19	2,148	1,159	56.1	687	33.3	176	8.5	43	2.1	83
15-17	597	305	53.0	202	35.1	54	9.4	15	2.6	21
18-19	1,551	854	57.4	485	32.6	122	8.2	28	1.9	62
20-24	7,511	5,002	68.8	1,755	24.1	436	6.0	80	1.1	238
25-29	7,667	5,587	75.3	1,463	19.7	312	4.2	58	0.8	247
30-34	4,531	3,374	76.8	840	19.1	158	3.6	24	0.5	135
35-39	1,935	1,410	75.4	375	20.1	67	3.6	17	0.9	66
40-44	347	225	67.8	82	24.7	17	5.1	8	2.4	15
45+	20	6	35.3	9	52.9	2	11.8	-	-	3
Not stated	8	1	NA	-	NA	-	NA	-	NA	7
Race/Ethnicity³										
White	22,047	15,535	72.9	4,600	21.6	979	4.6	195	0.9	738
Black	131	81	64.3	27	21.4	15	11.9	3	2.4	5
American Indian	376	196	53.0	131	35.4	34	9.2	9	2.4	6
Asian/Pacific Islander	339	234	70.5	71	21.4	26	7.8	1	0.3	7
Other race	1,128	650	58.8	349	31.6	89	8.1	17	1.5	23
Race not stated	164	77	NA	38	NA	27	NA	7	NA	15
Hispanic	3,786	2,124	58.4	1,148	31.6	316	8.7	50	1.4	148
Mother's Education										
Did not graduate high school	3,781	2,012	55.3	1,159	31.9	360	9.9	105	2.9	145
Graduated high school	20,000	14,556	75.1	3,952	20.4	766	4.0	116	0.6	610
Not stated	404	205	NA	105	NA	44	NA	11	NA	39
Payment Source⁴										
Private Insurance	12,241	9,909	81.5	1,905	15.7	321	2.6	30	0.2	76
Medicaid	7,726	4,750	62.0	2,295	30.0	536	7.0	78	1.0	67
Self Pay	2,544	1,441	57.1	787	31.2	235	9.3	62	2.5	19
Other Government	775	524	69.5	164	21.8	61	8.1	5	0.7	21
Not applicable or Other	239	118	51.3	50	21.7	11	4.8	51	22.2	9
Not stated	660	31	NA	15	NA	6	NA	6	NA	602
Cigarette Smoking⁵										
Yes	3,056	1,778	59.5	881	29.5	261	8.7	66	2.2	70
No	21,064	14,982	73.5	4,325	21.2	908	4.5	163	0.8	686
Not stated	65	13	NA	10	NA	1	NA	3	NA	38
Parity⁶										
High for age	752	370	51.4	248	34.4	76	10.6	26	3.6	32
Not high for age	23,404	16,400	72.4	4,965	21.9	1,094	4.8	203	0.9	742
Not stated	29	3	NA	3	NA	-	NA	3	NA	20

1. In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record. Data are NOT comparable with data based on month prenatal care began. NA: not applicable.

2. Percents based on records with stated date of first prenatal care visit.

3. Beginning in 2004 multiple races and Hispanic origins may be reported on the Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Other race includes nine (9) out-of-state births with multiple races. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals. For more information, see Technical Notes.

4. 'Other Government' includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).

5. Based on cigarette smoking during pregnancy. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2006 are not comparable to data prior to 2004. For more information, see Technical Notes.

6. High parity for age: one or more previous live births for females 17 years or age or younger; three or more previous live births for females 18-21 years of age; four or more previous live births for females 22-24 years of age; and five or more previous live births for females aged 25 years and older. Not high parity for age: includes all other combinations of parity and age of mother.

IDAHO RESIDENT LIVE BIRTHS
Trimester of Pregnancy of First Prenatal Care Visit*
2006

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	24,185	16,773	71.7%	5,216	22.3%	1,170	5.0%	232	1.0%	794
District 1	2,531	1,901	76.3	489	19.6	86	3.5	16	0.6	39
District 2	1,123	735	66.3	337	30.4	34	3.1	3	0.3	14
District 3	4,430	2,668	64.9	1,067	25.9	284	6.9	94	2.3	317
District 4	6,422	4,875	77.1	1,139	18.0	252	4.0	56	0.9	100
District 5	2,955	1,825	62.9	858	29.6	190	6.5	29	1.0	53
District 6	2,834	1,834	69.9	627	23.9	148	5.6	16	0.6	209
District 7	3,890	2,935	76.7	699	18.3	176	4.6	18	0.5	62
Ada	5,700	4,365	77.7	999	17.8	202	3.6	52	0.9	82
Adams	44	29	69.0	10	23.8	3	7.1	-	-	2
Bannock	1,448	1,003	70.4	339	23.8	75	5.3	7	0.5	24
Bear Lake	70	47	79.7	12	20.3	-	-	-	-	11
Benewah	126	91	77.1	23	19.5	4	3.4	-	-	8
Bingham	789	541	69.4	181	23.2	53	6.8	5	0.6	9
Blaine	316	209	68.8	77	25.3	16	5.3	2	0.7	12
Boise	61	46	78.0	10	16.9	3	5.1	-	-	2
Bonner	409	302	74.8	74	18.3	22	5.4	6	1.5	5
Bonneville	1,896	1,446	77.1	334	17.8	81	4.3	14	0.7	21
Boundary	148	100	69.9	32	22.4	11	7.7	-	-	5
Butte	44	29	65.9	11	25.0	4	9.1	-	-	-
Camas	14	12	85.7	2	14.3	-	-	-	-	-
Canyon	3,483	2,230	64.9	889	25.9	251	7.3	67	1.9	46
Caribou	98	55	67.9	23	28.4	3	3.7	-	-	17
Cassia	383	246	66.1	103	27.7	23	6.2	-	-	11
Clark	19	11	57.9	7	36.8	-	-	1	5.3	-
Clearwater	78	53	69.7	21	27.6	2	2.6	-	-	2
Custer	45	26	57.8	16	35.6	3	6.7	-	-	-
Elmore	563	402	73.1	104	18.9	40	7.3	4	0.7	13
Franklin	210	68	70.1	21	21.6	7	7.2	1	1.0	113
Fremont	225	165	73.7	50	22.3	8	3.6	1	0.4	1
Gem	254	175	71.4	58	23.7	7	2.9	5	2.0	9
Gooding	232	139	60.4	75	32.6	14	6.1	2	0.9	2
Idaho	147	89	61.0	46	31.5	10	6.8	1	0.7	1
Jefferson	484	364	76.0	86	18.0	28	5.8	1	0.2	5
Jerome	394	247	63.7	101	26.0	34	8.8	6	1.5	6
Kootenai	1,715	1,318	77.7	326	19.2	43	2.5	9	0.5	19
Latah	409	298	73.9	95	23.6	10	2.5	-	-	6
Lemhi	76	40	65.6	17	27.9	4	6.6	-	-	15
Lewis	30	19	63.3	9	30.0	1	3.3	1	3.3	-
Lincoln	90	51	58.6	26	29.9	8	9.2	2	2.3	3
Madison	999	775	78.6	163	16.5	48	4.9	-	-	13
Minidoka	332	187	57.2	115	35.2	24	7.3	1	0.3	5
Nez Perce	459	276	60.8	166	36.6	11	2.4	1	0.2	5
Oneida	49	11	73.3	3	20.0	-	-	1	6.7	34
Owyhee	179	103	57.9	49	27.5	14	7.9	12	6.7	1
Payette	328	79	58.5	42	31.1	6	4.4	8	5.9	193
Power	126	80	64.0	37	29.6	6	4.8	2	1.6	1
Shoshone	133	90	68.7	34	26.0	6	4.6	1	0.8	2
Teton	146	108	77.7	26	18.7	4	2.9	1	0.7	7
Twin Falls	1,194	734	62.2	359	30.4	71	6.0	16	1.4	14
Valley	98	62	65.3	26	27.4	7	7.4	-	-	3
Washington	142	52	68.4	19	25.0	3	3.9	2	2.6	66

Percents based on records with stated date of first prenatal care visit.

Caution is advised that Franklin, Oneida, Payette, and Washington counties have 30 percent or more records with date of first prenatal care visit not stated.

* In 2004, the Idaho birth certificate was revised for the question on prenatal care. Prior to 2004, the question on prenatal care was based on the month prenatal care began; beginning in 2004, prenatal care is based on the date of first prenatal care visit as reported in the mother's medical record and are not comparable with data based on month prenatal care began.

IDAHO RESIDENT LIVE BIRTHS
Adequacy of Prenatal Care Utilization Index*
2006

RESIDENCE	TOTAL LIVE BIRTHS	PRENATAL CARE (APNCU INDEX)										
		Intensive		Adequate		Intermediate		Inadequate		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	24,185	7,449	31.9%	9,798	42.0%	2,303	9.9%	3,549	15.2%	232	1.0%	854
District 1	2,531	864	34.9	1,155	46.6	144	5.8	299	12.1	16	0.6	53
District 2	1,123	280	25.4	514	46.6	147	13.3	159	14.4	3	0.3	20
District 3	4,430	1,215	29.6	1,489	36.3	465	11.3	842	20.5	94	2.3	325
District 4	6,422	2,207	35.0	2,715	43.0	563	8.9	771	12.2	56	0.9	110
District 5	2,955	819	28.4	1,332	46.1	147	5.1	561	19.4	29	1.0	67
District 6	2,834	1,006	38.4	1,035	39.5	177	6.8	388	14.8	16	0.6	212
District 7	3,890	1,058	27.7	1,558	40.8	660	17.3	529	13.8	18	0.5	67
Ada	5,700	2,013	35.9	2,434	43.4	462	8.2	652	11.6	52	0.9	87
Adams	44	9	21.4	12	28.6	10	23.8	11	26.2	-	-	2
Bannock	1,448	598	42.0	549	38.6	75	5.3	194	13.6	7	0.5	25
Bear Lake	70	31	52.5	24	40.7	3	5.1	1	1.7	-	-	11
Benewah	126	41	34.7	58	49.2	6	5.1	13	11.0	-	-	8
Bingham	789	286	36.8	304	39.1	58	7.5	125	16.1	5	0.6	11
Blaine	316	96	32.2	131	44.0	18	6.0	51	17.1	2	0.7	18
Boise	61	19	32.8	30	51.7	5	8.6	4	6.9	-	-	3
Bonner	409	163	40.6	148	36.9	29	7.2	55	13.7	6	1.5	8
Bonneville	1,896	689	36.8	797	42.5	141	7.5	233	12.4	14	0.7	22
Boundary	148	42	30.0	68	48.6	7	5.0	23	16.4	-	-	8
Butte	44	10	22.7	20	45.5	5	11.4	9	20.5	-	-	-
Camas	14	4	28.6	4	28.6	3	21.4	3	21.4	-	-	-
Canyon	3,483	994	29.0	1,250	36.5	390	11.4	728	21.2	67	2.0	54
Caribou	98	22	27.2	41	50.6	4	4.9	14	17.3	-	-	17
Cassia	383	124	33.4	163	43.9	18	4.9	66	17.8	-	-	12
Clark	19	2	10.5	9	47.4	4	21.1	3	15.8	1	5.3	-
Clearwater	78	14	18.4	39	51.3	14	18.4	9	11.8	-	-	2
Custer	45	12	26.7	14	31.1	9	20.0	10	22.2	-	-	-
Elmore	563	159	29.1	220	40.3	69	12.6	94	17.2	4	0.7	17
Franklin	210	17	17.5	33	34.0	27	27.8	19	19.6	1	1.0	113
Fremont	225	40	17.9	93	41.5	53	23.7	37	16.5	1	0.4	1
Gem	254	96	39.2	98	40.0	16	6.5	30	12.2	5	2.0	9
Gooding	232	55	24.0	103	45.0	18	7.9	51	22.3	2	0.9	3
Idaho	147	43	29.5	63	43.2	12	8.2	27	18.5	1	0.7	1
Jefferson	484	126	26.4	193	40.4	92	19.2	66	13.8	1	0.2	6
Jerome	394	74	19.1	193	49.9	29	7.5	85	22.0	6	1.6	7
Kootenai	1,715	583	34.5	822	48.7	88	5.2	187	11.1	9	0.5	26
Latah	409	94	23.6	175	44.0	82	20.6	47	11.8	-	-	11
Lemhi	76	27	44.3	11	18.0	9	14.8	14	23.0	-	-	15
Lewis	30	8	27.6	12	41.4	4	13.8	4	13.8	1	3.4	1
Lincoln	90	24	28.2	30	35.3	6	7.1	23	27.1	2	2.4	5
Madison	999	134	13.6	386	39.3	320	32.6	143	14.5	-	-	16
Minidoka	332	118	36.3	128	39.4	14	4.3	64	19.7	1	0.3	7
Nez Perce	459	121	26.7	225	49.6	35	7.7	72	15.9	1	0.2	5
Oneida	49	4	26.7	8	53.3	-	-	2	13.3	1	6.7	34
Owyhee	179	46	25.8	57	32.0	24	13.5	39	21.9	12	6.7	1
Payette	328	47	34.8	41	30.4	17	12.6	22	16.3	8	5.9	193
Power	126	38	30.4	56	44.8	5	4.0	24	19.2	2	1.6	1
Shoshone	133	35	26.9	59	45.4	14	10.8	21	16.2	1	0.8	3
Teton	146	28	20.1	55	39.6	32	23.0	23	16.5	1	0.7	7
Twin Falls	1,194	324	27.5	580	49.2	41	3.5	218	18.5	16	1.4	15
Valley	98	16	16.8	31	32.6	27	28.4	21	22.1	-	-	3
Washington	142	23	30.3	31	40.8	8	10.5	12	15.8	2	2.6	66

Caution based on records with stated data to calculate APNCU (date of first prenatal care visit, number of visits, and length of gestation).

Caution is advised that Franklin, Oneida, Payette, and Washington counties have 30 percent or more records with APNCU not stated.

* In 2004, the Idaho birth certificate was revised for the question on prenatal care. Prior to 2004, the question on prenatal care was based on the month prenatal care began; beginning in 2004, prenatal care is based on the date of first prenatal care visit as reported in the mother's medical record and are not comparable with data based on month prenatal care began.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Weight at Birth
2006

RESIDENCE	TOTAL LIVE BIRTHS	LOW BIRTH WEIGHT LIVE BIRTHS						2,500+ Grams	Weight Not Stated
		Total		<1,500 Grams		1,500-2,499 Grams			
		Number	Percent	Number	Percent	Number	Percent		
U.S. (Preliminary)		8.3%		1.5%		6.8%			
IDAHO	24,185	1,676	6.9%	295	1.2%	1,381	5.7%	22,487	22
District 1	2,531	142	5.6	22	0.9	120	4.7	2,389	-
District 2	1,123	62	5.5	10	0.9	52	4.6	1,058	3
District 3	4,430	313	7.1	62	1.4	251	5.7	4,104	13
District 4	6,422	488	7.6	89	1.4	399	6.2	5,930	4
District 5	2,955	207	7.0	41	1.4	166	5.6	2,747	1
District 6	2,834	202	7.1	35	1.2	167	5.9	2,631	1
District 7	3,890	262	6.7	36	0.9	226	5.8	3,628	-
Ada	5,700	436	7.7	82	1.4	354	6.2	5,261	3
Adams	44	4	9.1	3	6.8	1	2.3	40	-
Bannock	1,448	112	7.7	25	1.7	87	6.0	1,335	1
Bear Lake	70	7	10.0	2	2.9	5	7.1	63	-
Benewah	126	11	8.7	-	-	11	8.7	115	-
Bingham	789	58	7.4	5	0.6	53	6.7	731	-
Blaine	316	16	5.1	4	1.3	12	3.8	300	-
Boise	61	3	4.9	-	-	3	4.9	58	-
Bonner	409	16	3.9	3	0.7	13	3.2	393	-
Bonneville	1,896	150	7.9	19	1.0	131	6.9	1,746	-
Boundary	148	5	3.4	-	-	5	3.4	143	-
Butte	44	4	9.1	-	-	4	9.1	40	-
Camas	14	2	14.3	-	-	2	14.3	12	-
Canyon	3,483	236	6.8	45	1.3	191	5.5	3,236	11
Caribou	98	6	6.1	-	-	6	6.1	92	-
Cassia	383	27	7.0	7	1.8	20	5.2	356	-
Clark	19	1	5.3	-	-	1	5.3	18	-
Clearwater	78	4	5.1	1	1.3	3	3.8	74	-
Custer	45	3	6.7	1	2.2	2	4.4	42	-
Elmore	563	43	7.7	6	1.1	37	6.6	519	1
Franklin	210	9	4.3	2	1.0	7	3.3	201	-
Fremont	225	17	7.6	3	1.3	14	6.2	208	-
Gem	254	20	7.9	3	1.2	17	6.7	233	1
Gooding	232	8	3.4	1	0.4	7	3.0	224	-
Idaho	147	4	2.7	-	-	4	2.7	143	-
Jefferson	484	26	5.4	3	0.6	23	4.8	458	-
Jerome	394	36	9.2	10	2.5	26	6.6	357	1
Kootenai	1,715	98	5.7	18	1.0	80	4.7	1,617	-
Latah	409	19	4.7	1	0.2	18	4.4	388	2
Lemhi	76	6	7.9	1	1.3	5	6.6	70	-
Lewis	30	-	-	-	-	-	-	30	-
Lincoln	90	9	10.0	1	1.1	8	8.9	81	-
Madison	999	50	5.0	7	0.7	43	4.3	949	-
Minidoka	332	22	6.6	1	0.3	21	6.3	310	-
Nez Perce	459	35	7.6	8	1.7	27	5.9	423	1
Oneida	49	2	4.1	-	-	2	4.1	47	-
Owyhee	179	13	7.3	-	-	13	7.3	166	-
Payette	328	29	8.9	8	2.4	21	6.4	298	1
Power	126	4	3.2	1	0.8	3	2.4	122	-
Shoshone	133	12	9.0	1	0.8	11	8.3	121	-
Teton	146	9	6.2	2	1.4	7	4.8	137	-
Twin Falls	1,194	87	7.3	17	1.4	70	5.9	1,107	-
Valley	98	6	6.1	1	1.0	5	5.1	92	-
Washington	142	11	7.7	3	2.1	8	5.6	131	-

Percents are based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Race/Ethnicity of Mother¹
2006

RESIDENCE	LOW BIRTH WEIGHT LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC ³
	Total	Percent ²	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated	
IDAHO (Percent)	1,676	6.9%	1,522 6.9%	17 13.0%	26 6.9%	24 7.1%	74 6.6%	12 NA	233 6.2%
District 1	142*	5.6	136	-	3	-	-	2	5
District 2	62	5.5	55	-	5	-	2	-	3
District 3	313	7.1	281	1	6	4	19	2	73
District 4	488	7.6	440	11	2	16	15	4	42
District 5	207	7.0	180	2	1	-	23	1	63
District 6	202	7.1	181	2	7	3	8	1	22
District 7	262	6.7	249	1	2	1	7	2	25
Ada	436	7.7	399	10	1	13	10	3	33
Adams	4	9.1	4	-	-	-	-	-	-
Bannock	112	7.7	103	2	1	2	3	1	11
Bear Lake	7	10.0	7	-	-	-	-	-	-
Benewah	11	8.7	10	-	1	-	-	-	-
Bingham	58	7.4	49	-	5	1	3	-	7
Blaine	16	5.1	10	-	-	-	6	-	6
Boise	3	4.9	3	-	-	-	-	-	-
Bonner	16*	3.9	15	-	-	-	-	-	-
Bonneville	150	7.9	144	-	2	-	2	2	16
Boundary	5	3.4	4	-	1	-	-	-	-
Butte	4	9.1	4	-	-	-	-	-	1
Camas	2	14.3	2	-	-	-	-	-	-
Canyon	236	6.8	207	1	6	3	17	2	62
Caribou	6	6.1	6	-	-	-	-	-	1
Cassia	27	7.0	20	1	1	-	5	-	14
Clark	1	5.3	1	-	-	-	-	-	-
Clearwater	4	5.1	4	-	-	-	-	-	-
Custer	3	6.7	3	-	-	-	-	-	-
Elmore	43	7.7	32	1	1	3	5	1	9
Franklin	9	4.3	7	-	-	-	2	-	2
Fremont	17	7.6	16	-	-	-	1	-	2
Gem	20	7.9	19	-	-	-	1	-	1
Gooding	8	3.4	8	-	-	-	-	-	2
Idaho	4	2.7	3	-	1	-	-	-	-
Jefferson	26	5.4	25	-	-	-	1	-	2
Jerome	36	9.2	31	-	-	-	5	-	15
Kootenai	98	5.7	96	-	1	-	-	1	4
Latah	19	4.7	18	-	-	-	1	-	1
Lemhi	6	7.9	6	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	9	10.0	7	-	-	-	1	1	2
Madison	50	5.0	45	1	-	1	3	-	4
Minidoka	22	6.6	19	-	-	-	3	-	10
Nez Perce	35	7.6	30	-	4	-	1	-	2
Oneida	2	4.1	2	-	-	-	-	-	-
Owyhee	13	7.3	13	-	-	-	-	-	-
Payette	29	8.9	27	-	-	1	1	-	8
Power	4	3.2	3	-	1	-	-	-	-
Shoshone	12	9.0	11	-	-	-	-	1	1
Teton	9	6.2	9	-	-	-	-	-	1
Twin Falls	87	7.3	83	1	-	-	3	-	14
Valley	6	6.1	6	-	-	-	-	-	-
Washington	11	7.7	11	-	-	-	-	-	2

1. Beginning in 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Total includes one (1) out-of-state birth with multiple races in Bonner County (District 1). For more information, see Technical Notes.

2. Percents are based on records with stated birth weight.

3. Race and Hispanic origin are reported separately on birth certificate. Mothers of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother
2006

RESIDENCE	TOTAL LOW BIRTH WEIGHT	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO (Percent)	1,676 6.9%	4 22.2%	178 8.3%	49 8.3%	129 8.3%	525 7.0%	474 6.2%	312 6.9%	149 7.7%	30 8.6%	4 20.0%
District 1	142	-	17	4	13	47	38	27	11	2	-
District 2	62	1	6	1	5	27	15	8	5	-	-
District 3	313	2	40	9	31	86	101	53	26	5	-
District 4	488	1	40	10	30	128	130	120	57	10	2
District 5	207	-	31	8	23	70	57	26	15	7	1
District 6	202	-	21	6	15	73	63	30	13	2	-
District 7	262	-	23	11	12	94	70	48	22	4	1
Ada	436	1	30	6	24	107	119	112	55	10	2
Adams	4	-	-	-	-	1	-	3	-	-	-
Bannock	112	-	14	3	11	41	34	16	7	-	-
Bear Lake	7	-	-	-	-	4	1	1	-	1	-
Benewah	11	-	2	-	2	2	3	4	-	-	-
Bingham	58	-	6	3	3	19	16	11	5	1	-
Blaine	16	-	3	1	2	7	5	-	-	1	-
Boise	3	-	-	-	-	1	-	1	1	-	-
Bonner	16	-	2	1	1	8	3	-	3	-	-
Bonneville	150	-	14	8	6	47	40	33	14	2	-
Boundary	5	-	1	-	1	1	1	1	-	1	-
Butte	4	-	-	-	-	1	2	-	1	-	-
Camas	2	-	-	-	-	-	-	2	-	-	-
Canyon	236	1	30	8	22	61	81	41	19	3	-
Caribou	6	-	-	-	-	4	2	-	-	-	-
Cassia	27	-	7	1	6	7	5	2	2	4	-
Clark	1	-	-	-	-	1	-	-	-	-	-
Clearwater	4	-	-	-	-	3	-	1	-	-	-
Custer	3	-	1	-	1	1	1	-	-	-	-
Elmore	43	-	8	4	4	19	9	6	1	-	-
Franklin	9	-	-	-	-	2	6	1	-	-	-
Fremont	17	-	4	1	3	7	5	-	1	-	-
Gem	20	-	1	-	1	7	8	1	1	2	-
Gooding	8	-	1	-	1	3	4	-	-	-	-
Idaho	4	-	-	-	-	3	-	-	1	-	-
Jefferson	26	-	-	-	-	5	11	7	3	-	-
Jerome	36	-	4	-	4	11	12	3	6	-	-
Kootenai	98	-	10	3	7	33	27	21	7	-	-
Latah	19	-	1	-	1	8	6	3	1	-	-
Lemhi	6	-	-	-	-	3	1	-	1	-	1
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	9	-	1	-	1	5	2	1	-	-	-
Madison	50	-	4	2	2	29	10	5	1	1	-
Minidoka	22	-	4	1	3	6	3	8	1	-	-
Nez Perce	35	1	5	1	4	13	9	4	3	-	-
Oneida	2	-	1	-	1	-	-	1	-	-	-
Owyhee	13	-	2	1	1	3	4	-	4	-	-
Payette	29	1	3	-	3	12	7	4	2	-	-
Power	4	-	-	-	-	2	2	-	-	-	-
Shoshone	12	-	2	-	2	3	4	1	1	1	-
Teton	9	-	-	-	-	1	2	3	2	1	-
Twin Falls	87	-	11	5	6	31	26	10	6	2	1
Valley	6	-	2	-	2	1	2	1	-	-	-
Washington	11	-	4	-	4	2	1	4	-	-	-

Percents are based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Live Birth Order by Age of Mother
2006

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	1,676	4	49	129	525	474	312	149	30	4
1	644	4	42	96	254	141	66	32	8	1
2	452	-	6	24	150	143	85	37	6	1
3	318	-	1	7	85	110	73	34	8	-
4	145	-	-	1	24	52	48	17	3	-
5	63	-	-	-	9	16	21	15	2	-
6	27	-	-	-	2	6	10	9	-	-
7	15	-	-	-	-	5	3	4	2	1
8	4	-	-	-	-	1	2	-	-	1
9	2	-	-	-	-	-	1	1	-	-
10-14	1	-	-	-	-	-	-	-	1	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	-	1	1	-	3	-	-	-

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother and Percent Low Birth Weight
2006

AGE OF MOTHER	IDAHO			U.S. (2005)
	Total Live Births	Low Birth Weight Live Births	Percent Low Birth Weight	Percent Low Birth Weight
TOTAL	24,185	1,676	6.9%	8.2%
<15	18	4	22.2	13.3
15-19	2,148	178	8.3	10.0
15-17	597	49	8.3	10.7
18-19	1,551	129	8.3	9.7
20-24	7,511	525	7.0	8.3
25-29	7,667	474	6.2	7.4
30-34	4,531	312	6.9	7.5
35-39	1,935	149	7.7	8.7
40-44	347	30	8.6	10.8
45+	20	4	20.0	21.1
Not stated	8	-	NA	NA

Percents are based on records with stated birth weight. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Gestational Age by Mother's District of Residence
2006

DISTRICT OF RESIDENCE	TOTAL LIVE BIRTHS	GESTATIONAL AGE IN WEEKS ¹				
		< 37 Completed Weeks Gestation (Preterm Births)		37+ Completed Weeks Gestation (Term Births)		Not Stated
		Number	Percent ²	Number	Percent ²	Number
IDAHO	24,185	2,782	11.5%	21,367	88.3%	36
District 1	2,531	224	8.9	2,303	91.0	4
District 2	1,123	124	11.0	995	88.6	4
District 3	4,430	559	12.6	3,859	87.1	12
District 4	6,422	828	12.9	5,582	86.9	12
District 5	2,955	317	10.7	2,638	89.3	-
District 6	2,834	325	11.5	2,505	88.4	4
District 7	3,890	405	10.4	3,485	89.6	-

IDAHO RESIDENT LIVE BIRTHS
Gestational Age by Plurality
2006

GESTATIONAL AGE IN WEEKS ¹	PLURALITY					
	Single		Twin		Triplet/+ ³	
	Number	Percent ²	Number	Percent ²	Number	Percent ²
TOTAL	23,434	100.0%	716	100.0%	35	100.0%
<37 Completed weeks gestation (Preterm births)	2,297	9.8	453	63.3	32	91.4
37+ Completed weeks gestation (Term births)	21,101	90.2	263	36.7	3	8.6
Gestational age not stated	36	NA	-	NA	-	NA

IDAHO RESIDENT LIVE BIRTHS
Birth Weight by Plurality
2006

BIRTH WEIGHT	PLURALITY					
	Single		Twin		Triplet/+ ³	
	Number	Percent ²	Number	Percent ²	Number	Percent ²
TOTAL	23,434	100.0%	716	100.0%	35	100.0%
Total low birth weight <1,500 grams	1,213	5.2	429	60.2	34	97.1
1,500 - 2,499 grams	207	0.9	71	10.0	17	48.6
2,500+ grams	1,006	4.3	358	50.2	17	48.6
Birth weight not stated	22,202	94.8	284	39.8	1	2.9
	19	NA	3	NA	-	NA

1. The primary measure used to determine the gestation age of the newborn is the interval between the first day of mother's last normal menstrual period (LMP) and the date of birth. If LMP is less than 16 completed weeks, greater than 48 completed week's, not stated, or implausible with birth weight, then the obstetric estimate of completed weeks gestation is used. Gestational age based on LMP and obstetric estimate are comparable with data based on LMP and obstetric estimate only.
2. Percents based on records with stated gestational age or birth weight. NA: not applicable.
3. Triplet/+: includes triplets, quadruplets, and other high order multiple births.

**IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes
2006**

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	
	Number	Percent
TOTAL	24,185	100.0%
0-2	114	0.5
3-4	161	0.7
5-6	529	2.2
7-8	5,087	21.1
9-10	18,169	75.5
Not Stated	125	NA

Percents are based on records with known APGAR data.

**IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes, Ten Minutes*
2006**

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	TEN-MINUTE APGAR SCORE					
		0-2	3-4	5-6	7-8	9-10	Not Stated
TOTAL	475	56	25	93	222	67	12
0-2	114	54	11	22	18	6	3
3-4	161	2	13	41	80	23	2
5	200	-	1	30	124	38	7

*Apgar score at 10 minutes is reported only for infants with 5-minute apgar scores of less than 6.

1-minute Apgar score no longer reported.

**IDAHO RESIDENT LIVE BIRTHS
WIC Participation and Infant Breastfed
2006**

DISTRICT OF RESIDENCE	TOTAL LIVE BIRTHS	WIC Participation ¹		Breastfed ²	
		Number	Percent ³	Number	Percent ³
IDAHO	24,185	8,383	35.9%	20,748	88.4%
District 1	2,531	948	38.8	2,230	89.0
District 2	1,123	440	39.9	998	89.7
District 3	4,430	1,681	41.3	3,661	89.2
District 4	6,422	1,237	19.4	5,722	89.8
District 5	2,955	1,191	41.1	2,484	85.1
District 6	2,834	1,328	50.5	2,190	83.4
District 7	3,890	1,558	40.7	3,463	90.4

1. WIC participation: Did mother get WIC food for herself during this pregnancy? WIC is a supplemental nutritional program for women, infants, and children. Data from birth certificate may differ from data from the WIC Program.

2. The revised 2004 birth certificate includes a new variable for reporting if infant was being breastfed at birth or at the time the birth certificate was completed (yes or no)?

3. Percents are based on records with known breast feeding or WIC data.

OUT-OF-WEDLOCK BIRTHS

Following a decline in the number of Idaho resident out-of-wedlock live births in 1997, the number increased each year from 1998 to 2006. The number of out-of-wedlock births rose 11 percent between 2005 and 2006, from 5,273 to 5,866. At the same time, the percentage of total live births that were out-of-wedlock births increased 6 percent from 22.9 in 2005 to 24.3 in 2006.

The 2006 out-of-wedlock percentages increased for all races and ethnicities. Note, that Idaho has a relatively small data base by race; some fluctuation from year to year may be expected.

IDAHO RACE/ETHNICITY-SPECIFIC PERCENTAGES					
	2006 ¹	2005 ¹	2004 ¹	2003	2002
Total	24.3%	22.9%	22.5%	22.3%	21.9%
White	22.7	21.7	21.3	21.6	21.2
Black	38.2	30.1	40.6	38.5	33.3
American Indian or Alaska Native	61.7	59.0	58.1	59.3	54.0
Asian or Pacific Islander	17.4	12.1	17.7	14.2	13.8
Other race	40.1	36.3	36.1	15.4	0.0
Ethnicity: Hispanic ²	39.8	37.8	37.3	36.4	36.1

1. The collection of race and ethnicity data changed in 2004; for more information, see Technical Notes.
2. Race and Hispanic origin are reported separately on the birth certificate. Women of Hispanic origin are included in appropriate race totals.

The U.S. out-of-wedlock live birth rate increased 3 percent in 2005 to 36.9 percent from 35.8 percent in 2004. By race, U.S. 2005 out-of-wedlock percent for whites was 52 percent higher than Idaho's percent, and the U.S. black percent was 81 percent higher than Idaho's percent. The U.S. 2005 Hispanic percent was 21 percent higher than Idaho's percent in 2006.

	Total	White	All Other		Ethnicity: Hispanic
			Total	Black	
U.S. 2005 ¹	36.9%	31.7%	55.5%	69.3%	48.0%
Idaho	24.3	22.7	40.3	38.2	39.8


When comparing Idaho with the U.S., one should keep in mind that Idaho has a predominantly white population; the usually higher rates for most other races/ethnicities have less effect on the overall rate in Idaho.

From 2005 to 2006, the percentage of out-of-wedlock births increased in all Health Districts except for District 7. District 2 recorded the highest proportion of live births that were out of wedlock (30.9 percent) followed by District 3 (30.3 percent). District 7 again recorded the lowest percent (14.4 percent).


Counties with the highest percentages of out-of-wedlock births were Clark (47.4 percent), Lewis (43.3 percent), Nez Perce (41.8 percent), Shoshone (41.4 percent), and Clearwater (41.0 percent). The lowest percentages occurred for Madison (4.6 percent), Camas (7.1 percent), Franklin (9.0 percent), Bear Lake (10.0 percent), and Jefferson (11.2 percent) counties.

1. "Births: Final Data for 2005," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 56/No.6, December 5, 2007.

**PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary), Idaho, and Districts
2006**



**PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary) and Idaho (Total and White)
1996-2006**



*U.S. white percent not available for 2006.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Race/Ethnicity of Mother¹
2006

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC ²
	Total	Percent	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated	
IDAHO (Percent)	5,866*	24.3%	4,994 22.7%	50 38.2%	232 61.7%	59 17.4%	449 40.1%	79 NA	1,508 39.8%
District 1	725*	28.6	683	1	25	3	2	8	34
District 2	347	30.9	287	2	48	2	7	1	13
District 3	1,344	30.3	1,126	8	19	8	143	40	574
District 4	1,425	22.2	1,245	27	20	31	92	10	233
District 5	846	28.6	721	5	11	2	104	3	337
District 6	618	21.8	454	5	100	5	44	10	143
District 7	561	14.4	478	2	9	8	57	7	174
Ada	1,263	22.2	1,121	24	14	28	71	5	192
Adams	15	34.1	14	-	1	-	-	-	1
Bannock	310	21.4	256	5	41	3	5	-	46
Bear Lake	7	10.0	7	-	-	-	-	-	-
Benewah	46*	36.5	37	-	7	-	-	-	5
Bingham	220	27.9	123	-	57	2	28	10	71
Blaine	90	28.5	49	1	1	-	37	2	47
Boise	16	26.2	13	-	1	-	1	1	1
Bonner	117	28.6	112	-	2	-	-	3	2
Bonneville	366	19.3	327	2	9	5	17	6	111
Boundary	29	19.6	26	-	3	-	-	-	2
Butte	6	13.6	6	-	-	-	-	-	-
Camas	1	7.1	1	-	-	-	-	-	-
Canyon	1,051	30.2	870	6	15	6	119	35	482
Caribou	14	14.3	14	-	-	-	-	-	2
Cassia	103	26.9	79	2	2	-	19	1	51
Clark	9	47.4	3	-	-	-	5	1	8
Clearwater	32	41.0	31	-	1	-	-	-	-
Custer	11	24.4	10	-	-	-	1	-	1
Elmore	124	22.0	90	3	5	3	19	4	37
Franklin	19	9.0	18	-	-	-	1	-	6
Fremont	34	15.1	22	-	-	-	12	-	14
Gem	68	26.8	57	1	-	-	10	-	15
Gooding	78	33.6	70	-	1	-	7	-	32
Idaho	44	29.9	38	1	5	-	-	-	-
Jefferson	54	11.2	46	-	-	-	8	-	19
Jerome	122	31.0	105	-	1	-	16	-	67
Kootenai	478*	27.9	453	1	13	3	2	5	24
Latah	66	16.1	61	-	1	2	1	1	2
Lemhi	13	17.1	12	-	-	1	-	-	-
Lewis	13	43.3	12	-	-	-	1	-	3
Lincoln	19	21.1	17	-	-	-	2	-	4
Madison	46	4.6	35	-	-	2	9	-	11
Minidoka	90	27.1	72	1	1	-	16	-	55
Nez Perce	192	41.8	145	1	41	-	5	-	8
Oneida	8	16.3	8	-	-	-	-	-	1
Owyhee	47	26.3	35	-	1	-	7	4	25
Payette	105	32.0	99	1	1	2	1	1	33
Power	34	27.0	22	-	2	-	10	-	17
Shoshone	55	41.4	55	-	-	-	-	-	1
Teton	28	19.2	23	-	-	-	5	-	10
Twin Falls	343	28.7	328	1	5	2	7	-	81
Valley	22	22.4	21	-	-	-	1	-	3
Washington	58	40.8	51	-	1	-	6	-	18

1. Beginning in 2004 multiple races and Hispanic origins may be reported on the Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes three (3) out-of-state births with multiple races; one in Kootenai County (District 1) and two in Benewah County (District 1). For more information, see Technical Notes.

2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in appropriate race totals.
 NA: not applicable.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother
2006

RESIDENCE	TOTAL	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	5,866	18	1,447	477	970	2,355	1,261	514	223	45	3
District 1	725	1	150	45	105	303	159	76	32	3	1
District 2	347	1	76	23	53	159	62	29	16	3	1
District 3	1,344	8	392	148	244	526	281	96	35	6	-
District 4	1,425	4	303	85	218	590	306	153	54	15	-
District 5	846	3	218	62	156	338	174	69	34	10	-
District 6	618	-	151	50	101	237	155	50	24	1	-
District 7	561	1	157	64	93	202	124	41	28	7	1
Ada	1,263	3	251	63	188	517	286	141	51	14	-
Adams	15	-	4	1	3	8	1	2	-	-	-
Bannock	310	-	73	28	45	133	72	25	6	1	-
Bear Lake	7	-	1	-	1	5	1	-	-	-	-
Benewah	46	-	16	4	12	16	7	7	-	-	-
Bingham	220	-	53	18	35	68	64	22	13	-	-
Blaine	90	-	29	9	20	28	13	11	6	3	-
Boise	16	-	3	-	3	11	-	1	1	-	-
Bonner	117	1	21	7	14	50	21	14	10	-	-
Bonneville	366	1	98	39	59	136	80	28	20	3	-
Boundary	29	-	7	1	6	9	8	3	2	-	-
Butte	6	-	-	-	-	3	1	-	2	-	-
Camas	1	-	1	1	-	-	-	-	-	-	-
Canyon	1,051	6	310	122	188	397	220	80	32	6	-
Caribou	14	-	1	-	1	3	7	2	1	-	-
Cassia	103	1	26	4	22	44	18	7	5	2	-
Clark	9	-	3	3	-	4	1	-	1	-	-
Clearwater	32	-	6	2	4	15	5	4	2	-	-
Custer	11	-	1	-	1	5	4	-	-	1	-
Elmore	124	1	44	22	22	51	17	8	2	1	-
Franklin	19	-	7	2	5	8	2	1	1	-	-
Fremont	34	-	12	6	6	8	10	2	2	-	-
Gem	68	-	21	7	14	30	13	3	1	-	-
Gooding	78	-	13	4	9	34	20	6	5	-	-
Idaho	44	-	10	3	7	19	7	6	2	-	-
Jefferson	54	-	20	5	15	19	9	4	1	1	-
Jerome	122	1	33	10	23	46	30	7	4	1	-
Kootenai	478	-	94	28	66	206	108	50	16	3	1
Latah	66	-	12	5	7	34	10	4	4	1	1
Lemhi	13	-	2	1	1	7	3	-	-	-	1
Lewis	13	-	3	-	3	8	1	-	1	-	-
Lincoln	19	-	5	1	4	9	3	2	-	-	-
Madison	46	-	14	7	7	16	10	3	3	-	-
Minidoka	90	-	30	13	17	31	15	9	5	-	-
Nez Perce	192	1	45	13	32	83	39	15	7	2	-
Oneida	8	-	2	-	2	4	1	-	1	-	-
Owyhee	47	1	13	5	8	17	14	2	-	-	-
Payette	105	1	28	8	20	48	22	5	1	-	-
Power	34	-	14	2	12	13	7	-	-	-	-
Shoshone	55	-	12	5	7	22	15	2	4	-	-
Teton	28	-	7	3	4	7	7	4	1	2	-
Twin Falls	343	1	81	20	61	146	75	27	9	4	-
Valley	22	-	5	-	5	11	3	3	-	-	-
Washington	58	-	16	5	11	26	11	4	1	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Live Birth Order by Age of Mother
2006

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	5,866	18	477	970	2,355	1,261	514	223	45	3
1	2,986	18	431	797	1,230	351	114	37	7	1
2	1,474	-	43	147	729	369	122	50	13	1
3	847	-	3	21	302	319	138	53	11	-
4	338	-	-	3	69	146	73	40	7	-
5	128	-	-	1	15	54	38	17	3	-
6	52	-	-	-	4	15	18	13	2	-
7	28	-	-	-	2	6	8	10	1	1
8	2	-	-	-	-	-	1	1	-	-
9	3	-	-	-	-	1	-	1	1	-
10-14	3	-	-	-	1	-	1	1	-	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	-	1	3	-	1	-	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother and Percent Out-of-Wedlock
2006

AGE OF MOTHER	IDAHO			U.S. (2005)
	Total Live Births	Out-of-Wedlock Live Births	Percent Out of Wedlock	Percent Out of Wedlock
TOTAL	24,185	5,866	24.3%	36.9%
<15	18	18	100.0	98.0
15-19	2,148	1,447	67.4	83.3
15-17	597	477	79.9	90.9
18-19	1,551	970	62.5	79.7
20-24	7,511	2,355	31.4	56.2
25-29	7,667	1,261	16.4	29.3
30-34	4,531	514	11.3	17.0
35-39	1,935	223	11.5	15.7
40+	347	45	13.0	18.8
Not stated	8	-	NA	NA

NA: not applicable.

**IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections Present or Treated by Age of Mother
2006**

AGE	Total Live Births	Risk Factors In This Pregnancy		Infections Present/Treated During This Pregnancy	
		Number	Percent	Number	Percent
Total	24,185	5,562	23.0%	5,171	21.4%
<15	18	2	11.1	2	11.1
15-19	2,148	255	11.9	454	21.3
15-17	597	56	9.4	123	20.7
18-19	1,551	199	12.9	331	21.5
20-24	7,511	1,359	18.1	1,520	20.3
25-29	7,667	1,816	23.7	1,638	21.4
30-34	4,531	1,314	29.0	1,009	22.3
35-39	1,935	678	35.1	473	24.5
40-44	347	128	37.0	72	20.9
45+	20	10	50.0	3	15.0
Not stated	8	-	-	-	-

Percents based on records with stated risk factors and infections reported.

**IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections
2006**

Risk Factors	Number	Infections	Number
Total Births	24,185	Total Births	24,185
Births with Risk Factor(s) reported	5,562	Births with Infection(s) reported	5,171
Prepregnancy diabetes	137	Gonorrhea	11
Gestational diabetes	864	Syphilis	4
Unknown if prepregnancy or gestational diabetes	12	HIV Infection	4
Prepregnancy hypertension	186	Herpes Simplex Virus (HSV)	403
Gestational hypertension	1,350	Chlamydia	299
Previous preterm birth	545	Listeria	6
Other previous poor pregnancy outcome*	259	Group B Streptococcus	4,200
Vaginal bleeding prior to onset of labor	457	Cytomegalovirus	13
Pregnancy resulted from infertility treatment	212	Parvovirus	17
Mother had a previous cesarean	2,453	Toxoplasmosis	2
None of the above	18,576	Hepatitis B	34
Risk factors in pregnancy not stated	47	Hepatitis C	45
		Other infection not elsewhere specified	414
		None of the above	18,938
		Infections not stated	76

* Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth.

More than one type of risk factor or infection may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery by Age of Mother
2006

AGE	Total Live Births	Maternal Morbidity (Complications)		Characteristics of Labor and Delivery	
		Number	Percent	Number	Percent
Total	24,185	402	1.7%	19,999	82.8%
<15	18	2	11.1	16	88.9
15-19	2,148	36	1.7	1,835	85.5
15-17	597	11	1.8	515	86.3
18-19	1,551	25	1.6	1,320	85.3
20-24	7,511	157	2.1	6,289	83.8
25-29	7,667	116	1.5	6,338	82.7
30-34	4,531	57	1.3	3,668	81.1
35-39	1,935	26	1.3	1,562	80.9
40-44	347	6	1.7	275	79.5
45+	20	2	10.0	16	80.0
Not stated	8	-	-	-	-

Percents based on records with stated maternal morbidity and characteristics of labor and delivery.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery
2006

Maternal Morbidity (Complications)	Number	Characteristics of Labor and Delivery	Number
Total Births	24,185	Total Births	24,185
Births with Maternal Morbidity(ies) reported	402	Births with Characteristic(s) reported	19,999
Maternal transfusion	64	Induction of labor	6,727
Third or fourth degree perineal laceration	277	Augmentation of labor	5,212
Ruptured uterus	5	Non-vertex presentation	350
Unplanned hysterectomy	11	Steroids for fetal lung maturation received by mother prior to delivery	476
Admission to intensive care unit	27	Antibiotics received by mother during labor	4,627
Unplanned operating room procedure following delivery	58	Clinical chorioamnionitis diagnosed during labor or maternal temperature $\geq 38^{\circ}\text{C}$ (100.4°F)	291
None of the above	23,760	Moderate/heavy meconium staining of the amniotic fluid	909
Maternal morbidity not stated	23	Fetal intolerance to labor*	1,611
		Epidural or spinal anesthesia during labor	16,139
		None of the above	4,159
		Characteristic of labor and delivery not stated	27

* Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery.

More than one type of morbidity or characteristic may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

**IDAHO RESIDENT LIVE BIRTHS
Abnormal Conditions of the Newborn
2006**

Abnormal Conditions of Newborn	Number
Total Births	24,185
Births with Abnormal Condition(s) reported	3,099
Assisted ventilation required	
Immediately following delivery	750
For more than six hours	371
NICU admission	1,896
Newborn given surfactant replacement therapy	256
Antibiotics given for suspected neonatal sepsis	692
Seizure or serious neurologic dysfunction	15
Significant birth injury*	24
Failed newborn hearing test	876
None of the above	21,042
Abnormal conditions not stated	44

* Significant birth injury includes skeletal fracture, peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention.

**IDAHO RESIDENT LIVE BIRTHS
Congenital Anomalies
2006**

Congenital Anomalies	Number	Congenital Anomalies	Number
Total Births	24,185	Congenital malformations and deformations of the musculoskeletal system	
Births with Congenital Anomaly(ies) reported	146	Congenital diaphragmatic hernia	4
Congenital malformations of the nervous system		Limb reduction defect	11
Anencephaly	5	Gastroschisis	5
Meningomyelocele/Spina Bifida	12	Omphalocele	3
Congenital malformations of the circulatory system		Gastroschisis/Omphalocele*	5
Cyanotic congenital heart disease	22	Down syndrome	
Cleft lip and cleft palate		Karyotype confirmed	5
Cleft lip with or without cleft palate	20	Karyotype pending	13
Cleft palate alone	8	Suspected other chromosomal disorder	
Congenital malformations of genital organs		Karyotype confirmed	7
Hypospadias	19	Karyotype pending	21
		None of the above	23,986
		Congenital anomalies not stated	53

* In 2004, the Idaho birth certificate was revised for the question on congenital anomalies. Prior to 2004, gastroschisis/omphalocele were one checkbox; beginning in 2004, gastroschisis and omphalocele were two separate checkboxes. There were five (5) babies born in states with unrevised certificates with the gastroschisis/omphalocele checkbox marked.

More than one type of abnormal condition or congenital anomaly may be reported for a live birth. Starting with 2004, the collection process for abnormal condition and congenital anomaly data has changed. Data are not comparable to previous years. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking¹ by Age of Mother
2006

AGE OF MOTHER	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent ²	Number	Percent ²	Number
TOTAL	24,185	3,056	12.7%	21,064	87.3%	65
<15	18	1	5.6	17	94.4	-
15-19	2,148	442	20.6	1,702	79.4	4
15-17	597	91	15.3	505	84.7	1
18-19	1,551	351	22.7	1,197	77.3	3
20-24	7,511	1,277	17.0	6,217	83.0	17
25-29	7,667	855	11.2	6,793	88.8	19
30-34	4,531	322	7.1	4,201	92.9	8
35-39	1,935	132	6.9	1,794	93.1	9
40-44	347	25	7.2	322	92.8	-
45+	20	1	5.3	18	94.7	1
Not Stated	8	1	NA	-	NA	7

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2006 are not comparable to data prior to 2004. For more information, see Technical Notes.
2. Percents are based on records with stated cigarette smoking data. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking¹ by Race and Ethnicity of Mother²
2006

RACE AND ETHNICITY	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent ³	Number	Percent ³	Number
TOTAL	24,185	3,056	12.7%	21,064	87.3%	65
Race						
White	22,047	2,894	13.1	19,114	86.9	39
Black	131	16	12.3	114	87.7	1
American Indian or Alaska Native	376	77	20.5	299	79.5	-
Asian or Pacific Islander	339	20	5.9	319	94.1	-
Other Race	1,119	31	2.8	1,085	97.2	3
Race not stated	164	16	11.1	128	88.9	20
Ethnicity ⁴						
Non-Hispanic	20,283	2,849	14.1	17,400	85.9	34
Hispanic	3,786	180	4.8	3,593	95.2	13
Ethnicity not stated	116	27	27.6	71	72.4	18

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2006 are not comparable to data prior to 2004. For more information, see Technical Notes.
2. Beginning in 2004, multiple races and Hispanic origins may be reported on the Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Total includes nine (9) births with multiple races. For more information, see Technical Notes.
3. Percents are based on records with stated cigarette smoking data.
4. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in the appropriate race totals.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking Before and During Pregnancy by District of Residence
2006

DISTRICT OF RESIDENCE	CIGARETTE SMOKING									
	Three Months Before Pregnancy		During Pregnancy							
			Any Time During Pregnancy		First Three Months of Pregnancy		Second Three Months of Pregnancy		Third Three Months of Pregnancy	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	3,967	16.9%	3,056	12.7%	2,970	12.3%	2,402	10.0%	2,258	9.4%
District 1	704	28.0	547	21.6	536	21.2	440	17.4	416	16.5
District 2	253	22.6	203	18.1	196	17.5	164	14.6	155	13.9
District 3	647	15.7	536	12.2	521	11.8	427	9.7	407	9.2
District 4	1,134	17.8	799	12.5	777	12.1	588	9.2	547	8.5
District 5	490	16.8	378	12.8	368	12.5	294	10.0	277	9.4
District 6	431	16.4	351	12.4	341	12.1	285	10.1	256	9.1
District 7	308	8.0	242	6.2	231	5.9	204	5.3	200	5.2

Percents based on records with stated cigarette smoking.

Starting with 2004, the collection process for tobacco use has changed. Data in 2006 are not comparable to data prior to 2004. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Birth Weight by Cigarette Smoking
2006

CIGARETTE SMOKING DURING PREGNANCY	TOTAL LIVE BIRTHS	BIRTH WEIGHT				
		Low Birth Weight (<2,500 Grams)		Normal Birth Weight (≥2,500 grams)		Not Stated
	Number	Number	Percent	Number	Percent	Number
TOTAL	24,185	1,676	6.9%	22,487	93.1%	22
Yes	3,056	308	10.1	2,748	89.9	-
No	21,064	1,362	6.5	19,686	93.5	16
Not Stated	65	6	NA	53	NA	6

Percents based on records with stated birth weight. NA: not applicable.

Starting with 2004, the collection process for tobacco use has changed. Data in 2006 are not comparable to data prior to 2004. For more information, see Technical Notes.

**U.S. AND IDAHO RESIDENT LIVE BIRTHS
Method of Delivery by District of Residence
2006**

RESIDENCE	TOTAL LIVE BIRTHS	METHOD OF DELIVERY										Not Stated
		Vaginal Births				Cesarean Births						
		Vaginal ¹		VBAC ²		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
U.S. , 2005*		69.7		10.1		30.3		24.3		89.9		
IDAHO	24,185	18,245	75.5	412	16.8	5,505	22.8	3,464	16.0	2,041	83.2	23
District 1	2,531	1,883	74.4	22	7.2	626	24.7	343	15.4	283	92.8	-
District 2	1,123	855	76.3	12	13.0	253	22.6	173	16.8	80	87.0	3
District 3	4,430	3,388	76.6	114	22.9	921	20.8	538	13.7	383	77.1	7
District 4	6,422	4,754	74.2	120	20.7	1,537	24.0	1,077	18.5	460	79.3	11
District 5	2,955	2,187	74.0	36	11.3	732	24.8	449	17.0	283	88.7	-
District 6	2,834	2,112	74.5	31	9.1	690	24.4	381	15.3	309	90.9	1
District 7	3,890	3,066	78.8	77	24.1	746	19.2	503	14.1	243	75.9	1

* U.S. 2005 vaginal and total cesarean rates are based on all reporting areas; VBAC, primary, and repeat cesarean rates are based on 12 states with revised certificates in 2005, including Idaho. For more information, see Technical Notes.

**IDAHO RESIDENT LIVE BIRTHS
Method of Delivery By Age of Mother
2006**

AGE OF MOTHER	TOTAL LIVE BIRTHS	METHOD OF DELIVERY										Not Stated
		Vaginal Births				Cesarean Births						
		Vaginal ¹		VBAC ²		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	24,185	18,245	75.5	412	16.8	5,505	22.8	3,464	16.0	2,041	83.2	23
<15	18	15	83.3	-	-	3	16.7	3	16.7	-	-	-
15-19	2,148	1,772	82.6	8	16.0	364	17.0	322	15.4	42	84.0	4
15-17	597	502	84.1	2	25.0	93	15.6	87	14.8	6	75.0	-
18-19	1,551	1,270	82.1	6	14.3	271	17.5	235	15.6	36	85.7	4
20-24	7,511	5,909	78.7	73	13.2	1,523	20.3	1,044	15.0	479	86.8	6
25-29	7,667	5,791	75.6	139	16.6	1,735	22.6	1,035	15.2	700	83.4	2
30-34	4,531	3,259	72.0	111	18.2	1,159	25.6	661	16.9	498	81.8	2
35-39	1,935	1,282	66.3	68	20.5	583	30.2	319	19.9	264	79.5	2
40-44	347	207	59.8	11	16.4	128	37.0	72	25.8	56	83.6	1
45+	20	8	40.0	2	50.0	10	50.0	8	50.0	2	50.0	-
Not stated	8	2	NA	-	NA	-	NA	-	NA	-	NA	6

1. Vaginal births, not including VBAC.

2. VBAC: Vaginal birth after previous cesarean.

Rates are based on records with known data for method of delivery. NA: not applicable.

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births.

Vaginal birth after previous cesarean (VBAC): Number of vaginal deliveries per 100 births to women with a previous cesarean.

Total cesarean rate: Number of cesarean deliveries per 100 births.

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans.

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

In 2004 the Idaho birth certificate was revised; collection process for method of delivery data changed. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery¹ by District of Residence
2006

RESIDENCE	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										Not Stated
		Self pay		Private Insurance		Medicaid ²		Other Government ³		Not Applicable or Other ⁴		
		Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	
IDAHO	24,185	2,544	10.8%	12,241	52.0%	7,726	32.8%	775	3.3%	239	1.0%	660
District 1	2,531	290	11.5	1,191	47.3	984	39.1	45	1.8	6	0.2	15
District 2	1,123	75	6.8	524	47.5	403	36.5	84	7.6	17	1.5	20
District 3	4,430	754	18.2	1,829	44.2	1,357	32.8	136	3.3	63	1.5	291
District 4	6,422	428	6.7	3,873	60.5	1,632	25.5	428	6.7	36	0.6	25
District 5	2,955	638	21.8	1,282	43.9	896	30.7	22	0.8	85	2.9	32
District 6	2,834	124	4.7	1,354	51.7	1,074	41.0	49	1.9	20	0.8	213
District 7	3,890	235	6.1	2,188	57.2	1,380	36.1	11	0.3	12	0.3	64

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery¹ by Age of Mother
2006

AGE OF MOTHER	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										Not Stated
		Self pay		Private Insurance		Medicaid ²		Other Government ³		Not Applicable or Other ⁴		
		Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	Number	Percent ⁵	
TOTAL	24,185	2,544	10.8%	12,241	52.0%	7,726	32.8%	775	3.3%	239	1.0%	660
<15	18	5	29.4	2	11.8	9	52.9	1	5.9	-	-	1
15-19	2,148	281	13.5	334	16.0	1,352	65.0	82	3.9	32	1.5	67
15-17	597	105	18.1	77	13.3	367	63.4	23	4.0	7	1.2	18
18-19	1,551	176	11.7	257	17.1	985	65.6	59	3.9	25	1.7	49
20-24	7,511	807	11.1	2,765	37.9	3,361	46.0	289	4.0	81	1.1	208
25-29	7,667	735	9.9	4,500	60.3	1,939	26.0	222	3.0	62	0.8	209
30-34	4,531	465	10.5	3,066	69.4	723	16.4	122	2.8	44	1.0	111
35-39	1,935	207	10.9	1,339	70.8	281	14.9	50	2.6	14	0.7	44
40-44	347	41	12.2	221	66.0	59	17.6	9	2.7	5	1.5	12
45+	20	2	11.1	13	72.2	2	11.1	-	-	1	5.6	2
Not stated	8	1	NA	1	NA	-	NA	-	NA	-	NA	6

In 2004 the Idaho birth certificate was revised; collection process for payment source for delivery data changed. For more information, see Technical Notes.

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
4. Not applicable or other payment source includes births in which there was no payment for the delivery.
5. Percents are based on records with stated data for payment of delivery. NA: not applicable.

U.S. AND IDAHO RESIDENT TEEN LIVE BIRTHS Idaho (2006), U.S. (2005)

	Fertility Rate ²	Percent Out-of-Wedlock	Percent Low Birth Weight ³
IDAHO TOTAL			
<15 ⁴	0.3	100.0%	22.2%
15-19	39.3	67.4	8.3
15-17	17.9	79.9	8.3
18-19	72.5	62.5	8.3
IDAHO WHITE			
<15 ⁴	0.3	100.0	28.6
15-19	34.9	65.5	8.5
15-17	14.7	79.4	7.8
18-19	66.2	60.7	8.8
U.S. TOTAL¹			
<15 ⁴	0.7	98.0	13.3
15-19	40.5	83.3	10.0
15-17	21.4	90.9	10.7
18-19	69.9	79.7	9.7
U.S. WHITE^{1, 5}			
<15 ⁴	0.5	96.6	10.5
15-19	37.0	78.8	8.6
15-17	18.9	87.8	NA
18-19	64.7	74.8	NA

1. U.S. fertility rates (total and white), unmarried (total and white), and low birth weight (total): "Births: Final Data for 2005," *National Vital Statistics Reports*, National Center for Health Statistics, Vol. 56, No. 6, December 5, 2007.
2. Fertility rate: Number of live births per 1,000 females in corresponding age group.
3. Percents are based on records with known birth weight.
4. Rates for <15 age group are based on females aged 10-14.
5. U.S. low birth weight (white): Centers for Disease Control and Prevention. National Center for Health Statistics. VitalStats. <http://www.cdc.gov/nchs/vitalstats.htm>, (accessed January 3, 2008). NA: Not available.


IDAHO RESIDENT TEEN PREGNANCIES AND ABORTIONS 2006

	PREGNANCIES ¹		INDUCED ABORTIONS		
	Number	Rate ²	Number	Rate ³	Ratio ⁴
TOTAL	2,574	24.1	392	3.7	181.0
<15 ⁵	31	0.6	12	0.2	666.7
15-19	2,543	46.5	380	7.0	176.9
15-17	762	22.9	159	4.8	266.3
18-19	1,781	83.3	221	10.3	142.5
WHITE	2,184	21.4	330	3.2	179.3
<15 ⁵	22	0.4	8	0.2	571.4
15-19	2,162	41.3	322	6.1	176.2
15-17	599	18.8	128	4.0	274.1
18-19	1,563	76.1	194	9.4	142.6


1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weight 350+ grams are required to be reported under Idaho law.)
2. Number of pregnancies per 1,000 females in corresponding age group.
3. Induced abortion rate: Number of induced abortions per 1,000 females in corresponding age group.
4. Induced abortion ratio: Number of induced abortions per 1,000 live births in corresponding age group.
5. Rates for <15 age group are based on females aged 10-14.

U.S. data for teen pregnancies and abortions are not shown because they are not comparable to Idaho data. Abortion data from the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion (NCCDPHP) are adjusted to national totals compiled by The Guttmacher Institute (AGI) from their surveys of all known abortion providers because abortion data by age are not reported to the NCCDPHP for three states (Alaska, California, New Hampshire). The numbers of abortions published by NCCDPHP tend to be lower than the numbers published by AGI. For example, the total number of abortions reported by NCCDPHP was about 20 percent lower in 2000 than reported by the AGI for the same reporting areas.

**TEEN FERTILITY RATES BY AGE
U.S. (2005) and Idaho (Total and White)
2006**




**TEEN OUT-OF-WEDLOCK BIRTH PERCENTS BY AGE
U.S. (2005) and Idaho (Total and White)
2006**




TEEN STILLBIRTH, ABORTION, AND BIRTH RATES BY AGE

Idaho 2006



TEEN PREGNANCY RATES

Idaho and Districts, 15-19 Year-Olds 2006



IDAHO RESIDENT TEEN PREGNANCY
Total Pregnancies and Rates by Age of Mother
2006

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	31	0.6	2,543	46.5	762	22.9	1,781	83.3
District 1	2	0.3	293	42.4	83	17.8	210	93.3
District 2	1	0.4	133	32.9	38	19.4	95	45.5
District 3	9	1.0	618	75.0	211	37.9	407	152.0
District 4	10	0.7	594	46.3	169	19.9	425	98.2
District 5	6	0.9	368	58.3	104	25.6	264	117.4
District 6	2	0.3	258	39.4	74	17.9	184	76.4
District 7	1	0.1	279	28.6	83	19.0	196	36.4
Ada	8	0.7	496	43.4	132	17.4	364	94.6
Adams	-	-	8	66.1	2	23.8	6	162.2
Bannock	1	0.4	129	42.6	38	22.8	91	66.7
Bear Lake	-	-	6	23.5	-	-	6	77.9
Benewah	-	-	22	75.1	10	50.0	12	129.0
Bingham	1	0.5	81	43.9	26	20.6	55	94.3
Blaine	-	-	37	54.9	11	24.4	26	116.6
Boise	-	-	6	23.5	1	5.9	5	58.1
Bonner	2	1.6	50	36.6	11	11.4	39	98.0
Bonneville	1	0.3	166	50.5	49	21.4	117	117.4
Boundary	-	-	12	31.3	2	7.2	10	94.3
Butte	-	-	3	36.1	-	-	3	150.0
Camas	-	-	2	62.5	1	41.7	1	125.0
Canyon	7	1.0	496	82.7	176	44.0	320	160.4
Caribou	-	-	2	7.2	-	-	2	29.9
Cassia	1	1.1	40	47.9	9	15.3	31	126.0
Clark	-	-	4	108.1	4	142.9	-	-
Clearwater	-	-	10	40.7	2	11.4	8	114.3
Custer	-	-	4	30.3	-	-	4	125.0
Elmore	2	1.9	76	86.5	30	53.3	46	145.6
Franklin	-	-	13	24.1	4	10.0	9	63.8
Fremont	-	-	20	45.0	8	25.1	12	96.0
Gem	-	-	30	53.2	7	17.8	23	135.3
Gooding	-	-	28	61.7	7	22.4	21	147.9
Idaho	-	-	20	36.3	6	15.0	14	92.7
Jefferson	-	-	33	35.4	8	12.5	25	86.2
Jerome	1	1.2	59	82.2	17	36.2	42	168.7
Kootenai	-	-	190	42.2	53	17.9	137	88.8
Latah	-	-	29	15.3	9	15.7	20	15.1
Lemhi	-	-	4	14.1	1	4.8	3	39.5
Lewis	-	-	4	35.7	1	13.2	3	83.3
Lincoln	1	5.7	9	47.9	3	25.4	6	85.7
Madison	-	-	40	9.2	10	16.9	30	8.0
Minidoka	1	1.3	48	67.1	21	44.6	27	110.7
Nez Perce	1	0.9	70	56.4	20	27.3	50	98.2
Oneida	-	-	3	19.9	-	-	3	62.5
Owyhee	1	2.2	23	58.7	7	24.7	16	146.8
Payette	1	1.1	41	49.0	13	22.8	28	105.3
Power	-	-	21	57.9	6	23.5	15	138.9
Shoshone	-	-	19	51.4	7	27.0	12	108.1
Teton	-	-	8	27.4	3	14.7	5	56.8
Twin Falls	2	0.8	145	53.8	35	21.5	110	103.1
Valley	-	-	16	59.7	6	31.6	10	128.2
Washington	-	-	20	59.2	6	25.3	14	138.6

Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).

Rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on total females aged 10-14.

IDAHO RESIDENT TEEN LIVE BIRTHS
Live Births and Rates by Age of Mother
2006

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	18	0.3	2,148	39.3	597	17.9	1,551	72.5
District 1	1	0.1	227	32.8	56	12.0	171	76.0
District 2	1	0.4	103	25.5	28	14.3	75	35.9
District 3	8	0.9	550	66.7	175	31.4	375	140.0
District 4	4	0.3	429	33.5	100	11.8	329	76.0
District 5	3	0.5	337	53.4	89	21.9	248	110.3
District 6	-	-	237	36.2	68	16.4	169	70.2
District 7	1	0.1	265	27.2	81	18.5	184	34.2
Ada	3	0.2	351	30.7	74	9.8	277	72.0
Adams	-	-	6	49.6	1	11.9	5	135.1
Bannock	-	-	116	38.3	34	20.4	82	60.1
Bear Lake	-	-	5	19.6	-	-	5	64.9
Benewah	-	-	18	61.4	6	30.0	12	129.0
Bingham	-	-	77	41.7	24	19.0	53	90.9
Blaine	-	-	34	50.4	10	22.2	24	107.6
Boise	-	-	4	15.7	-	-	4	46.5
Bonner	1	0.8	41	30.0	9	9.3	32	80.4
Bonneville	1	0.3	154	46.9	47	20.6	107	107.3
Boundary	-	-	12	31.3	2	7.2	10	94.3
Butte	-	-	3	36.1	-	-	3	150.0
Camas	-	-	2	62.5	1	41.7	1	125.0
Canyon	6	0.9	440	73.4	145	36.3	295	147.9
Caribou	-	-	2	7.2	-	-	2	29.9
Cassia	1	1.1	37	44.3	7	11.9	30	122.0
Clark	-	-	4	108.1	4	142.9	-	-
Clearwater	-	-	10	40.7	2	11.4	8	114.3
Custer	-	-	4	30.3	-	-	4	125.0
Elmore	1	1.0	66	75.1	25	44.4	41	129.7
Franklin	-	-	12	22.2	4	10.0	8	56.7
Fremont	-	-	20	45.0	8	25.1	12	96.0
Gem	-	-	26	46.1	7	17.8	19	111.8
Gooding	-	-	25	55.1	6	19.2	19	133.8
Idaho	-	-	18	32.7	5	12.5	13	86.1
Jefferson	-	-	33	35.4	8	12.5	25	86.2
Jerome	1	1.2	58	80.8	17	36.2	41	164.7
Kootenai	-	-	139	30.8	34	11.5	105	68.0
Latah	-	-	15	7.9	6	10.5	9	6.8
Lemhi	-	-	3	10.6	1	4.8	2	26.3
Lewis	-	-	3	26.8	-	-	3	83.3
Lincoln	-	-	8	42.6	2	16.9	6	85.7
Madison	-	-	40	9.2	10	16.9	30	8.0
Minidoka	-	-	46	64.3	19	40.3	27	110.7
Nez Perce	1	0.9	57	45.9	15	20.5	42	82.5
Oneida	-	-	3	19.9	-	-	3	62.5
Owyhee	1	2.2	21	53.6	6	21.2	15	137.6
Payette	1	1.1	38	45.5	11	19.3	27	101.5
Power	-	-	19	52.3	6	23.5	13	120.4
Shoshone	-	-	17	45.9	5	19.3	12	108.1
Teton	-	-	7	24.0	3	14.7	4	45.5
Twin Falls	1	0.4	127	47.1	27	16.6	100	93.7
Valley	-	-	8	29.9	1	5.3	7	89.7
Washington	-	-	19	56.2	5	21.1	14	138.6

Rate: Number of births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

IDAHO RESIDENT TEEN LIVE BIRTHS
Out-of-Wedlock Live Births and Percents by Age of Mother
2006

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	18	100.0%	1,447	67.4%	477	79.9%	970	62.5%
District 1	1	100.0	150	66.1	45	80.4	105	61.4
District 2	1	100.0	76	73.8	23	82.1	53	70.7
District 3	8	100.0	392	71.3	148	84.6	244	65.1
District 4	4	100.0	303	70.6	85	85.0	218	66.3
District 5	3	100.0	218	64.7	62	69.7	156	62.9
District 6	-	-	151	63.7	50	73.5	101	59.8
District 7	1	100.0	157	59.2	64	79.0	93	50.5
Ada	3	100.0	251	71.5	63	85.1	188	67.9
Adams	-	-	4	66.7	1	100.0	3	60.0
Bannock	-	-	73	62.9	28	82.4	45	54.9
Bear Lake	-	-	1	20.0	-	-	1	20.0
Benewah	-	-	16	88.9	4	66.7	12	100.0
Bingham	-	-	53	68.8	18	75.0	35	66.0
Blaine	-	-	29	85.3	9	90.0	20	83.3
Boise	-	-	3	75.0	-	-	3	75.0
Bonner	1	100.0	21	51.2	7	77.8	14	43.8
Bonneville	1	100.0	98	63.6	39	83.0	59	55.1
Boundary	-	-	7	58.3	1	50.0	6	60.0
Butte	-	-	-	-	-	-	-	-
Camas	-	-	1	50.0	1	100.0	-	-
Canyon	6	100.0	310	70.5	122	84.1	188	63.7
Caribou	-	-	1	50.0	-	-	1	50.0
Cassia	1	100.0	26	70.3	4	57.1	22	73.3
Clark	-	-	3	75.0	3	75.0	-	-
Clearwater	-	-	6	60.0	2	100.0	4	50.0
Custer	-	-	1	25.0	-	-	1	25.0
Elmore	1	100.0	44	66.7	22	88.0	22	53.7
Franklin	-	-	7	58.3	2	50.0	5	62.5
Fremont	-	-	12	60.0	6	75.0	6	50.0
Gem	-	-	21	80.8	7	100.0	14	73.7
Gooding	-	-	13	52.0	4	66.7	9	47.4
Idaho	-	-	10	55.6	3	60.0	7	53.8
Jefferson	-	-	20	60.6	5	62.5	15	60.0
Jerome	1	100.0	33	56.9	10	58.8	23	56.1
Kootenai	-	-	94	67.6	28	82.4	66	62.9
Latah	-	-	12	80.0	5	83.3	7	77.8
Lemhi	-	-	2	66.7	1	100.0	1	50.0
Lewis	-	-	3	100.0	-	-	3	100.0
Lincoln	-	-	5	62.5	1	50.0	4	66.7
Madison	-	-	14	35.0	7	70.0	7	23.3
Minidoka	-	-	30	65.2	13	68.4	17	63.0
Nez Perce	1	100.0	45	78.9	13	86.7	32	76.2
Oneida	-	-	2	66.7	-	-	2	66.7
Owyhee	1	100.0	13	61.9	5	83.3	8	53.3
Payette	1	100.0	28	73.7	8	72.7	20	74.1
Power	-	-	14	73.7	2	33.3	12	92.3
Shoshone	-	-	12	70.6	5	100.0	7	58.3
Teton	-	-	7	100.0	3	100.0	4	100.0
Twin Falls	1	100.0	81	63.8	20	74.1	61	61.0
Valley	-	-	5	62.5	-	-	5	71.4
Washington	-	-	16	84.2	5	100.0	11	78.6

Percent of total live births in each age group that are out-of-wedlock.

Out-of-wedlock percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN LIVE BIRTHS
Low Birth Weight Live Births and Percents by Age of Mother
2006

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	4	22.2%	178	8.3%	49	8.3%	129	8.3%
District 1	-	-	17	7.5	4	7.1	13	7.6
District 2	1	100.0	6	5.8	1	3.6	5	6.7
District 3	2	25.0	40	7.3	9	5.3	31	8.3
District 4	1	25.0	40	9.3	10	10.0	30	9.1
District 5	-	-	31	9.2	8	9.0	23	9.3
District 6	-	-	21	8.9	6	8.8	15	8.9
District 7	-	-	23	8.7	11	13.6	12	6.5
Ada	1	33.3	30	8.5	6	8.1	24	8.7
Adams	-	-	-	-	-	-	-	-
Bannock	-	-	14	12.1	3	8.8	11	13.4
Bear Lake	-	-	-	-	-	-	-	-
Benewah	-	-	2	11.1	-	-	2	16.7
Bingham	-	-	6	7.8	3	12.5	3	5.7
Blaine	-	-	3	8.8	1	10.0	2	8.3
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	2	4.9	1	11.1	1	3.1
Bonneville	-	-	14	9.1	8	17.0	6	5.6
Boundary	-	-	1	8.3	-	-	1	10.0
Butte	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	1	16.7	30	6.9	8	5.7	22	7.5
Caribou	-	-	-	-	-	-	-	-
Cassia	-	-	7	18.9	1	14.3	6	20.0
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-
Custer	-	-	1	25.0	-	-	1	25.0
Elmore	-	-	8	12.1	4	16.0	4	9.8
Franklin	-	-	-	-	-	-	-	-
Fremont	-	-	4	20.0	1	12.5	3	25.0
Gem	-	-	1	3.8	-	-	1	5.3
Gooding	-	-	1	4.0	-	-	1	5.3
Idaho	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-
Jerome	-	-	4	6.9	-	-	4	9.8
Kootenai	-	-	10	7.2	3	8.8	7	6.7
Latah	-	-	1	6.7	-	-	1	11.1
Lemhi	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-
Lincoln	-	-	1	12.5	-	-	1	16.7
Madison	-	-	4	10.0	2	20.0	2	6.7
Minidoka	-	-	4	8.7	1	5.3	3	11.1
Nez Perce	1	100.0	5	8.8	1	6.7	4	9.5
Oneida	-	-	1	33.3	-	-	1	33.3
Owyhee	-	-	2	9.5	1	16.7	1	6.7
Payette	1	100.0	3	7.9	-	-	3	11.1
Power	-	-	-	-	-	-	-	-
Shoshone	-	-	2	11.8	-	-	2	16.7
Teton	-	-	-	-	-	-	-	-
Twin Falls	-	-	11	8.7	5	18.5	6	6.0
Valley	-	-	2	25.0	-	-	2	28.6
Washington	-	-	4	21.1	-	-	4	28.6

Percent of total live births in each age group that are low birth weight (<2,500 grams). Percents are based on records with stated birth weight.

Low birth weight percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN ABORTIONS
Abortions, Ratios and Rates by Age of Patient
2006

RESIDENCE	AGE OF PATIENT											
	<15			15-19			15-17			18-19		
	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate
IDAHO	12	666.7	0.2	380	176.9	7.0	159	266.3	4.8	221	142.5	10.3
District 1	1	1,000.0	0.1	64	281.9	9.3	27	482.1	5.8	37	216.4	16.4
District 2	-	-	-	30	291.3	7.4	10	357.1	5.1	20	266.7	9.6
District 3	1	125.0	0.1	66	120.0	8.0	35	200.0	6.3	31	82.7	11.6
District 4	6	1,500.0	0.4	161	375.3	12.6	68	680.0	8.0	93	282.7	21.5
District 5	2	666.7	0.3	26	77.2	4.1	12	134.8	3.0	14	56.5	6.2
District 6	2	**	0.3	21	88.6	3.2	6	88.2	1.5	15	88.8	6.2
District 7	-	-	-	12	45.3	1.2	1	12.3	0.2	11	59.8	2.0
Ada	5	-	0.4	142	404.6	12.4	58	783.8	7.7	84	303.2	21.8
Adams	-	-	-	2	333.3	16.5	1	1,000.0	11.9	1	200.0	27.0
Bannock	1	**	0.4	13	112.1	4.3	4	117.6	2.4	9	109.8	6.6
Bear Lake	-	-	-	1	200.0	3.9	-	-	-	1	200.0	13.0
Benewah	-	-	-	4	222.2	13.7	4	666.7	20.0	-	-	-
Bingham	1	**	0.5	4	51.9	2.2	2	83.3	1.6	2	37.7	3.4
Blaine	-	-	-	2	58.8	3.0	1	100.0	2.2	1	41.7	4.5
Boise	-	-	-	2	500.0	7.8	1	**	5.9	1	250.0	11.6
Bonner	1	1,000.0	0.8	9	219.5	6.6	2	222.2	2.1	7	218.8	17.6
Bonneville	-	-	-	10	64.9	3.0	1	21.3	0.4	9	84.1	9.0
Boundary	-	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	1	166.7	0.1	55	125.0	9.2	31	213.8	7.8	24	81.4	12.0
Caribou	-	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	2	54.1	2.4	1	142.9	1.7	1	33.3	4.1
Clark	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-
Elmore	1	1,000.0	1.0	9	136.4	10.2	4	160.0	7.1	5	122.0	15.8
Franklin	-	-	-	1	83.3	1.9	-	-	-	1	125.0	7.1
Fremont	-	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	4	153.8	7.1	-	-	-	4	210.5	23.5
Gooding	-	-	-	2	80.0	4.4	-	-	-	2	105.3	14.1
Idaho	-	-	-	2	111.1	3.6	1	200.0	2.5	1	76.9	6.6
Jefferson	-	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	1	17.2	1.4	-	-	-	1	24.4	4.0
Kootenai	-	-	-	49	352.5	10.9	19	558.8	6.4	30	285.7	19.4
Latah	-	-	-	14	933.3	7.4	3	500.0	5.2	11	1,222.2	8.3
Lemhi	-	-	-	1	333.3	3.5	-	-	-	1	500.0	13.2
Lewis	-	-	-	1	333.3	8.9	1	**	13.2	-	-	-
Lincoln	1	**	5.7	1	125.0	5.3	1	500.0	8.5	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-	-	-
Minidoka	-	-	-	1	21.7	1.4	1	52.6	2.1	-	-	-
Nez Perce	-	-	-	13	228.1	10.5	5	333.3	6.8	8	190.5	15.7
Oneida	-	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	2	95.2	5.1	1	166.7	3.5	1	66.7	9.2
Payette	-	-	-	2	52.6	2.4	1	90.9	1.8	1	37.0	3.8
Power	-	-	-	2	105.3	5.5	-	-	-	2	153.8	18.5
Shoshone	-	-	-	2	117.6	5.4	2	400.0	7.7	-	-	-
Teton	-	-	-	1	142.9	3.4	-	-	-	1	250.0	11.4
Twin Falls	1	1,000.0	0.4	17	133.9	6.3	8	296.3	4.9	9	90.0	8.4
Valley	-	-	-	8	1,000.0	29.9	5	5,000.0	26.3	3	428.6	38.5
Washington	-	-	-	1	52.6	3.0	1	200.0	4.2	-	-	-

**Ratio cannot be computed; no live births. Ratio: Number of induced abortions per 1,000 live births in corresponding age group.

Rate: Number of induced abortions per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

IDAHO RESIDENT LIVE BIRTHS
Most Common Given Names
2006

GIRLS		
1. Emma	9. (tie) Hailey	17. Sophia
2. Abigail	Taylor	18. Alyssa
3. Olivia	11. Elizabeth	19. Natalie
4. Madison	12. Isabella	20. Sarah
5. Hannah	13. Alexis	21. Sydney
6. Emily	14. (tie) Brooklyn	22. Lily
7. Ava	Chloe	23. Samantha
8. Grace	Ella	24. Ashley
		25. Addison

BOYS		
1. Ethan	9. (tie) Jackson	17. (tie) Alexander
2. Jacob	Tyler	Anthony
3. Joshua	William	Daniel
4. Noah	12. Michael	20. (tie) Caleb
5. Logan	13. Matthew	Carter
6. Samuel	14. Austin	22. Nathan
7. (tie) Andrew	15. (tie) Benjamin	23. Aiden
Isaac	Gabriel	24. Mason
		25. (tie) Dylan
		Joseph

Each spelling constitutes a different name.

Selected Unique Names, Yewneek Spellings:

GIRLS				
Allyvia	Bristol	Kalispell	Northstar	Tacheranai
Anakalia	Cedee	Klowie	Nutaliy Harmony	Tragen
Aptisam	Dorcas	Lexington	Pennilane Meadow	Tsunami
Aveda	Fall	Little Summers	Phaedra	Viktoriya
Blayde	Heziachiah	Navy	Russia	Yochabelle

BOYS				
Akhilles	College	Howdy	Polo	Trask
Backtash	Colquohn	Jameraquoi	Razor	Tucson
Blend	Daily	Karona	Rythmik	Winn
Bronco	Gid	Lake	Sacramento	Wracer
Chalk	Hampton	Packer	Spur	Xzavvyerr

MORTALITY

U.S. and Idaho

The number of Idaho resident deaths increased less than one percent from 10,513 deaths in 2005 to 10,556 in 2006. At the same time, the death rate decreased from 7.4 per 1,000 population in 2005 to 7.2 in 2006. There were 2,448,017 deaths in the United States in 2005 (latest year available) which was a 2 percent increase from 2,397,615 deaths in 2004. The 2005 U.S. crude death rate was 8.3 deaths per 1,000 population compared with 8.2 in 2004¹.

Cause of Death Ranking

The leading causes of death in U.S in 2005 were identical to Idaho's top-three causes in 2006; however, there were differences in the crude rates per 100,000 population for Diseases of heart (rank 1) and Malignant neoplasms (rank 2). In the U.S., Chronic lower respiratory diseases and Accidents were ranked in reverse order of Idaho. Diabetes mellitus and Alzheimer's disease were sixth and seventh in the U.S. and were seventh and sixth in Idaho. Suicide ranked ninth in Idaho and eleventh in the U.S. The ninth and tenth leading causes of death in the U.S. were Nephritis, nephrotic syndrome and nephrosis (ninth) and Septicemia (tenth), which were ranked tenth and seventeenth, respectively among Idaho residents in 2006.

<u>Causes Ranked 1-10 in U.S.</u>	<u>2005 U.S. Crude Rate¹</u>	<u>2006 Idaho Crude Rate (Rank)</u>
1. Diseases of heart	220.0	162.6 (1)
2. Malignant neoplasms (cancer)	188.7	156.8 (2)
3. Cerebrovascular diseases (stroke)	48.4	49.2 (3)
4. Chronic lower respiratory diseases	44.2	43.9 (5)
5. Accidents	39.7	45.1 (4)
6. Diabetes mellitus	25.3	21.8 (7)
7. Alzheimer's disease	24.2	27.1 (6)
8. Influenza and pneumonia	21.3	15.6 (8)
9. Nephritis, nephrotic syndrome and nephrosis (kidney disease)	14.8	9.0 (10)
10. Septicemia	11.5	4.3 (17)

Crude rates are per 100,000 population.


U.S. mortality rates are consistently much higher than those in Idaho for Diseases of the heart, Malignant neoplasms, Nephritis, nephrotic syndrome and nephrosis, and Septicemia. Higher Idaho rates are recorded for Intentional self-harm (suicide) and Accidents.

From 2005 to 2006, there were changes in the ranking of the ten leading causes of death to Idaho residents. Chronic lower respiratory diseases, the third leading cause in 2005, became the fifth leading cause in 2006; Cerebrovascular diseases, the fourth leading cause in 2005, became the third leading cause in 2006; Accidents, the fifth leading cause in 2005, became the fourth leading cause. Nephritis, nephrotic syndrome, and nephrosis changed from twelfth to tenth.


Of the 10 leading causes of death in Idaho, three of the cause-specific death rates increased from 2005 to 2006. Increases were seen for Accidents, Diabetes mellitus, and Nephritis, nephrotic syndrome, and nephrosis. Crude rates were lower for Diseases of heart, Malignant neoplasms, Cerebrovascular diseases, Chronic lower respiratory diseases, Influenza and pneumonia, Alzheimer's disease, and Intentional self-harm.

1. "Deaths: Final Data for 2005," National Vital Statistics Report, National Center for Health Statistics, Vol. 56/No. 10, January 2008.

IDAHO RESIDENT DEATHS 1996-2006



U.S., IDAHO RESIDENT DEATH RATES 1996-2006



* The U.S. rate for 2006 is provisional.

IDAHO RESIDENT DEATHS
Number of Deaths and Rates
2002-2006

RESIDENCE	2006		2005		2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	8.1 (Provisional)		8.3		8.2		8.4		8.5	
IDAHO	10,556	7.2	10,513	7.4	10,013	7.2	10,364	7.6	9,909	7.4
District 1	1,602	7.8	1,753	8.7	1,633	8.4	1,610	8.5	1,568	8.5
District 2	880	8.7	883	8.8	905	9.0	953	9.5	989	9.9
District 3	1,763	7.4	1,725	7.6	1,616	7.3	1,678	8.2	1,532	7.4
District 4	2,492	6.2	2,419	6.2	2,228	5.9	2,270	6.2	2,118	5.8
District 5	1,491	8.6	1,445	8.5	1,350	8.0	1,455	8.8	1,393	8.4
District 6	1,203	7.4	1,169	7.2	1,190	7.5	1,250	7.9	1,236	7.8
District 7	1,125	6.2	1,119	6.3	1,091	6.3	1,148	7.0	1,073	6.5
Ada	2,224	6.2	2,154	6.2	1,960	5.9	2,022	6.2	1,881	5.9
Adams	32	9.2	31	8.6	27	7.8	30	8.5	25	7.3
Bannock	594	7.6	555	7.1	564	7.5	615	8.1	598	7.9
Bear Lake	65	10.5	59	9.6	68	10.8	68	10.8	57	9.0
Benewah	89	9.5	92	10.0	93	10.4	101	11.2	108	12.0
Bingham	297	6.7	287	6.6	290	6.7	282	6.6	294	6.9
Blaine	71	3.3	79	3.7	79	3.7	97	4.7	77	3.8
Boise	44	5.8	45	6.0	40	5.4	39	5.4	25	3.5
Bonner	323	7.8	378	9.2	342	8.6	341	8.7	328	8.6
Bonneville	666	7.0	615	6.7	613	6.8	645	7.4	593	7.0
Boundary	92	8.5	118	11.1	100	9.6	107	10.5	79	7.8
Butte	31	11.1	23	8.2	33	11.6	27	9.4	29	10.0
Camas	5	4.6	3	2.9	9	8.9	7	6.7	5	4.8
Canyon	1,167	6.7	1,123	6.8	1,047	6.6	1,095	7.2	971	6.7
Caribou	62	8.9	61	8.6	55	7.6	58	8.1	73	10.0
Cassia	200	9.4	176	8.3	178	8.3	189	8.7	183	8.4
Clark	6	6.5	2	2.1	4	4.4	5	5.5	6	6.0
Clearwater	86	10.3	81	9.7	83	9.9	90	10.7	90	10.7
Custer	30	7.2	40	9.8	32	7.8	34	8.3	35	8.4
Elmore	170	6.0	155	5.4	160	5.5	137	4.7	155	5.3
Franklin	81	6.5	86	7.0	82	6.7	95	8.0	91	7.8
Fremont	75	6.1	87	7.1	89	7.3	98	8.1	92	7.8
Gem	182	11.0	170	10.4	169	10.6	185	11.7	157	10.1
Gooding	144	10.0	137	9.5	124	8.6	138	9.6	162	11.3
Idaho	143	9.1	144	9.2	162	10.4	165	10.7	166	10.8
Jefferson	119	5.3	116	5.4	135	6.5	123	6.1	116	5.9
Jerome	177	8.8	144	7.3	122	6.3	132	7.0	159	8.5
Kootenai	921	7.0	1,018	8.0	934	7.6	909	7.7	894	7.8
Latah	202	5.8	204	5.9	213	6.1	225	6.4	238	6.8
Lemhi	70	8.8	92	11.6	74	9.5	107	13.8	84	11.0
Lewis	42	11.2	47	12.5	47	12.5	43	11.5	41	11.0
Lincoln	40	8.8	44	9.7	47	10.9	32	7.4	28	6.7
Madison	130	4.1	132	4.3	118	3.8	109	3.6	117	4.2
Minidoka	183	9.6	196	10.3	162	8.4	196	10.1	157	8.1
Nez Perce	407	10.6	407	10.7	400	10.6	430	11.4	454	12.2
Oneida	33	7.9	45	10.7	43	10.4	45	10.9	40	9.7
Owyhee	83	7.5	100	9.0	83	7.5	84	7.5	80	7.4
Payette	183	8.1	181	8.2	181	8.4	169	7.9	185	8.8
Power	40	5.1	53	6.8	55	7.3	60	8.1	54	7.3
Shoshone	177	13.4	147	11.2	164	12.8	152	11.7	159	12.1
Teton	29	3.7	35	4.7	26	3.6	27	3.8	30	4.4
Twin Falls	671	9.4	666	9.6	629	9.3	664	9.9	622	9.5
Valley	54	6.1	65	7.8	68	8.5	72	9.3	57	7.6
Washington	116	11.4	120	11.9	109	10.8	115	11.5	114	11.5

Death rate: Number of deaths per 1,000 population.

IDAHO RESIDENT DEATHS Sex, Race and Ethnicity¹ 2006

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	10,556*	5,395	5,161	10,275	29	88	55	103	4	322
District 1	1,602*	829	773	1,573	2	16	4	6	-	16
District 2	880	453	427	854	2	19	3	2	-	7
District 3	1,763*	919	844	1,700	3	9	12	37	1	109
District 4	2,492	1,267	1,225	2,446	14	3	19	9	1	44
District 5	1,491	753	738	1,448	-	-	4	39	-	86
District 6	1,203	623	580	1,143	4	38	11	6	1	33
District 7	1,125	551	574	1,111	4	3	2	4	1	27
Ada	2,224	1,121	1,103	2,188	10	3	17	5	1	40
Adams	32	20	12	32	-	-	-	-	-	1
Bannock	594	288	306	560	4	17	9	4	-	17
Bear Lake	65	41	24	64	-	-	1	-	-	1
Benewah	89	43	46	84	-	5	-	-	-	-
Bingham	297	161	136	272	-	21	1	2	1	12
Blaine	71	40	31	71	-	-	-	-	-	6
Boise	44	25	19	44	-	-	-	-	-	-
Bonner	323	182	141	322	-	-	-	1	-	2
Bonneville	666	315	351	659	4	1	1	1	-	14
Boundary	92*	49	43	90	-	1	-	-	-	-
Butte	31	20	11	31	-	-	-	-	-	-
Camas	5	3	2	5	-	-	-	-	-	-
Canyon	1,167*	592	575	1,125	3	3	7	27	1	88
Caribou	62	28	34	62	-	-	-	-	-	-
Cassia	200	96	104	191	-	-	-	9	-	16
Clark	6	2	4	6	-	-	-	-	-	1
Clearwater	86	40	46	84	-	2	-	-	-	-
Custer	30	18	12	30	-	-	-	-	-	-
Elmore	170	87	83	160	4	-	2	4	-	4
Franklin	81	44	37	81	-	-	-	-	-	-
Fremont	75	37	38	73	-	2	-	-	-	3
Gem	182	102	80	180	-	2	-	-	-	5
Gooding	144	80	64	139	-	-	-	5	-	7
Idaho	143	77	66	139	-	2	1	1	-	1
Jefferson	119	65	54	117	-	-	-	2	-	5
Jerome	177	99	78	175	-	-	2	-	-	7
Kootenai	921	462	459	901	2	10	4	4	-	12
Latah	202	96	106	197	2	-	2	1	-	1
Lemhi	70	33	37	70	-	-	-	-	-	1
Lewis	42	23	19	41	-	1	-	-	-	-
Lincoln	40	17	23	39	-	-	-	1	-	3
Madison	130	67	63	127	-	-	1	1	1	2
Minidoka	183	100	83	169	-	-	1	13	-	18
Nez Perce	407	217	190	393	-	14	-	-	-	5
Oneida	33	19	14	33	-	-	-	-	-	-
Owyhee	83	43	40	81	-	1	1	-	-	3
Payette	183	98	85	177	-	2	2	2	-	3
Power	40	22	18	40	-	-	-	-	-	3
Shoshone	177	93	84	176	-	-	-	1	-	2
Teton	29	14	15	29	-	-	-	-	-	1
Twin Falls	671	318	353	659	-	-	1	11	-	29
Valley	54	34	20	54	-	-	-	-	-	-
Washington	116	64	52	105	-	1	2	8	-	9

1. Race and Hispanic origin are reported separately on the death certificate; Hispanic origin are included in appropriate race totals.

* Beginning in 2003, multiple races and Hispanic origins may be reported on the Idaho death certificate. For decedents with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state deaths. There were two out-of-state deaths with multiple races reported, one in Boundary County (District 1) and one in Canyon County (District 3).

IDAHO RESIDENT DEATHS
Age at Death
2006

RESIDENCE	TOTAL DEATHS	AGE AT DEATH										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
IDAHO	10,556	164	34	46	164	167	328	709	1,124	1,630	2,945	3,245
District 1	1,602	12	4	2	20	18	49	116	176	269	501	435
District 2	880	7	3	4	12	11	26	55	82	134	250	296
District 3	1,763	44	8	6	37	23	43	100	186	285	456	575
District 4	2,492	43	8	14	27	45	91	186	264	344	665	805
District 5	1,491	20	1	9	31	20	42	100	152	237	393	486
District 6	1,203	16	6	4	24	20	35	85	134	194	351	334
District 7	1,125	22	4	7	13	30	42	67	130	167	329	314
Ada	2,224	39	8	13	23	37	79	161	234	303	597	730
Adams	32	-	-	-	-	-	1	-	9	6	8	8
Bannock	594	9	3	2	11	11	20	43	62	92	183	158
Bear Lake	65	2	-	-	1	-	1	2	8	9	21	21
Benewah	89	-	-	-	-	-	3	5	10	22	24	25
Bingham	297	3	1	2	7	7	10	25	34	47	87	74
Blaine	71	2	-	-	3	-	3	14	13	8	12	16
Boise	44	-	-	-	-	2	4	5	10	3	11	9
Bonner	323	4	-	-	7	1	8	25	36	61	84	97
Bonneville	666	15	2	3	5	18	24	41	70	104	207	177
Boundary	92	-	-	-	2	-	3	6	18	16	23	24
Butte	31	-	-	-	-	-	-	1	8	9	5	8
Camas	5	-	-	-	-	-	-	1	2	-	-	2
Canyon	1,167	39	6	2	32	17	30	73	117	181	290	380
Caribou	62	2	1	-	1	-	2	3	7	12	15	19
Cassia	200	4	-	3	2	1	6	19	15	25	54	71
Clark	6	-	-	-	1	-	-	-	-	-	2	3
Clearwater	86	-	-	1	2	-	2	4	9	14	25	29
Custer	30	-	-	-	-	-	-	1	5	7	8	9
Elmore	170	4	-	-	3	5	6	16	15	29	45	47
Franklin	81	-	1	-	-	2	2	5	9	13	18	31
Fremont	75	1	-	1	1	1	1	2	10	8	20	30
Gem	182	-	-	1	3	2	2	7	18	32	51	66
Gooding	144	1	-	2	4	1	4	17	18	24	39	34
Idaho	143	-	-	-	3	1	2	11	18	29	41	38
Jefferson	119	1	-	1	3	3	3	10	18	19	36	25
Jerome	177	1	1	2	6	5	3	8	18	27	51	55
Kootenai	921	7	4	2	10	15	28	68	93	138	310	246
Latah	202	-	2	1	4	2	5	15	13	37	52	71
Lemhi	70	-	-	-	-	2	6	2	9	12	18	21
Lewis	42	-	-	1	-	1	1	6	6	2	12	13
Lincoln	40	-	-	-	4	-	2	-	2	8	7	17
Madison	130	5	2	1	3	4	5	8	16	14	31	41
Minidoka	183	2	-	1	3	2	8	3	17	31	55	61
Nez Perce	407	7	1	1	3	7	16	19	36	52	120	145
Oneida	33	-	-	-	2	-	-	3	-	5	13	10
Owyhee	83	2	-	2	-	-	3	5	8	14	25	24
Payette	183	2	2	1	1	2	5	11	17	36	48	58
Power	40	-	-	-	2	-	-	3	6	7	9	13
Shoshone	177	1	-	-	1	2	7	12	19	32	60	43
Teton	29	-	-	1	-	2	3	3	2	3	7	8
Twin Falls	671	10	-	1	9	11	16	38	67	114	175	230
Valley	54	-	-	1	1	1	2	4	5	9	12	19
Washington	116	1	-	-	1	2	2	4	17	16	34	39

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans
Cause-Specific Crude and Age-Adjusted Rates
2006

CAUSE OF DEATH	DEATHS		DEATH RATES ¹			
			Crude		Age-Adjusted ²	
	Number	Percent	Idaho ³	U.S. ⁴ 2005	Idaho ³	U.S. ⁴ 2005
ALL CAUSES	10,556	100.0%	719.8	825.9	743.4	798.8
1. Diseases of heart	2,384	22.6%	162.6	220.0	167.5	211.1
2. Malignant neoplasms (cancer)	2,299	21.8%	156.8	188.7	162.7	183.8
3. Cerebrovascular diseases	722	6.8%	49.2	48.4	51.5	46.6
4. Accidents	661	6.3%	45.1	39.7	45.6	39.1
-- Transport accidents	310	2.9%	21.1	16.3	21.2	16.2
----- Motor vehicle accidents	287	2.7%	19.6	15.3	19.6	15.2
-- Nontransport accidents	351	3.3%	23.9	23.4	24.4	22.9
5. Chronic lower respiratory diseases	644	6.1%	43.9	44.2	46.6	43.2
-- Bronchitis, chronic and unspecified	1	0.0%	0.1	0.3	NA	0.3
-- Emphysema	82	0.8%	5.6	4.7	5.9	4.6
-- Asthma	15	0.1%	1.0	1.3	NA	1.3
-- Other chronic lower respiratory diseases	546	5.2%	37.2	37.8	39.6	37.0
6. Alzheimer's disease	397	3.8%	27.1	24.2	27.9	22.9
7. Diabetes mellitus	320	3.0%	21.8	25.3	23.0	24.6
8. Influenza and Pneumonia	229	2.2%	15.6	21.3	16.1	20.3
9. Intentional self-harm (suicide)	218	2.1%	14.9	11.0	15.3	10.9
10. Nephritis, nephrotic syndrome, and nephrosis	132	1.3%	9.0	14.8	9.4	14.3
All other causes	2,465	23.4%	NA	NA	NA	NA

1. Rates are per 100,000 population.

2. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.

3. Idaho rates are based on July 1, 2006 population estimates based on 2000 Census.

4. U.S. crude and age-adjusted rates are 2005 final data for leading causes of death. Rates are calculated using 2005 population estimates based on the 2000 Census.

NA: Age-adjusted rates not calculated for causes with fewer than 20 deaths; crude and age-adjusted rates not applicable for all other causes.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans by Sex
Cause-Specific Crude and Age-Adjusted Rates
2006

MALES						
CAUSE OF DEATH ¹	DEATHS		DEATH RATES ²			
			Crude		Age-Adjusted ³	
	Number	Percent	Idaho	U.S. ⁴ 2005	Idaho	U.S. ⁴ 2005
ALL CAUSES	5,395	100.0%	730.7	827.2	860.2	951.1
1. Diseases of heart	1,279	23.7%	173.2	221.1	208.2	260.9
2. Malignant neoplasms (cancer)	1,232	22.8%	166.9	198.9	193.1	225.1
3. Accidents	431	8.0%	58.4	52.3	61.2	54.2
4. Chronic lower respiratory diseases	335	6.2%	45.4	42.8	56.2	51.2
5. Cerebrovascular diseases	305	5.7%	41.3	38.8	51.9	49.9
6. Intentional self-harm (suicide)	177	3.3%	24.0	17.7	25.1	18.0
7. Diabetes mellitus	171	3.2%	23.2	25.0	27.6	28.4
8. Influenza and pneumonia	119	2.2%	16.1	19.2	20.5	23.9
9. Alzheimer's disease	114	2.1%	15.4	14.1	20.3	18.5
10. Chronic liver disease and cirrhosis	78	1.4%	10.6	12.3	11.1	12.4
All other causes	1,154	21.4%	NA	NA	NA	NA

FEMALES						
CAUSE OF DEATH ¹	DEATHS		DEATH RATES ²			
			Crude		Age-Adjusted ³	
	Number	Percent	Idaho	U.S. ⁴ 2005	Idaho	U.S. ⁴ 2005
ALL CAUSES	5,161	100.0%	708.8	824.6	640.7	677.6
1. Diseases of heart	1,105	21.4%	151.8	218.9	132.8	172.3
2. Malignant neoplasms (cancer)	1,067	20.7%	146.5	178.8	138.9	155.6
3. Cerebrovascular diseases	417	8.1%	57.3	57.8	50.7	45.6
4. Chronic lower respiratory diseases	309	6.0%	42.4	45.5	39.3	38.1
5. Alzheimer's disease	283	5.5%	38.9	33.9	32.8	25.1
6. Accidents	230	4.5%	31.6	27.5	30.2	25.0
7. Diabetes mellitus	149	2.9%	20.5	25.7	19.3	21.6
8. Influenza and pneumonia	110	2.1%	15.1	23.2	13.2	17.9
9. Nephritis, nephrotic syndrome, nephrosis	78	1.5%	10.7	15.0	9.7	12.3
10. Essential hypertension and hypertensive renal disease	69	1.3%	9.5	10.3	8.3	8.0
All other causes	1,344	26.0%	NA	NA	NA	NA

1. Data are based on tenth revision of the International Classification of Diseases (ICD-10).
2. Rates are per 100,000 population. NA: not applicable.
3. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
4. U.S. crude and age-adjusted rates are 2005 data. Rates are calculated using 2005 population estimates based on the 2000 Census and provided to the National Center for Health Statistics by the U.S. Bureau of the Census. Idaho rates are calculated using 2006 population estimates based on 2000 Census.

IDAHO RESIDENT DEATHS

Ten Leading Causes of Death by Age Group and Number of Deaths 2006

RANK	AGE GROUP												ALL AGES
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (38)	Accidents (15) (Transport: 1 All other: 14)	Accidents (8) (Transport: 6 All other: 2)	Accidents (12) (Transport: 9 All other: 3)	Accidents (44) (Transport: 34 All other: 10)	Accidents (45) (Transport: 32 All other: 13)	Accidents (73) (Transport: 40 All other: 33)	Accidents (91) (Transport: 47 All other: 44)	Malignant neoplasms (200)	Malignant neoplasms (396)	Malignant neoplasms (573)	Diseases of heart (1,590)	Diseases of heart (2,384)
2	Short gestation/low birth weight (30)	Assault (Homicide) (5)	Congenital malformations (2)	Malignant neoplasms (5)	Intentional self-harm (Suicide) (13)	Intentional self-harm (Suicide) (17)	Intentional self-harm (Suicide) (37)	Intentional self-harm (Suicide) (51)	Diseases of heart (139)	Diseases of heart (245)	Diseases of heart (348)	Malignant neoplasms (1,058)	Malignant neoplasms (2,299)
3	Sudden infant death syndrome (24)	Congenital malformations (3)		Intentional self-harm (Suicide) (4)	Assault (Homicide) (4)	Congenital malformations (5)	Diseases of heart (13)	Malignant neoplasms (46)	Accidents (96) (Transport: 47 All other: 49)	Accidents (77) (Transport: 48 All other: 29)	Chronic lower respiratory diseases (137)	Cerebrovascular diseases (560)	Cerebrovascular diseases (722)
4	Complications placenta, cord, & membranes (11)	(Tie) Diseases of heart; Malignant neoplasms (2 each)			Malignant neoplasms (3)	(Tie) Assault (Homicide); Malignant neoplasms (4 each)	Malignant neoplasms (11)	Diseases of heart (41)	Intentional self-harm (Suicide) (39)	Chronic lower respiratory diseases (57)	Cerebrovascular diseases (97)	Chronic lower respiratory diseases (435)	Accidents (661) (Transport: 310 All other: 351)
5	Maternal complications of pregnancy (10)						Diabetes mellitus (6)	Chronic liver disease and cirrhosis (18)	Chronic liver disease and cirrhosis (31)	Diabetes mellitus (41)	Diabetes mellitus (62)	Alzheimer's disease (368)	Chronic lower respiratory diseases (644)
6	Neonatal hemorrhage (5)					Diseases of heart (3)	Assault (Homicide) (5)	(Tie) Diabetes mellitus; Cerebrovascular diseases (8 each)	Cerebrovascular diseases (20)	Chronic liver disease and cirrhosis (36)	Accidents (39) (Transport: 16 All other: 23)	Diabetes mellitus (185)	Alzheimer's disease (397)
7	Bacterial sepsis of newborn (4)					Cerebrovascular diseases (2)	Chronic liver disease and cirrhosis (3)		Diabetes mellitus (17)	Cerebrovascular diseases (34)	Alzheimer's disease (23)	Influenza and pneumonia (180)	Diabetes mellitus (320)
8	(Tie) Gastritis, duodenitis, and noninfective enteritis and colitis;						(Tie) Influenza and pneumonia; Pregnancy, childbirth, and the puerperium (2 each)	Assault (Homicide) (7)	Influenza and pneumonia (15)	Intentional self-harm (Suicide) (24)	Nephritis, nephrotic syndrome, nephrosis (20)	Accidents (158) (Transport: 29 All other: 129)	Influenza and pneumonia (229)
9	Respiratory distress of newborn;							(Tie) Complications of medical & surgical care; Human immunodeficiency virus infection (HIV) (3 each)	Chronic lower respiratory diseases (14)	Nephritis, nephrotic syndrome, nephrosis (11)	(Tie) Influenza and pneumonia; Essential hypertension and hypertensive renal disease (17 each)	Parkinson's disease (99)	Intentional self-harm (Suicide) (218)
10	Accidents (Transport: 1 All other: 2) (3 each)								Viral hepatitis (11)	(Tie) ¹ (10 each)		Nephritis, nephrotic syndrome, nephrosis (91)	Nephritis, nephrotic syndrome, nephrosis (132)
Residual ²	33	7	7	8	9	11	15	52	127	173	297	1,466	2,550
Total	164	34	17	29	73	91	167	328	709	1,124	1,630	6,190	10,556

Causes of death with one death are not shown. See Technical Notes for methodology. Note: Number of deaths in parentheses.

1. Tie at rank 10 for aged 55-64: Viral hepatitis; Essential hypertension and hypertensive renal disease; and Influenza and pneumonia (10 each)

2. Residual: Total number of deaths for all other causes not listed.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Ten Leading Causes of Death Based on Premature Mortality¹
Total Population and by Sex
2006

Cause of Death	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
	Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate ²
Total Population	4,366	100.0%	19.9	86,681.0	6,254.0
1. Accidents	503	11.5	35.1	17,643.5	1,273.0
--Transport accident	281	6.4	36.2	10,160.5	733.1
----Motor vehicle accident	259	5.9	36.8	9,526.5	687.3
--Nontransport accident	222	5.1	33.7	7,483.0	539.9
2. Malignant neoplasms (cancer)	1,241	28.4	13.0	16,162.5	1,166.1
3. Diseases of heart	794	18.2	13.9	11,029.0	795.7
4. Intentional self-harm (suicide)	200	4.6	33.8	6,759.0	487.7
5. Certain conditions originating in the perinatal period	81	1.9	73.8	5,975.5	431.1
6. Congenital malformations	62	1.4	60.8	3,770.0	272.0
7. Chronic liver disease and cirrhosis	103	2.4	20.7	2,130.5	153.7
8. Diabetes mellitus	135	3.1	14.1	1,897.5	136.9
9. Cerebrovascular diseases	162	3.7	11.5	1,867.0	134.7
10. Chronic lower respiratory diseases	209	4.8	8.5	1,785.5	128.8
All Other Causes	876	20.1	20.2	17,661.0	1,274.2
Total Males	2,648	100.0	20.5	54,292.0	7,700.1
1. Accidents	356	13.4	35.7	12,704.0	1,801.8
--Transport accident	196	7.4	36.2	7,097.0	1,006.6
----Motor vehicle accident	180	6.8	36.8	6,631.0	940.5
--Nontransport accident	160	6.0	35.0	5,607.0	795.2
2. Malignant neoplasms (cancer)	681	25.7	12.5	8,518.5	1,208.2
3. Diseases of heart	543	20.5	14.1	7,657.5	1,086.1
4. Intentional self-harm (suicide)	160	6.0	34.0	5,437.0	771.1
5. Certain conditions originating in the perinatal period	41	1.5	73.1	2,995.5	424.8
6. Congenital malformations	33	1.2	61.0	2,011.5	285.3
7. Chronic liver disease and cirrhosis	63	2.4	19.9	1,256.5	178.2
8. Diabetes mellitus	76	2.9	13.6	1,037.0	147.1
9. Assault (homicide)	21	0.8	49.1	1,031.5	146.3
10. Cerebrovascular diseases	91	3.4	11.1	1,009.5	143.2
All Other Causes	583	22.0	18.2	10,633.5	1,508.1
Total Females	1,718	100.0	18.9	32,389.0	4,756.5
1. Malignant neoplasms (cancer)	560	32.6	13.7	7,644.0	1,122.6
2. Accidents	147	8.6	33.6	4,939.5	725.4
--Transport accident	85	4.9	36.0	3,063.5	449.9
----Motor vehicle accident	79	4.6	36.7	2,895.5	425.2
--Nontransport accident	62	3.6	30.3	1,876.0	275.5
3. Diseases of heart	251	14.6	13.4	3,371.5	495.1
4. Certain conditions originating in the perinatal period	40	2.3	74.5	2,980.0	437.6
5. Congenital malformations	29	1.7	60.6	1,758.5	258.2
6. Intentional self-harm (suicide)	40	2.3	33.1	1,322.0	194.1
7. Chronic liver disease and cirrhosis	40	2.3	21.9	874.0	128.4
8. Diabetes mellitus	59	3.4	14.6	860.5	126.4
9. Cerebrovascular diseases	71	4.1	12.1	857.5	125.9
10. Chronic lower respiratory diseases	95	5.5	8.4	796.5	117.0
All Other Causes	386	22.5	18.1	6,985.0	1,025.8

1. Ranking based on total number of years potential lost life (YPLL).

2. YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years. See Technical Notes for methodology.

**LIFE EXPECTANCY
Age in Years by Sex
2006**

EXACT AGE IN YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING (^o e _x)		
	Total	Male	Female
0	79.1	76.9	81.4
1	78.7	76.5	80.9
5	74.8	72.7	77.0
10	69.9	67.7	72.0
15	64.9	62.8	67.1
20	60.2	58.1	62.2
25	55.4	53.5	57.3
30	50.6	48.7	52.4
35	45.8	44.0	47.6
40	41.1	39.4	42.8
45	36.5	34.8	38.2
50	32.0	30.3	33.6
55	27.6	26.0	29.1
60	23.4	22.0	24.7
65	19.4	18.1	20.5
70	15.6	14.6	16.5
75	12.2	11.3	13.0
80	9.5	8.9	10.0
85	7.2	6.9	7.4

U.S. life expectancy in 2005 was 77.8 years, 75.2 years for males, and 80.4 years for females.
See Technical Notes for methodology.

**LIFE EXPECTANCY AT BIRTH
By District of Residence
2006**

RESIDENCE	AVERAGE NUMBER OF YEARS LIFE EXPECTANCY AT BIRTH		
	Total	Male	Female
Idaho	79.1	76.9	81.4
District 1	79.8	77.7	82.2
District 2	79.6	77.2	82.1
District 3	78.6	75.9	81.2
District 4	79.6	77.3	81.9
District 5	78.2	76.2	80.2
District 6	78.2	75.8	80.6
District 7	79.0	77.5	80.6

See Technical Notes for methodology.

IDAHO RESIDENT DEATHS
Malignant Neoplasms (Cancer) Deaths by Leading Site of Cancer
2006

RESIDENCE	Total Malignant Neoplasms	Trachea, Bronchus, and Lung	Colon, Rectum, and Anus ¹	Female Breast ²	Pancreas	Prostate ³	Leukemia	Non-Hodgkin's Lymphoma	All Other Malignant Neoplasms
IDAHO	2,299	590	197	158	154	144	115	83	858
Rates	156.8	40.2	13.4	19.8	10.5	20.9	7.8	5.7	58.5
District 1	409	106	36	23	26	22	27	10	159
Rates	198.4	51.4	17.5	22.3	12.6	21.4	13.1	4.9	77.1
District 2	217	65	14	10	14	16	7	9	82
Rates	214.4	64.2	13.8	20.3	13.8	30.9	6.9	8.9	81.0
District 3	374	104	32	26	35	23	18	18	118
Rates	157.6	43.8	13.5	21.9	14.8	19.4	7.6	7.6	49.7
District 4	567	162	43	42	35	27	27	21	210
Rates	140.5	40.1	10.7	21.2	8.7	13.1	6.7	5.2	52.0
District 5	281	65	26	20	15	20	16	10	109
Rates	161.8	37.4	15.0	23.3	8.6	22.8	9.2	5.8	62.8
District 6	234	49	22	18	16	23	11	4	91
Rates	143.5	30.1	13.5	22.0	9.8	28.3	6.7	2.5	55.8
District 7	217	39	24	19	13	13	9	11	89
Rates	119.5	21.5	13.2	20.9	7.2	14.3	5.0	6.1	49.0
Ada	498	139	34	37	30	27	24	20	187
Adams	7	3	-	-	-	2	-	-	2
Bannock	111	33	9	3	8	10	4	3	41
Bear Lake	13	1	2	-	1	3	-	-	4
Benewah	22	7	4	-	3	1	3	-	4
Bingham	56	6	6	9	3	5	2	1	24
Blaine	18	4	2	5	1	-	1	-	5
Boise	12	4	4	-	-	-	1	-	3
Bonner	86	22	5	6	4	5	5	2	37
Bonneville	117	21	11	13	10	5	3	7	47
Boundary	25	7	3	1	1	-	1	-	12
Butte	7	1	2	-	-	1	-	-	3
Camas	2	1	-	1	-	-	-	-	-
Canyon	239	66	17	16	22	14	13	15	76
Caribou	19	4	-	2	-	2	2	-	9
Cassia	25	5	1	-	3	3	1	-	12
Clark	2	1	-	-	-	-	-	-	1
Clearwater	17	5	1	1	2	1	-	1	6
Custer	9	2	1	1	-	1	1	-	3
Elmore	45	17	3	5	5	-	1	1	13
Franklin	14	2	1	2	3	1	-	-	5
Fremont	18	4	2	1	-	2	1	2	6
Gem	40	9	6	3	5	2	3	1	11
Gooding	29	8	-	1	2	3	1	-	14
Idaho	40	13	1	2	2	4	1	1	16
Jefferson	27	4	1	1	1	1	1	1	17
Jerome	34	4	3	2	2	2	4	-	17
Kootenai	227	58	17	13	14	15	12	7	91
Latah	45	10	5	3	1	2	2	4	18
Lemhi	17	2	2	1	1	-	-	1	10
Lewis	14	6	-	1	3	-	1	-	3
Lincoln	3	2	-	-	-	-	-	1	-
Madison	21	2	6	2	1	3	3	-	4
Minidoka	33	7	5	1	1	1	4	1	13
Nez Perce	101	31	7	3	6	9	3	3	39
Oneida	7	2	1	1	1	1	1	-	-
Owyhee	17	5	2	3	1	1	-	-	5
Payette	43	13	3	2	2	2	2	2	17
Power	7	-	1	1	-	-	-	-	5
Shoshone	49	12	7	3	4	1	6	1	15
Teton	6	3	1	-	-	1	-	-	1
Twin Falls	137	34	15	10	6	11	5	8	48
Valley	12	2	2	-	-	-	1	-	7
Washington	28	8	4	2	5	2	-	-	7

Malignant neoplasm death rate: Number of deaths per 100,000 population.

1. In 2005, colon cancer was reported in this table; beginning in 2006, colon, rectum, and anus cancers combined are reported in this table.
2. Female breast cancer death rates are expressed as the number of deaths per 100,000 female population.
3. Prostate cancer death rates are expressed as the number of deaths per 100,000 male population.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2006

ICD-10 CODE(S)	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C00-C97	TOTAL MALIGNANT NEOPLASM DEATHS	2,299	1,232	1,067
C00-C14	LIP, ORAL CAVITY AND PHARYNX	38	25	13
C00	Lip	-	-	-
C01-C02	Tongue	11	8	3
C10-C13, C14.0	Pharynx	14	11	3
C03-C09, C14.2-C14.8	Other and unspecified sites within the lip, oral cavity, and pharynx	13	6	7
C15-C26	DIGESTIVE ORGANS	541	316	225
C15	Esophagus	77	63	14
C16	Stomach	34	25	9
C17	Small intestine	4	2	2
C18	Colon	151	77	74
C19-C20	Rectosigmoid junction and rectum	45	30	15
C21	Anus and anal canal	1	-	1
C22.0, C22.2-C22.9	Liver	43	34	9
C22.1	Intrahepatic bile duct	18	11	7
C23-C24	Gallbladder and extrahepatic bile ducts	11	3	8
C25	Pancreas	154	70	84
C26	Other and ill-defined digestive organs	3	1	2
C30-C39	RESPIRATORY AND INTRATHORACIC ORGANS	611	343	268
C30-C31	Nasal cavity, middle ear, and accessory sinuses	4	2	2
C32	Larynx	15	11	4
C33-C34	Trachea, bronchus, and lung	590	328	262
C37-C38	Thymus, heart, mediastinum, and pleura	2	2	-
C39	Other and ill-defined sites in the respiratory system and intrathoracic organs	-	-	-
C40-C41	BONE AND ARTICULAR CARTILAGE	9	5	4
C43-C44	MELANOMA AND OTHER MALIGNANT NEOPLASMS OF SKIN	52	42	10
C43	Melanoma of skin	39	33	6
C44	Other malignant neoplasms of skin	13	9	4
C45-C49	MESOTHELIAL AND SOFT TISSUE	30	15	15
C45	Mesothelioma	10	7	3
C46	Kaposi's sarcoma	-	-	-
C47-C49	Other mesothelial and soft tissue	20	8	12
C50	BREAST	159	1	158
C51-C58	FEMALE GENITAL ORGANS	112	-	112
C51-C52	Vulva and vagina	7	-	7
C53	Cervix uteri	12	-	12
C54-C55	Corpus uteri and uterus, part unspecified	28	-	28
C56	Ovary	65	-	65
C57	Other and unspecified female genital organs	-	-	-
C58	Placenta	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical Notes for methodology.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2006 (continued)

ICD-10 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C60-C63	MALE GENITAL ORGANS	149	149	-
C61	Prostate	144	144	-
C62	Testis	3	3	-
C60, C63	Penis and other and unspecified male genital organs	2	2	-
C64-C68	URINARY TRACT	123	85	38
C64-C65	Kidney and renal pelvis	60	36	24
C67	Bladder	60	46	14
C66, C68	Other and unspecified sites within the urinary tract	3	3	-
C69	EYE AND ADNEXA	-	-	-
C70-C72	MENINGES, BRAIN, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	78	39	39
C71	Brain	76	39	37
C70, C72	Other parts of central nervous system	2	-	2
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	11	7	4
C76-C80, C97	OTHER MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	138	72	66
C81-C96	LYMPHOID, HEMATOPOIETIC, AND RELATED TISSUE	248	133	115
C81	Hodgkin's disease	2	2	-
C82-C85	Non-Hodgkin's lymphoma	83	38	45
C88	Malignant immunoproliferative diseases	3	2	1
C90	Multiple myeloma and malignant plasma cell neoplasms	45	25	20
C91	Lymphoid leukemia	37	21	16
C92	Myeloid leukemia	51	30	21
C93	Monocytic leukemia	-	-	-
C94-C95	Other and unspecified leukemia	27	15	12
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical Notes for methodology.

IDAHO RESIDENT DEATHS Selected Causes of Deaths 2006

RESIDENCE	TOTAL DEATHS	Diseases of heart	Malignant neoplasms (cancer)	Cerebro-vascular diseases	Accidents	Accidents			Chronic lower respiratory diseases
						Non-Transport Accidents	Motor Vehicle Accidents	Other Transport Accidents	
IDAHO	10,556	2,384	2,299	722	661	351	287	23	644
Rates	719.8	162.6	156.8	49.2	45.1	23.9	19.6	1.6	43.9
District 1	1,602	319	409	134	87	55	28	4	102
Rates	777.1	154.7	198.4	65.0	42.2	26.7	13.6	1.9	49.5
District 2	880	202	217	57	60	39	20	1	59
Rates	869.6	199.6	214.4	56.3	59.3	38.5	19.8	1.0	58.3
District 3	1,763	355	374	122	98	49	46	3	122
Rates	743.1	149.6	157.6	51.4	41.3	20.7	19.4	1.3	51.4
District 4	2,492	543	567	162	156	89	60	7	153
Rates	617.4	134.5	140.5	40.1	38.6	22.1	14.9	1.7	37.9
District 5	1,491	367	281	87	102	42	55	5	90
Rates	858.7	211.4	161.8	50.1	58.7	24.2	31.7	2.9	51.8
District 6	1,203	307	234	91	72	31	40	1	61
Rates	737.9	188.3	143.5	55.8	44.2	19.0	24.5	0.6	37.4
District 7	1,125	291	217	69	86	46	38	2	57
Rates	619.5	160.2	119.5	38.0	47.4	25.3	20.9	1.1	31.4
Ada	2,224	483	498	152	129	76	48	5	135
Adams	32	7	7	2	-	-	-	-	2
Bannock	594	164	111	52	30	15	15	-	30
Bear Lake	65	15	13	4	1	-	1	-	2
Benewah	89	15	22	12	4	2	2	-	9
Bingham	297	70	56	18	23	13	10	-	22
Blaine	71	15	18	1	14	4	7	3	5
Boise	44	4	12	1	6	2	3	1	4
Bonner	323	53	86	27	18	11	7	-	13
Bonneville	666	176	117	32	52	32	19	1	40
Boundary	92	31	25	1	7	3	4	-	6
Butte	31	6	7	3	1	-	1	-	2
Camas	5	1	2	-	-	-	-	-	-
Canyon	1,167	225	239	77	64	28	34	2	76
Caribou	62	11	19	5	3	2	-	1	2
Cassia	200	68	25	10	19	9	10	-	9
Clark	6	1	2	-	1	-	1	-	1
Clearwater	86	22	17	5	6	3	3	-	4
Custer	30	5	9	3	-	-	-	-	3
Elmore	170	46	45	7	17	10	7	-	9
Franklin	81	19	14	7	3	-	3	-	1
Fremont	75	20	18	7	3	2	1	-	3
Gem	182	38	40	11	11	5	5	1	15
Gooding	144	46	29	8	9	4	5	-	8
Idaho	143	35	40	9	12	7	5	-	11
Jefferson	119	34	27	6	11	1	9	1	1
Jerome	177	40	34	13	15	5	10	-	8
Kootenai	921	186	227	79	50	32	14	4	62
Latah	202	43	45	16	13	7	5	1	14
Lemhi	70	14	17	5	4	1	3	-	2
Lewis	42	9	14	3	4	1	3	-	2
Lincoln	40	11	3	3	3	-	3	-	4
Madison	130	32	21	15	8	6	2	-	7
Minidoka	183	47	33	16	13	4	9	-	13
Nez Perce	407	93	101	24	25	21	4	-	28
Oneida	33	13	7	-	3	-	3	-	-
Owyhee	83	19	17	7	5	4	1	-	6
Payette	183	40	43	16	13	8	5	-	16
Power	40	9	7	2	8	1	7	-	2
Shoshone	177	34	49	15	8	7	1	-	12
Teton	29	9	6	1	7	4	3	-	-
Twin Falls	671	139	137	36	29	16	11	2	43
Valley	54	10	12	2	4	1	2	1	5
Washington	116	26	28	9	5	4	1	-	7

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2006 (continued)

RESIDENCE	Alzheimer's disease	Diabetes mellitus	Influenza and pneumonia	Intentional self-harm (suicide)	Nephritis, nephrotic syndrome, nephrosis	Chronic liver disease and cirrhosis	Parkinson's disease	Assault (homicide)	Human immunodeficiency virus (HIV) infection
IDAHO	397	320	229	218	132	126	113	36	8
Rates	27.1	21.8	15.6	14.9	9.0	8.6	7.7	2.5	0.5
District 1	55	53	27	41	19	24	10	1	1
Rates	26.7	25.7	13.1	19.9	9.2	11.6	4.9	0.5	0.5
District 2	32	23	11	20	10	15	11	3	1
Rates	31.6	22.7	10.9	19.8	9.9	14.8	10.9	3.0	1.0
District 3	90	45	42	38	21	15	25	7	4
Rates	37.9	19.0	17.7	16.0	8.9	6.3	10.5	3.0	1.7
District 4	115	59	53	55	26	29	20	13	1
Rates	28.5	14.6	13.1	13.6	6.4	7.2	5.0	3.2	0.2
District 5	50	48	45	26	23	17	20	6	-
Rates	28.8	27.6	25.9	15.0	13.2	9.8	11.5	3.5	-
District 6	20	42	30	19	18	13	10	2	1
Rates	12.3	25.8	18.4	11.7	11.0	8.0	6.1	1.2	0.6
District 7	35	50	21	19	15	13	17	4	-
Rates	19.3	27.5	11.6	10.5	8.3	7.2	9.4	2.2	-
Ada	105	54	48	48	24	24	18	9	1
Adams	1	-	-	1	-	-	-	-	-
Bannock	11	16	11	4	7	8	2	1	1
Bear Lake	1	5	2	-	1	-	-	-	-
Benewah	1	3	5	1	1	-	-	1	-
Bingham	5	17	7	8	6	5	6	-	-
Blaine	-	-	2	1	-	-	1	-	-
Boise	1	-	2	1	-	3	-	3	-
Bonner	14	12	3	12	4	4	3	-	-
Bonneville	23	33	12	12	9	7	8	1	-
Boundary	1	1	-	3	-	-	1	-	-
Butte	-	-	1	1	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	70	36	27	25	12	11	21	6	3
Caribou	1	-	4	2	1	-	1	-	-
Cassia	7	10	6	1	5	3	2	1	-
Clark	1	-	-	-	-	-	-	-	-
Clearwater	3	5	2	2	2	-	1	1	-
Custer	-	1	-	1	1	1	-	-	-
Elmore	6	3	3	5	2	1	1	-	-
Franklin	1	2	3	3	2	-	1	1	-
Fremont	2	-	4	1	2	1	1	-	-
Gem	5	3	3	3	3	-	2	-	-
Gooding	5	-	4	1	2	2	1	1	-
Idaho	2	6	1	2	2	2	-	1	-
Jefferson	3	6	3	2	1	1	2	-	-
Jerome	7	8	6	3	1	1	2	1	-
Kootenai	30	31	19	22	11	15	5	-	1
Latah	10	4	2	7	-	4	3	-	-
Lemhi	2	2	1	1	2	2	2	1	-
Lewis	-	2	-	-	1	1	-	-	-
Lincoln	-	2	-	-	-	1	1	1	-
Madison	4	7	1	1	-	1	4	2	-
Minidoka	5	6	5	4	2	-	1	1	-
Nez Perce	17	6	6	9	5	8	7	1	1
Oneida	-	1	1	-	1	-	-	-	-
Owyhee	3	2	3	1	1	-	-	-	-
Payette	8	1	-	6	2	2	1	-	1
Power	1	1	1	1	-	-	-	-	-
Shoshone	9	6	-	3	3	5	1	-	-
Teton	-	1	-	1	-	-	-	-	-
Twin Falls	26	22	22	16	13	10	12	1	-
Valley	3	2	-	1	-	1	1	1	-
Washington	3	3	9	2	3	2	1	1	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
TOTAL, ALL CAUSES	A01-Y99	10,556	164	34	46	164	167	328	709	1,124	1,630	2,945	3,245
# Salmonella infections	A01-A02	-	-	-	-	-	-	-	-	-	-	-	-
# Shigellosis and amebiasis	A03, A06	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections	A04, A07-A09	20	-	-	-	-	-	-	-	1	3	10	6
# Tuberculosis	A16-A19	5	-	-	-	-	-	-	-	1	1	-	3
Respiratory tuberculosis	A16	4	-	-	-	-	-	-	-	1	-	-	3
Other tuberculosis	A17-A19	1	-	-	-	-	-	-	-	-	1	-	-
# Whooping cough	A37	-	-	-	-	-	-	-	-	-	-	-	-
# Scarlet fever and erysipelas	A38, A46	-	-	-	-	-	-	-	-	-	-	-	-
# Meningococcal infection	A39	-	-	-	-	-	-	-	-	-	-	-	-
# Septicemia	A40-A41	63	-	1	-	-	-	2	2	7	13	19	19
# Syphilis	A50-A53	-	-	-	-	-	-	-	-	-	-	-	-
# Acute poliomyelitis	A80	-	-	-	-	-	-	-	-	-	-	-	-
# Arthropod-borne viral encephalitis	A83-A84, A85.2	-	-	-	-	-	-	-	-	-	-	-	-
# Measles	B05	-	-	-	-	-	-	-	-	-	-	-	-
# Viral hepatitis	B15-B19	30	-	-	-	-	-	1	11	10	5	3	-
# Human immunodeficiency virus (HIV) disease	B20-B24	8	-	-	-	-	-	3	4	1	-	-	-
# Malaria	B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified infectious and parasitic diseases and their sequelae	See footnote 1	42	2	1	-	-	-	2	2	7	9	9	10
West Nile Fever	A92.3	15	-	-	-	-	-	1	1	2	3	4	4
# Malignant neoplasms (cancer)	C00-C97	2,299	-	2	6	7	11	46	200	396	573	687	371
Lip, oral cavity and pharynx	C00-C14	38	-	-	-	-	1	-	2	8	12	11	4
Esophagus	C15	77	-	-	-	-	-	2	9	18	21	18	9
Stomach	C16	34	-	-	-	-	-	-	7	3	8	9	7
Colon, rectum and anus	C18-C21	197	-	-	-	-	1	5	12	30	62	56	31
Liver and intrahepatic bile ducts	C22	61	-	-	-	1	-	-	14	10	15	15	6
Pancreas	C25	154	-	-	-	-	-	3	7	38	39	37	30
Larynx	C32	15	-	-	-	-	-	-	-	1	5	4	5
Trachea, bronchus and lung	C33-C34	590	-	-	-	-	-	10	26	119	176	192	67

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. Other and unspecified infectious and parasitic diseases and their sequelae: A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Malignant melanoma of skin	C43	39	-	-	-	1	-	2	10	8	8	8	2
Breast	C50	159	-	-	-	-	1	8	26	28	31	37	28
Cervix uteri	C53	12	-	-	1	-	-	-	7	1	2	1	-
Corpus uteri and uterus, part unspecified	C54-C55	28	-	-	-	-	-	-	3	4	8	7	6
Ovary	C56	65	-	-	-	-	-	3	11	9	11	15	16
Prostate	C61	144	-	-	-	-	-	-	1	14	20	71	38
Kidney and renal pelvis	C64-C65	60	-	-	-	-	1	1	6	8	15	17	12
Bladder	C67	60	-	-	-	-	-	1	5	6	14	22	12
Meninges, brain and other parts of central nervous system	C70-C72	78	-	-	3	2	1	4	17	19	14	14	4
Lymphoid, hematopoietic and related tissue	C81-C96	248	-	-	1	-	3	5	14	32	51	91	51
Hodgkin's disease	C81	2	-	-	-	-	-	-	-	1	1	-	-
Non-Hodgkin's lymphoma	C82-C85	83	-	-	-	-	-	1	6	9	16	26	25
Leukemia	C91-C95	115	-	-	1	-	3	4	4	15	22	42	24
Multiple myeloma and immunoproliferative neoplasms	C88, C90	48	-	-	-	-	-	-	4	7	12	23	2
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	C96	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms	See footnote 1	240	-	2	1	3	3	2	23	40	61	62	43
# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	45	-	-	-	-	-	-	3	3	8	14	17
# Anemias	D50-D64	6	-	-	-	-	-	-	-	-	1	1	4
# Diabetes mellitus	E10-E14	320	-	-	-	1	6	8	17	41	62	120	65
# Nutritional deficiencies	E40-E64	15	-	-	-	-	-	-	1	4	1	2	7
Malnutrition	E40-E46	15	-	-	-	-	-	-	1	4	1	2	7
Other nutritional deficiencies	E50-E64	-	-	-	-	-	-	-	-	-	-	-	-
# Meningitis	G00, G03	3	-	-	-	1	-	1	-	-	1	-	-
# Parkinson's disease	G20-G21	113	-	-	-	-	-	-	1	1	12	50	49
# Alzheimer's disease	G30	397	-	-	-	-	-	-	-	6	23	116	252

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. All other and unspecified malignant neoplasms: C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Major cardiovascular diseases	I00-I78	3,350	1	2	2	6	15	50	164	297	483	1,000	1,330
# Diseases of heart	I00-I09, I11, I13, I20-I51	2,384	1	2	1	4	13	41	139	245	348	661	929
Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09	28	-	-	-	-	-	-	1	4	3	10	10
Hypertensive heart disease	I11	98	-	-	-	1	1	3	12	13	6	15	47
Hypertensive heart and renal disease	I13	7	-	-	-	-	-	-	-	-	2	2	3
Ischemic heart diseases	I20-I25	1,560	-	-	-	1	3	27	93	185	258	462	531
Acute myocardial infarction	I21-I22	807	-	-	-	1	2	20	72	139	161	216	196
Other acute ischemic heart diseases	I24	9	-	-	-	-	-	-	-	1	2	3	3
Other forms of chronic ischemic heart disease	I20, I25	744	-	-	-	-	1	7	21	45	95	243	332
Atherosclerotic cardiovascular disease, so described	I25.0	74	-	-	-	-	-	2	6	5	10	21	30
All other forms of chronic ischemic heart disease	I20, I25.1-I25.9	670	-	-	-	-	1	5	15	40	85	222	302
Other heart diseases	I26-I51	691	1	2	1	2	9	11	33	43	79	172	338
Acute and subacute endocarditis	I33	5	-	-	-	-	-	-	1	1	-	3	-
Diseases of pericardium and acute myocarditis	I30-I31, I40	4	1	1	-	-	-	-	-	-	1	1	-
Heart failure	I50	268	-	-	-	-	-	1	2	3	21	67	174
All other forms of heart disease	I26-I28, I34-I38, I42-I49, I51	414	-	1	1	2	9	10	30	39	57	101	164
# Essential (primary) hypertension and hypertensive renal disease	I10, I12	111	-	-	-	-	-	-	1	10	17	37	46
# Cerebrovascular diseases	I60-I69	722	-	-	-	2	1	8	20	34	97	249	311
# Atherosclerosis	I70	20	-	-	-	-	-	-	-	1	5	7	7
Other diseases of circulatory system	I71-I78	113	-	-	1	-	1	1	4	7	16	46	37
# Aortic aneurysm and dissection	I71	71	-	-	1	-	1	-	3	4	11	35	16
Other diseases of arteries, arterioles and capillaries	I72-I78	42	-	-	-	-	-	1	1	3	5	11	21
Other disorders of circulatory system	I80-I99	17	1	-	1	-	-	-	3	2	3	2	5

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
# Influenza and pneumonia	J10-J18	229	-	1	-	2	2	2	15	10	17	66	114
Influenza	J10-J11	7	-	-	-	1	-	-	-	-	-	2	4
Pneumonia	J12-J18	222	-	1	-	1	2	2	15	10	17	64	110
Other acute lower respiratory infections	J20-J22	3	-	-	-	1	-	-	-	-	-	2	-
# Acute bronchitis and bronchiolitis	J20-J21	3	-	-	-	1	-	-	-	-	-	2	-
Unspecified acute lower respiratory infections	J22	-	-	-	-	-	-	-	-	-	-	-	-
# Chronic lower respiratory diseases	J40-J47	644	-	-	-	-	-	1	14	57	137	264	171
Bronchitis, chronic and unspecified	J40-J42	1	-	-	-	-	-	-	1	-	-	-	-
Emphysema	J43	82	-	-	-	-	-	-	1	8	27	29	17
Asthma	J45-J46	15	-	-	-	-	-	-	-	5	-	2	8
Other chronic lower respiratory diseases	J44, J47	546	-	-	-	-	-	1	12	44	110	233	146
# Pneumoconioses and chemical effects	J60-J66, J68	6	-	-	-	-	-	-	-	-	1	1	4
# Pneumonitis due to solids and liquids	J69	59	-	-	-	-	-	-	4	9	4	20	22
Other diseases of respiratory system	J00-J06, J30-J39, J67, J70-J98	127	1	-	-	1	-	3	3	9	28	44	38
# Peptic ulcer	K25-K28	15	-	-	-	-	-	-	1	4	2	7	1
# Diseases of appendix	K35-K38	1	-	-	-	-	-	-	-	1	-	-	-
# Hernia	K40-K46	12	-	-	-	-	-	-	1	-	-	4	7
# Chronic liver disease and cirrhosis	K70, K73-K74	126	-	-	-	-	3	18	31	36	15	19	4
Alcoholic liver disease	K70	93	-	-	-	-	3	18	27	31	7	7	-
Other chronic liver disease and cirrhosis	K73-K74	33	-	-	-	-	-	-	4	5	8	12	4
# Cholelithiasis and other disorders of gallbladder	K80-K82	18	-	-	-	-	-	-	1	2	3	5	7
# Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	132	1	-	-	-	1	2	6	11	20	43	48
Acute and rapidly progressive nephritic and nephrotic syndrome	N00-N01, N04	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	N02-N03, N05-N07, N26	9	-	-	-	-	-	-	-	-	2	3	4
Renal failure	N17-N19	123	1	-	-	-	1	2	6	11	18	40	44
Other disorders of kidney	N25, N27	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
# Infections of kidney	N10-N12, N13.6, N15.1	5	-	-	-	-	-	-	-	1	1	-	3
# Hyperplasia of prostate	N40	4	-	-	-	-	-	-	-	-	-	-	4
# Inflammatory diseases of female pelvic organs	N70-N76	-	-	-	-	-	-	-	-	-	-	-	-
# Pregnancy, childbirth and the puerperium	O00-O99	7	-	-	-	-	2	-	5	-	-	-	-
Pregnancy with abortive outcome	O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium	O10-O95, O98-O99	3	-	-	-	-	2	-	1	-	-	-	-
Maternal causes more than 42 days after delivery or termination of pregnancy	O96-O97	4	-	-	-	-	-	-	4	-	-	-	-
# Certain conditions originating in the perinatal period	P00-P96	82	80	-	-	-	-	-	-	1	-	1	-
# Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	68	38	3	3	6	1	-	3	4	4	5	1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99	188	30	2	-	2	4	4	3	5	7	26	105
Sudden infant death syndrome	R95	24	24	-	-	-	-	-	-	-	-	-	-
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99	164	6	2	-	2	4	4	3	5	7	26	105
All other diseases (residual)	See footnote 1	1,135	6	1	9	7	5	22	66	88	135	322	474
# Accidents (unintentional injuries)	V01-X59, Y85-Y86	661	3	15	20	89	73	91	96	77	39	65	93
Transport accidents	V01-V99, Y85	310	1	1	15	66	40	47	47	48	16	19	10
Motor vehicle accidents	See footnote 2	287	1	1	14	64	37	44	43	40	15	18	10
Other land transport accidents	See footnote 3	4	-	-	-	1	-	-	1	2	-	-	-
Water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	19	-	-	1	1	3	3	3	6	1	1	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. All other diseases (residual): D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98.
2. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
3. The category "Other land transport accidents" includes the following: railway or streetcar not with motor vehicle; pedal cyclist or pedestrian not with motor vehicle; rider of animal or occupant of animal-drawn vehicle not with motor vehicle; other specified transport accident; and unspecified non-motor vehicle and unspecified vehicle accident, ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Nontransport accidents	W00-X59, Y86	351	2	14	5	23	33	44	49	29	23	46	83
Falls	W00-W19	141	-	-	-	1	1	3	8	8	10	37	73
Accidental discharge of firearms	W32-W34	6	-	-	1	2	-	-	2	-	1	-	-
Accidental drowning and submersion	W65-W74	23	-	6	1	6	3	1	4	1	1	-	-
Accidental exposure to smoke, fire and flames	X00-X09	21	1	5	2	1	1	3	3	1	2	1	1
Accidental poisoning and exposure to noxious substances	X40-X49	91	-	-	-	9	23	25	22	10	2	-	-
Other and unspecified nontransport accidents and their sequelae	See footnote 1	69	1	3	1	4	5	12	10	9	7	8	9
# Intentional self-harm (suicide)	U03, X60-X84, Y87.0	218	-	-	4	30	37	51	39	24	15	12	6
Discharge of firearms	X72-X74	143	-	-	4	21	21	32	20	16	13	10	6
Other and unspecified means and their sequelae	U03, X60-X71, X75-X84, Y87.0	75	-	-	-	9	16	19	19	8	2	2	-
# Assault (homicide)	See footnote 2	36	1	5	1	8	5	7	3	3	1	2	-
Discharge of firearms	U01.4, X93-X95	23	-	1	1	6	4	4	2	3	1	1	-
Other and unspecified means and their sequelae	See footnote 2	13	1	4	-	2	1	3	1	-	-	1	-
# Legal intervention	Y35, Y89.0	3	-	-	-	1	-	1	1	-	-	-	-
Events of undetermined intent	Y10-Y34, Y87.2, Y89.9	28	-	1	-	1	2	10	9	3	-	-	2
Discharge of firearms	Y22-Y24	2	-	-	-	-	-	1	-	1	-	-	-
Other and unspecified events of undetermined intent and their sequelae	Y10-Y21, Y25-Y34, Y87.2, Y89.9	26	-	1	-	1	2	9	9	2	-	-	2
# Operations of war and their sequelae ³	Y36, Y89.1	-	-	-	-	-	-	-	-	-	-	-	-
# Complications of medical and surgical care	Y40-Y84, Y88	16	-	-	-	1	-	3	-	2	3	4	3

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. The category "Other and unspecified nontransport accidents and their sequelae" includes the following: explosion; exposure to electric current and radiation; contact with heat and hot substances; lightning, earthquake, volcanic eruption, avalanche, landslide and other earth movements; storm and flood; being stuck by thrown, projected, or falling object; striking against or struck by other objects; being caught between objects; contact with agricultural machinery or other unspecified machinery; being bitten by dog, bat or other mammal; exposure to excessive natural heat or cold; exposure to unspecified factor; and sequelae of other accidents, ICD-10 codes: W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86.
2. Assault (homicide): U01-U02, X85-Y09, Y87.1; other and unspecified means and their sequelae: U01.1-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1.
3. Operations of war and their sequelae includes deaths due to late effects of injury of war. Idaho resident deaths occurring overseas during military activities are registered with the U.S. Department of State and are not reported to the Bureau of Vital Records and Health Statistics, Idaho Department of Health and Welfare.

IDAHO RESIDENT DEATHS
Accidental Deaths By Cause of Accident and Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total Accidents (unintentional injuries)	V01-X59, Y85-Y86	661	3	15	8	12	44	45	73	91	96	77	39	65	93
Total Transport accidents	V01-V99, Y85	310	1	1	6	9	34	32	40	47	47	48	16	19	10
Total motor vehicle accidents	See footnote 1	287	1	1	6	8	33	31	37	44	43	40	15	18	10
Pedestrian involved in collision with motor vehicle	V02-V04	15	-	-	-	-	-	-	2	3	5	1	2	2	-
Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Motorcyclist involved in any accident except collision with railway train	V20-V24, V26	38	-	-	-	-	2	5	3	11	10	6	1	-	-
Motorcyclist involved in collision with railway train	V25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle, except collision with railway train	V34, V36-V39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle involved in collision with railway train	V35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with railway train	See footnote 2	4	-	-	-	-	-	-	2	-	-	1	1	-	-
Occupant of motor vehicle involved in collision with fixed object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object)	See footnote 3	18	-	-	-	-	4	5	3	2	1	1	1	1	-
Occupant of motor vehicle involved in collision with other motor vehicle	V42-V44, V49, V52- V54, V59	85	1	-	1	3	9	5	11	10	11	11	7	10	6
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72- V74, V79	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78	87	-	-	1	2	13	14	11	12	13	16	1	3	1

1. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Motor vehicle accident involving collision with railway train: V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6.
3. Occupant of motor vehicle involved in collision with other object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object): V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77.

IDAHO RESIDENT DEATHS
Accidental Deaths By Cause of Accident and Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Occupant of special vehicle mainly used on industrial premises	V83	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special vehicle mainly used in agriculture	V84	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Occupant of special construction vehicle	V85	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant or rider of special all-terrain or motor vehicle designed for off-road use (i.e. ATV or snowmobile)	V86	17	-	-	3	2	2	1	1	3	1	2	1	1	-
Pedestrian injury with other or unspecified motor vehicle	V09.0, V09.2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
Animal rider or occupant of animal-drawn vehicle in collision with motor vehicle or other or unspecified motor vehicle	V80.3-V80.5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other and unspecified motor vehicle accidents	See footnote 1	15	-	-	-	-	3	1	3	2	1	-	1	1	3
Total Other land transport accidents	See footnote 2	4	-	-	-	-	1	-	-	-	1	2	-	-	-
Railway accidents (not with motor vehicle)	V05, V15, V80.6, V81.2-V81.9	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Streetcar accident (not with motor vehicle)	V82.2-V82.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (not with motor vehicle or train)	V10-V11, V19.3, V19.8-V19.9	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Pedestrian (not with motor vehicle or train)	See footnote 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal or occupant of animal-drawn vehicle (not with motor vehicle or train)	V80-V80.2, V80.7 V80.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in other specified transport accidents	V87.9, V88.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified nonmotor-vehicle accident	V89.1, V89.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident	V89.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Other and unspecified motor vehicle accidents: V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2.

2. Other and unspecified land transport accidents: V01, V05, V06, V09.1, V09.3, V09.9, V10-V11, V15, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6, V80.7-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.

3. Pedestrian injury not with motor vehicle or train: V01.0, V01.1, V01.9, V06.0, V06.1, V06.9, V09.1, V09.3, V09.9.

IDAHO RESIDENT DEATHS
Accidental Deaths By Cause of Accident and Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	19	-	-	-	1	-	1	3	3	3	6	1	1	-
Water transport accidents	V90-V94	4	-	-	-	1	-	-	1	-	-	-	1	1	-
Air and space transport accidents	V95-V97	10	-	-	-	-	-	1	2	3	2	2	-	-	-
Other and unspecified transport accidents and their sequelae	V98-V99, Y85	5	-	-	-	-	-	-	-	-	1	4	-	-	-
Total Non-Transport accidents	W00-X50, Y86	351	2	14	2	3	10	13	33	44	49	29	23	46	83
Accidental falls	W00-W19	141	-	-	-	-	-	1	1	3	8	8	10	37	73
Accidental discharge of firearms	W32-W34	6	-	-	-	1	1	1	-	-	2	-	1	-	-
Accidental explosion	W39-W40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion	W65-W74	23	-	6	-	1	3	3	3	1	4	1	1	-	-
Accidental inhalation and ingestion of food or other objects	W78-W80	21	-	1	-	-	1	-	-	1	3	2	2	5	6
Other accidental and unspecified threats to breathing	W75-W77, W81-W84	7	1	2	-	-	1	-	1	-	1	-	1	-	-
Accidental exposure to electric current	W85-W87	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Accidental exposure to radiation	W88-W91	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to smoke, fire and flames	X00-X09	21	1	5	2	-	-	1	1	3	3	1	2	1	1
Accidental contact with heat and hot substances	X10-X19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lightning	X33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Earthquake	X34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volcanic eruption	X35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avalanche, landslide and other earth movements	X36	5	-	-	-	-	-	-	1	1	2	1	-	-	-
Cataclysmic storm and flood	X37-X38	1	-	-	-	-	-	-	-	-	-	1	-	-	-

IDAHO RESIDENT DEATHS
Accidental Deaths By Cause of Accident and Age Group
2006

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidental poisoning by drugs and other biological substances	X40-X44	85	-	-	-	-	4	5	21	25	20	9	1	-	-
Accidental poisoning by other and unspecified solid or liquid substances	X45-X46, X48-X49	3	-	-	-	-	-	-	1	-	1	1	-	-	-
Accidental poisoning by and exposure to other gases and vapors	X47	3	-	-	-	-	-	-	1	-	1	-	1	-	-
All other and unspecified accidents and their sequelae ¹	See footnote 1	33	-	-	-	1	-	1	3	10	4	4	4	3	3
Struck by thrown, projected, or falling object	W20	5	-	-	-	-	-	-	1	3	-	1	-	-	-
Contact with lifting and transmission devices, not elsewhere classified	W24	3	-	-	-	-	-	-	1	2	-	-	-	-	-
Contact with nonpowered hand tool	W27	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Contact with powered lawn mower	W28	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Contact with agricultural machinery	W30	4	-	-	-	1	-	1	-	-	-	-	1	-	1
Contact with other and unspecified machinery	W31	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Explosion and rupture of other specified pressurized devices	W38	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Foreign body or object entering through skin	W45	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bitten or struck by other mammals (animal other than rat or dog)	W55	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Exposure to excessive heat of man-made origin	W92	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Exposure to excessive natural cold	X31	7	-	-	-	-	-	-	-	2	2	-	2	1	-
Exposure to unspecified factor	X59	5	-	-	-	-	-	-	-	1	-	2	-	1	1
Sequelae of other accidents	Y86	1	-	-	-	-	-	-	-	-	1	-	-	-	-

1. All other and unspecified accidents and their sequelae: W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86. Other accidents and their sequelae with at least one death are shown by cause of death. Causes with no deaths during the year are not shown; therefore, causes of death reported in this table will vary each year.

IDAHO RESIDENT DEATHS
Accidental Deaths (in Descending Order) by Place of Injury
2005-2006

TYPE OF ACCIDENTAL DEATH	2006 TOTAL	PLACE OF INJURY ¹					2005 TOTAL
		Home	Residential or public institution	Street or Highway	Other Public Place	Place of Injury Not Stated	
Total Accidental Deaths	661	214	41	268	115	23	596
Motor Vehicle Accidents	287	2	-	252	33	-	276
Motor vehicle with collision with another motor vehicle, heavy transport, or bus	87	-	-	86	1	-	84
Motor vehicle, noncollision	87	-	-	79	8	-	98
Injury to motorcyclist, except with railway train	38	1	-	34	3	-	24
Motor vehicle with collision with fixed object	18	-	-	16	2	-	16
Injury to occupant of special-use motor vehicle ²	18	-	-	8	10	-	10
Injury to pedestrian with motor vehicle	15	1	-	11	3	-	16
Other and unspecified motor vehicle accident	15	-	-	14	1	-	25
Motor vehicle with collision with railway train	4	-	-	1	3	-	-
Injury to pedal cyclist with motor vehicle	2	-	-	2	-	-	3
Injury to pedestrian with unspecified motor vehicle	2	-	-	-	2	-	-
Injury to rider or occupant of animal-drawn vehicle with motor vehicle	1	-	-	1	-	-	-
Injury to occupant of three-wheeled motor vehicle	-	-	-	-	-	-	-
Injury to motorcyclist with collision with train	-	-	-	-	-	-	-
Falls	141	85	37	4	13	2	101
Poisoning by drugs	85	73	1	-	10	1	62
Drowning and submersion	23	5	-	-	18	-	23
Suffocation, food or object	21	4	1	-	2	14	19
Fire	21	21	-	-	-	-	20
Air and space transportation accident	10	-	-	3	4	3	7
Suffocation, mechanical	7	6	1	-	-	-	8
Exposure to excessive natural cold	7	-	3	-	1	3	6
Lightning, avalanche, earthquake, volcano, storm, or flood	6	-	-	-	6	-	1
Firearm	6	4	-	-	2	-	5
Water transportation accident	4	-	-	-	4	-	6
Other and unspecified transport accident	5	-	-	5	-	-	9
Poisoning by unspecified substance	3	2	1	-	-	-	2
Poisoning by gases and vapors	3	3	-	-	-	-	1
Railroad not with motor vehicle	2	-	-	-	2	-	1
Injury to pedal cyclist not with motor vehicle or train	2	-	-	2	-	-	-
Exposure to electric current	2	1	-	-	1	-	2
Exposure to excessive natural heat	-	-	-	-	-	-	-
Injury to pedestrian not with motor vehicle or train	-	-	-	-	-	-	1
Injury to rider or occupant of animal-drawn vehicle not with motor vehicle	-	-	-	-	-	-	2
Other and unspecified land transport accident	-	-	-	-	-	-	3
Other accidents and late effects (not ranked)	26	3	5	-	1	17	41

1. Place of injury for residential or public institution includes hospitals, schools, and nursing homes. Place of injury for other public place includes sport and athletics areas, trade and service areas, industrial, construction, farm, ranch and other public areas.

2. Special use motor vehicle includes all-terrain, snowmobiles, and motor vehicles for industrial, construction, and agriculture use.

This table has been modified from the table on accidental deaths by place of injury published in prior years' annual reports; for number or accidental deaths by type of injury and age, see pages 92-95.

WORK INJURY DEATHS OCCURRING IN IDAHO¹
Manner of Death by Sex and Age
2006

MANNER OF DEATH	TOTAL IN IDAHO	SEX		AGE GROUP					
		Male	Female	<15	15-24	25-44	45-64	65-74	75+
Total Work Injury Deaths	36	33	3	-	1	17	13	4	1
Unintentional injury (accidental)	35	32	3	-	1	16	13	4	1
Intentional self-harm (suicide)	-	-	-	-	-	-	-	-	-
Intentional assault (homicide)	1	1	-	-	-	1	-	-	-
Operations of war and their sequelae ²	-	-	-	-	-	-	-	-	-
Undetermined intent	-	-	-	-	-	-	-	-	-

1. Work injury deaths occurring in Idaho: Death occurred in Idaho; however, the injury may have occurred in Idaho or out of state.
2. The category "Operations of war and their sequelae" includes deaths due to late effects of injuries from war.

ACCIDENTAL WORK INJURY DEATHS OCCURRING IN IDAHO
Industry by Place of Injury
2006

INDUSTRY	TOTAL IN IDAHO	PLACE OF INJURY							
		Home, residential institution, or nursing home	School, hospital, or other public institution	Sports and athletic area	Street or highway	Trade and service area	Industrial or construction area	Farm or ranch	Other or unspecified area
Total Accidental Work Injury Deaths	35	1	-	-	12	2	6	3	11
Agriculture, forestry, and fisheries	9	-	-	-	6	-	-	3	-
Mining, quarrying, oil and gas wells	-	-	-	-	-	-	-	-	-
Construction	5	-	-	-	2	1	1	-	1
Manufacturing	6	-	-	-	-	-	2	-	4
Transportation	5	-	-	-	-	-	1	-	4
Wholesale and retail trade	2	-	-	-	2	-	-	-	-
Service and education	8	1	-	-	2	1	2	-	2
Government and public administration	-	-	-	-	-	-	-	-	-
Active duty military	-	-	-	-	-	-	-	-	-
Other and unspecified	-	-	-	-	-	-	-	-	-

Note: Information regarding injury at work are not available for all Idaho resident deaths occurring in other states. Therefore, data on these charts are for deaths occurring in Idaho, regardless of decedent's state of residence. Other unintentional and intentional injury data in this publication are for Idaho residents, regardless of where the death occurred. Therefore, these totals will differ from totals found in other charts.

IDAHO RESIDENT DEATHS
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
By Health District of Residence, Age Group, and Sex
2006

	CAUSE OF DEATH					
	Firearm-Injury		Alcohol-Induced		Drug-Induced	
	Number	Rate	Number	Rate	Number	Rate
U.S. (2005)		10.4		7.3		11.3
Idaho	177	12.1	128	8.7	145	9.9
HEALTH DISTRICT						
District 1	26	12.6	26	12.6	26	12.6
District 2	17	16.8	10	9.9	14	13.8
District 3	33	13.9	17	7.2	16	6.7
District 4	40	9.9	31	7.7	47	11.6
District 5	27	15.6	18	10.4	12	6.9
District 6	16	9.8	15	9.2	17	10.4
District 7	18	9.9	11	6.1	13	7.2
AGE GROUP						
< 15	7	2.1	-	-	-	-
15-19	15	13.5	-	-	4	3.6
20-24	15	14.1	-	-	5	4.7
25-34	25	12.2	4	2.0	27	13.2
35-44	38	19.6	21	10.8	40	20.6
45-54	25	12.3	33	16.3	39	19.2
55-64	20	13.1	46	30.1	18	11.8
65-74	15	16.9	11	12.4	4	4.5
75-84	11	19.3	11	19.3	5	8.8
85 +	6	25.7	2	8.6	3	12.8
SEX						
Male	152	20.6	86	11.6	79	10.7
Female	25	3.4	42	5.8	66	9.1

Rate: Number of deaths per 100,000 population in corresponding group.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
2006

CAUSE OF DEATH	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
	Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate*
Firearm-Injury	160	3.7%	34.6	5,536.0	399.4
Alcohol-Induced	115	2.6	21.2	2,433.5	175.6
Drug-Induced	137	3.1	31.8	4,352.5	314.0

* YPLL Rate: Total number of years of potential life lost per 100,000 aged less than 75 years.

Firearm injury, alcohol-induced, and drug-induced deaths are subsets of select causes of death; these death categories are not ranked for leading causes of death.

For definition of firearm injury, alcohol-induced, and drug-induced deaths and information on YPLL, see Technical Notes.

IDAHO RESIDENT DEATHS
Disposition Method
2006

RESIDENCE	TOTAL DEATHS	DISPOSITION METHOD						
		Burial and Entombment in Idaho		Cremation in Idaho		Other*		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	10,556	4,398	43.8%	4,934	49.1%	708	7.1%	516
District 1	1,602	315	21.5	960	65.5	190	13.0	137
District 2	880	260	32.3	511	63.6	33	4.1	76
District 3	1,763	784	46.4	793	46.9	113	6.7	73
District 4	2,492	871	35.6	1,433	58.5	144	5.9	44
District 5	1,491	776	53.7	600	41.5	70	4.8	45
District 6	1,203	716	63.4	352	31.2	62	5.5	73
District 7	1,125	676	64.0	285	27.0	96	9.1	68
Ada	2,224	784	35.9	1,264	57.8	138	6.3	38
Adams	32	10	32.3	20	64.5	1	3.2	1
Bannock	594	316	55.5	224	39.4	29	5.1	25
Bear Lake	65	40	74.1	8	14.8	6	11.1	11
Benewah	89	20	26.3	51	67.1	5	6.6	13
Bingham	297	204	70.6	78	27.0	7	2.4	8
Blaine	71	18	26.9	43	64.2	6	9.0	4
Boise	44	14	31.8	30	68.2	-	-	-
Bonner	323	65	23.4	160	57.6	53	19.1	45
Bonneville	666	381	59.5	224	35.0	35	5.5	26
Boundary	92	23	26.4	60	69.0	4	4.6	5
Butte	31	17	56.7	10	33.3	3	10.0	1
Camas	5	2	40.0	3	60.0	-	-	-
Canyon	1,167	547	47.9	526	46.0	70	6.1	24
Caribou	62	43	74.1	10	17.2	5	8.6	4
Cassia	200	132	70.6	46	24.6	9	4.8	13
Clark	6	4	66.7	2	33.3	-	-	-
Clearwater	86	24	30.8	53	67.9	1	1.3	8
Custer	30	9	32.1	9	32.1	10	35.7	2
Elmore	170	62	37.1	100	59.9	5	3.0	3
Franklin	81	50	79.4	5	7.9	8	12.7	18
Fremont	75	57	78.1	13	17.8	3	4.1	2
Gem	182	87	49.2	85	48.0	5	2.8	5
Gooding	144	44	31.4	85	60.7	11	7.9	4
Idaho	143	49	36.0	84	61.8	3	2.2	7
Jefferson	119	89	80.2	18	16.2	4	3.6	8
Jerome	177	100	57.1	71	40.6	4	2.3	2
Kootenai	921	173	20.1	565	65.8	121	14.1	62
Latah	202	51	28.0	119	65.4	12	6.6	20
Lemhi	70	22	42.3	2	3.8	28	53.8	18
Lewis	42	15	39.5	22	57.9	1	2.6	4
Lincoln	40	16	40.0	22	55.0	2	5.0	-
Madison	130	102	83.6	12	9.8	8	6.6	8
Minidoka	183	124	71.7	43	24.9	6	3.5	10
Nez Perce	407	121	32.7	233	63.0	16	4.3	37
Oneida	33	23	82.1	4	14.3	1	3.6	5
Owyhee	83	35	42.2	44	53.0	4	4.8	-
Payette	183	52	35.9	68	46.9	25	17.2	38
Power	40	23	59.0	13	33.3	3	7.7	1
Shoshone	177	34	20.6	124	75.2	7	4.2	12
Teton	29	12	48.0	5	20.0	8	32.0	4
Twin Falls	671	340	51.6	287	43.6	32	4.9	12
Valley	54	11	21.6	39	76.5	1	2.0	3
Washington	116	53	47.7	50	45.0	8	7.2	5

* Other includes deaths with "Removal from Idaho (except for donation)", "Donation (regardless of state)", and "Other" listed as disposition.

INFANT, FETAL, AND MATERNAL MORTALITY

U.S.

The U.S. infant mortality rate increased from 6.8 in 2004 to 6.9 in 2005¹. The 2005 U.S. data indicate the leading cause of infant death in the U.S. was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (134.2 deaths per 100,000 live births), followed by disorders related to short gestation and low birth weight (113.9 deaths per 100,000 live births), and Sudden infant death syndrome (SIDS) (53.9 deaths per 100,000 live births)¹. In 2005, there were 28,440 infant deaths in the U.S. compared with 27,936 deaths in 2004.

Idaho

In the past ten years, Idaho's infant mortality rate fluctuated between record low rates in 2002 (6.1 per 1,000 live births) and a high rate of 7.5 in 2000. In 2006 there were 164 infant deaths and the infant death rate was 6.8 per 1,000 live births, which was a ten percent increase in the rate from 6.2 in 2005. Considering the small size of the data base, some irregularity is not unusual. The graph on the following page illustrates the trend of Idaho's infant death rates as a one- to two-year "up-and-down" cycle.

Neonatal and postneonatal death rates also produce yearly changes in Idaho. The neonatal mortality rate (infant deaths less than 28 days) in 2006 increased to 4.6 from 4.0 in 2005; the postneonatal rate (infant deaths from 28 days through 11 months) increased slightly from 2.1 in 2005 to 2.2 in 2006.

District 3 experienced the highest infant mortality rate in 2006 at 9.9 per 1,000 births followed by District 5 (6.8). District 1 had the lowest rate in 2006 (4.7). Neonatal mortality ranged from a low of 2.8 deaths per 1,000 births in Districts 1, 6, and 7 to a high of 7.4 deaths per 1,000 births in District 3; there were no postneonatal mortality deaths among District 2 infants; Districts 6 and 7 had the highest postneonatal death rates (2.8).

Because Idaho infant deaths provide a small data base that tends to fluctuate or produce abnormally high rates in small counties, moving three-year rates have been calculated. See page 107 for three-year infant mortality rates by district and county, from 1995-1997 through 2004-2006; the overall trend is more readily apparent.

Leading Causes of Infant Death

In 2006, there were 80 Idaho resident infant deaths for the general infant death category, "Certain conditions originating in the perinatal period" compared with 59 deaths in 2005. This category includes such conditions as short gestation and low birth weight, respiratory distress of newborn, and neonatal hemorrhage. In ranking the leading causes of infant deaths, however, the conditions within this general category are used to determine leading causes of death, rather than the general category. The leading cause of Idaho infant deaths was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (38 deaths; 157.1 deaths per 100,000 births). Overall, disorders related to short gestation and low birth weight was the second leading cause of death (30 deaths; 124.0 deaths per 100,000 births), and Sudden infant death syndrome (24 deaths; 99.2 deaths per 100,000 births) was the third leading cause of infant death.

The leading single cause of neonatal mortality was disorders related to short gestation and low birth weight (30 deaths); with a neonatal death rate of 124.0 per 100,000 live births. SIDS was the leading single cause of death in the postneonatal period at 95.1 postneonatal deaths per 100,000 live births and accounted for 44.2 percent of all postneonatal deaths.

Stillbirths and Perinatal Deaths

Idaho reportable stillbirth deliveries are defined as a spontaneous fetal death of twenty (20) completed weeks gestation or more, based on a clinical estimate of gestation, or a weight of three hundred fifty (350) grams (12.35 ounces) or more. In 2006 there were 108 stillbirths to Idaho residents; the ratio of stillbirths to live births was 4.5 stillbirths per 1,000 live births. This was the lowest stillbirth ratio in the past ten years. Since 1997, the stillbirth ratio ranged from a low of 4.5 per 1,000 live births in 2006 to a high of 6.3 per 1,000 live births in 1998 and 2001.

Perinatal death is defined as the number of stillbirths plus the number of deaths to infants fewer than seven (7) days of age per 1,000 live births. The perinatal ratio is often used to compare U.S. data with other countries because of differences in the definitions of live birth, stillbirth and infant death among countries. In 2006, there were 201 perinatal deaths to Idaho residents. The Idaho perinatal death ratio from 2005 to 2006 decreased 11.7 percent from 9.4 per 1,000 live births to 8.3 per 1,000 live births in 2006.

Maternal Deaths

Maternal causes of death include pregnancies with an abortive or live outcome and include direct and indirect obstetric causes and complications. The World Health Organization defines maternal death as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes."¹


In 2003, the Idaho death certificate was revised to include a separate question regarding pregnancy status of females aged 10 to 54. Data are reported if female was pregnant at time of death, within 42 days of death, or 43 days to one year prior to death. Data from the response to this question are used in conjunction with cause of death information reported in Part I and Part II on the death certificate to determine the underlying cause of death (ICD-10 code). The separate pregnancy status question on the death certificate resulted in the identification of more maternal deaths in states with the revised death certificate¹. Furthermore, Idaho maternal death data for 2003 and later are not comparable with Idaho data prior to 2003 or states not using the revised death certificate.

In 2006, there were 3 maternal deaths to Idaho residents (death rate of 12.4 deaths per 100,000 live births). The ICD-10 codes used for maternal deaths are A34, O00-O95, and O98-O99¹. In addition to the 3 maternal deaths during pregnancy or within 42 days of termination of pregnancy, there were 4 deaths to women due to pregnancy, childbirth, and the puerperium which occurred 43 days to one year after delivery or termination of pregnancy. The ICD-10 codes used for these deaths are O96-O97 and these deaths are not included in the count or the rate for maternal deaths.

In the U.S. in 2005, there were 623 maternal deaths (death rate of 15.1 deaths per 100,000 live births) based on ICD-10 codes A34, O00-O95, and O98-O99¹. There were 137 deaths to women due to maternal causes which occurred 43 days to one year after delivery or termination of pregnancy. As of 2005, 31 states and the District of Columbia have a separate question related to pregnancy status of female decedents at the time of their death¹.


1. "Deaths: Final Data for 2005," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 56, No. 10, January 2008.

U.S., IDAHO INFANT DEATH RATES 1996-2006



* The U.S. rate for 2006 is not available.

IDAHO, DISTRICT INFANT DEATH RATES Neonatal and Postneonatal 2006



IDAHO RESIDENT INFANT DEATHS
Number of Infant Deaths and Rates
2002-2006

RESIDENCE	2006		2005		2004		2003		2002	
	Number	Rate								
U.S. Rates				6.9		6.8		6.9		7.0
IDAHO	164	6.8	142	6.2	139	6.2	138	6.3	127	6.1
District 1	12	4.7	17	7.4	15	6.3	9	4.0	14	6.3
District 2	7	6.2	9	7.9	10	8.8	6	5.4	3	2.5
District 3	44	9.9	30	7.3	28	6.9	28	7.3	27	7.3
District 4	43	6.7	41	6.8	39	6.7	40	6.9	35	6.3
District 5	20	6.8	15	5.2	15	5.3	20	7.3	17	6.7
District 6	16	5.6	16	5.3	16	5.7	18	6.3	16	5.7
District 7	22	5.7	14	3.9	16	4.7	17	5.3	15	5.1
Ada	39	6.8	33	6.1	36	6.9	36	7.0	32	6.5
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	6.2	9	5.9	8	5.7	13	8.9	9	6.3
Bear Lake	2	28.6	-	-	-	-	2	26.0	-	-
Benewah	-	-	1	8.4	2	18.0	1	8.6	1	9.0
Bingham	3	3.8	7	8.4	5	6.3	2	2.6	4	5.4
Blaine	2	6.3	4	13.2	1	3.7	5	18.8	1	3.5
Boise	-	-	1	22.7	-	-	-	-	-	-
Bonner	4	9.8	3	7.4	3	7.7	3	8.1	4	10.1
Bonneville	15	7.9	7	3.9	9	5.4	8	4.8	5	3.2
Boundary	-	-	1	7.7	3	25.6	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	39	11.2	17	5.3	24	7.5	21	7.1	18	6.2
Caribou	2	20.4	-	-	2	21.7	1	8.8	-	-
Cassia	4	10.4	1	2.5	1	2.4	3	7.8	2	5.3
Clark	-	-	-	-	1	66.7	-	-	-	-
Clearwater	-	-	1	15.6	1	18.2	-	-	-	-
Custer	-	-	1	27.0	-	-	-	-	-	-
Elmore	4	7.1	6	11.4	3	5.8	4	7.1	3	6.0
Franklin	-	-	-	-	-	-	-	-	3	13.1
Fremont	1	4.4	2	9.0	1	4.3	3	13.3	4	19.4
Gem	-	-	3	12.8	-	-	2	9.6	2	10.8
Gooding	1	4.3	1	4.2	1	3.9	1	3.9	4	17.1
Idaho	-	-	1	6.8	2	12.0	-	-	-	-
Jefferson	1	2.1	1	2.3	4	9.0	4	10.6	1	2.9
Jerome	1	2.5	2	5.3	1	2.7	3	9.1	1	3.1
Kootenai	7	4.1	11	7.3	7	4.3	4	2.6	7	4.8
Latah	-	-	-	-	1	2.6	4	10.1	2	4.4
Lemhi	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	1	15.2
Madison	5	5.0	3	3.4	-	-	2	3.0	3	5.0
Minidoka	2	6.0	-	-	3	9.0	1	2.9	1	3.3
Nez Perce	7	15.3	7	15.5	6	12.7	2	4.5	1	2.2
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	2	11.2	2	12.5	1	5.3	2	11.4	3	16.9
Payette	2	6.1	6	19.0	1	3.2	2	6.2	4	13.5
Power	-	-	-	-	1	7.9	-	-	-	-
Shoshone	1	7.5	1	8.6	-	-	1	7.8	2	17.2
Teton	-	-	-	-	1	7.0	-	-	2	14.7
Twin Falls	10	8.4	7	6.2	8	7.1	7	6.6	7	7.3
Valley	-	-	1	11.5	-	-	-	-	-	-
Washington	1	7.0	2	15.3	2	15.3	1	8.4	-	-

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Sex and Race/Ethnicity of Infant
2006

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC*
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	164	88	76	145	4	1	3	11	-	36
District 1	12	9	3	11	-	-	-	1	-	1
District 2	7	4	3	7	-	-	-	-	-	1
District 3	44	24	20	38	-	-	-	6	-	17
District 4	43	20	23	39	2	-	2	-	-	3
District 5	20	8	12	17	-	-	-	3	-	9
District 6	16	8	8	15	-	1	-	-	-	1
District 7	22	15	7	18	2	-	1	1	-	4
Ada	39	18	21	36	1	-	2	-	-	3
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	3	6	8	-	1	-	-	-	-
Bear Lake	2	2	-	2	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-
Bingham	3	2	1	3	-	-	-	-	-	1
Blaine	2	-	2	2	-	-	-	-	-	2
Boise	-	-	-	-	-	-	-	-	-	-
Bonner	4	4	-	4	-	-	-	-	-	-
Bonneville	15	9	6	13	2	-	-	-	-	2
Boundary	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	39	22	17	34	-	-	-	5	-	14
Caribou	2	1	1	2	-	-	-	-	-	-
Cassia	4	1	3	4	-	-	-	-	-	2
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	2	2	3	1	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-
Fremont	1	1	-	1	-	-	-	-	-	1
Gem	-	-	-	-	-	-	-	-	-	-
Gooding	1	-	1	1	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-
Jefferson	1	1	-	1	-	-	-	-	-	-
Jerome	1	1	-	1	-	-	-	-	-	-
Kootenai	7	5	2	6	-	-	-	1	-	1
Latah	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-
Madison	5	4	1	3	-	-	1	1	-	1
Minidoka	2	2	-	2	-	-	-	-	-	1
Nez Perce	7	4	3	7	-	-	-	-	-	1
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	2	1	1	2	-	-	-	-	-	1
Payette	2	-	2	2	-	-	-	-	-	1
Power	-	-	-	-	-	-	-	-	-	-
Shoshone	1	-	1	1	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-
Twin Falls	10	4	6	7	-	-	-	3	-	4
Valley	-	-	-	-	-	-	-	-	-	-
Washington	1	1	-	-	-	-	-	1	-	1

* Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT INFANT DEATHS
Cause of Death by Neonatal and Postneonatal Periods
2006

CAUSE OF DEATH AND ICD-10 CODE(S)	IDAHO						U.S.
	Total		Neonatal		Postneonatal		2005 Rate
	Number	Rate	Number	Rate	Number	Rate	
ALL CAUSES	164	678.1	112	463.1	52	215.0	687.2
Influenza and pneumonia (J10-J11)	-	-	-	-	-	-	6.4
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	38	157.1	29	119.9	9	37.2	134.2
Total, Certain conditions originating in the perinatal period (P00-P96)	80	330.8	79	326.6	1	4.1	348.5
Newborn affected by maternal complications of pregnancy (P01)	10	41.3	10	41.3	-	-	42.9
Newborn affected by complications of placenta, cord and membranes (P02)	11	45.5	11	45.5	-	-	26.8
Disorders related to short gestation and unspecified low birth weight (P07)	30	124.0	30	124.0	-	-	113.9
Birth trauma (P10-P15)	1	4.1	1	4.1	-	-	0.6
Intrauterine hypoxia and birth asphyxia (P20-P21)	1	4.1	1	4.1	-	-	12.8
Respiratory distress of newborn (P22)	3	12.4	3	12.4	-	-	20.8
Bacterial sepsis of newborn (P36)	4	16.5	4	16.5	-	-	20.2
Neonatal hemorrhage (P50-P52, P54)	5	20.7	5	20.7	-	-	16.1
Other conditions originating in the perinatal period (residual of P00-P96)	15	62.0	14	57.9	1	4.1	94.5
Sudden infant death syndrome (R95)	24	99.2	1	4.1	23	95.1	53.9
Accidents (V01-X95)	3	12.4	-	-	3	12.4	26.2
All other causes (residual)	19	78.6	3	12.4	16	66.2	118.1

Rates in this chart are expressed as the number of deaths per 100,000 live births.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal Deaths by Age of Mother
2006

AGE OF MOTHER (At time of infant's birth)	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
TOTAL	164	6.8	112	4.6	52	2.2
<15	1	55.6	1	55.6	-	-
15-19	22	10.2	12	5.6	10	4.7
15-17	4	6.7	3	5.0	1	1.7
18-19	18	11.6	9	5.8	9	5.8
20-34	121	6.1	85	4.3	36	1.8
35+	18	7.8	13	5.6	5	2.2
Unknown	2	NA	1	NA	1	NA

Rates in this chart are per 1,000 live births in corresponding mother's age group.

IDAHO RESIDENT INFANT DEATHS
Causes of Infant Deaths
Three-Year Aggregate, 2004-2006¹

RESIDENCE	THREE-YEAR TOTAL INFANT DEATHS		CAUSE OF INFANT DEATH						
			Congenital malform- ations ³	Short Gestation / Unspecified Low Birth Weight	Respiratory Distress of Newborn	All Other Conditions Originating in Perinatal Period	Sudden Infant Death Syndrome (SIDS)	External Causes	All Other Causes
	Number	Rate ²							
IDAHO	445	6.4	105	77	9	120	55	21	58
District 1	44	6.1	9	2	4	9	8	2	10
District 2	26	7.7	8	9	-	4	1	2	2
District 3	102	8.1	20	23	2	29	5	4	19
District 4	123	6.7	28	30	-	35	11	6	13
District 5	50	5.8	17	4	1	7	8	5	8
District 6	48	5.5	12	3	-	16	13	1	3
District 7	52	4.8	11	6	2	20	9	1	3
Ada	108	6.6	27	28	-	30	10	2	11
Adams	-	-	-	-	-	-	-	-	-
Bannock	26	5.9	7	2	-	8	8	-	1
Bear Lake	2	8.4	-	-	-	2	-	-	-
Benewah	3	8.4	-	-	1	1	1	-	-
Bingham	15	6.2	3	1	-	4	5	1	1
Blaine	7	7.9	1	2	-	2	2	-	-
Boise	1	6.3	-	-	-	-	-	1	-
Bonner	10	8.3	2	1	-	-	2	1	4
Bonneville	31	5.8	6	3	1	11	9	-	1
Boundary	4	10.1	1	-	-	1	1	-	1
Butte	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	80	8.1	14	21	1	23	3	3	15
Caribou	4	13.7	1	-	-	2	-	-	1
Cassia	6	5.0	3	1	-	-	1	1	-
Clark	1	16.4	1	-	-	-	-	-	-
Clearwater	2	10.2	-	-	-	-	-	1	1
Custer	1	8.8	-	-	-	1	-	-	-
Elmore	13	8.1	1	2	-	5	1	2	2
Franklin	-	-	-	-	-	-	-	-	-
Fremont	4	5.9	-	-	1	2	-	-	1
Gem	3	4.4	-	-	-	1	-	1	1
Gooding	3	4.1	1	-	-	1	-	-	1
Idaho	3	6.5	1	-	-	1	1	-	-
Jefferson	6	4.4	-	2	-	3	-	1	-
Jerome	4	3.5	1	-	-	1	-	1	1
Kootenai	25	5.1	5	1	3	6	4	1	5
Latah	1	0.8	1	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-
Madison	8	3.0	4	1	-	2	-	-	1
Minidoka	5	5.1	2	1	-	-	1	-	1
Nez Perce	20	14.5	6	9	-	3	-	1	1
Oneida	-	-	-	-	-	-	-	-	-
Owyhee	5	9.5	1	1	-	2	-	-	1
Payette	9	9.4	4	-	-	2	1	-	2
Power	1	2.6	1	-	-	-	-	-	-
Shoshone	2	5.5	1	-	-	1	-	-	-
Teton	1	2.4	-	-	-	1	-	-	-
Twin Falls	25	7.3	9	-	1	3	4	3	5
Valley	1	3.8	-	-	-	-	-	1	-
Washington	5	12.4	1	1	1	1	1	-	-

1. Beginning with the 2005 annual report, infant deaths by district and county of residence by cause of death are shown using three-year aggregate number of deaths. One-year data are available by district of residence upon request.
2. Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.
3. Shortened ICD-10 title for Congenital malformations, deformations and chromosomal abnormalities (birth defects).

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal
2006

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS					
		Total		Neonatal		Postneonatal	
		Number	Rate	Number	Rate	Number	Rate
U.S. (2005)		28,440	6.9	18,770	4.5	9,670	2.3
IDAHO	24,185	164	6.8	112	4.6	52	2.2
District 1	2,531	12	4.7	7	2.8	5	2.0
District 2	1,123	7	6.2	7	6.2	-	-
District 3	4,430	44	9.9	33	7.4	11	2.5
District 4	6,422	43	6.7	33	5.1	10	1.6
District 5	2,955	20	6.8	13	4.4	7	2.4
District 6	2,834	16	5.6	8	2.8	8	2.8
District 7	3,890	22	5.7	11	2.8	11	2.8
Ada	5,700	39	6.8	30	5.3	9	1.6
Adams	44	-	-	-	-	-	-
Bannock	1,448	9	6.2	3	2.1	6	4.1
Bear Lake	70	2	28.6	2	28.6	-	-
Benewah	126	-	-	-	-	-	-
Bingham	789	3	3.8	1	1.3	2	2.5
Blaine	316	2	6.3	2	6.3	-	-
Boise	61	-	-	-	-	-	-
Bonner	409	4	9.8	2	4.9	2	4.9
Bonneville	1,896	15	7.9	7	3.7	8	4.2
Boundary	148	-	-	-	-	-	-
Butte	44	-	-	-	-	-	-
Camas	14	-	-	-	-	-	-
Canyon	3,483	39	11.2	30	8.6	9	2.6
Caribou	98	2	20.4	2	20.4	-	-
Cassia	383	4	10.4	1	2.6	3	7.8
Clark	19	-	-	-	-	-	-
Clearwater	78	-	-	-	-	-	-
Custer	45	-	-	-	-	-	-
Elmore	563	4	7.1	3	5.3	1	1.8
Franklin	210	-	-	-	-	-	-
Fremont	225	1	4.4	-	-	1	4.4
Gem	254	-	-	-	-	-	-
Gooding	232	1	4.3	1	4.3	-	-
Idaho	147	-	-	-	-	-	-
Jefferson	484	1	2.1	1	2.1	-	-
Jerome	394	1	2.5	-	-	1	2.5
Kootenai	1,715	7	4.1	5	2.9	2	1.2
Latah	409	-	-	-	-	-	-
Lemhi	76	-	-	-	-	-	-
Lewis	30	-	-	-	-	-	-
Lincoln	90	-	-	-	-	-	-
Madison	999	5	5.0	3	3.0	2	2.0
Minidoka	332	2	6.0	1	3.0	1	3.0
Nez Perce	459	7	15.3	7	15.3	-	-
Oneida	49	-	-	-	-	-	-
Owyhee	179	2	11.2	1	5.6	1	5.6
Payette	328	2	6.1	1	3.0	1	3.0
Power	126	-	-	-	-	-	-
Shoshone	133	1	7.5	-	-	1	7.5
Teton	146	-	-	-	-	-	-
Twin Falls	1,194	10	8.4	8	6.7	2	1.7
Valley	98	-	-	-	-	-	-
Washington	142	1	7.0	1	7.0	-	-

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Three-Year Rates
1995-1997 Through 2004-2006

RESIDENCE	2004-06	2003-05	2002-04	2001-03	2000-02	1999-01	1998-00	1997-99	1996-98	1995-97
IDAHO	6.4	6.2	6.2	6.2	6.6	6.8	7.2	6.9	7.2	6.8
District 1	6.1	5.9	5.5	5.9	7.1	8.1	8.3	7.9	7.7	7.0
District 2	7.7	7.4	5.6	4.9	4.7	7.4	7.3	8.1	7.6	7.3
District 3	8.1	7.2	7.2	7.0	7.3	6.8	7.3	6.8	7.2	6.5
District 4	6.7	6.8	6.6	5.9	5.9	5.7	6.1	5.4	5.2	4.8
District 5	5.8	5.9	6.4	7.2	8.5	8.9	10.2	8.7	9.1	7.9
District 6	5.5	5.8	5.9	6.1	5.8	5.8	6.1	7.3	8.8	8.7
District 7	4.8	4.6	5.0	5.8	6.5	6.8	6.2	6.8	6.6	7.4
Ada	6.6	6.7	6.8	5.8	5.8	5.5	5.8	4.9	4.7	4.5
Adams	-	-	-	-	-	-	-	12.3	12.3	12.0
Bannock	5.9	6.8	7.0	7.3	6.5	6.5	6.4	6.5	7.6	7.7
Bear Lake	8.4	8.1	7.9	8.3	-	-	3.9	4.3	4.2	4.0
Benewah	8.4	11.6	11.8	5.8	8.6	11.2	17.5	11.7	6.1	5.8
Bingham	6.2	5.9	4.8	4.9	5.7	5.3	5.9	6.6	9.5	9.0
Blaine	7.9	11.9	8.5	10.9	7.4	8.2	5.9	4.4	6.0	4.6
Boise	6.3	5.8	-	-	-	4.4	9.2	8.7	8.8	4.3
Bonner	8.3	7.7	8.7	9.5	8.6	7.1	7.3	7.4	8.0	6.1
Bonneville	5.8	4.7	4.5	4.3	4.7	6.3	6.5	7.4	6.4	7.2
Boundary	10.1	10.5	7.8	2.6	2.6	2.6	-	-	2.8	5.4
Butte	-	-	-	8.0	8.5	9.2	-	18.2	17.9	16.5
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	8.1	6.6	7.0	6.8	6.4	6.4	6.8	6.9	7.0	5.5
Caribou	13.7	9.7	9.9	3.2	3.3	6.0	6.2	6.5	7.3	13.6
Cassia	5.0	4.2	5.1	7.8	8.6	9.3	7.7	6.0	4.3	6.1
Clark	16.4	16.4	21.7	-	-	-	-	-	-	-
Clearwater	10.2	10.2	5.0	4.5	4.7	9.0	4.2	3.9	-	-
Custer	8.8	10.1	-	-	-	-	-	15.3	12.8	12.9
Elmore	8.1	8.1	6.3	7.0	6.5	7.7	7.8	8.3	7.9	7.5
Franklin	-	-	4.5	7.8	9.3	7.8	9.6	19.0	18.2	15.0
Fremont	5.9	8.8	12.0	12.5	9.8	3.3	3.4	5.1	8.8	8.7
Gem	4.4	7.9	6.9	6.6	3.4	1.7	5.1	5.1	6.7	9.1
Gooding	4.1	4.0	8.0	7.2	9.0	6.1	10.2	7.4	10.6	8.1
Idaho	6.5	6.7	4.2	2.2	6.3	6.5	11.1	8.8	10.9	6.3
Jefferson	4.4	7.2	7.7	10.2	9.4	9.5	5.7	6.8	7.8	9.0
Jerome	3.5	5.6	4.9	5.1	5.2	6.1	8.1	7.5	10.0	9.4
Kootenai	5.1	4.7	3.9	4.9	6.2	7.5	7.7	7.8	8.4	7.4
Latah	0.8	4.1	5.6	7.1	3.9	6.4	4.7	7.0	6.9	8.4
Lemhi	-	-	-	4.6	15.5	14.9	9.8	-	-	7.0
Lewis	-	-	-	-	-	-	-	8.8	8.5	8.3
Lincoln	-	-	4.7	4.8	4.7	-	-	-	6.7	6.6
Madison	3.0	2.1	2.4	5.7	7.1	7.0	5.7	6.7	6.7	6.3
Minidoka	5.1	4.0	5.1	11.1	15.1	19.2	16.2	14.3	8.9	3.7
Nez Perce	14.5	11.0	6.5	4.4	5.2	9.0	9.7	9.5	8.8	8.1
Oneida	-	-	-	-	-	-	-	-	7.0	6.9
Owyhee	9.5	9.5	11.1	10.9	14.7	9.2	13.3	11.6	15.6	11.8
Payette	9.4	9.5	7.5	8.5	11.9	9.9	8.9	6.9	6.6	9.2
Power	2.6	2.6	2.7	-	-	3.0	3.0	2.7	5.1	4.7
Shoshone	5.5	5.5	8.3	10.6	14.9	18.0	16.7	12.2	6.1	7.9
Teton	2.4	2.4	7.1	4.8	10.1	8.2	12.2	6.7	3.4	3.6
Twin Falls	7.3	6.7	7.0	5.6	7.9	7.6	11.3	10.0	11.4	10.8
Valley	3.8	4.0	-	4.4	9.7	9.7	16.2	9.3	8.9	4.1
Washington	12.4	13.1	7.8	5.2	12.0	11.5	9.3	-	-	5.0

Three-year infant death rate: Number of deaths to infants under one year in three-year period per 1,000 live births in corresponding three-year period.

IDAHO RESIDENT STILLBIRTHS
Number of Stillbirths and Ratios
2002-2006

RESIDENCE	2006		2005		2004*		2003*		2002*	
	Number	Ratio								
IDAHO	108	4.5	134	5.8	125	5.5	113	5.2	103	4.9
District 1	7	2.8	12	5.3	13	5.5	7	3.1	12	5.4
District 2	5	4.5	4	3.5	6	5.3	13	11.8	5	4.2
District 3	17	3.8	26	6.4	24	5.9	25	6.6	15	4.0
District 4	29	4.5	33	5.4	23	3.9	25	4.3	21	3.8
District 5	16	5.4	17	5.9	25	8.8	12	4.4	22	8.6
District 6	14	4.9	16	5.3	19	6.7	15	5.3	7	2.5
District 7	20	5.1	26	7.2	15	4.4	16	5.0	21	7.1
Ada	27	4.7	29	5.4	20	3.8	20	3.9	17	3.4
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	6.2	6	3.9	9	6.4	5	3.4	4	2.8
Bear Lake	-	-	1	11.9	-	-	2	26.0	-	-
Benewah	-	-	-	-	1	9.0	-	-	-	-
Bingham	3	3.8	7	8.4	4	5.1	6	7.8	1	1.3
Blaine	1	3.2	1	3.3	1	3.7	-	-	3	10.5
Boise	-	-	1	22.7	1	18.2	-	-	1	19.6
Bonner	1	2.4	1	2.5	3	7.7	2	5.4	1	2.5
Bonneville	8	4.2	15	8.3	7	4.2	8	4.8	15	9.6
Boundary	-	-	-	-	1	8.5	-	-	2	15.0
Butte	-	-	-	-	2	55.6	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	12	3.4	22	6.8	16	5.0	19	6.4	10	3.4
Caribou	-	-	-	-	1	10.9	1	8.8	1	10.1
Cassia	4	10.4	3	7.6	2	4.7	2	5.2	1	2.7
Clark	-	-	1	37.0	-	-	-	-	1	83.3
Clearwater	-	-	-	-	2	36.4	-	-	1	14.9
Custer	1	22.2	-	-	-	-	-	-	-	-
Elmore	2	3.6	3	5.7	2	3.9	5	8.9	3	6.0
Franklin	2	9.5	2	9.3	1	4.2	1	5.0	-	-
Fremont	2	8.9	1	4.5	-	-	-	-	-	-
Gem	1	3.9	2	8.5	4	21.3	2	9.6	3	16.2
Gooding	1	4.3	1	4.2	3	11.7	4	15.4	2	8.5
Idaho	2	13.6	-	-	-	-	1	7.2	1	6.0
Jefferson	4	8.3	2	4.7	3	6.7	1	2.6	-	-
Jerome	2	5.1	3	7.9	4	11.0	-	-	2	6.3
Kootenai	6	3.5	10	6.6	6	3.7	5	3.3	9	6.1
Latah	-	-	1	2.3	-	-	4	10.1	1	2.2
Lemhi	-	-	-	-	-	-	1	12.8	1	16.1
Lewis	-	-	-	-	-	-	1	23.3	-	-
Lincoln	1	11.1	1	11.5	-	-	-	-	1	15.2
Madison	3	3.0	6	6.8	4	4.9	5	7.5	4	6.7
Minidoka	4	12.0	2	6.3	4	12.0	4	11.7	4	13.3
Nez Perce	3	6.5	3	6.7	4	8.5	7	15.7	2	4.3
Oneida	-	-	-	-	2	39.2	-	-	-	-
Owyhee	1	5.6	-	-	2	10.5	1	5.7	-	-
Payette	3	9.1	1	3.2	2	6.4	3	9.3	2	6.7
Power	-	-	-	-	-	-	-	-	1	8.9
Shoshone	-	-	1	8.6	2	17.2	-	-	-	-
Teton	2	13.7	1	7.4	1	7.0	1	7.0	-	-
Twin Falls	3	2.5	6	5.4	11	9.8	2	1.9	9	9.4
Valley	-	-	-	-	-	-	-	-	-	-
Washington	-	-	1	7.6	-	-	-	-	-	-

Stillbirth ratio: Number of stillbirths per 1,000 live births.

* In 2006, additional stillbirth reports were forwarded from Washington and Utah for Idaho residents who had stillbirths in these states from 1993 to 2004. The Idaho data bases were revised with these additional records; data in this table are revised for 2002-2004.

IDAHO RESIDENT PERINATAL DEATHS
Number of Perinatal Deaths and Ratios
2002-2006

RESIDENCE	2006		2005		2004*		2003*		2002*	
	Number	Ratio								
IDAHO	201	8.3	217	9.4	206	9.1	181	8.3	174	8.3
District 1	12	4.7	22	9.6	20	8.4	11	4.9	19	8.5
District 2	12	10.7	8	7.0	13	11.5	17	15.4	7	5.9
District 3	42	9.5	48	11.7	44	10.9	39	10.2	32	8.6
District 4	61	9.5	56	9.2	48	8.2	45	7.7	41	7.4
District 5	25	8.5	23	8.0	28	9.8	16	5.9	28	11.0
District 6	20	7.1	24	8.0	28	9.9	22	7.7	15	5.4
District 7	29	7.5	36	10.0	25	7.3	31	9.7	32	10.9
Ada	56	9.8	49	9.0	43	8.3	36	7.0	35	7.1
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	12	8.3	13	8.5	14	10.0	10	6.8	8	5.6
Bear Lake	2	28.6	1	11.9	-	-	3	39.0	-	-
Benewah	-	-	1	8.4	2	18.0	1	8.6	1	9.0
Bingham	4	5.1	8	9.6	6	7.6	7	9.2	2	2.7
Blaine	2	6.3	3	9.9	1	3.7	1	3.8	3	10.5
Boise	-	-	1	22.7	1	18.2	-	-	1	19.6
Bonner	2	4.9	2	4.9	4	10.3	3	8.1	2	5.1
Bonneville	14	7.4	20	11.1	12	7.2	15	9.0	18	11.5
Boundary	-	-	-	-	3	25.6	-	-	2	15.0
Butte	-	-	-	-	2	55.6	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	34	9.8	34	10.6	33	10.3	30	10.1	21	7.2
Caribou	-	-	-	-	2	21.7	1	8.8	1	10.1
Cassia	5	13.1	3	7.6	3	7.1	3	7.8	3	8.0
Clark	-	-	1	37.0	1	66.7	-	-	1	83.3
Clearwater	-	-	-	-	2	36.4	-	-	1	14.9
Custer	1	22.2	1	27.0	-	-	-	-	-	-
Elmore	5	8.9	6	11.4	4	7.7	9	16.1	5	10.0
Franklin	2	9.5	2	9.3	1	4.2	1	5.0	3	13.1
Fremont	2	8.9	2	9.0	1	4.3	3	13.3	3	14.6
Gem	1	3.9	3	12.8	4	21.3	3	14.4	4	21.6
Gooding	2	8.6	2	8.4	4	15.6	4	15.4	3	12.8
Idaho	2	13.6	-	-	1	6.0	1	7.2	1	6.0
Jefferson	5	10.3	3	7.0	5	11.2	4	10.6	1	2.9
Jerome	2	5.1	4	10.5	4	11.0	1	3.0	2	6.3
Kootenai	10	5.8	17	11.2	9	5.5	7	4.6	13	8.8
Latah	-	-	1	2.3	1	2.6	6	15.1	2	4.4
Lemhi	-	-	-	-	-	-	1	12.8	1	16.1
Lewis	-	-	-	-	-	-	1	23.3	-	-
Lincoln	1	11.1	1	11.5	-	-	-	-	1	15.2
Madison	5	5.0	8	9.1	4	4.9	7	10.5	7	11.8
Minidoka	5	15.1	2	6.3	4	12.0	4	11.7	5	16.6
Nez Perce	10	21.8	7	15.5	9	19.1	9	20.2	3	6.5
Oneida	-	-	-	-	2	39.2	-	-	-	-
Owyhee	2	11.2	2	12.5	3	15.8	2	11.4	3	16.9
Payette	4	12.2	6	19.0	2	6.4	4	12.3	4	13.5
Power	-	-	-	-	1	7.9	-	-	1	8.9
Shoshone	-	-	2	17.2	2	17.2	-	-	1	8.6
Teton	2	13.7	1	7.4	2	14.0	1	7.0	1	7.4
Twin Falls	8	6.7	8	7.1	12	10.7	3	2.8	11	11.5
Valley	-	-	-	-	-	-	-	-	-	-
Washington	1	7.0	3	22.9	2	15.3	-	-	-	-

Perinatal death ratio: Number of stillbirths plus deaths of infants under 7 days of age per 1,000 live births.

* In 2006, additional stillbirth reports were forwarded from Washington and Utah for Idaho residents who had stillbirths in these states from 1993 to 2004. The Idaho data bases were revised with these additional records; data in this table are revised for 2002-2004.

INDUCED ABORTION


In 2004, 49 out of 52 reporting areas, (50 States, District of Columbia, and New York City), provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the U.S. A total of 839,226 legal abortions were reported to the CDC by 49 reporting areas in 2004 (latest year U.S. data are available). In 2004, the U.S. abortion ratio (reported abortions per 1,000 live births) was 238. The number of abortions in 2004 represents a slight decrease from 2003, for which 848,163 abortions were reported from the same 49 reporting areas.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S. 2004 ¹	839,226	238	16
Idaho 2006 (Occurrence)	1,249	53	4
Idaho 2006 (Residence)	1,919	79	6

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2006 was 1,249, a 14 percent increase from the 1,099 reported in 2005. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,249 abortions performed in Idaho, 1,215 were to residents of Idaho and 34 were to non-residents.

Abortions to Idaho residents increased 5 percent, from 1,827 in 2005 to 1,919 in 2006. Abortions to Idaho residents may occur in Idaho or out of state. In 2006, 1,215 abortions to Idaho residents occurred in Idaho and 704 were performed out of state. Of the 704 abortions obtained by Idaho residents out of state, 528 were performed in Washington, 96 in Utah, 59 in Oregon, 19 in Montana, and 1 each in Kansas and Virginia.

IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 1996-2006



1. "Abortion Surveillance - United States, 2004," Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol. 56/No. SS-9, November 23, 2007.

**INDUCED ABORTIONS OCCURRING IN IDAHO
INDUCED ABORTIONS OCCURRING TO IDAHO RESIDENTS
2006**

	ABORTIONS OCCURRING IN IDAHO			ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Abortion in Idaho, Place of Occurrence, Total	Place of Occurrence, Resident of Idaho	Place of Occurrence, Resident of Other State	Place of Residence, Total	Place of Residence, Abortion in Idaho	Place of Residence, Abortion in Other State
IDAHO	1,249	1,215	34	1,919	1,215	704
District 1	-	-	-	371	1	370
District 2	-	-	-	158	5	153
District 3	-	-	-	265	244	21
District 4	1,218	1,184	34	840	791	49
District 5	-	-	-	142	122	20
District 6	31	31	-	78	30	48
District 7	-	-	-	65	22	43
Ada	1,218	1,184	34	775	730	45
Adams	-	-	-	5	3	2
Bannock	31	31	-	57	26	31
Bear Lake	-	-	-	3	-	3
Benewah	-	-	-	8	-	8
Bingham	-	-	-	10	2	8
Blaine	-	-	-	41	38	3
Boise	-	-	-	8	8	-
Bonner	-	-	-	59	-	59
Bonneville	-	-	-	38	15	23
Boundary	-	-	-	8	-	8
Butte	-	-	-	-	-	-
Camas	-	-	-	1	1	-
Canyon	-	-	-	214	198	16
Caribou	-	-	-	-	-	-
Cassia	-	-	-	9	6	3
Clark	-	-	-	-	-	-
Clearwater	-	-	-	2	-	2
Custer	-	-	-	1	1	-
Elmore	-	-	-	31	28	3
Franklin	-	-	-	3	-	3
Fremont	-	-	-	3	2	1
Gem	-	-	-	15	14	1
Gooding	-	-	-	10	7	3
Idaho	-	-	-	6	1	5
Jefferson	-	-	-	5	-	5
Jerome	-	-	-	14	14	-
Kootenai	-	-	-	277	1	276
Latah	-	-	-	66	2	64
Lemhi	-	-	-	11	2	9
Lewis	-	-	-	7	1	6
Lincoln	-	-	-	4	4	-
Madison	-	-	-	2	-	2
Minidoka	-	-	-	5	3	2
Nez Perce	-	-	-	77	1	76
Oneida	-	-	-	1	-	1
Owyhee	-	-	-	3	3	-
Payette	-	-	-	22	21	1
Power	-	-	-	4	2	2
Shoshone	-	-	-	19	-	19
Teton	-	-	-	5	2	3
Twin Falls	-	-	-	58	49	9
Valley	-	-	-	26	25	1
Washington	-	-	-	6	5	1

Data for abortions occurring in Idaho and for abortions to Idaho residents are not mutually exclusive. Abortions occurring in Idaho may be to Idaho residents or out-of-state residents; abortions to Idaho residents may occur in Idaho or out of state.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios by District and County of Residence
Race/Ethnicity of Patient
2006

RESIDENCE	TOTAL ABORTIONS		RACE						HISPANIC ²
	Number	Ratio ¹	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	1,919	79.3	1,634	13	43	44	6	179	171
District 1	371	146.6	287	-	8	2	1	73	12
District 2	158	140.7	111	-	8	5	-	34	3
District 3	265	59.8	236	3	3	5	1	17	54
District 4	840	130.8	761	10	16	30	1	22	58
District 5	142	48.1	127	-	4	2	1	8	25
District 6	78	27.5	57	-	4	-	2	15	11
District 7	65	16.7	55	-	-	-	-	10	8
Ada	775	136.0	701	9	16	28	1	20	51
Adams	5	113.6	3	-	2	-	-	-	-
Bannock	57	39.4	46	-	3	-	1	7	5
Bear Lake	3	42.9	2	-	-	-	1	-	1
Benewah	8	63.5	5	-	2	-	-	1	-
Bingham	10	12.7	3	-	1	-	-	6	2
Blaine	41	129.7	38	-	1	1	-	1	6
Boise	8	131.1	8	-	-	-	-	-	-
Bonner	59	144.3	48	-	1	-	-	10	1
Bonneville	38	20.0	33	-	-	-	-	5	6
Boundary	8	54.1	7	-	1	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-
Camas	1	71.4	1	-	-	-	-	-	-
Canyon	214	61.4	193	3	1	4	1	12	49
Caribou	-	-	-	-	-	-	-	-	-
Cassia	9	23.5	7	-	1	-	-	1	2
Clark	-	-	-	-	-	-	-	-	-
Clearwater	2	25.6	1	-	-	-	-	1	-
Custer	1	22.2	1	-	-	-	-	-	-
Elmore	31	55.1	27	1	-	2	-	1	7
Franklin	3	14.3	2	-	-	-	-	1	1
Fremont	3	13.3	3	-	-	-	-	-	-
Gem	15	59.1	15	-	-	-	-	-	-
Gooding	10	43.1	8	-	-	1	-	1	3
Idaho	6	40.8	4	-	-	-	-	2	-
Jefferson	5	10.3	3	-	-	-	-	2	1
Jerome	14	35.5	13	-	-	-	1	-	6
Kootenai	277	161.5	213	-	4	2	1	57	10
Latah	66	161.4	56	-	-	3	-	7	2
Lemhi	11	144.7	11	-	-	-	-	-	-
Lewis	7	233.3	5	-	-	-	-	2	-
Lincoln	4	44.4	3	-	1	-	-	-	1
Madison	2	2.0	1	-	-	-	-	1	-
Minidoka	5	15.1	5	-	-	-	-	-	-
Nez Perce	77	167.8	45	-	8	2	-	22	1
Oneida	1	20.4	1	-	-	-	-	-	-
Owyhee	3	16.8	2	-	-	-	-	1	-
Payette	22	67.1	20	-	-	-	-	2	3
Power	4	31.7	3	-	-	-	-	1	2
Shoshone	19	142.9	14	-	-	-	-	5	1
Teton	5	34.2	3	-	-	-	-	2	1
Twin Falls	58	48.6	52	-	1	-	-	5	7
Valley	26	265.3	25	-	-	-	-	1	-
Washington	6	42.3	3	-	-	1	-	2	2

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.
2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals. In 2006, there were 269 records with ethnicity not stated; therefore, counts for Hispanics may be underreported.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Age of Patient
2006

RESIDENCE	TOTAL	AGE OF PATIENT									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	1,919*	12	380	159	221	632	427	228	173	60	2
District 1	371*	1	64	27	37	125	91	44	34	10	-
District 2	158*	-	30	10	20	67	34	13	11	2	-
District 3	265*	1	66	35	31	72	52	40	22	10	1
District 4	840*	6	161	68	93	275	194	100	80	23	-
District 5	142	2	26	12	14	42	26	20	17	8	1
District 6	78	2	21	6	15	28	18	5	3	1	-
District 7	65	-	12	1	11	23	12	6	6	6	-
Ada	775*	5	142	58	84	257	179	93	75	23	-
Adams	5	-	2	1	1	-	1	-	1	1	-
Bannock	57	1	13	4	9	22	15	4	1	1	-
Bear Lake	3	-	1	-	1	1	1	-	-	-	-
Benewah	8	-	4	4	-	2	1	1	-	-	-
Bingham	10	1	4	2	2	2	1	1	1	-	-
Blaine	41	-	2	1	1	7	10	9	8	5	-
Boise	8	-	2	1	1	4	2	-	-	-	-
Bonner	59	1	9	2	7	13	18	11	6	1	-
Bonneville	38	-	10	1	9	11	8	1	3	5	-
Boundary	8	-	-	-	-	5	3	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	1	-	-	-	-	1	-	-	-	-	-
Canyon	214*	1	55	31	24	59	42	30	18	7	1
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	9	-	2	1	1	5	1	-	1	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	2	-	-	-	-	-	1	-	1	-	-
Custer	1	-	-	-	-	-	-	-	1	-	-
Elmore	31	1	9	4	5	9	5	5	2	-	-
Franklin	3	-	1	-	1	1	1	-	-	-	-
Fremont	3	-	-	-	-	2	-	1	-	-	-
Gem	15	-	4	-	4	4	2	3	1	1	-
Gooding	10	-	2	-	2	2	2	2	1	1	-
Idaho	6	-	2	1	1	1	1	-	1	1	-
Jefferson	5	-	-	-	-	2	1	1	1	-	-
Jerome	14	-	1	-	1	6	4	1	2	-	-
Kootenai	277*	-	49	19	30	97	63	30	27	9	-
Latah	66	-	14	3	11	37	8	5	1	1	-
Lemhi	11	-	1	-	1	5	2	2	-	1	-
Lewis	7	-	1	1	-	2	1	-	3	-	-
Lincoln	4	1	1	1	-	1	-	1	-	-	-
Madison	2	-	-	-	-	1	-	-	1	-	-
Minidoka	5	-	1	1	-	1	1	2	-	-	-
Nez Perce	77*	-	13	5	8	27	23	8	5	-	-
Oneida	1	-	-	-	-	-	-	-	1	-	-
Owyhee	3	-	2	1	1	-	1	-	-	-	-
Payette	22	-	2	1	1	8	5	5	1	1	-
Power	4	-	2	-	2	2	-	-	-	-	-
Shoshone	19	-	2	2	-	8	6	2	1	-	-
Teton	5	-	1	-	1	2	1	1	-	-	-
Twin Falls	58	1	17	8	9	19	8	5	5	2	1
Valley	26	-	8	5	3	5	8	2	3	-	-
Washington	6	-	1	1	-	1	1	2	1	-	-

* Total includes five with age not stated, one in Ada County (District 4), one in Canyon County (District 3), two in Kootenai County (District 1) and one in Nez Perce County (District 2).

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Length of Gestation
2006

TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	WEEKS OF GESTATION ²							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,249	804	258	135	37	8	3	2	2
Suction curettage	1,035	613	253	133	31	2	-	1	2
Sharp curettage	3	2	-	1	-	-	-	-	-
Dilation and evacuation (D&E)	7	-	-	-	6	1	-	-	-
Intra-uterine saline/ prostaglandin instillation	3	-	-	-	-	3	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	198	189	5	1	-	-	2	1	-
Other	3	-	-	-	-	2	1	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Termination procedures listed on induced abortion report were revised in 1999.
2. Gestation categories were modified in 2000.

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Reported Complications
2006

TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	REPORTED COMPLICATIONS ²							
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other	
TOTAL IN IDAHO	1,249	1,247	1	-	-	-	-	1	
Suction curettage	1,035	1,034	1	-	-	-	-	-	
Sharp curettage	3	3	-	-	-	-	-	-	
Dilation and evacuation (D&E)	7	7	-	-	-	-	-	-	
Intra-uterine saline / prostaglandin instillation	3	2	-	-	-	-	-	1	
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	
Medical (non-surgical)	198	198	-	-	-	-	-	-	
Other	3	3	-	-	-	-	-	-	
Not stated	-	-	-	-	-	-	-	-	

1. Termination procedures listed on induced abortion report were revised in 1999.
2. One or more complications may be reported per termination procedure; therefore, the sum of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2006

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,249	256	993	-
<15	8	-	8	-
15-19	257	9	248	-
15-17	113	2	111	-
18-19	144	7	137	-
20-24	398	57	341	-
25-29	268	75	193	-
30-34	162	51	111	-
35-39	112	47	65	-
40-44	42	16	26	-
45+	1	1	-	-
Not stated	1	-	1	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Previous Induced Abortions and Number of Living Children
2006

	PREVIOUS INDUCED ABORTIONS		NUMBER OF LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,249	100.0%	1,249	100.0%
None	976	78.6	637	51.1
1	199	16.0	259	20.8
2	48	3.9	199	16.0
3+	19	1.5	152	12.2
Not stated	7	NA	2	NA


Percents based on records with stated number of previous induced abortions or number of living children.

MARRIAGE AND DIVORCE

The number of marriages occurring in Idaho decreased slightly from 14,933 in 2005 to 14,855 in 2006. This follows a slight increase from 2004 to 2005. Although the number of marriages that occurred in Idaho in 2006 was slightly lower than occurred in the state ten years ago, the marriage rate declined 20 percent from 12.7 per 1,000 population in 1996 to 10.1 in 2006 due to a greater increase in the population. However, marriages occur at a higher frequency in Idaho than in the U.S. as a whole; the provisional 2006 U.S. marriage rate was 7.6, which was a 1 percent increase from 7.5 (provisional) in 2005. Much of the difference between Idaho and U.S. rates can be accounted for by the high number of nonresidents who marry in northern Idaho.

The number of divorces occurring in Idaho increased 4 percent from 7,118 in 2005 to 7,392 in 2006. The divorce rate remained the same, 5.0 per 1,000 population, for 2005 and 2006, which is the lowest rate since 1971, when the rate was 5.0. Like marriages, divorces occur more frequently in Idaho than in the remainder of the nation; the 2006 U.S. divorce rate was 3.6 (provisional), unchanged from the 2005 provisional rate of 3.6.

MARRIAGES AND DIVORCES Occurring in Idaho 1996-2006



MARRIAGES OCCURRING IN IDAHO
District and County of Marriage
1997-2006

OCCURRENCE	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997
IDAHO	14,855	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114	15,027
District 1	4,236	4,576	4,633	4,646	4,650	4,765	5,078	5,138	5,072	5,125
District 2	750	730	782	725	733	795	717	779	833	805
District 3	1,809	1,621	1,633	1,617	1,652	1,633	1,610	1,593	1,638	1,619
District 4	3,600	3,485	3,300	3,333	3,290	3,286	3,338	3,124	2,995	3,003
District 5	1,352	1,434	1,432	1,350	1,421	1,477	1,484	1,446	1,466	1,431
District 6	1,098	1,102	1,100	1,109	1,124	1,153	1,161	1,246	1,171	1,183
District 7	2,010	2,049	1,987	1,903	1,950	1,948	2,101	1,940	1,939	1,861
Ada	3,042	2,960	2,810	2,862	2,832	2,832	2,854	2,636	2,567	2,554
Adams	31	37	29	35	30	43	33	25	31	32
Bannock	511	539	581	528	594	586	578	631	553	611
Bear Lake	56	55	44	66	40	45	59	55	58	50
Benewah	58	78	58	58	57	56	60	55	53	62
Bingham	288	292	284	310	273	271	289	292	305	287
Blaine	207	212	230	227	246	255	237	228	244	219
Boise	73	70	69	45	71	73	65	73	75	59
Bonner	354	370	326	301	302	310	315	304	285	310
Bonneville	1,444	1,548	1,488	1,431	1,458	1,373	1,513	1,376	1,353	1,307
Boundary	64	83	76	73	83	77	87	99	72	86
Butte	18	20	12	17	18	26	15	22	25	15
Camas	11	13	15	15	7	9	12	9	10	12
Canyon	1,313	1,166	1,150	1,100	1,185	1,088	1,060	1,056	1,095	1,074
Caribou	56	49	42	52	53	74	45	72	53	54
Cassia	150	161	139	132	158	164	173	194	186	171
Clark	5	3	6	7	10	6	10	8	5	5
Clearwater	83	64	81	62	65	69	62	68	76	77
Custer	91	77	72	61	71	89	76	81	74	80
Elmore	265	274	273	301	246	265	269	256	219	247
Franklin	85	77	65	76	57	65	84	78	75	82
Fremont	101	111	98	90	92	125	110	119	118	91
Gem	116	106	110	125	112	130	113	131	98	125
Gooding	96	107	97	88	89	105	104	100	93	97
Idaho	118	86	123	93	120	124	106	118	134	115
Jefferson	124	117	100	122	124	138	155	149	138	119
Jerome	142	120	144	129	140	122	154	139	131	144
Kootenai	3,677	3,956	4,080	4,121	4,089	4,231	4,515	4,553	4,538	4,554
Latah	206	211	202	206	170	199	176	194	190	222
Lemhi	71	77	86	73	57	79	91	58	92	89
Lewis	20	22	32	30	27	22	32	30	33	31
Lincoln	13	25	23	28	29	39	24	37	22	30
Madison	105	76	100	84	101	100	106	112	114	119
Minidoka	143	154	166	156	166	146	157	137	166	148
Nez Perce	323	347	344	334	351	381	341	369	400	360
Oneida	35	27	19	22	29	33	40	29	35	28
Owyhee	50	63	49	53	64	67	67	71	56	60
Payette	213	180	205	222	201	233	236	223	268	240
Power	49	43	53	38	60	53	51	67	67	56
Shoshone	83	89	93	93	119	91	101	127	124	113
Teton	69	40	37	35	37	38	40	37	45	51
Twin Falls	590	642	618	575	586	637	623	602	614	610
Valley	220	181	148	125	141	116	150	159	134	143
Washington	86	69	90	82	60	72	101	87	90	88

MARRIAGES OCCURRING IN IDAHO
Age of Groom by Age of Bride
2006

AGE OF GROOM	TOTAL	AGE OF BRIDE											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not Stated
TOTAL	14,855	1	1,847	4,449	2,541	1,508	1,269	1,030	1,461	536	151	62	-
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	698	-	531	144	16	2	2	3	-	-	-	-	-
20-24	4,017	1	1,087	2,485	340	65	29	8	2	-	-	-	-
25-29	3,019	-	181	1,353	1,103	272	82	20	6	2	-	-	-
30-34	1,817	-	29	294	695	503	216	55	24	1	-	-	-
35-39	1,350	-	10	113	249	393	371	130	75	9	-	-	-
40-44	1,143	-	4	40	85	165	310	341	184	13	1	-	-
45-54	1,648	-	3	13	50	86	226	399	777	90	4	-	-
55-64	758	-	2	6	3	17	27	61	341	283	16	2	-
65-74	287	-	-	1	-	5	3	9	45	117	93	14	-
75+	117	-	-	-	-	-	3	4	7	21	36	46	-
Not stated	1	-	-	-	-	-	-	-	-	-	1	-	-

MARRIAGES OCCURRING IN IDAHO
Race/Ethnicity of Groom by Race/Ethnicity of Bride
2006

RACE OF GROOM	TOTAL	RACE OF BRIDE						SPANISH SURNAME*
		White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated	
TOTAL	14,855	13,878	79	248	235	19	396	658
White	13,886	13,476	42	148	181	14	25	633
Black	196	154	31	5	5	-	1	12
American Indian or Alaska Native	210	119	1	87	1	-	2	7
Asian or Pacific Islander	126	73	1	5	46	1	-	3
Other race	14	10	-	-	-	4	-	3
Not stated	423	46	4	3	2	-	368	-
SPANISH SURNAME*	764	736	6	19	2	1	-	450

* Included in "white" totals.

MARRIAGES OCCURRING IN IDAHO
Bride: Age by Previous Marital Status
2006

AGE OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS: BRIDE			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,855	8,793	460	5,602	-
<15	1	1	-	-	-
15-19	1,847	1,827	1	19	-
20-24	4,449	4,067	4	378	-
25-29	2,541	1,726	10	805	-
30-34	1,508	629	19	860	-
35-39	1,269	285	32	952	-
40-44	1,030	134	39	857	-
45-54	1,461	97	113	1,251	-
55-64	536	25	111	400	-
65-74	151	2	83	66	-
75+	62	-	48	14	-
Not stated	-	-	-	-	-
Median age	25.9	21.9	54.9	37.8	NA

NA: not applicable

MARRIAGES OCCURRING IN IDAHO
Groom: Age by Previous Marital Status
2006

AGE OF GROOM	TOTAL	PREVIOUS MARITAL STATUS: GROOM			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,855	8,980	436	5,438	1
<15	-	-	-	-	-
15-19	698	694	-	4	-
20-24	4,017	3,859	1	157	-
25-29	3,019	2,439	2	577	1
30-34	1,817	1,019	10	788	-
35-39	1,350	477	13	860	-
40-44	1,143	258	15	870	-
45-54	1,648	191	86	1,371	-
55-64	758	35	98	625	-
65-74	287	5	126	156	-
75+	117	3	84	30	-
Not stated	1	-	1	-	-
Median age	28.3	23.9	63.4	41.1	NA

NA: not applicable

MARRIAGES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2006

OCCURRENCE	TOTAL MARRIAGES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	14,855	10,726	803	3,326	-
District 1	4,236	1,546	155	2,535	-
District 2	750	549	57	144	-
District 3	1,809	1,608	92	109	-
District 4	3,600	3,165	215	220	-
District 5	1,352	1,200	48	104	-
District 6	1,098	954	83	61	-
District 7	2,010	1,704	153	153	-
Ada	3,042	2,722	170	150	-
Adams	31	26	1	4	-
Bannock	511	466	27	18	-
Bear Lake	56	38	10	8	-
Benewah	58	44	2	12	-
Bingham	288	263	14	11	-
Blaine	207	141	6	60	-
Boise	73	61	7	5	-
Bonner	354	249	20	85	-
Bonneville	1,444	1,235	115	94	-
Boundary	64	53	3	8	-
Butte	18	13	3	2	-
Camas	11	10	1	-	-
Canyon	1,313	1,212	55	46	-
Caribou	56	41	10	5	-
Cassia	150	134	8	8	-
Clark	5	4	-	1	-
Clearwater	83	72	3	8	-
Custer	91	74	3	14	-
Elmore	265	198	32	35	-
Franklin	85	60	11	14	-
Fremont	101	81	4	16	-
Gem	116	107	3	6	-
Gooding	96	87	6	3	-
Idaho	118	96	9	13	-
Jefferson	124	105	13	6	-
Jerome	142	136	4	2	-
Kootenai	3,677	1,140	126	2,411	-
Latah	206	160	19	27	-
Lemhi	71	52	8	11	-
Lewis	20	17	1	2	-
Lincoln	13	12	-	1	-
Madison	105	94	8	3	-
Minidoka	143	134	4	5	-
Nez Perce	323	204	25	94	-
Oneida	35	26	8	1	-
Owyhee	50	44	3	3	-
Payette	213	152	24	37	-
Power	49	47	-	2	-
Shoshone	83	60	4	19	-
Teton	69	59	2	8	-
Twin Falls	590	546	19	25	-
Valley	220	184	6	30	-
Washington	86	67	6	13	-

DIVORCES GRANTED IN IDAHO
District and County of Divorce
1997-2006

OCCURRENCE	2006	2005*	2004	2003	2002	2001	2000	1999	1998	1997
IDAHO	7,392	7,118	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035
District 1	1,100	1,082	1,134	1,146	1,127	1,210	1,069	1,027	1,106	1,049
District 2	465	450	421	474	540	468	470	469	543	566
District 3	1,228	1,376	1,217	1,230	1,143	1,115	1,067	1,064	1,020	1,039
District 4	2,121	1,862	1,813	1,960	2,024	1,883	2,163	2,116	1,933	1,938
District 5	903	806	877	881	889	864	854	851	976	904
District 6	683	678	633	624	621	622	678	622	602	659
District 7	892	864	826	765	743	863	809	798	800	880
Ada	1,853	1,635	1,550	1,729	1,751	1,633	1,841	1,807	1,643	1,688
Adams	17	10	27	11	12	15	9	7	17	19
Bannock	348	349	314	280	349	310	360	314	289	317
Bear Lake	30	28	23	28	27	38	29	35	29	24
Benewah	53	37	35	40	35	50	45	55	48	46
Bingham	143	168	163	152	130	143	172	160	156	149
Blaine	80	76	78	98	89	74	61	90	73	98
Boise	18	18	12	13	22	17	32	31	27	19
Bonner	199	225	240	219	182	236	190	199	225	186
Bonneville	627	608	569	531	500	599	554	534	557	598
Boundary	43	29	39	44	39	123	38	25	35	25
Butte	5	14	3	6	4	10	9	7	3	11
Camas	4	1	4	7	4	3	1	1	6	7
Canyon	927	1,077	933	881	811	799	742	716	711	691
Caribou	33	17	30	38	29	32	31	38	32	32
Cassia	134	108	98	119	120	104	101	115	111	137
Clark	1	1	-	-	-	-	-	1	3	-
Clearwater	57	43	39	32	61	52	52	32	44	53
Custer	15	13	13	19	13	18	12	16	23	27
Elmore	201	172	203	173	202	188	243	216	207	169
Franklin	45	43	47	54	25	40	33	26	30	33
Fremont	50	33	46	55	66	42	32	35	35	39
Gem	73	84	79	99	85	100	88	92	81	104
Gooding	50	49	50	66	55	48	52	56	60	53
Idaho	54	51	52	65	83	54	53	63	61	61
Jefferson	67	68	67	42	49	56	78	84	60	85
Jerome	111	95	105	128	157	154	131	118	141	102
Kootenai	726	718	772	752	783	744	730	673	698	708
Latah	113	107	97	131	131	131	113	130	127	167
Lemhi	38	40	45	39	27	45	42	45	44	42
Lewis	12	6	13	10	11	19	16	18	20	16
Lincoln	10	8	20	15	11	16	21	18	34	18
Madison	62	74	62	57	62	80	63	55	54	59
Minidoka	64	44	58	68	78	85	82	55	100	81
Nez Perce	219	228	210	228	239	210	232	224	282	252
Oneida	20	10	8	13	16	10	16	8	15	16
Owyhee	21	18	17	29	22	28	35	20	17	27
Payette	134	134	112	154	160	118	143	164	132	144
Power	27	30	18	20	26	29	24	28	30	29
Shoshone	69	64	44	83	73	56	66	71	97	75
Teton	32	27	24	22	26	23	28	28	24	30
Twin Falls	450	425	464	380	375	380	405	398	451	408
Valley	49	37	48	45	49	45	47	62	56	62
Washington	56	53	49	56	53	55	50	65	62	54
Tribal Courts:										
Coeur d'Alene	10	9	4	7	13	1	-	4	2	8
Kootenai	-	-	-	1	2	-	-	-	1	1
Nez Perce	10	15	10	8	15	2	4	2	9	17
Shoshone-Bannock	32	19	27	33	15	10	4	6	18	48

Tribal court data are included in District totals.

* In 2006, the 2005 Idaho divorce data base was revised.

DIVORCES GRANTED IN IDAHO
Number This Marriage: Husband, Wife
2006

NUMBER THIS MARRIAGE	HUSBAND	WIFE
TOTAL DIVORCES	7,392	7,392
Number this marriage:		
First	2,823	2,694
Second	1,095	1,170
Third	343	386
Fourth	108	122
Fifth	33	37
Sixth	15	12
Seventh +	8	8
Not stated	2,967	2,963

DIVORCES GRANTED IN IDAHO
Duration of Marriage
2004 - 2006

DURATION OF MARRIAGE	2006		2005	2004
	Number	Percent	Percent	Percent
TOTAL	7,392	100.0%	(7,118)	(6,921)
0-4 years	2,893	39.3%	38.4%	40.6%
<1 year	483	6.6	6.1	6.4
1-4 years	2,410	32.7	32.3	34.3
5-9 years	1,907	25.9	26.4	25.3
10-14 years	1,028	14.0	14.3	13.7
15-19 years	680	9.2	8.4	8.2
20-24 years	428	5.8	6.2	5.8
25-29 years	228	3.1	3.5	3.0
30-34 years	108	1.5	1.5	1.9
35-39 years	44	0.6	0.7	0.8
40+ years	53	0.7	0.5	0.7
Not stated	23	NA	(30)	(49)
Median years duration	5.7		5.8	5.5

Percents based on records with stated duration of marriage.

Total numbers of divorces and numbers of divorces with duration of marriage not stated in 2004 and 2005 are shown in parentheses.

DIVORCES GRANTED IN IDAHO
Number of Children <18 Years of Age in Household
2006

NUMBER OF CHILDREN <18 YEARS OF AGE IN HOUSEHOLD	TOTAL DIVORCES	TOTAL CHILDREN
TOTAL	7,392	7,025
No children	3,572	-
1 child	1,504	1,504
2 children	1,420	2,840
3 children	542	1,626
4 children	190	760
5 children	45	225
6 children	6	36
7 children	1	7
8 children	2	16
9 children	-	-
10+ children	1	11
Not stated	109	-


DIVORCES GRANTED IN IDAHO
Legal Grounds
2006

LEGAL GROUNDS	TOTAL	DIVORCES	ANNULMENTS
TOTAL	7,392	7,326	66
Adultery	21	21	-
Bigamy	9	-	9
Conviction of a felony	1	1	-
Habitual intemperance	-	-	-
Extreme cruelty	18	18	-
Five-year continuous separation without cohabitation	-	-	-
Fraud, misrepresentation	35	-	35
Incapacity	9	-	9
Irreconcilable differences	7,282	7,281	1
Permanent insanity	-	-	-
Underage	1	-	1
Willful desertion	4	4	-
Willful neglect or nonsupport	-	-	-
Other	11	-	11
Not stated	1	1	-

DIVORCES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2006

OCCURRENCE	TOTAL DIVORCES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	7,392	5,864	1,366	30	132
District 1	1,100	806	277	6	11
District 2	465	322	132	2	9
District 3	1,228	1,039	164	1	24
District 4	2,121	1,706	376	12	27
District 5	903	728	140	6	29
District 6	683	536	135	-	12
District 7	892	727	142	3	20
Ada	1,853	1,529	295	6	23
Adams	17	13	3	-	1
Bannock	348	287	56	-	5
Bear Lake	30	23	7	-	-
Benewah	53	42	11	-	-
Bingham	143	104	36	-	3
Blaine	80	68	9	2	1
Boise	18	15	3	-	-
Bonner	199	160	35	1	3
Bonneville	627	514	96	2	15
Boundary	43	32	11	-	-
Butte	5	5	-	-	-
Camas	4	4	-	-	-
Canyon	927	803	103	-	21
Caribou	33	25	8	-	-
Cassia	134	102	25	1	6
Clark	1	1	-	-	-
Clearwater	57	44	13	-	-
Custer	15	12	3	-	-
Elmore	201	125	67	6	3
Franklin	45	29	15	-	1
Fremont	50	44	6	-	-
Gem	73	65	8	-	-
Gooding	50	47	3	-	-
Idaho	54	33	19	1	1
Jefferson	67	58	9	-	-
Jerome	111	87	20	-	4
Kootenai	726	515	200	5	6
Latah	113	87	24	-	2
Lemhi	38	31	7	-	-
Lewis	12	8	4	-	-
Lincoln	10	9	1	-	-
Madison	62	48	11	-	3
Minidoka	64	52	10	1	1
Nez Perce	219	143	69	1	6
Oneida	20	15	5	-	-
Owyhee	21	17	3	-	1
Payette	134	100	33	1	-
Power	27	19	7	-	1
Shoshone	69	49	18	-	2
Teton	32	19	10	1	2
Twin Falls	450	359	72	2	17
Valley	49	37	11	-	1
Washington	56	41	14	-	1
Tribal Courts:					
Coeur d'Alene	10	8	2	-	-
Kootenai	-	-	-	-	-
Nez Perce	10	7	3	-	-
Shoshone-Bannock	32	29	1	-	2

Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	IDAHO		DISTRICT 1		DISTRICT 2		DISTRICT 3		DISTRICT 4		DISTRICT 5		DISTRICT 6		DISTRICT 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	1,466,465		206,140		101,195		237,246		403,626		173,626		163,022		181,610	
LIVE BIRTHS	24,185	16.5	2,531	12.3	1,123	11.1	4,430	18.7	6,422	15.9	2,955	17.0	2,834	17.4	3,890	21.4
Fertility rate		80.9		64.1		57.3		88.5		75.9		90.2		85.8		99.0
Out-of-wedlock births ²	5,866	24.3%	725	28.6%	347	30.9%	1,344	30.3%	1,425	22.2%	846	28.6%	618	21.8%	561	14.4%
Low birth weight ²	1,676	6.9%	142	5.6%	62	5.5%	313	7.1%	488	7.6%	207	7.0%	202	7.1%	262	6.7%
INFANT DEATHS	164	6.8	12	4.7	7	6.2	44	9.9	43	6.7	20	6.8	16	5.6	22	5.7
Neonatal deaths	112	4.6	7	2.8	7	6.2	33	7.4	33	5.1	13	4.4	8	2.8	11	2.8
Postneonatal deaths	52	2.2	5	2.0	-	-	11	2.5	10	1.6	7	2.4	8	2.8	11	2.8
PERINATAL DEATHS	201	8.3	12	4.7	12	10.7	42	9.5	61	9.5	25	8.5	20	7.1	29	7.5
Stillbirths	108	4.5	7	2.8	5	4.5	17	3.8	29	4.5	16	5.4	14	4.9	20	5.1
INDUCED ABORTIONS (resident) (ratio)	1,919	6.4	371	9.4	158	8.1	265	5.3	840	9.9	142	4.3	78	2.4	65	1.7
		79.3		146.6		140.7		59.8		130.8		48.1		27.5		16.7
DEATHS ³	10,556	719.8	1,602	777.1	880	869.6	1,763	743.1	2,492	617.4	1,491	858.7	1,203	737.9	1,125	619.5
Diseases of heart	2,384	162.6	319	154.7	202	199.6	355	149.6	543	134.5	367	211.4	307	188.3	291	160.2
Malignant neoplasms (cancer)	2,299	156.8	409	198.4	217	214.4	374	157.6	567	140.5	281	161.8	234	143.5	217	119.5
Cerebrovascular diseases	722	49.2	134	65.0	57	56.3	122	51.4	162	40.1	87	50.1	91	55.8	69	38.0
Accidents	661	45.1	87	42.2	60	59.3	98	41.3	156	38.6	102	58.7	72	44.2	86	47.4
Chronic lower respiratory diseases	644	43.9	102	49.5	59	58.3	122	51.4	153	37.9	90	51.8	61	37.4	57	31.4
Alzheimer's disease	397	27.1	55	26.7	32	31.6	90	37.9	115	28.5	50	28.8	20	12.3	35	19.3
Diabetes mellitus	320	21.8	53	25.7	23	22.7	45	19.0	59	14.6	48	27.6	42	25.8	50	27.5
Influenza and pneumonia	229	15.6	27	13.1	11	10.9	42	17.7	53	13.1	45	25.9	30	18.4	21	11.6
Intentional self-harm (suicide)	218	14.9	41	19.9	20	19.8	38	16.0	55	13.6	26	15.0	19	11.7	19	10.5
Nephritis, nephrotic syndrome, and nephrosis	132	9.0	19	9.2	10	9.9	21	8.9	26	6.4	23	13.2	18	11.0	15	8.3
All other causes	2,550	NA	356	NA	189	NA	456	NA	603	NA	372	NA	309	NA	265	NA
MARRIAGES	14,855	10.1	4,236	20.5	750	7.4	1,809	7.6	3,600	8.9	1,352	7.8	1,098	6.7	2,010	11.1
DIVORCES ⁴	7,392	5.0	1,100	5.3	465	4.6	1,228	5.2	2,121	5.3	903	5.2	683	4.2	892	4.9

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	ADA		ADAMS		BANNOCK		BEAR LAKE		BENEWAH		BINGHAM		BLAINE		BOISE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	359,035		3,485		78,443		6,167		9,347		44,051		21,501		7,641	
LIVE BIRTHS	5,700	15.9	44	12.6	1,448	18.5	70	11.4	126	13.5	789	17.9	316	14.7	61	8.0
Fertility rate	74.7		77.1		87.1		64.4		79.3		89.7		80.6		43.3	
Out-of-wedlock births ²	1,263	22.2%	15	34.1%	310	21.4%	7	10.0%	46	36.5%	220	27.9%	90	28.5%	16	26.2%
Low birth weight ²	436	7.7%	4	9.1%	112	7.7%	7	10.0%	11	8.7%	58	7.4%	16	5.1%	3	4.9%
INFANT DEATHS	39	6.8	-	-	9	6.2	2	28.6	-	-	3	3.8	2	6.3	-	-
Neonatal deaths	30	5.3	-	-	3	2.1	2	28.6	-	-	1	1.3	2	6.3	-	-
Postneonatal deaths	9	1.6	-	-	6	4.1	-	-	-	-	2	2.5	-	-	-	-
PERINATAL DEATHS	56	9.8	-	-	12	8.3	2	28.6	-	-	4	5.1	2	6.3	-	-
Stillbirths	27	4.7	-	-	9	6.2	-	-	-	-	3	3.8	1	3.2	-	-
INDUCED ABORTIONS (resident) (ratio)	775	10.2	5	8.8	57	3.4	3	2.8	8	5.0	10	1.1	41	10.5	8	5.7
		136.0		113.6		39.4		42.9		63.5		12.7		129.7		131.1
DEATHS ³	2,224	619.4	32	918.2	594	757.2	65	1,054.0	89	952.2	297	674.2	71	330.2	44	575.8
Diseases of heart	483	134.5	7	200.9	164	209.1	15	243.2	15	160.5	70	158.9	15	69.8	4	52.3
Malignant neoplasms (cancer)	498	138.7	7	200.9	111	141.5	13	210.8	22	235.4	56	127.1	18	83.7	12	157.0
Cerebrovascular diseases	152	42.3	2	57.4	52	66.3	4	64.9	12	128.4	18	40.9	1	4.7	1	13.1
Accidents	129	35.9	-	-	30	38.2	1	16.2	4	42.8	23	52.2	14	65.1	6	78.5
Chronic lower respiratory diseases	135	37.6	2	57.4	30	38.2	2	32.4	9	96.3	22	49.9	5	23.3	4	52.3
Alzheimer's disease	105	29.2	1	28.7	11	14.0	1	16.2	1	10.7	5	11.4	-	-	1	13.1
Diabetes mellitus	54	15.0	-	-	16	20.4	5	81.1	3	32.1	17	38.6	-	-	-	-
Influenza and pneumonia	48	13.4	-	-	11	14.0	2	32.4	5	53.5	7	15.9	2	9.3	2	26.2
Intentional self-harm (suicide)	48	13.4	1	28.7	4	5.1	-	-	1	10.7	8	18.2	1	4.7	1	13.1
Nephritis, nephrotic syndrome, and nephrosis	24	6.7	-	-	7	8.9	1	16.2	1	10.7	6	13.6	-	-	-	-
All other causes	548	NA	12	NA	158	NA	21	NA	16	NA	65	NA	15	NA	13	NA
MARRIAGES	3,042	8.5	31	8.9	511	6.5	56	9.1	58	6.2	288	6.5	207	9.6	73	9.6
DIVORCES	1,853	5.2	17	4.9	348	4.4	30	4.9	53	5.7	143	3.2	80	3.7	18	2.4

129

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts. See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	BONNER		BONNEVILLE		BOUNDARY		BUTTE		CAMAS		CANYON		CARIBOU		CASSIA	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	41,275		94,630		10,831		2,781		1,088		173,302		6,996		21,365	
LIVE BIRTHS	409	9.9	1,896	20.0	148	13.7	44	15.8	14	12.9	3,483	20.1	98	14.0	383	17.9
Fertility rate		54.5		98.3		77.6		100.7		60.9		91.3		77.5		99.6
Out-of-wedlock births ²	117	28.6%	366	19.3%	29	19.6%	6	13.6%	1	7.1%	1,051	30.2%	14	14.3%	103	26.9%
Low birth weight ²	16	3.9%	150	7.9%	5	3.4%	4	9.1%	2	14.3%	236	6.8%	6	6.1%	27	7.0%
INFANT DEATHS	4	9.8	15	7.9	-	-	-	-	-	-	39	11.2	2	20.4	4	10.4
Neonatal deaths	2	4.9	7	3.7	-	-	-	-	-	-	30	8.6	2	20.4	1	2.6
Postneonatal deaths	2	4.9	8	4.2	-	-	-	-	-	-	9	2.6	-	-	3	7.8
PERINATAL DEATHS	2	4.9	14	7.4	-	-	-	-	-	-	34	9.8	-	-	5	13.1
Stillbirths	1	2.4	8	4.2	-	-	-	-	-	-	12	3.4	-	-	4	10.4
INDUCED ABORTIONS (resident)	59	7.9	38	2.0	8	4.2	-	-	1	4.3	214	5.6	-	-	9	2.3
(ratio)		144.3		20.0		54.1		-		71.4		61.4		-		23.5
DEATHS ³	323	782.6	666	703.8	92	849.4	31	1,114.7	5	459.6	1,167	673.4	62	886.2	200	936.1
Diseases of heart	53	128.4	176	186.0	31	286.2	6	215.7	1	91.9	225	129.8	11	157.2	68	318.3
Malignant neoplasms (cancer)	86	208.4	117	123.6	25	230.8	7	251.7	2	183.8	239	137.9	19	271.6	25	117.0
Cerebrovascular diseases	27	65.4	32	33.8	1	9.2	3	107.9	-	-	77	44.4	5	71.5	10	46.8
Accidents	18	43.6	52	55.0	7	64.6	1	36.0	-	-	64	36.9	3	42.9	19	88.9
Chronic lower respiratory diseases	13	31.5	40	42.3	6	55.4	2	71.9	-	-	76	43.9	2	28.6	9	42.1
Alzheimer's disease	14	33.9	23	24.3	1	9.2	-	-	-	-	70	40.4	1	14.3	7	32.8
Diabetes mellitus	12	29.1	33	34.9	1	9.2	-	-	-	-	36	20.8	-	-	10	46.8
Influenza and pneumonia	3	7.3	12	12.7	-	-	1	36.0	-	-	27	15.6	4	57.2	6	28.1
Intentional self-harm (suicide)	12	29.1	12	12.7	3	27.7	1	36.0	-	-	25	14.4	2	28.6	1	4.7
Nephritis, nephrotic syndrome, and nephrosis	4	9.7	9	9.5	-	-	-	-	-	-	12	6.9	1	14.3	5	23.4
All other causes	81	NA	160	NA	17	NA	10	NA	2	NA	316	NA	14	NA	40	NA
MARRIAGES	354	8.6	1,444	15.3	64	5.9	18	6.5	11	10.1	1,313	7.6	56	8.0	150	7.0
DIVORCES	199	4.8	627	6.6	43	4.0	5	1.8	4	3.7	927	5.3	33	4.7	134	6.3

130

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.
See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	CLARK		CLEARWATER		CUSTER		ELMORE		FRANKLIN		FREMONT		GEM		GOODING	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	920		8,324		4,180		28,114		12,494		12,369		16,558		14,404	
LIVE BIRTHS	19	20.7	78	9.4	45	10.8	563	20.0	210	16.8	225	18.2	254	15.3	232	16.1
Fertility rate		115.2		65.7		68.3		105.9		85.4		104.8		79.1		94.6
Out-of-wedlock births ²	9	47.4%	32	41.0%	11	24.4%	124	22.0%	19	9.0%	34	15.1%	68	26.8%	78	33.6%
Low birth weight ²	1	5.3%	4	5.1%	3	6.7%	43	7.7%	9	4.3%	17	7.6%	20	7.9%	8	3.4%
INFANT DEATHS	-	-	-	-	-	-	4	7.1	-	-	1	4.4	-	-	1	4.3
Neonatal deaths	-	-	-	-	-	-	3	5.3	-	-	-	-	-	-	1	4.3
Postneonatal deaths	-	-	-	-	-	-	1	1.8	-	-	1	4.4	-	-	-	-
PERINATAL DEATHS	-	-	-	-	1	22.2	5	8.9	2	9.5	2	8.9	1	3.9	2	8.6
Stillbirths	-	-	-	-	1	22.2	2	3.6	2	9.5	2	8.9	1	3.9	1	4.3
INDUCED ABORTIONS (resident)	-	-	2	1.7	1	1.5	31	5.8	3	1.2	3	1.4	15	4.7	10	4.1
(ratio)				25.6		22.2		55.1		14.3		13.3		59.1		43.1
DEATHS ³	6	652.2	86	1,033.2	30	717.7	170	604.7	81	648.3	75	606.4	182	1,099.2	144	999.7
Diseases of heart	1	108.7	22	264.3	5	119.6	46	163.6	19	152.1	20	161.7	38	229.5	46	319.4
Malignant neoplasms (cancer)	2	217.4	17	204.2	9	215.3	45	160.1	14	112.1	18	145.5	40	241.6	29	201.3
Cerebrovascular diseases	-	-	5	60.1	3	71.8	7	24.9	7	56.0	7	56.6	11	66.4	8	55.5
Accidents	1	108.7	6	72.1	-	-	17	60.5	3	24.0	3	24.3	11	66.4	9	62.5
Chronic lower respiratory diseases	1	108.7	4	48.1	3	71.8	9	32.0	1	8.0	3	24.3	15	90.6	8	55.5
Alzheimer's disease	1	108.7	3	36.0	-	-	6	21.3	1	8.0	2	16.2	5	30.2	5	34.7
Diabetes mellitus	-	-	5	60.1	1	23.9	3	10.7	2	16.0	-	-	3	18.1	-	-
Influenza and pneumonia	-	-	2	24.0	-	-	3	10.7	3	24.0	4	32.3	3	18.1	4	27.8
Intentional self-harm (suicide)	-	-	2	24.0	1	23.9	5	17.8	3	24.0	1	8.1	3	18.1	1	6.9
Nephritis, nephrotic syndrome, and nephrosis	-	-	2	24.0	1	23.9	2	7.1	2	16.0	2	16.2	3	18.1	2	13.9
All other causes	-	NA	18	NA	7	NA	27	NA	26	NA	15	NA	50	NA	32	NA
MARRIAGES	5	5.4	83	10.0	91	21.8	265	9.4	85	6.8	101	8.2	116	7.0	96	6.7
DIVORCES	1	1.1	57	6.8	15	3.6	201	7.1	45	3.6	50	4.0	73	4.4	50	3.5

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	IDAHO		JEFFERSON		JEROME		KOOTENAI		LATAH		LEMHI		LEWIS		LINCOLN	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	15,762		22,350		20,130		131,507		35,029		7,930		3,756		4,522	
LIVE BIRTHS	147	9.3	484	21.7	394	19.6	1,715	13.0	409	11.7	76	9.6	30	8.0	90	19.9
Fertility rate	60.5		105.5		104.0		65.1		49.3		56.5		51.6		97.2	
Out-of-wedlock births ²	44	29.9%	54	11.2%	122	31.0%	478	27.9%	66	16.1%	13	17.1%	13	43.3%	19	21.1%
Low birth weight ²	4	2.7%	26	5.4%	36	9.2%	98	5.7%	19	4.7%	6	7.9%	-	-	9	10.0%
INFANT DEATHS	-	-	1	2.1	1	2.5	7	4.1	-	-	-	-	-	-	-	-
Neonatal deaths	-	-	1	2.1	-	-	5	2.9	-	-	-	-	-	-	-	-
Postneonatal deaths	-	-	-	-	1	2.5	2	1.2	-	-	-	-	-	-	-	-
PERINATAL DEATHS	2	13.6	5	10.3	2	5.1	10	5.8	-	-	-	-	-	-	1	11.1
Stillbirths	2	13.6	4	8.3	2	5.1	6	3.5	-	-	-	-	-	-	1	11.1
INDUCED ABORTIONS (resident)	6	2.5	5	1.1	14	3.7	277	10.5	66	8.0	11	8.2	7	12.0	4	4.3
(ratio)	40.8		10.3		35.5		161.5		161.4		144.7		233.3		44.4	
DEATHS ³	143	907.2	119	532.4	177	879.3	921	700.3	202	576.7	70	882.7	42	1,118.2	40	884.6
Diseases of heart	35	222.1	34	152.1	40	198.7	186	141.4	43	122.8	14	176.5	9	239.6	11	243.3
Malignant neoplasms (cancer)	40	253.8	27	120.8	34	168.9	227	172.6	45	128.5	17	214.4	14	372.7	3	66.3
Cerebrovascular diseases	9	57.1	6	26.8	13	64.6	79	60.1	16	45.7	5	63.1	3	79.9	3	66.3
Accidents	12	76.1	11	49.2	15	74.5	50	38.0	13	37.1	4	50.4	4	106.5	3	66.3
Chronic lower respiratory diseases	11	69.8	1	4.5	8	39.7	62	47.1	14	40.0	2	25.2	2	53.2	4	88.5
Alzheimer's disease	2	12.7	3	13.4	7	34.8	30	22.8	10	28.5	2	25.2	-	-	-	-
Diabetes mellitus	6	38.1	6	26.8	8	39.7	31	23.6	4	11.4	2	25.2	2	53.2	2	44.2
Influenza and pneumonia	1	6.3	3	13.4	6	29.8	19	14.4	2	5.7	1	12.6	-	-	-	-
Intentional self-harm (suicide)	2	12.7	2	8.9	3	14.9	22	16.7	7	20.0	1	12.6	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis	2	12.7	1	4.5	1	5.0	11	8.4	-	-	2	25.2	1	26.6	-	-
All other causes	23	NA	25	NA	42	NA	204	NA	48	NA	20	NA	7	NA	14	NA
MARRIAGES	118	7.5	124	5.5	142	7.1	3,677	28.0	206	5.9	71	9.0	20	5.3	13	2.9
DIVORCES	54	3.4	67	3.0	111	5.5	726	5.5	113	3.2	38	4.8	12	3.2	10	2.2

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	MADISON		MINIDOKA		NEZ PERCE		ONEIDA		OWYHEE		PAYETTE		POWER		SHOSHONE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	31,393		19,041		38,324		4,176		11,104		22,595		7,914		13,180	
LIVE BIRTHS	999	31.8	332	17.4	459	12.0	49	11.7	179	16.1	328	14.5	126	15.9	133	10.1
Fertility rate		104.8		96.3		64.7		65.9		90.0		75.2		77.6		61.9
Out-of-wedlock births ²	46	4.6%	90	27.1%	192	41.8%	8	16.3%	47	26.3%	105	32.0%	34	27.0%	55	41.4%
Low birth weight ²	50	5.0%	22	6.6%	35	7.6%	2	4.1%	13	7.3%	29	8.9%	4	3.2%	12	9.0%
INFANT DEATHS	5	5.0	2	6.0	7	15.3	-	-	2	11.2	2	6.1	-	-	1	7.5
Neonatal deaths	3	3.0	1	3.0	7	15.3	-	-	1	5.6	1	3.0	-	-	-	-
Postneonatal deaths	2	2.0	1	3.0	-	-	-	-	1	5.6	1	3.0	-	-	1	7.5
PERINATAL DEATHS	5	5.0	5	15.1	10	21.8	-	-	2	11.2	4	12.2	-	-	-	-
Stillbirths	3	3.0	4	12.0	3	6.5	-	-	1	5.6	3	9.1	-	-	-	-
INDUCED ABORTIONS (resident) (ratio)	2	0.2 2.0	5	1.4 15.1	77	10.9 167.8	1	1.3 20.4	3	1.5 16.8	22	5.0 67.1	4	2.5 31.7	19	8.8 142.9
DEATHS ³	130	414.1	183	961.1	407	1,062.0	33	790.2	83	747.5	183	809.9	40	505.4	177	1,342.9
Diseases of heart	32	101.9	47	246.8	93	242.7	13	311.3	19	171.1	40	177.0	9	113.7	34	258.0
Malignant neoplasms (cancer)	21	66.9	33	173.3	101	263.5	7	167.6	17	153.1	43	190.3	7	88.5	49	371.8
Cerebrovascular diseases	15	47.8	16	84.0	24	62.6	-	-	7	63.0	16	70.8	2	25.3	15	113.8
Accidents	8	25.5	13	68.3	25	65.2	3	71.8	5	45.0	13	57.5	8	101.1	8	60.7
Chronic lower respiratory diseases	7	22.3	13	68.3	28	73.1	-	-	6	54.0	16	70.8	2	25.3	12	91.0
Alzheimer's disease	4	12.7	5	26.3	17	44.4	-	-	3	27.0	8	35.4	1	12.6	9	68.3
Diabetes mellitus	7	22.3	6	31.5	6	15.7	1	23.9	2	18.0	1	4.4	1	12.6	6	45.5
Influenza and pneumonia	1	3.2	5	26.3	6	15.7	1	23.9	3	27.0	-	-	1	12.6	-	-
Intentional self-harm (suicide)	1	3.2	4	21.0	9	23.5	-	-	1	9.0	6	26.6	1	12.6	3	22.8
Nephritis, nephrotic syndrome, and nephrosis	-	-	2	10.5	5	13.0	1	23.9	1	9.0	2	8.9	-	-	3	22.8
All other causes	34	NA	39	NA	93	NA	7	NA	19	NA	38	NA	8	NA	38	NA
MARRIAGES	105	3.3	143	7.5	323	8.4	35	8.4	50	4.5	213	9.4	49	6.2	83	6.3
DIVORCES	62	2.0	64	3.4	219	5.7	20	4.8	21	1.9	134	5.9	27	3.4	69	5.2

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2006

	TETON		TWIN FALLS		VALLEY		WASHINGTON	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2006 ¹	7,838		71,575		8,836		10,202	
LIVE BIRTHS	146	18.6	1,194	16.7	98	11.1	142	13.9
Fertility rate		93.4		84.3		64.3		81.7
Out-of-wedlock births ²	28	19.2%	343	28.7%	22	22.4%	58	40.8%
Low birth weight ²	9	6.2%	87	7.3%	6	6.1%	11	7.7%
INFANT DEATHS	-	-	10	8.4	-	-	1	7.0
Neonatal deaths	-	-	8	6.7	-	-	1	7.0
Postneonatal deaths	-	-	2	1.7	-	-	-	-
PERINATAL DEATHS	2	13.7	8	6.7	-	-	1	7.0
Stillbirths	2	13.7	3	2.5	-	-	-	-
INDUCED ABORTIONS (resident) (ratio)	5	3.2	58	4.1	26	17.1	6	3.5
		34.2		48.6		265.3		42.3
DEATHS ³	29	370.0	671	937.5	54	611.1	116	1,137.0
Diseases of heart	9	114.8	139	194.2	10	113.2	26	254.9
Malignant neoplasms (cancer)	6	76.6	137	191.4	12	135.8	28	274.5
Cerebrovascular diseases	1	12.8	36	50.3	2	22.6	9	88.2
Accidents	7	89.3	29	40.5	4	45.3	5	49.0
Chronic lower respiratory diseases	-	-	43	60.1	5	56.6	7	68.6
Alzheimer's disease	-	-	26	36.3	3	34.0	3	29.4
Diabetes mellitus	1	12.8	22	30.7	2	22.6	3	29.4
Influenza and pneumonia	-	-	22	30.7	-	-	9	88.2
Intentional self-harm (suicide)	1	12.8	16	22.4	1	11.3	2	19.6
Nephritis, nephrotic syndrome, and nephrosis	-	-	13	18.2	-	-	3	29.4
All other causes	4	NA	188	NA	15	NA	21	NA
MARRIAGES	69	8.8	590	8.2	220	24.9	86	8.4
DIVORCES	32	4.1	450	6.3	49	5.5	56	5.5

1. Source: U.S. Bureau of the Census, Internet release August 16, 2006.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 122 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

TECHNICAL NOTES

Natality

Revision of the Certificate of Live Birth

The U.S. Standard Certificate of Live Birth was revised in 2003. In 2003, Pennsylvania and Washington were the first two states to implement the 2003 revision. In 2004, Idaho implemented the 2003 U.S. Standard Certificate of Live Birth. Some items on the certificate were added or changed from previous years and some items were removed from the Idaho certificate in 2004.

New Items:

- Mother's height
- Mother's prepregnancy weight and weight at delivery
- Date of first prenatal care visit
- Date of last prenatal care visit
- Did mother get WIC food for herself during this pregnancy?
- Is infant being breastfed?
- Apgar score at 10 minutes
- Infant living at time of report

Revised Items:

- Mother's and father's race
- Mother's and father's ethnicity
- Mother's and father's education
- Cigarette smoking before and during pregnancy
- Principal source of payment for delivery
- Risk factors in this pregnancy
- Infections present and/or treated during this pregnancy
- Obstetric procedures
- Characteristics of labor and delivery
- Method of delivery
- Maternal morbidity (complications of labor and delivery)
- Abnormal conditions of the newborn
- Congenital anomalies of the newborn

Removed items:

- Month prenatal care began
- Alcohol use during pregnancy
- Weight gain during pregnancy
- Apgar score at 1 minute

Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. For births to Idaho residents delivered in states with unrevised certificates, unknown and non-compatible data were entered as "not stated" in the Idaho data base. For data analysis, only records with known data were used to calculate percents and means.

Overview of New and Revised Items

Height and weight of mother

The 2004 certificate collected data on the mother's height, prepregnancy weight, and weight at delivery for the first time. Previously, the certificate only asked for mother's weight gain during pregnancy. Height and weight information are needed to calculate maternal body mass index (BMI).

Date of first prenatal care visit

In 2004, the prenatal care item was revised from collecting month prenatal care began to collecting date of first prenatal care visit. With the revision, the calculation of trimester prenatal care began is based on date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation in weeks, and the baby's birth date are used to estimate the onset of prenatal care. If the day of first prenatal visit is missing, the day is imputed for statistical purposes based on the previous birth record with the same month of first prenatal care visit. If either month or year of prenatal care is missing or implausible, date of visit is coded to unknown.

According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because the timing for care is based on a date in the mother's medical record rather than based on mother's recollection of month of first visit¹. Because of the changes in sources for these data, prenatal care based on date of first visit is not comparable to prenatal care based on month prenatal care began.

Did mother get WIC food for herself during this pregnancy?

WIC is the Idaho Health and Welfare program for women, infants, and children that provides nutritional education, monetary checks for food, and health referrals. Data on WIC from the birth certificate may differ from data from the WIC Program.

Is infant being breastfed?

The NCHS recommended adding this item to the birth certificate because the information is important for the Maternal and Child Health program to track breast feeding levels. Data are based on infant being breastfed at the time of birth through the time the birth certificate is completed.

Apgar score

The Apgar score was developed in the 1950s by Virginia Apgar, M.D., as a means of evaluating the physical condition of the infant after birth. The score is calculated by assessing five signs of the infant at birth and designating the score of 0, 1, or 2 for each sign. The five signs checked are heart rate, respiratory effort, muscle tone, reflex irritability, and color. The Apgar score is the sum of these five values and ranges from 0 to 10, with 10 being optimum. A score of 0-3 indicates an infant in need of resuscitation; a score of 4-6 is considered intermediate; a score of 7-10 indicates good to excellent physical condition².

Data items on apgar scores were revised in 2004. The one-minute apgar score was removed from the Idaho birth certificate; the five-minute apgar remained, and the ten-minute apgar was added. The ten-minute apgar is to be completed only for infants with five-minute apgar less than six.

Infant living at time of report

If infant is not living at time of report, there is follow-up at the Bureau of Vital Records and Health Statistics to obtain a matching infant death certificate from the state of death.

Mother's and father's race

Beginning in 2004, parents may choose multiple races on the Idaho birth certificate. In 2006, there were 298 in-state births and nine out-of-state births in which the mother reported more than one race. For statistical analysis, Idaho birth records with more than one race were provided to the National Centers for Health Statistics (NCHS) for NCHS to re-code and provide the bridged-race codes back to Idaho for in-state births. However, bridged-race codes are not provided to Idaho for out-of-state births. Idaho resident birth data provided in the table on page 33 entitled "Idaho Resident Births by Race of Mother and Residence, 2006" are based on single-race and bridged-race categories for births in Idaho and single-race categories for births out of state. The nine out-of-state births with multiple race of mother in 2006 are included in the total number of births, but are not shown in the table.

Year	Births to Idaho Mothers in Idaho			Births to Idaho Mothers Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2004	21,398	21,185	213	1,131	1,126	5
2005	21,974	21,733	241	1,090	1,081	9
2006	23,124	22,826	298	1,061	1,052	9

Prior to 2004, mother's and father's race was written on the birth certificate. For statistical analysis, races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". In 2004, the birth certificate was revised to include check boxes for races and parents had the ability to select one or more race. At the same time, the race category structure was revised. Prior to use of check boxes, write-ins of "Hispanic" or "Mexican" for race were coded to white. Beginning with 2004 births, check boxes of "other race" with write-ins of "Hispanic" or "Mexican" were coded to "other race". Therefore, race data in and after 2004 are not comparable with race data for births prior to 2004.

Race of Mother	2003 Births	2004 Births	2005 Births	2006 Births
White	20,721	20,795	21,117	22,047
Black	104	101	133	131
American Indian or Alaska Native	361	372	383	376
Asian or Pacific Islander	344	294	364	339
Other race	13	670	791	1,119
Race not stated	251	292	267	164

Because of the bridged-race code rules implemented in 2004, there was a large increase in the number of Idaho resident mothers with race coded to "other race" in 2004-2006. Nearly 95 percent of the records to mothers with race coded to "other race" were of Hispanic ethnicity.

Mother's and father's ethnicity

The 2004 Idaho certificate includes check boxes for Hispanic origin and allows the mother and father to choose more than one Hispanic origin. Origin is then categorized as Hispanic or non-Hispanic. Race and Hispanic origin are reported separately on the birth certificate. Data shown for Hispanic mothers may be of any race.

Mother's and father's education

The 2004 birth certificate was revised to report the highest degree or level of school completed at delivery. Prior to 2004, education was reported as years of school completed. Because of this change, data in 2005 are not comparable with data prior to 2004. For birth occurring out of state in states with unrevised birth certificates, years of schooling were entered as close as possible to highest level of school completed.

Number of Years Schooling Conversion to Highest Degree or Level of School Completed	
Number of Years Schooling	Highest Level of School Completed
0-8 years	8 th grade or less (includes none)
9-11 years	9 th – 12 th grade, but no diploma
12 years	High school graduate or GED completed
13-15 years	Some college credit, but no degree, includes associate's degree
16 years	Bachelor's degree
17 or more years	Master's, doctorate or professional degree

Cigarette smoking before and during pregnancy

Prior to 2004, tobacco use during pregnancy (yes or no) and average number of cigarettes per day were reported on the birth certificate. Beginning in 2004, the Idaho birth certificate includes four data items for cigarette smoking before and during pregnancy. The revised certificate collects data on average number of cigarettes smoked per day during the three months before pregnancy, the first three months of pregnancy, the second three months of pregnancy, and the third three months of pregnancy. For births occurring out of state in states with unrevised certificates, if mother used tobacco during pregnancy, the birth record was coded to mother smoked cigarettes during all three trimesters of pregnancy. There were 34 records in 2005 in which mother smoked during pregnancy and birth occurred in a state which does not ask for cigarette smoking data by trimester of pregnancy. Data for cigarette smoking prior to pregnancy were not collected on the unrevised certificate and were coded to "not stated" for data analysis.

Data based on mother's cigarette smoking status during the three trimesters of pregnancy were used to generate a data item for mother smoking during pregnancy. Mother's who smoked during the first three months of pregnancy, the second three months of pregnancy, or the third three months of pregnancy were coded to "yes" smoked cigarettes during pregnancy for data analysis. Because of changes in the method data are collected for smoking during pregnancy, Idaho data for 2004-2005 are not comparable with Idaho data prior to 2004 or other data based on tobacco use during pregnancy.

Medical and health section

The medical and health section for mother includes risk factors in this pregnancy, infections present and/or treated during this pregnancy, obstetric procedures that applied to this pregnancy, onset of labor, characteristics of labor and delivery, method of delivery, and maternal morbidity (complications of labor and delivery). The medical and health section for the infant includes abnormal conditions of the newborn and congenital anomalies of the newborn. There were extensive changes for each of these items on the revised certificate. Every effort was made to code information for births born out of state in states with unrevised certificates to the appropriate data item in the Idaho data base.

Risk factors in this pregnancy

Definitions of risk factors in this pregnancy are provided by the Centers for Disease Control and Prevention (CDC), NCHS³.

Prepregnancy diabetes – Glucose intolerance requiring treatment diagnosed prior to this pregnancy.

Gestational diabetes - Glucose intolerance requiring treatment diagnosed during this pregnancy.

Prepregnancy hypertension – Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed prior to the onset of this pregnancy.

Gestational hypertension - Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed during this pregnancy.

Previous preterm birth – History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.

Other previous poor pregnancy outcome – History of pregnancy(ies) with fetal and neonatal death, small for gestational age, and/or intrauterine growth restricted birth.

Vaginal bleeding during pregnancy – Any reported or observed bleeding per vaginum at any time in the pregnancy presenting prior to the onset of labor.

Infertility treatment- Any assisted reproduction technique whether artificial insemination, drugs, or any technical procedures (in-vitro fertilization) used to initiate the pregnancy.

Previous cesarean delivery - Previous operative delivery in which the fetus is extracted through an incision in the maternal abdominal and uterine walls.

Infections present and/or treated during this pregnancy

The revised U.S. birth certificate includes six infections which are known to cause concomitant fetal and/or subsequent neonatal infection. The infections listed on the U.S. revised certificate are Gonorrhea, Syphilis, Herpes Simplex Virus (HSV), Chlamydia, Hepatitis B, and Hepatitis C. In addition to the infections listed on the revised U.S. certificate, the Idaho birth certificate includes HIV, Listeria, group B streptococcus, Cytomegalovirus, Parvovirus, and Toxoplasmosis. The CDC provides more information on these infections at <http://www.cdc.gov/>.

Gonorrhea - Infection due to *Neisseria gonorrhoeae* transmitted sexually (a STD) in most cases, but also by contact with infected exudates in neonatal infants at birth.

Syphilis - A subacute to chronic infectious disease caused by the spirochete *Treponema pallidum*, which is usually transmitted sexually or acquired in utero.

HIV (Human immunodeficiency virus) – HIV is the virus that causes AIDS (acquired immune deficiency syndrome). HIV may be transmitted sexually or through infected blood or contact with an infected person's broken skin or mucous membranes. In addition, infected pregnant women can pass HIV to their baby during pregnancy or delivery, as well as through breast-feeding.

Herpes Simplex Virus (HSV) – Infection of the skin on the genital area by herpes simplex virus and is transmitted sexually.

Chlamydia - A disease transmitted sexually that is caused by the bacterium *Chlamydia trachomatis*.

Listeria - A genus of bacteria of uncertain affiliation, closely resembling those of the family *Corynebacteriaceae*, made up of small, coccoid gram-positive rods that have a tendency to form chains and palisades; they are found in the feces of humans and other animals, on vegetation, and in silage.

Group B Streptococcus (GBS) - A type of bacteria that can cause serious illness and death in newborns. Group B streptococcus is the most common cause of sepsis (blood infection) and meningitis (infection of the fluid and lining around the brain) in newborns. It is not spread by the consumption of water or food or transmitted sexually.

Cytomegalovirus (CMV) – A common virus of the subfamily *Betaherpesvirinae* that can be present in the body without causing infection. It is spread from person to person by contact with urine, saliva, breast milk, blood, semen, and possibly other body fluids. The virus can be spread from an infected mother to her fetus or newborn baby.

Parvovirus - Parvovirus B19 is a virus that commonly infects humans; about 50 percent of all adults have been infected sometime during childhood or adolescence. Parvovirus B19 infects only humans. There are also animal parvoviruses, but they do not infect humans. Therefore, a person cannot catch parvovirus B19 from a dog or cat.

Toxoplasmosis - A disease caused by a single-cell parasite called *Toxoplasma gondii*. The *Toxoplasma* infection could cause serious health problems in pregnant women. *Toxoplasma* infection occurs from contaminated food or drinking water and cat feces from a *Toxoplasma*-infected cat. Most infants are infected while still in the womb. They have no symptoms at birth, but they may develop symptoms later in life.

Hepatitis B (HBV) - A serious disease caused by a virus that attacks the liver. This virus can cause lifelong infection, cirrhosis (scarring) of the liver, liver cancer, liver failure, and death. The Hepatitis virus may be transmitted sexually, through contaminated blood, or from infected mothers to their infants at birth.

Hepatitis C - A disease caused by the Hepatitis C virus which results in infection of the liver. The Hepatitis C virus is spread by contact with contaminated blood or plasma. The role of person-to-person contact and sexually transmission is unclear, but it may be transmitted from an infected mother to her baby during birth.

Characteristics of labor and delivery

Characteristic of labor and delivery include information about the course of the delivery. Definitions of characteristics of labor are provided by the CDC, NCHS³.

Induction of labor - Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor.

Augmentation of labor - Stimulation of uterine contractions by drug or manipulative technique with the intent to reduce the time to delivery.

Non-vertex presentation - Includes any non-vertex fetal presentation, e.g., breech, shoulder, brow, face presentations, and transverse lie in the active phase of labor or at delivery other than vertex.

Steroids (glucocorticoids) for fetal lung maturation - Steroids received by the mother prior to delivery including betamethasone, dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Excludes steroid medication given to the mother as an anti-inflammatory treatment.

Antibiotics during labor - Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery.

Chorioamnionitis or Maternal temp. >100.4 degrees F - A clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, and fetal tachycardia.

Moderate/heavy meconium staining of amniotic fluid - Staining of the amniotic fluid caused by passage of fetal bowel contents during labor and/or delivery which is more than enough to cause a greenish color change of the fluid.

Fetal intolerance of labor - In-utero resuscitation measure (maternal position change, oxygen administration to the mother, IV fluid, amnioinfusion, support of maternal blood pressure, uterine relaxing agents), further fetal assessment (scalp pH, scalp stimulation, acoustic stimulation), operative delivery/intervention to shorten time to deliver the fetus.

Epidural or spinal anesthesia during labor - Administration of a regional anesthetic to the mother for control of the pain of labor, i.e., delivery of an agent into a limited space with the distribution of the analgesic effect limited to the lower body.

Maternal morbidity (complications of labor and delivery)

Maternal morbidity includes serious complications experienced by the mother associated with the labor and delivery. Definitions of maternal morbidity are provided by the CDC, NCHS³.

Maternal transfusion - Includes infusion of whole blood or packed red blood cells within the period specified.

Third or fourth degree perineal laceration - Third degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body, and anal sphincter. Fourth degree laceration is all of the above with extension through the rectal mucosa.

Ruptured uterus - Tearing of the uterine wall.

Unplanned hysterectomy - Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure.

ICU admission - Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care (ICU).

Unplanned operating room procedure following delivery - Any transfer of the mother back to a surgical area for an operative procedure that was not planned prior to the admission for delivery. This complication excludes postpartum tubal ligations.

Abnormal conditions of the newborn

Abnormal conditions of the newborn include disorders or significant morbidity experienced by the newborn infant. Definitions of abnormal conditions are provided by the CDC, NCHS³.

Assisted ventilation required immediately following delivery - Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes from birth for any duration.

Assisted ventilation required for more than six hours – Infant given mechanical ventilation (breathing assistance) by any method for more than six hours.

Seizure or serious neurologic dysfunction - Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma.

Significant birth injury (injury present immediately following delivery or manifesting following delivery) - Any bone fracture or weakness or loss of sensation. This condition excludes fractured clavicles and transient facial nerve palsy.

NICU admission – NICU (neonatal intensive care unit) is defined as a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn. The infant may require additional or other medical support in an NICU than continuous mechanical ventilatory support.

Newborn given surfactant replacement therapy - Treatment of surfactant deficiency either due to preterm birth or pulmonary injury resulting in decreased lung compliance.

Antibiotics received by the newborn for suspected neonatal sepsis - Any antibacterial drug given systemically.

Failed newborn hearing test - Failure of the newborn hearing screening test in one or both ears. Data are based on infants given the test in which test results were available prior to the birth certificate being filed with the state. Newborn hearing screening tests may vary by birth facility.

Congenital anomalies of the newborn

Anomalies which are diagnosable within the first 24 hours following birth using widely available conventional diagnostic techniques. Definitions are provided by the CDC, NCHS³.

Anencephaly - Absence of the cerebral hemispheres.

Meningomyelocele/spina bifida - Developmental anomaly characterized by defective closure of the bony encasement of the spinal cord, through which the cord and meninges may or may not protrude.

Cyanotic congenital heart disease - Congenital heart defects which cause cyanosis. Includes, but is not limited to, transposition of the great arteries, teratology of Fallot, pulmonary or pulmonic valvular atresia, tricuspid atresia, truncus arteriosus, and total or partial anomalous pulmonary venous return with or without obstruction.

Congenital diaphragmatic hernia - Defects in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.

Omphalocele - Protrusion of variable amounts of abdominal viscera from a midline defect at the base of the umbilicus.

Gastroschisis - The abdominal viscera protrude through an abdominal wall defect, usually on the right side of the umbilical cord insertion.

Limb reduction defect - Complete or partial absence of a portion of an extremity secondary to failure to develop. Congenital amputation and dwarfing syndromes are excluded.

Cleft lip with or without cleft palate - Refers to incomplete closure of the lip. Cleft lip may be unilateral, bilateral, or median.

Cleft palate alone - Refers to incomplete fusion of the palatal shelves. This may be limited to the soft palate or may also extend into the hard palate.

Down syndrome (karyotype confirmed and karyotype pending) - The most common chromosomal defect, with most cases resulting from an extra chromosome (Trisomy 21).

Suspected other chromosomal disorder (karyotype confirmed and karyotype pending) - Includes any constellation of congenital malformations resulting from or compatible with known syndromes caused by detectable defects in chromosome structure.

Hypospadias – Congenital malformations of genital organs.

Method of delivery

In 2004, the Idaho birth certificate was revised to collect additional data for cesarean births. The revised certificate asks for two additional data items regarding cesarean deliveries, 1) was a trial of labor attempted, and 2) number of previous cesarean deliveries. The number of previous cesarean deliveries is calculated from the response to a question under “risk factors in this pregnancy” which asks if the mother had a previous cesarean delivery and if so, the number of previous cesarean deliveries. As a result, data on vaginal birth after previous cesarean (VBAC), primary, and repeat cesarean deliveries are not directly comparable between revisions⁴.

The formulas for calculating rates by method of delivery are based on mother’s delivery history. For mothers with no previous deliveries or with a previous vaginal delivery, the method of delivery for this birth will either be vaginal or primary cesarean. For women with a previous cesarean delivery, the method of delivery for this birth will either be VBAC or repeat cesarean.

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: $[(\text{vaginal, non-VBAC births}) / (\text{total births} - \text{births with unknown method of delivery})] \times 100$

Vaginal birth after previous cesarean (VBAC) rate: Number of vaginal deliveries per 100 births to women with a previous cesarean.

Formula: $[(\text{VBAC births}) / (\text{VBAC births} + \text{repeat cesarean births})] \times 100$

Total cesarean rate: Number of cesarean deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: $[(\text{total cesarean births}) / (\text{total births} - \text{births with unknown method of delivery})] \times 100$

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans. Rate is based on records with known data for method of delivery.

Formula: $[(\text{primary cesarean births}) / (\text{total births} - \text{VBAC's} - \text{repeat cesareans} - \text{births with unknown method of delivery})] \times 100$

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

Formula: $[(\text{repeat cesarean births}) / (\text{repeat cesarean births} + \text{VBAC births})] \times 100$

Principal source of payment for delivery

In 2004, the Idaho birth certificate included eight check boxes for the principle source of payment for this delivery: private insurance, Medicaid, self-pay, Indian Health Services, CHAMPUS/TRICARE, other government, other, and none. If no check box was selected, payment source was coded to “not stated”. For data analysis, records with Indian Health Services, CHAMPUS/TRICARE, or other government selected were categorized as “other government”. Principal source for payment was added to the Idaho certificate in 1996. The categories listed from 1996 to 2003 were: HMO, self-pay, other health insurance, Medicaid, and other government. Data from 1996 to 2003 are not comparable with data in 2004 and after for payment source for delivery. Data for Medicaid-paid births from the birth certificate may not match data from the Medicaid Program. In addition, the principal source for payment may change after the certificate is filed with the state.

Mortality

Revision of the Certificate of Death

A new U.S. Standard Certificate of Death was implemented on January 1, 2003 and at that time five states including Idaho implemented the revision within their states. The revision of the death certificate included three new data fields relating to the cause of death:

- 1) Did tobacco use contribute to the death?
- 2) What was the pregnancy status of females aged 10-54?
- 3) What type of safety device(s) did decedent use/employ (transportation deaths)?

In addition to the new variables, there were notable changes to existing data fields. One was a revision to the manner in which decedent’s education is collected. Prior to 2003, data collected for decedent’s education were based on number of years of school; beginning in 2003, data are based on the education level that best describes the highest degree or level of school completed at time of death.

Another notable change to the death certificate in 2003 was on decedent’s race and ethnicity. In 2003, the Idaho death certificate was revised to allow for more than one race and more than one Hispanic origin of the decedent. To facilitate coding and processing of multiple-race data in a uniform manner for all vital statistics jurisdictions, the National Center for Health Statistics (NCHS) developed a computer system to code and edit reported race and ethnicity data.

Race of decedent

Beginning in 2003, Idaho Vital Statistics transmitted Idaho death records to NCHS, NCHS re-coded multiple-race categories to single-race codes; NCHS returned the records back to Idaho for analysis. The data used for analysis was the “bridged-multiple race” code on each death certificate. The bridging procedure is similar to the procedure used to bridge multiracial population estimates. For Idaho death certificates, multiracial decedents are imputed to a single race using a coding algorithm according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The categories for the bridged race codes are the four main categories used by NCHS – White, Black, American Indian or Alaska Native, Asian or Pacific Islander. In

addition, there is a fifth category in Idaho for “other race of decedent”.

The imputation of multiple-race to single-race procedure is described at the CDC’s website at: <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>.

Idaho was one of the first states to adopt a new death certificate in 2003; however, not all states adopted multiple-race options in 2003. In 2003, all records received by Idaho Vital Statistics for Idahoans who died out state reported single-race. In 2006, there were two out-of-state death certificates with multiple-races of decedent reported. Bridged-race codes are not provided to Idaho for out-of-state records; therefore not all Idaho resident records have bridged-race codes to be used for data analysis.

Idaho resident death data provided in the table on page 74 entitled “Idaho Resident Deaths by Sex, Race and Ethnicity, 2006” are based on single-race and bridged-race categories for deaths in Idaho and single-race categories for deaths out of state. There were two out-of-state deaths with multiple races listed for decedent in 2006; these records were included in the total number of deaths, but are not shown in the table.

Year	Deaths to Idaho Residents in Idaho			Deaths to Idaho Residents Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2004	9,430	9,408	22	583	582	1
2005	9,954	9,931	23	559	557	2
2006	10,042	10,012	30	514	512	2

Other race category

Prior to 2003, decedent’s race was a write-in response on the death certificate. Races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or “other race”. With the change to check boxes on the certificates and the ability to select one or more race, the race category structure was revised. Prior to use of check boxes, if the term “Hispanic” or “Mexican” was written on the certificate as race, then race was coded to white. Beginning in 2003, if the check box “other race” was checked and the write-in for other race was specified as “Hispanic” or “Mexican”, then race was coded to “other race”. Therefore, race data for deaths in 2003-2005 are not comparable with race data prior to 2003.

Prior to 2003, the number of deaths categorized as “other race” was historically low. For example, in 2002, there were four residents deaths reported as “other race”. Due to the change in the methodology, the number of records with “other race” of decedent increased from four in 2002 to 58 in 2003, 77 in 2004, 98 in 2005, and 103 in 2006.

Cause-of-Death Classification

Mortality statistics are compiled in accordance with the World Health Organization (WHO) regulations, which specify that member nations, including the United States, classify and code causes of death in accordance with the International Statistical Classification of Diseases and Related Health Problems. The tenth revision of the International Classification of Diseases (ICD-10)

was implemented in the United States beginning with deaths occurring in 1999 and replaces the ninth revision of the ICD (ICD-9), which was used from 1979 through 1998. Some changes from ICD-9 to ICD-10 include:

1. ICD-10 is far more detailed than ICD-9, with about 8,000 categories compared with 4,000 categories.
2. ICD-10 uses 4-digit alphanumeric codes, compared to 4-digit numeric codes in ICD-9.
3. Some cause-of-death titles have been changed, and conditions have been regrouped.
4. Some cause-of-death coding rules have been changed.

For more information on ICD, go to the Centers for Disease Control and Prevention website link at <http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm>

Comparability Ratio

The change from ICD-9 to ICD-10 in 1999 may result in discontinuities in cause-of-death trends. These discontinuities are measured using comparability ratios. NCHS developed comparability ratios to measure the level of agreement between classification systems for causes of death. Go to <http://www.cdc.gov/nchs/datawh/nchsdefs/comparabilityratio.htm> for more information regarding comparability ratios.

The comparability ratio is the result of a study completed by NCHS in which a sample of U.S. mortality records was coded by both the new (ICD-10) and the old revision (ICD-9) codes.

Comparability ratio:
$$\frac{\text{Number of deaths for a cause of death based on ICD-10 code(s)}}{\text{Number of deaths for a cause of death based on the most comparable ICD-9 code(s)}}$$

To show trends in data, NCHS has instructed states to treat ICD-10 as the standard and adjust statistics prior to 1999 using Modified ICD-9 codes and comparability ratios. Therefore, mortality statistics provided in this report are NOT comparable to previously published mortality statistics based on non-modified ICD-9 codes. Idaho trend data using Modified ICD-9 codes and comparability ratios are available upon request.

Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths

Deaths attributed to firearm injury, alcohol-induced, and drug-induced causes are sub-sets of mortality categories used to rank leading causes of death such as accidents, intentional self-harm (suicide), and assault (homicide). Firearm injury, alcohol-induced, and drug-induced deaths are not used to rank leading cause of death.

Firearm Injury

Causes of death attributable to firearm-injury deaths include ICD-10 codes: U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0. Firearm injury deaths include terrorism involving firearms (homicide); accidental discharge of firearms, intentional self-harm (suicide) by discharge of firearms, assault (homicide) by discharge of firearms, discharge of firearms, undetermined intent, and legal intervention involving firearm discharge. Death from injury by firearms exclude deaths due to explosives and other causes indirectly related to firearms.

Alcohol-Induced

The list of ICD-10 codes included in alcohol-induced causes was expanded in 2003 to include the ICD-10 codes of E24.4, G72.1, and K86.0 with the codes used prior to 2003: F10, G31.2, G62.1, I42.6, K29.2, K70, , R78.0, X45, X65, and Y15. Alcohol-induced deaths include mental and behavioral disorders due to alcohol use, degeneration of nervous system due to alcohol, alcoholic polyneuropathy, alcoholic cardiomyopathy, alcoholic gastritis, alcoholic liver disease, alcohol-induced chronic pancreatitis, findings of alcohol in blood, accidental poisoning by and exposure to alcohol, intentional self-poisoning (suicide) by exposure to alcohol, poisoning by exposure to alcohol, and poisoning by exposure to alcohol, undetermined intent. Alcohol-induced deaths do not include homicides, accidents such as falls and motor vehicle crashes, and other causes indirectly related to alcohol use. This category also excludes newborn deaths associated with maternal alcohol use.

Drug-Induced

In 2003, NCHS expanded the list of ICD-10 codes for drug-induced causes to be more comprehensive. Drug-induced ICD-10 codes include: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0- F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0, L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1- R78.5, X40-X44, X60-X64, X85, and Y10-Y14. Drug-induced deaths include deaths due to drug psychosis, drug dependence, nondependent use of drugs not including alcohol and tobacco, accidental poisoning by drugs, medicaments, and biologicals, suicide by drugs, medicaments, and biologicals, assault from poisoning by drugs and medicaments, and poisoning by drugs, medicaments, and biologicals, undetermined whether accidental or purposely inflicted. Drug-induced deaths do not include accidents, homicides, and other causes indirectly related to drug use. Also excluded are newborn deaths associated with maternal drug use. Types of drugs listed on the death certificate include prescriptions, over-the-counter drugs, and narcotics.

Life Expectancy

Data used to calculate Idaho life expectancy are based on July 1, 2005, population estimates from the U.S. Bureau of the Census, age-specific population estimates computed by the Bureau of Vital Records and Health Statistics, and 2005 Idaho resident mortality rates. Average number of years of life remaining (${}^o e_x$) is the expectation of life for those who survived to age x.

$${}^o e_x = T_x / l_x$$

T_x is the total time lived beyond age x by all individuals of the life table proportion alive at age x; l_x is the number of persons who survive to the exact age marking the beginning of each age interval. The number alive at age 0 (l_0) is taken arbitrarily as 100,000.

Mortality Rates Age-Adjusted to the Year 2000 U.S. Standard

Age adjustment is a statistical technique used to standardize rates. The technique is employed when comparing two or more populations with different age distributions. Age-adjusted rates are artificial measures for comparison purposes only and should not be used to measure the absolute magnitude of a health issue. To allow for comparison, the same standard population must be used. If different standard populations are used to compute the age-adjusted rates (1940 and 2000, for example), then the age-adjusted rates are NOT comparable. Statistically, it is a weighted average of the age-specific death rates, where the weights represent the fixed population proportions by age.

There are two methods for age-adjusting rates: direct and indirect. In this report, Idaho age-adjusted rates were developed using the following steps for the direct method:

- 1) Calculate **age-specific rates** for the 11 age groups used in the 2000 standard million: less than 1, 1-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85 and older.

$$\frac{\text{(Annual number of deaths in age group)}}{\text{(Population of age group for corresponding year)}}$$

- 2) Calculate **expected number of deaths** for each age group.

$$\text{(2000 U.S. standard million population of age group)} \times \text{(Age-specific rate)}$$

- 3) Calculate **total expected number of deaths**.

$$\text{(Sum of expected deaths for all age groups)}$$

- 4) Calculate **age-adjusted rate per 100,000 persons**.

$$\frac{\text{(Total expected deaths)}}{\text{(Standard million)}} \times 100,000$$

YEAR 2000 U.S. STANDARD POPULATION			
All ages	1,000,000	35-44 years	162,613
Under 1 year	13,818	45-54 years	134,834
1-4 years	55,317	55-64 years	87,247
5-14 years	145,565	65-74 years	66,037
15-24 years	138,646	75-84 years	44,842
25-34 years	135,573	85+ years	15,508

Years of Potential Life Lost (YPLL)

Years of potential life lost (YPLL) is a statistic used to measure the number of years of life lost in a population when persons in that population die prematurely. YPLL provides valuable information regarding the causes of death that contribute most significantly to premature mortality. For example, in 2006, Accidents was the third-leading cause of death of Idahoans and accounted for 6.3 percent of all resident deaths. However, Accidents was the leading cause of premature death under age 75 and accounted for 20.4 percent of all YPLL in 2006.

In order to calculate YPLL, a standard must be chosen (e.g., age 75) as a reference point for years of life lost. The number of years of life lost is then calculated for each person dying before the standard age. Assume a standard of 75 years of age is chosen. For calculation purposes, all

people are considered half way through the year of their age at death. For example, an infant who dies under one year of age is considered .5 years of age at death, and a child who dies at age one - between its first and second birthday - is considered 1.5 years of age, and so forth. Therefore, a person dying at 39 has lost 35.5 years of life relative to the standard (i.e., 75 years – 39.5 years = 35.5 years). To obtain YPLL, the number of years of life lost for each person in the population dying before the standard age is summed. Persons dying at 75 years of age or older would be excluded from the analysis, because they have not lost years of life relative to the standard. For this report, a standard of 75 years of age was chosen to calculate YPLL.

Population

The Office of Management and Budget announced revisions to the standards for classification of federal data on race and ethnicity on October 30, 1997. These standards require that agencies offer individuals the opportunity to select one or more races when reporting information on race in federal data collections. The Census in 2000 was the first nationwide implementation of the revised standards.

The files released from the U.S. Census Bureau for April 1, 2000 Census contain data for single race categories (including “other race” category) and multiple race categories. This presents problems for vital rates from two standpoints. First, the file contains counts of persons with more than one race and therefore, is not compatible with states vital statistics numerators based on single race categories; second, the file contains the “other race” category that is not used to calculate national vital statistics rates. For U.S. vital statistics “other race” is allocated to the four main race categories.

Standard Race Categories April 1, 2000 Census for Idaho		
Race	Number	Percent
Total	1,293,953	100.0%
White	1,177,304	91.0%
Black	5,456	0.4%
American Indian/Alaskan Native	17,645	1.4%
Asian	11,889	0.9%
Native Hawaiian/Pacific Islander	1,308	0.1%
Other race	54,742	4.2%
Two or more races	25,609	2.0%

NCHS contracted with the Census Bureau to produce a “bridged” data set in which all multiple race persons are allocated to a single race, to reproduce what these people would have reported had they not had the option to report more than one race. In August 2007, NCHS released state and county population estimates for July 1, 2006⁵. These estimates are for the four race groups (White, Black, American Indian or Alaska Native, Asian or Pacific Islander, including Native Hawaiian) by single year of age, sex, and Hispanic origin.

Standard Race Categories Idaho Bridged Postcensal 2004, 2005 and 2006 Estimates						
Race	July 1, 2004		July 1, 2005		July 1, 2006	
	Number	Percent	Number	Percent	Number	Percent
Total	1,393,262	100.0%	1,429,096	100.0%	1,466,465	100.0%
White	1,343,609	96.4%	1,378,040	96.4%	1,410,951	96.2%
Black	10,178	0.7%	11,055	0.8%	12,681	0.9%
American Indian/ Alaskan Native	21,951	1.6%	21,846	1.5%	22,909	1.6%
Asian/Pacific Islander	17,524	1.3%	18,155	1.3%	19,924	1.4%

1. “Report of the Panel to Evaluate the U.S. Standard Certificates,” National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

2. “Births: Final Data for 2003,” National Vital Statistics Reports, National Center for Health Statistics, Vol. 54/No.2, September 8, 2005.

3. “Birth Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Birth” National Center for Health Statistics, Division of Vital Statistics, April 2004, Updated March 18, 2005.

4. “Births: Final Data for 2005,” National Vital Statistics Reports, National Center for Health Statistics, Vol. 56/No.6, December 5, 2007.

5. National Center for Health Statistics. Estimates of the July 1, 2000-July 1, 2006, United States resident population from the Vintage 2006 postcensal series by year, county, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. Available on the Internet from: <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>. August 16, 2006.

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 February 2008