

Acknowledgments

This project was funded in part by a grant from the Centers for Disease Control and Prevention, number U58/CCU022801, and administered via a cooperative agreement with the Idaho Bureau of Health Policy and Vital Statistics. The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

Special thanks go to Jeff Harder of Boise, Idaho, for his excellent artwork and his design of the cover.

The Idaho Department of Health and Welfare would like to thank the citizens of Idaho who have participated in the Behavioral Risk Factor Surveillance System.

For more details on this project or any of the survey results, please contact the Bureau of Health Policy and Vital Statistics at (208) 334-5977.

Suggested Citation


Idaho Behavioral Risk Factors: Results From the 2005 Behavioral Risk Factor Surveillance System. Boise: Idaho Department of Health and Welfare, Division of Health, Bureau of Health Policy and Vital Statistics, 2006.

Table of Contents

Title Page	i
Acknowledgments	
Table of Contents	
Map of Idaho Public Health Districts	
Introduction	
Methodology	
Reporting	
Data Limitations	
Summary Results	
·	
General Health	
General Health Status	
Health Care Coverage	10
Dental Insurance	12
Chronic Disease Prevalence	
Diabetes	14
Asthma	16
Arthritis	18
Chronic Condition Prevalence	
High Cholesterol	20
High Blood Pressure	
Health Risk Behaviors	
Fruit and Vegetable Consumption	24
Physical Activity	
Weight	
Cigarette Smoking	
Smokeless Tobacco Use	
Alcohol Consumption	
Illicit Drug Use	
Preventive Behaviors	
Seat Belt Use	42
Cholesterol Screening	
Dental Visits	
Data Tables	48
Understanding the Data Tables	48
2005 Data Tables by Topic	
Appendix A: Trends of Selected Risk Variables by Public Health District	91
Appendix B: 2005 BRFSS Questionnaire (with results)	
Appendix C: References	115
11	•

Idaho Public Health Districts

Idaho is divided into seven public health districts, with each of the districts containing four to eight counties. The seven health districts are independent agencies governed by a local board appointed by the county commissioners within the district.



Idaho Behavioral Risk Factor Surveillance System

Introduction

Health risk behaviors and lack of preventive care are associated with higher rates of morbidity and mortality. Monitoring of modifiable risk factors for diseases and the use of preventive health services is vital to planning, initiating, and developing targeted education and intervention programs at the state and local level as well as tracking progress toward achieving health objectives and improving the health of the public. The Behavioral Risk Factor Surveillance System (BRFSS) is an ongoing surveillance program developed and partially funded by the Centers for Disease Control and Prevention (CDC). It is designed to estimate the prevalence of risk factors for the major causes of morbidity and mortality in the United States. The survey provides state-specific estimates of the proportion of adults aged 18 and over reporting health risk behaviors. For certain state and national objectives, BRFSS is the only source of data.

Idaho has participated in the BRFSS since its inception in 1984. Since then, the program has grown to encompass all 50 states and several U.S. territories. BRFSS data are valued at the state and national level for measuring progress toward national and state health objectives. BRFSS is unique in providing data that enable state health policymakers to assess their own states' needs and determine progress toward goals. Results from BRFSS have been used to support risk reduction and disease prevention activities by directing program planning, assessing trends, and targeting relevant population groups. This report summarizes major health risk behaviors and use of preventive health practices that affect chronic diseases associated with morbidity and mortality in Idaho. Summarized data in this report are not inclusive of all data that may be provided by BRFSS. For this reason, the 2005 questionnaire appears in its entirety in Appendix B.

Methodology

The BRFSS is conducted as a random telephone survey of the non-institutionalized adult population. In order to produce health district estimates, Idaho's sample has grown in size from 600 people in 1984 to over 5,700 in 2005. The survey is administered in every month of the calendar year. After annual data collection is complete, individual responses are weighted to be representative of the state's adult population, and analysis is performed on the weighted data.

Additional information regarding BRFSS methodology is available online at http://www.cdc.gov/brfss.

Sampling: Idaho used disproportionate stratified sampling for its 2005 BRFSS. The sample was stratified by Idaho's seven public health districts. A minimum of 700 Idahoans were interviewed within each health district, for a total sample size

of 5,734. Interviews were conducted by telephone using computer-assisted telephone interviewing (CATI) software to record responses.

Weighting: The data were weighted to the respondent's probability of selection as well as age and sex based on 2005 population estimates. For example, some households have more than one telephone line and are more likely to be called. The weighting corrects for this difference in probability of selection as well as differences between the population and the sample.

Analysis: Idaho used SUDAAN[®] (Survey Data Analysis) software for statistical testing and calculation of confidence limits. This software takes into account the complex sampling design methodology of BRFSS. Idaho used SAS[®] software for data manipulation and risk factor creation. All "don't know," "not sure," and "refused" responses have been excluded from the analysis.

Reporting

Prevalence estimates based on denominators with fewer than 50 respondents have been suppressed and are indicated in the data tables with an asterisk (*). The BRFSS has adopted this standard to maintain a high degree of reliability. Differences between estimates are reported throughout the document. Any difference determined to be statistically significantly different through statistical testing was designated as such and will be preceded by the words "significantly" or "statistically."

Data Limitations

Errors in estimation are a result of BRFSS data being self-reported and certain behaviors possibly being underreported (Centers for Disease Control and Prevention, 2005). Another source of error is based on sampling. Each sample drawn will deviate somewhat from the population. Additional possible errors may occur due to the population from which the sample is drawn. Ideally, all adults aged 18 and older would be potential respondents for the survey. However, in order to be cost effective, the sample is limited to adults aged 18 and older who are non-institutionalized, live in a household with a non-cellular telephone, and can communicate in English or Spanish. This excludes people in prisons and dormitories, those who exclusively speak a language other than English or Spanish, those without non-cellular telephones and others who cannot communicate by telephone. Telephone coverage varies by subpopulation. The Federal Communications Commission research suggests that minorities and the poor are less likely to have a telephone in the home than are non-minorities and the affluent (Federal Communications Commission, 2005). An estimated 94.8 percent of occupied households in Idaho have telephone service (Federal Communications Commission, 2005). Data on telephone coverage in U.S. households are available at www.fcc.gov/wcb/iatd/socc.html.

General Health Status (page 8)

- The percentage of Idaho adults reporting their health as "fair" or "poor" (less than "good") was 14.9 percent in 2005. This was a significant increase since 2004 and the highest rate since 1996.
- Smokers were significantly more likely than non-smokers to say their general health was less than "good."
- Those who were obese (BMI ≥ 30) reported "fair" or "poor" health almost twice as often as those who were not obese.

Health Care Coverage (page 10)

- In Idaho, 18.9 percent of adults did not have health care insurance coverage. This was a higher percentage than any other year in the past decade.
- Those with household incomes below \$25,000 were significantly more likely to be without health insurance than those with incomes of \$25,000 or above.

Dental Insurance (page 12)

- More than four-in-ten Idaho adults had no dental insurance (45.7 percent).
 There has been little change in the percentage of adults without dental insurance since 1997.
- More than seven-in-ten Idaho seniors (65 and older) were without dental coverage in 2005.

Diabetes (page 14)

- Adult diabetes prevalence was 6.8 percent in 2005, a figure that has nearly doubled since 1996.
- Diabetes prevalence was higher among those:
 - o over age 55.
 - o with less than a college education.
 - o who were obese (BMI \geq 30).

Asthma (page 16)

- Asthma prevalence (those with current asthma) was 7.3 percent in 2005 and has not changed significantly since 1999.
- Asthma prevalence was significantly higher among females than males but it did not differ significantly by age group.
- The prevalence of asthma was consistent across all income categories in 2005.

Arthritis (page 18)

- In 2005, more than one-in-four Idahoans had ever been told they had arthritis (25.5 percent).
- Arthritis prevalence was significantly higher among females than males.
- Arthritis prevalence increased with age. More than one-half of those 65 and older had been diagnosed with arthritis.
- Compared with those who did not have arthritis, adults with arthritis were significantly more likely to report limited activities due to a health problem.

High Cholesterol (page 20)

- In 2005, over one-third of Idaho adults who had ever been screened had been told their cholesterol was high (36.3 percent).
- Adults aged 55 and over were significantly more likely to have had high blood cholesterol after being screened compared with those under age 55.
- Among those screened, overweight Idahoans were significantly more likely to have been told they had high cholesterol compared with those who were not overweight.

High Blood Pressure (page 22)

- In 2005, 23.6 percent of Idaho adults had ever been told they had high blood pressure. There have been no significant changes in high blood pressure prevalence over the past ten years.
- Likelihood of having high blood pressure increased with age. Nearly onehalf of those over the age of 55 had been told they had high blood pressure.
- Adults with high blood pressure were significantly more likely to have been told by a health professional that they have angina or coronary heart disease.

Fruit and Vegetable Consumption (page 24)

- In 2005, 76.8 percent of adults reported that they did not eat the recommended five servings of fruits and vegetables per day.
- Males were significantly less likely to eat five fruit and vegetable servings than females.
- Adults who did not eat five servings of fruits and vegetables per day were significantly more likely to be obese than adults who did get five servings a day.

Physical Activity (page 26)

- More than one-in-five adults did not participate in leisure time physical activity (21.6 percent). This was a significant increase over 2004.
- Idaho adults residing in Health District 4 were significantly more likely to participate in leisure time physical activity than adults residing in other health districts.

Weight (page 28)

- After rising steadily over the past decade, the prevalence of overweight (BMI > 25) reached a new high of 61.4 percent in 2005.
- About one-in-four Idahoans was obese (BMI ≥ 30) in 2005, a figure that is 45 percent higher than in 1996. The proportion of overweight adults who are also obese has also increased significantly over the past ten years.

- Obese adults were significantly more likely than those who were not overweight to report "fair" or "poor" health.
- Idaho adults categorized as overweight were:
 - significantly more likely to report high blood pressure.
 - o significantly more likely to have diabetes.

Cigarette Smoking (page 32)

- After dropping significantly over the past decade, the prevalence of cigarette smoking leveled off at 17.9 percent in 2005.
- Those with lower education and income levels were significantly more likely to smoke cigarettes.
- Cigarette smokers were:
 - significantly more likely to have "fair" or "poor" general health.
 - o significantly less likely to have health insurance coverage.

Smokeless Tobacco Use (page 34)

• In 2005, 4.3 percent of Idahoans used smokeless tobacco. This rate was similar regardless of income, education and employment status.

Alcohol Consumption (page 36)

- In 2005, 13.3 percent of Idaho adults engaged in binge drinking (consuming five or more alcoholic beverages on a single occasion in the prior 30 days).
- Heavy drinking prevalence (consuming 60 or more alcoholic beverages in the past 30 days) was 4.5 percent in 2005. This was not a significant change from 1996.
- Males were significantly more likely to be binge drinkers than females and reported heavy drinking four times as often as females.
- Adults who reported binge drinking were significantly more likely to smoke cigarettes.

Illicit Drug Use (page 40)

- The percentage of Idaho adults who used illicit drugs for non-medical reasons was 5.3 percent in 2005 and has changed very little in recent years.
- Those aged 18 to 24 were significantly more likely to have used illicit drugs in the last 12 months compared with those in other age groups.
- Idaho adults who used illicit drugs within the last 12 months reported binge drinking more than three times as often as adults who had not used drugs.

Seat Belt Use (page 42)

- The percentage of Idaho adults who did not always wear a seat belt when driving or riding in a car has significantly decreased in 2005 to 23.8 percent. Males were significantly more likely to not always wear their seat belt when driving or riding in a car than females.
- In 2005, a significantly higher percentage of adults aged 18 to 24 did not always buckle up compared with those aged 65 and older.

Cholesterol Screening (page 44)

- The percentage of the adult population who had not received a screening for blood cholesterol within the previous five years was 33.6 percent in 2005.
- Those without health care coverage were significantly less likely to have had cholesterol screening compared with those who had coverage.


Dental Visits (page 46)

- In 2005, 33.5 percent of adults had not visited a dentist within the previous 12 months. There were no significant differences in dental visits by age or sex.
- Those who did not have dental insurance were significantly less likely to report an annual dental visit.

General Health Status

Respondents were asked to rate their health as "excellent," "very good," "good," "fair," or "poor." In 2005, the percentage of adults self-reporting their general health as "fair" or "poor" was at its highest point in the ten year trend at 14.9 percent. This was a significant increase over 2004.


Percent of Idaho adults who reported their general health status as "fair" or "poor" 1996-2005



"Fair" or "poor" general health ranged from a high of 17.9 percent in District 3 to a low of 12.6 percent in District 7. The differences between health districts were not statistically significant, however.

Percent of Idaho adults who reported their general health status as "fair" or "poor," 2005


Health District



General Health Status

Overall, women and men did not differ significantly with respect to general health status in 2005. Those aged 45 and over were significantly more likely to report "fair" or "poor" health compared with younger adults.

Percent of Idaho adults who reported their general health status as "fair" or "poor," 2005 Age and Sex




- Adults who were employed were significantly less likely to report "fair" or "poor" health (9.8 percent) when compared with other employment categories (18.5 percent of unemployed and 23.9 percent of "other," which includes students, homemakers, retirees and those unable to work).
- Those with annual incomes below \$25,000 were more than twice as likely to say their general health was less than good compared with those with incomes of \$25,000 or above (27.1 percent compared with 9.8 percent).
- Nearly one-third (31.7 percent) of those with less than a high school diploma reported having "fair" or "poor" health compared with 7.8 percent of those with a college degree.
- Smokers were significantly more likely to report "fair" or "poor" health compared with non-smokers (21.2 percent compared with 13.6 percent).
- Idahoans who were obese (BMI ≥ 30) reported "fair" or "poor" health more than twice as often as those who were not obese (23.8 percent of the obese compared with 11.6 percent of those who were not obese).

Health Care Coverage


In 2005, 18.9 percent of adults in Idaho had no health care insurance. This is a significant increase over 2004 and the highest uninsured rate in ten years.

Percent of Idaho adults without health care coverage 1996-2005




Idaho adults living in Health District 4 were the least likely to report having no health care coverage in 2005, at 12.9 percent. The percentage of uninsured adults in District 3 (25.7 percent) was significantly higher than the state overall.


Percent of Idaho adults without health care coverage, 2005 Health District



Health Care Coverage

In 2005, no significant difference in health care coverage existed between males and females. However, there were significant differences among age groups. While nearly all (98.6 percent) Idahoans aged 65 and over had some kind of health care coverage, adults in younger age categories were significantly less likely to have coverage.






- Idaho adults with a K to 11th grade education reported being without health care coverage more than six times as often as those with a college degree (48.9 percent compared with 7.6 percent).
- About one-in-three (34.8 percent) Idahoans with incomes below \$25,000 reported being without health insurance. This compares with just over one-in-ten (11.3 percent) among those with incomes of \$25,000 or higher.
- Those who had health insurance reported having a routine check-up within the past year 1.7 times more often than those without health insurance (60.2 percent compared with 34.7 percent).

Dental Insurance

In 2004, 45.7 percent of Idaho adults had no dental insurance. The trend of adults without dental insurance has remained fairly flat over the past ten years.

Percent of Idaho adults who did not have dental insurance 1996-2005


Breaks in the trendline indicate data are not available for those years



Health District 4 had a significantly lower percentage (34.0 percent) while District 2 and District 5 had significantly higher percentages (54.6 percent and 57.3 percent, respectively) of adults without dental insurance when compared with the state overall.

Percent of Idaho adults who did not have dental insurance, 2005


Health District



Dental Insurance

While there was no difference between males and females in dental insurance coverage, differences were observed between age categories. Nearly three-infour (73.1 percent) of Idaho residents over the age of 65 were without dental insurance in 2005. Those between the ages of 35 to 54 were significantly less likely to be without dental insurance (35.1 percent) than all other age categories.

Percent of Idaho adults who did not have dental insurance, 2005 Age and Sex




- Dental insurance coverage increased along with household income. About three-in-four (76.2 percent) Idaho adults with incomes below \$15,000 did not have dental insurance. Among Idahoans with incomes of \$50,000 or more, about one-in-four (25.2 percent) were without dental insurance.
- Almost three-quarters (73.0 percent) of Idaho adults with less than a high school education were without dental insurance. This compares with about one-third (33.8 percent) of college graduates having no dental insurance.
- Those without dental insurance reported their general health status as "fair" or "poor" twice as often as those with dental insurance (20.0 percent compared with 10.2 percent).
- Over nine-in-ten (92.9 percent) Idaho adults without health care insurance were also without dental insurance.

Diabetes

Following national trends of increasing prevalence, the percentage of Idaho adults with diabetes increased to a new high of 6.8 percent in 2005. Since 1996, the percentage of Idaho adults with diabetes has increased 94.3 percent (from 3.5 percent to 6.8 percent).


Percent of Idaho adults who had ever been told they had diabetes 1996-2005



There were no significant differences by health district in diabetes prevalence in 2005. It ranged from a high of 8.4 percent in District 3 to a low of 6.0 percent in District 4.

Percent of Idaho adults who had ever been told they had diabetes, 2005


Health District



Diabetes

Males and females did not differ with regard to diabetes prevalence (6.7 percent for males, and 6.9 percent females). Adults over the age of 65 were significantly more likely to have ever been diagnosed with diabetes (16.7 percent) when compared with those under age 55. For both sexes, the prevalence of diabetes increased with age.

Percent of Idaho adults who had ever been told they had diabetes, 2005 Age and Sex




- Significant differences in diabetes prevalence existed by education level. Those with less than a high school education reported diabetes diagnosis more than twice as often as those with a college degree (10.8 percent compared with 5.7 percent).
- More than four-in-ten (44.6 percent) Idaho adults with diabetes reported "fair" or "poor" general health compared with about one-in-ten (12.7 percent) of those without diabetes.
- Obese (BMI ≥ 30) adults reported diabetes nearly six times as often as those who were not overweight (BMI < 25). Among obese adults, 15.4 percent had diabetes compared with 2.6 percent of those who were not overweight or obese.
- Those who did not engage in leisure time physical activity reported diabetes at almost twice the rate of those who engaged in some leisure time physical activity (10.7 percent compared with 5.8 percent).

Asthma

Prior to 2002, the Idaho BRFSS reported asthma prevalence as those who had ever been told they had asthma. Since 2002, Idaho began reporting asthma prevalence as those adults who had ever been told they had asthma and still had it. Asthma prevalence has remained level since 1999. In 2005, 7.3 percent of Idaho adults had asthma.


Percent of Idaho adults who were diagnosed and still had asthma 1999-2005





Asthma prevalence ranged from a high of 9.1 percent in Health District 7 and a low of 5.7 percent in Health District 4. There were no significant differences between districts.


Percent of Idaho adults who were diagnosed and still had asthma, 2005 Health District



Asthma

Current asthma prevalence in 2005 was significantly higher among females (9.3 percent) than males (5.2 percent). Asthma prevalence did not differ significantly by age.

Percent of Idaho adults who were diagnosed and still had asthma, 2005 Age and Sex




- Education and employment status did not seem to be related to asthma prevalence. There were no significant differences in asthma prevalence by level of education or employment status.
- The prevalence of asthma was consistent across all income categories.
- Nearly one-in-four adults with current asthma (23.8 percent) reported their general health status as "fair" or "poor." This compares with 14.1 percent of those who did not have asthma.
- Smokers were not more likely than non-smokers to report having asthma (8.5 percent of smokers compared with 7.0 percent of non-smokers).

Arthritis

Due to a change in the definition of arthritis, BRFSS data for arthritis prevalence prior to 2002 are not comparable to BRFSS data from 2002 and later years. In 2005, one-in-four (25.5 percent) of Idaho adults had a medical professional diagnose arthritis.


Percent of Idaho adults who had ever been told they had arthritis 2002-2005



There were no significant differences in prevalence of arthritis between health districts. In every district, approximately one-in-four adults had ever been told they had arthritis.

Percent of Idaho adults who had ever been told they had arthritis, 2005


Health District



Arthritis

Current arthritis prevalence in 2005 was significantly higher among females (29.3 percent) than males (21.7 percent). The likelihood of having arthritis increased with age. More than half (53.9 percent) of those 65 and older had been diagnosed with arthritis.

Percent of Idaho adults who had ever been told they had arthritis, 2005 Age and Sex




- College graduates were significantly less likely to report having arthritis compared with those who had less education (21.4 percent of college graduates compared with 27.1 in all other education categories).
- Idaho residents with incomes below \$15,000 per year were significantly more likely (29.3 percent) to have arthritis than those with incomes of \$50,000 and over (21.9 percent).
- Those with arthritis were nearly three times as likely to report "fair" or "poor" general health compared with those who did not have arthritis (28.3 percent compared with 10.2 percent).
- Over four-in-ten (43.7 percent) adults with arthritis said that their activities were limited due to a health problem. This compares with 12.6 percent of those without arthritis.

High Cholesterol

More than seven-in-ten (72.3 percent) of Idaho adults had been screened for high cholesterol. Among those who had been screened for high cholesterol, 36.3 percent reported that they were told their cholesterol was high. The percentage of adults who were screened and told they had high cholesterol has increased significantly since 1997.


Percent of Idaho adults who were ever told they had high cholesterol, among those screened, 1997-2005

Breaks in the trendline indicate data are not available for those years



The prevalence of high cholesterol by health district was consistently around one-in-three screened adults. There were no significant differences between districts.


Percent of Idaho adults who were ever told they had high cholesterol, among those screened, 2005 Health District



High Cholesterol

There were no significant differences between males and females who had been told they had high cholesterol after being screened. Adults aged 55 and older were significantly more likely to have had high blood cholesterol levels than those younger than 55 years old (50.8 percent compared with 27.1 percent).

Percent of Idaho adults who were ever told they had high cholesterol, among those screened, 2005 Age and Sex




- Adults who had been screened and told they had high cholesterol reported their general health status as less than "good" twice as often as those who had not been told they had high cholesterol (24.1 percent compared with 11.6 percent).
- Over four-in-ten (42.9 percent) of those who were overweight had been told they had high cholesterol. This compares with 24.8 percent who were not overweight.
- Screened adults with high cholesterol reported having diabetes about three times as often as those who had not been told they had high cholesterol (15.7 percent compared with 5.4 percent).
- Idaho adults with high cholesterol were 1.4 times more likely to report engaging in leisure time physical activity compared with those who had not been told they had high cholesterol (24.4 percent compared with 17.4 percent).

High Blood Pressure

The prevalence of high blood pressure in Idaho's adult population has not increased or decreased significantly over the last ten years. In 2005, 23.6 percent of Idaho adults had ever been told they had high blood pressure.


Percent of Idaho adults who were ever told they had high blood pressure, 1997-2005

Breaks in the trendline indicate data are not available for those years



High blood pressure did not vary significantly by health district in 2005. It ranged from a low of 21.2 percent in District 7 to a high of 26.0 percent in District 2 and District 3.


Percent of Idaho adults who were ever told they had high blood pressure, 2005 Health District



High Blood Pressure

There were no significant differences between the percentage of males and the percentage of females who reported they had high blood pressure. However, significant differences existed between age groups. Nearly one-half (47.1 percent) of those over the age of 55 had been told they had high blood pressure compared with one-in-five (20.3 percent) of those aged 35 to 54.

Percent of Idaho adults who were ever told they had high blood pressure, 2005 Age and Sex




- Adults with high blood pressure reported their general health status as "fair" or "poor" three times as often as those who had not been told they had high blood pressure (30.5 percent compared with 10.0 percent).
- Those with incomes below \$15,000 per year were significantly more likely to have been told they had high blood pressure than those with incomes of \$50,000 or more (29.5 percent compared with 20.8 percent).
- Adults who had been told they had high blood pressure were significantly more likely to have been told by a health professional that they have angina or coronary heart disease (12.3 percent compared with 2.7 percent).
- Those who were obese (BMI ≥ 30) reported having high blood pressure more than twice as often as those who were not overweight (BMI < 25) Among obese adults 39.8 percent had high blood pressure compared with 18.7 percent of adults who were not overweight.

Fruit and Vegetable Consumption

The percentage of adults not eating the recommended five servings of fruit and vegetables each day has not changed significantly over the last decade. In 2005, over three-in-four (76.8 percent) adults reported they do not eat five servings of fruits and vegetables a day.

Percent of Idaho adults who did not eat five servings of fruits and vegetables each day, 1996-2005


Breaks in the trendline indicate data are not available for those years



Results may differ from previous publications due to revisions in the risk factor calculation.


Although Health District 1 had the highest percentage (80.0 percent) and Health District 5 had the lowest percentage (74.0 percent) of adults who did not eat five servings of fruits and vegetables per day, these differences were not statistically significant.

Percent of Idaho adults who did not eat five servings of fruits and vegetables each day, 2005 Health District



Fruit and Vegetable Consumption

Males were significantly more likely to not meet the recommended daily amount of fruits and vegetable servings (82.4 percent) than females (71.3 percent). Younger adults were less likely than older adults to consume five servings per day. Nearly eight-in-ten adults (79.7 percent) aged 18 to 34 did not consume five or more servings per day compared with seven-in-ten (70.8 percent) adults 55 and older.




- Fruit and vegetable consumption was consistent across all income categories. However, college graduates were more likely to get the recommended five servings a day compared with those with a high school education.
- Adults who did not get the recommended servings of fruits and vegetables were significantly more likely to be obese than adults who did get five servings a day (26.0 percent compared with 19.9 percent).
- No significant differences were observed in prevalence of high cholesterol or hypertension between those who consumed five servings a day and those who did not.

Physical Activity

Since 1996, the percentage of adults who did not participate in leisure time physical activity has been between 18 and 21 percent. In 2005, the number increased significantly from the prior year to 21.6 percent.


Percent of Idaho adults who did not participate in leisure time physical activity 1996-2005

Breaks in the trendline indicate data are not available for those years



Idaho adults residing in Health District 4 were significantly more likely to participate in leisure time physical activity compared with the rest of the state. Those in Health District 3 and Health District 5 were the least likely to participate in leisure time physical activity.


Percent of Idaho adults who did not participate in leisure time physical activity, 2005 Health District



Physical Activity

No significant difference existed between male and female participation in leisure time physical activity in 2005. Adults over 55 were significantly more likely to say they did not participate in physical activity compared with those 54 and younger (27.0 percent compared with 19.4 percent).

Percent of Idaho adults who did not participate in leisure time physical activity, 2005 Age and Sex



- Leisure time physical activity differed significantly by income and education levels. Nearly four-in-ten (38.8 percent) adults with incomes of less than \$15,000 did not participate in leisure time physical activity compared with just over one-in-ten (11.9 percent) of those with an income of \$50,000 or more. Adults with a K to 11th grade education reported no leisure time physical activity nearly four times as often as those with a college degree (47.2 percent compared with 12.8 percent).
- Over one-in-four (28.8 percent) adults with no leisure time physical activity reported "fair" or "poor" general health status compared with just over one-inten (11.0 percent) of those with leisure time physical activity.
- Obese (BMI ≥ 30) adults were significantly more likely to report no leisure time physical activity when compared with those who were not obese (29.2 percent of the obese compared with 18.4 percent).

Weight

Body Mass Index

Body Mass Index (BMI) is an index based on height and weight used to categorize an adult as not overweight or obese, overweight, or obese. BMI is calculated using the following formula:

Weight in kilograms (Height in meters)²

The following table illustrates common category breakouts based on BMI that are used in this report.

BMI Category	ВМІ
Not Overweight or Obese*	< 25.0
Overweight**	25.0 +
Obese	30.0 +

^{*}The category "Not Overweight or Obese" also includes adults who are underweight based on BMI < 18.5). Although underweight is a recognized health risk, in 2005 only 1.4 percent of Idaho's adult population fell into the underweight category.


^{**} The category Overweight *includes* the category Obese.


Weight

Overweight and Obesity Trends

Continuing the upward trend, the percentage of Idaho adults who were overweight climbed to a new high in 2005. Over six-in-ten (61.4 percent) Idaho adults were overweight.

The prevalence of obesity also increased in 2005, reaching 24.5 percent of Idaho





adults. The number of obese adults has increased 45.0 percent since 1996 (from 16.9 percent to 24.5 percent).


In 2005, 40.0 percent of overweight Idahoans were also obese. Since 1996, the proportion of overweight adults who are also obese has increased significantly.


Note: For each year, the percentage of "Overweight, Not Obese" plus the percentage of "Obese" may not sum to the exact figure for "Total Overweight" due to rounding.

^{*}Results for overweight and obese may differ from previous publications due to revisions in risk factor calculation.

Weight


Overweight prevalence was highest in Health District 3 (68.0 percent) which was significantly higher than the state as a whole. The percentage of overweight adults in other districts did not vary significantly. Health District 3 also had the highest percentage of obese adults (29.9 percent) but this figure did not differ significantly from the state overall.





Males were significantly more likely to be overweight (70.8 percent) than females (51.6 percent) in 2005. Idaho adults aged 18 to 24 were significantly less likely to be overweight (40.8 percent) when compared with other age groups.


Percent of Idaho adults who were overweight, 2005 Age and Sex



Weight

Males (25.9 percent) and females (23.1 percent) did not differ significantly in obesity prevalence. Adults aged 18 to 24 had a significantly lower prevalence (17.5 percent) compared with those over age 45 (27.9 percent) Obesity prevalence increased with age until the age 65 and over category, where the rate dropped significantly (to 20.0 percent).

Percent of Idaho adults who were obese, 2005 Age and Sex




- The percentage of adults who were overweight or obese was consistent across various levels of employment status and education. Further, those with incomes below \$15,000 were equally likely to be overweight or obese as those with incomes above \$50,000.
- Obese adults reported their general health as less than "good" more than twice as often as those who were not overweight or obese (23.8 percent of the obese, compared with 11.6 percent of those who were not overweight or obese).
- Overweight adults reported high blood pressure 2.5 times as often as those who were not overweight (31.0 percent compared with 12.4 percent).
- Those categorized as overweight or obese were significantly more likely than those who were not overweight to have diabetes. Prevalence of diabetes was 15.4 percent among the obese, 9.7 percent among the overweight, and 2.6 percent among those who were not overweight.

Cigarette Smoking


The prevalence of cigarette smoking among Idaho adults remained steady at 17.9 percent in 2005. This was not a significant change since 2004 but is a significant drop from the peak level since 1996 (22.3 percent in 2000).

Percent of Idaho adults who smoked cigarettes 1996-2005



In 2005, there was little difference in cigarette smoking prevalence between health districts. However, the percentage of smokers in Health District 7 was significantly lower than the rest of the state (12.1 percent).


Percent of Idaho adults who smoked cigarettes, 2005 Health District



Cigarette Smoking

In 2005, there was no significant difference between males and females in likelihood of smoking (19.6 percent of males and 16.3 percent of females were smokers). Adults over the age of 65 were significantly less likely to smoke (8.0 percent) than those in younger age categories. There were no other significant differences in smoking rates related to age.

Percent of Idaho adults who smoked cigarettes, 2005 Age and Sex




- As level of education increased, smoking prevalence decreased significantly. Around one-in-three (32.0 percent) of those with less than a high school education smoked cigarettes compared with fewer than one-in-ten (7.3 percent) college graduates.
- Adults with incomes below \$25,000 were significantly more likely to smoke cigarettes. Over one-in-four (27.4 percent) of those with incomes below \$25,000 smoked while about one-in-ten (10.7 percent) of those with incomes above \$50,000 did.
- Unemployed Idahoans were significantly more likely to smoke than the employed (36.2 percent of the unemployed compared with 19.0 percent of the employed).
- Smokers were significantly more likely to have "fair" or "poor" general health compared with non-smokers (21.2 percent compared with 13.6 percent).
- Smokers reported being without health care coverage more than twice as often as non-smokers (35.2 percent compared with 15.3 percent).

Smokeless Tobacco Use

The percentage of Idaho adults using smokeless tobacco products has not changed significantly over the past ten years. In 2005 it dropped slightly to 4.3 percent, but this was not a significant change over 2004 levels.


Percent of Idaho adults who used smokeless tobacco 1996-2005

Breaks in the trendline indicate data are not available for those years



In 2005, no health district differed significantly from the rest of the state in smokeless tobacco use. The prevalence of smokeless tobacco use ranged from a low of 2.8 percent in Health District 7 to a high of 5.9 percent in Health District 1.


Percent of Idaho adults who used smokeless tobacco, 2005 Health District



Smokeless Tobacco Use

Smokeless tobacco users were predominantly male (8.6 percent of males used smokeless tobacco compared with 0.1 percent of females). Adults aged 55 and older were significantly less likely to use smokeless tobacco (2.0 percent) than younger adults.

Percent of Idaho adults who used smokeless tobacco, 2005 Age and Sex




- Unlike cigarette smoking, smokeless tobacco use did not differ widely between socio-economic categories. There were no significant differences in smokeless tobacco use by income, employment, or education in 2005.
- Over one-in-four (27.6 percent) smokeless tobacco users also smoked cigarettes compared with 17.5 percent of non-users. However, this difference was not statistically significant.
- Smokeless tobacco users were significantly less likely than non-users to have visited a dentist in the prior year. Nearly one-half (45.9 percent) of smokeless tobacco users had not had a dental visit compared with one-third (33.0 percent) of non-users.

Alcohol Consumption

In 2005, the percentage of adults who were at risk for binge drinking (consuming five or more alcoholic beverages on one occasion in the last 30 days) remained steady at 13.3 percent. This was not a significant change since 2004.


Percent of Idaho adults who were binge drinkers 1996-2005



Minor changes have been made to the trend line to correct data entry errors from previous editions

Idaho adults living in Health District 4 were significantly more likely than those in the rest of the state to engage in binge drinking (18.1 percent). District 7 had a significantly lower prevalence of binge drinking compared with the rest of the state.


Percent of Idaho adults who were binge drinkers, 2005 Health District



Alcohol Consumption


The slight decline in 2005 in prevalence of heavy drinking (consuming 60 or more alcoholic beverages in the last 30 days) since the ten year trend's peak in 2003 (5.8 percent) was not significant. Since 1996, the percentage of adults who engaged in heavy drinking has not changed significantly.

Percent of Idaho adults who were heavy drinkers 1996-2005



Heavy drinking did not vary significantly by health district. Prevalence of heavy drinking ranged from a high of 5.4 percent (in Health Districts 1 and 2) to a low of 2.4 percent (in Health District 6).


Percent of Idaho adults who were heavy drinkers, 2005 Health District



Alcohol Consumption

Males were significantly more likely to be at risk for binge drinking (20.4 percent) than females (6.2 percent). Binge drinking prevalence varied considerably by age group. Those aged 18 to 34 had a significantly higher prevalence (19.2 percent) of binge drinking compared with older adults. The percentage of those who engaged in binge drinking dropped off significantly after the age of 55 (to 5.6 percent).


Percent of Idaho adults who were binge drinkers, 2005 Age and Sex



The percentage of males who engaged in heavy drinking was 4.0 times higher than the percentage of females (7.2 percent compared with 1.8 percent). Heavy drinking did not differ significantly by age.

Percent of Idaho adults who were heavy drinkers, 2005

Age and Sex



Alcohol Consumption


- In 2004, 14.3 percent of Idahoans under the legal drinking age (18 to 20) reported binge drinking in the last 30 days. Within that same age group, 1.9 percent reported heavy drinking.
- Binge drinking adults reported cigarette smoking twice as often as those who
 were not binge drinkers (31.7 percent of binge drinkers compared with 15.8
 percent of those who were not binge drinkers).
- Those who engaged in heavy drinking were also significantly more likely to report smoking (32.7 percent of heavy drinkers compared with 17.0 percent of those who were not heavy drinkers).
- Adults with less than a high school education were significantly more likely to engage in binge drinking than college graduates (20.7 percent of those with K to11th grade education compared with 10.0 percent of college graduates).

Illicit Drug Use

In 2005, 5.3 percent of Idaho adults had used illicit drugs in the prior 12 months. Drug use includes all drugs not prescribed by a doctor or used to get high or for curiosity. This includes marijuana, cocaine (including crack), heroin or other opiates (such as codeine), and methamphetamines.

Percent of Idaho adults who used illicit drugs in the last 12 months, 2002-2005


Breaks in the trendline indicate data are not available for those years*



^{*}Question wording changes make data prior to 2002 not comparable with 2002 and later.

Illicit drug use was consistent across health districts with no significant differences between them. The percentage of adults who used illicit drugs in the last 12 months ranged from a high of 6.7 percent in Health District 3 and a low of 3.2 percent in Health District 7.


Percent of Idaho adults who used illicit drugs in the last 12 months, 2005 Health District



Illicit Drug Use

Males were not significantly more likely to have used illicit drugs in the last 12 months (7.0 percent) compared with females (3.7 percent). Among age groups, adults aged 18 to 24 were significantly more likely to have reported drug use (15.9 percent) than adults in all other age categories. Prevalence of illicit drug use dropped significantly after the age category of 18 to 24 and continued to decline among older age categories.

Percent of Idaho adults who used illicit drugs in the last 12 months, 2005 Age and Sex




- Adults with incomes below \$25,000 reported illicit drug use 2.5 times as often as those with incomes of \$50,000 or higher (7.5 percent compared with 3.0 percent).
- Illicit drug users reported binge drinking more than three times as often as those who had not used drugs in the previous 12 months (38.2 percent compared with 11.6 percent).
- More than four-in-ten (43.6 percent) adults who reported illicit drug use in the previous 12 months did not have health care coverage compared with 16.9 percent of those who did not report illicit drug use.
- Idaho adults who used illicit drugs within the last 12 months reported smoking cigarettes 2.8 times as often as those who did not use illicit drugs (46.0 percent compared with 16.2 percent).

Seat Belt Use

The percentage of Idaho adults who did not always wear a seat belt when driving or riding in a car fell significantly to 23.8 percent in 2005. This was the lowest level in the past ten years.


Percent of Idaho adults who did not always wear a seat belt, 1997-2005

Breaks in the trendline indicate data are not available for those years




Health Districts 6 and 7 had a significantly higher percentage of adults who did not always wear a seat belt compared with the rest of the state (32.5 percent and 34.0 percent, respectively). District 1 had a significantly lower percentage (17.5 percent).


Percent of Idaho adults who did not always wear a seat belt, 2005 Health District



Seat Belt Use

Males were significantly more likely to not always wear their seat belts when driving or riding in a car (29.1 percent) compared with females (18.5 percent). Those in the youngest age category (18 to 24) were significantly more likely than those over age 65 to go without a seat belt.






- Seat belt usage was fairly consistent across various socio-economic categories with no significant differences by income, employment status, and education level.
- Adults without health care coverage were significantly more likely to report not always using their seat belt compared with those who had coverage (28.9 percent compared with 22.7 percent).
- Among those with a child under the age of 16 in the household, 28.7 percent of adults who did not always buckle up also reported not always using the age appropriate safety restraint (safety seat or seat belt) for their child. Adults who always used their seat belt tended to consistently use safety restraints for their children as well. Just 3.2 percent of seat belt users with children reported that their children did not always use the appropriate restraint.

Cholesterol Screening

The percentage of the adult population who had not received a screening for blood cholesterol levels within the previous five years was 33.6 percent in 2005. The ten year trend of adults not receiving screenings shows no significant differences between years.


Percent of Idaho adults who had not had cholesterol checked within the last five years, 1997-2005

Breaks in the trendline indicate data are not available for those years



Those living in Health District 7 were significantly more likely to have not received a screening for blood cholesterol within the previous five years (38.7 percent) compared with the rest of the state.


Percent of Idaho adults who had not had cholesterol checked within the last five years, 2005 Health District



Cholesterol Screening

Cholesterol screening did not differ significantly by sex. However, it did increase significantly with age. The percentage of those who had not received cholesterol screening in the previous five years ranged from a high of 72.3 percent of adults aged 18 to 24 to a low of 8.2 percent of adults aged 65 and older.

Percent of Idaho adults who had not had cholesterol checked within the last five years, 2005 Age and Sex




- Likelihood of cholesterol screening increased with education level. Almost one-in-four (24.3 percent) college graduates had not been screened compared with 41.1 percent of those with a high school education or less.
- Cholesterol screening also increased with income. Among those with incomes of \$50,000 or higher, around one-in-four (23.9 percent) had not had a cholesterol screening. This compares with 44.9 percent of those with incomes below \$15,000.
- Adults who did not have health care coverage were significantly less likely to have had cholesterol screening compared with those who had coverage (64.2 percent of those without coverage had not been screened compared with 26.5 percent of those with health coverage).

Dental Visits

The percentage of Idaho adults who had not visited a dentist in the prior year remained consistent over the past ten years. In 2005, one-in-three (33.5 percent) adults had not visited the dentist in the prior 12 months.


Percent of Idaho adults who had not visited the dentist in the last 12 months, 1997-2005

Breaks in the trendline indicate data are not available for those years




Adults residing in Health Districts 7 and 4 were significantly less likely than those in the rest of the state to report no dental visits in the prior 12 months (29.6 percent in District 7 and 26.2 percent in District 4).


Percent of Idaho adults who had not visited the dentist in the last 12 months, 2005 Health District



Dental Visits

There were no statistically significant differences by age or sex relating to dental visits in 2005.





- The percentage of adults who had not visited a dentist in the previous year decreased as income level increased. Over one-half (57.3 percent) of those with incomes below \$15,000 had not had a dental visit compared with 20.6 percent of those with incomes above \$50,000.
- Those with less than a high school education reported not having a dental visit in the past year more than twice as often as college graduates (51.6 percent compared with 21.6 percent).
- Those who did not have dental insurance were significantly more likely to report not visiting a dentist in the past year compared with those who did have dental insurance (47.9 percent compared with 20.6 percent).

Understanding the Data Tables

The data tables on the following pages provide both state and health district data for various demographic subcategories. An understanding of the tables is important to interpreting the data correctly.

- A. This title refers to the risk factor.
- B. This title refers to the population surveyed. For most questions, this will be the adult (aged 18 and over) Idaho population. However, for some calculated variables and some risk factors, the population surveyed may be a subset of adults aged 18 and over. For instance, the high cholesterol risk factor table on page 62 will only include those who have been screened for high cholesterol. It is important to understand the population the data represent in order to accurately interpret the data in the tables.
- C. The labels across the top of the table (i.e., state and district) refer to the geographic region of residence of the population in (B). For more information on geographic break-outs, please see page iv of this report for a map of Idaho's seven public health districts.
- D. The labels on the left side of the table refer to the particular group the numbers represent. For example, the row labeled "Female" will contain data for women for the geographic region indicated at the top of the table (C). In the example table provided, the data could be interpreted (see circled data point):
 - "In 2005, 13.0 percent of females in Health District 1 were at risk for this risk factor."
- E. "N" refers to the number of people sampled who responded to the question within the demographic group and geographic region indicated. It does NOT represent the number of people who have the risk factor in the population. An asterisk indicates that fewer than 50 people in the group responded (see Methodology and Reporting section, pages 1-2 for explanation on sampling and suppressing data for sample sizes less than 50). In the example table provided, the data could be interpreted (see boxed data point):

"In 2005, there were 689 people in Health District 1 sampled for this risk factor."

Understanding the Data Tables

- F. The shaded columns contain the prevalence (percent) of the risk factor. This percentage is a weighted percentage and is not calculated using the sample frequencies from the column containing N. Therefore, it is not possible to calculate the prevalence by simply dividing N by the total number of people sampled for the year (see Methodology section, pages 1-2 for explanation on weighting procedures).
- G. The two numbers in the column labeled "95% CI" are the lower and upper limits of the confidence interval. Confidence intervals are a way to measure sampling error and define the range of values where the "true" percentage would be found. This interval can be interpreted to mean that there is a 95 percent certainty that the true prevalence of the risk factor in the population falls within the confidence interval. In the example table provided, the data could be interpreted like this:

"For this risk factor, the prevalence in Idaho was 11.7 percent in 2005. We can say, with 95 percent certainty, the actual population prevalence falls within the range of 10.6 percent to 12.8 percent."

				Α		ī	κ F a											
	С				В	PC	pula	tion		ealth	Distr	ict						
D		∎ St	ate	Е	Health District District 1 District 2 District 3													
	%	95%	<u>∕.</u> CI	N	%	95°	% CI	N	%	95°	% CI	N	%	95%	6 CI	N		
TOTAL	F 11.7	G 10.6	12.8	4,830	10.8	8.3	13.3	689	11.6	8.9	14.3	685	11.5	9.0	14.0	680		
SEX																		
Male	10.6	9.0	12.2	2,070	8.5	5.2	11.8	274	10.5	6.8	14.2	317	14.5	10.2	18.8	294		
Female	12.7	11.2	14.2	2,760	13.0	9.5	16.5	415	12.7	8.6	16.8	368	8.6	5.7	11.5	386		

General Health Status

Idaho adults who reported their general health as "fair" or "poor," 2005

						<u>. 90.</u>			Public	c Hea	lth Di	istrict				
		State	wide	,		Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	14.9	13.7	16.2	5,724	13.4	10.5	16.8	902	16.7	14.0	19.8	791	17.9	14.8	21.5	783
SEX																
Male	14.5	12.7	16.6	2,192	13.6	9.1	19.8	351	14.1	10.4	18.9	313	18.2	13.5	24.1	276
Female	15.3	13.9	16.8	3,532	13.2	10.0	17.0	551	19.4	15.7	23.7	478	17.7	13.9	22.2	507
AGE																
18-24	9.5	5.8	15.2	333	*	*	*	*	4.6	1.4	14.1	53	*	*	*	*
25-34	7.3	5.3	10.0	870	3.8	1.5	9.4	99	8.4	4.4	15.5	105	6.3	2.1	17.8	133
35-44	10.1	8.1	12.5	991	5.8	2.4	13.4	132	11.9	6.9	19.8	136	15.1	9.5	23.3	130
45-54	17.6	15.0	20.5	1,165	14.5	10.0	20.6	211	20.3	14.3	28.1	165	20.0	13.6	28.5	145
55-64	21.9	18.8	25.3	1,005	18.7	13.1	26.0	184	22.2	15.7	30.4	148	29.4	21.5	38.7	149
65+	25.5	22.9	28.3	1,323	22.4	17.1	28.7	242	31.5	24.0	40.2	176	23.8	17.5	31.6	183
18-34	8.3	6.1	11.1	1,203	8.4	2.8	22.6	129	6.5	3.6	11.5	158	11.2	6.1	19.7	171
35-54	13.8	12.1	15.7	<i>'</i>	10.5	7.4	14.8	343	16.4	12.2	21.7	301	17.4	13.0	23.1	275
55+	23.9	21.8	26.0	<i>'</i>	20.7	16.7	25.3	426	27.5	22.2	33.6	324	26.2	21.1	32.1	332
SEX and AGE																
Male																
18-34	7.5	4.4	12.5	442	*	*	*	*	5.4	1.9	14.3	72	10.9	4.2	25.2	61
35-54	13.6	11.1	16.6	871	10.8	6.4	17.5	143	15.3	9.5	23.7	123	18.4	11.6	28.0	107
55+	24.6	21.4	28.2	868	20.1	14.3	27.5	167	23.0	15.5	32.6	117	27.4	19.3	37.4	107
Female																
18-34	9.1	6.7	12.4	761	6.8	2.1	20.3	89	7.8	4.0	14.9	86	11.5	5.2	23.6	110
35-54	14.0	11.9	16.5	1,285	10.2	6.2	16.4	200	17.5	12.1	24.8	178	16.4	11.4	23.1	168
55+	23.2	20.7	25.8	1,460	21.2	16.1	27.4	259	31.7	24.7	39.6	207	25.2	19.2	32.4	225
INCOME																
Less than \$15,000	30.0	25.2	35.2	632	29.2	19.7	40.8	90	22.0	14.0	33.0	105	38.1	26.2	51.7	98
\$15,000 - \$24,999	25.5	21.8	29.7	1,057	23.9	14.6	36.6	180	24.2	17.6	32.3	166	24.0	16.9	32.9	143
\$25,000 - \$34,999	15.4	12.4	18.9	796	17.4	10.9	26.6	130	15.9	9.7	24.9	103	15.2	9.1	24.2	122
\$35,000 - \$49,999	10.8	8.5	13.6	985	5.7	2.0	15.4	162	13.0	7.9	20.6	128	14.6	8.6	23.8	149
\$50,000+	6.8	5.4	8.4	1,653	6.0	3.5	9.9	257	11.3	7.0	17.8	208	8.9	5.3	14.6	186
EMPLOYMENT																
Employed	9.8	8.4	11.4	3,251	8.6	5.1	14.2	486	8.8	6.2	12.5	437	13.3	9.7	17.9	444
Unemployed	18.5	12.1	27.2	194	*	*	*	*	*	*	*	*	*	*	*	*
Other**	23.9	21.8	26.2	2,261	22.9	18.5	28.1	385	29.8	24.4	35.9	316	26.8	21.4	33.0	306
EDUCATION																
K-11th Grade	31.7	25.6	38.5	505	22.7	13.6	35.4	77	25.8	16.5	38.1	82	33.8	22.5	47.2	89
12th Grade or GED	17.5	15.4	19.9	<i>'</i>	15.7	9.7	24.3	274	17.6	12.9	23.5	241	18.7	14.0	24.5	289
Some College	13.4	11.6	15.5		14.2	10.1	19.4	330	17.2	12.6	23.2	239	16.3	11.2	23.2	241
College Graduate+	7.8	6.3	9.6	1,555	5.3	3.0	9.2	220	10.1	6.2	15.9	227	7.6	4.2	13.2	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

General Health Status

Idaho adults who reported their general health as "fair" or "poor," 2005

idano ac			•						lth Di			•	, ,			
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	13.5	10.8	16.7	784	16.7	14.0	19.8	922	15.7	13.0	18.9	757	12.6	10.3	15.4	785
SEX																
Male	12.2	8.3	17.7	301	16.7	12.4	21.9	362	16.6	12.4	21.9	283	12.8	9.2	17.4	306
Female	14.8	11.5	18.7	483	16.7	13.6	20.3	560	14.9	11.7	18.8	474	12.5	9.7	15.8	479
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	1.2	0.3	4.9	80
25-34	7.2	3.8	13.3	142	13.8	6.6	26.9	120	9.3	4.7	17.4	131	3.6	1.7	7.4	140
35-44	5.9	3.0	11.2	157	9.7	5.9	15.6	173	18.1	11.5	27.2	124	12.5	7.3	20.5	139
45-54	20.1	13.8	28.2	167	17.8	12.3	25.1	187	13.2	8.6	19.8	157	15.0	9.2	23.3	133
55-64	23.2	15.5	33.1	123	20.0	13.8	28.0	158	14.4	8.8	22.7	122	22.8	15.3	32.6	121
65+	18.0	12.4	25.4	144	30.2	24.3	36.8	234	33.9	26.9	41.8	176	28.8	21.5	37.3	168
18-34	9.4	4.9	17.3	184	10.3	5.5	18.5	168	8.1	4.4	14.6	173	2.3	1.2	4.5	220
35-54	12.5	9.0	17.1	324	13.9	10.3	18.5	360	15.6	11.4	20.9	281	13.7	9.6	19.2	272
55+	20.5	15.6	26.6	267	25.7	21.3	30.7	392	25.2	20.3	30.8	298	26.0	20.6	32.3	289
SEX and AGE																
Male																
18-34	6.2	1.3	24.6	69	10.1	3.4	26.5	65	10.7	4.7	22.5	56	0.6	0.1	4.3	79
35-54	12.0	7.0	19.7	126	14.0	8.9	21.2	156	14.3	8.5	23.1	107	13.0	7.2	22.5	109
55+	21.7	14.0	32.2	101	26.9	20.0	35.2	141	27.2	19.6	36.3	119	30.1	21.2	40.7	116
Female																
18-34	12.9	7.3	22.0	115	10.5	5.7	18.6	103	5.6	2.2	13.5	117	3.9	1.9	7.8	141
35-54	13.0	8.6	19.1	198	13.8	9.2	20.1	204	16.8	11.4	23.9	174	14.4	9.4	21.4	163
55+	19.5	13.8	26.9	166	24.7	19.4	30.8	251	23.4	17.5	30.6	179	22.3	16.5	29.4	173
INCOME																
Less than \$15,000	31.5	18.8	47.7	65	32.9	22.6	45.2	102	33.3	21.3	48.0	79	20.1	12.8	30.2	93
\$15,000 - \$24,999	31.9	20.4	46.1	105	27.1	20.7	34.7	192	24.9	17.3	34.4	138	19.1	12.8	27.6	133
\$25,000 - \$34,999	13.8	8.0	22.7	99	21.2	11.7	35.2	121	15.2	9.5	23.6	106	10.8	5.9	18.8	115
\$35,000 - \$49,999	9.6	5.0	17.5	122	8.5	4.7	14.9	150	12.9	7.8	20.5	139	12.7	7.5	20.9	135
\$50,000+	6.3	3.8	10.2	307	3.8	2.0	6.9	256	7.2	4.4	11.6	218	7.0	3.9	12.2	221
EMPLOYMENT																
Employed	9.2	6.3	13.2	486	11.1	8.0	15.3	540	8.9	6.2	12.6	423	8.0	5.5	11.4	435
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	21.5	16.4	27.7	275	26.5	21.7	32.0	355	26.4	21.1	32.6	307	18.2	14.0	23.4	317
EDUCATION																
K-11th Grade	*	*	*	*	35.8	25.5	47.6	120	33.4	19.7	50.6	52	*	*	*	*
12th Grade or GED	15.5	10.9	21.6	207	17.5	13.4	22.6	303	23.8	18.3	30.4	254	16.2	11.6	22.2	242
Some College	13.5	9.2	19.5	236	12.9	8.9	18.2	271	10.1	6.6	15.1	252	11.2	7.8	15.7	276
College Graduate+	8.2	5.4	12.3	304	7.0	4.3	11.3	224	8.4	5.1	13.5	199	8.3	5.1	13.4	218

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Health Care Coverage

Idaho adults without health care coverage, 2005

				its w								istrict				
					Distr	ict 1			Distr	ict 2			Distr	ict 3		
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	18.9	17.3	20.6	5,716	21.2	17.1	25.8	902	22.5	18.6	26.9	785	25.7	21.5	30.4	785
SEX																ı
Male	20.1	17.4	22.9	2,190	23.5	16.9	31.8	352	24.1	17.9	31.6	309	25.5	19.3	32.8	276
Female	17.7	16.1	19.5	3,526	18.9	14.8	23.7	550	20.9	16.6	25.9	476	25.9	20.5	32.1	509
AGE																1
18-24	37.6	30.5	45.2	331	*	*	*	*	42.7	27.8	59.1	51	*	*	*	*
25-34	27.8	24.2	31.6	869	27.0	17.7	38.9	99	36.0	25.9	47.6	105	34.5	25.4	44.9	133
35-44	19.5	16.8	22.5	989	26.5	19.0	35.5	132	24.7	17.1	34.2	135	25.6	18.3	34.4	130
45-54	14.5	12.3	16.9	1,163	17.8	12.6	24.6	210	18.1	12.6	25.5	164	18.6	12.6	26.7	144
55-64	12.8	10.5	15.5	1,005	14.7	9.9	21.4	184	17.0	10.6	26.1	148	19.4	12.9	28.2	150
65+	1.4	0.9	2.3	1,321	0.5	0.1	1.8	243	0.4	0.1	2.5	174	0.8	0.2	3.3	183
18-34	32.2	28.3	36.3	1,200	37.8	26.5	50.5	129	39.3	30.1	49.3	156	43.5	34.3	53.3	173
35-54	17.0	15.3	18.9	-	21.8	17.2	27.2	342	21.2	16.4	27.0	299	22.3	17.3	28.2	274
55+	6.6	5.5	8.0	, -	7.1	4.7	10.4	427	7.6	4.7	12.0	322	9.0	5.9	13.3	333
SEX and AGE																1
Male																1
18-34	36.1	29.9	42.8	441	*	*	*	*	41.8	28.2	56.7	71	45.4	31.8	59.6	62
35-54	15.9	13.3	18.7	868	20.8	14.4	29.1	143	21.4	14.3	30.9	121	19.7	12.9	28.8	106
55+	6.5	4.8	8.7	869	7.2	4.1	12.1	168	7.4	3.1	16.6	116	7.6	3.4	16.0	107
Female																
18-34	28.0	24.1	32.3	759	28.4	18.0	41.7	89	36.4	25.5	48.9	85	41.6	29.5	54.9	111
35-54	18.2	15.8	20.8		22.7	16.6	30.3	199	21.0	15.1	28.3	178	25.0	18.4	33.0	168
55+	6.8	5.4	8.5	1,457	7.0	3.9	12.2	259	7.7	4.6	12.6	206	10.1	6.4	15.6	226
INCOME																1
Less than \$15,000	39.2	33.1	45.7	631	34.4	21.6	49.9	90	46.0	30.8	62.0	103	51.8	39.2	64.2	99
\$15,000 - \$24,999	32.3	28.1	36.8	1,057	38.4	26.6	51.8	181	36.5	28.2	45.7	165	35.1	25.9	45.5	143
\$25,000 - \$34,999	26.6	21.2	32.8	795	25.0	17.2	35.0	129	22.3	14.3	33.2	102	26.2	15.4	40.9	123
\$35,000 - \$49,999	12.5	9.9	15.6	984	16.7	10.6	25.4	162	11.6	6.6	19.7	128	21.1	12.7	32.8	149
\$50,000+	4.0	3.0	5.2	1,651	6.3	3.5	11.0	257	1.8	8.0	4.3	207	6.8	3.8	11.8	186
EMPLOYMENT																
Employed	20.1	18.0	22.4	3,247	22.0	16.8	28.3	485	25.0	19.5	31.4	435	26.3	21.3	32.0	445
Unemployed	48.4	38.3	58.6	193	*	*	*	*	*	*	*	*	*	*	*	*
Other**	13.0	11.2	15.0	2,258	14.0	10.1	19.0	386	16.1	11.5	22.2	313	17.0	11.5	24.5	307
EDUCATION																ı
K-11th Grade	48.9	41.8	56.0	505	40.1	26.2	55.7	77	50.6	35.4	65.7	80	43.0	30.6	56.4	90
12th Grade or GED	24.3	21.3	27.5		27.1	18.7	37.4	275	32.2	25.4	39.9	240	29.4	22.5	37.5	288
Some College	14.2	12.3	16.4	1,845	18.9	13.6	25.7	329	13.4	9.1	19.2	238	18.4	12.2	26.8	243
College Graduate+	7.6	5.8	9.7	1,552	8.7	4.9	14.8	220	6.6	3.8	11.3	225	16.4	9.0	27.9	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Health Care Coverage

Idaho adults without health care coverage, 2005

						ıt iie			lth Di		•					
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	12.9	9.4	17.4	783	24.7	21.1	28.6	923	15.1	11.9	18.9	755	16.3	13.4	19.6	783
SEX																
Male	14.7	8.9	23.4	301	26.1	20.4	32.7	363	15.4	10.6	21.8	283	16.7	12.5	22.1	306
Female	11.1	8.4	14.5	482	23.3	19.3	27.9	560	14.7	10.9	19.6	472	15.8	12.3	20.1	477
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	23.4	15.1	34.4	80
25-34	15.7	10.0	23.9	142	51.1	40.7	61.4	120	23.1	15.5	33.0	131	28.3	20.5	37.7	139
35-44	10.3	6.1	16.8	156	25.4	19.1	32.9	172	19.3	12.6	28.5	125	19.6	13.5	27.7	139
45-54	10.1	6.4	15.6	167	19.5	13.6	27.2	189	12.7	7.9	19.7	156	9.2	5.2	15.7	133
55-64	9.7	5.3	17.0	123	14.7	9.4	22.3	158	4.4	1.9	9.9	121	11.0	6.5	18.0	121
65+	2.5	0.9	6.7	146	3.1	1.5	6.4	233	0.8	0.2	3.3	175	1.0	0.3	4.1	167
18-34	22.2	13.6	34.1	182	44.6	35.4	54.1	168	25.0	17.6	34.2	173	25.6	19.6	32.8	219
35-54	10.2	7.2	14.3	323	22.4	17.9	27.5	361	15.9	11.6	21.4	281	14.3	10.5	19.3	272
55+	6.0	3.6	10.0	269	8.2	5.5	11.9	391	2.4	1.2	5.0	296	5.7	3.5	9.2	288
SEX and AGE																
Male																
18-34	28.7	14.6	48.7	68	43.8	29.7	59.0	65	26.7	15.6	41.8	56	28.7	19.4	40.2	79
35-54	9.0	5.1	15.7	126	23.6	17.2	31.4	156	15.1	9.0	24.3	107	11.6	6.6	19.4	109
55+	5.5	2.3	12.3	102	9.8	5.4	17.1	141	1.7	0.5	5.3	119	6.3	2.9	13.1	116
Female																
18-34	15.1	9.5	23.1	114	45.4	35.0	56.2	103	23.4	14.8	34.9	117	22.6	15.4	31.9	140
35-54	11.4	7.5	17.0	197	21.1	15.3	28.5	205	16.7	11.4	23.8	174	17.1	11.7	24.2	163
55+	6.5	3.4	12.2	167	6.7	4.1	10.8	250	3.1	1.2	7.5	177	5.2	2.8	9.4	172
INCOME																
Less than \$15,000	37.7	20.9	58.2	66	34.8	23.0	48.8	102	41.9	27.0	58.4	78	28.0	18.1	40.6	93
\$15,000 - \$24,999	25.0	13.9	40.8	106	34.4	26.9	42.8	192	27.2	18.5	37.9	137	31.3	22.4	42.0	133
\$25,000 - \$34,999	30.1	16.1	49.2	99	31.8	20.3	46.1	121	22.1	13.6	33.8	106	22.4	14.7	32.6	115
\$35,000 - \$49,999	5.6	2.6	11.6	121	17.1	11.1	25.4	150	7.2	3.1	15.6	139	9.8	5.4	17.2	135
\$50,000+	2.3	1.0	5.3	307	6.9	4.2	11.0	256	2.6	1.1	6.2	217	3.3	1.6	6.9	221
EMPLOYMENT																
Employed	13.6	8.9	20.2	484	28.6	23.8	33.8	542	15.6	11.6	20.7	422	17.5	13.9	21.9	434
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	9.4	6.3	13.9	276	15.2	10.8	21.0	354	11.2	6.8	18.1	306	11.9	8.0	17.2	316
EDUCATION																
K-11th Grade	*	*	*	*	55.7	44.7	66.1	121	35.3	20.0	54.4	52	*	*	*	*
12th Grade or GED	18.2	11.6	27.4	205	26.7	20.5	33.9	302	16.8	11.0	24.8	254	23.9	17.8	31.3	241
Some College	8.4	5.5	12.6	236	18.4	13.7	24.2	272	12.4	7.8	19.0	251	13.8	9.9	19.0	276
College Graduate+	4.9	2.5	9.4	304	7.4	4.2	12.8	224	11.1	7.1	17.1	198	4.4	2.1	8.8	218

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Dental Insurance

Idaho adults who did not have dental insurance, 2005

									Publi	с Неа	lth Di	strict				
	Statewide % 95% CI N 45.7 43.9 47.5 5,390					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	45.7	43.9	47.5	5,390	51.9	47.5	56.3	857	54.6	50.2	58.9	744	48.4	43.9	52.9	735
SEX																
Male	45.7	42.7	48.7	2,053	53.4	46.2	60.5	330	53.2	46.4	59.9	291	49.0	41.9	56.1	260
Female	45.8	43.7	47.9	3,337	50.4	45.2	55.6	527	56.0	50.4	61.3	453	47.8	42.2	53.5	475
AGE																
18-24	50.8	43.2	58.3	304	*	*	*	*	*	*	*	*	*	*	*	*
25-34	41.7	37.7	45.8	811	34.0	24.0	45.7	95	54.9	43.8	65.5	100	48.8	38.5	59.2	118
35-44	34.4	30.8	38.1	923	47.2	37.5	57.1	120	36.1	27.7	45.5	130	37.0	28.4	46.6	124
45-54	35.8	32.5	39.2	1,113	39.2	32.1	46.7	206	38.4	30.4	47.1	156	37.6	28.9	47.2	135
55-64	43.3	39.7	47.1	961	48.2	40.3	56.2	174	48.0	38.8	57.4	141	48.2	39.2	57.4	146
65+	73.1	70.0	76.0	1,249	82.5	76.4	87.3	229	83.6	76.3	88.9	165	64.5	56.2	72.0	173
18-34	45.8	41.7	50.0	1,115	46.5	34.9	58.4	125	58.2	48.6	67.3	146	53.1	43.3	62.7	153
35-54	35.1	32.6	37.6	2,036	42.8	36.8	48.9	326	37.3	31.4	43.7	286	37.3	31.0	44.1	259
55+	59.3	56.8	61.8		66.7	61.4	71.6	403	68.2	62.0	73.8	306	57.0	50.9	63.0	319
SEX and AGE																
Male																
18-34	48.2	41.6	54.9	411	*	*	*	*	60.7	46.5	73.2	66	56.6	41.9	70.2	56
35-54	35.7	31.9	39.7	815	45.4	36.4	54.7	135	37.1	28.1	47.1	113	37.9	28.4	48.4	102
55+	56.5	52.5	60.4	819	65.0	56.5	72.7	154	62.3	52.1	71.6	111	54.8	44.4	64.7	101
Female																
18-34	43.2	38.6	47.9	704	41.2	28.8	54.8	85	55.5	42.7	67.6	80	49.2	36.4	62.2	97
35-54	34.5	31.5	37.6	· ·	40.3	32.8	48.4	191	37.5	30.2	45.5	173	36.7	28.9	45.2	157
55+	61.8	58.7	64.8	1,391	68.1	61.5	74.1	249	73.6	66.6	79.5	195	58.8	51.6	65.8	218
INCOME																
Less than \$15,000	76.2	69.9	81.5	588	71.6	58.6	81.8	86	80.8	69.0	88.9	96	76.8	65.6	85.2	93
\$15,000 - \$24,999	67.9	63.8	71.8	986	76.8	67.3	84.1	169	74.1	65.4	81.3	156	67.6	57.0	76.6	132
\$25,000 - \$34,999	53.3	48.0	58.4	760	60.1	50.1	69.3	124	57.4	46.2	67.8	100	48.8	36.8	60.9	118
\$35,000 - \$49,999	35.3	31.5	39.2	939	41.0	32.4	50.3	157	42.7	33.4	52.4	123	42.5	32.4	53.2	135
\$50,000+	25.2	22.7	27.8	1,587	33.4	26.9	40.5	247	26.2	19.4	34.3	199	23.4	17.4	30.8	179
EMPLOYMENT																
Employed	36.8	34.4	39.3	· ·	41.7	35.8	47.9	462	43.8	37.8	50.0	414	38.8	33.2	44.8	414
Unemployed	61.1	50.9	70.4	179	*	*	*	*	*	*	*	*	*	*	*	*
Other**	61.1	58.2	63.8	2,126	68.6	62.8	73.9	365	70.5	63.8	76.3	298	63.1	56.6	69.2	292
EDUCATION																
K-11th Grade	73.0	66.7	78.4	457	68.5	52.1	81.3	72	75.7	61.7	85.8	75	70.3	55.9	81.5	80
12th Grade or GED	49.5	46.0	52.9	′	53.4	44.5	62.0	262	57.9	50.1	65.3	222	53.8	46.2	61.3	267
Some College	44.7	41.8	47.7	· ·	54.0	47.3	60.7	311	54.4	46.6	61.9	225	42.3	34.9	50.1	228
College Graduate+	33.8	30.9	36.8	1,495	40.2	32.9	47.9	211	40.6	33.4	48.3	220	32.1	23.2	42.6	159

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Dental Insurance

Idaho adults who did not have dental insurance, 2005

							Publi	с Неа	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	34.0	29.6	38.6	735	57.3	53.2	61.2	867	44.1	39.8	48.6	723	46.0	41.6	50.4	729
SEX																
Male	35.8	28.6	43.6	278	57.3	50.8	63.6	338	40.2	33.4	47.4	269	43.9	37.4	50.7	287
Female	32.1	27.6	37.0	457	57.2	52.4	62.0	529	47.9	42.6	53.2	454	47.9	42.3	53.7	442
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	47.6	34.8	60.7	73
25-34	25.1	17.8	34.1	128	61.2	51.3	70.2	113	46.4	36.9	56.2	129	50.3	40.1	60.6	128
35-44	26.8	19.8	35.2	147	41.4	33.3	49.9	156	31.8	23.5	41.6	118	31.0	23.1	40.1	128
45-54	26.6	19.6	35.1	162	51.7	43.6	59.6	178	35.7	27.9	44.4	150	32.9	24.4	42.7	126
55-64	37.6	28.6	47.4	115	52.4	43.8	61.0	153	29.9	21.8	39.4	118	41.7	32.4	51.7	114
65+	60.1	51.0	68.6	138	78.2	71.6	83.6	220	77.5	69.8	83.7	168	78.0	70.0	84.3	156
18-34	31.5	21.8	43.1	166	59.1	49.5	68.1	158	44.2	34.9	53.9	166	48.9	40.3	57.4	201
35-54	26.7	21.6	32.6	309	46.8	41.0	52.6	334	33.8	28.0	40.3	268	32.0	26.0	38.6	254
55+	49.0	42.3	55.7	253	66.8	61.4	71.9	373	56.1	49.8	62.3	286	60.8	54.0	67.2	270
SEX and AGE																
Male																
18-34	37.7	22.2	56.3	61	58.7	43.4	72.4	62	37.6	24.3	53.1	53	50.3	37.5	63.0	73
35-54	29.5	21.5	39.0	119	47.2	38.6	56.0	142	32.4	23.6	42.6	101	27.5	19.3	37.7	103
55+	43.8	33.6	54.6	95	67.6	58.5	75.5	134	53.2	43.5	62.7	115	58.2	47.5	68.1	109
Female																
18-34	24.4	16.2	35.0	105	59.6	48.2	70.1	96	51.0	40.1	61.8	113	47.5	36.5	58.8	128
35-54	23.8	18.0	30.7	190	46.4	38.8	54.2	192	35.2	27.9	43.3	167	36.5	28.5	45.2	151
55+	53.4	44.9	61.7	158	66.2	59.4	72.3	239	58.6	50.4	66.4	171	63.2	54.5	71.1	161
INCOME																
Less than \$15,000	73.3	50.2	88.2	61	79.4	63.9	89.3	93	85.2	74.9	91.7	73	71.0	55.6	82.7	86
\$15,000 - \$24,999	58.7	45.9	70.4	97	72.2	62.7	80.0	178	65.8	55.4	74.8	130	62.5	50.5	73.1	124
\$25,000 - \$34,999	47.6	32.8	62.7	95			69.2	116	56.9		67.3	102	54.6		64.8	105
\$35,000 - \$49,999	18.9	12.7	27.3	114		34.4	52.6	146	33.6	25.1	43.2	133	42.2	33.1	51.9	131
\$50,000+	19.8	15.3	25.2	293	39.1	32.6	46.0	245	21.3	15.9	27.8	214	24.3	18.5	31.3	210
EMPLOYMENT																
Employed	25.8	20.4	32.2	456	52.2	46.9	57.4	509	35.0	29.5	40.9	404	37.6	32.3	43.1	411
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	52.3	44.9	59.7	257	67.0	60.3	73.1	332	57.5	50.1	64.6	294	57.7	49.7	65.4	288
EDUCATION																
K-11th Grade	*	*	*	*	79.5	68.5	87.3	108	*	*	*	*	*	*	*	*
12th Grade or GED	37.7	29.0	47.2	188	58.1	50.5	65.4	279	46.1	38.5	53.9	243	49.0	41.2	56.8	219
Some College	32.7	26.2	39.9	221	55.2	48.0	62.2	263	44.2	36.4	52.4	240	44.7	37.2	52.4	263
College Graduate+	25.3	20.2	31.1	294	45.0	37.6	52.5	215	40.3	32.8	48.2	192	38.2	31.2	45.6	204

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Diabetes
Idaho adults who had ever been told they had diabetes, 2005

									Publi	с Неа	lth Di	istrict				
	Statewide % 95% CI N 6.8 6.1 7.6 5,726				Distr	ict 1			Distr	ict 2			Distr	ict 3		
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	6.8	6.1	7.6	5,726	6.3	4.9	8.0	901	6.9	5.1	9.1	791	8.4	6.5	10.8	785
SEX																
Male	6.7	5.7	7.9	2,194	6.1	4.1	8.9	351	7.4	4.9	11.2	313	7.0	4.4	11.1	276
Female	6.9	6.1	8.0	3,532	6.5	4.7	8.8	550	6.3	4.2	9.2	478	9.7	7.2	12.9	509
AGE																
18-24	0.4	0.1	1.6	335	*	*	*	*	0.0	0.0	0.0	53	*	*	*	*
25-34	2.0	1.1	3.5	869	0.7	0.1	5.1	99	1.6	0.2	10.3	105	0.0	0.0	0.0	133
35-44	3.1	2.1	4.5	990	2.2	0.7	7.0	132	3.2	1.3	7.8	136	6.3	3.0	13.0	130
45-54	7.6	5.9	9.6	1,165	5.0	2.8	8.8	210	8.7	4.8	15.3	165	11.4	6.6	18.9	144
55-64	13.1	10.8	15.8	1,006	12.6	8.2	18.9	184	11.2	6.5	18.6	148	18.4	12.4	26.4	150
65+	16.7	14.4	19.4	1,323	15.1	10.8	20.8	242	15.3	9.8	23.3	176	17.6	11.4	26.2	183
18-34	1.3	0.7	2.1	1,204	0.4	0.1	2.8	129	0.8	0.1	5.5	158	0.0	0.0	0.0	173
35-54	5.3	4.3	6.5		3.7	2.2	6.2	342	6.1	3.7	10.0	301	8.7	5.6	13.3	274
55+	15.1	13.4	16.9		13.9	10.7	18.0	426	13.6	9.6	18.8	324	17.9	13.4	23.7	333
SEX and AGE																
Male																
18-34	0.4	0.1	1.3	443	*	*	*	*	1.5	0.2	9.8	72	0.0	0.0	0.0	62
35-54	5.3	3.9	7.3	869	4.0	1.9	8.4	142	7.6	3.8	14.6	123	6.2	2.6	13.9	106
55+	16.4	13.7	19.5	870	13.6	8.9	20.3	168	14.0	8.2	22.9	117	17.5	10.3	28.0	107
Female																
18-34	2.2	1.2	3.9	761	0.8	0.1	5.7	89	0.0	0.0	0.0	86	0.0	0.0	0.0	111
35-54	5.3	4.1	6.9	1,286	3.4	1.6	7.1	200	4.5	2.2	9.0	178	11.3	6.9	18.0	168
55+	13.9	11.9	16.1	1,459	14.2	10.2	19.5	258	13.2	8.3	20.2	207	18.3	13.1	25.0	226
INCOME																
Less than \$15,000	11.4	8.8	14.6	631	12.7	6.8	22.5	89	7.8	4.0	14.9	105	15.6	9.1	25.4	99
\$15,000 - \$24,999	9.9	8.0	12.2	1,056	7.8	4.6	12.8	180	7.8	4.2	13.8	166	12.7	8.0	19.7	143
\$25,000 - \$34,999	5.6	4.1	7.6	797	7.7	4.3	13.4	130	7.3	3.2	16.0	103	3.0	1.2	7.5	123
\$35,000 - \$49,999	5.7	4.2	7.6	986	4.1	1.9	8.5	162	6.4	3.1	12.9	128	5.1	2.3	10.9	149
\$50,000+	4.7	3.7	5.9	1,651	4.1	2.3	7.3	257	6.4	3.4	11.8	208	8.9	5.4	14.1	185
EMPLOYMENT																
Employed	4.0	3.4	4.8	-, -	2.9	1.8	4.6	485	4.8	3.0	7.6	437	6.2	4.2	9.1	444
Unemployed	8.3	5.0	13.5	193	*	*	*	*	*	*	*	*	*	*	*	*
Other**	11.8	10.3	13.4	2,263	13.1	9.9	17.2	385	10.2	6.9	14.8	316	13.7	9.7	19.0	308
EDUCATION																
K-11th Grade	10.8	8.0	14.4	508	8.7	4.1	17.7	77	14.2	7.6	25.0	82	18.0	10.6	28.9	90
12th Grade or GED	6.5	5.4	7.8	· ·	5.2	3.2	8.3	274	6.2	3.7	10.1	241	5.2	3.2	8.4	289
Some College	7.0	5.7	8.5			4.8	10.2	329	5.4	2.9	9.6	239	8.7	5.4	13.6	242
College Graduate+	5.7	4.6	7.1	1,554	5.7	3.3	9.8	220	5.7	2.9	10.6	227	7.0	4.0	11.9	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Diabetes
Idaho adults who had ever been told they had diabetes, 2005

						ı	Publi	с Неа	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	6.0	4.5	7.9	786	7.3	5.8	9.3	924	7.1	5.4	9.1	757	6.7	5.1	8.7	782
SEX																
Male	5.9	3.8	8.9	302	7.4	5.3	10.4	363	8.6	5.8	12.4	283	6.4	4.2	9.6	306
Female	6.2	4.3	8.9	484	7.3	5.1	10.1	561	5.6	4.0	7.8	474	7.0	5.0	9.8	476
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	1.1	0.2	7.3	80
25-34	4.1	1.8	9.0	142	1.7	0.3	8.4	120	2.8	1.1	6.8	130	0.5	0.1	3.1	140
35-44	0.9	0.2	4.0	157	3.2	1.1	9.1	172	3.6	1.3	10.2	125	5.2	2.5	10.8	138
45-54	7.6	4.2	13.6	167	5.0	2.6	9.5	189	7.8	4.0	14.4	157	8.2	4.2	15.4	133
55-64	11.2	6.3	19.0	123	14.2	9.1	21.5	158	13.4	8.1	21.2	122	11.2	6.4	19.0	121
65+	16.2	10.6	24.0	146	17.9	13.3	23.7	234	16.9	11.8	23.7	176	18.6	13.0	25.8	166
18-34	2.5	1.1	5.5	184	1.8	0.5	6.1	168	1.4	0.6	3.6	172	0.8	0.2	3.7	220
35-54	4.1	2.3	7.0	324	4.2	2.3	7.3	361	5.8	3.3	9.9	282	6.7	4.1	10.9	271
55+	13.7	9.8	19.0	269	16.3	12.7	20.6	392	15.3		20.2	298	15.1	11.2	20.1	287
SEX and AGE																
Male																
18-34	0.5	0.1	3.6	69	0.0	0.0	0.0	65	0.0	0.0	0.0	56	1.2	0.2	8.2	79
35-54	4.8	2.1	10.2	126	3.1	1.3	7.3	156	8.9	4.5	16.9	107	5.0	2.1	11.7	109
55+	15.4	9.3	24.5	102	20.7	14.6	28.4	141	19.0	12.6	27.7	119	15.5	9.8	23.6	116
Female																
18-34	4.6	1.9	10.8	115	3.7	1.0	12.2	103	2.9	1.2	7.2	116	0.4	0.1	2.8	141
35-54	3.3	1.6	6.9	198	5.3	2.5	10.7	205	2.7	1.2	6.0	175	8.4	4.6	14.9	162
55+	12.3	7.7	18.9	167	12.4	8.7	17.5	251	12.1	8.1	17.6	179	14.8	9.9	21.5	171
INCOME																
Less than \$15,000	12.5	6.0	24.2	66	13.9	8.4	22.3	101	7.6	4.0	14.1	79	7.4	3.6	14.7	92
\$15,000 - \$24,999	12.3	6.9	20.9	106	8.2	4.9	13.3	192	10.0	6.0	16.3	137	9.1	5.2	15.4	132
\$25,000 - \$34,999	6.6	3.1	13.6	99	6.6	3.1	13.7	121	4.1		9.2	106	4.3		9.6	115
\$35,000 - \$49,999	4.3	1.6	10.6	122	8.6	4.7	15.0	151	5.3	2.6	10.7	139	8.9	5.0	15.3	135
\$50,000+	3.3	1.8	5.8	307	3.6	1.9	6.7	256	5.8	3.4	9.8	218	4.5	2.4	8.3	220
EMPLOYMENT																
Employed	3.2	2.0	5.1	486	3.6	2.3	5.7	543	4.1	2.5	6.7	423	4.5	2.8	7.0	434
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	10.9	7.5	15.7	277	14.1	10.6	18.6	355	11.6	8.4	15.7	307	9.1	6.4	12.8	315
EDUCATION																
K-11th Grade	*	*	*	*	10.0	5.6	17.4	121	7.5	3.2	16.7	52	*	*	*	*
12th Grade or GED	6.2	3.7	10.1	207	8.8	5.9	12.7	302	10.3	7.0	15.0	255	5.0	3.0	8.0	242
Some College	8.0	4.9	12.8	237	4.9	3.0	8.0	273	4.6	2.6	8.0	251	8.0	5.3	11.8	274
College Graduate+	4.6	2.8	7.5	304	6.4	3.8	10.7	224	6.2	3.6	10.4	199	7.3	4.4	12.0	217

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Asthma
Idaho adults who were diagnosed and still had asthma, 2005

									Publi	с Неа	lth Di	istrict				
	Statewide % 95% CI N 7.3 6.5 8.2 5,697					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	7.3	6.5	8.2	5,697	7.4	5.6	9.8	894	7.4	5.4	10.0	785	8.1	6.2	10.5	780
SEX																
Male	5.2	4.2	6.4	2,185	5.7	3.4	9.3	349	3.8	2.1	6.9	312	4.7	2.6	8.2	274
Female	9.3	8.2	10.6	3,512	9.1	6.5	12.6	545	11.1	7.8	15.5	473	11.3	8.4	15.1	506
AGE																
18-24	7.2	4.7	10.9	331	*	*	*	*	10.3	3.8	24.8	52	*	*	*	*
25-34	7.9	5.9	10.4	867	6.3	2.9	13.2	98	4.9	1.9	12.1	104	8.9	4.9	15.8	133
35-44	7.5	5.8	9.7	986	9.6	4.8	18.3	131	4.8	2.4	9.7	136	7.0	3.7	12.9	129
45-54	7.4	6.0	9.2	1,160	9.6	6.0	15.0	208	8.5	5.0	14.1	164	11.5	7.1	17.9	144
55-64	8.1	6.3	10.2	997	8.6	4.9	14.7	182	10.3	6.1	16.6	147	7.1	3.8	13.0	147
65+	5.7	4.5	7.2	1,318	2.9	1.4	6.1	241	6.2	3.5	10.6	174	6.8	3.4	12.9	182
18-34	7.6	5.9	9.6	1,198	6.9	3.6	12.9	128	7.6	3.7	14.9	156	7.7	4.4	13.3	173
35-54	7.5	6.3	8.8	-	9.6	6.4	14.2	339	6.8	4.4	10.3	300	9.1	6.3	13.2	273
55+	6.8	5.7	8.0	'	5.6	3.5	8.7	423	7.9	5.4	11.4	321	6.9	4.3	10.9	329
SEX and AGE																
Male																
18-34	5.5	3.5	8.4	442	*	*	*	*	4.4	1.4	13.4	72	5.6	1.9	15.4	62
35-54	5.2	3.8	7.2	867	9.8	5.1	18.0	142	2.2	0.7	6.8	123	3.6	1.5	8.6	106
55+	4.9	3.6	6.7	864	3.6	1.6	8.1	166	4.9	2.3	10.3	116	5.1	2.2	11.0	105
Female																
18-34	9.8	7.4	12.9	756	11.3	5.6	21.8	88	11.3	4.6	25.1	84	9.9	5.2	18.2	111
35-54	9.8	8.1	11.8	1,279	9.3	5.7	15.0	197	11.6	7.4	17.7	177	14.8	9.9	21.6	167
55+	8.4	6.9	10.2	1,451	7.3	4.2	12.4	257	10.7	7.0	16.0	205	8.5	4.8	14.5	224
INCOME																
Less than \$15,000	9.9	7.1	13.5	624	13.9	6.6	26.9	88	14.0	6.3	28.5	104	7.5	3.4	15.8	96
\$15,000 - \$24,999	8.4	6.5	10.7	1,050	7.7	4.1	14.0	178	7.1	4.1	12.1	164	8.1	3.8	16.2	143
\$25,000 - \$34,999	5.9	4.3	8.1	792	4.3	1.8	9.9	129	2.8	0.8	9.6	102	11.2	6.3	19.1	123
\$35,000 - \$49,999	7.3	5.6	9.6	982	8.7	4.9	15.2	161	7.6	3.7	15.0	127	6.5		11.3	148
\$50,000+	6.1	4.9	7.6	1,647	7.1	4.0	12.4	256	6.7	4.0	11.0	208	8.3	5.1	13.4	184
EMPLOYMENT																
Employed	6.6	5.6	7.7	'	6.9	4.6	10.3	481	7.9	5.1	12.1	435	8.2	5.8	11.5	442
Unemployed	10.6	6.5	16.8	192	*	*	*	*	*	*	*	*	*	*	*	*
Other**	8.0	6.7	9.6	2,249	7.6	5.0	11.4	382	6.7	4.5	9.8	313	7.7	5.0	11.6	306
EDUCATION																
K-11th Grade	6.7	4.7	9.4	503	9.6	3.7	23.0	77	7.6	4.0	13.8	82	9.2	4.6	17.4	88
12th Grade or GED	7.0	5.6	8.6	,	7.7	4.9	11.9	273	6.1	3.4	10.5	239	7.1	4.1	11.9	288
Some College	8.0	6.6	9.8			4.9	13.0	325	7.9	4.0	14.9	236	7.6	4.7	12.1	241
College Graduate+	7.0	5.6	8.8	1,548	5.3	2.8	9.9	218	8.3	5.0	13.5	226	9.9	6.1	15.6	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Asthma
Idaho adults who were diagnosed and still had asthma, 2005

						İ	Publi	с Неа	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	6 CI	N
TOTAL	5.7	4.1	7.7	782	8.4	6.2	11.1	920	6.7	5.1	8.7	754	9.1	6.7	12.2	782
SEX																
Male	4.7	2.8	7.9	301	5.4	2.8	10.4	363	6.4	4.1	9.9	282	6.0	3.6	9.7	304
Female	6.6	4.6	9.6	481	11.3	8.4	15.0	557	7.0	5.0	9.6	472	12.1	8.3	17.3	478
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	12.8	5.7	26.5	80
25-34	10.1	5.7	17.3	142	6.2	3.1	11.9	120	6.8	3.7	12.2	130	6.4	3.4	11.8	140
35-44	6.4	3.5	11.6	156	8.1	4.5	14.1	172	11.0	6.5	18.2	124	6.8	3.4	12.9	138
45-54	4.2	2.2	8.2	166	5.6	3.1	10.0	189	7.6	4.1	13.7	157	8.4	4.6	14.8	132
55-64	5.9	2.8	12.3	123	11.0	6.6	17.8	155	6.2	3.0	12.3	122	10.1	5.7	17.1	121
65+	3.0	1.2	7.4	146	6.5	4.0	10.6	233	8.3	4.8	13.9	175	9.8	5.8	16.1	167
18-34	7.1	4.1	12.1	182	10.2	5.4	18.6	168	3.6	1.9	6.7	171	10.0	5.4	17.6	220
35-54	5.4	3.4	8.5	322	6.8	4.5	10.2	361	9.2	6.2	13.6	281	7.6	4.9	11.7	270
55+	4.5	2.5	7.9	269	8.5	5.9	12.0	388	7.3	4.8	11.2	297	9.9	6.8	14.3	288
SEX and AGE																
Male																
18-34	6.7	2.8	15.1	69	9.5	3.2	25.2	65	2.2	0.5	8.6	55	5.0	1.8	13.4	79
35-54	3.9	1.7	8.7	125	2.3	0.9	5.8	157	10.1	5.6	17.7	107	5.5	2.3	12.5	107
55+	3.3	1.2	8.9	102	4.9	2.2	10.9	140	7.0	3.4	13.7	119	8.2	4.1	15.6	116
Female																
18-34	7.5	3.7	14.6	113		5.3	21.2	103	5.0	2.6	9.4	116	14.7	7.2	27.7	141
35-54	7.0	4.0	11.8	197	11.4	7.2	17.5	204	8.4	4.9	13.9	174	9.7	5.9	15.6	163
55+	5.5	2.7	10.9	167	11.6	7.9	16.7	248	7.6	4.5	12.8	178	11.5	7.3	17.6	172
INCOME																
Less than \$15,000	5.6	2.0	14.7	65	18.4	8.4	35.8	100	5.7	2.9	10.9	79	8.5	4.4	15.9	92
\$15,000 - \$24,999	5.9	2.5	13.5	105	9.7	5.7	16.0	191	11.4	6.7	18.8	136	10.1	4.9	19.8	133
\$25,000 - \$34,999	3.1	1.1	8.4	97	9.0	4.7	16.4	121	4.3	1.6	10.9	105	5.2	2.4	11.2	115
\$35,000 - \$49,999	9.3	4.9	16.9	122	5.0	2.3	10.5	151	4.8	2.2	9.9	138	7.1	3.9	12.4	135
\$50,000+	4.9	2.8	8.2	307	4.3	2.4	7.4	254	4.5	2.6	7.9	218	9.6	5.8	15.3	220
EMPLOYMENT																
Employed	5.5	3.7	8.0	484	6.0	3.6	9.9	540	6.0	4.0	8.8	423	7.5	5.2	10.7	434
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	5.2	3.0	9.0	276	11.8	8.3	16.5	353	8.4	5.7	12.1	304	11.2	6.6	18.3	315
EDUCATION																
K-11th Grade	*	*	*	*	8.6	4.6	15.4	120	5.9	2.2	15.0	52	*	*	*	*
12th Grade or GED	3.2	1.5	6.6	205	10.5	6.1	17.5	303	6.5	4.0	10.4	254	10.8	6.4	17.6	242
Some College	7.8	4.8	12.4	236	7.8	5.1	11.9	270	7.3	4.6	11.5	251	9.5	5.5	15.8	274
College Graduate+	6.8	4.2	10.7	304	5.8	2.9	11.1	223	6.3	3.7	10.5	197	7.9	4.8	12.8	218

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Arthritis
Idaho adults who had ever been told they had arthritis, 2005

									Public	с Неа	lth Di	istrict				
	Statewide % 95% CI N 25.5 24.2 26.9 5,644					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	25.5	24.2	26.9	5,644	27.9	24.7	31.4	891	28.1	24.7	31.8	775	26.4	23.0	30.1	778
SEX																
Male	21.7	19.8	23.8	2,167	26.0	21.2	31.4	346	22.2	17.6	27.7	309	19.8	15.2	25.3	275
Female	29.3	27.5	31.1	3,477	29.8	25.7	34.2	545	34.3	29.6	39.3	466	32.8	28.2	37.8	503
AGE																
18-24	4.0	2.3	6.8	331	*	*	*	*	4.5	1.4	13.7	52	*	*	*	*
25-34	8.4	6.4	10.9	858	11.9	6.3	21.5	98	5.0	2.0	11.9	103	7.1	4.0	12.2	132
35-44	16.6	13.9	19.7	970	12.9	8.1	20.0	127	12.0	7.5	18.7	134	15.3	9.6	23.3	127
45-54	31.3	28.1	34.6	1,155	32.4	25.9	39.6	210	33.8	26.3	42.2	163	33.9	25.8	43.2	144
55-64	44.0	40.4	47.7	989	46.4	38.7	54.3	180	54.9	45.7	63.8	145	45.9	37.0	55.1	148
65+	53.9	50.7	57.1	1,305	51.6	44.5	58.7	242	57.8	49.2	65.9	171	55.7	47.4	63.7	182
18-34	6.4	5.0	8.2	1,189	7.8	4.2	13.9	128	4.8	2.3	9.6	155	7.2	3.9	13.0	172
35-54	23.9	21.8	26.2		23.5	19.1	28.6	337	23.6	18.8	29.2	297	24.1	18.9	30.2	271
55+	49.4	46.9		2,294	49.2	44.0	54.5	422	56.5	50.3	62.6	316	51.4	45.3	57.6	330
SEX and AGE																
Male																
18-34	3.7	2.2	6.2	437	*	*	*	*	3.5	1.1	10.7	71	0.0	0.0	0.0	62
35-54	22.7	19.4	26.3	859	21.1	15.1	28.7	141	17.8	11.6	26.5	121	21.5	14.0	31.5	107
55+	42.8	39.0	46.6	860	47.1	39.0	55.3	164	48.2	38.5	58.1	116	43.8	33.7	54.4	105
Female																
18-34	9.2	7.0	12.0	752	7.3	3.5	14.6	88	6.2	2.4	15.0	84	14.8	8.2	25.5	110
35-54	25.2	22.6	28.1	1,266	25.8	19.8	33.0	196	29.6	22.9	37.2	176	26.8	20.3	34.4	164
55+	55.2	52.2	58.3	1,434	51.2	44.3	58.0	258	64.3	56.6	71.4	200	57.9	50.7	64.9	225
INCOME																
Less than \$15,000	29.3	24.9	34.2	625	41.4	29.4	54.6	89	27.5	18.2	39.1	103	33.9	23.8	45.7	99
\$15,000 - \$24,999	28.4	25.2	31.9	1,037	28.5	20.9	37.5	178	30.3	23.3	38.3	161	29.4	21.8	38.3	140
\$25,000 - \$34,999	24.2	20.8	28.0		29.7		39.1	129	25.3		35.6	103	22.1	15.2	31.2	121
\$35,000 - \$49,999	28.9	25.5	32.5	980	28.6	21.7	36.7	161	31.4	23.3	40.7	127	25.9	18.9	34.4	148
\$50,000+	21.9	19.7	24.4	1,633	23.9	18.7	30.1	253	23.6	17.8	30.6	204	25.1	18.8	32.7	185
EMPLOYMENT																
Employed	18.5	17.0	20.2		20.4	16.8	24.6	478	18.5	14.9	22.7	432	17.5	14.0	21.7	440
Unemployed	20.6	14.4	28.5	192	*	*	*	*	*	*	*	*	*	*	*	*
Other**	39.3	36.8	41.9	2,224	43.4	37.8	49.1	383	43.0	36.6	49.5	306	45.8	39.2	52.5	305
EDUCATION																
K-11th Grade	25.3	20.6	30.5	500	32.1	21.5	45.0	77	29.3	18.9	42.3	80	19.8	12.1	30.8	90
12th Grade or GED	27.5	25.0	30.2		27.1	21.3	33.7	271	28.9	23.0	35.6	237	22.5	17.7	28.1	286
Some College	27.2	24.9	29.7	1,825	26.8	21.9	32.4	326	33.0	26.5	40.1	234	32.4	25.8	39.8	239
College Graduate+	21.4	19.1	23.9	1,532	29.1	22.9	36.2	216	21.5	16.2	27.8	222	30.3	22.8	39.0	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Arthritis
Idaho adults who had ever been told they had arthritis, 2005

	Public Health District District 4 District 5 District 6 District 7															
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	% 95% CI 23.1 20.0 26.6		N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	
TOTAL	23.1	20.0	26.6	767	25.3	22.3	28.5	910	26.1	22.8	29.7	751	24.9	21.7	28.4	772
SEX																
Male	19.5	15.1	24.8	296	21.1	17.0	25.9	358	23.9	19.0	29.6	281	22.7	18.1	28.1	302
Female	26.9	22.8	31.5	471	29.3	25.3	33.7	552	28.2	24.1	32.7	470	27.1	22.9	31.7	470
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	2.8	0.9	8.6	79
25-34	10.2	5.8	17.3	140	8.0	4.2	14.7	117	7.0	3.9	12.3	131	5.6	2.7	11.2	137
35-44	18.0	12.1	26.0	152	15.0	10.1	21.8	167	18.9	12.3	27.9	125	21.2	14.7	29.6	138
45-54	32.5	24.8	41.2	162	24.5	18.5	31.7	188	27.6	20.6	35.8	156	32.9	24.9	42.1	132
55-64	34.5	26.2	43.8	121	37.3	29.5	45.9	156	51.5	41.9	61.1	120	52.4	42.5	62.1	119
65+	51.3	42.5	60.1	143	55.4	48.4	62.3	231	57.8	49.7	65.5	173	50.7	42.3	59.1	163
18-34	6.9	3.9	11.8	180	7.9	4.3	14.0	165	5.1	2.5	9.8	173	4.1	2.2	7.5	216
35-54	24.8	19.8	30.5	314	20.0	15.9	24.8	355	23.3	18.3	29.3	281	27.2	21.8	33.3	270
55+	42.9	36.6	49.5	264	47.5	42.1	53.0	387	55.0	48.7	61.1	293	51.5	45.0	57.9	282
SEX and AGE																
Male																
18-34	3.9	1.2	12.2	67	5.9	2.1	15.2	63	2.8	0.4	17.2	56	3.0	1.0	9.1	78
35-54	26.3	18.7	35.5	122	16.4	11.2	23.4	154	23.7	16.1	33.5	106	25.4	17.7	35.1	108
55+	31.8	23.2	41.8	102	42.2	33.8	51.0	140	50.9	41.4	60.3	119	47.1	37.1	57.3	114
Female																
18-34	10.2	5.6	17.9	113	9.9	4.7	19.9	102	7.4	4.1	13.0	117	5.1	2.4	10.4	138
35-54	23.2	17.2	30.4	192	23.6	17.8	30.7	201	23.0	16.9	30.4	175	28.9	22.0	37.0	162
55+	53.0	44.7	61.1	162	52.3	45.6	58.9	247	58.7	50.6	66.5	174	55.6	47.3	63.6	168
INCOME																
Less than \$15,000	29.1	17.2	44.9	65	32.2	22.1	44.2	99	24.6	15.8	36.3	78	17.6	10.9	27.2	92
\$15,000 - \$24,999	30.1	20.6	41.6	100	28.7	22.2	36.2	190	25.1	18.1	33.8	137	25.9	18.3	35.3	131
\$25,000 - \$34,999	20.8	13.3	31.0	98			34.1	117			33.8	105	27.7		37.5	110
\$35,000 - \$49,999	29.5	21.0	39.7	120	27.8		37.0	150	29.5	21.9	38.4	139	31.4	23.4	40.6	135
\$50,000+	19.1	14.8	24.3	300	18.5	14.1	24.0	252	23.0	17.4	29.8	218	26.0	20.3	32.6	221
EMPLOYMENT																
Employed	16.9	13.5	20.8	474	17.3	14.0	21.1	535	18.6	15.0	22.9	421	23.3	19.2	27.9	431
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	37.8	31.4	44.6	270	40.7	34.9	46.7	348	38.3	32.1	44.8	303	28.2	22.9	34.2	309
EDUCATION																
K-11th Grade	*	*	*	*	21.7	15.1	30.2	119	38.0	23.8	54.6	51	*	*	*	*
12th Grade or GED	27.4	20.8	35.2	200	27.3	22.0	33.5	297	33.2	27.0	40.1	251	30.4	24.2	37.4	237
Some College	27.9	22.1	34.4	231	27.3	22.0	33.2	271	22.9	17.6	29.2	250	22.6	17.7	28.3	274
College Graduate+	16.4	12.4	21.3	298	22.0	16.4	28.9	220	18.2	13.4	24.3	199	24.3	18.7	31.0	215

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

High Cholesterol
Idaho adults who were ever told they had high cholesterol, among those screened, 2005

				amor	. <u>g</u>		30.0		•		Ith Di	istrict				
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%		N	%	95%		N	%	95%	CI	N	%	95%		N
TOTAL	36.3	34.5	38.1	4,329	39.3	35.2	43.7	737	36.1	31.8	40.6	593	38.3	33.7	43.1	578
SEX																
Male	38.3	35.5	41.3	1,640	42.1	35.2	49.4	284	39.1	32.4	46.3	225	44.2	36.5	52.2	193
Female	34.4	32.3	36.5	2,689	36.6	31.9	41.7	453	33.2	28.0	38.8	368	33.1	28.0	38.6	385
AGE																
18-24	3.7	1.1	11.8	86	*	*	*	*	*	*	*	*	*	*	*	*
25-34	18.7	14.8	23.4	448	12.9	6.3	24.8	52	17.8	9.2	31.6	52	16.5	8.3	30.0	56
35-44	27.9	24.0	32.1	691	27.2	18.9	37.5	98	23.2	15.1	33.9	99	27.7	18.6	39.1	89
45-54	37.5	33.8	41.4	965	42.4	34.7	50.3	182	35.3	26.8	44.8	131	34.9	25.6	45.5	119
55-64	51.3	47.4	55.2	910	55.9	47.8	63.8	170	54.8	45.2	64.1	135	52.3	42.7	61.7	134
65+	50.5	47.1	53.8	1,196	54.3	46.7	61.6	222	47.1	38.5	55.9	159	56.3	47.5	64.8	163
18-34	14.3	11.2	18.1	534	7.7	3.5	15.8	62	13.6	7.0	24.7	62	17.4	9.0	31.0	69
35-54	33.0	30.3	35.9	1,656	35.9	30.0	42.2	280	29.9	23.7	36.8	230	31.3	24.5	39.0	208
55+	50.8	48.3	53.4	,	55.1	49.5	60.5	392	50.4	44.0	56.9	294	54.6	48.1	61.0	297
SEX and AGE																
Male																
18-34	13.4	8.9	19.7	189	*	*	*	*	*	*	*	*	*	*	*	*
35-54	36.9	32.5	41.5	654	40.7	31.3	50.9	110	33.9	24.4	45.0	92	33.3	22.8	45.7	77
55+	53.2	49.2	57.3	787	62.0	53.4	69.8	153	53.5	43.3	63.5	107	66.2	55.2	75.6	93
Female																
18-34	15.2	11.3	20.2	345	*	*	*	*	*	*	*	*	*	*	*	*
35-54	29.2	26.0	32.6		31.6	24.6	39.7	170	25.6	18.4	34.4	138	29.4	21.5	38.8	131
55+	48.7	45.5	51.9	1,319	48.7	41.6	55.8	239	47.5	39.5	55.7	187	45.3	37.7	53.0	204
INCOME																
Less than \$15,000	39.7	33.2	46.7	418	51.9	37.5	66.0	70	40.4	26.0	56.7	62	39.4	26.7	53.6	70
\$15,000 - \$24,999	41.8	37.2	46.5	736	44.1	31.7	57.4	138	35.9	26.6	46.5	118	45.9	35.0	57.2	95
\$25,000 - \$34,999	37.6	33.0	42.4	583	53.0	41.9	63.8	96	31.4	21.3	43.8	77	40.5	29.6	52.4	91
\$35,000 - \$49,999	36.3	32.2	40.7	755	36.4	28.2	45.5	135	45.1	34.8	55.9	98	36.8	26.5	48.3	106
\$50,000+	31.9	29.0	34.9	1,387	31.2	25.1	38.0	232	31.5	24.5	39.5	183	33.2	25.2	42.3	155
EMPLOYMENT																
Employed	31.0	28.7	33.3	2,340	32.6	27.5	38.2	382	29.4	24.1	35.4	313	33.7	27.7	40.2	298
Unemployed	47.0	34.8	59.6	121	*	*	*	*	*	*	*	*	*	*	*	*
Other**	43.9	41.0	46.7	1,854	51.1	45.0	57.1	332	44.5	37.7	51.6	258	43.6	36.6	51.0	261
EDUCATION																
K-11th Grade	42.5	35.6	49.6	310	50.0	35.0	65.1	51	38.3	24.7	54.1	57	66.6	51.4	79.0	55
12th Grade or GED	36.1	32.8	39.5	1,291	39.5	30.9	48.9	210	38.0	29.9	46.7	158	29.4	22.9	36.9	199
Some College	38.2	35.2	41.3		43.7	37.2	50.3	276	37.3	29.7	45.5	182	41.9	34.2	50.1	190
College Graduate+	33.5	30.4	36.8	1,309	31.2	24.7	38.6	199	32.7	25.7	40.6	195	33.9	25.0	44.2	134

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

High Cholesterol

Idaho adults who were ever told they had high cholesterol, among those screened, 2005

	Public Health District District 4 District 5 District 6 District 7 % 95% CI N % 95%															
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	34.6	30.6	38.9	627	32.4	28.7	36.4	670	38.2	33.8	42.8	573	36.2	31.9	40.8	551
SEX																
Male	34.7	28.4	41.6	238	34.4	28.3	40.9	253	41.6	34.5	49.1	214	35.9	29.5	42.8	233
Female	34.6	29.7	39.8	389	30.7	26.2	35.5	417	35.1	30.0	40.6	359	36.6	31.0	42.6	318
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	23.8	15.8	34.3	88	10.0	4.5	20.8	57	20.5	11.8	33.3	73	15.8	8.6	27.3	70
35-44	27.8	20.0	37.2	121	21.9	14.9	31.0	110	35.9	25.5	47.8	87	30.5	20.9	42.0	87
45-54	41.3	32.6	50.7	146	29.6	22.2	38.2	149	35.1	26.5	44.9	130	35.5	26.3	45.8	108
55-64	46.7	36.8	57.0	112	50.3	41.2	59.4	138	50.5	40.5	60.4	111	52.5	42.2	62.6	110
65+	46.2	37.3	55.3	137	42.4	35.4	49.9	207	56.7	48.3	64.8	155	51.8	43.1	60.5	153
18-34	17.9	11.5	26.7	102	7.7	3.4	16.6	64	14.7	8.2	24.9	86	12.3	6.7	21.4	89
35-54	34.6	28.5	41.2	267	26.2	20.8	32.4	259	35.5	28.6	43.0	217	33.2	26.4	40.8	195
55+	46.4	39.7	53.3	249	45.8	40.1	51.6	345	53.9	47.4	60.3	266	52.1	45.4	58.8	263
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-54	39.0	29.6	49.3	103	30.6	22.0	40.7	105	38.6	27.8	50.6	82	36.7	26.5	48.2	85
55+	42.2	31.9	53.3	93	45.9	36.9	55.2	127	57.9	47.6	67.5	105	50.5	40.3	60.7	109
Female																
18-34	20.9	12.6	32.6	65	*	*	*	*	13.5	7.3	23.6	60	13.7	6.3	27.3	52
35-54	29.9	22.9	38.0	164	22.2	16.1	29.9	154	32.4	24.7	41.3	135	29.4	21.2	39.2	110
55+	50.0	41.6	58.5	156	45.8	38.8	52.9	218	50.4	42.1	58.7	161	53.7	45.1	62.1	154
INCOME																
Less than \$15,000	*	*	*	*	43.7	31.0	57.2	68	34.4	21.7	49.9	53	*	*	*	*
\$15,000 - \$24,999	44.0	32.1	56.7	80	34.0	25.3	43.9	124	43.1	32.2	54.7	95	41.3	30.4	53.2	86
\$25,000 - \$34,999	30.3	20.2	42.8	72	33.2	23.9	44.1	93	46.4	34.2	59.1	78	29.7	19.7	42.1	76
\$35,000 - \$49,999	38.9	28.6	50.4	97	25.0	17.3	34.7	113	28.8		38.3	111	43.6	33.1	54.7	95
\$50,000+	30.7	25.0	37.1	264	30.2	23.8	37.4	199	37.5	29.8	45.9	173	32.1	25.2	39.9	181
EMPLOYMENT																
Employed	28.9	24.1	34.2	371	29.2	24.4	34.4	367	32.4	26.8	38.6	314	32.5	27.0	38.6	295
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	42.6	35.4	50.0	238	36.9	30.8	43.3	285	46.5	39.5	53.6	242	41.6	34.5	48.9	238
EDUCATION																
K-11th Grade	*	*	*	*	31.3	20.3	44.8	66	*	*	*	*	*	*	*	*
12th Grade or GED	36.9	28.3	46.3	148	31.1	24.8	38.1	215	39.0	31.7	46.8	201	41.2	33.0	49.9	160
Some College	38.5	31.3	46.2	200	37.7	30.7	45.3	208	30.1	23.2	38.0	175	33.4	26.3	41.4	184
College Graduate+	31.9	25.9	38.5	258	28.5	21.9	36.0	180	45.8	37.4	54.4	162	35.5	28.3	43.5	181

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

High Blood Pressure
Idaho adults who were ever told they had high blood pressure, 2005

idano a									_		-	istrict	•			
		State	wide	•		Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	23.6	22.3	25.0	5,720	25.6	22.4	29.0	902	26.0	22.6	29.7	789	26.0	22.5	29.8	781
SEX																
Male	24.7	22.6	26.9	2,189	30.2	24.9	36.1	352	26.6	21.4	32.5	312	29.2	23.5	35.7	275
Female	22.5	21.0	24.1	3,531	21.1	17.7	24.9	550	25.3	21.3	29.9	477	22.8	19.0	27.1	506
AGE																
18-24	4.0	2.3	6.9	335	*	*	*	*	3.6	0.9	13.7	53	*	*	*	*
25-34	8.6	6.4	11.6	869	10.9	5.2	21.6	99	13.7	6.8	25.9	105	10.0	4.5	20.8	133
35-44	13.2	10.9	15.9	992	16.2	10.2	24.9	132	14.4	9.1	21.9	136	19.8	13.0	29.0	130
45-54	27.4	24.4	30.7	1,163	22.2	16.8	28.6	211	26.8	20.1	34.8	164	32.8	24.5	42.4	143
55-64	42.7	39.0	46.4	1,005	45.7	38.0	53.6	184	36.0	27.9	45.0	147	50.6	41.6	59.6	150
65+	50.9	47.7	54.1	1,318	48.2	41.2	55.4	242	57.4	49.1	65.2	176	43.4	35.2	51.9	180
18-34	6.5	5.0	8.5	1,204	6.9	3.3	13.7	129	8.8	4.6	16.1	158	8.7	4.5	16.2	173
35-54	20.3	18.3	22.4		19.4	15.2	24.5	343	21.0	16.4	26.3	300	25.9	20.3	32.4	273
55+	47.1	44.7	49.6	,	47.0	41.8	52.3	426	48.2	42.1	54.4	323	46.5	40.4	52.8	330
SEX and AGE																
Male																
18-34	9.0	6.5	12.5	442	*	*	*	*	15.5	8.0	28.1	72	13.2	6.1	26.5	62
35-54	21.7	18.6	25.2	870	23.1	16.4	31.6	143	24.9	17.8	33.6	123	30.3	21.4	41.0	106
55+	48.0	44.2	51.9	865	52.5	44.4	60.5	168	41.4	32.1	51.5	116	49.2	39.0	59.4	106
Female																
18-34	3.8	2.4	6.0	762	0.8	0.1	5.7	89	0.8	0.1	5.8	86	3.9	1.1	12.3	111
35-54	18.8	16.4	21.4	1,285	15.9	11.3	21.8	200	16.9	11.8	23.5	177	21.4	15.4	29.0	167
55+	46.4	43.3	49.4		42.0	35.4	49.0	258	54.4	46.8	61.8	207	44.3	37.2	51.7	224
INCOME																
Less than \$15,000	29.5	24.8	34.7	632	30.4	20.5	42.5	90	28.6	17.9	42.3	105	38.5	26.6	52.0	98
\$15,000 - \$24,999	24.4	21.5	27.6	1,057	26.8	19.7	35.4	181	32.1	24.5	40.7	165	19.4	13.5	27.0	143
\$25,000 - \$34,999	22.8	19.4	26.5	797	25.8	18.5	34.7	130	25.7	17.6	36.0	103	21.9	14.9	31.0	123
\$35,000 - \$49,999	24.9	21.7	28.4	983	28.8	21.5	37.3	162	30.9	22.9	40.3	127	23.0	15.7	32.5	148
\$50,000+	20.8	18.6	23.2	1,650	20.8	15.8	26.9	257	20.4	15.0	27.0	208	32.3	25.1	40.4	185
EMPLOYMENT																
Employed	18.1	16.5	19.7	3,251	18.6	15.0	22.8	486	18.5	14.5	23.2	435	23.0	18.6	28.0	444
Unemployed	15.1	10.3	21.7	193	*	*	*	*	*	*	*	*	*	*	*	*
Other**	34.9	32.6	37.4	2,258	39.7	34.3	45.3	385	39.0	33.0	45.5	316	35.1	29.1	41.6	305
EDUCATION																
K-11th Grade	26.7	21.8	32.4	505	23.6	14.8	35.4	77	35.7	23.3	50.4	82	37.9	26.1	51.3	90
12th Grade or GED	23.9	21.7	26.4	1,808	24.9	19.3	31.5	274	23.9	18.6	30.1	239	21.0	16.3	26.7	288
Some College	23.1	20.9	25.4	1,845	26.0	21.1	31.7	330	25.6	20.0	32.2	239	30.6	24.3	37.8	240
College Graduate+	22.8	20.4	25.4	1,553	26.5	20.4	33.6	220	24.1	18.3	31.0	227	20.2	13.9	28.3	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

High Blood Pressure
Idaho adults who were ever told they had high blood pressure, 2005

	Public Health District District 4 District 5 District 6 District 7															
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	% 95% CI 21.9 19.0 25.2		N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	21.9	19.0	25.2	786	24.4	21.4	27.7	921	22.2	19.2	25.6	758	21.2	18.3	24.3	783
SEX																
Male	22.0	17.5	27.3	302	25.7	20.9	31.1	361	22.6	17.8	28.2	283	18.5	14.6	23.3	304
Female	21.8	18.2	25.9	484	23.1	19.5	27.1	560	21.9	18.3	26.1	475	23.7	19.8	28.0	479
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	0.0	0.0	0.0	80
25-34	9.5	5.3	16.5	142	3.7	1.5	8.7	119	7.6	3.5	15.6	131	4.4	1.9	10.0	140
35-44	8.3	4.7	14.2	157	11.9	7.7	18.0	173	12.8	7.5	21.1	125	14.9	9.5	22.7	139
45-54	30.4	23.1	38.9	167	26.8	20.3	34.5	189	26.1	19.3	34.4	157	23.4	16.7	31.8	132
55-64	42.0	32.8	51.7	123	37.4	29.5	46.0	158	39.0	30.2	48.5	122	43.7	34.2	53.6	121
65+	51.6	42.8	60.3	146	51.4	44.4	58.4	231	51.2	43.3	59.1	176	58.4	49.9	66.4	167
18-34	6.7	3.8	11.5	184	8.1	3.9	15.9	167	5.2	2.4	10.6	173	2.0	0.8	4.6	220
35-54	18.6	14.4	23.7	324	19.6	15.5	24.5	362	19.7	15.0	25.4	282	19.2	14.7	24.7	271
55+	46.9	40.4	53.4	269	45.3	39.9	50.7	389	45.7	39.7	51.9	298	51.5	45.0	57.8	288
SEX and AGE																
Male																
18-34	8.0	3.8	16.2	69	10.1	3.9	23.9	64	5.2	1.7	15.0	56	1.3	0.3	5.6	79
35-54	17.8	11.7	26.1	126	21.6	15.5	29.3	157	24.3	16.6	34.1	107	14.6	9.0	22.9	108
55+	48.8	38.6	59.1	102	47.5	38.8	56.3	139	42.6	33.5	52.2	119	49.2	39.2	59.2	115
Female																
18-34	5.2	2.2	11.9	115	5.9	2.0	16.1	103	5.1	1.9	13.3	117	2.6	0.9	7.2	141
35-54	19.4	14.1	26.0	198	17.6	12.5	24.2	205	15.2	10.7	21.2	175	23.6	17.2	31.5	163
55+	45.2	37.2	53.4	167	43.4	36.9	50.0	250	48.5	40.7	56.4	179	53.5	45.4	61.5	173
INCOME																
Less than \$15,000	28.3	16.5	44.0	66	34.7	24.1	47.2	102	31.1	19.5	45.7	79	15.7	9.8	24.1	92
\$15,000 - \$24,999	24.8	17.0	34.7	106	25.2	19.0	32.5	191	19.4	13.4	27.1	138	24.9	17.8	33.8	133
\$25,000 - \$34,999	21.4	13.7	31.8	99	19.6	12.5	29.4	121	24.8	17.1	34.5	106	23.7	16.5	32.7	115
\$35,000 - \$49,999	23.0	15.8	32.3	122	22.6	16.0	31.0	150	22.2	15.6	30.6	139	28.3	20.8	37.4	135
\$50,000+	18.7	14.6	23.7	307	23.5	17.8	30.4	255	16.3	11.9	22.0	218	17.8	13.2	23.5	220
EMPLOYMENT																
Employed	16.0	12.9	19.7	486	18.0	14.6	22.0	541	17.5	13.9	21.9	424	16.6	13.2	20.6	435
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	35.1	29.0	41.7	277	37.8	32.1	43.9	353	30.4	24.9	36.4	307	28.2	23.1	34.0	315
EDUCATION																
K-11th Grade	*	*	*	*	21.0	14.3	29.7	118	21.8	11.0	38.7	52	*	*	*	*
12th Grade or GED	22.9	17.3	29.7	207	24.6	19.6	30.4	303	27.5	21.8	34.0	255	25.2	19.8	31.5	242
Some College	20.5	15.5	26.6	237	27.9	22.0	34.7	272	18.2	13.7	23.7	252	16.9	12.8	22.0	275
College Graduate+	22.9	18.4	28.3	304	22.5	16.8	29.5	224	21.3	15.9	28.0	199	21.9	16.8	28.2	217

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Fruit and Vegetable Consumption Idaho adults who did not eat five servings

daho adults who did not eat five servings of fruits and vegetables a day, 2005

	Public Health District Statewide District 1 District 2 District 3															
		State	wide			Distri	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%		N	%	95%		N	%	95%		N	%	95%		N
TOTAL	76.8	75.3	78.3	5,625	80.0	76.9	82.8	891	76.6	73.0	79.9	776	79.1	75.5	82.2	774
SEX																
Male	82.4	79.9	84.6	2,163	85.5	80.9	89.2	348	82.7	77.3	87.0	307	87.1	81.7	91.1	275
Female	71.3	69.3	73.1	3,462	74.7	70.4	78.6	543	70.4	65.4	75.0	469	71.2	66.3	75.7	499
AGE																
18-24	80.6	73.7	86.0	329	*	*	*	*	83.2	70.7	91.1	52	*	*	*	*
25-34	78.9	75.3	82.1	851	81.2	71.4	88.2	98	74.1	63.0	82.8	103	82.9	75.2	88.6	130
35-44	79.9	76.6	82.8	967	80.1	71.4	86.6	126	81.2	73.5	87.1	132	82.9	75.7	88.3	128
45-54	77.7	74.7	80.3	1,149	81.8	75.8	86.6	211	76.3	68.7	82.6	164	78.7	70.4	85.1	139
55-64	73.8	70.4	77.0	993	81.1	74.6	86.3	182	75.5	67.0	82.4	146	74.7	66.6	81.4	149
65+	68.3	65.2	71.2	1,300	69.9	63.1	75.9	240	70.9	62.7	78.0	172	73.6	65.8	80.1	183
18-34	79.7	76.1	82.8	1,180	84.5	76.8	90.0	128	78.6	70.4	85.0	155	81.7	73.7	87.8	170
35-54	78.8	76.6	80.8	2,116	81.0	76.1	85.2	337	78.6	73.3	83.1	296	81.0	75.7	85.3	267
55+	70.8	68.6	73.0	2,293	75.1	70.5	79.3	422	72.9	67.1	78.0	318	74.1	68.6	78.9	332
SEX and AGE																
Male																
18-34	84.0	77.9	88.6	435	*	*	*	*	77.0	65.0	85.9	71	87.0	73.1	94.3	62
35-54	84.4	81.1	87.1	856	86.4	78.5	91.7	141	88.7	81.4	93.3	120	93.4	86.8	96.8	105
55+	77.3	73.8	80.4	861	81.9	75.0	87.1	166	82.5	73.2	89.1	115	79.0	69.7	86.0	107
Female																
18-34	75.1	70.9	78.9	745	80.3	69.3	88.0	88	80.4	68.5	88.6	84	76.1	65.2	84.5	108
35-54	73.1	70.1	75.8	1,260	75.9	69.1	81.6	196	68.3	60.5	75.2	176	68.1	60.0	75.3	162
55+	65.1	62.1	67.9	1,432	69.0	62.4	74.9	256	64.1	56.4	71.1	203	69.9	63.0	76.0	225
INCOME																
Less than \$15,000	77.7	72.7	81.9	620	73.3	60.1	83.3	89	81.3	70.4	88.8	102	78.5	67.5	86.5	98
\$15,000 - \$24,999	77.0	73.2	80.3	1,034	81.3	73.5	87.2	177	74.3	65.5	81.5	163	75.4	65.6	83.2	139
\$25,000 - \$34,999	77.3	71.5	82.3			69.1	84.9	129			83.2	101	83.0	75.3	88.7	122
\$35,000 - \$49,999	77.5	74.0	80.6	978	79.7	71.9	85.7	161	80.3	72.2	86.5	128	77.4	67.3	85.1	147
\$50,000+	76.2	73.7	78.6	1,632	80.7	75.0	85.4	254	75.2	68.1	81.2	206	77.4	70.1	83.3	183
EMPLOYMENT																
Employed	79.3	77.2	81.2	3,200	81.5	77.3	85.2	478	78.7	74.1	82.7	431	82.9	78.8	86.4	436
Unemployed	80.6	72.9	86.5	192	*	*	*	*	*	*	*	*	*	*	*	*
Other**	71.7	69.2	74.0	2,215	76.4	71.5	80.7	382	72.0	65.6	77.6	308	70.6	63.6	76.7	306
EDUCATION																
K-11th Grade	77.7	69.1	84.5	493	84.9	71.9	92.5	77	80.7	67.1	89.5	80	83.1	71.5	90.6	88
12th Grade or GED	83.3	81.0	85.3		84.6	79.1	88.8	271	80.6	74.3	85.6	235	83.5	78.1	87.8	282
Some College	76.1	73.6	78.4		80.8	75.6	85.1	326	75.0	67.9	81.0		80.6	74.7	85.4	240
College Graduate+	70.0	67.0	72.8	1,533	70.3	63.2	76.5	216	71.7	64.9	77.7	224	65.6	56.0	74.0	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Fruit and Vegetable Consumption Idaho adults who did not eat five servings

of fruits and vegetables a day, 2005

	Public Health District District 4 District 5 District 6 District 7															
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	74.1	69.9	78.0	764	74.0	70.5	77.2	909	78.7	75.1	81.8	749	77.2	73.4	80.7	762
SEX																
Male	76.8	69.6	82.7	293	79.9	74.6	84.3	358	87.1	82.5	90.6	281	83.4	77.8	87.9	301
Female	71.4	66.4	75.8	471	68.2	63.5	72.5	551	70.6	65.4	75.2	468	71.2	65.8	76.1	461
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	82.7	70.9	90.3	78
25-34	76.3	67.4	83.4	139	76.1	66.9	83.5	116	80.0	71.8	86.2	131	82.0	70.6	89.6	134
35-44	74.5	66.3	81.3	153	85.4	79.1	90.1	168	82.6	74.6	88.4	125	81.5	73.6	87.4	135
45-54	78.3	70.7	84.4	162	75.5	68.1	81.7	187	76.1	68.2	82.6	155	73.6	64.2	81.2	131
55-64	68.6	58.8	77.0	120	70.2	61.8	77.3	157	77.6	68.3	84.8	121	72.5	62.9	80.4	118
65+	66.2	57.3	74.2	141	61.1	54.1	67.7	231	70.3	62.4	77.1	171	66.8	58.3	74.3	162
18-34	75.7	65.3	83.7	179	76.0	67.3	82.9	163	82.2	74.9	87.8	173	82.4	74.5	88.2	212
35-54	76.3	70.8	81.0	315	80.3	75.5	84.3	355	79.3	73.8	83.8	280	77.4	71.4	82.5	266
55+	67.4	60.9	73.4	261	65.1	59.7	70.0	388	73.6	67.7	78.7	292	69.5	63.2	75.1	280
SEX and AGE																
Male																
18-34	77.4	58.9	89.1	66	83.6	69.9	91.8	63	91.5	82.6	96.1	56	88.2	75.3	94.8	77
35-54	78.2	69.6	85.0	122	82.2	74.7	87.9	153	86.6	78.5	92.0	107	83.7	74.6	90.1	108
55+	71.8	61.3	80.4	100	73.2	64.7	80.4	141	81.9	73.2	88.2	118	75.5	65.9	83.1	114
Female																
18-34	73.7	62.8	82.3	113	67.9	56.4	77.6	100	72.9	61.7	81.7	117	76.8	65.6	85.1	135
35-54	74.2	67.0	80.3	193	78.3	71.7	83.7	202	71.8	64.1	78.5	173	71.0	62.5	78.2	158
55+	63.6	55.1	71.2	161	57.8	51.1	64.3	247	66.1	58.0	73.4	174	63.9	55.5	71.5	166
INCOME																
Less than \$15,000	74.2	58.4	85.5	64	81.0	70.1	88.5	98	75.5	59.5	86.5	79	81.4	65.5	91.0	90
\$15,000 - \$24,999	67.0	53.8	78.0	101	81.3	74.5	86.7	189	86.1	78.9	91.2	136	77.0	67.0	84.7	129
\$25,000 - \$34,999	70.5	51.2	84.5	98	77.5	67.2	85.3	119	76.3	66.3	84.0	105	84.9	76.2	90.8	107
\$35,000 - \$49,999	77.0	67.8	84.1	119	70.8	61.6	78.5	151	80.9	72.9	86.9	138	77.0	68.2	83.9	134
\$50,000+	76.7	71.3	81.4	301	67.3	60.3	73.5	251	78.0	71.2	83.5	217	74.3	67.4	80.2	220
EMPLOYMENT																
Employed	75.4	69.8	80.4	473	77.8	73.5	81.5	534	84.1	79.9	87.5	421	78.6	73.6	82.9	427
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	70.3	63.6	76.2	268	67.7	61.4	73.4	348	70.7	64.1	76.5	301	74.2	67.4	79.9	302
EDUCATION																
K-11th Grade	*	*	*	*	85.0	76.7	90.7	117	85.6	71.2	93.5	51	*	*	*	*
12th Grade or GED	81.6	74.4	87.2	198	85.8	81.1	89.5	294	84.2	78.7	88.5	250	82.4	76.3	87.3	231
Some College	75.6	69.0	81.2	232	64.7	57.5	71.3	273	77.7	71.0	83.3	250	75.1	67.7	81.2	273
College Graduate+	72.2	66.2	77.5	298	60.9	53.4	68.0	221	71.0	63.6	77.5	198	72.1	65.1	78.1	213

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Physical Activity

Idaho adults who did not participate in leisure time physical activity, 2005

Idano add				•								strict		,		
					Distr	ict 1			Distr	ict 2			Distr	ict 3		
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	21.6	20.2	23.1	5,722	20.8	17.7	24.4	900	23.9	20.2	28.0	791	27.7	23.9	31.8	785
SEX																
Male	20.7	18.5	23.0	2,191	18.4	14.2	23.6	351	21.5	16.1	28.0	313	30.0	24.0	36.9	276
Female	22.6	20.9	24.4	3,531	23.1	18.8	28.1	549	26.4	21.7	31.6	478	25.4	21.0	30.3	509
AGE																
18-24	19.5	14.2	26.1	335	*	*	*	*	19.4	8.1	39.6	53	*	*	*	*
25-34	18.2	15.3	21.6	869	16.5	8.9	28.4	99	20.4	12.8	30.9	105	25.4	17.6	35.2	133
35-44	19.2	16.4	22.4	992	21.9	14.8	31.1	132	17.4	10.9	26.5	136	25.5	18.0	34.8	130
45-54	20.8	18.2	23.7	1,165	17.7	12.7	24.0	210	28.8	21.8	36.9	165	24.9	18.0	33.4	145
55-64	22.2	19.4	25.2	1,003	22.1	16.5	28.9	184	24.6	17.7	33.1	148	27.0	19.6	36.0	150
65+	31.0	28.1	34.0	1,320	31.3	24.9	38.4	241	30.9	23.9	38.9	176	31.1	23.9	39.3	182
18-34	18.8	15.8	22.2	1,204	14.9	8.5	24.9	129	19.9	12.4	30.4	158	28.8	21.0	38.1	173
35-54	20.0	18.1	22.1	· '	19.6	15.2	24.9	342	23.4	18.4	29.3	301	25.2	19.9	31.4	275
55+	27.0	24.9		2,323	27.0	22.6	31.9	425	28.2	23.1	33.9	324	29.3	24.0	35.3	332
SEX and AGE																
Male																
18-34	18.1	13.5	23.8	443	*	*	*	*	15.7	6.4	33.7	72	35.5	23.1	50.1	62
35-54	19.7	16.8	23.0	871	19.4	13.5	27.0	142	24.7	17.1	34.2	123	22.8	15.4	32.4	107
55+	25.4	22.3	28.7	865	23.9	17.7	31.5	168	24.8	17.4	34.0	117	31.8	23.2	41.9	106
Female																
18-34	19.6	16.1	23.6	761	19.1	9.8	33.9	89	24.8	14.9	38.4	86	21.9	13.9	32.7	111
35-54	20.4	17.9	23.1	1,286	19.8	13.8	27.7	200	22.1	16.2	29.4	178	27.7	20.7	36.1	168
55+	28.3	25.6	31.2	1,458	29.8	23.9	36.5	257	31.3	24.6	38.8	207	27.2	21.0	34.4	226
INCOME																
Less than \$15,000	38.8	32.9	45.1	630	46.5	33.2	60.4	88	42.2	27.6	58.2	105	38.4	27.0	51.4	98
\$15,000 - \$24,999	29.6	25.9	33.6	1,057	26.6	19.0	35.8	181	30.6	23.3	39.0	166	36.1	27.1	46.3	143
\$25,000 - \$34,999	23.0	19.4	27.1		24.7	17.2	34.0	130	21.4	13.7	31.9	103	30.5	21.0	42.1	123
\$35,000 - \$49,999	17.8	15.0	21.1	986	18.9	11.9	28.6	162	17.0	11.0	25.5	128	21.9	14.5	31.8	149
\$50,000+	11.9	10.2	13.9	1,652	11.5	7.9	16.5	257	11.1	7.2	16.5	208	18.0	12.1	26.0	186
EMPLOYMENT																
Employed	19.0	17.2	21.0	3,252	18.2	14.2	23.2	486	19.7	14.8	25.7	437	29.3	24.2	35.0	445
Unemployed	20.3	14.5	27.8	194	*	*	*	*	*	*	*	*	*	*	*	*
Other**	26.8	24.5	29.2	2,258	27.8	23.0	33.3	383	30.6	25.0	36.8	316	25.6	20.3	31.7	307
EDUCATION																
K-11th Grade	47.2	40.3	54.3	505	39.7	26.4	54.6	75	50.1	35.0	65.2	82	51.3	38.4	64.1	90
12th Grade or GED	23.6	21.0	26.4		22.1	16.3	29.2	275	23.7	18.4	30.0	241	26.4	20.6	33.1	289
Some College	19.5	17.4	21.9		19.5	14.8	25.3	329	21.0	15.4	28.0	239	23.9	17.5	31.8	242
College Graduate+	12.8	10.9	14.9	1,554	13.9	9.6	19.8	220	14.2	9.9	19.9	227	17.3	11.4	25.3	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Physical Activity

Idaho adults who did not participate in leisure time physical activity, 2005

Idano add				•					lth Di					•		
	District 4 % 95% CI 17.3 14.0 21.0				Distr	ict 5			Distr	ict 6			Distr	ict 7		
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	17.3	14.0	21.0	784	24.4	21.2	28.0	922	21.0	17.8	24.5	757	21.1	18.0	24.7	783
SEX																
Male	14.0	9.3	20.5	302	25.6	20.4	31.7	362	20.2	15.4	25.9	282	21.8	17.2	27.3	305
Female	20.6	16.7	25.0	482	23.2	19.5	27.5	560	21.7	17.9	26.2	475	20.5	16.4	25.2	478
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	14.3	7.4	25.8	80
25-34	13.3	8.5	20.4	142	24.9	15.9	36.7	119	15.7	9.5	24.8	131	17.5	11.5	25.7	140
35-44	11.9	7.3	18.9	157	22.7	16.5	30.4	173	26.3	18.1	36.5	125	18.8	12.6	27.0	139
45-54	17.9	12.2	25.5	166	21.3	15.3	28.7	189	20.4	14.4	28.0	157	22.2	15.5	30.6	133
55-64	13.0	8.0	20.5	123	28.1	21.1	36.3	157	21.1	14.5	29.7	121	29.6	21.3	39.5	120
65+	28.4	21.1	37.0	145	33.3	27.0	40.3	233	33.2	26.2	41.0	176	30.7	23.6	38.9	167
18-34	17.5	10.9	27.0	184	20.6	13.7	29.8	167	13.1	8.4	19.8	173	15.7	10.7	22.6	220
35-54	14.7	10.9	19.6	323	22.0	17.5	27.1	362	23.2	18.0	29.4	282	20.5	15.8	26.2	272
55+	20.8	16.1	26.5	268	31.1	26.2	36.3	390	27.8	22.7	33.5	297	30.2	24.6	36.4	287
SEX and AGE																
Male																
18-34	14.9	5.9	32.9	69	22.7	12.2	38.5	65	10.4	4.8	21.1	56	14.2	7.8	24.3	79
35-54	12.9	7.6	21.2	126	22.3	15.9	30.4	157	24.3	16.2	34.7	107	23.9	16.4	33.3	109
55+	14.8	9.2	22.9	102	33.1	25.4	41.9	139	27.4	19.7	36.8	118	31.1	22.5	41.2	115
Female																
18-34	20.5	13.2	30.5	115	18.3	11.4	28.1	102	15.8	9.3	25.5	117	17.2	10.3	27.4	141
35-54	16.6	11.7	22.9	197	21.6	15.9	28.6	205	22.2	16.2	29.6	175	17.1	11.9	24.0	163
55+	26.1	19.3	34.2	166	29.3	23.5	35.8	251	28.1	21.8	35.4	179	29.4	22.6	37.2	172
INCOME																
Less than \$15,000	43.5	25.9	62.9	66	38.6	26.4	52.5	102	25.9	16.4	38.4	79	34.0	22.6	47.5	92
\$15,000 - \$24,999	29.5	18.4	43.6	105	33.7	26.1	42.1	191	25.3	17.5	35.1	138	24.1	17.0	33.1	133
\$25,000 - \$34,999	15.0	8.9	24.2	98	26.1	16.1	39.4	121	23.3	15.5	33.6	106	23.7	16.0	33.7	114
\$35,000 - \$49,999	13.6	8.1	21.8	122	16.7	11.3	24.1	151	22.6	15.8	31.3	139	16.2	10.6	24.0	135
\$50,000+	8.3	5.4	12.5	307	15.5	11.3	20.9	256	13.6	9.1	19.8	217	13.4	9.2	19.1	221
EMPLOYMENT																
Employed	12.4	8.7	17.3	485	22.0	17.8	26.8	541	18.7	14.8	23.4	423	19.9	16.1	24.3	435
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	27.2	21.4	33.9	276	29.1	23.9	34.8	354	24.7	19.6	30.7	307	23.6	18.1	30.2	315
EDUCATION																
K-11th Grade	*	*	*	*	45.4	34.3	57.0	120	43.5	27.6	60.8	52	*	*	*	*
12th Grade or GED	22.0	15.1	31.0	206	27.6	21.7	34.4	301	22.6	17.5	28.8	255	20.7	15.7	26.8	242
Some College	17.2	12.5	23.3	236	19.3	14.7	25.0	273	16.6	11.9	22.7	251	21.1	15.8	27.5	275
College Graduate+	9.2	6.3	13.5	304	11.6	7.9	16.9	224	18.7	13.0	26.2	199	14.3	10.0	20.1	217

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Overweight

Idaho adults who were overweight (BMI ≥ 25), 2005

						100.			Publi	с Неа	Ith D	istrict				
	Statewide % 95% CI N					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	61.4	59.5	63.1	5,439	59.4	54.9	63.7	858	61.1	56.8	65.2	744	68.0	63.5	72.2	749
SEX																
Male	70.8	67.9	73.6	2,159	70.3	62.6	77.0	348	69.4	63.1	75.0	305	75.4	68.6	81.2	271
Female	51.6	49.4	53.8	3,280	48.2	42.9	53.6	510	52.2	46.6	57.8	439	60.5	54.6	66.1	478
AGE																
18-24	40.8	33.9	48.1	316	*	*	*	*	40.8	27.2	55.9	51	*	*	*	*
25-34	57.9	53.8	61.9	818	56.5	44.7	67.6	91	50.5	39.4	61.5	93	61.2	51.0	70.4	129
35-44	65.4	61.8	69.0	941	62.3	52.9	70.9	127	72.1	63.5	79.3	129	73.6	64.9	80.8	121
45-54	71.4	68.3	74.4	1,108	69.0	61.6	75.6	202	70.8	62.5	77.9	150	77.2	68.7	83.9	137
55-64	69.1	65.6	72.5	955	69.8	62.1	76.6	174	62.4	53.1	70.8	140	71.1	62.1	78.6	142
65+	61.8	58.6	64.9	1,275	58.2	51.0	65.2	231	68.4	60.3	75.5	175	69.5	61.6	76.4	179
18-34	50.1	46.1	54.2	1,134	45.1	33.7	57.0	121	45.6	36.6	55.0	144	59.2	49.3	68.5	166
35-54	68.4	66.0	70.8	2,049	65.9	60.1	71.3	329	71.4	65.6	76.6	279	75.3	69.4	80.4	258
55+	65.1	62.7	67.4	2,230	63.6	58.3	68.6	405	65.9	59.9	71.4	315	70.2	64.3	75.4	321
SEX and AGE																
Male																
18-34	60.1	53.3	66.5	426	*	*	*	*	51.4	38.3	64.2	68	66.0	50.9	78.5	60
35-54	79.5	76.1	82.4	861	82.8	75.4	88.3	143	81.7	73.6	87.7	121	84.5	76.3	90.2	104
55+	72.0	68.3	75.4	862	71.4	63.5	78.2	166	75.4	66.2	82.8	115	76.3	66.7	83.8	106
Female																
18-34	39.6	35.1	44.2	708	37.9	25.5	52.1	82	39.2	27.5	52.2	76	52.0	39.4	64.3	106
35-54	56.5	53.2	59.8	1,188	48.5	40.6	56.4	186	59.5	51.2	67.3	158	65.4	56.9	73.0	154
55+	58.7	55.6	61.8	1,368	56.0	48.8	62.9	239	57.0	49.1	64.5	200	64.7	57.4	71.4	215
INCOME																
Less than \$15,000	55.2	48.4	61.8	587	58.4	44.3	71.2	85	51.2	37.8	64.4	96	59.4	44.9	72.4	92
\$15,000 - \$24,999	61.3	57.1	65.3	1,019	56.1	44.0	67.5	174	59.8	50.5	68.5	158	69.6	60.0	77.9	139
\$25,000 - \$34,999	59.4	53.7	64.8	760	57.4	47.4	66.9	125	64.0	52.9	73.8	96	65.5	51.5	77.3	115
\$35,000 - \$49,999	67.2	63.2	70.9		62.8		71.4	155	71.3		79.5	121	74.8	65.8	82.2	144
\$50,000+	63.0	60.0	65.9	1,609	60.6	52.9	67.9	251	59.7	51.8	67.1	203	71.5	63.8	78.1	180
EMPLOYMENT																
Employed	62.9	60.5	65.3		59.6	53.4	65.6	464	59.0	53.2	64.6	407	68.1	62.3	73.3	421
Unemployed	67.7	56.8	77.0		*	*	*	*	*	*	*	*	*	*	*	*
Other**	57.7	54.9	60.5	2,155	57.5	51.5	63.2	365	63.9	57.2	70.0	304	69.3	63.1	74.9	298
EDUCATION																
K-11th Grade	66.1	57.5	73.8		54.1	39.0	68.4	74	65.3	50.0	78.0	70	75.3	60.7	85.8	80
12th Grade or GED	58.5	55.0	61.9	· '	61.6	52.2	70.1	263	60.0	52.1	67.5	220	61.7	53.9	68.9	278
Some College	64.3	61.3	67.1		59.6	52.5	66.3	310	62.8	55.0	70.0	232	74.6	66.9	81.1	235
College Graduate+	60.1	56.9	63.1	1,502	58.0	50.3	65.2	211	58.8	51.2	66.0	221	66.3	57.1	74.4	155

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Overweight

Idaho adults who were overweight (BMI ≥ 25), 2005

						ļ	Publi	c Hea	lth Di	strict	•					
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	58.3	53.8	62.8	750	62.1	58.2	65.9	873	63.5	58.9	67.8	713	59.7	55.2	64.0	752
SEX																
Male	66.4	58.8	73.3	297	73.7	67.6	78.9	356	76.7	69.5	82.7	279	68.7	62.1	74.6	303
Female	49.8	44.6	55.0	453	50.5	45.6	55.4	517	50.0	44.5	55.4	434	50.6	44.8	56.3	449
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	31.1	20.4	44.3	76
25-34	53.9	45.0	62.7	137	64.1	54.3	72.9	110	65.4	56.1	73.7	124	56.7	46.7	66.1	134
35-44	62.8	54.1	70.7	148	63.4	55.3	70.8	166	59.5	49.5	68.8	117	69.3	60.6	76.8	133
45-54	72.5	64.7	79.2	159	67.7	59.8	74.6	182	71.2	63.2	78.1	150	70.0	60.3	78.1	128
55-64	66.9	57.1	75.5	117	61.0	52.4	69.0	153	82.7	74.8	88.6	114	72.5	62.8	80.4	115
65+	51.8	42.9	60.6	142	56.0	48.8	63.0	220	68.4	60.5	75.4	166	70.9	62.8	77.9	162
18-34	46.7	37.2	56.4	177	62.2	52.4	71.1	151	52.4	42.6	62.0	165	42.6	34.4	51.2	210
35-54	67.3	61.4	72.7	307	65.6	60.0	70.8	348	65.6	59.3	71.5	267	69.7	63.3	75.4	261
55+	59.2	52.5	65.5	259	58.3	52.7	63.6	373	74.7	69.1	79.6	280	71.6	65.5	77.0	277
SEX and AGE																
Male																
18-34	54.3	37.9	69.8	66	78.7	61.4	89.6	61	69.0	52.1	82.0	55	55.7	42.9	67.8	77
35-54	78.4	69.7	85.1	125	73.2	65.2	79.9	155	78.7	69.4	85.7	105	77.6	68.1	84.9	108
55+	62.2	51.5	71.8	101	69.6	60.8	77.2	140	84.8	77.3	90.1	118	75.1	65.8	82.5	116
Female																
18-34	38.7	29.1	49.1	111	44.4	33.3	56.2	90	35.3	25.7	46.2	110	29.5	20.6	40.4	133
35-54	55.0	47.1	62.6	182	57.7	49.9	65.1	193	52.0	43.7	60.1	162	61.3	52.6	69.4	153
55+	56.4	48.0	64.5	158	47.7	40.9	54.5	233	64.9	56.6	72.3	162	68.3	60.0	75.5	161
INCOME																
Less than \$15,000	59.0	37.2	77.8	64	49.8	35.0	64.7	89	45.6	31.0	61.1	74	55.7	40.3	70.1	87
\$15,000 - \$24,999	55.7	44.5	66.4	102	67.1	58.4	74.7	185	62.8	51.8	72.5	131	58.9	47.5	69.4	130
\$25,000 - \$34,999	50.8	35.9	65.5	95	66.8	56.1	76.1	113	57.8	46.3	68.5	103	62.1	51.8	71.4	113
\$35,000 - \$49,999	59.8	48.6	70.2	114	64.4	55.6	72.3	147	71.7	62.3	79.5	134	73.0	63.9	80.6	130
\$50,000+	62.9	56.8	68.6	302	62.2	55.6	68.3	251	66.3	57.7	73.9	206	56.9	49.4	64.1	216
EMPLOYMENT																
Employed	60.0	54.1	65.6	462	64.3	59.1	69.1	515	66.4	60.3	72.1	401	65.1	59.7	70.1	418
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	52.8	45.5	60.0	266	56.8	50.6	62.9	334	57.7	50.5	64.7	286	51.3	43.7	58.8	302
EDUCATION																
K-11th Grade	*	*	*	*	69.1	58.4	78.0	105	*	*	*	*	*	*	*	*
12th Grade or GED	50.3	40.9	59.6	195	60.3	52.7	67.4	286	62.1	53.7	69.8	240	59.4	51.3	67.0	230
Some College	63.7	56.5	70.4	229	68.1	61.5	74.0	263	61.9	53.7	69.5	235	60.5	52.5	68.0	266
College Graduate+	60.1	53.8	66.1	294	53.9	46.5	61.1	215	63.6	55.5	71.0	190	59.0	51.6	66.0	216

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Obesity

Idaho adults who were obese (BMI ≥ 30), 2005

									Publi	c Hea	Ith D	istrict				
	Statewide % 95% CI N					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	24.5	23.1	26.1	5,439	21.7	18.5	25.2	858	24.9	21.4	28.7	744	29.9	26.1	34.0	749
SEX																
Male	25.9	23.6	28.4	2,159	20.7	16.3	25.9	348	25.0	20.0	30.7	305	30.6	24.8	37.2	271
Female	23.1	21.4	24.9	3,280	22.7	18.4	27.6	510	24.8	20.2	30.0	439	29.1	24.5	34.2	478
AGE																
18-24	17.5	12.9	23.4	316	*	*	*	*	20.1	10.9	34.1	51	*	*	*	*
25-34	20.2	17.1	23.8	818	20.0	12.0	31.6	91	23.6	15.1	34.8	93	27.2	19.5	36.6	129
35-44	25.4	22.3	28.9	941	21.0	14.7	29.1	127	30.1	22.0	39.6	129	33.4	24.8	43.3	121
45-54	32.3	29.0	35.8	1,108	29.9	23.4	37.4	202	31.2	23.7	40.0	150	36.0	27.5	45.4	137
55-64	31.5	28.1	35.2	955	29.9	23.0	37.9	174	24.3	17.3	32.9	140	40.1	31.1	49.8	142
65+	20.0	17.6	22.6	1,275	16.5	11.7	22.9	231	21.2	15.1	29.0	175	23.3	17.3	30.7	179
18-34	19.0	16.2	22.2	1,134	14.7	8.5	24.3	121	21.8	15.2	30.4	144	24.9	18.0	33.3	166
35-54	28.9	26.5	31.3	2,049	25.8	21.0	31.2	329	30.7	25.0	37.0	279	34.6	28.4	41.4	258
55+	25.2	23.1	27.4		22.7	18.4	27.7	405	22.5	17.7	28.1	315	30.5	25.1	36.6	321
SEX and AGE																
Male																
18-34	20.7	16.2	26.0	426	*	*	*	*	20.8	12.4	32.8	68	26.1	16.0	39.6	60
35-54	31.0	27.4	34.8	861	26.8	19.9	35.0	143	30.6	22.4	40.2	121	31.9	22.9	42.3	104
55+	25.0	21.9	28.5	862	20.7	14.9	28.1	166	23.6	16.2	33.1	115	35.0	26.0	45.4	106
Female																
18-34	17.2	14.1	20.9	708	17.4	8.6	31.9	82	23.0	13.6	36.3	76	23.6	15.5	34.2	106
35-54	26.6	23.8	29.6	1,188	24.8	18.6	32.2	186	30.9	23.6	39.2	158	37.6	29.7	46.3	154
55+	25.4	22.7	28.3	1,368	24.7	18.8	31.7	239	21.4	15.8	28.3	200	26.5	20.5	33.4	215
INCOME																
Less than \$15,000	22.2	18.1	27.0	587	24.1	13.6	39.2	85	27.2	17.6	39.6	96	29.6	19.7	42.0	92
\$15,000 - \$24,999	26.8	23.6	30.4	1,019	19.2	13.2	27.1	174	29.3	21.5	38.6	158	35.8	26.9	45.9	139
\$25,000 - \$34,999	24.5	20.7	28.8	760	26.5	18.6	36.1	125	27.5	19.0	38.1	96	27.9	19.1	38.9	115
\$35,000 - \$49,999	27.5	23.9	31.5	945	25.4	18.6	33.7	155	24.8	17.5	33.9	121	29.8	21.8	39.3	144
\$50,000+	22.9	20.4	25.6	1,609	17.1	12.6	22.7	251	19.8	14.1	27.0	203	32.0	24.4	40.7	180
EMPLOYMENT																
Employed	24.8	22.9	26.8	3,088	21.2	17.0	26.1	464	23.7	19.3	28.7	407	29.1	24.3	34.5	421
Unemployed	24.2	17.5	32.6	180	*	*	*	*	*	*	*	*	*	*	*	*
Other**	24.0	21.8	26.3	2,155	22.2	17.7	27.5	365	27.0	21.4	33.4	304	31.1	25.3	37.6	298
EDUCATION																
K-11th Grade	30.7	25.0	37.1	448	25.0	14.2	40.2	74	26.9	16.3	41.1	70	41.7	29.0	55.6	80
12th Grade or GED	23.1	20.6	25.8		20.6	15.0	27.7	263	27.9	21.5	35.4	220	27.9	22.0	34.8	278
Some College	26.5	23.9	29.2	<i>'</i>	25.3	20.3	31.0	310	23.3	17.7	30.1	232	31.2	24.6	38.6	235
College Graduate+	22.2	19.6	25.0	1,502	16.7	11.8	23.2	211	22.5	16.7	29.6	221	24.2	17.5	32.3	155

^{*}Figure not reliable by BRFSS standards (N<50)
**Other includes students, homemakers, retirees, and persons unable to work

Obesity

Idaho adults who were obese (BMI ≥ 30), 2005

							Publi	c Hea	lth Di	strict						
		District 4 % 95% CI 22.6 19.2 26.4				Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	22.6	19.2	26.4	750	23.1	19.9	26.7	873	28.5	24.4	33.0	713	23.2	19.9	26.8	752
SEX																
Male	24.3	19.0	30.6	297	26.4	21.3	32.1	356	33.6	26.9	41.1	279	23.3	18.3	29.1	303
Female	20.8	17.1	25.1	453	19.8	16.1	24.3	517	23.2	19.0	28.0	434	23.0	19.0	27.7	449
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	10.1	4.8	20.0	76
25-34	16.2	10.3	24.4	137	14.5	8.5	23.7	110	23.1	15.2	33.5	124	21.1	14.2	30.1	134
35-44	19.4	13.4	27.2	148	27.4	20.7	35.4	166	27.3	18.9	37.8	117	30.6	22.5	40.0	133
45-54	34.4	26.5	43.2	159	29.9	22.9	37.9	182	33.1	25.2	42.1	150	28.9	21.3	37.9	128
55-64	30.0	21.9	39.7	117	22.6	16.0	30.9	153	42.5	32.9	52.6	114	31.6	23.1	41.7	115
65+	16.5	11.1	23.8	142	18.5	13.6	24.7	220	25.4	18.8	33.4	166	22.5	15.9	30.9	162
18-34	17.0	11.1	25.3	177	19.0	12.3	28.2	151	23.0	15.1	33.5	165	15.0	10.3	21.3	210
35-54	26.4	21.3	32.2	307	28.7	23.7	34.3	348	30.3	24.3	37.1	267	29.7	24.0	36.1	261
55+	23.1	18.0	29.0	259	20.3	16.2	25.3	373	32.9	27.1	39.3	280	26.8	21.3	33.2	277
SEX and AGE																
Male																
18-34	18.1	9.1	32.9	66	20.2	10.5	35.4	61	33.0	19.5	50.0	55	16.9	9.6	28.0	77
35-54	31.2	23.2	40.5	125	32.5	25.1	40.9	155	34.0	24.6	44.8	105	30.6	22.2	40.5	108
55+	19.2	12.3	28.6	101	24.6	17.8	33.0	140	34.3	25.7	44.1	118	23.0	15.3	33.0	116
Female																
18-34	15.9	9.9	24.7	111	17.7	10.2	29.1	90	12.8	6.8	22.7	110	13.2	8.3	20.3	133
35-54	21.0	15.5	27.8	182	24.7	18.4	32.2	193	26.5	19.8	34.4	162	28.8	21.6	37.2	153
55+	26.6	19.9	34.7	158	16.4	11.9	22.1	233	31.6	24.3	39.9	162	30.5	23.2	39.0	161
INCOME																
Less than \$15,000	14.3	7.5	25.6	64	19.2	11.2	31.0	89	24.8	14.0	40.0	74	22.1	13.0	35.0	87
\$15,000 - \$24,999	20.1	12.7	30.3	102	29.9	22.3	38.9	185	31.1	22.5	41.3	131	26.6	18.6	36.4	130
\$25,000 - \$34,999	19.6	11.6	31.4	95	27.7	18.2	39.7	113	22.7	14.3	34.0	103	24.0	16.3	33.9	113
\$35,000 - \$49,999	27.9	18.8	39.3	114	20.2	13.6	28.9	147	36.2	26.2	47.6	134	25.4	18.0	34.6	130
\$50,000+	22.9	17.9	28.7	302	20.8	15.8	26.9	251	26.2	19.0	35.0	206	21.8	16.4	28.3	216
EMPLOYMENT																
Employed	23.4	19.1	28.4	462	23.4	19.4	28.1	515	28.6	23.3	34.5	401	25.5	21.1	30.4	418
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	20.8	15.9	26.7	266	23.7	18.4	29.9	334	28.2	21.5	35.9	286	18.9	14.3	24.7	302
EDUCATION																
K-11th Grade	*	*	*	*	30.7	21.2	42.1	105	*	*	*	*	*	*	*	*
12th Grade or GED	16.7	11.3	24.0	195	24.5	19.0	30.9	286	29.9	23.5	37.3	240	20.1	14.9	26.6	230
Some College	28.0	21.8	35.2	229	21.2	15.7	28.1	263	28.8	21.1	38.0	235	24.3	18.8	30.8	266
College Graduate+	22.9	17.8	29.0	294	18.8	13.3	26.0	215	25.5	19.0	33.3	190	23.2	17.5	30.0	216

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Cigarette Smoking Idaho adults who smoked cigarettes, 2005

								<u>_</u>	Public	c Hea	lth Di	istrict				
	Statewide				Distr	ict 1			Distr	ict 2			Distr	ict 3		
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	17.9	16.6	19.4	5,719	20.7	17.0	25.0	900	19.3	15.7	23.5	785	21.8	18.0	26.2	786
SEX																
Male	19.6	17.4	22.1	2,188	23.1	16.9	30.8	350	22.6	16.8	29.7	309	26.6	20.7	33.5	277
Female	16.3	14.8	17.9	3,531	18.4	14.8	22.5	550	15.9	12.3	20.3	476	17.2	12.7	22.8	509
AGE																
18-24	19.3	14.1	25.9	335	*	*	*	*	25.0	12.8	43.0	53	*	*	*	*
25-34	20.6	17.3	24.3	869	19.7	11.7	31.2	99	27.2	18.1	38.6	105	29.6	20.9	40.2	133
35-44	20.8	18.0	24.1	990	18.1	12.3	25.9	132	11.4	6.7	18.7	134	22.6	15.8	31.3	130
45-54	19.5	17.0	22.3	1,162	25.1	19.2	32.2	211	19.2	13.2	27.1	161	14.1	9.0	21.4	145
55-64	18.5	15.9	21.5	1,006	22.0	16.4	28.8	184	24.2	17.1	33.1	148	20.9	14.4	29.4	150
65+	8.0	6.6	9.7	1,319	8.6	5.6	13.1	240	10.7	6.4	17.4	176	9.7	6.2	15.0	183
18-34	20.0	16.9	23.5	1,204	26.3	16.3	39.6	129	26.1	18.0	36.2	158	30.5	21.9	40.7	173
35-54	20.2	18.2	22.3		21.9	17.5	27.0	343	15.5	11.4	20.7	295	18.6	14.1	24.2	275
55+	12.8	11.4		2,325	14.9	11.6	18.8	424	16.5	12.3	21.8	324	14.6	10.9	19.3	333
SEX and AGE																
Male																
18-34	23.3	18.3	29.2	442	*	*	*	*	34.2	21.5	49.6	72	39.9	26.9	54.4	62
35-54	19.6	16.7	22.9	868	22.2	15.9	30.1	143	15.7	9.8	24.2	119	17.5	11.2	26.5	107
55+	15.3	12.8	18.2	866	14.4	9.8	20.6	166	16.8	10.6	25.6	117	20.6	13.7	29.7	107
Female																
18-34	16.4	13.2	20.2	762	17.5	10.1	28.7	89	16.6	9.6	27.3	86	20.6	10.7	36.0	111
35-54	20.7	18.3	23.4	1,284	21.6	16.0	28.5	200	15.3	10.3	22.2	176	19.7	13.9	27.1	168
55+	10.6	9.0	12.5	1,459	15.3	11.1	20.7	258	16.2	11.1	23.0	207	9.6	6.7	13.7	226
INCOME																
Less than \$15,000	31.7	25.9	38.1	631	37.2	25.4	50.8	89	34.7	20.5	52.3	105	41.4	28.9	55.1	99
\$15,000 - \$24,999	25.0	21.2	29.2	1,058	32.7	20.9	47.1	181	22.1	15.7	30.2	166	24.2	15.6	35.5	143
\$25,000 - \$34,999	20.6	16.7	25.1	796	18.8	12.5	27.3	130	19.4	11.9	30.0	102	26.4	15.8	40.8	123
\$35,000 - \$49,999	15.5	12.9	18.5		17.8	11.7	26.3	162	15.6	9.6	24.2	127	13.3	8.5	20.4	149
\$50,000+	10.7	9.1	12.5	1,650	12.8	8.9	18.1	257	10.5	6.6	16.4	205	12.9	8.6	19.0	186
EMPLOYMENT																
Employed	19.0	17.2	20.9	3,248	21.8	17.1	27.4	486	20.2	15.1	26.4	432	23.9	19.0	29.5	445
Unemployed	36.2	26.4	47.3	194	*	*	*	*	*	*	*	*	*	*	*	*
Other**	13.9	12.2	15.7	2,259	15.9	11.9	20.8	383	16.5	12.3	21.8	315	14.8	11.0	19.6	308
EDUCATION																
K-11th Grade	32.0	26.1	38.6	506	39.2	25.6	54.6	77	44.0	28.9	60.3	82	29.8	18.6	44.1	90
12th Grade or GED	24.3	21.4	27.5	,	28.6	20.5	38.4	274	24.0	18.4	30.8	239	26.8	20.0	34.7	289
Some College	16.5	14.6	18.7		17.9	13.6	23.1	329	15.7	10.9	21.9	235	19.0	13.3	26.3	243
College Graduate+	7.3	6.0	9.0	1,553	6.2	4.0	9.7	219	5.4	3.1	9.4	227	10.8	6.2	18.3	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Cigarette Smoking Idaho adults who smoked cigarettes, 2005

									Ith Di							
		District 4 % 95% CI N 16.2 13.3 19.7 78				Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	16.2	13.3	19.7	785	20.5	17.4	24.1	921	15.9	13.1	19.2	758	12.1	9.8	14.8	784
SEX																
Male	15.9	11.3	21.8	302	24.2	19.1	30.3	362	16.2	11.9	21.6	283	11.9	8.4	16.5	305
Female	16.6	13.3	20.5	483	16.9	13.5	20.8	559	15.6	12.2	19.8	475	12.4	9.6	15.8	479
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	7.5	3.8	14.1	80
25-34	17.3	11.4	25.4	142	22.2	13.6	34.1	120	21.6	14.4	31.0	131	10.4	5.9	17.5	139
35-44	21.1	15.0	28.9	157	27.6	20.9	35.5	173	21.4	14.6	30.2	125	18.8	12.8	26.9	139
45-54	17.6	12.3	24.5	167	24.2	18.1	31.7	188	23.1	16.7	31.0	157	14.3	8.8	22.3	133
55-64	16.4	10.5	24.8	123	19.8	13.6	27.9	158	11.3	6.7	18.5	122	16.3	10.2	24.9	121
65+	6.0	3.2	10.9	145	10.0	6.6	14.8	231	4.5	2.2	8.9	176	7.4	4.0	13.3	168
18-34	16.2	10.4	24.5	184	20.8	13.9	30.0	168	16.6	11.2	23.9	173	8.8	5.7	13.3	219
35-54	19.5	15.2	24.6	324	25.9	21.2	31.2	361	22.3	17.4	28.0	282	16.5	12.2	21.9	272
55+	11.1	7.7	15.8	268	14.3	10.8	18.7	389	7.5	4.9	11.3	298	11.6	8.0	16.5	289
SEX and AGE																
Male																
18-34	16.6	7.9	31.5	69	21.3	11.0	37.3	65	19.7	11.2	32.4	56	6.0	2.4	14.1	78
35-54	17.9	11.8	26.2	126	32.0	24.6	40.4	157	17.1	10.9	25.9	107	15.0	8.9	24.2	109
55+	12.3	7.0	20.7	102	17.9	11.9	26.1	139	10.6	6.0	17.8	119	16.6	10.3	25.7	116
Female																
18-34	15.9	9.9	24.4	115	20.3	12.8	30.5	103	13.4	7.7	22.3	117	11.4	7.0	17.8	141
35-54	21.1	15.8	27.8	198	19.7	14.4	26.2	204	27.4	20.7	35.2	175	18.1	12.8	24.9	163
55+	10.1	6.3	15.9	166	11.2	7.8	15.7	250	4.9	2.7	8.7	179	7.0	4.1	11.8	173
INCOME																
Less than \$15,000	40.9	23.4	61.0	65	25.6	16.8	36.9	101	24.6	14.6	38.3	79	11.5	6.5	19.8	93
\$15,000 - \$24,999	22.6	14.0	34.2	106	29.0	21.6	37.7	192	22.4	15.5	31.2	138	19.1	12.4	28.2	132
\$25,000 - \$34,999	19.7	12.0	30.6	99	22.8	13.2	36.3	121	13.1	7.1	23.1	106	20.0	12.8	29.8	115
\$35,000 - \$49,999	16.0	10.0	24.6	122	18.8	13.0	26.3	149	14.3	8.4	23.1	139	12.8	7.9	20.1	135
\$50,000+	8.9	6.1	12.8	307	13.5	9.5	18.8	256	13.2	8.9	19.1	218	6.5	3.7	11.1	221
EMPLOYMENT																
Employed	15.7	12.1	20.3	486	24.4	20.0	29.4	541	16.4	12.7	20.9	424	12.9	9.7	16.8	434
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	15.0	10.7	20.6	276	12.5	9.2	16.8	353	11.7	8.0	16.7	307	10.1	7.1	14.2	317
EDUCATION																
K-11th Grade	*	*	*	*	32.2	21.7	44.9	120	32.2	18.8	49.3	52	*	*	*	*
12th Grade or GED	23.6	16.4	32.7	206	25.5	19.7	32.2	303	19.8	14.6	26.2	255	19.4	14.4	25.8	242
Some College	21.3	16.3	27.4	237	17.7	13.5	22.8	271	12.1	8.2	17.5	252	8.6	5.7	12.6	276
College Graduate+	5.8	3.7	8.8	304	7.8	4.7	12.7	223	11.8	7.3	18.3	199	7.5	4.5	12.3	218

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Smokeless Tobacco Use

Idaho adults who used smokeless tobacco, 2005

		<u></u>	<u> </u>	Public Health District												
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	% 95% CI N 4.3 3.6 5.2 5,729		%	95%		N	%	95%		N	%	95%		N		
TOTAL	4.3	3.6	5.2	5,729	5.9	4.2	8.0	903	4.3	2.9	6.4	791	4.2	2.7	6.5	785
SEX																
Male	8.6	7.1	10.3	2,195	11.9	8.6	16.2	352	8.1	5.4	12.0	313	8.6	5.6	13.1	277
Female	0.1	0.0	0.2	3,534	0.0	0.0	0.2	551	0.4	0.1	1.8	478	0.0	0.0	0.0	508
AGE																
18-24	3.2	1.1	9.2	335	*	*	*	*	4.3	1.3	13.5	53	*	*	*	*
25-34	6.5	4.7	8.9	869	7.7	3.2	17.2	99	9.7	5.1	17.6	105	4.9	1.8	12.6	133
35-44	6.6	4.9	8.8	991	9.1	4.7	16.7	132	3.9	1.4	10.5	136	7.0	3.4	14.1	130
45-54	4.7	3.3	6.6	1,167	8.3	5.0	13.5	211	3.7	1.5	8.9	165	3.7	1.5	8.9	145
55-64	2.4	1.5	3.8	1,006	4.1	1.8	8.9	184	2.9	0.9	8.5	148	5.0	1.9	12.7	150
65+	1.6	1.0	2.6	1,323	2.7	1.1	6.4	243	1.6	0.4	6.1	176	1.4	0.3	5.4	182
18-34	5.0	3.4	7.4	1,204	5.2	2.3	11.2	129	7.1	4.0	12.3	158	4.1	1.7	10.0	173
35-54	5.6	4.5	7.0		8.6	5.7	12.8	343	3.8	1.9	7.4	301	5.5	3.1	9.6	275
55+	2.0	1.4	2.8	· ·	3.3	1.8	6.0	427	2.2	0.9	5.0	324	3.0	1.3	6.6	332
SEX and AGE																
Male																
18-34	9.7	6.6	14.1	442	*	*	*	*	13.1	7.2	22.5	72	8.1	3.2	18.9	62
35-54	11.0	8.8	13.6	871	17.6	11.8	25.4	143	6.5	3.1	13.1	123	10.8	6.0	18.4	107
55+	4.2	2.9	5.8	870	7.0	3.8	12.3	168	4.3	1.7	10.2	117	6.5	2.9	13.9	107
Female																
18-34	0.1	0.0	0.4	762	0.0	0.0	0.0	89	0.0	0.0	0.0	86	0.0	0.0	0.0	111
35-54	0.2	0.1	0.6		0.1	0.0	0.4	200	0.9	0.1	6.0	178	0.0	0.0	0.0	168
55+	0.0	0.0	0.2	1,459	0.0	0.0	0.0	259	0.3	0.0	1.8	207	0.0	0.0	0.0	225
INCOME																
Less than \$15,000	4.5	1.4	13.4	632	5.9	2.1	15.4	90	1.8	0.4	8.0	105	2.7	0.9	8.4	99
\$15,000 - \$24,999	2.8	1.8	4.3	1,059	4.1	1.7	9.7	181	4.3	1.9	9.2	166	0.0	0.0	0.0	143
\$25,000 - \$34,999	6.1	4.2	8.6	797	11.2	6.1	19.9	130	1.4	0.2	9.0	103	8.3	3.9	16.8	123
\$35,000 - \$49,999	5.4	3.8	7.6	986	7.2	3.5	14.2	162	9.0	4.2	18.1	128	4.6	1.5	13.4	149
\$50,000+	4.6	3.4	6.0	1,652	4.7	2.6	8.3	257	6.3	3.4	11.4	208	5.3	2.5	10.7	186
EMPLOYMENT																
Employed	6.1	4.9	7.5	3,254	7.7	5.3	11.0	486	6.7	4.4	10.1	437	6.1	3.8	9.6	445
Unemployed	2.7	1.2	6.1	194	*	*	*	*	*	*	*	*	*	*	*	*
Other**	1.2	0.8	1.8	2,263	2.6	1.3	5.1	386	1.1	0.3	3.6	316	1.0	0.2	4.1	307
EDUCATION																
K-11th Grade	2.1	1.1	3.9		6.1	2.4	15.0	77	1.5	0.2	9.8	82	1.3	0.2	8.9	90
12th Grade or GED	6.2	4.4	8.6	· ·		3.3	10.5	275	5.9	3.1	11.0	241	5.6	2.8	10.8	288
Some College	4.8	3.7	6.1	,		5.2	13.1	330	4.1	2.0	8.4	239	5.5	2.8	10.3	243
College Graduate+	2.5	1.7	3.7	1,554	1.9	0.7	4.9	220	4.1	2.1	8.0	227	2.2	0.7	7.1	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Smokeless Tobacco Use

Idaho adults who used smokeless tobacco, 2005

									Ith Di		•					
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	4.7	2.9	7.7	785	3.9	2.7	5.5	925	3.5	2.2	5.6	755	2.8	1.8	4.4	785
SEX																
Male	9.3	5.7	14.9	301	7.7	5.3	10.9	364	6.9	4.2	11.0	282	5.7	3.6	8.8	306
Female	0.0	0.0	0.0	484	0.1	0.0	0.6	561	0.3	0.0	2.0	473	0.2	0.0	1.1	479
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	0.7	0.1	5.0	80
25-34	6.6	3.2	12.9	141	7.6	4.0	13.9	120	7.8	3.5	16.5	131	3.3	1.2	8.9	140
35-44	5.8	2.9	11.3	157	7.8	4.3	13.8	173	5.7	2.4	12.8	124	6.0	2.8	12.4	139
45-54	4.3	1.6	10.9	167	3.4	1.4	8.5	189	4.5	1.8	11.0	157	4.0	1.8	8.5	133
55-64	0.0	0.0	0.0	123	2.3	0.7	7.2	158	1.5	0.2	10.1	122	2.4	0.6	9.2	121
65+	2.0	0.6	6.3	146	1.3	0.4	4.3	234	0.5	0.1	3.6	174	0.9	0.1	5.9	168
18-34	7.3	3.1	15.9	183	4.0	2.1	7.6	168	4.1	1.8	9.0	173	1.9	0.8	4.6	220
35-54	5.1	2.9	8.9	324	5.6	3.4	9.1	362	5.1	2.7	9.3	281	5.0	2.8	8.5	272
55+	1.0	0.3	3.2	269	1.8	0.8	4.0	392	1.0	0.2	4.3	296	1.6	0.5	4.9	289
SEX and AGE																
Male																1
18-34	13.8	6.0	28.7	68	7.7	3.9	14.6	65	8.2	3.6	17.7	56	3.5	1.3	9.0	79
35-54	9.9	5.6	17.0	126	10.8	6.5	17.5	157	9.4	4.8	17.4	106	9.9	5.7	16.8	109
55+	2.2	0.7	6.9	102	3.8	1.6	8.5	141	2.1	0.5	8.8	119	3.3	1.1	10.0	116
Female																
18-34	0.0	0.0	0.0	115	0.0	0.0	0.0	103	0.0	0.0	0.0	117	0.4	0.1	2.8	141
35-54	0.0	0.0	0.0	198	0.2	0.0	1.6	205	0.8	0.1	5.5	175	0.0	0.0	0.0	163
55+	0.0	0.0	0.0	167	0.0	0.0	0.0	251	0.0	0.0	0.0	177	0.0	0.0	0.0	173
INCOME																
Less than \$15,000	13.8	2.7	48.3	66	0.6	0.1	4.2	102	0.0	0.0	0.0	77	0.6	0.1	4.4	93
\$15,000 - \$24,999	3.0	0.9	9.9	106	3.1	1.1	8.4	192	1.7	0.4	7.2	138	3.6	1.4	8.9	133
\$25,000 - \$34,999	5.0	1.8	12.8	99	4.4	1.8	10.5	121	4.4	1.3	14.0	106	4.9	2.0	11.6	115
\$35,000 - \$49,999	5.8	2.6	12.4	122	6.0	3.1	11.2	151	3.9	1.5	10.1	139	1.9	0.6	6.1	135
\$50,000+	4.1	2.1	7.8	306	5.5	3.1	9.7	256	4.0	1.7	8.9	218	3.8	1.8	7.9	221
EMPLOYMENT																
Employed	6.6	3.9	11.0	485	5.2	3.5	7.7	543	5.1	3.1	8.3	423	4.1	2.6	6.6	435
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	0.9	0.3	2.8	277	1.1	0.4	3.1	355	0.6	0.1	4.0	305	1.0	0.3	3.3	317
EDUCATION																1
K-11th Grade	*	*	*	*	1.3	0.3	5.4	121	5.4	1.1	22.4	52	*	*	*	*
12th Grade or GED	9.8	4.5	19.8	207	4.5	2.5	7.9	303	3.9	1.8	8.3	253	4.1	2.2	7.5	242
Some College	4.0	1.9	8.1	237	4.3	2.2	8.3	273	4.8	2.4	9.4	251	2.2	1.0	4.9	276
College Graduate+	2.3	1.0	5.3	303	4.2	2.1	8.2	224	0.8	0.1	5.1	199	3.1	1.3	7.5	218

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Binge Drinking

Idaho adults who were binge drinkers, 2005

						1101			Public	c Hea	lth Di	istrict				
	Statewide % 95% CI N					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	13.3	11.8	14.9	5,698	12.4	9.8	15.6	896	12.3	9.6	15.6	784	13.2	10.2	16.9	779
SEX																
Male	20.4	17.8	23.3	2,177	18.1	13.5	24.0	349	16.6	12.5	21.8	308	21.9	16.5	28.6	274
Female	6.2	5.2	7.4		6.9	4.9	9.7	547	7.9	4.9	12.6	476	4.7	2.9	7.8	505
AGE																
18-24	24.0	17.6	31.8	332	*	*	*	*	22.4	12.4	37.0	53	*	*	*	*
25-34	15.2	12.3	18.8	868	17.1	10.3	27.0	99	14.7	8.8	23.3	105	14.7	8.6	23.9	132
35-44	16.0	13.3	19.2	985	16.1	10.2	24.5	131	15.3	9.7	23.3	135	12.9	7.5	21.3	128
45-54	12.5	10.2	15.3	1,160	14.3	9.9	20.2	210	11.0	6.2	18.7	161	10.6	6.1	17.8	145
55-64	9.0	7.1	11.3		9.1	5.6	14.4	183	8.3	4.5	14.7	148	14.6	8.7	23.5	150
65+	2.7	1.7	4.3	1,314	3.5	1.6	7.5	239	3.2	1.2	8.0	175	6.6	2.5	16.3	180
18-34	19.2	15.7	23.3	1,200	16.5	10.0	26.1	129	18.5	12.4	26.6	158	17.5	11.2	26.2	171
35-54	14.3	12.4	16.3	<i>'</i>	15.2	11.3	20.0	341	13.0	9.1	18.2	296	11.8	8.0	17.1	273
55+	5.6	4.5		2,317	6.1	4.1	9.2	422	5.4	3.2	8.9	323	10.1	6.3	15.9	330
SEX and AGE																
Male																
18-34	28.6	22.6	35.5	441	*	*	*	*	20.9	12.7	32.4	72	27.2	16.4	41.6	61
35-54	20.8	17.6	24.3	862	21.7	15.2	30.0	142	19.3	12.6	28.3	119	18.8	12.1	28.2	106
55+	10.3	8.2		862	10.0	6.2	15.8	166	9.2	5.0	16.2	116	19.4	11.7	30.6	106
Female																
18-34	9.2	6.8	12.3	759	9.8	5.2	17.7	89	15.6	7.7	29.1	86	7.3	3.2	16.1	110
35-54	7.7	6.1	9.7	1,283	8.9	5.5	14.1	199	6.6	3.6	12.0	177	4.7	2.3	9.4	167
55+	1.5	0.9	2.3	1,455	2.5	1.2	5.4	256	1.9	8.0	4.4	207	2.2	0.9	5.2	224
INCOME																
Less than \$15,000	12.2	7.5	19.2	627	11.1	4.8	23.5	89	13.4	5.9	27.6	104	13.0	6.3	25.1	98
\$15,000 - \$24,999	14.4	10.9	18.7	1,051	11.1	6.3	19.0	178	13.8	8.2	22.4	165	18.4	10.6	30.0	142
\$25,000 - \$34,999	16.1	11.2	22.6	793	12.9	7.4	21.5	129	9.1	4.4	17.8	102	11.3	6.0	20.3	121
\$35,000 - \$49,999	15.4	12.2	19.1	982		9.0	21.7	161	16.7	10.3	26.0	127	11.7	6.5	20.1	148
\$50,000+	13.0	11.0	15.2	1,649	15.2	10.0	22.5	257	12.3	7.9	18.6	207	10.8	6.6	17.3	186
EMPLOYMENT																
Employed	17.8	15.6	20.1	3,237	16.4	12.6	21.1	483	14.3	10.6	19.1	432	16.8	12.6	22.0	442
Unemployed	12.0	7.6	18.3	193	*	*	*	*	*	*	*	*	*	*	*	*
Other**	5.1	3.9	6.6	2,250	5.3	3.2	8.6	382	6.5	3.6	11.5	314	7.5	4.0	13.6	304
EDUCATION																
K-11th Grade	20.7	13.5	30.4	504	8.5	3.4	19.8	76	14.2	7.1	26.4	82	22.4	12.7	36.3	90
12th Grade or GED	14.8	12.3	17.7		15.7	10.4	23.1	272	16.4	11.3	23.2	238	13.2	8.7	19.5	283
Some College	12.4	10.3	14.8	· ·	10.5	7.2	15.2	328	11.4	6.7	18.6	237	11.1	6.3	18.8	242
College Graduate+	10.0	8.1	12.3	1,550	11.9	7.7	18.0	219	7.6	4.7	12.1	225	9.5	5.6	15.8	163

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Binge Drinking Idaho adults who were binge drinkers, 2005

						WEI			lth Di							
		District 4 % 95% CI N 18.1 14.2 22.8 783				Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	18.1	14.2	22.8	783	11.5	8.7	14.9	920	11.8	8.8	15.7	756	7.2	5.4	9.5	780
SEX																
Male	27.1	20.3	35.1	301	19.3	14.2	25.5	360	18.8	13.3	26.0	281	10.6	7.6	14.7	304
Female	8.8	6.1	12.5	482	3.9	2.5	6.0	560	5.1	3.3	7.9	475	3.9	2.4	6.4	476
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	7.1	3.6	13.4	79
25-34	19.3	12.7	28.2	142	11.7	5.9	21.7	119	14.2	8.1	23.7	131	8.2	4.3	15.1	140
35-44	18.9	12.9	26.8	157	21.3	15.2	28.9	172	13.6	8.4	21.2	125	9.1	5.1	15.5	137
45-54	17.5	11.5	25.7	166	8.5	5.0	13.9	188	9.0	4.9	15.8	157	8.8	4.6	16.4	133
55-64	7.9	4.2	14.4	123	6.2	3.1	12.1	157	8.7	4.6	15.8	121	7.8	4.1	14.2	121
65+	0.4	0.1	2.8	145	2.2	0.9	5.1	234	2.0	0.7	5.4	175	1.8	0.4	6.7	166
18-34	29.1	19.9	40.3	184	15.8	9.1	25.8	166	18.4	11.5	28.1	173	7.6	4.7	11.9	219
35-54	18.3	13.8	23.7	323	14.7	11.0	19.2	360	11.2	7.7	16.0	282	8.9	5.8	13.5	270
55+	4.1	2.2	7.5	268	3.9	2.3	6.8	391	5.0	2.9	8.5	296	4.6	2.6	8.1	287
SEX and AGE																
Male																
18-34	42.4	27.3	59.0	69	27.2	15.2	43.8	64	31.9	19.1	48.2	56	8.7	4.5	16.1	79
35-54	26.0	18.6	35.1	126	22.5	16.2	30.3	155	13.3	7.8	21.7	107	13.8	8.2	22.2	107
55+	7.6	3.8	14.4	101	7.3	4.0	13.1	140	9.3	5.1	16.3	117	9.7	5.4	16.6	116
Female																
18-34	14.0	7.9	23.6	115	3.7	1.4	9.0	102	4.7	1.9	11.4	117	6.5	3.3	12.3	140
35-54	10.1	6.3	15.8	197	6.8	4.0	11.5	205	9.1	5.5	14.7	175	4.2	2.0	8.6	163
55+	1.1	0.3	4.7	167	1.0	0.3	3.3	251	1.2	0.4	4.0	179	0.0	0.0	0.0	171
INCOME																
Less than \$15,000	20.1	6.3	48.5	65	8.1	2.0	27.4	101	5.5	2.2	13.2	79	8.0	3.8	16.0	91
\$15,000 - \$24,999	20.6	9.9	38.1	106	12.0	6.8	20.5	191	11.7	6.1	21.5	137	9.6	4.8	18.0	132
\$25,000 - \$34,999	28.4	14.3	48.4	99	13.6	5.8	29.1	121	13.6	6.8	25.5	106	9.5	5.0	17.1	115
\$35,000 - \$49,999	20.5	12.5	31.8	122	13.8	8.3	22.0	150	22.3	12.9	35.6	139	4.2	2.0	8.9	135
\$50,000+	15.8	11.8	20.9	306	11.3	7.8	16.0	255	9.3	5.6	15.0	217	8.3	5.2	13.1	221
EMPLOYMENT																
Employed	23.9	18.5	30.2	485	15.7	11.8	20.7	539	16.9	12.4	22.6	423	9.7	7.1	13.2	433
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	5.4	2.8	10.2	276	3.2	1.7	5.8	354	3.6	1.5	8.4	306	3.5	1.7	6.7	314
EDUCATION																
K-11th Grade	*	*	*	*	16.3	8.5	28.8	120	10.5	3.9	25.5	52	*	*	*	*
12th Grade or GED	18.0	11.1	27.9	207	14.7	9.4	22.2	301	12.0	7.5	18.5	254	11.1	7.2	16.9	240
Some College	20.6	15.0	27.8	235	7.4	4.3	12.2	271	14.6	8.6	23.7	252	4.6	2.7	7.6	275
College Graduate+	12.0	8.2	17.3	304	7.8	4.8	12.5	224	8.1	4.9	13.0	198	6.3	3.5	11.2	217

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Heavy Drinking Idaho adults who were heavy drinkers, 2005

									Public	c Hea	lth Di	istrict				
	Statewide					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	₀ CI	N
TOTAL	4.5	3.8	5.2	5,668	5.4	3.9	7.3	887	5.4	3.8	7.6	786	4.0	2.6	6.1	775
SEX																
Male	7.2	6.0	8.6	2,168	8.4	5.7	12.0	347	9.6	6.6	13.7	311	7.6	4.8	11.8	270
Female	1.8	1.4	2.3		2.5	1.5	4.2	540	1.1	0.5	2.5	475	0.6	0.2	1.4	505
AGE																
18-24	2.2	1.0	4.7	327	*	*	*	*	4.3	1.3	13.6	53	*	*	*	*
25-34	4.5	2.8	7.2	864	2.8	0.8	9.7	99	7.9	3.7	16.0	105	1.7	0.4	6.8	131
35-44	4.6	3.3	6.5	977	8.9	4.5	17.0	128	3.0	0.9	9.8	133	4.1	1.5	11.1	128
45-54	5.5	4.1	7.5	1,158	7.8	4.7	12.8	209	5.2	2.5	10.5	164	5.3	2.3	11.7	144
55-64	5.5	4.1	7.4	996	5.6	3.1	9.9	180	6.9	3.4	13.5	148	5.6	2.4	12.3	149
65+	4.3	3.1	5.8	1,310	4.5	2.3	8.7	238	4.9	2.3	10.2	176	4.7	2.1	9.9	180
18-34	3.5	2.3	5.2	1,191	1.5	0.4	5.5	128	6.1	3.2	11.5	158	2.4	0.7	8.1	169
35-54	5.1	4.1	6.4	2,135	8.3	5.4	12.6	337	4.2	2.2	7.8	297	4.7	2.4	8.8	272
55+	4.8	3.9	6.0	2,306	5.0	3.2	7.7	418	5.8	3.4	9.5	324	5.1	2.9	8.8	329
SEX and AGE																
Male																
18-34	6.0	3.8	9.4	435	*	*	*	*	11.3	5.9	20.9	72	4.8	1.3	15.6	59
35-54	7.9	6.0	10.2	861	13.6	8.4	21.4	141	6.4	3.1	13.1	121	9.3	4.8	17.1	105
55+	7.9	6.1	10.1	860	7.3	4.2	12.4	165	11.0	6.3	18.5	117	9.1	4.7	16.9	105
Female																
18-34	0.8	0.4	1.6	756	0.4	0.1	3.0	88	0.0	0.0	0.0	86	0.0	0.0	0.0	110
35-54	2.3	1.5	3.4	1,274	3.3	1.4	7.3	196	1.9	0.6	5.8	176	0.0	0.0	0.0	167
55+	2.2	1.5	3.3	1,446	2.9	1.4	5.9	253	1.0	0.3	3.1	207	1.8	0.7	4.4	224
INCOME																
Less than \$15,000	2.8	1.7	4.6	627	4.1	1.2	12.7	90	2.8	0.9	8.3	105	2.8	0.7	10.7	96
\$15,000 - \$24,999	3.9	2.3	6.6	1,048	2.8	1.2	6.3	178	3.9	1.7	8.7	165	4.3	1.2	14.8	141
\$25,000 - \$34,999	4.4	2.8	6.9	787	5.8	2.8	11.6	127	7.7	3.3	16.7	103	1.4	0.4	5.1	123
\$35,000 - \$49,999	4.7	3.3	6.5			2.7	11.5	159	4.4	1.6	11.5	128	4.2	1.6	10.5	147
\$50,000+	5.7	4.5	7.2	1,642	7.2	4.3	11.8	254	7.3	4.0	12.9	207	6.4	3.4	11.8	186
EMPLOYMENT																
Employed	5.1	4.2	6.2	3,223	7.1	4.9	10.1	479	5.7	3.7	8.6	433	4.8	2.8	7.9	438
Unemployed	5.4	3.0	9.3	191	*	*	*	*	*	*	*	*	*	*	*	*
Other**	3.1	2.3	4.2	2,236	2.6	1.4	4.7	377	3.7	1.8	7.5	315	3.2	1.5	6.5	304
EDUCATION																
K-11th Grade	3.7	2.1	6.4	498	3.2	0.9	10.4	76	7.0	2.6	17.9	82	3.9	0.7	18.2	88
12th Grade or GED	4.8	3.7	6.3	,	3.9	2.2	7.1	269	5.2	2.9	9.3	241	3.8	2.0	7.2	284
Some College	4.4	3.4	5.7	,		4.3	10.5	323	5.2	2.7	9.7	236	3.3	1.4	7.2	240
College Graduate+	4.4	3.2	6.0	1,544	6.3	3.2	11.8	218	5.1	2.6	9.7	225	5.5	2.5	11.6	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Heavy Drinking

Idaho adults who were heavy drinkers, 2005

							Publi	c Hea	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	5.2	3.7	7.4	780	4.3	2.8	6.6	915	2.4	1.5	4.0	752	3.6	2.5	5.3	773
SEX																
Male	8.2	5.3	12.3	299	6.2	3.5	10.8	359	3.5	1.8	6.5	281	5.7	3.7	8.8	301
Female	2.2	1.3	3.9	481	2.5	1.4	4.2	556	1.4	0.7	2.9	471	1.6	0.7	3.7	472
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	3.2	1.1	8.8	79
25-34	7.7	3.5	16.2	142	2.6	1.1	6.3	119	2.1	0.5	9.3	130	3.4	1.1	10.3	138
35-44	3.5	1.5	8.0	156	8.5	4.9	14.2	171	2.8	1.0	7.6	125	2.0	0.6	6.3	136
45-54	6.8	3.4	12.9	166	3.6	1.6	7.7	187	2.6	0.7	8.8	156	4.7	2.2	10.0	132
55-64	5.9	2.9	11.8	123	1.4	0.4	5.7	156	5.9	2.7	12.6	121	7.6	3.9	14.2	119
65+	6.2	3.1	11.9	145	3.9	1.9	8.1	232	1.9	0.7	5.2	174	1.8	0.6	4.8	165
18-34	5.0	2.3	10.6	182	3.9	1.1	13.0	166	1.1	0.2	5.1	171	3.3	1.5	7.0	217
35-54	5.0	2.9	8.4	322	5.9	3.8	9.2	358	2.7	1.2	6.0	281	3.4	1.8	6.4	268
55+	6.1	3.7	9.8	268		1.5	5.4	388	3.7	1.9	6.9	295	4.5	2.5	7.7	284
SEX and AGE																
Male																
18-34	9.3	4.1	20.0	67	6.2	1.4	24.1	64	2.3	0.5	10.1	55	3.5	1.1	10.4	78
35-54	7.0	3.5	13.2	125	8.6	5.0	14.4	155	3.0	0.9	9.7	107	5.6	2.7	11.3	107
55+	9.1	4.9	16.2	102	3.2	1.2	8.2	139	5.7	2.6	12.2	118	9.5	5.4	16.2	114
Female																
18-34	0.4	0.1	2.6	115	1.4	0.4	5.5	102	0.0	0.0	0.0	116	3.1	1.1	8.5	139
35-54	3.0	1.4	6.3	197	3.3	1.5	6.8	203	2.4	0.9	6.4	174	1.2	0.3	4.8	161
55+	3.4	1.5	7.7	166	2.5	1.0	6.0	249	1.9	0.7	5.1	177	0.0	0.0	0.0	170
INCOME																
Less than \$15,000	1.9	0.5	7.9	66	2.2	0.8	6.1	102	3.3	1.0	10.3	79	3.5	1.0	11.5	89
\$15,000 - \$24,999	8.8	3.1	22.7	104	1.5	0.6	4.2	192	0.3	0.0	1.9	135	3.7	1.3	10.0	133
\$25,000 - \$34,999	4.6	1.6	12.1	98	8.4	2.2	27.1	116	0.9	0.1	5.9	106	4.3	1.5	11.5	114
\$35,000 - \$49,999	5.7	2.8	11.3	122	3.7	1.5	8.7	151	4.4	1.8	10.3	138	3.3	1.4	7.3	135
\$50,000+	5.7	3.5	9.1	306	6.7	4.2	10.8	253	3.0	1.3	6.9	216	4.0	2.0	7.8	220
EMPLOYMENT																
Employed	5.2	3.3	8.1	483	5.4	3.2	8.9	539	2.8	1.5	5.2	422	4.4	2.8	7.0	429
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	4.9	2.7	8.8	275	2.2	1.1	4.5	351	1.3	0.6	3.1	303	2.6	1.2	5.4	311
EDUCATION																
K-11th Grade	*	*	*	*	2.8	0.9	8.2	120	4.7	1.5	14.1	52	*	*	*	*
12th Grade or GED	6.0	3.2	11.0	206	6.5	3.1	13.1	300	2.9	1.3	6.4	252	5.0	2.6	9.6	239
Some College	6.0	3.3	10.4	234	3.4	1.8	6.6	268	1.4	0.4	5.2	251	3.3	1.8	6.0	274
College Graduate+	4.6	2.4	8.6	304	3.2	1.5	6.4	223	2.6	1.1	5.8	197	2.8	1.2	6.3	215

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Illicit Drug Use

Idaho adults who used illicit drugs in the last 12 months, 2005

									Public	с Неа	lth Di	istrict				
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	5.3	4.3	6.5	5,332	6.6	4.0	10.7	845	4.4	2.7	7.0	737	6.7	3.9	11.2	728
SEX																
Male	7.0	5.3	9.1	2,034	9.1	4.7	16.7	325	5.0	2.6	9.4	292	8.5	4.7	14.9	259
Female	3.7	2.7	5.1	3,298	4.3	2.0	8.8	520	3.7	1.8	7.5	445	4.9	1.8	13.2	469
AGE																
18-24	15.9	10.9	22.6	316	*	*	*	*	13.5	6.2	27.1	51	*	*	*	*
25-34	6.1	4.3	8.6	800	5.2	1.7	14.7	92	4.5	1.7	11.3	100	5.9	2.2	14.6	115
35-44	3.4	2.3	5.0	907	3.4	1.2	8.9	118	1.1	0.2	7.3	125	3.5	1.3	9.3	122
45-54	3.3	2.3	4.7	1,100	2.6	0.9	7.4	202	3.3	1.0	10.0	155	3.6	1.5	8.3	137
55-64	2.6	1.6	4.3	952	2.7	1.0	6.9	174	3.0	1.1	8.0	138	1.9	0.4	9.1	144
65+	1.2	0.6	2.4	1,229	2.4	8.0	7.0	227	0.7	0.1	5.1	163	1.5	0.5	5.0	171
18-34	10.7	8.0	14.1	1,116	16.5	8.5	29.5	122	8.9	4.8	16.1	151	14.8	7.5	27.1	150
35-54	3.4	2.6	4.4	2,007	3.0	1.4	6.1	320	2.3	0.8	6.0	280	3.5	1.8	6.8	259
55+	1.9	1.3	2.8	2,181	2.5	1.2	5.2	401	1.7	0.7	4.2	301	1.7	0.6	4.6	315
SEX and AGE																
Male																
18-34	13.7	9.5	19.4	414	*	*	*	*	9.0	3.8	20.1	70	17.9	8.5	33.8	56
35-54	3.8	2.7	5.4	801	4.5	1.8	10.9	131	3.7	1.1	11.5	111	3.7	1.3	9.9	103
55+	2.9	1.8	4.8	810	3.7	1.4	9.4	154	1.6	0.4	6.2	110	3.0	0.9	9.7	99
Female																
18-34	7.4	4.7	11.5	702	12.0	4.6	27.6	83	8.8	3.5	20.4	81	11.4	2.8	36.2	94
35-54	2.9	2.0	4.3	′	1.5	0.6	4.0	189	0.9	0.2	3.6	169	3.4	1.5	7.6	156
55+	0.9	0.6	1.6	1,371	1.5	0.5	4.2	247	1.9	0.6	5.8	191	0.7	0.2	2.8	216
INCOME																
Less than \$15,000	6.8	3.0	14.9	585	5.9	2.2	15.1	84	8.1	2.8	21.2	96	5.2	1.9	13.4	93
\$15,000 - \$24,999	7.8	5.1	11.8	975	11.9	4.1	30.2	168	5.9	2.3	14.3	155	8.7	3.2	21.6	129
\$25,000 - \$34,999	5.9	3.3	10.1	747	8.1	3.4	18.2	120			13.4	100	10.1		32.6	117
\$35,000 - \$49,999	5.3	3.5	8.0		3.4	1.2	8.9	155	2.8	1.0	7.8	121	5.8		14.6	135
\$50,000+	3.0	2.1	4.3	1,566	2.4	0.9	6.2	244	3.8	1.5	9.8	197	0.7	0.1	4.7	176
EMPLOYMENT																
Employed	6.1	4.7	7.8	'	8.3	4.5	14.7	454	3.2	1.6	6.4	411	7.2	4.1	12.3	408
Unemployed	13.5	6.3	26.6	179	*	*	*	*	*	*	*	*	*	*	*	*
Other**	3.0	2.1	4.3	2,104	2.4	1.0	5.6	360	4.0	1.7	9.3	294	2.2	0.9	5.2	291
EDUCATION																
K-11th Grade	7.7	4.6	12.7	455	12.2	4.2	30.5	72	14.5	6.6	29.2	74	8.3	2.4	24.7	80
12th Grade or GED	7.9	5.6	11.2	'	11.6	5.6	22.4	259	4.6	1.9	10.8	220	9.3	4.1	19.7	264
Some College	3.9	2.7	5.5	'	3.5	1.6	7.3	307	2.5	0.9	6.3	222	4.8	1.5	13.9	227
College Graduate+	3.2	2.3	4.6	1,472	1.7	0.5	6.2	206	1.2	0.3	4.8	219	2.7	1.0	7.0	156

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Illicit Drug Use

Idaho adults who used illicit drugs in the last 12 months, 2005

	lo au								lth Di			<u> </u>				
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	4.8	2.9	7.9	725	5.3	3.6	7.7	862	6.2	3.7	10.3	707	3.2	2.0	5.1	728
SEX																
Male	5.9	2.8	12.0	274	5.2	2.8	9.1	337	11.5	6.6	19.5	260	4.1	2.2	7.6	287
Female	3.6	2.0	6.5	451	5.5	3.4	8.8	525	1.3	0.5	3.5	447	2.3	1.1	4.6	441
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	5.6	2.3	13.1	76
25-34	7.3	3.7	13.7	127	6.3	3.1	12.6	112	7.2	2.9	16.8	127	4.5	1.7	11.3	127
35-44	3.1	1.3	7.2	147	7.2	3.9	12.9	153	3.4	1.2	9.2	114	2.0	0.6	6.4	128
45-54	2.9	1.2	6.8	158	6.6	3.6	11.8	176	2.7	0.9	8.0	146	2.0	0.5	7.5	126
55-64	2.6	0.6	10.0	112	1.5	0.4	5.9	153	3.3	1.1	9.3	117	3.8	1.4	9.8	114
65+	1.3	0.2	8.5	134	0.5	0.1	3.2	219	1.1	0.2	7.5	162	0.3	0.1	2.3	153
18-34	9.3	4.5	18.3	167	8.2	4.2	15.3	158	12.8	6.5	23.6	165	5.1	2.7	9.7	203
35-54	3.0	1.6	5.5	305	6.9	4.5	10.4	329	3.0	1.4	6.4	260	2.0	0.8	4.9	254
55+	1.9	0.6	5.9	246	0.9	0.3	2.9	372	2.1	8.0	5.4	279	2.0	0.8	4.9	267
SEX and AGE																
Male																
18-34	11.8	4.2	28.9	60	5.9	1.6	19.5	62	23.8	12.0	41.9	53	7.4	3.3	15.9	74
35-54	2.2	0.8	6.3	116	8.9	5.2	14.9	141	4.7	1.9	11.3	97	1.5	0.3	6.1	102
55+	4.1	1.3	12.0	95	0.0	0.0	0.0	133	3.8	1.3	11.0	110	3.0	1.0	8.8	109
Female																
18-34	6.5	2.7	14.9	107	10.7	5.2	20.6	96	1.7	0.2	11.0	112	2.9	1.0	8.3	129
35-54	3.9	1.8	8.0	189	4.9	2.4	9.6	188	1.4	0.4	5.1	163	2.5	0.8	7.8	152
55+	0.0	0.0	0.0	151	1.7	0.5	5.2	239	0.7	0.2	2.6	169	1.1	0.2	4.5	158
INCOME																
Less than \$15,000	16.1	3.6	49.4	60	2.1	0.6	6.9	91	0.5	0.1	3.8	72	3.2	0.9	10.6	89
\$15,000 - \$24,999	8.4	3.2	20.5	96	6.8	2.7	16.2	177	4.4	1.4	13.0	127	6.1	2.7	13.3	123
\$25,000 - \$34,999	3.4	1.2	9.3	92	2.7	0.8	8.3	113	8.7	3.1	21.9	100	4.8	2.0	11.5	105
\$35,000 - \$49,999	3.7	1.4	9.5	115	5.6	2.6	11.5	145	11.7	4.2	28.4	133	5.2	1.9	13.3	130
\$50,000+	3.3	1.7	6.3	288	5.1	2.9	8.8	245	5.4	2.1	13.4	208	0.6	0.1	4.4	208
EMPLOYMENT																
Employed	5.5	3.0	10.1	452	5.4	3.6	8.2	506	8.3	4.5	14.7	393	3.7	2.1	6.6	410
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	3.2	1.5	7.1	252	4.7	1.9	10.8	330	2.8	1.0	8.2	289	2.2	0.9	5.3	288
EDUCATION																
K-11th Grade	*	*	*	*	1.2	0.2	7.8	108	*	*	*	*	*	*	*	*
12th Grade or GED	8.1	3.0	19.8	184	8.6	4.7	15.0	276	4.2	1.6	10.6	233	5.5	2.7	11.1	219
Some College	2.5	1.0	6.6	219	5.0	2.9	8.6	262	8.2	3.6	17.9	240	1.8	0.8	4.2	265
College Graduate+	4.1	2.3	7.2	290	3.5	1.7	7.3	213	3.8	1.6	8.7	187	3.0	1.1	8.0	201

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Seat Belt Use

Idaho adults who did not always wear a seat belt, 2005

	luand											strict				
		State	wide	ļ		Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	23.8	22.3	25.4	5,422	17.5	14.7	20.8	864	27.3	23.5	31.5	750	21.4	18.0	25.3	739
SEX																
Male	29.1	26.6	31.8	2,069	21.3	16.6	26.8	333	34.8	28.7	41.6	298	25.6	20.2	31.8	262
Female	18.5	16.9	20.3		14.0	10.8	17.9	531	19.4	15.5	24.1	452	17.3	13.3	22.1	477
AGE																
18-24	27.7	21.9	34.4	315	*	*	*	*	29.6	17.7	45.3	51	*	*	*	*
25-34	27.6	24.0	31.5	812	26.4	17.5	37.8	95	26.2	17.2	37.8	100	23.4	16.3	32.5	118
35-44	24.2	21.0	27.6	924	20.9	14.0	30.2	120	27.9	20.1	37.3	129	24.8	17.2	34.3	124
45-54	23.3	20.4	26.5	1,115	17.1	12.2	23.5	206	27.9	20.7	36.4	157	20.6	13.9	29.4	136
55-64	21.6	18.8	24.7	967	12.7	8.6	18.3	178	29.5	21.6	38.8	141	18.1	11.8	26.8	146
65+	18.4	16.1	21.0	1,259	15.8	11.4	21.6	232	23.3	16.5	31.8	166	16.2	11.3	22.7	176
18-34	27.6	24.3	31.3	1,127	19.8	13.2	28.7	125	27.9	20.1	37.3	151	24.2	17.2	32.9	153
35-54	23.7	21.5	26.0	2,039	18.8	14.5	24.1	326	27.9	22.5	34.1	286	22.8	17.5	29.2	260
55+	19.9	18.1		2,226	14.4	11.2	18.3	410	25.9	20.6	32.1	307	17.1	13.0	22.2	322
SEX and AGE																
Male																
18-34	32.3	26.7	38.3	417	*	*	*	*	36.7	24.4	51.0	70	22.9	13.8	35.7	56
35-54	29.7	26.2	33.5	816	29.6	22.1	38.5	134	32.7	24.2	42.6	114	29.8	21.1	40.3	102
55+	24.8	21.8	28.1	827	12.9	8.6	19.0	158	33.9	25.1	44.0	113	23.6	16.2	33.1	103
Female																
18-34	22.7	19.1	26.8	710	19.4	11.6	30.8	85	17.2	9.8	28.3	81	25.7	16.2	38.2	97
35-54	17.7	15.2	20.3	1,223	8.7	5.0	14.9	192	23.0	16.8	30.7	172	15.5	10.4	22.6	158
55+	15.6	13.5	17.9	1,399	15.6	11.4	21.1	252	18.4	12.8	25.6	194	11.6	7.8	16.8	219
INCOME																
Less than \$15,000	24.8	19.0	31.6	597	26.1	15.4	40.8	85	25.7	14.8	40.7	99	19.3	10.7	32.2	94
\$15,000 - \$24,999	26.0	22.5	29.8	991	17.6	11.9	25.4	170	25.3	18.3	34.0	156	26.8	18.2	37.5	132
\$25,000 - \$34,999	24.6	20.8	28.9	762	22.6	15.3	32.1	127	25.3	17.1	35.7	100	19.8	12.5	30.0	118
\$35,000 - \$49,999	27.7	24.1	31.6	944	17.9	11.6	26.6	158	36.3	27.2	46.4	124	27.1	19.1	37.0	136
\$50,000+	21.3	18.9	23.9	1,587	14.1	10.0	19.6	248	28.5	21.1	37.3	199	15.9	10.9	22.7	178
EMPLOYMENT																
Employed	26.4	24.4	28.6	3,083	18.8	14.9	23.4	466	29.6	24.5	35.3	418	25.0	20.4	30.3	414
Unemployed	24.0	17.0	32.8	182	*	*	*	*	*	*	*	*	*	*	*	*
Other**	18.7	16.6	20.9	2,142	16.1	12.3	20.7	367	23.4	17.8	30.3	299	15.0	11.0	20.2	296
EDUCATION																
K-11th Grade	20.4	15.9	25.8	457	23.1	13.3	37.0	73	23.6	12.6	40.0	74	18.1	10.2	30.2	81
12th Grade or GED	27.1	24.2	30.3		18.9	13.7	25.4	265	32.3	25.5	39.9	226	24.0	18.3	30.7	267
Some College	25.8	23.3	28.5	1,769	16.6	12.2	22.2	315	26.8	20.2	34.5	228	24.0	17.9	31.4	230
College Graduate+	19.1	16.6	21.8	1,495	14.7	10.2	20.8	210	24.2	18.2	31.5	220	15.8	9.9	24.2	160

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Seat Belt Use

Idaho adults who did not always wear a seat belt, 2005

							Publi	с Неа	lth Di	strict	•					
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	19.0	15.6	23.0	741	25.0	21.6	28.6	875	32.5	28.3	37.0	721	34.0	29.8	38.4	732
SEX																
Male	22.1	16.6	28.8	281	30.7	25.2	36.8	339	40.2	33.1	47.8	266	44.2	37.6	51.0	290
Female	15.9	12.2	20.5	460	19.5	16.0	23.7	536	25.3	21.1	30.0	455	23.9	19.5	29.0	442
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	37.8	26.2	51.1	76
25-34	25.0	17.6	34.1	129	23.9	16.7	33.1	113	33.8	25.2	43.5	129	39.4	29.3	50.5	128
35-44	20.2	14.0	28.1	148	24.8	18.4	32.6	156	26.5	18.9	36.0	118	33.8	25.6	43.1	129
45-54	20.2	13.7	28.8	162	28.3	21.6	36.2	178	29.1	21.7	37.7	150	29.1	21.2	38.5	126
55-64	11.4	6.5	19.4	114	27.8	20.7	36.2	155	40.4	31.3	50.3	118	31.9	23.0	42.2	115
65+	9.2	5.0	16.5	141	21.0	15.6	27.7	225	25.8	19.4	33.5	165	30.3	22.8	39.1	154
18-34	24.9	17.3	34.5	169	24.2	17.0	33.3	158	36.7	27.7	46.8	167	38.5	30.5	47.3	204
35-54	20.2	15.5	25.8	310	26.7	21.8	32.1	334	27.9	22.4	34.1	268	31.4	25.6	37.9	255
55+	10.3	6.8	15.3	255	24.0	19.5	29.2	380	32.4	26.8	38.6	283	31.1	25.1	37.7	269
SEX and AGE																
Male																
18-34	27.6	15.8	43.6	62	26.5	15.3	42.0	61	46.1	30.8	62.2	53	53.9	41.1	66.3	75
35-54	24.8	17.5	33.9	120	31.1	23.8	39.5	142	33.6	24.6	43.9	101	36.5	27.4	46.6	103
55+	10.2	5.5	18.2	96	34.6	26.6	43.6	135	41.0	31.8	50.9	112	40.6	30.9	51.2	110
Female																
18-34	22.1	14.1	32.8	107	21.9	14.2	32.1	97	27.3	19.2	37.2	114	23.4	15.5	33.7	129
35-54	15.3	10.2	22.2	190	22.3	16.4	29.6	192	22.4	16.4	29.7	167	26.3	19.4	34.5	152
55+	10.4	5.9	17.6	159	15.0	10.9	20.4	245	25.0	18.7	32.6	171	22.1	15.8	29.9	159
INCOME																
Less than \$15,000	24.3	9.3	50.0	62	12.4	6.7	21.8	94	33.1	19.8	49.8	74	33.4	20.1	49.9	89
\$15,000 - \$24,999	19.1	10.9	31.3	99	26.8	19.9	35.1	181	31.0	22.3	41.3	130	41.7	31.1	53.2	123
\$25,000 - \$34,999	22.5	13.9	34.2	94		16.4	39.1	116			42.8	102	31.9		42.6	105
\$35,000 - \$49,999	18.5	11.1	29.3	116	25.4	18.5	33.8	146		33.7	55.3	133	41.5	32.4	51.1	131
\$50,000+	17.4	12.8	23.1	293	28.5	22.3	35.6	245	29.1	22.2	37.0	213	30.7	24.1	38.1	211
EMPLOYMENT																
Employed	21.6	17.1	26.9	459	26.6	22.3	31.4	511	38.0	32.1	44.2	403	37.5	32.3	43.1	412
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	11.5	7.4	17.6	260	23.2	18.0	29.3	338	23.3	18.2	29.3	293	27.4	20.8	35.1	289
EDUCATION																
K-11th Grade	*	*	*	*	19.0	11.8	29.0	108	*	*	*	*	*	*	*	*
12th Grade or GED	27.1	19.0	37.2	190	27.4	21.3	34.6	282	30.0	23.2	37.9	243	37.3	29.9	45.4	220
Some College	17.8	12.8	24.3	224	28.8	22.6	36.0	266	38.2	30.6	46.5	241	36.7	29.5	44.6	265
College Graduate+	15.8	11.3	21.6	294	20.3	15.2	26.6	216	25.8	19.4	33.5	191	27.8	21.5	35.1	204

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Cholesterol Screening

Idaho adults who had not had cholesterol checked within the last five years, 2005

									Publi	с Неа	lth D	istrict				
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	33.6	31.8	35.4	5,549	28.2	24.3	32.6	881	37.5	33.1	42.2	762	38.2	33.7	43.0	760
SEX																
Male	34.7	31.9	37.7	2,138	27.8	21.9	34.6	343	41.8	34.9	48.9	301	42.3	35.4	49.6	272
Female	32.4	30.3	34.6	3,411	28.7	23.7	34.3	538	33.1	27.9	38.8	461	34.1	28.4	40.2	488
AGE																
18-24	72.3	65.0	78.6	294	*	*	*	*	*	*	*	*	*	*	*	*
25-34	53.4	49.2	57.5	838	50.6	39.1	62.1	95	55.4	44.3	66.1	100	66.9	57.3	75.2	128
35-44	34.2	30.7	37.8	972	33.4	25.2	42.8	131	36.7	28.4	45.9	133	31.2	23.3	40.4	126
45-54	22.2	19.5	25.1	1,143	24.0	18.1	31.2	210	32.2	24.7	40.8	158	25.0	17.9	33.7	143
55-64	14.0	11.6	16.7	994	13.2	8.6	19.8	181	13.0	8.2	20.0	147	15.8	10.2	23.8	147
65+	8.2	6.7	9.9	1,272	5.8	3.5	9.4	235	8.6	5.1	14.1	168	10.2	6.4	15.9	175
18-34	61.5	57.6	65.2	1,132	53.5	41.3	65.3	120	68.2	59.2	76.0	149	70.5	62.0	77.8	164
35-54	28.2	26.0	30.5	2,115	28.4	23.3	34.1	341	34.4	28.7	40.6	291	28.2	22.7	34.5	269
55+	10.9	9.5		2,266	9.3	6.6	12.8	416	10.5	7.5	14.7	315	12.7	9.2	17.3	322
SEX and AGE																
Male																
18-34	62.3	56.0	68.2	420	*	*	*	*	73.1	60.6	82.8	66	75.1	62.3	84.6	61
35-54	29.2	25.8	32.8	857	32.6	24.7	41.6	142	35.2	26.7	44.8	121	30.7	22.4	40.5	106
55+	10.7	8.6	13.2	849	7.8	4.6	13.0	163	12.7	7.8	20.0	113	14.6	8.9	23.0	104
Female																
18-34	60.6	56.1	65.0	712	61.1	48.3	72.5	83	62.3	49.6	73.5	83	65.6	53.8	75.7	103
35-54	27.1	24.3	30.1	1,258	24.3	18.2	31.7	199	33.5	26.3	41.4	170	25.6	18.9	33.6	163
55+	11.1	9.3	13.1	1,417	10.7	6.9	16.0	253	8.6	5.3	13.6	202	11.1	7.4	16.2	218
INCOME																
Less than \$15,000	44.9	39.0	51.0	594	39.9	26.5	54.9	89	61.1	47.0	73.6	99	43.7	30.6	57.8	94
\$15,000 - \$24,999	39.5	35.3	43.9	1,025	30.2	21.4	40.8	175	39.5	31.1	48.5	163	44.3	34.1	54.9	135
\$25,000 - \$34,999	41.1	35.6	46.8	772	36.9	27.6	47.2	127	35.9	26.2	47.0	100	41.4	29.5	54.5	119
\$35,000 - \$49,999	30.6	26.9	34.6	964	27.9	19.5	38.3	158	32.9	24.0	43.1	124	36.3	26.8	46.9	143
\$50,000+	23.9	21.3	26.7	1,625	16.6	11.8	22.8	254	26.2	19.0	35.0	202	26.6	19.6	35.0	184
EMPLOYMENT																
Employed	37.5	35.2	39.9	3,170	33.1	27.6	39.1	478	43.6	37.6	49.9	423	43.7	38.0	49.5	433
Unemployed	48.7	38.5	59.1	185	*	*	*	*	*	*	*	*	*	*	*	*
Other**	24.3	21.8	27.0	2,177	19.2	14.5	24.9	374	25.2	19.3	32.2	303	21.8	15.9	29.3	295
EDUCATION																
K-11th Grade	55.5	48.5	62.3	481	53.7	39.0	67.8	73	44.8	29.1	61.5	78	50.9	37.7	64.0	86
12th Grade or GED	36.7	33.6		1,737	30.8	23.5	39.3	264	45.1	37.6	52.8	230	42.1	34.6	50.1	274
Some College	32.1	29.2	35.1	1,802	28.0	21.8	35.1	327	35.7	28.2	43.9	232	31.8	24.4	40.2	237
College Graduate+	24.3	21.6	27.3	1,521	15.7	10.6	22.7	216	26.9	20.4	34.6	220	30.2	21.6	40.5	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Cholesterol Screening

Idaho adults who had not had cholesterol checked within the last five years, 2005

idano addits (lth Di							
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	28.1	24.0	32.6	767	38.0	34.1	42.1	892	34.6	30.1	39.5	734	38.7	34.3	43.2	753
SEX																
Male	28.2	21.6	35.9	294	41.3	35.0	47.8	354	36.2	28.8	44.2	277	35.9	29.5	42.9	297
Female	28.0	23.4	33.1	473	34.9	30.2	39.9	538	33.1	28.0	38.7	457	41.3	35.5	47.4	456
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	80.8	69.7	88.5	69
25-34	44.6	35.9	53.8	139	63.2	53.1	72.4	119	45.4	35.8	55.3	123	56.7	46.6	66.2	134
35-44	31.1	23.8	39.6	155	41.5	33.8	49.6	168	35.4	26.6	45.3	123	37.8	29.5	46.8	136
45-54	13.8	9.2	20.2	165	29.2	22.3	37.2	186	21.4	15.2	29.3	152	23.3	16.0	32.6	129
55-64	12.9	7.7	21.0	122	17.0	11.5	24.4	156	17.7	11.5	26.3	122	8.7	4.9	14.9	119
65+	5.5	2.8	10.5	141	10.5	6.9	15.5	219	11.1	6.9	17.2	171	8.1	4.8	13.5	163
18-34	50.9	41.4	60.3	175	69.9	61.1	77.5	160	60.0	50.5	68.9	161	69.5	61.8	76.2	203
35-54	23.0	18.4	28.5	320	35.1	29.8	40.7	354	28.2	22.6	34.5	275	30.4	24.7	36.8	265
55+	9.2	6.1	13.8	263	13.4	10.1	17.6	375	14.1	10.3	19.1	293	8.4	5.7	12.2	282
SEX and AGE																
Male																
18-34	51.0	35.6	66.3	65	73.7	59.0	84.5	62	61.5	46.1	74.9	53	68.2	56.6	77.9	76
35-54	22.8	16.1	31.4	125	38.8	30.9	47.4	151	29.2	20.7	39.5	106	26.0	18.1	35.8	106
55+	8.3	4.1	16.1	99	13.7	8.8	20.8	140	14.9	9.2	23.3	117	5.2	2.3	11.3	113
Female																
18-34	50.7	40.3	61.2	110	66.0	55.3	75.4	98	58.5	47.3	68.8	108	70.7	60.3	79.4	127
35-54	23.2	17.3	30.4	195	31.4	24.7	39.0	203	27.1	20.6	34.8	169	34.8	27.2	43.2	159
55+	10.0	6.0	16.2	164	13.1	9.2	18.4	235	13.4	8.8	19.9	176	11.3	7.4	16.9	169
INCOME																
Less than \$15,000	25.8	15.1	40.4	62	42.5	29.9	56.2	91	50.7	35.1	66.1	74	62.3	48.0	74.7	85
\$15,000 - \$24,999	29.7	18.0	44.9	104	50.2	41.6	58.7	188	43.0	33.2	53.5	132	45.9	34.9	57.3	128
\$25,000 - \$34,999	46.1	31.5	61.4	97	43.5	31.9	55.9	118	36.0	25.5	48.0	103	39.2	29.4	49.9	108
\$35,000 - \$49,999	27.2	19.1	37.0	121	32.5	24.1	42.3	148	29.8	20.0	41.9	136	30.9	22.9	40.3	134
\$50,000+	22.3	17.5	28.0	301	27.7	22.0	34.2	252	30.1	22.0	39.8	215	24.6	18.4	32.0	217
EMPLOYMENT																
Employed	31.5	26.2	37.4	478	45.6	40.5	50.7	529	37.1	31.1	43.6	410	38.3	32.9	43.9	419
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	20.0	14.5	26.8	268	23.2	17.9	29.5	338	29.0	22.2	37.0	298	37.2	29.5	45.6	301
EDUCATION																
K-11th Grade	*	*	*	*	57.8	46.4	68.5	110	*	*	*	*	*	*	*	*
12th Grade or GED	32.6	25.1	41.0	199	39.6	32.9	46.7	293	27.3	20.0	35.9	247	44.5	36.7	52.5	230
Some College	23.2	17.5	30.1	234	32.3	25.7	39.6	266	41.1	32.9	49.8	245	42.4	34.6	50.6	261
College Graduate+	22.5	17.4	28.6	296	29.3	22.8	36.9	220	31.2	24.0	39.6	193	21.6	16.2	28.2	214

^{*}Figure not reliable by BRFSS standards (N<50)

 $[\]ensuremath{^{\star\star}}\xspace\ensuremath{^{\text{O}}}\$

Dental Visits
Idaho adults who had not visited the dentist in the last 12 months, 2005

									Publi	с Неа	lth Di	strict	•			
		State	wide	,		Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	33.5	31.9	35.3	5,481	38.3	33.9	42.8	869	37.3	33.0	41.8	754	39.9	35.5	44.5	753
SEX																
Male	36.7	34.0	39.5	2,095	43.7	36.7	51.1	339	38.8	32.1	45.9	298	40.6	33.9	47.6	266
Female	30.4	28.5	32.4	3,386	33.0	28.3	38.1	530	35.8	30.7	41.3	456	39.3	33.7	45.1	487
AGE																
18-24	35.6	28.9	42.8	319	*	*	*	*	45.6	30.4	61.6	51	*	*	*	*
25-34	36.6	32.8	40.7	829	42.0	31.0	53.9	96	37.7	27.4	49.2	100	45.7	35.8	56.0	123
35-44	32.4	28.9	36.1	943	37.8	28.7	47.9	120	33.1	25.0	42.4	131	41.4	32.3	51.1	126
45-54	31.0	27.8	34.4	1,123	36.1	29.2	43.6	208	33.7	26.2	42.2	157	29.2	21.5	38.2	137
55-64	31.2	27.9	34.7	973	36.3	29.1	44.2	180	40.7	31.8	50.3	142	40.9	32.1	50.4	147
65+	35.0	31.9	38.2	1,262	38.9	32.0	46.2	232	34.6	26.8	43.2	166	38.6	30.6	47.3	178
18-34	36.2	32.4	40.1	1,148	41.1	29.8	53.5	126	41.6	32.2	51.7	151	44.6	35.1	54.5	160
35-54	31.7	29.3		2,066	36.8	31.2	42.9	328	33.4	27.8	39.6	288	35.7	29.5	42.5	263
55+	33.2	30.9		2,235	37.7	32.6	43.0	412	37.2	31.3	43.6	308	39.7	33.7	46.0	325
SEX and AGE																
Male																
18-34	38.6	32.5	45.0	424	*	*	*	*	46.3	32.5	60.6	70	40.3	27.2	54.9	58
35-54	37.0	33.1	40.9	828	46.4	37.4	55.6	136	34.9	26.3	44.6	115	37.1	27.6	47.7	103
55+	34.3	30.7	38.1	834	34.3	26.9	42.4	162	34.6	25.6	44.9	112	44.7	34.5	55.3	104
Female																
18-34	33.6	29.3	38.1	724	30.1	19.4	43.5	86	35.9	24.8	48.9	81	49.3	36.8	61.8	102
35-54	26.4	23.6	29.3	1,238	27.8	21.1	35.6	192	32.0	25.0	39.9	173	34.3	26.7	42.7	160
55+	32.2	29.5	35.1	1,401	40.7	34.0	47.8	250	39.6	32.1	47.7	196	35.4	28.8	42.6	221
INCOME																
Less than \$15,000	57.3	50.9	63.5	607	64.5	50.0	76.8	87	65.5	51.2	77.5	101	65.3	53.1	75.7	97
\$15,000 - \$24,999	46.1	41.9	50.4	999	54.3	42.9	65.3	172	49.8	40.7	59.0	156	52.9	42.5	63.1	132
\$25,000 - \$34,999	37.9	33.0	43.1				47.5	126	39.4		50.4	99			57.2	119
\$35,000 - \$49,999	28.5	24.9	32.5				41.6	158	28.4		37.6	125		19.5	37.3	141
\$50,000+	20.6	18.3	23.1	1,607	28.6	22.5	35.7	251	16.0	10.7	23.2	201	21.4	15.5	28.8	180
EMPLOYMENT																
Employed	31.7	29.6	34.0	· '	35.9	30.1	42.0	468	35.6	29.7	42.0	421	37.6	32.1	43.3	422
Unemployed	44.1	33.9	54.8		*	*	*	*	*	*	*	*	*	*	*	*
Other**	35.6	33.0	38.2	2,157	40.3	34.6	46.2	370	38.2	32.0	44.8	300	41.4	34.9	48.2	300
EDUCATION																
K-11th Grade	51.6	44.1	59.1	468	51.1	36.2	65.8	73	50.5	34.8	66.1	77	65.5	51.6	77.2	83
12th Grade or GED	38.5	35.2	41.9	· '		33.3	51.4	265	44.1	36.7	51.9	227	40.1	32.7	47.9	275
Some College	33.7	31.0	36.6		41.4	34.8	48.3	318	37.6	30.3	45.5	228	38.3	31.1	45.9	232
College Graduate+	21.6	19.1	24.4	1,510	23.3	17.2	30.7	212	22.5	16.9	29.3	220	24.2	17.0	33.3	162

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Dental Visits

Idaho adults who had not visited the dentist in the last 12 months, 2005

							Publi	с Неа	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
TOTAL	26.2	22.5	30.3	750	39.5	35.7	43.5	879	32.1	28.0	36.5	735	29.6	25.8	33.7	741
SEX																
Male	29.9	23.8	36.8	284	44.3	38.0	50.7	342	32.0	25.6	39.3	273	34.8	28.8	41.4	293
Female	22.4	18.5	26.9	466	35.1	30.6	39.8	537	32.1	27.3	37.4	462	24.4	20.1	29.3	448
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	29.2	19.2	41.7	77
25-34	26.7	19.4	35.6	135	49.2	39.3	59.3	114	26.6	19.0	35.9	131	41.9	32.2	52.2	130
35-44	24.5	17.7	32.8	150	38.0	30.3	46.3	162	31.7	23.4	41.4	123	29.6	21.6	39.0	131
45-54	29.3	22.0	37.9	162	37.9	30.3	46.1	178	31.7	24.1	40.4	152	20.3	13.6	29.1	129
55-64	22.3	15.2	31.4	116	37.3	29.4	45.9	154	24.4	17.0	33.6	119	22.7	15.5	32.1	115
65+	28.5	20.8	37.6	140	34.4	28.0	41.3	223	38.6	31.0	46.7	168	34.3	26.5	43.1	155
18-34	26.3	18.7	35.7	175	45.4	36.3	54.9	159	32.5	24.0	42.4	170	34.8	27.4	43.0	207
35-54	26.8	21.7	32.6	312	37.9	32.4	43.7	340	31.7	26.0	38.1	275	24.8	19.3	31.1	260
55+	25.4	20.0	31.8	256	35.7	30.6	41.1	377	32.2	26.7	38.2	287	28.8	23.2	35.1	270
SEX and AGE																
Male																
18-34	29.3	17.3	45.2	64	45.7	31.3	60.8	61	29.1	16.7	45.7	55	41.6	29.9	54.4	76
35-54	32.4	24.2	41.9	120	46.9	38.5	55.6	146	31.6	22.8	41.9	103	32.9	24.0	43.1	105
55+	26.7	18.3	37.2	97	39.2	30.9	48.2	134	36.4	27.6	46.1	115	28.2	19.8	38.4	110
Female																
18-34	23.1	15.5	33.0	111	45.2	34.5	56.3	98	36.0	25.8	47.5	115	28.1	19.8	38.2	131
35-54	20.8	15.5	27.5	192	29.2	22.6	36.8	194	31.9	24.8	39.8	172	16.5	11.2	23.5	155
55+	24.3	17.8	32.3	159	32.7	26.8	39.2	243	28.5	22.0	35.9	172	29.4	22.5	37.4	160
INCOME																
Less than \$15,000	51.7	32.6	70.4	62	49.4	35.2	63.8	95	54.1	38.7	68.7	77	53.6	38.6	68.0	88
\$15,000 - \$24,999	33.9	23.7	45.8	100	52.0	43.3	60.6	183	43.5	33.7	53.8	132	38.4	28.5	49.3	124
\$25,000 - \$34,999	35.6	24.0	49.3	97	46.5	35.0	58.4	115	25.3	17.3	35.3	104	33.8		44.5	104
\$35,000 - \$49,999	23.0	14.8	33.9	118	36.8	28.2	46.3	148	34.9	25.4	45.9	137	22.2		31.1	132
\$50,000+	16.1	12.0	21.2	297	26.4	20.8	32.8	247	20.0	14.0	27.7	215	21.7	16.0	28.6	216
EMPLOYMENT																
Employed	24.7	20.1	30.0	466	39.4	34.4	44.7	518	28.7	23.4	34.7	411	29.3	24.6	34.5	419
Unemployed Other**	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	30.0	23.9	36.8	262	38.2	32.5	44.3	336	35.5	29.2	42.4	298	30.3	23.9	37.5	291
EDUCATION			*	*		46.5	00.5	,	J.	4-			•		4	*
K-11th Grade	*	× 05.0			55.5	43.9	66.5	110	*	*	*	*	*	*	*	
12th Grade or GED	34.3	25.8	43.9	194	46.2	38.9	53.6	283	32.8	26.3	39.9	247	33.3	26.5	40.8	221
Some College College Graduate+	32.1 16.6	25.6	39.2 22.3	226 295	33.6	27.4	40.5 34.5	266 217	28.1 27.9	20.9 21.4	36.7 35.4	245 194	27.5 23.9		34.8	268
College Graduate+	10.0	12.1	22.3	295	26.9	20.5	34.5	217	27.9	∠1.4	აე.4	194	23.9	17.9	31.1	210

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Appendix A

Trends of Selected Risk Variables by Public Health District From 1998 Through 2005

The following tables present data for each health district for selected risk variables from the years 1998 through 2005. The following table will help with interpretation of the variable headings.

Variable Heading	Definition	Question/Page in Appendix B
General Health	Adults who reported their general health status as "fair" or "poor"	Q1.1 p. 102
Health Care Coverage	Adults without health care coverage	Q3.1 p. 102
Dental Insurance	Adults who did not have dental insurance	IDQ9 p. 111
Diabetes	Adults who had ever been told they had diabetes	Q5.1 p. 102
Asthma	Adults who were diagnosed and still had asthma	Q9.1-Q9.2 p. 104
Arthritis	Adults who had ever been told they had arthritis	Q16.4 p. 107
High Cholesterol	Adults who were ever told they had high cholesterol, among those screened	Q7.2-Q7.3 p. 104
High Blood Pressure	Adults who were ever told they had high blood pressure	Q6.1 p. 103
Fruits and Vegetables	Adults who did not eat five servings of fruits and vegetables each day	Q17.1-Q17.6 p. 107
Physical Activity	Adults who did not participate in leisure time physical activity	Q4.1 p. 102
Overweight	Adults with a BMI of 25 or greater	Q13.10_Q13.11
Obesity	Adults with a BMI of 30 or greater	p. 106
Smoke Cigarettes	Adults who smoked cigarettes	Q11.1-Q11.2 p. 104
Smokeless Tobacco	Adults who used smokeless tobacco	IDQ21-IDQ22 p. 112
Binge Drinking	Adults who consumed more than five drinks on one occasion	Q12.4 p. 105
Heavy Drinking	Adults who consumed more than 60 drinks in the last 30 days	Q12.1-Q12.3 p. 104-105
Illicit Drug Use	Adults who used drugs for non-medical purposes in the last 12 months	IDQ23-IDQ24 p. 112
Seat Belt Use	Adults who did not always wear a seat belt when driving or riding	IDQ10 p. 111
Cholesterol Screening	Adults who had not had cholesterol checked within the last five years	Q7.2 p. 104
Dental Visits	Adults who had not visited the dentist in the last 12 months	M2.1 p. 108

	199	4000													
		98			199	99			200	00			200	01	
,	95%		N	%	95%		N	%	95%	CI	N	%	95%		N
2 11	1.2	13.3	4,921	12.9	11.8	14.0	4,939	13.1	12.1	14.3	4,973	13.0	12.0	14.1	4,822
2 14	1.1	16.5	4,919	16.7	15.5	18.0	4,948	17.1	15.9	18.4	4,960	14.8	13.6	16.1	4,819
*		*	*	44.9	43.3	46.6	4,884	*	*	*	*	44.9	43.2	46.7	4,693
3 3	3.7	5.1	4,928	4.8	4.1	5.5	4,953	4.9	4.2	5.6	4,973	5.4	4.8	6.2	4,830
*		*	*	7.9	6.9	8.9	4,937	7.7	6.9	8.6	4,965	8.0	7.1	8.9	4,821
*		*	*	*	*	*	*	*	*	*	*	*	*	*	*
*		*	*	30.1	28.2	32.0	3,459	*	*	*	*	30.3	28.6	32.1	3,486
*		*	*	23.0	21.6	24.4	4,929	*	*	*	*	24.6	23.1	26.1	4,823
2 74	1.8	77.6	4,931	*	*	*	*	78.9	77.6	80.2	4,978	*	*	*	*
4 19	9.1			*	*	*	*	19.8	18.5			21.0	19.6	22.5	4,831
1 51	1.4			55.2	53.5	57.0	4.809	55.7	54.0	57.4	4.781	59.3	57.6	61.1	4,588
							,								4,588
															4,823
				*	*	*	*								4,743
				14.7	13.5	16.1	4.930				<i>'</i>				4,788
							-								4,782
*		*	*	*	*	*	*	*	*	*	*	*	*	*	*
5 38	3.9	42.1	4.927	41.0	39.3	42.7	4.943	39.1	37.6	40.7	4.927	34.8	33.2	36.4	4,713
*		*	*	36.2				*	*	*	*	34.1			4,674
*		*	*	35.0	33.4			*	*	*	*	34.6	33.0	36.2	4,714
9	95%	CI	N	%	95%		N	%	95%	CI	N	%	95%	CI	N
2 10).4	16.6	698	10.7	8.6	13.3	701	14.1	11.6	17.1	714	14.3	11.8	17.3	690
2 17	7.7	25.2	695	20.8	17.6	24.4	704	17.2	14.6	20.3	713	15.9	13.1	19.3	687
*		*	*	50.7	46.6	54.7	698	*	*	*	*	50.7	46.5	54.9	667
9 3	3.3	7.1	698	6.3	4.5	8.7	706	5.5	4.0	7.5	715	5.4	3.9	7.5	690
*		*	*	6.1	4.6	8.2	702	8.4	6.4	11.0	714	7.7	5.8	10.1	688
*		*	*	*	*	*	*	*	*	*	*	*	*	*	*
*		*	*	35.0	30.5	39.7	501	*	*	*	*	32.1	27.8	36.7	495
*		*	*	23.3	20.0	26.9	703	*	*	*	*	26.9	23.5	30.6	690
5 71	1.9	78.7	698	*	*	*	*	78.4	75.0	81.5	715	*	*	*	*
9 16	6.6	23.6	698	*	*	*	*	21.4	18.3	24.9	714	20.8	17.7	24.3	690
				55.4	51.3	59.4	691								658
7 14			677	19.3			691	22.1		25.7	693	17.6		21.1	658
															688
				*	*	*	*								677
			691	13.1	10.6	16.1	704	17.4		20.7		19.1		22.8	684
		6.5	686	4.3	2.9	6.3	694	4.7	3.1	6.9		7.0	5.1		
		*	*	*	*	*	*	*	*	*	*	*	*	*	*
6 32	2.6	40.8	698	33.4	29.7	37.3	706	37.1	33.3	41.2	708	32.1	28.3	36.2	674
*		*	*	34.6		38.7	675	*	*	*	*	32.4		36.5	662
*		*	*	40.1			703	*	*	*	*	40.4	36.4		
	33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3.7 * * * * * * * * * * * * *	3 3.7 5.1 * * * * * * * * * * * * * * *	3.3.7 5.1 4,928	3.7 5.1 4,928 4.8 * * * * 30.1 * * * * 30.1 * * * * 30.1 * * * * 30.1 * * * * 30.1 * * * * 30.1 * * * * 30.1 * * * * 23.0 * 4.930 * * 19.1 21.8 4,930 * * 15.2 17.7 4,784 20.0 * 3.0 4.2 4,925 21.5 * 3.0 4.2 4,926 * * 13.6 16.1 4,907 14.7 * * * 36.2 * * * 35.0 95% CI N % * * 36.2 * * * 35.0 95% CI N % * * 36.2 * * * 35.0 95% CI N % * * 36.2 * * * 35.0 95% CI N % * * 36.2 * * * 35.0 95% CI N % * 36.2 * * * 35.0 95% CI N % * 36.2 * * * 35.0 95% CI N % * 36.2 * * * 35.0 95% CI N % * 36.2 * * * 35.0 95% CI N % * 36.2 * * * 35.0 95% CI N % 10.4 16.6 698 10.7 10.5 10.4 16.6 698 10.7 10.6 23.6 698 10.7 10.7 25.2 695 20.8 * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * 35.0 * * * * * * 35.0 * * * * * * 35.0 * * * * * * 35.0 * * * * * * 35.0	.3 3.7 5.1 4,928 4.8 4.1 * * * * * * * * * * * * * * * * * * * * * * * * * * *	.3 3.7 5.1 4,928 4.8 4.1 5.5 * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *	3.7 5.1 4,928 4.8 4.1 5.5 4,953 *	.3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 .* . .* .* .* .* .* .* .* <td>3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * <td< td=""><td>.3 3.7 5.1 4,928 4.8 4.1 5.5 4,937 7.7 6.9 8.6 * * * * 30.1 28.2 32.0 3,459 *</td><td>3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,973 *</td><td> 14.9 4.9 4.9 4.8 4.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4 </td><td>43.2 43.3 44.5 45.6 46.8 47.9 42.2 5.6 4.973 5.4 48.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4 4.8 4.8 4.9 4.97 7.7 6.9 8.6 4.965 8.0 7.1 * * * * * * * * * * * * * * * * * *</td><td>3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,953 5.0 4,953 4.9 4.2 5.6 4,953 5.0 7.1 8.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 6.2 7.8 7.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 7.6 8.0 4,965 8.0 7.1 8.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8</td></td<></td>	3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * <td< td=""><td>.3 3.7 5.1 4,928 4.8 4.1 5.5 4,937 7.7 6.9 8.6 * * * * 30.1 28.2 32.0 3,459 *</td><td>3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,973 *</td><td> 14.9 4.9 4.9 4.8 4.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4 </td><td>43.2 43.3 44.5 45.6 46.8 47.9 42.2 5.6 4.973 5.4 48.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4 4.8 4.8 4.9 4.97 7.7 6.9 8.6 4.965 8.0 7.1 * * * * * * * * * * * * * * * * * *</td><td>3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,953 5.0 4,953 4.9 4.2 5.6 4,953 5.0 7.1 8.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 6.2 7.8 7.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 7.6 8.0 4,965 8.0 7.1 8.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8</td></td<>	.3 3.7 5.1 4,928 4.8 4.1 5.5 4,937 7.7 6.9 8.6 * * * * 30.1 28.2 32.0 3,459 *	3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,973 *	14.9 4.9 4.9 4.8 4.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4	43.2 43.3 44.5 45.6 46.8 47.9 42.2 5.6 4.973 5.4 48.8 4.1 5.5 4.953 4.9 4.2 5.6 4.973 5.4 4.8 4.8 4.9 4.97 7.7 6.9 8.6 4.965 8.0 7.1 * * * * * * * * * * * * * * * * * *	3 3.7 5.1 4,928 4.8 4.1 5.5 4,953 4.9 4.2 5.6 4,953 5.0 4,953 4.9 4.2 5.6 4,953 5.0 7.1 8.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 6.2 7.8 7.9 6.9 8.9 4,937 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 8.6 4,965 8.0 7.1 8.9 7.7 6.9 7.6 8.0 4,965 8.0 7.1 8.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

						פוע ו		•	ear							
		20	02			20	03			200	04			200	 05	
Idaho	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
General Health	13.4	12.4	14.6	4,850	13.6	12.6	14.8	4,813	12.5	11.5	13.6	5,060	14.9	13.7	16.2	5,724
Health Care Coverage	16.8	15.6	18.2	4,845	16.3	15.0	17.7	4,808	15.5	14.3	16.8	5,051	18.9	17.3	20.6	5,716
Dental Insurance	45.0	43.3	46.7	4,791	44.6	42.9	46.3	4,771	43.5	41.8	45.2	5,013	45.7	43.9	47.5	5,390
Diabetes	6.1	5.4	6.8	4,853	6.3	5.5	7.1	4,823	6.2	5.5	6.9	5,070	6.8	6.1	7.6	5,726
Asthma ¹	7.8	6.9	8.7	4,836	8.0	7.1	9.0	4,800	7.9	7.0	8.9	5,041	7.3	6.5	8.2	5,697
Arthritis ²	25.3	24.0	26.8	4,838	25.7	24.3	27.1	4,799	*	*	*	*	25.5	24.2	26.9	5,644
High Cholesterol	*	*	*	*	31.1	29.3	32.9	3,588	*	*	*	*	36.3	34.5	38.1	4,329
High Blood Pressure	*	*	*	*	23.2	21.8	24.6	4,811	*	*	*	*	23.6	22.3	25.0	5,720
Fruits and Vegetables ³	78.6	77.2	80.0	4,856	79.3	77.9	80.7	4,823	*	*	*	*	76.8	75.3	78.3	5,625
Physical Activity	19.4	18.1	20.7	4,855	18.3	17.0	19.7	4,817	18.8	17.5	20.1	5,061	21.6	20.2	23.1	5,722
Overweight ³	57.3	55.6	59.1	4,661	59.3	57.5	61.1	4,583	58.2	56.4	60.0	4,890	61.4	59.5	63.1	5,439
Obesity	20.4	19.1	21.8	4,661	22.0	20.5	23.5	4,583	21.1	19.7	22.5	4,890	24.5	23.1	26.1	5,439
Cigarette Smoking	20.7	19.3	22.2	4,846	18.9	17.6	20.3	4,813	17.4	16.2	18.8	5,054	17.9	16.6	19.4	5,719
Smokeless Tobacco	*	*	*	*	4.6	3.8	5.5	4,822	5.0	4.2	5.9	5,064	4.3	3.6	5.2	5,729
Binge Drinking ^{4,5}	15.7	14.4	17.2	4,840	15.6	14.3	17.0	4,801	12.8	11.6	14.1	5,041	13.3	11.8	14.9	5,698
Heavy Drinking ^{4,5}	5.3	4.5	6.3	4,840	5.8	5.0	6.8	4,795	4.8	4.0	5.7	5,025	4.5	3.8	5.2	5,668
Illicit Drug Use ⁶	5.8	4.9	6.9	4,830	6.5	5.6	7.5	4,802	5.8	4.9	6.8	5,046	5.3	4.3	6.5	5,332
Seat Belt Usage	34.7	33.1		4,847	32.7	31.1	34.4	4,812	*	*	*	*	23.8	22.3		5,422
Cholesterol Screening	*	*	*	*	32.6	30.9		4,645		*	*	*	33.6	31.8		5,549
Dental Visits	32.5	30.9	34.1	4,836	33.8	32.2	35.5	4,795	33.4	31.8	35.0	5,025	33.5	31.9	35.3	5,481
District 1	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N
General Health	17.4	14.7	20.6	721	16.8	13.9	20.1	681	13.1	10.7	15.9	706	13.4	10.5	16.8	902
Health Care Coverage	20.7	17.4	24.5	722	20.2	17.0	23.9	679	19.6	16.3	23.5	702	21.2	17.1	25.8	902
Dental Insurance	53.5	49.3	57.5	714	50.9	46.7	55.1	678	51.8	47.6	56.0	697	51.9	47.5	56.3	857
Diabetes	6.8	5.1	9.0	723	7.0	5.2	9.4	683	4.6	3.3	6.5	707	6.3	4.9	8.0	901
Asthma ¹	10.2	8.0	12.9	721	8.3	6.4	10.7	676	7.9	6.0	10.4	701	7.4	5.6	9.8	894
Arthritis ²	32.2	28.6	36.1	719	31.7	28.0	35.7	679	*	*	*	*	27.9	24.7	31.4	891
High Cholesterol	*	*	*	*	33.7	29.4	38.4	514	*	*	*	*	39.3	35.2	43.7	737
High Blood Pressure	*	*	*	*	24.0	20.7	27.7	682	*	*	*	*	25.6	22.4	29.0	902
Fruits and Vegetables ³	77.4	74.0	80.5	722	78.5	74.8	81.7	683	*	*	*	*	80.0	76.9	82.8	891
Physical Activity	19.5	16.5	22.9	722	19.0	15.9	22.5	683	19.1	16.0	22.6	705	20.8	17.7	24.4	900
Overweight ³	59.0	54.9	63.1	695	59.6	55.3	63.7	649	60.0	55.8	64.1	678	59.4	54.9	63.7	858
Obesity	22.8	19.5	26.4	695	20.4	17.2	24.0	649	21.5	18.2	25.2	678	21.7	18.5	25.2	858
Cigarette Smoking	27.0	23.3	31.0	721	21.7	18.5	25.3	682	20.9	17.7	24.6	703	20.7	17.0	25.0	900
Smokeless Tobacco	*	*	*	*	6.0	4.1	8.6	682	4.9	3.3	7.2	706	5.9	4.2	8.0	903
Binge Drinking ^{4,5}	18.0	14.8	21.7	719	17.6	14.5	21.2	679	14.1	11.3	17.5		12.4	9.8	15.6	
Heavy Drinking ^{4,5}	5.6	3.9	8.2	718	8.3	6.1	11.1	678	5.6	3.9	8.0	698	5.4	3.9	7.3	887
Illicit Drug Use ⁶	7.3	5.2	10.3	718	6.7	4.8	9.2	677	5.2	3.5	7.6	701	6.6	4.0	10.7	845
illion Drug Ooc									*	*	*	*	47.5	447	00.0	864
Seat Belt Usage	28.5	24.8	32.4	720	30.0	26.2	34.1	683					17.5	14.7	20.8	00-
•	28.5	24.8	32.4	720 *	30.0 31.0	26.2 27.2	34.1 35.2	658		*	*	*	28.2	24.3	32.6	

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

	Year																
		199	98			199	99			00	2001						
District 2	%	95%		N	%	% 95% CI			% 95% CI		N	%	95% CI		N		
General Health	14.6	11.9	17.9	705	12.2	9.8	15.0	705	13.6	11.2	16.5	709	11.7	9.3	14.6	681	
Health Care Coverage	16.9	14.0	20.4	704	15.2	12.6	18.3	709	15.9	13.1	19.1	709	14.4	11.5	17.9	684	
Dental Insurance	*	*	*	*	47.1	43.1	51.2	697	*	*	*	*	45.4	41.1	49.7	663	
Diabetes	4.2	2.9	6.1	704	4.8	3.4	6.7	709	4.2	2.9	6.1	707	4.2	2.9	6.0	683	
Asthma ¹	*	*	*	*	10.6	8.1	13.8	708	9.6	7.5	12.2	708	8.3	6.2	11.0	681	
Arthritis ²	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
High Cholesterol	*	*	*	*	30.9	26.8	35.4	522	*	*	*	*	31.8	27.6	36.3	500	
High Blood Pressure	*	*	*	*	25.4	22.1	29.0	706	*	*	*	*	25.3	21.8	29.1	682	
Fruits and Vegetables ³	78.8	75.3	82.0	705	*	*	*	*	76.9	73.4	80.1	709	*	*	*	*	
Physical Activity	21.2	18.1	24.6	704	*	*	*	*	19.2	16.3	22.5	709	22.5	19.3	26.2	684	
Overweight ³	56.0	51.8	60.2	682	56.5	52.4	60.5	691	54.7	50.5	58.8	677	58.6	54.3	62.9	644	
Obesity	18.1	15.1	21.5	682	18.5	15.6	21.9	691	18.3	15.3	21.6	677	21.6	18.2	25.4	644	
Cigarette Smoking	19.2	16.2	22.7	704	18.9	15.9	22.2	707	19.6	16.6	23.0	707	18.2	15.1	21.8	683	
Smokeless Tobacco	4.1	2.8	5.9	702	*	*	*	*	5.2	3.6	7.4	699	6.4	4.6	8.8	674	
Binge Drinking ^{4,5}	17.0	14.0	20.5	699	23.0	19.7	26.6	705	18.3	15.3	21.8	698	16.4	13.4	19.9	677	
Heavy Drinking ^{4,5}	3.6	2.2	5.9	701	5.0	3.5	7.2	699	4.9	3.3	7.2	696	5.9	4.3	8.1	675	
Illicit Drug Use ⁶	*	*	*	*	*	*	*	*	*	*	*	*	3.9 *	*	*	*	
Seat Belt Usage	41.3	37.4	45.3	704	41.9	38.0	46.0	706	41.8	37.8	45.9	700	38.3	34.3	42.6	662	
Cholesterol Screening	*	*	*	*	34.1	30.1	38.2	680	*	*	*	*	33.7	29.7	37.9	667	
Dental Visits	*	*	*	*	39.6	35.7	43.6	705	*	*	*	*	37.0	32.9	41.3	667	
District 3	%	95%	CI	N	%	95%		703 N	%	95%	CI	N	%	95%		N	
General Health	14.2	11.7	17.1	696	14.3	11.9	17.2	708	17.0	14.2	20.3	704	16.2	13.4	19.4	681	
Health Care Coverage	12.0	9.5	15.1	697	21.7	18.1	25.8	710	20.2	16.9	23.8	704	16.0	13.1	19.3	679	
Dental Insurance	*	*	*	*	47.0	42.6	51.5	696	*	*	*	*	48.0	43.8	52.3	661	
Diabetes	4.6	3.1	6.7	698	5.7	4.1	7.9	709	6.0	4.4	8.2	703	6.1	4.3	8.4	681	
Asthma ¹	*	*	*	*	7.6	5.2	10.9	707	7.9	6.0	10.4	702	7.9	6.0	10.4	680	
Arthritis ²	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
High Cholesterol	*	*	*	*	30.8	26.0	35.9	467	*	*	*	*	27.4	23.2	32.2	472	
High Blood Pressure	*	*	*	*	22.5	19.4	26.0	705	*	*	*	*	25.7	22.3	29.4	680	
Fruits and Vegetables ³	77.5	73.8	80.8	699	*	*	*	*	77.6	73.9	80.9	704	*	*	*	*	
Physical Activity					*	*	*	*					22.0	10.0	26.6	601	
Overweight ³	23.7	20.3 53.7	27.6	699	F7.4	50.5	C4 F	004	20.2	17.2	23.5	702	23.0	19.8	26.6	681	
_	58.0		62.1	674	57.1	52.5	61.5	681	58.0	53.7	62.2	685	63.1	58.9	67.1	652	
Obesity	18.1	15.2	21.4	674	25.3	21.9	28.9	681	21.0	17.9	24.4	685	24.6	21.2	28.4	652	
Cigarette Smoking	22.2	18.8	26.0	699	21.9	18.3	26.0	709 *	20.8	17.6	24.3	704	24.0	20.6	27.9	680	
Smokeless Tobacco Binge Drinking ^{4,5}	4.8	3.3	7.0	699					3.0	1.9	4.8	700	5.0	3.4	7.2	667	
	11.9	9.2	15.2	696		8.7	13.5	706	10.7	8.2	13.7	699	11.8	9.3	15.0	674	
Heavy Drinking ^{4,5}	4.2	2.7	6.4 *	697	4.0 *	2.5	6.2	696	4.3	2.6	7.0	696	4.0 *	2.6	6.1	672	
_		· ×	*	*	*	~	*	*	*	*	*	*	*	*	*	*	
Illicit Drug Use ⁶	*															_	
Illicit Drug Use ⁶ Seat Belt Usage	* 44.5	40.4	48.7	698	40.2	35.9	44.7	708	38.5	34.5	42.7	700	35.6	31.8	39.7	662	
Illicit Drug Use ⁶	* 44.5 *	40.4	48.7	698	40.2 40.3 38.3	35.9 35.9 34.0	44.7 44.9 42.7	708 679 707	38.5 * *	34.5	42.7 *	700 * *	35.6 35.8 40.9	31.8 31.8 36.9	39.7 40.0 45.1	662 660 665	

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

								ar								
	200	02			20	03			200	04		2005				
%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	
15.2	12.1	18.8	705	15.0	12.3	18.1	656	16.8	13.9	20.1	737	16.7	14.0	19.8	791	
16.1	13.2	19.4	704	15.9	12.8	19.5	658	15.9	12.9	19.4	736	22.5	18.6	26.9	785	
46.5	42.5	50.6	698	49.5	45.1	53.9	652	49.8	45.7	54.0	729	54.6	50.2	58.9	744	
6.3	4.6	8.4	705	5.8	4.2	8.0	658	6.7	4.9	9.1	737	6.9	5.1	9.1	791	
9.2	6.6	12.7	699	7.3	5.4	9.8	655	7.7	5.8	10.1	732	7.4	5.4	10.0	785	
27.1	23.8	30.7	703	30.8	27.1	34.8	653	*	*	*	*	28.1	24.7	31.8	775	
*	*	*	*	33.4	28.9	38.2	486	*	*	*	*	36.1	31.8	40.6	593	
*	*	*	*	25.8	22.4	29.5	657	*	*	*	*	26.0	22.6	29.7	789	
76.5	72.6	79.9	706	78.9	75.2	82.1	659	*	*	*	*	76.6	73.0	79.9	776	
16.8	14.0	20.0	706	16.7	13.9	20.1	657	16.3	13.7	19.4	734	23.9	20.2	28.0	791	
58.8	54.4	63.0	678	59.4	54.9	63.8	625	59.1	54.8	63.2	710	61.1	56.8	65.2	744	
19.1	16.2	22.5	678	20.8	17.6	24.5	625	20.9	17.8	24.3	710	24.9	21.4	28.7	744	
20.1	17.0	23.7	704	17.5	14.4	21.1	658	18.6	15.7	21.9	737	19.3	15.7	23.5	785	
*	*	*	*	5.1	3.5	7.4	659	6.8	4.9	9.3	734	4.3	2.9	6.4	791	
18.6	15.2	22.6	705	20.1	16.7	24.0	655	20.6	17.2	24.6	733	12.3	9.6	15.6	784	
5.0	3.5	7.0	704	6.3	4.4	9.0	656	5.6	3.7	8.3	730	5.4	3.8	7.6	786	
6.0	4.3	8.4	698	7.3	5.1	10.4	655	5.5	3.7	8.2	733	4.4	2.7	7.0	737	
34.5	30.7	38.6	705	30.7	26.7	35.1	655	*	*	*	*	27.3	23.5	31.5	750	
*	*	*	*	34.5	30.3	39.0	634	*	*	*	*	37.5	33.1	42.2	762	
35.8	31.7	40.1	699	37.4	33.2	41.8	655	36.4	32.5	40.5	731	37.3	33.0	41.8	754	
%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	
14.0	11.4	17.0	688	16.8	13.9	20.2	677	15.7	13.0	18.7	708	17.9	14.8	21.5	783	
17.3	14.3	20.7	686	22.6	19.0	26.7	677	18.9	15.6	22.6	708	25.7	21.5	30.4	785	
45.9	41.6	50.2	670	48.8	44.5	53.1	674	46.7	42.5	51.0	704	48.4	43.9	52.9	735	
7.5	5.6	10.0	689	7.7	5.8	10.3	679	7.2	5.5	9.5	710	8.4	6.5	10.8	785	
6.3	4.6	8.7	687	7.9	5.9	10.6	678	9.5	7.4	12.2	707	8.1	6.2	10.5	780	
27.0	23.5	30.7	684	25.6	22.2	29.4	677	*	*	*	*	26.4	23.0	30.1	778	
*	*	*	*	32.9	28.5	37.7	487	*	*	*	*	38.3	33.7	43.1	578	
*	*	*	*	24.5	21.2	28.2	677	*	*	*	*	26.0	22.5	29.8	781	
80.1	76.5	83.3	689	83.1	79.8	86.0	678	*	*	*	*	79.1	75.5	82.2	774	
						24.2	676	27.3	23.4	31.5	710	27 7	23.9	31.8	785	
22.0	18.8	25.7	689	20.6	17.4	24.2	0/0		20.7				_0.0			
22.0 60.6	18.8 56.1	25.7 64.9	689 655	20.6 61.5	17.4 57.1	65.8	637	60.1	55.7	64.4	682	68.0	63.5	72.2	749	
														72.2 34.0	749 749	
60.6	56.1	64.9	655	61.5	57.1	65.8	637	60.1	55.7	64.4	682	68.0	63.5			
60.6 22.8	56.1 19.4	64.9 26.5	655 655	61.5 24.4	57.1 21.0	65.8 28.3	637 637	60.1 24.0	55.7 20.6	64.4 27.8	682 682	68.0 29.9 21.8	63.5 26.1	34.0	749	
60.6 22.8 20.2	56.1 19.4	64.9 26.5 23.7	655 655 687	61.5 24.4 21.8	57.1 21.0 18.5	65.8 28.3 25.5	637 637 676	60.1 24.0 19.7	55.7 20.6 16.6	64.4 27.8 23.2	682 682 707	68.0 29.9 21.8	63.5 26.1 18.0	34.0 26.2	749 786	
60.6 22.8 20.2 *	56.1 19.4 17.0	64.9 26.5 23.7	655 655 687 *	61.5 24.4 21.8 3.2	57.1 21.0 18.5 1.9	65.8 28.3 25.5 5.5	637 637 676 679	60.1 24.0 19.7 8.0	55.7 20.6 16.6 5.4	64.4 27.8 23.2 11.8	682 682 707 710	68.0 29.9 21.8 4.2	63.5 26.1 18.0 2.7	34.0 26.2 6.5	749 786 785	
60.6 22.8 20.2 * 12.8	56.1 19.4 17.0 *	64.9 26.5 23.7 * 16.0	655 655 687 *	61.5 24.4 21.8 3.2 12.7	57.1 21.0 18.5 1.9 9.9	65.8 28.3 25.5 5.5 16.1	637 637 676 679 677	60.1 24.0 19.7 8.0 13.6	55.7 20.6 16.6 5.4 10.5	64.4 27.8 23.2 11.8 17.5	682 682 707 710 706	68.0 29.9 21.8 4.2 13.2 4.0	63.5 26.1 18.0 2.7 10.2	34.0 26.2 6.5 16.9	749 786 785 779	
60.6 22.8 20.2 * 12.8 4.2	56.1 19.4 17.0 * 10.1 2.8	64.9 26.5 23.7 * 16.0 6.2	655 655 687 * 683 687	61.5 24.4 21.8 3.2 12.7 4.3 6.3	57.1 21.0 18.5 1.9 9.9 2.8	65.8 28.3 25.5 5.5 16.1 6.6	637 637 676 679 677 676	60.1 24.0 19.7 8.0 13.6 5.1	55.7 20.6 16.6 5.4 10.5 3.5	64.4 27.8 23.2 11.8 17.5 7.5	682 707 710 706 707	68.0 29.9 21.8 4.2 13.2 4.0	63.5 26.1 18.0 2.7 10.2 2.6	34.0 26.2 6.5 16.9 6.1	749 786 785 779 775	
60.6 22.8 20.2 * 12.8 4.2 3.0	56.1 19.4 17.0 * 10.1 2.8 1.7	64.9 26.5 23.7 * 16.0 6.2 5.0	655 655 687 * 683 687 681	61.5 24.4 21.8 3.2 12.7 4.3 6.3	57.1 21.0 18.5 1.9 9.9 2.8 4.3	65.8 28.3 25.5 5.5 16.1 6.6 9.1	637 637 676 679 677 676	60.1 24.0 19.7 8.0 13.6 5.1 5.5	55.7 20.6 16.6 5.4 10.5 3.5	64.4 27.8 23.2 11.8 17.5 7.5 8.1	682 707 710 706 707 708	68.0 29.9 21.8 4.2 13.2 4.0 6.7	63.5 26.1 18.0 2.7 10.2 2.6 3.9	34.0 26.2 6.5 16.9 6.1 11.2	749 786 785 779 775 728	
	15.2 16.1 46.5 6.3 9.2 27.1 * * 76.5 16.8 58.8 19.1 20.1 * 18.6 5.0 6.0 34.5 * 35.8 % 14.0 17.3 45.9 7.5 6.3 27.0 * *	% 95% 15.2 12.1 16.1 13.2 46.5 42.5 6.3 4.6 9.2 6.6 27.1 23.8 * * 76.5 72.6 16.8 14.0 58.8 54.4 19.1 16.2 20.1 17.0 * * 18.6 15.2 5.0 3.5 6.0 4.3 34.5 30.7 * * 35.8 31.7 % 95% 14.0 11.4 17.3 14.3 45.9 41.6 7.5 5.6 6.3 4.6 27.0 23.5 * * 80.1 76.5	15.2 12.1 18.8 16.1 13.2 19.4 46.5 42.5 50.6 6.3 4.6 8.4 9.2 6.6 12.7 27.1 23.8 30.7 * * * * * * * * * * * * * * * * * *	2002 % 95% CI N 15.2 12.1 18.8 705 16.1 13.2 19.4 704 46.5 42.5 50.6 698 6.3 4.6 8.4 705 9.2 6.6 12.7 699 27.1 23.8 30.7 703 * * * * * * * * 76.5 72.6 79.9 706 16.8 14.0 20.0 706 58.8 54.4 63.0 678 19.1 16.2 22.5 678 20.1 17.0 23.7 704 * * * * 18.6 15.2 22.6 705 5.0 3.5 7.0 704 6.0 4.3 8.4 698 34.5 30.7 38.6 705 * * <td>% 95% CI N % 15.2 12.1 18.8 705 15.0 16.1 13.2 19.4 704 15.9 46.5 42.5 50.6 698 49.5 6.3 4.6 8.4 705 5.8 9.2 6.6 12.7 699 7.3 27.1 23.8 30.7 703 30.8 * * * * 33.4 * * * * 33.4 * * * * 33.4 * * * * 25.8 76.5 72.6 79.9 706 78.9 16.8 14.0 20.0 706 16.7 58.8 54.4 63.0 678 59.4 19.1 16.2 22.5 678 20.8 20.1 17.0 23.7 704 17.5 * * *</td> <td>2002 2002 % 95% CI N % 95% 15.2 12.1 18.8 705 15.0 12.3 16.1 13.2 19.4 704 15.9 12.8 46.5 42.5 50.6 698 49.5 45.1 6.3 4.6 8.4 705 5.8 4.2 9.2 6.6 12.7 699 7.3 5.4 27.1 23.8 30.7 703 30.8 27.1 * * * * 33.4 28.9 * * * * 33.4 28.9 * * * * 33.4 28.9 * * * * 25.8 22.4 76.5 72.6 79.9 706 78.9 75.2 16.8 14.0 20.0 706 16.7 13.9 19.1 16.2 22.5 6</td> <td>Z002 2003 % 95% CI N % 95% CI 15.2 12.1 18.8 705 15.0 12.3 18.1 16.1 13.2 19.4 704 15.9 12.8 19.5 46.5 42.5 50.6 698 49.5 45.1 53.9 6.3 4.6 8.4 705 5.8 4.2 8.0 9.2 6.6 12.7 699 7.3 5.4 9.8 27.1 23.8 30.7 703 30.8 27.1 34.8 * * * * * 33.4 28.9 38.2 * * * * * 25.8 22.4 29.5 76.5 72.6 79.9 706 78.9 75.2 82.1 16.8 14.0 20.0 706 16.7 13.9 20.1 58.8 54.4 63.0 678 <td< td=""><td>Ye 2002* 2003* Ye 2003* Ye 2003* Ye 15.0 95% CI N 16.1 13.2 19.4 704 15.9 12.8 19.5 658 46.5 42.5 50.6 698 49.5 45.1 53.9 652 6.3 4.6 8.4 705 5.8 4.2 8.0 658 9.2 6.6 12.7 699 7.3 5.4 9.8 655 27.1 23.8 30.7 703 30.8 27.1 34.8 653 ** * * * 33.4 28.9 38.2 486 ** * * * 25.8 22.4 29.5 657 76.5 72.6 79.9 706 78.9 75.2 82.1 659 16.8 14.0 2</td><td>Year Year 2002 S CI N % 95% CI N % 15.2 12.1 18.8 705 15.0 12.3 18.1 656 16.8 16.1 13.2 19.4 704 15.9 12.8 19.5 658 15.9 46.5 42.5 50.6 698 49.5 45.1 53.9 652 49.8 6.3 4.6 8.4 705 5.8 4.2 8.0 658 6.7 9.2 6.6 12.7 699 7.3 5.4 9.8 655 7.7 27.1 23.8 30.7 703 30.8 27.1 34.8 653 * 76.5 72.6 79.9 706 78.9 75.2 82.1 657 16.3 16.8 14.0 20.0 706 16.7 13.9 20.1 657 16.3 58.8 54.4</td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></td<></td>	% 95% CI N % 15.2 12.1 18.8 705 15.0 16.1 13.2 19.4 704 15.9 46.5 42.5 50.6 698 49.5 6.3 4.6 8.4 705 5.8 9.2 6.6 12.7 699 7.3 27.1 23.8 30.7 703 30.8 * * * * 33.4 * * * * 33.4 * * * * 33.4 * * * * 25.8 76.5 72.6 79.9 706 78.9 16.8 14.0 20.0 706 16.7 58.8 54.4 63.0 678 59.4 19.1 16.2 22.5 678 20.8 20.1 17.0 23.7 704 17.5 * * *	2002 2002 % 95% CI N % 95% 15.2 12.1 18.8 705 15.0 12.3 16.1 13.2 19.4 704 15.9 12.8 46.5 42.5 50.6 698 49.5 45.1 6.3 4.6 8.4 705 5.8 4.2 9.2 6.6 12.7 699 7.3 5.4 27.1 23.8 30.7 703 30.8 27.1 * * * * 33.4 28.9 * * * * 33.4 28.9 * * * * 33.4 28.9 * * * * 25.8 22.4 76.5 72.6 79.9 706 78.9 75.2 16.8 14.0 20.0 706 16.7 13.9 19.1 16.2 22.5 6	Z002 2003 % 95% CI N % 95% CI 15.2 12.1 18.8 705 15.0 12.3 18.1 16.1 13.2 19.4 704 15.9 12.8 19.5 46.5 42.5 50.6 698 49.5 45.1 53.9 6.3 4.6 8.4 705 5.8 4.2 8.0 9.2 6.6 12.7 699 7.3 5.4 9.8 27.1 23.8 30.7 703 30.8 27.1 34.8 * * * * * 33.4 28.9 38.2 * * * * * 25.8 22.4 29.5 76.5 72.6 79.9 706 78.9 75.2 82.1 16.8 14.0 20.0 706 16.7 13.9 20.1 58.8 54.4 63.0 678 <td< td=""><td>Ye 2002* 2003* Ye 2003* Ye 2003* Ye 15.0 95% CI N 16.1 13.2 19.4 704 15.9 12.8 19.5 658 46.5 42.5 50.6 698 49.5 45.1 53.9 652 6.3 4.6 8.4 705 5.8 4.2 8.0 658 9.2 6.6 12.7 699 7.3 5.4 9.8 655 27.1 23.8 30.7 703 30.8 27.1 34.8 653 ** * * * 33.4 28.9 38.2 486 ** * * * 25.8 22.4 29.5 657 76.5 72.6 79.9 706 78.9 75.2 82.1 659 16.8 14.0 2</td><td>Year Year 2002 S CI N % 95% CI N % 15.2 12.1 18.8 705 15.0 12.3 18.1 656 16.8 16.1 13.2 19.4 704 15.9 12.8 19.5 658 15.9 46.5 42.5 50.6 698 49.5 45.1 53.9 652 49.8 6.3 4.6 8.4 705 5.8 4.2 8.0 658 6.7 9.2 6.6 12.7 699 7.3 5.4 9.8 655 7.7 27.1 23.8 30.7 703 30.8 27.1 34.8 653 * 76.5 72.6 79.9 706 78.9 75.2 82.1 657 16.3 16.8 14.0 20.0 706 16.7 13.9 20.1 657 16.3 58.8 54.4</td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></td<>	Ye 2002* 2003* Ye 2003* Ye 2003* Ye 15.0 95% CI N 16.1 13.2 19.4 704 15.9 12.8 19.5 658 46.5 42.5 50.6 698 49.5 45.1 53.9 652 6.3 4.6 8.4 705 5.8 4.2 8.0 658 9.2 6.6 12.7 699 7.3 5.4 9.8 655 27.1 23.8 30.7 703 30.8 27.1 34.8 653 ** * * * 33.4 28.9 38.2 486 ** * * * 25.8 22.4 29.5 657 76.5 72.6 79.9 706 78.9 75.2 82.1 659 16.8 14.0 2	Year Year 2002 S CI N % 95% CI N % 15.2 12.1 18.8 705 15.0 12.3 18.1 656 16.8 16.1 13.2 19.4 704 15.9 12.8 19.5 658 15.9 46.5 42.5 50.6 698 49.5 45.1 53.9 652 49.8 6.3 4.6 8.4 705 5.8 4.2 8.0 658 6.7 9.2 6.6 12.7 699 7.3 5.4 9.8 655 7.7 27.1 23.8 30.7 703 30.8 27.1 34.8 653 * 76.5 72.6 79.9 706 78.9 75.2 82.1 657 16.3 16.8 14.0 20.0 706 16.7 13.9 20.1 657 16.3 58.8 54.4							

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

Year																	
<u> </u>	199	98			199	99			200	00		2001					
%			N	%			N	%	95% CI		N	%	95% CI		N		
9.7	7.6	12.4	716	9.4	7.3	12.1	710	9.5	7.3	12.4	718	11.4	9.1	14.1	692		
13.0	10.3	16.2	715	12.2	9.8	15.2	711	14.6	12.0	17.7	715	14.3	11.5	17.7	692		
*	*	*	*	35.2	31.4	39.3	703	*	*	*	*	38.1	33.8	42.6	672		
3.8	2.5	5.7	716	4.0	2.7	6.0	711	3.7	2.4	5.7	717	5.3	3.8	7.4	693		
*	*	*	*	8.7	6.6	11.3	711	6.7	4.9	9.0	716	7.7	5.8	10.1	692		
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
*	*	*	*	29.1	24.7	33.9	516	*	*	*	*	27.8	23.9	32.1	533		
*	*	*	*	22.2	18.9	25.9	706	*	*	*	*	24.1	20.4	28.1	692		
74.0	70.2	77.5	716	*	*	*	*	81.0	77.6	84.0	718	*	*	*	*		
16.9	14.0	20.3	716	*	*	*	*	15.3	12.7	18.4	718	19.2	15.8	23.1	692		
50.1	46.1	54.2	695	50.5	46.2	54.8	692	48.9	44.7	53.1	683	58.7	54.2	63.0	658		
14.1															658		
															693		
			_	*	*	*	*								673		
				19.3	16.2	22.9	706			-				-	685		
															687		
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
29.3	25.7	33.2	716	34.8	30.9	39.0	710	28.5	24.9	32.4	710	27.6	23.8	31.7	670		
*	*	*	*	32.7			695	*	*	*	*	32.4			678		
*	*	*	*	27.4			711	*	*	*	*	30.3			673		
%	95%	CI	N	%			N	%	95%	CI	N	%		-	N		
12.4	9.8	15.7	698	15.6	13.0	18.6	699	15.2	12.3	18.6	705	15.4	12.7	18.5	683		
15.9	13.1	19.2	699	16.8	13.6	20.4	701	21.1	17.8	24.7	704	17.6	14.6	21.1	685		
*	*	*	*	57.2	52.7	61.6	690	*	*	*	*	54.9	50.7	59.0	664		
5.3	3.4	8.1	700	4.4	3.1	6.3	701	5.0	3.5	7.1	707	5.0	3.5	7.0	685		
*	*	*	*	6.8	5.0	9.2	697	8.4	6.5	11.0	704	8.6	6.7	11.1	685		
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
*	*	*	*	25.7	21.9	30.0	486	*	*	*	*	33.7	29.2	38.6	471		
*	*	*	*	23.8	20.6	27.4	698	*	*	*	*	26.0	22.5	29.7	685		
76.5	72.6	79.9	700	*	*	*	*	77.2	73.4	80.6	707	*	*	*	*		
22.7	19.2	26.5	700	*	*	*	*	23.0	19.7	26.7	706	27.6	24.0	31.5	685		
53.0	48.7	57.3	686	59.7	54.7	64.5	678	59.9	55.7		679	57.0	52.8	61.1	638		
18.0			686	20.8	17.7	24.3	678	19.2		22.9	679	19.1		22.7	638		
19.2			698	17.5		20.7	699	25.5		29.3	706	21.3		24.8	683		
4.3			700	*	*	*	*	3.8			704	4.0	2.6	5.9	672		
13.3	10.7	16.5		13.2	9.3	18.4	698	13.5	10.7	16.9	698	11.8	9.4	14.8	678		
4.5	2.9	7.1	690		1.5	4.4	692	3.7	2.4	5.8	698		3.3	6.8	678		
7.0										*	l . I	*			*		
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
* 44.1	* 40.1	* 48.1	* 700	* 48.9	* 44.2		* 699	* 45.4	* 41.3	* 49.6	* 701	* 35.8	* 31.9	* 39.9	669		
*			* 700 *		* 44.2 35.1	* 53.7 43.5	* 699 661		* 41.3 *		* 701 *				669 666		
	9.7 13.0 * 3.8 * 74.0 16.9 50.1 14.1 18.7 3.0 17.2 3.6 * 29.3 * * 76.5 22.7 53.0 18.0 19.2 4.3 13.3	199 % 95% 9.7 7.6 13.0 10.3 * * 3.8 2.5 * * 74.0 70.2 16.9 14.0 50.1 46.1 14.1 11.4 18.7 15.7 3.0 1.9 17.2 14.3 3.6 2.3 * * 29.3 25.7 * * 9.5% 12.4 9.8 15.9 13.1 * * * * * * 76.5 72.6 22.7 19.2 53.0 48.7 18.0 14.9 19.2 16.2 4.3 2.5 13.3 10.7	1998 % 955√ Cl 9.7 7.6 12.4 13.0 10.3 16.2 * * * 3.8 2.5 5.7 * * * 74.0 70.2 77.5 16.9 14.0 20.3 50.1 46.1 54.2 14.1 17.3 18.7 22.1 3.0 1.9 4.7 17.2 14.3 20.6 3.6 2.3 5.7 * * * 29.3 25.7 33.2 * * * 9.5 Cl 12.4 9.8 15.7 15.9 13.1 19.2 * * * * * * * * * * * * 15.9 13.1 19.2 * * * * * * * *	1998 % 95% CI N 9.7 7.6 12.4 716 13.0 10.3 16.2 715 * * * * 3.8 2.5 5.7 716 * * * * 4 * * * 74.0 70.2 77.5 716 16.9 14.0 20.3 716 50.1 46.1 54.2 695 14.1 11.4 17.3 695 18.7 15.7 22.1 715 3.0 1.9 4.7 716 17.2 14.3 20.6 715 3.6 2.3 5.7 712 * * * * 29.3 25.7 33.2 716 * * * * 9.5 CI N 12.4 9.8 15.7 698 15.9 13.1 19.2 699 * * </td <td>1998 % 95% CI N % 9.7 7.6 12.4 716 9.4 13.0 10.3 16.2 715 12.2 * * * * 35.2 3.8 2.5 5.7 716 4.0 * * * * * * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * * 29.1 * * * * 29.1 * * * * * * * * * * * * *</td> <td>1998 1998 9.7 7.6 12.4 716 9.4 7.3 13.0 10.3 16.2 715 12.2 9.8 3.8 2.5 5.7 716 4.0 2.7 * * * * 8.7 6.6 * * * * * * 74.0 70.2 77.5 716 * * 16.9 14.0 20.3 716 * * 50.1 46.1 54.2 695 50.5 46.2 14.1 11.4 17.3 695 16.2 13.1 18.7 15.7 22.1 715 25.7 22.2 3.0 1.9 4.7 716 * * 17.2 14.3 20.6 715 19.3 16.2 3.6 2.3 5.7 712 4.3 2.9 * * *</td> <td>1998 1999 % 95% CI N % 95% CI 13.0 10.3 16.2 716 9.4 7.3 12.1 13.0 10.3 16.2 715 12.2 9.8 15.2 * * * 35.2 31.4 39.3 3.8 2.5 5.7 716 4.0 2.7 6.0 * * * * 8.7 6.6 11.3 * * * * * * * 4 * * * * * * 4 *</td> <td>Yes T1998 T1999 Yes % 95% VI N % 95% VI N 9.7 7.6 12.4 716 9.4 7.3 12.1 710 13.0 10.3 16.2 715 12.2 9.8 15.2 711 * * * 35.2 31.4 39.3 703 3.8 2.5 5.7 716 4.0 2.7 6.0 711 * * * * 2.1 33.9 516 * * * 2.2 18.9 25.9 706 74.0 70.2 77.5 716 * * * * * 16.9 14.0 20.3 716 *<td> No</td><td> </td><td> </td><td> </td><td> </td><td> </td><td> N</td></td>	1998 % 95% CI N % 9.7 7.6 12.4 716 9.4 13.0 10.3 16.2 715 12.2 * * * * 35.2 3.8 2.5 5.7 716 4.0 * * * * * * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * 29.1 * * * 29.1 * * * * 29.1 * * * * 29.1 * * * * * 29.1 * * * * 29.1 * * * * * * * * * * * * *	1998 1998 9.7 7.6 12.4 716 9.4 7.3 13.0 10.3 16.2 715 12.2 9.8 3.8 2.5 5.7 716 4.0 2.7 * * * * 8.7 6.6 * * * * * * 74.0 70.2 77.5 716 * * 16.9 14.0 20.3 716 * * 50.1 46.1 54.2 695 50.5 46.2 14.1 11.4 17.3 695 16.2 13.1 18.7 15.7 22.1 715 25.7 22.2 3.0 1.9 4.7 716 * * 17.2 14.3 20.6 715 19.3 16.2 3.6 2.3 5.7 712 4.3 2.9 * * *	1998 1999 % 95% CI N % 95% CI 13.0 10.3 16.2 716 9.4 7.3 12.1 13.0 10.3 16.2 715 12.2 9.8 15.2 * * * 35.2 31.4 39.3 3.8 2.5 5.7 716 4.0 2.7 6.0 * * * * 8.7 6.6 11.3 * * * * * * * 4 * * * * * * 4 *	Yes T1998 T1999 Yes % 95% VI N % 95% VI N 9.7 7.6 12.4 716 9.4 7.3 12.1 710 13.0 10.3 16.2 715 12.2 9.8 15.2 711 * * * 35.2 31.4 39.3 703 3.8 2.5 5.7 716 4.0 2.7 6.0 711 * * * * 2.1 33.9 516 * * * 2.2 18.9 25.9 706 74.0 70.2 77.5 716 * * * * * 16.9 14.0 20.3 716 * <td> No</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> N</td>	No						N		

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

	Year																
		20	n2			20	n2			20	04		2005				
District 4	%	95%		N	%	95%		N	%	95%		N	%	95%		N	
General Health	10.3	8.2	12.9	713	11.0	8.6	13.8	681	9.1	7.1	11.5	753	13.5	10.8	16.7	784	
Health Care Coverage	13.8	11.0	17.2	714	11.2	8.7	14.3	680	11.7	9.3	14.7	753	12.9	9.4	17.4	783	
Dental Insurance	36.1	32.2	40.3	705	32.7	28.8	36.8	672	33.8	29.9	38.0	748	34.0	29.6	38.6	735	
Diabetes	4.2	2.9	6.1	714	4.9	3.3	7.1	683	4.3	3.0	6.1	754	6.0	4.5	7.9	786	
Asthma ¹	6.7	4.9	9.1	709	8.9	6.7	11.7	681	7.9	5.9	10.5	748	5.7	4.1	7.7	782	
Arthritis ²	21.3	18.2	24.6	713	21.7	18.7	25.2	681	*	*	*	*	23.1	20.0	26.6	767	
High Cholesterol	*	*	*	*	28.5	24.5	32.9	544	*	*	*	*	34.6	30.6	38.9	627	
High Blood Pressure	*	*	*	*	20.9	17.9	24.2	682	*	*	*	*	21.9	19.0	25.2	786	
Fruits and Vegetables ³	77.3	73.8	80.5	714	76.2	72.4	79.6	683	*	*	*	*	74.1	69.9	78.0	764	
Physical Activity	15.8	13.1	18.9	714	16.7	13.8	20.0	683	14.0	11.5	16.9	753	17.3	14.0	21.0	784	
Overweight ³	54.4	50.1	58.6	680	56.6	52.2	60.9	646	54.3	50.0	58.6	737	58.3	53.8	62.8	750	
Obesity	19.4	16.4	22.9	680	19.9	16.5	23.7	646	16.8	14.0	20.1	737	22.6	19.2	26.4	750 750	
Cigarette Smoking	21.1	17.8	24.9	713	18.2	15.2	21.7	681	15.6	12.7	19.0	753	16.2	13.3	19.7	785	
Smokeless Tobacco	*	*	24.9 *	/ 13 *	5.7	3.8	8.4	683	3.5	2.3	5.2	753 753	4.7	2.9	7.7	785	
Binge Drinking ^{4,5}	18.9	15.6	22.7	713	19.2	3.6 15.8	23.2	677	12.1	9.5	15.2	753 751	18.1	14.2	22.8	783	
Heavy Drinking ^{4,5}	7.6	5.5	10.6	711	7.1	5.0	9.9	679	5.6	3.8	8.4	751	5.2	3.7	7.4	780	
Illicit Drug Use ⁶	8.0	5.6	11.3	711	7.1	5.6	10.9	681	7.5	5.3	10.6	748	4.8	2.9	7.4	725	
Seat Belt Usage	27.6	23.9	31.6	713	26.0	22.2	30.1	683	*	3.3 *	*	/40 *	19.0	15.6	23.0	725 741	
Cholesterol Screening	*	23.9	٥١.٥ *	/ IS *	26.0	23.0	30.1	667	*	*	*	*	28.1	24.0	32.6	767	
Dental Visits	25.5	22.0	29.4	714	25.9	22.4	29.8	680	28.8	25.1	32.8	752	26.2	22.5	30.3	750	
District 5	%	95%		N	%	95%		N	%	95%		N	%	95%		N	
General Health	14.8	12.0	18.1	624	11.9	9.4	14.9	710	13.5	11.0	16.6	685	16.7	14.0	19.8	922	
Health Care Coverage	21.3	17.7	25.5	622	20.7	17.2	24.6	707	16.8	13.6	20.6	683	24.7	21.1	28.6	923	
Dental Insurance	55.8	51.2	60.2	619	55.4	51.1	59.7	700	51.9	47.5	56.2	679	57.3	53.2	61.2	867	
Diabetes	5.6	4.0	7.8	624	5.8	4.1	8.2	711	7.0	5.2	9.4	687	7.3	5.8	9.3	924	
Asthma ¹	7.3	5.4	9.8	622	7.2	5.4	9.4	706	8.4	6.3	11.1	686	8.4	6.2	11.1	920	
Arthritis ²	24.3	20.8	28.0	622	25.2	21.8	28.9	707	*	*	*	*	25.3	22.3	28.5	910	
High Cholesterol	*	*	*	*	31.5	27.0	36.3	525	*	*	*	*	32.4	28.7	36.4	670	
High Blood Pressure	*	*	*	*	26.8	23.1	30.8	709	*	*	*	*	24.4	21.4	27.7	921	
Fruits and Vegetables ³	78.9	74.9	82.3	624	80.2	76.5	83.4	711	*	*	*	*	74.0	70.5	77.2	909	
Physical Activity	23.7	20.0	27.9	624	20.5	17.3	24.0	711	24.0	20.5	27.8	687	24.4	21.2	28.0	922	
Overweight ³	57.8	53.2	62.2	603	59.7	55.3	64.0	672	60.5	56.1	64.7	662	62.1	58.2	65.9	873	
Obesity	19.5	16.2	23.3	603		18.9	26.2	672	21.6	18.3	25.3		23.1	19.9	26.7	873	
Cigarette Smoking	18.8	15.4	22.8	622		17.7	24.8	709	20.0	16.6	23.9		20.5	17.4	24.1	921	
Smokeless Tobacco	*	*	*	*	4.2	2.6	6.6	711	7.0	4.6	10.4	687	3.9	2.7	5.5	925	
Binge Drinking ^{4,5}	15.4	12.1	19.3	623		12.4	18.9	706	13.9	10.7	17.8	681	11.5	8.7	14.9	920	
Heavy Drinking ^{4,5}	4.7	2.9	7.5	622	6.1	4.3	8.6	706	4.4	2.7	7.3	677	4.3	2.8	6.6	915	
Illicit Drug Use ⁶	6.1	4.0	9.3	624	6.2	4.2	9.1	709	5.3	3.4	8.1	684	5.3	3.6	7.7	862	
Seat Belt Usage	41.8	37.3	46.3	624	35.8	31.7	40.1	709	*	*	*	*	25.0	21.6	28.6	875	
Cholesterol Screening	*	*	*	*	34.9	30.8	39.2	685	*	*	*	*	38.0	34.1	42.1	892	
Dental Visits	37.1	32.9	41.5	621	37.3	33.2		705	38.2	34.0	42.5	678	39.5	35.7	43.5	879	
Dental Visits	37.1	32.9	41.5	021	31.3	JJ.2	41.5	100	30.2	34.0	42.3	0/0	39.3	JJ.1	43.3	019	

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

 $^{^4\,\}mathrm{Minor}$ changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

						פוע ו			ar								
		199	98			199	99			20	00		2001				
District 6	%	95%		N	%	95%		N	%	95% CI		N	%	95%		N	
General Health	13.3	10.9	16.1	707	18.3	14.3	23.3	712	14.0	11.4	17.0	716	11.9	9.5	14.8	697	
Health Care Coverage	14.8	12.3	17.8	709	15.2	12.4	18.4	709	14.8	12.2	17.9	712	11.5	9.2	14.4	697	
Dental Insurance	*	*	*	*	42.0	38.0	46.1	702	*	*	*	*	41.3	37.3	45.4	684	
Diabetes	5.0	3.5	7.2	709	4.9	3.2	7.6	712	5.9	4.3	8.0	717	6.4	4.7	8.6	699	
Asthma ¹	*	*	*	*	7.5	4.4	12.6	710	7.5	5.7	9.7	715	7.4	5.6	9.6	697	
Arthritis ²	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
High Cholesterol	*	*	*	*	29.9	25.6	34.6	489	*	*	*	*	30.7	26.5	35.2	501	
High Blood Pressure	*	*	*	*	22.5	19.1	26.4	711	*	*	*	*	23.4	20.2	26.8	696	
Fruits and Vegetables ³	78.4	75.1	81.4	709	*	*	*	*	79.8	76.3	82.8	717	*	*	*	*	
Physical Activity	19.8	16.9	23.1	709	*	*	*	*	23.3	20.2	26.8	717	18.2	15.4	21.5	700	
Overweight ³	54.1	50.0	58.1	695	60.0	55.9	63.9	693	57.6	53.6	61.5	692	59.9	55.9	63.8	668	
Obesity	17.9	15.1	21.1	695	22.7	18.4	27.7	693	20.0	17.0	23.5	692	24.1	20.7	27.8	668	
Cigarette Smoking	20.0	16.9	23.4	709	18.8	15.5	22.6	711	19.8	16.8	23.3	714	15.8	13.2	18.9	698	
Smokeless Tobacco	2.7	1.6	4.6	709	*	*	*	*	2.5	1.5	4.2	712	5.3	3.8	7.5	691	
Binge Drinking ^{4,5}	14.1	11.4	17.4	706	11.7	9.3	14.6	709	13.5	10.9	16.5	711	9.2	7.0	11.8	695	
Heavy Drinking ^{4,5}	2.7	1.6	4.5	704	1.7	0.8	3.2	705	3.8	2.4	5.8	707	2.9	1.7	4.8	692	
Illicit Drug Use ⁶	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Seat Belt Usage	50.2	46.1	54.2	708	49.4	44.8	54.1	711	46.2	42.3	50.2	709	43.9	39.8	48.0	688	
Cholesterol Screening	*	*	*	*	35.9	32.0	39.9	685	*	*	*	*	34.8	31.0	38.8	676	
Dental Visits	*	*	*	*	36.6	32.3	41.2	709	*	*	*	*	30.8	27.2	34.6	684	
District 7	%	95%	CI	N	%	95%		N	%	95%	CI	N	%	95%		N	
General Health	11.1	8.9	13.8	701	13.6	11.2	16.5	704	11.9	9.6	14.6	707	10.6	8.4	13.3	698	
Health Care Coverage	15.4	12.5	18.8	700	18.2	14.8	22.2	704	17.6	14.6	21.0	703	13.5	10.8	16.9	695	
Dental Insurance	*	*	*	*	45.3	40.9	49.8	698	*	*	*	*	42.8	38.7	47.0	682	
Diabetes	2.8	1.9	4.2	703	3.9	2.6	5.6	705	4.8	3.3	6.9	707	5.7	4.1	7.7	699	
Asthma ¹	*	*	*	*	8.0	6.0	10.6	702	6.8	4.9	9.4	706	8.7	6.7	11.3	698	
Arthritis ²	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
High Cholesterol	*	*	*	*	29.3	25.1	34.0	478	*	*	*	*	33.2	28.9	37.8	514	
High Blood Pressure	*	*	*	*	22.7	19.0	26.7	700	*	*	*	*	20.9	17.9	24.2	698	
Fruits and Vegetables ³	76.1	72.2	79.7	704	*	*	*	*	79.1	75.7	82.1	708	*	*	*	*	
Physical Activity	22.4	19.0	26.2	704	*	*	*	*	20.9	17.8	24.4	708	17.7	14.7	21.2	699	
Overweight ³	51.0	46.7	55.2	675	53.2	49.0	57.3	683	55.8	51.6	60.0	672	59.8	55.3	64.0	670	
Obesity	14.7	12.0	17.9	675	20.3	17.2	23.8	683	18.1	15.2	21.4	672	17.6	14.8	20.9	670	
Cigarette Smoking	14.2	11.3	17.6	702	16.8	13.6	20.7	704	15.5	12.8	18.7	707	12.4	10.1	15.3	698	
Smokeless Tobacco	2.4	1.4	4.1	704	*	*	*	*	3.6	2.4	5.3	699		2.8	6.3	689	
Binge Drinking ^{4,5}	9.4	7.1	12.3	702	9.9	7.2	13.6	702	11.6	9.2	14.4	701	7.5	5.7	9.9	695	
Heavy Drinking ^{4,5}	1.9	1.1	3.6	697	1.9	1.0	3.5	701	3.0	1.9	4.7	696		2.3	5.2	695	
Illicit Drug Use ⁶	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Seat Belt Usage	51.3	47.0	55.6	703	47.5	43.0	51.9	703	51.2	47.0	55.3	699	41.3	37.3	45.5	688	
Cholesterol Screening	*	*	*	*	39.9	35.8	44.1	680	*	*	*	*	31.2	27.2	35.4	665	
Dental Visits	*	*	*	*	30.7	27.1	34.6	702	*	*	*	*	28.8	25.0		683	
Donital Visits					55.7	۲.۱	J -1 .0	102					20.0	20.0	52.0	000	

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

⁴ Minor changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

						1 013			ar								
		20	02			20	03			20	04		2005				
District 6	%	95%	CI	N	%	95%	CI	N	%	95%	G CI	N	%	95%	CI	N	
General Health	14.0	11.5	16.9	704	14.4	11.8	17.5	693	14.1	11.7	17.0	756	15.7	13.0	18.9	757	
Health Care Coverage	15.7	12.7	19.2	704	13.8	11.1	17.1	692	14.0	11.2	17.5	755	15.1	11.9	18.9	755	
Dental Insurance	42.4	38.3	46.6	692	46.2	41.9	50.4	684	41.5	37.5	45.7	751	44.1	39.8	48.6	723	
Diabetes	7.9	6.0	10.2	704	8.2	6.2	10.7	693	8.9	7.1	11.2	759	7.1	5.4	9.1	757	
Asthma ¹	7.5	5.7	10.0	703	8.8	6.7	11.5	690	6.7	5.1	8.7	753	6.7	5.1	8.7	754	
Arthritis ²	26.5	23.1	30.2	703	24.9	21.6	28.5	690	*	*	*	*	26.1	22.8	29.7	751	
High Cholesterol	*	*	*	*	30.6	26.4	35.2	499	*	*	*	*	38.2	33.8	42.8	573	
High Blood Pressure	*	*	*	*	23.7	20.3	27.4	690	*	*	*	*	22.2	19.2	25.6	758	
Fruits and Vegetables ³	79.9	76.5	83.0	705	79.9	76.3	83.1	693	*	*	*	*	78.7	75.1	81.8	749	
Physical Activity	23.6	20.3	27.2	705	20.1	16.8	23.9	692	17.2	14.6	20.3	757	21.0	17.8	24.5	757	
Overweight ³	58.5	54.2	62.6	681	61.3	57.0	65.5	665	57.8	53.5	62.1	726	63.5	58.9	67.8	713	
Obesity	20.2	17.1	23.7	681	26.6	22.9	30.8	665	21.7	18.7	25.1	726	28.5	24.4	33.0	713	
Cigarette Smoking	19.1	16.0	22.5	704	17.7	14.8	21.1	693	16.6	13.7	19.9	754	15.9	13.1	19.2	758	
Smokeless Tobacco	*	*	*	*	3.1	2.0	4.9	692	3.5	2.1	5.7	758	3.5	2.2	5.6	755	
Binge Drinking ^{4,5}	12.7	10.0	16.0	704	12.9	10.1	16.2	692	10.0	7.5	13.1	756	11.8	8.8	15.7	756	
Heavy Drinking ^{4,5}	4.1	2.5	6.7	702	3.9	2.5	5.9	688	2.9	1.6	5.0	751	2.4	1.5	4.0	752	
Illicit Drug Use ⁶	5.1	3.4	7.5	703	5.8	4.0	8.3	690	3.1	2.0	4.9	755	6.2	3.7	10.3	707	
Seat Belt Usage	45.1	40.9	49.3	702	41.0	36.8	45.3	692	*	*	*	*	32.5	28.3	37.0	721	
Cholesterol Screening	*	*	*	*	34.4	30.2	38.8	661	*	*	*	*	34.6	30.1	39.5	734	
Dental Visits	30.9	27.2	34.8	704	35.6	31.6	39.8	689	32.3	28.6	36.3	751	32.1	28.0	36.5	735	
District 7	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	%	95%	CI	N	
General Health	12.1	9.5	15.1	695	12.2	10.0	14.8	715	10.5	8.4	13.0	715	12.6	10.3	15.4	785	
Health Care Coverage	15.8	12.6	19.5	693	13.6	10.8	17.0	715	14.9	12.0	18.3	714	16.3	13.4	19.6	783	
Dental Insurance	44.6	40.1	49.1	693	43.0	38.7	47.4	711	41.1	37.0	45.4	705	46.0	41.6	50.4	729	
Diabetes	6.3	4.6	8.5	694	5.8	4.1	8.0	716	7.2	5.4	9.4	716	6.7	5.1	8.7	782	
Asthma ¹	8.9	6.7	11.8	695	6.0	4.4	8.1	714	6.5	4.8	8.7	714	9.1	6.7	12.2	782	
Arthritis ²	23.4	20.1	27.0	694	25.3	22.1	28.8	712	*	*	*	*	24.9	21.7	28.4	772	
High Cholesterol	*	*	*	*	30.5	26.3	35.0	533	*	*	*	*	36.2	31.9	40.8	551	
High Blood Pressure	*	*	*	*	19.7	16.7	23.1	714	*	*	*	*	21.2	18.3	24.3	783	
Fruits and Vegetables ³	81.2	77.8	84.2	696	81.8	78.4	84.8	716	*	*	*	*	77.2	73.4	80.7	762	
Physical Activity	17.7	14.8	21.0	695	15.7	13.1	18.7	715	16.6	13.7	20.0	715	21.1	18.0	24.7	783	
Overweight ³	55.6	50.9	60.3	669	60.0	55.5	64.3	689	60.4	55.9	64.7	695	59.7	55.2	64.0	752	
Obesity	18.8	15.7	22.3	669	21.4	17.8	25.4	689	25.9	22.2	30.0	695	23.2	19.9	26.8	752	
Cigarette Smoking	16.4	13.3	20.0	695	13.5	10.9	16.7	714	12.2	9.8	15.1	715	12.1	9.8	14.8	784	
Smokeless Tobacco	*	*	*	*	3.4	2.1	5.4	716	3.2	1.9	5.3	716	2.8	1.8	4.4	785	
Binge Drinking ^{4,5}	10.4	8.0	13.3	693	8.0	5.9	10.6	715		6.1	10.7	716		5.4	9.5	780	
Heavy Drinking ^{4,5}	2.9	1.8	4.6	696	3.3	2.1	5.1	712	3.2	2.1	5.0	711	3.6	2.5	5.3	773	
Illicit Drug Use ⁶	2.7	1.7	4.4	695	3.4	2.0	5.7	714	5.6	3.7	8.5	717	3.2	2.0	5.1	728	
Seat Belt Usage	40.5	36.0	45.1	694	43.0	38.7	47.5	713	*	*	*	*	34.0	29.8	38.4	732	
Cholesterol Screening	*	*	*	*	35.7	31.3	40.4	684	*	*	*	*	38.7	34.3	43.2	753	
Dental Visits	31.1	27.0	35.5	693		25.9	34.1	712	26.8	23.2	30.6	710		25.8	33.7	741	
		_						_									

^{*} Indicates data are not available for that year

¹ Prior to 2002, Idaho BRFSS reported adults who have ever been told they have asthma. Beginning in 2002, Idaho reports current asthma status.

² The method for calculating arthritis prevalence changed in 2002. Data published prior to 2002 are not comparable to data published after 2002.

³ Results may differ from previous publications due to revisions in risk factor calculation.

⁴ Minor changes have been made to the trend line to correct data entry errors from previous editions.

 $^{^{\}rm 5}$ Question wording changed from 2000 to 2001 and from 2001 to 2002.

 $^{^{\}rm 6}$ Question wording changes make data prior to 2002 not comparable with 2002 and later

Appendix B

2005 Behavioral Risk Factor Surveillance System Questionnaire

In the following pages, the 2005 Idaho BRFSS questionnaire is presented in its entirety. In addition to the text of each question, the results for most of the questions are included. The number of people who responded to the question (n) is listed below the text for each question. The percent for each response category can be found in parentheses to the right of the response categories. Note also that the percentages are weighted results (see Methodology on pages 1-2) and do not directly correspond to the n's for each question. The results have not been provided for all questions.

NOTE: Care should be exercised when interpreting these results. In order to interpret the results correctly, it is important to understand what group has been asked the question. For example, in question IDQ8 on page 111, 16.8% of the respondents have Medicare. However this question is asked only of those who respond "yes" to question Q3.1. The exclusion of certain respondents is indicated by the bold text at the beginning of question IDQ8. These are called "skip patterns" and are used extensively throughout the survey. In order to properly identify what group has been asked a specific question, the skip pattern must be considered. In addition, there may be some confusion when trying to compare results from the appendix to those in the previous sections. The risk factors reported in the main body of the report are often constructed from the responses of multiple questions and may not be comparable to the results of one particular question.

Response categories displayed in capital letters were not read aloud. Responses of "Don't Know" and "Refused" are excluded from the n's, percentage, and means calculations. Other responses may also be excluded and are indicating by showing the response without any percentage. If there are fewer than 50 respondents for a question the results are suppressed as the results are considered unreliable. Also the results of some questions, such as Q13.13 about ZIP code, are suppressed due to length of resulting lists.

For help in interpreting these results, contact the Idaho BRFSS Project Director at (208) 332-7326.

SECTION 1: HEALTH STATUS

Q1.1 Would you say that in general your health is excellent, very good, good, fair, or poor?

(n=5,724)

- Excellent (20.4%)
- Very good (34.4%) 2
- Good (30.2%) 3
- 4 Fair (10.8%)
- 5 Poor (4.2%)
- DON'T KNOW/NOT SURE
- REFUSED

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

Q2.1 Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (n=5,620)

Mean number of days not good overall: 3.8

Reported any days not good: 39.5%

Mean number of days for those with any: 9.6

- DON'T KNOW/NOT SURE 77
- REFUSED
- Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (n=5,618)

Mean number of days not good overall: 3.2 Reported any days not good: 35.8%

Mean number of days for those with any: 9.0

- 77 DON'T KNOW/NOT SURE
- **REFUSED** 99
- [IF Q2.1<>88 OR Q2.2<>88] During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Mean number of days limited overall: 3.8 Reported any days limited: 40.8%

Mean number of days for those with any: 9.6

- 77 DON'T KNOW/NOT SURE
- REFUSED 99

SECTION 3: HEALTH CARE ACCESS

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

(n=5,716)

- Yes (81.1%)
- 2 No (18.9%)
- 7 DON'T KNOW/NOT SURE
- REFUSED
- Do you have one person you think of as your personal doctor Q3.2 or health care provider?

(n=5,716)

- Yes, only one (64.1%)
- More than one (9.6%) 2
- 3 No (26.3%)
- DON'T KNOW/NOT SURE
- REFUSED

Q3.3 Was there a time in the past 12 months when you needed to see a doctor but could not because of the cost?

(n=5,719)

- Yes (14.7%)
- No (85.3%) 2
- DON'T KNOW/NOT SURE
- **REFUSED**

Q3.4 About how long has it been since you last visited a doctor for a routine checkup? A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.

(n=5,669)

- Within the past year (< 12 months ago) (55.1%)
- 2 Within the past 2 years (1 year but < 2 years ago) (16.5%)
- 3 Within the past 5 years (2 years but < 5 years ago) (11.9%)
- 5 or more years ago (14.6%) NEVER (1.9%) 4
- 8
- DON'T KNOW/NOT SURE
- **REFUSED**

SECTION 4: EXERCISE

During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

(n=5,722)

- Yes (78.4%)
- No (21.6%) 2
- DON'T KNOW/NOT SURE 7
 - **REFUSED**

SECTION 5: DIABETES

- Q5.1 Have you ever been told by a doctor that you have diabetes?

 - Yes, but female told only during pregnancy (0.8%)
 - 3
 - NO, PRE-DIABETES OR BORDERLINE DIABETES
 - DON'T KNOW/NOT SURE
 - REFUSED

MODULE 1: DIABETES

M1 1 [IF Q5.1=1] How old were you when you were told you have diabetes?

(n=463)

Mean age in years: 50.1

- DON'T KNOW/NOT SURE
- 99 **REFUSED**
- M1.2 [IF Q5.1=1] Are you now taking insulin? (n=488)
 - Yes (25.2%)
 - 2 No (74.8%)
 - **REFUSED**
- M1.3 [IF Q5.1=1] Are you now taking diabetes pills? (n=485)
 - Yes (67.5%)
 - 2 No (32.5%)
 - DON'T KNOW/NOT SURE
 - **REFUSED**

M1.4 [IF Q5.1=1] About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health

(n=482)

Mean number of times per day: 1.4

DON'T KNOW/NOT SURE

REFUSED

M1.5 [IF Q5.1=1] About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

(n=475)

Mean number of times per day: 0.8

555 NO FEET

DON'T KNOW/NOT SURE

999 REFUSED

[IF Q5.1=1] Have you ever had any sores or irritations on your feet that took more than four weeks to heal? (n=485)

Yes (13.0%) 2 No (87.0%)

7 DON'T KNOW/NOT SURE

REFUSED 9

[IF Q5.1=1] About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

(n=473)

Mean number of time: 3.5

DON'T KNOW/NOT SURE 77

99 REFUSED

[IF Q5.1=1] A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"? (n=449)

Mean number of times: 2.4

- 98 NEVER HEARD OF HEMOGLOBIN "A ONE C" TEST (10.3%)
- DON'T KNOW/NOT SURE 77
- REFUSED 99
- [IF M1.5<>555] About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

(n=472)

Mean number of times: 2.0

DON'T KNOW/NOT SURE

REFUSED

[IF Q5.1=1] When was the last time you had an eye exam in M1.10 which the pupils were dilated? This would have made you temporarily sensitive to bright light.

(n=482)

- Within the past month (< 1 month ago) (16.4%)
- Within the past year (1 month but < 12 months ago)
- 3 Within the past 2 years (1 year but < 2 years ago) (16.8%)
- 2 or more years ago (18.2%) NEVER (5.5%)
- 8
- DON'T KNOW/NOT SURE
- REFUSED

M1.11 [IF Q5.1=1] Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy? (n=482)

Yes (20.1%)

2 No (79.9%)

DON'T KNOW/NOT SURE

REFUSED

[IF Q5.1=1] Have you ever taken a course or class in how to M1.12 manage your diabetes yourself?

(n=486)

- Yes (58.8%)
- No (41.2%) 2
- DON'T KNOW/NOT SURE
- REFUSED 9

SECTION 6: HYPERTENSION AWARENESS

Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?

(n=5,720)

- Yes (23.6%)
- 2 Yes, but female told only during pregnancy (1.4%)

No (74.0%)

4 TOLD BORDERLINE HIGH OR PRE-HYPERTENSIVE (1.0%)

- DON'T KNOW/NOT SURE
- REFUSED

Q6.2 [IF Q6.1=1] Are you currently taking medicine for your high blood pressure?

(n=1,635)

- Yes (72.3%)
- 2 No (27.7%)
- DON'T KNOW/NOT SURE
- 9 **REFUSED**

SECTION 7: CHOLESTEROL AWARENESS

Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked? (n=5,578)

- Yes (72.3%)
- 2 No (27.7%)
- DON'T KNOW/NOT SURE
- **REFUSED**

Q7.2 **[IF Q7.1=1]** About how long has it been since you last had your blood cholesterol checked?

(n=4,332)

- 1 Within the past year (< 12 months ago) (63.0%)
- 2 Within the past 2 years (1 year but < 2 years ago)
- Within the past 5 years (2 years but < 5 years ago) (12.2%)
- 4 5 or more years ago (8.0%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED
- Q7.3 **[IF Q7.1=1]** Have you ever been told by a doctor, nurse or other health professional that your blood cholesterol is high? (n=4,329)
 - 1 Yes (36.3%)
 - 2 No (63.7%)
 - 7 DON'T KNOW/NOT SURE
 - 9 REFUSED

SECTION 8: CARDIOVASCULAR DISEASE

Q8.1 Has a doctor, nurse, or other health professional ever told you that you had any of the following? (Ever told) you had a heart attack, also called a myocardial infarction?

(n=5,688)

- 1 Yes (4.2%)
- 2 No (95.8%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED
- Q8.2 (Ever told) you had angina or coronary heart disease? (n=5,672)
 - 1 Yes (5.0%)
 - 2 No (95.0%)
 - 7 DON'T KNOW/NOT SURE
 - 9 REFUSED
- Q8.3 (Ever told) you had a stroke? (n=5,718)
 - 1 Yes (2.4%)
 - 2 No (97.6%)
 - 7 DON'T KNOW/NOT SURE
 - 9 REFUSED

SECTION 9: ASTHMA

Q9.1 Have you ever been told by a doctor, nurse or other health professional that you had asthma?

(n=5,721)

- 1 Yes (11.7%)
- 2 No (88.3%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED
- Q9.2 **[IF Q9.1=1]** Do you still have asthma? (n=672)
 - 1 Yes (64.1%)
 - 2 No (35.9%)
 - 7 DON'T KNOW/NOT SURE
 - 9 REFUSED

SECTION 10: IMMUNIZATION

Q10.1 A flu shot is an influenza vaccine injected in your arm. During the past 12 months, have you had a flu shot?

(n=5,724)

- 1 Yes (24.3%)
- 2 No (75.8%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q10.2 During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine that is sprayed in the nose is also called FluMistTM.

(n=5,722)

- 1 Yes (0.8%)
- 2 No (99.2%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q10.3 A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

(n=5,199)

- 1 Yes (22.5%)
- 2 No (77.5%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

SECTION 11: TOBACCO USE

- Q11.1 Have you smoked at least 100 cigarettes in your entire life? (n=5,721)
 - 1 Yes (40.7%)
 - 2 No (59.3%)
 - 7 DON'T KNOW/NOT SURE
 - 9 REFUSED

Q11.2 **[IF Q11.1=1]** Do you now smoke cigarettes every day, some days, or not at all?

(n=2,437)

- 1 Every day (32.8%)
- 2 Some days (11.3%)
- 3 Not at all (55.9%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q11.3 **[IF Q11.2<3]** During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

(n=1,009)

- 1 Yes (58.3%)
- 2 No (41.7%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

SECTION 12: ALCOHOL CONSUMPTION

Q12.1 During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor? (n=5,728)

- 1 Yes (47.8%)
- 2 No (52.2%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

[IF Q12.1=1] During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

(n=2,550)

Mean number of days in the last 30: 8.6

DON'T KNOW/NOT SURE NO DRINKS IN PAST 30 DAYS 888

REFUSED

Q12.3 [IF Q12.2<>888] One drink is equivalent to a 12 ounce beer, a 5 ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days that you drank, about how many drinks did you drink on the average?

(n=2,517)

Mean number of drinks: 2.3

77 DON'T KNOW/NOT SURE

99 REFUSED

[IF Q12.2<>888] Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion?

(n=2,521)

Mean number of times overall: 1.2 Reported any occasions: 28.3%

Mean number of times for those that had any: 4.1

DON'T KNOW/NOT SURE 77

88 NONE

REFUSED 99

[IF Q12.2<>888] During the past 30 days, what is the largest Q12.5 number of drinks you had on any occasion?

(n=2.480)

Mean number of most drinks: 3.7

DON'T KNOW/NOT SURE 77

REFUSED 99

SECTION 13: DEMOGRAPHICS

Q13.1 What is your age? (n=5,696)

Mean age in years: 45.1

DON'T KNOW/NOT SURE

REFUSED

Q13 2 Are you Hispanic or Latino? (n=5,709)

Yes (8.9%)

2 No (91.1%)

7 DON'T KNOW/NOT SURE

REFUSED

Which one or more of the following would you say is your race? Would you say: White, Black or African American, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native,

[SEE RESULTS FOLLOWING Q13.4]

[IF MORE THAN ONE RESPONSE FOR Q13.3] Which one Q13.4 of these groups would you say best represents your race? (n=5,665)

White (92.9%)

Black or African American (0.5%) 2

3 Asian (1.3%)

Native Hawaiian or Other Pacific Islander (0.3%) 4

American Indian, Alaska Native (1.6%) 5

6 Other (3.5%)

DON'T KNOW/NOT SURE

REFUSED

Are you married, divorced, widowed, separated, never Q13.5 married, or a member of an unmarried couple? (n=5,713)

Married (66.2%)

2 Divorced (9.6%)

3 Widowed (5.4%)

4 Separated (1.0%)

5 Never married (14.7%)

A member of an unmarried couple (3.1%)

REFUSED

How many children less than 18 years of age live in your Q13.6 household?

(n=5,729)

Mean number of children: 0.9

REFUSED

Q13.7 What is the highest grade or year of school you completed?

> Never attended school or only attended kindergarten (0.2%)

2 Grades 1 - 8 (Elementary) (2.6%)

3 Grades 9 - 11 (Some high school) (6.9%)

Grade 12 or GED (High school graduate) (31.7%) 4

5 College 1 year to 3 years (Some college or technical school) (31.1%)

6 College 4 years or more (College graduate) (27.7%)

REFUSED

Are you currently: employed for wages, self-employed, out of work for more than 1 year, out of work for less than 1 year, a homemaker, a student, retired, or unable to work?

(n=5.716)

Employed for wages (50.9%) Self-employed (12.0%)

2

Out of work for more than 1 year (1.2%) 3

Out of work for less that 1 year (2.8%) 4

A homemaker (9.7%) 5

6 A student (4.4%)

Retired (15.4%) 8

Unable to work (3.7%)

9 **REFUSED**

Q13.9 Is your annual household income from all sources?

Less than \$10,000 (5.1%)

\$10,000 to less than \$15,000 (5.7%) 2

3 \$15,000 to less than \$20,000 (7.5%)

\$20,000 to less than \$25,000 (11.3%) 4

\$25,000 to less than \$35,000 (15.5%) 5

\$35,000 to less than \$50,000 (19.7%) 6

\$50,000 to less than \$75,000 (17.0%)

\$75,000 or more (18.1%) 8

DON'T KNOW/NOT SURE 77

99 **REFUSED** Q13.10 About how much do you weigh without shoes? (n=5,482)

> Mean weight in pounds (Male): 195.7 Mean weight in pounds (Female): 157.0

7777 DON'T KNOW/NOT SURE 9999 REFUSED

Q13.11 About how tall are you without shoes? (n=5.669)

> Mean height in feet and inches (Male): 5 ft. 10 in. Mean height in feet and inches (Female): 5 ft. 5 in.

7777 DON'T KNOW/NOT SURE 9999 REFUSED

Q13.12 What county do you live in?

Data suppressed

Q13.13 What is your ZIP Code where you live?

Data suppressed

Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

(n=5.725)

- Yes (5.5%)
- No (94.6%) 2
- 7 DON'T KNOW/NOT SURE
- **REFUSED** 9

Q13.15 [IF Q13.14=1] How many of these phone numbers are residential numbers?

(n=339)

- Residential telephone number (55.2%)
- 2 Residential telephone numbers (41.1%)
- 3 Residential telephone numbers (3.2%)
- 4 Residential telephone numbers (0.3%) 5
- Residential telephone numbers (<0.1%) 6 Residential telephone numbers (0.1%)
- DON'T KNOW/NOT SURE 7
- **REFUSED**

Q13.16 During the past 12 months, has your household been without telephone service for 1 week or more? (n=5,716)

- Yes (3.1%)
- 2 No (96.9%)
- DON'T KNOW/NOT SURE 7
- 9 REFUSED

Q13.17 Indicate sex of respondent.

(n=5,734)

- Male (49.7%)
- Female (50.3%)

Q13.18 [IF Q13.17=2 AND Q13.1<45] To your knowledge, are you now pregnant?

(n=1,377)

- Yes (6.1%)
- 2 No (93.9%)
- DON'T KNOW/NOT SURE
- REFUSED

SECTION 14: VETERANS STATUS

The next question relates to military service. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (n=5,712)

- Yes (15.7%)
- No (84.3%) 2
- DON'T KNOW/NOT SURE
- REFUSED

SECTION 15: DISABILITY

The next questions are about health problems or impairments you may have. Are you limited in any way in any activities because of physical, mental, or emotional problems?

(n=5,664)

- Yes (20.5%)
- 2 No (79.5%)
- DON'T KNOW/NOT SURE
- **REFUSED**

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Include occasional use or use in certain circumstances.

(n=5,683)

- Yes (6.0%)
- No (94.0%) 2
- DON'T KNOW/NOT SURE
- 9 **REFUSED**

SECTION 16: ARTHRITIS BURDEN

During the past 30 days, have you had symptoms of pain, aching, or stiffness in or around a joint?

(n=5,664)

- Yes (42.0%)
- No (58.0%)
- DON'T KNOW/NOT SURE
- REFUSED

Q16.2 [IF Q16.1=1] Did your joint symptoms first begin more than 3 months ago?

(n=2,594)

- Yes (81.4%)
- 2 No (18.6%)
- DON'T KNOW/NOT SURE 7
- REFUSED

[IF Q16.2=1] Have you ever seen a doctor or other health professional for these joint symptoms?

(n=2,201)

- Yes (72.0%)
- No (28.0%) 2
- DON'T KNOW/NOT SURE
- REFUSED

Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?

(n=5,644)

Yes (25.5%)

2 No (74.5%)

DON'T KNOW/NOT SURE

REFUSED

Q16.5 [IF Q16.2=1 or Q16.4=1] Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (n=2,700)

> Yes (33.4%) 2

No (66.6%)

7 DON'T KNOW/NOT SURE

REFUSED

SECTION 17: FRUITS & VEGETABLES

How often do you drink fruit juices such as orange, grapefruit, or tomato? (n=5,564)

Mean servings per day: 0.6

DON'T KNOW/NOT SURE

REFUSED

Q17.2 Not counting juice, how often do you eat fruit? (n=5.561)

Mean servings per day: 0.8

777 DON'T KNOW/NOT SURE

999 REFUSED

Q17.3 How often do you eat green salad? (n=5,574)

Mean servings per day: 0.5

DON'T KNOW/NOT SURE

REFUSED 999

How often do you eat potatoes not including French fries, fried potatoes, or potato chips?

(n=5,569)

Mean servings per day: 0.3

DON'T KNOW/NOT SURE

REFUSED 999

Q17.5 How often do you eat carrots?

(n=5,505)

Mean servings per day: 0.3

777 DON'T KNOW/NOT SURE

REFUSED

Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?

(n=5,496)

Mean servings per day: 1.2

DON'T KNOW/NOT SURE

REFUSED

SECTION 18: PHYSICAL ACTIVITY

[IF Q13.8<3] When you are at work, which of the following best describes what you do?

(n=3,122)

Mostly sitting or standing (57.7%)

Mostly walking (23.0%) 2

Mostly heavy labor or physically demanding work 3

DON'T KNOW/NOT SURE

REFUSED

Q18.2 Now, thinking about the moderate activities you do [IF Q13.8=1 OR 2 "when you are not working"] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

(n=5,560)

Yes (87.6%)

2 No (12.4%)

DON'T KNOW/NOT SURE

REFUSED

[IF Q18.2=1] How many days per week do you do these moderate activities for at least 10 minutes at a time?

(n=4,841)

1 Day (2.8%)

2

2 Days (8.2%) 3 Days (17.7%) 3 4

4 Days (13.7%) 5 Days (17.2%) 5

6 6 Days (9.9%)

7 Days (30.4%)

DO LESS THAN 10 MINUTES AT A TIME (0.1%) 88

DON'T KNOW/NOT SURE 77

99 REFUSED

[IF Q18.3<77] On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

(n=4,592)

Mean hours and minutes: 1 hour, 8 minutes

DON'T KNOW/NOT SURE

999 REFUSED

Q18.5 Now, thinking about the vigorous activities you do [IF Q13.8=1 OR 2 "when you are not working"] in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

(n=5,516)

Yes (55.3%)

2 No (44.7%)

DON'T KNOW/NOT SURE

REFUSED

Q18.6 [IF Q18.5=1] How many days per week do you do these vigorous activities for at least 10 minutes at a time?

(n=2,788)

- 1 Day (16.1%)
- 2 Days (22.8%) 2
- 3 3 Days (26.6%) 4 4 Days (11.6%)
- 5 Days (11.6%) 5
- 6 6 Days (4.1%)
- 7 Days (6.9%)
- 88 DO LESS THAN 10 MINUTES AT A TIME (0.2%)
- DON'T KNOW/NOT SURE 77
- REFUSED 99

Q18.7 [IF Q18.6<77] On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

(n=2,713)

Mean hours and minutes: 1 hour, 5 minutes

DON'T KNOW/NOT SURE

999 **REFUSED**

SECTION 19: HIVAIDS

[IF AGE<65 OTHERWISE SKIP TO NEXT SECTION] The next few questions are about the national health problem of HIV, the virus that causes AIDS. Please remember that your answers are strictly confidential and that you do not have to answer every question if you do not want to. Although we will ask you about testing, we will not ask you about the results of any test you may have had. Have you ever been tested for HIV? Do not count tests you many have had as part of a blood donation.

(n=4,171)

- Yes (31.6%)
- 2 No (68.4%)
- DON'T KNOW/NOT SURE 7
- REFUSED

[Q19.1=1] Not including blood donations, in what month and year was your last HIV test?

(n=1,184)

Data suppressed

[IF Q19.1=1] Where did you have your last HIV test at, a private doctor or HMO, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, drug treatment facility or somewhere else?

(n=1,319)

- Private doctor or HMO (38.5%)
- Counseling and testing site (2.1%) Hospital (20.3%) 2
- 3
- 4 Clinic (25.4%)
- 5 In a jail or prison (or other correctional facility) (0.8%)
- Home (4.0%)
- Somewhere else (8.5%)
- 8 Drug treatment facility (0.5%)
- 77 DON'T KNOW/NOT SURE
- **REFUSED**
- [IF Q13.1<65] I'm going to read you a list. When I'm done, please tell me if any of the situations apply to you. You don't need to tell me which one.
 - -You have used intravenous drugs in the past year
 - -You have been treated for a sexually transmitted or
 - venereal disease in the past year
 - -You have given or received money or drugs in exchange for sex in the past year
 - -You had anal sex without a condom in the past year

Do any of these situations apply to you? (n=4,236)

- Yes (3.9%)
- 2 No (96.1%)
- DON'T KNOW/NOT SURE
- REFUSED

SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION

How often do you get the social and emotional support you need?

(n=5,447)

- Always (48.5%)
- Usually (34.4%) 2
- Sometimes (10.7%) 3
- 4 Rarely (4.2%)
- 5 Never (2.2%)
- DON'T KNOW/NOT SURE
- **REFUSED**

Q20.2 In general, how satisfied are you with your life?

- Very satisfied (47.0%)
- Satisfied (49.1%) 2
- 3 Dissatisfied (3.1%)
- 4 Very dissatisfied (0.9%)
- DON'T KNOW/NOT SURE
- REFUSED

MODULE 2: ORAL HEALTH

How long has it been since you last visited a dentist or a M2 1 dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

(n=5,481)

- Within the past year (< 12 months ago) (66.5%)
- 2 Within the past 2 years (1 year but < 2 years ago)
- 3 Within the past 5 years (2 years but < 5 years ago) (10.2%)
- 4 5 or more years ago (9.1%)
- NEVER (1.4%) 8
- DON'T KNOW/NOT SURE
- REFUSED

How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost due to infection but do NOT include teeth lost for other reasons, such as injury or orthodontics.

(n=5,426)

- 1 to 5 (28.6%)
- 2 6 or more, but not all (9.1%)
- 3 All (5.2%)
- 8 None (57.2%)
- DON'T KNOW/NOT SURE
- **REFUSED**

M2.3 [IF M2.1<>8 AND M2.2<>3] How long has it been since you had your teeth cleaned by a dentist or dental hygienist? (n=4.980)

- Within the past year (< 12 months ago) (65.1%)
- Within the past 2 years (1 year but < 2 years ago) 2 (13.5%)
- 3 Within the past 5 years (2 years but < 5 years ago) (11.2%)
- 5 or more years ago (8.6%) Never (1.6%) 4
- 8
- DON'T KNOW/NOT SURF 7
- **REFUSED**

MODULE 9: ADULT ASTHMA HISTORY

[IF Q9.1=1] Previously you said you were told by a doctor, nurse or other health professional that you had asthma. How old were you when you were first told by a doctor or other health professional that you had asthma?

(n=642)

Mean age in years (older than 10 years): 31.5

AGE 10 OR YOUNGER (38.3%)

DON'T KNOW/NOT SURE 98

REFUSED 99

[IF Q9.2=1] During the past 12 months, have you had an M9 2 episode of asthma or an asthma attack?

(n=427)

Yes (58.7%)

2 No (41.3%)

DON'T KNOW/NOT SURE 7

9 REFUSED

[IF Q9.2=1] During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Mean number of visits in past 12 months: 0.4

DON'T KNOW/NOT SURE 98

REFUSED

M9.4 [IF Q9.2=1] During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

(n=428)

Mean number of visits in past 12 months: 0.6

DON'T KNOW/NOT SURE 98

REFUSED 99

[IF Q9.2=1] During the past 12 months, how many times did you see a doctor, nurse or other health professional for a routine checkup for your asthma?

(n=430)

Mean number of visits in past 12 months: 1.0

98 DON'T KNOW/NOT SURE

REFUSED

[IF Q9.2=1] During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

(n=416)

Reported any days limited activities: 31.2% Mean number of days past 12 months if any: 32.4

DON'T KNOW/NOT SURE 777

REFUSED

[IF Q9.2=1] Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

(n=426)

Less than once a week (27.6%)

2

Once or twice a week (23.1%)

More that 2 times a week, but not every day (9.4%) 3

Every day, but not all the time (11.7%) 4

Every day, all the time (5.9%) 5

Not at any time (22.3%) 8

DON'T KNOW/NOT SURE 7

REFUSED

M9.8 [IF M9.7<>8] During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

> One or two (25.5%) 2

Three to four (8.2%)

3 Five (3.3%)

Six to ten (4.2%) 4

5 More than ten (8.5%)

None (50.4%) 8

DON'T KNOW/NOT SURE

REFUSED

[IF Q9.2=1] During the past 30 days, how many days did you M9 9 take a prescription asthma medication to prevent an asthma attack from occurring?

(n=425)

1-14 days (25.8%)

2 15-24 days (3.4%)

3 25-30 days (28.7%)

8 Never (42.1%)

DON'T KNOW/NOT SURE

REFUSED

[IF Q9.2=1] During the past 30 days, how often did you use a prescription asthma inhaler during an asthma attack to stop it? (n=421)

One to four times (26.9%)

Five to fourteen times (9.8%) 2

Fifteen to twenty-nine times (7.6%) Thirty to fifty-nine times (2.1%) 3

4 Sixty to ninety-nine times (0.8%) 5

6 More than 100 times (0.8%)

NEVER (includes no attack in past 30 days) (52.0%)

DON'T KNOW/NOT SURE

REFUSED

MODULE 10: RANDOM CHILD SELECTION

[IF Q13.6<88 RANDOMLY SELECT ONE OF THE CHILDREN] What is the birth month and year of the [SELECTED]

Data suppressed

M10.2 [IF Q13.6<88] Is the child a boy or a girl?

(n=1.935)

Boy (51.0%)

Girl (49.0%) 2

REFUSED

M10.3 [IF Q13.6<88] Is the child Hispanic or Latino? (n=1,932)

Yes (13.8%)

2 No (86.2%)

DON'T KNOW/NOT SURE

REFUSED

[IF Q13.6<88] Which one or more of the following would you say is the race of the child?

[SEE RESULTS FOLLOWING M10.5]

M10.5 **[IF M10.4 HAS MORE THAN ONE RESPONSE]** Which one of these groups would you say best represents the child's race?

- 1 White (91.4%)
- 2 Black or African American (0.8%)
- 3 Asian (1.8%)
- 4 Native Hawaiian or other Pacific Islander (0.6%)
- 5 American Indian or Alaskan Native (1.8%)
- 6 Other (3.6%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

M10.6 **[IF Q13.6<88]** How are you related to the child? (n=1,937)

- 1 Parent, biologic, step or adoptive (85.3%)
- 2 Grandparent (3.4%)
- 3 Foster parent or guardian (0.9%)
- 4 Sibling, biologic, step or adoptive (6.7%)
- 5 Other relative (3.0%)
- 6 Not related in any way (0.7%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

MODULE 11: CHILDHOOD ASTHMA

M11.1 **[IF Q13.6<88 OTHERWISE SKIP TO NEXT SECTION]** Has a doctor, nurse or other health professional ever said that the child has asthma?

(n=1,921)

- 1 Yes (9.5%)
- 2 No (90.5%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

M11.2 [IF M11.1=1] Does the child still have asthma? (n=197)

- 1 Yes (72.1%)
- 2 No (27.9%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

MODULE 17: ARTHRITIS MANAGEMENT

M17.1 **[IF Q16.1=1 OR Q16.4=1 OTHERWISE SKIP TO NEXT SECTION]** Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY? (n=2,638)

- 1 I can do everything I would like to do (31.7%)
- 2 I can do most things I would like to do (44.9%)
- 3 I can do some things I would like to do (18.4%)
- 4 I can hardly do anything I would like to do (5.1%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

M17.2 **[IF Q16.1 =1 OR Q16.4=1]** Has a doctor or other health professional ever suggested losing weight to help your arthritis or joint symptoms?

(n=2,631)

- 1 Yes (25.6%)
- 2 No (74.4%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

M17.3 **[IF Q16.1 =1 OR Q16.4=1]** Has a doctor or other health professional ever suggested physical activity or exercise to help your arthritis or joint symptoms?

(n=2,623)

- 1 Yes (44.4%)
- 2 No (55.6%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

M17.4 **[IF Q16.1 =1 OR Q16.4=1]** Have you ever taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

(n=2,636)

- 1 Yes (10.9%)
- 2 No (89.1%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

STATE ADDED: CHILD ACTIVITY

IDQ1 [IF Q13.6<88] How tall is the child?

Data suppressed

IDQ2 [IF Q13.6<88] How much does the child weigh?

Data suppressed

IDQ3 **[IF Q13.6<88 AND CHILD AGE>5]** During the past week, on how many days did the child exercise or participate in physical activity for at least 20 minutes that made **[him/her]** sweat and breathe hard, such as running, fast bicycling, basketball, soccer, swimming, fast dancing, or similar aerobic activities?

(n=1.152)

- 1 1 Day (3.2%)
- 2 2 Days (9.5%)
- 3 3 Days (14.9%) 4 Days (9.2%)
- 5 5 Days (25.3%)
- 6 6 Days (8.4%)
- 7 7 Days (23.3%) 88 NONE (6.3%)
- 00 110112 (0.070)
- 77 DON'T KNOW/NOT SURE
- 99 REFUSED

IDQ4 [IF Q13.6<88 AND CHILD AGE<16] How often does the [CHILD AGE]-year old child in your household use a [IF CHILD AGE≤4 "car safety seat", IF CHILD AGE >4 "seatbelt"] when they ride in a car?

(n=1,555)

- 1 Always (89.6%)
- 2 Nearly Always (7.2%)
- 3 Sometimes (1.8%)
- 4 Seldom (0.9%)
- 5 Never (0.6%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

STATE ADDED: HEALTH CARE ACCESS INSURANCE

IDQ5 **[IF Q13.6<88]** Does the child have any kind of health care coverage, including health insurance, prepaid plans such as HMO's, or government plans such as Medicaid or the Children's Health Insurance Program, also known as CHIP?

(n=1,908)

- 1 Yes (89.7%)
- 2 No (10.4%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

[IF Q3.1=2] Previously you said you did not have any health IDQ6 care coverage. What is the main reason you are without health care coverage?

(n=807)

- LOST JOB OR CHANGED EMPLOYERS (10.8%) 2 SPOUSE OR PARENT LOST JOB OR CHANGED
- EMPLOYERS [INCLUDES ANY] (0.9%)
- BECAME DIVORCED OR SEPARATED (0.4%) 3
- SPOUSE OR PARENT DIED (0.0%) 4
- BECAME INELIGIBLE BECAUSE OF AGE OR 5 BECAUSE LEFT SCHOOL (3.1%)
- EMPLOYER DOESN'T OFFER OR STOPPED 6 OFFERING COVERAGE (8.8%)
- CUT BACK TO PART TIME OR BECAME 7 TEMPORARY EMPLOYEE (0.6%)
- BENEFITS FROM EMPLOYER OR FORMER 8 EMPLOYER RAN OUT (0.5%)
- COULDN'T AFFORD TO PAY THE PREMIUMS 9
- (48.8%)**INSURÂNCE COMPANY REFUSED COVERAGE** 10
- (0.3%)LOST MEDICAID OR MEDICAL ASSISTANCE 11
- ELIGIBILITY (1.7%)
- 87 OTHER (24.1%)
- DON'T KNOW/NOT SURE
- REFUSED

IDQ7 [IF Q3.1=2] About how long has it been since you had health care coverage?

(n=821)

- Within the past 6 months (anytime less than 6 months 1 ago) (14.6%)
- Within the past year (6 months but less than 12 2 months ago) (15.0%)
- 3 Within the past 2 years (1 year but less than 2 years ago) (14.8%)
- Within the past 5 years (2 years but less than 5 years 4 ago) (17.7%)
- 5 5 or more years ago (25.1%)
- 8 NEVER (12.8%)
- 7 DON'T KNOW/NOT SURE
- **REFUSED**

[IF Q3.1=1] Previously you said that you had some kind of health care coverage. What type of health care coverage do you use to pay for most of your medical care?

(n=4,523)

- Employer (41.2%)
- Someone else's employer (19.5%)
- 2 A plan that you or someone else buys on your own (10.5%)
- 4 Medicare (16.8%)
- 5
- Medicaid or Medical Assistance (3.2%)
 The military, CHAMPUS, TriCare, or the VA (5.1%) 6
- The Indian Health Service (0.2%) 7
- 8 Some other source (3.5%)
- 88 NONE (0.2%)
- 77 DON'T KNOW/NOT SURE
- REFUSED

Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? (n=5,390)

- Yes (54.3%)
- 2 No (45.7%)
- DON'T KNOW/NOT SURE 7
- 9 REFUSED

STATE ADDED: INJURY

IDQ10 How often do you use seatbelts when you drive or ride in a car?

(n=5.422)

- Always (76.2%)
- Nearly Always (14.8%) 2
- Sometimes (4.8%) 3
- Seldom (2.4%) 4 5 Never (1.8%)
- DON'T KNOW/NOT SURE
- REFUSED

In the past 12 months, have you had a fall? IDO11 (n=5,418)

- Yes (18.9%)
- 2 No (81.1%)
- DON'T KNOW/NOT SURE 7
- 9 **REFUSED**

IDQ12 [IF IDQ11=1] Were you injured? By injured, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

(n=1,070)

- Yes (46.0%)
- 2 No (54.1%)
- DON'T KNOW/NOT SURE
- REFUSED 9

STATE ADDED: HEALTH DISTRICT SPONSORED QUESTIONS

What is the main source of your home water supply? IDQ13 (n=5.313)

- A city, county, or town water system (66.9%)
- 2 A small water system operated by a home association
- 3 A private well serving your home (28.0%)
- 4 Other source (1.4%)
- DON'T KNOW/NOT SURE
- **REFUSED**

IDQ14 [IF IDQ13=3] Has your well water been tested in the past 12 months?

(n=1,517)

- Yes (33.4%)
- No (66.6%) 2
- DON'T KNOW/NOT SURE
- REFUSED

IDQ15 Which of the following best describes the water that you drink at home most often?

(n=5,349)

- Unfiltered tap water (48.0%)
- 2 Filtered tap water (35.9%)
- 3 Bottled or vended water (14.1%)
- 4 Water from another source (2.1%)
- DON'T KNOW/NOT SURE
- REFUSED

At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices.

(n=4,822)

- 1st (1.2%) 2 2nd (1.0%)
- 3 3rd (3.0%)
- 4 4th (7.8%)
- 5 5th (16.8%)
- 6 7 6th (24.7%)
- 7th (18.0%)
- 8 8th (9.7%)
- 9 9th (4.7%)
- 10 10th (2.8%)
- 11 11th (1.2%)
- 12 12th (1.8%)
- 55 Kindergarten (1.6%)
- 88 NEVER (5.8%)
- DON'T KNOW/NOT SURE 77
- **REFUSED** 99

STATE ADDED: INDOOR AIR QUALITY

The next question is about radon. Have you heard of radon, which is a radioactive gas that occurs in nature?

(n=5,341)

- Yes (77.8%)
- 2 No (22.3%)
- DON'T KNOW/NOT SURE 7
- 9 REFUSED

IDQ18 [IF IDQ17=1] Has your household air been tested for the presence of radon gas?

(n=4,093)

- Yes (17.9%)
- 2 No (82.1%)
- DON'T KNOW/NOT SURE

[IF IDQ17=1] Please indicate your agreement or disagreement with the following statement: Prolonged exposure to radon gas can be harmful to your health. Do you agree or disagree? (n=3.772)

- Agree (97.1%)
- 2 Disagree (2.9%)
- DON'T KNOW/NOT SURE 7
- REFUSED

IDQ20 Do you currently have mold in your home on an area greater than the size of a dollar bill?

(n=5,185)

- Yes (5.7%)
- 2 No (94.3%)
- DON'T KNOW/NOT SURE
- REFUSED

STATE ADDED: SMOKELESS TOBACCO

Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?

(n=5,381)

- Yes (19.1%)
- No (80.9%) 2
- DON'T KNOW/NOT SURE
- **REFUSED**

[IF IDQ21=1] Do you currently use chewing tobacco or snuff IDQ22 everyday, some days, or not at all?

(n=885)

- Every day (15.4%)
- 2 Some days (8.7%)
- 3 Not at all (75.9%)
- DON'T KNOW/NOT SURE
- **REFUSED**

STATE ADDED: SUBSTANCE ABUSE

I am now going to ask about your non-medical use of drugs. "Non-medical use" means using drugs not prescribed by a doctor, or used to get high or for curiosity. I will be referring to cocaine (including crack), heroin or drugs like heroin (such as codeine or Demerol), marijuana (also referred to as pot), methamphetamine (also known as meth, crank or ice), hallucinogens, inhalants, prescription painkillers, stimulants and sedatives. Remember, all information on this survey is strictly confidential. Have you ever used any of the drugs I just mentioned?

(n=5,333)

- Yes (24.1%)
- 2 No (75.9%)
- DON'T KNOW/NOT SURE
- **REFUSED**

IDQ24 [IF IDQ23=1] How long has it been since you last used any of these drugs?

(n=1,108)

- Within the last 30 days (11.3%)
- More than 30 days but within the past 12 months
- More than 12 months ago (77.8%) 3
- DON'T KNOW/NOT SURE
- REFUSED

IDQ25 [IF IDQ24<7] What drug did you use most recently?

- MARIJUANA (79.8%) METHAMPETAMINE (5.3%)
- 2
- 3 **COCAINE (5.7%)**
- 4 HEROIN (0.4%)
- OTHER (SPECIFY) (8.8%) 5
- DON'T KNOW/NOT SURE
- REFUSED

MODULE 25: SEXUAL VIOLENCE

M25.0 I'd like to ask you some questions about physical and/or sexual violence or other unwanted sexual experiences. This information will allow us to better understand the problem of violence and unwanted sexual contact, and may help others in the future. This is a sensitive topic. Some people may feel uncomfortable with these questions. Remember that your phone number has been chosen randomly and your answers are strictly confidential. At the end of this section I will give you phone numbers for organizations that can provide information and referral for both of these issues. Please keep in mind that you can ask me to skip any question that you do not want to answer. If you are not in a safe place to answer these questions, I can skip to the next topic area. My first questions are about unwanted sexual experiences you may have had.

(n=5,353)

- In a safe place (94.7%)
- 2 Not in a safe place (5.3%)

[IF M25.0=1] In the past 12 months, has anyone exposed you to unwanted sexual situations that did not involve physical touching? Examples include things like flashing you, peeping, sexual harassment, or making you look at sexual photos or movies. (n=5,037)

Yes (1.7%)

- 2 No (98.3%)
- 7 DON'T KNOW/NOT SURE
- REFUSED 9

[IF M25.0=1] In the past 12 months, has anyone touched sexual parts of your body after you said or showed that you didn't want them to or without your consent?

(n=5,040)

- Yes (1.3%)
- 2 No (98.7%)
- DON'T KNOW/NOT SURE 7
- REFUSED

[IF M25.0=1] Now I am going to ask you about unwanted sex. Unwanted sex includes things like putting anything into your [IF FEMALE vagina,] anus, or mouth or making you do these things to them after you said or showed that you didn't want to. It includes times when you were unable to consent, for example, you were drunk or asleep, or you thought you would be hurt or punished if you refused. In the past 12 months, has anyone attempted to have sex with you after you said or showed that you didn't want to or without your consent, but sex did not occur?

(n=5,006)

- Yes (1.0%)
- 2 No (99.0%)
- DON'T KNOW/NOT SURE 7
- REFUSED

[IF M25.0=1] In the past 12 months, has anyone had sex with you after you said or showed that you didn't want to or without your

(n=5,009)

- Yes (0.5%)
- No (99.5%) 2
- DON'T KNOW/NOT SURE
- REFUSED

[IF M25.4=1 OR M25.3=1] At the time of the most recent incident, what was your relationship to the person who [had sex OR attempted to have sex] with you after you said or showed that you didn't want to or without your consent.

(Data suppressed n<50)

- COMPLETE STRANGER
- A PERSON KNOWN < 24 HOURS 2
- 3 **ACQUAINTANCE**
- 4 **FRIEND**
- 5 DATE
- 6 **CURRENT BOYFRIEND/GIRLFRIEND**
- FORMER BOYFRIEND/GIRLFRIEND
- 8 SPOUSE OR LIVE-IN PARTNER
- EX-SPOUSE OR EX LIVE-IN PARTNER
- CO-WORKER 10
- NEIGHBOR 11
- 12 PARENT
- STEP-PARENT 13
- 14 PARENT'S PARTNER
- 15 OTHER RELATIVE
- OTHER NON-RELATIVE 16
- 17 MULTIPLE PERPETRATORS
- 77 DON'T KNOW/NOT SURE
- **REFUSED**

M25.6 [IF M25.5<>17] Was the person who did this male or

(Data suppressed n<50)

- Male
- 2 Female
- DON'T KNOW/NOT SURE
- REFUSED

[IF M25.3=2 OR M25.3=7 OR M25.3=9] Has anyone ever attempted to have sex with you after you said or showed that you didn't want to or without your consent, but sex did not occur?

(n=4,966)

- Yes (9.0%)
- 2 No (91.0%)
- DON'T KNOW/NOT SURE
- **REFUSED**

[IF M25.4=2 OR M25.4=7 OR M25.4=9] Has anyone ever had sex with you after you said or showed that you didn't want them to or without your consent?

(n=4.988)

- Yes (6.2%)
- 2 No (93.8%)
- DON'T KNOW/NOT SURE
- 9 **REFUSED**

STATE ADDED: REACTION TO SEXUAL VIOLENCE MODULE

IDQ26 **[IF M25.1-M25.4, M25.6-M25.8<>9 AND M25.5<>99]** Do you feel that a health survey should ask the questions about sexual violence that you just answered? (n=4,567)

- Yes, Should (90.3%)
- 2 No, Should not (9.7%)
- DON'T KNOW/NOT SURE REFUSED 7

IDQ27 **[IF M25.1-M25.4, M25.6-M25.8<>9 AND M25.5<>99]** Did any of these questions make you feel upset or remind you of a past victimization experience? (n=4,980)

- Yes (7.1%) No (92.9%) 1 2
- DON'T KNOW/NOT SURE 7
- 9 REFUSED

Appendix C

References

Centers for Disease Control and Prevention. *Public Health Surveillance for Behavioral Risk Factors in a Changing Environment: Recommendations from the Behavioral Risk Factor Surveillance Team.* MMWR 2003:52 (No. RR-9).

Federal Communications Commission, Wireline Competition Bureau, Industry Analysis and Technology Division. *Statistics of Communications Common Carriers*, 2004/2005 Edition, Washington DC; Federal Communications Commission, 2005. www.fcc.gov/wcb/iatd/socc.html Accessed July 2006.

U.S. Census Bureau, 2004 American Community Survey. *Tenure by Telephone Service Available by Age of Household.* www.factfinder.census.gov Accessed August 8, 2006.