Analysis from the Behavioral Risk Factor Surveillance System: **Results from Public Health District Sponsored Questions**1999 – 2006

February 2008



Analysis from the Behavioral Risk Factor Surveillance System:

Results from Public Health District Sponsored Questions

1999 - 2006

Acknowledgments

This project was funded in part by and in partnership with Idaho's seven Public Health Districts.

Additional funds were provided by a grant from the Centers for Disease Control and Prevention, number U58/CCU022801 and administered via a cooperative agreement with the Idaho Bureau of Vital Records and Health Statistics. The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

For more information on this project or any of the survey results, please contact the Bureau of Vital Records and Health Statistics at (208) 332-7326.


Suggested Citation

Analysis from the Behavioral Risk Factor Surveillance System: Results from Public Health District Sponsored Questions, 1999 – 2006. Boise: Idaho Department of Health and Welfare, Division of Health, Bureau of Vital Records and Health Statistics, 2008.

Table of Contents

Table of Contents	
Map of Idaho Public Health Districts	2
Introduction and Methodology	
Reporting and Data Limitations	
Sample Size	
Demographics	
Source of Water Supply	8
Trend Graphs	
Type of Drinking Water	
Trend Graphs	
Sex Education, Part I	
Trend Graphs	
Sex Education, Part II	
Trend Graphs	
Child Safety Seat and Seat Belt Use	
Trend Graphs	
Appendix A: Data Tables	19
Understanding the Data Tables	
2006 Data Tables by Topic	
Appendix B: Trend Tables	30
Appendix C: Public Health District Sponsored Questions—2006	32

Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

Introduction

The Behavioral Risk Factor Surveillance System (BRFSS), an ongoing surveillance program developed and partially funded by the Centers for Disease Control and Prevention, is designed to estimate the prevalence of risk factors for the major causes of death and disability in the United States. Idaho began participating in the BRFSS in 1984. Since then, the program has grown to encompass 50 states and several U.S. territories. Idaho's sample has grown significantly since its first year of participation. In 1984, the sample size was 612, and it has grown to over 5,343 interviews completed in 2006.

Beginning in 1997, Idaho's seven public health districts entered into a partnership with the Department of Health and Welfare to develop health district level estimates from the BRFSS. With the districts' participation, the Department was able to increase the sample size and produce district-level health behavior estimates. In addition, the Department provided the health districts with the opportunity to add five questions to the BRFSS that address their specific data needs. This report summarizes the 2006 BRFSS results for the five district-sponsored questions as well as offers a look at the trends since 1999, for years data are available.

Methodology

The BRFSS has been conducted as a random telephone survey of the non-institutionalized adult (aged 18 and over) population since 1984. The survey was administered in every month of the calendar year. After annual data collection was completed, individual responses were weighted to be representative of the state's adult population and analysis was performed on the weighted data.

Additional information regarding BRFSS methodology is available online at http://www.cdc.gov/brfss.

Sampling: Idaho used disproportionate stratified sampling for the 2006 BRFSS. The sample was stratified by Idaho's seven public health districts. Approximately 700 Idahoans were interviewed in each health district, resulting in a total sample size of 5,343. Interviews were conducted by telephone using computer-assisted telephone interviewing (CATI) software to record responses.

Weighting: The data were weighted to the respondent's probability of selection as well as age and sex based on population estimates. For example, some households have more than one telephone line and are more likely to be called. The weighting corrects for this difference in probability of selection as well as differences between the population and the sample.

Analysis: SUDAAN® software was used for statistical testing. This software takes into account the complex sampling design methodology of BRFSS. Idaho used SAS® software for data manipulation, risk factor creation, and calculation of standard errors and 95% confidence intervals used in the tables. The formula for confidence interval calculation is as follows: Confidence Interval = Prevalence Estimate +/- (1.96 * Standard

Error). All "don't know," "not sure," and "refused" responses have been excluded from the analysis.

Reporting

Prevalence estimates are presented as the weighted percent of responses to a specific question. Prevalence estimates based on denominators with fewer than 50 respondents have been suppressed and are indicated in the data tables with an asterisk (*). The BRFSS has adopted this standard to maintain a high degree of reliability. Differences between estimates are reported throughout the document. Any difference determined to be significantly different through statistical testing was designated as such and will be preceded by the words "significantly" or "statistically."

Data Limitations

Errors in estimation are a result of BRFSS data being self-reported and certain behaviors possibly being underreported (Centers for Disease Control and Prevention, 2005). Another source of error is based on sampling. Each sample drawn will deviate somewhat from the population. Additional possible errors may occur due to the population from which the sample is drawn. Ideally, all adults aged 18 and older would be potential respondents for the survey. However, in order to be cost effective, the sample is limited to adults aged 18 and older who are non-institutionalized, live in a household with a non-cellular telephone, and can communicate in English or Spanish. This excludes people in prisons and dormitories, those who exclusively speak a language other than English or Spanish, those without non-cellular telephones and others who cannot communicate by telephone. Spanish interviewing for the Idaho BRFSS began in mid year 2004 with 2005 as the first complete year that included Spanish interviewing. Telephone coverage varies by subpopulation. The Federal Communications Commission research suggests that minorities and the poor are less likely to have a telephone in the home than are non-minorities and the affluent (Federal Communications Commission, 2005). An estimated 94.8 percent of occupied households in Idaho have telephone service (Federal Communications Commission, Data on telephone coverage in U.S. households are available at www.fcc.gov/wcb/iatd/socc.html.

Sample Size and Demographics

Sample Size

In 2006, Idaho completed 5,343 BRFSS interviews. Approximately 700 interviews were completed in each of the seven public health districts. The final sample size and the distribution between health districts are shown in the following table.

2006 Sample Size

				Public	Health D	istrict										
	Statewide	District 1	District District District District District District 7													
TOTAL	5,343	750	747	789	776	754	768	759								

The table on the following page contains weighted demographic information from the 2006 BRFSS (weighting explanation can be found in Methodology section on page 3). The sample demographics describe the eligible survey population by public health district and selected demographic categories. Statewide, the adult age category representing the largest percentage was the 35 to 54 category. Nearly two-out-of-three adults were employed for wages and more than two-out-of-five had an annual household income of \$50,000 or greater. Adults without a high school level education made up 9.8 percent of the Idaho adult population while 28.2 percent had a four-year college degree or greater.

Sample Size and Demographics

2006 Weighted Sample Demographics

				Public	Health D	istrict		
		District	District	District	District	District	District	District
TOTAL	Statewide 100.0	1 14.6	2	3 15.5	4 27.4	5 11.9	6	7
	100.0	14.0	7.7	15.5	21.4	11.9	10.8	12.2
SEX Male	49.8	49.2	50.7	49.4	50.6	49.7	49.1	49.0
Female	50.2	50.8	49.3	50.6	49.4	50.3	50.9	51.0
remale	30.2	30.0	+3.5	30.0	73.7	30.3	30.3	31.0
AGE								
18-24	15.3	12.7	18.2	14.8	13.4	14.5	17.6	20.4
25-34	18.1	15.1	15.4	20.0	20.1	16.5	17.9	18.6
35-44	18.3	17.4	15.3	18.7	21.2	17.5	16.7	16.5
45-54	18.4	20.1	17.6	16.9	18.8	18.9	18.4	17.4
55-64	13.9	16.3	14.4	13.2	13.4	14.4	13.5	13.1
65+	15.9	18.4	19.1	16.4	13.2	18.1	16.0	14.1
18-34	33.5	27.8	33.6	34.9	33.5	31.0	35.6	39.0
35-54	36.7	37.6	32.9	35.6	40.0	36.5	35.0	33.9
55+	29.8	34.7	33.5	29.5	26.6	32.6	29.4	27.2
SEX and AGE Male								
18-34	34.6	28.8	35.6	36.0	34.8	32.5	36.5	38.9
35-54	37.3	37.4	33.0	36.6	40.9	36.9	35.5	34.9
55+	28.1	33.8	31.4	27.4	24.4	30.6	28.1	26.2
Female								
18-34	32.4	26.8	31.5	33.7	32.1	29.4	34.7	39.1
35-54	36.1	37.7	32.8	34.6	39.1	36.0	34.6	32.9
55+	31.6	35.5	35.7	31.7	28.8	34.6	30.7	28.0
INCOME								
Less than \$15,000	9.6	8.0	12.2	10.9	6.9	11.2	8.5	13.6
\$15,000 - \$24,999	17.5	20.7	23.6	19.2	12.9	16.2	18.6	18.4
\$25,000 - \$34,999	13.6	13.7	15.2	14.6	12.1	16.4	14.5	10.9
\$35,000 - \$49,999	19.1	19.5	20.1	17.8	19.2	22.1	18.8	17.2
\$50,000+	40.3	38.0	29.0	37.4	49.0	34.1	39.6	40.0
EMPLOYMENT								
Employed	63.2	58.7	58.5	64.5	66.5	65.4	63.8	59.6
Unemployed	3.6	4.1	4.8	3.0	4.0	2.4	2.9	3.7
Other*	33.2	37.2	36.7	32.5	29.5	32.2	33.3	36.7
EDUCATION								
K-11th Grade	9.8	10.0	12.7	14.1	6.4	16.8	7.1	5.9
12th Grade or GED	29.8	32.4	34.1	33.0	24.8	31.8	32.9	26.7
Some College	32.1	34.6	28.0	30.6	32.0	29.1	31.9	37.1
College Graduate+	28.2	23.1	25.2	22.3	36.8	22.3	28.1	30.3

^{*}Other includes students, homemakers, retirees, and persons unable to work

Results from Public Health District Sponsored Questions

Source of Water Supply


Question: "What is the main source of your home water supply?"

In 2006, 28.3 percent of Idaho adults lived in households in which the water was supplied by a well. At 41.9 percent, District 5 had the highest percentage of households with well water. Compared with the state as a whole, District 4 had a significantly lower percentage of households with well water (18.2 percent) and District 5 had a significantly higher percentage (41.9 percent).

Idahoans aged 18 to 34 were significantly less likely to report having well supplied water than those 35 and older (22.7 percent compared with 31.0 percent). Employed adults, students, homemakers, retirees, and those unable to work were significantly more likely to have well supplied water than those who were unemployed (27.4 percent of employed adults; 31.0 percent of students, homemakers, retirees, and those unable to work; and 17.9 percent of unemployed adults). Those who had some college or graduated college were significantly less likely to have well-supplied water than those with less education.


In 2006, District 1 and District 3 experienced their lowest percentage of households with well supplied water since 1999.

Percent of Idaho adults with well water by Public Health District, 2006




Source of Water Supply


Percent of Idaho adults with well water, 1999 - 2006




Percent of District 1 adults with well water, 1999 - 2006




Percent of District 2 adults with well water, 1999 - 2006




Percent of District 3 adults with well water, 1999 - 2006




Percent of District 4 adults with well water, 1999 - 2006




Percent of District 5 adults with well water, 1999 - 2006



Percent of District 6 adults with well water, 1999 - 2006



Percent of District 7 adults with well water, 1999 - 2006



Type of Drinking Water


Question: "Which of the following best describes the water that you drink at home most often? Unfiltered tap water; filtered tap water; bottled or vended water; water from another source"

In 2006, 46.3 percent of Idaho adults reported they drink unfiltered tap water at home. At 63.3 percent, District 7 had a significantly higher percentage of adults who drink unfiltered tap water when compared with other health districts. At 38.4 percent, District 4 had the lowest percentage of adults who drink unfiltered tap water.

Idahoans aged 35 and older were significantly more likely to drink unfiltered tap water than those 18 to 34. There were no significant differences for those who drink unfiltered tap water by income, employment status, or education.


There was no significant change in any district in the percentage of those who drink unfiltered tap water between 2005 and 2006.

Percent of Idaho adults who drink unfiltered tap water at home, 2006



Idaho District 1 District 2 District 3 District 4 District 5 District 6 District 7

Type of Drinking Water



Sex Education, Part I


Question: "At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices."

In 2006, 6.6 percent of Idaho adults reported they thought there should be no comprehensive sex education in school. District 1 had the greatest percentage of adults stating there should not be sex education in schools and District 4 had the lowest percentage (8.1 percent compared with 5.2 percent). However, differences between districts were not statistically significant.


Adults aged 55 and older were significantly more likely to think children should not receive comprehensive sex education in school than younger adults. College graduates were significantly more likely to disagree with sex education in schools than those who did not graduate high school.


Although the percentage of adults disagreeing with sex education in District 2 more than doubled between 2005 and 2006, the difference was not statistically significant. There were no significant changes in any districts between 2005 and 2006.

Percent of Idaho adults who think there should be no comprehensive sex education in schools, 2006




Sex Education, Part I







Percent of District 2 adults who think there should be no comprehensive sex education in schools, 2005 - 2006




Percent of District 4 adults who think there should be no comprehensive sex education in schools, 2005 - 2006




Percent of District 6 adults who think there should be no comprehensive sex education in schools, 2005 - 2006




Percent of District 1 adults who think there should be no comprehensive sex education in schools, 2005 - 2006




Percent of District 3 adults who think there should be no comprehensive sex education in schools, 2005 - 2006



Percent of District 5 adults who think there should be no comprehensive sex education in schools, 2005 - 2006



Percent of District 7 adults who think there should be no comprehensive sex education in schools, 2005 - 2006



Sex Education, Part II


Question: "At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices."

Of Idaho adults who did think comprehensive sex education should begin in school, 38.0 percent recommended beginning in seventh grade or later. There were no statistically different percentages between districts for recommending sex education in seventh grade or later among adults who recommended any sex education.


Males were significantly more likely than females to think sex education should begin in the seventh grade or later (43.9 percent compared with 32.4 percent). Females aged 18 to 34 were significantly more likely than females aged 55 and older to think sex education should begin in the seventh grade or later. Those who were unemployed were significantly less likely to recommend sex education in the seventh grade or later than those who were employed, students, homemakers, retirees, and unable to work. There were no significant differences among income and education categories.

There were no significant changes in any districts between 2005 and 2006.

Percent of Idaho adults who think comprehensive sex education should begin in seventh grade or later, 2006 (among those indicating any grade)



Sex Education, Part II



Child Safety Seat and Seat Belt Use


Question: (Asked of those with any children in the household aged 15 and younger): "How often does the [child age]-month/year old child in your household use a [if child age < 5 then "car safety seat", if child age 5 - 15 then "seat belt"] when they ride in a car?"

In 2006, 12.6 percent of Idaho children aged 15 and younger did not always use a safety seat or seat belt when riding in a car. At 22.5 percent, District 6 had the significantly highest prevalence of children not always using a seat belt or safety seat when compared with the rest of the state. At 6.3 percent, District 4 had the lowest prevalence.

Children aged 4 and younger had a significantly lower rate of not always using proper safety harnesses when riding in cars than children aged 5 to 15 (4.5 percent compared with 16.1 percent). Children aged 13 to 15 were reported to not always use a seat belt or safety seat 10.5 times more often than children aged less than two (25.2 percent compared with 2.4 percent).


Between 2004 and 2006, there were no significant changes in any of the health districts.


Percent of Idaho children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2006




Note: Responses were weighted to reflect Idaho's child population.

Child Safety Seat and Seat Belt Use







Percent of District 2 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006




Percent of District 4 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006




Percent of District 6 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006




Percent of District 1 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006




Percent of District 3 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006



Percent of District 5 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006



Percent of District 7 children 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2004 - 2006



Understanding the Data Tables

The data tables on the following pages provide both state and health district data for various demographic subcategories. An understanding of the tables is important to interpreting the data correctly.

- A. This title refers to the risk factor.
- B. The labels across the top of the table (i.e., Statewide and District) refer to the geographic region of residence.
- C. The labels on the left side of the table refer to the particular group the numbers represent. For example, the row labeled "Female" will contain data for women for the geographic region indicated at the top of the table.
- D. The shaded columns contain the prevalence (percent) of the risk factor.
- E. The two numbers in the column labeled "95% CI" are the lower and upper limits of the confidence interval. This interval can be interpreted to mean that there is a 95% certainty that the true prevalence of the risk factor falls within the confidence interval.
- F. "N" refers to the number of people sampled who responded to the question within the demographic group and geographic region indicated. It does NOT represent the number of people who have the risk factor in the population. An asterisk indicates that fewer than 50 people in the group responded (see Methodology on page 3).

A Source of Water Supply

Idaho adults with well water, 2006

							_		· · ,							
									Publi	c Hea	Ith D	istrict				
С	В	State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
)	%	95%	95% CI n			95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	28.3	26.7	30.0	5,075	22.7	19.4	26.4	710	25.8	22.0	29.9	717	36.8	32.8	41.0	748
SEX																
Male	29.1	26.5	31.8	2,024	22.5	17.7	28.1	305	26.5	21.0	32.9	302	38.9	32.7	45.5	296
Female	27.5	25.7	29.5	3,051	22.9	18.6	28.0	405	25.0	20.3	30.4	415	34.7	29.7	40.1	452







Source of Water Supply

Idaho adults with well water, 2006

				IIO a							lth D	istrict				
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	G CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	28.3	26.7	30.0	5,075	22.7	19.4	26.4	710	25.8	22.0	29.9	717	36.8	32.8	41.0	748
SEX																
Male	29.1	26.5	31.8	2,024	22.5	17.7	28.1	305	26.5	21.0	32.9	302	38.9	32.7	45.5	296
Female	27.5	25.7	29.5	3,051	22.9	18.6	28.0	405	25.0	20.3	30.4	415	34.7	29.7	40.1	452
AGE																
18-24	24.8	18.7	32.3	274	*	*	*	*	*	*	*	*	*	*	*	*
25-34	21.1	17.5	25.2	749	19.8	12.0	31.0	80	20.9	13.1	31.7	99	20.1	13.9	28.2	137
35-44	27.8	24.5	31.3	868	23.2	16.4	31.6	133	25.3	17.9	34.7	113	39.0	29.8	49.1	126
45-54	33.4	30.0	37.0	1,028	22.4	15.6	31.0	139	35.1	27.2	43.8	152	46.1	37.7	54.6	150
55-64	32.2	28.9	35.7	951	27.9	20.4	36.9	149	27.9	20.7	36.5	141	44.6	35.0	54.5	115
65+	30.8	27.8	34.0	1,171	28.2	21.6	35.9	185	27.4	20.7	35.3	177	42.0	33.9	50.4	172
18-34	22.7	19.2	26.6	1,023	14.9	9.0	23.7	100	19.2	12.2	28.7	131	25.2	17.8	34.3	179
35-54	30.7	28.3	33.1	1,896	22.7	17.8	28.6	272	30.5	24.9	36.8	265	42.4	36.1	49.1	276
55+	31.5	29.2	33.8		28.1	22.9	33.8	334	27.6	22.6	33.3	318	43.1	36.9	49.6	287
SEX and AGE																
Male																
18-34	25.6	20.0	32.1	399	*	*	*	*	*	*	*	*	23.9	14.0	37.8	72
35-54	29.5	25.9	33.4	782	20.9	14.0	30.1	111	30.8	22.5	40.5	112	41.9	32.4	52.0	115
55+	32.9	29.4	36.5	838	28.0	20.9	36.4	149	33.2	25.4	42.0	145	54.3	44.3	64.0	109
Female																
18-34	19.6	16.0	23.8	624	11.8	5.4	23.9	56	22.5	13.1	35.8	87	26.5	16.9	39.1	107
35-54	31.9	28.8	35.0	1,114	24.5	18.0	32.5	161	30.3	23.0	38.6	153	43.0	35.0	51.5	161
55+	30.2	27.4	33.2		28.1	21.1	36.4	185	22.5	16.3	30.1	173	33.6	26.4	41.6	178
INCOME																
Less than \$15,000	23.9	18.0	30.9	485	30.5	19.2	44.7	71	18.8	10.9	30.5	80	33.8	20.2	50.7	83
\$15,000 - \$24,999	26.8	22.9	31.2	831	26.9	18.5	37.5	116	17.6	11.1	26.8	124	30.6	22.1	40.8	136
\$25,000 - \$34,999	31.8	26.6	37.6	630	19.8	12.0	30.8	89	19.6	12.5	29.3	100	31.3	21.7	42.8	96
\$35,000 - \$49,999	28.8	24.9	33.0	878	25.8	18.0	35.5	127	30.9	21.9	41.7	131	29.3	21.1	39.1	116
\$50,000+	27.7	25.3	30.2	1,710	17.5	13.0	23.1	238	31.4	24.8	38.7	197	42.4	35.6	49.5	228
EMPLOYMENT																
Employed	27.4	25.4	29.5	2,974	20.4	16.2	25.3	387	28.6	23.3	34.5	398	35.6	30.6	41.0	444
Unemployed	17.9	11.8	26.1	132	*	*	*	*	*	*	*	*	*	*	*	*
Other**	31.0	28.1	34.1	1,959	25.8	20.7	31.8	298	22.6	17.7	28.4	295	40.5	33.6	47.8	284
EDUCATION																
K-11th Grade	32.2	25.9	39.2	410	18.3	9.1	33.5	55	20.1	11.1	33.6	62	36.1	25.2	48.8	84
12th Grade or GED	32.4	29.2	35.8	1,505	26.3	20.0	33.8	214	33.6	26.4	41.7	236	38.3	31.2	46.0	253
Some College	26.2	23.7	29.0	1,652	21.1	16.2	27.1	261	20.2	14.9	26.8	209	36.1	29.0	43.9	225
College Graduate+	25.1	22.4	28.0	1,502	22.1	16.1	29.5	180	24.4	18.6	31.4	210	35.9	28.6	43.9	185

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Source of Water Supply

Idaho adults with well water, 2006

						with		c Hea								
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	18.2	14.6	22.6	737	41.9	37.4	46.6	714	29.7	25.9	33.8	731	34.3	30.2	38.5	718
SEX																
Male	20.4	14.4	28.1	266	40.1	33.2	47.5	264	28.0	22.5	34.1	307	36.4	30.0	43.3	284
Female	16.0	12.5	20.3	471	43.7	38.2	49.5	450	31.5	26.4	37.0	424	32.1	27.4	37.2	434
AGE																
18-24	*	*	*	*	*	*	*	*	24.3	13.3	40.0	51	20.7	10.6	36.4	55
25-34	14.6	7.2	27.4	94	39.9	29.5	51.3	93	24.7	17.0	34.4	109	21.9	15.5	30.0	137
35-44	13.1	8.2	20.2	155	39.9	30.3	50.3	106	36.2	27.6	45.9	116	41.3	32.0	51.3	119
45-54	25.1	17.8	34.2	145	45.6	36.5	54.9	139	30.4	23.2	38.7	165	41.8	32.8	51.3	138
55-64	19.6	13.7	27.3	148	45.5	36.3	55.0	136	33.4	25.2	42.7	130	39.6	31.2	48.7	132
65+	16.0	9.9	24.7	144	36.0	29.1	43.6	204	31.1	23.6	39.8	158	45.8	36.7	55.2	131
18-34	17.8	10.1	29.4	136	43.2	32.5	54.5	125	24.5	17.3	33.4	160	21.3	14.9	29.4	192
35-54	18.8	14.3	24.5	300	43.0	36.3	49.9	245	33.1	27.4	39.4	281	41.6	35.0	48.4	257
55+	17.8	13.4	23.3	292	40.2	34.5	46.1	340	32.2	26.5	38.4	288	42.8	36.5	49.3	263
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	23.3	13.7	36.8	69	26.6	16.3	40.2	75
35-54	19.6	12.9	28.7	114	36.5	27.0	47.2	98	30.6	22.8	39.8	127	41.6	31.6	52.4	105
55+	13.6	7.8	22.5	104	42.0	32.9	51.6	117	30.6	22.1	40.6	111	44.6	34.8	54.9	103
Female																
18-34	8.2	3.4	18.8	89	43.2	30.0	57.4	77	25.6	16.1	38.2	91	15.4	9.8	23.4	117
35-54	18.0	12.5	25.2	186	49.6	40.9	58.3	147	35.6	27.7	44.4	154	41.5	33.4	50.1	152
55+	21.5	15.5	29.0	188	38.6	31.8	45.9	223	33.6	26.4	41.6	177	41.1	33.2	49.5	160
INCOME																
Less than \$15,000	*	*	*	*	22.6	13.6	35.2	71	27.2	13.0	48.4	67	20.1	9.3	38.0	68
\$15,000 - \$24,999	20.6	10.7	36.0	91	38.2	27.5	50.3	123	23.3	16.3	32.1	126	33.4	24.1	44.2	115
\$25,000 - \$34,999	31.0	17.2	49.3	85	44.1	31.8	57.1	95	34.2	23.9	46.2	88	42.4	29.8	56.1	77
\$35,000 - \$49,999	21.5	12.8	34.0	133	44.1	34.0	54.7	132	22.7	15.8	31.4	122	36.5	27.8	46.2	117
\$50,000+	13.9	10.1	18.9	306	45.5	38.0	53.1	218	33.4	27.2	40.2	254	39.1	32.8	45.6	269
EMPLOYMENT																
Employed	16.9	12.9	21.7	460	40.5	34.9	46.3	420	29.1	24.3	34.4	441	35.1	30.0	40.6	424
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	23.3	15.7	33.3	256	46.3	38.8	54.1	280	29.5	23.5	36.2	273	33.9	27.4	41.1	273
EDUCATION																
K-11th Grade	*	*	*	*	38.9	25.6	54.2	91	*	*	*	*	*	*	*	*
12th Grade or GED	21.6	13.8	32.3	164	48.5	39.9	57.2	214	31.9	24.8	39.8	220	36.0	28.6	44.1	204
Some College	15.4	10.3	22.4	243	39.7	32.8	47.0	233	29.7	23.2	37.1	236	32.3	25.7	39.7	245
College Graduate+	15.6	10.5	22.4	291	38.5	30.8	46.8	174	26.8	20.9	33.7	224	32.9	26.6	39.9	238

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Type of Drinking Water Idaho adults who drink unfiltered tap water at home, 2006

												istrict				
	Statewide 95% CI n					Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	G CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	G CI	n
TOTAL	46.3	44.5	48.1	5,109	51.4	46.8	55.9	719	50.4	45.5	55.3	720	40.1	36.0	44.2	755
SEX																
Male	47.6	44.7	50.5	2,034	55.4	48.5	62.1	309	52.0	44.1	59.8	302	42.0	35.7	48.6	299
Female	45.0	42.8	47.3	3,075	47.5	41.6	53.5	410	48.9	43.0	54.8	418	38.2	33.3	43.3	456
AGE																
18-24	39.8	33.3	46.8	293	*	*	*	*	*	*	*	*	*	*	*	*
25-34	39.8	35.5	44.2	760	41.8	30.8	53.8	79	42.9	31.8	54.8	99	36.8	28.4	46.2	139
35-44	45.1	41.2	49.0	876	53.3	44.1	62.4	135	54.1	44.3	63.7	114	42.0	32.5	52.1	127
45-54	51.3	47.6	55.1	1,032	59.7	50.6	68.3	141	55.8	47.1	64.2	151	40.9	32.8	49.5	151
55-64	48.9	45.2	52.5	958	55.9	47.2	64.3	151	51.2	42.5	59.9	145	43.1	33.7	52.9	115
65+	53.8	50.4	57.1	1,157	49.8	42.0	57.6	184	49.5	41.4	57.6	175	55.2	47.0	63.2	173
18-34	39.8	36.0	43.8	1,053	42.9	31.8	54.8	104	46.0	34.8	57.7	132	30.7	23.5	38.9	184
35-54	48.3	45.6	51.0	· ·	56.8	50.2	63.1	276	55.0	48.5	61.4	265	41.4	35.1	48.1	278
55+	51.4	49.0		2,115	52.7	46.9	58.5	335	50.2	44.3	56.2	320	49.8	43.4	56.1	288
SEX and AGE																
Male																
18-34	39.4	33.4	45.6	408	*	*	*	*	*	*	*	*	30.9	20.1	44.3	73
35-54	51.8	47.6	56.0	784	59.9	49.6	69.5	111	64.4	54.4	73.3	112	44.1	34.4	54.2	117
55+	52.4	48.5	56.3	837	55.6	47.0	63.8	151	49.4	40.6	58.2	144	53.6	43.5	63.3	109
Female																
18-34	40.3	35.6	45.1	645	36.9	23.7	52.3	58	50.1	36.7	63.5	87	30.4	22.0	40.4	111
35-54	44.6	41.3	48.0	1,124	53.8	45.6	61.8	165	45.5	37.3	54.0	153	38.7	30.8	47.2	161
55+	50.6	47.4	53.8	1,278	50.0	42.0	58.0	184	51.0	43.0	59.1	176	46.5	38.6	54.5	179
INCOME																
Less than \$15,000	50.9	43.4	58.3	500	59.7	45.8	72.2	73	56.3	41.9	69.8	83	37.9	26.3	51.0	86
\$15,000 - \$24,999	47.1	42.5	51.8	836	46.8	35.1	58.9	118	41.9	29.5	55.5	125	43.0	33.3	53.3	136
\$25,000 - \$34,999	46.6	41.3	51.9	634	50.8	37.4	64.0	89	45.3	34.1	56.9	101	39.0	28.4	50.8	97
\$35,000 - \$49,999	48.9	44.7	53.1	882	49.8	40.1	59.6	129	55.3	45.2	64.9	131	50.5	40.4	60.4	119
\$50,000+	43.5	40.7	46.5	1,712	51.9	44.3	59.3	238	49.8	42.2	57.3	196	35.0	28.5	42.1	228
EMPLOYMENT																
Employed	45.6	43.3	47.9	2,999	54.8	48.9	60.7	391	51.3	44.6	57.9	402	38.0	32.9	43.3	449
Unemployed	51.7	38.7	64.5	135	*	*	*	*	*	*	*	*	*	*	*	*
Other**	47.0	44.1	50.0	1,964	45.1	38.1	52.3	302	46.0	39.1	53.0	294	45.8	38.9	52.7	286
EDUCATION																
K-11th Grade	40.4	33.8	47.4		57.9	40.1	73.9	53	45.6	26.8	65.7	59	43.1	31.3	55.8	87
12th Grade or GED	48.6	45.1	52.1	1,522	50.8	42.0	59.5	220	53.8	45.7	61.8	239	39.9	33.0	47.2	253
Some College	46.1	43.1	49.3	1,664	48.9	41.9	56.0	262	53.3	44.7	61.7	210	39.7	32.7	47.2	227
College Graduate+	46.0	42.9	49.2	1,508	53.1	45.0	61.1	184	45.2	37.9	52.6	211	38.8	31.2	47.0	187

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Type of Drinking Water Idaho adults who drink unfiltered tap water at home, 2006

	lallo								lth Di			<u> </u>				
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	38.4	34.2	42.8	739	45.2	40.6	49.9	717	47.4	43.2	51.7	731	63.3	59.0	67.4	728
SEX																
Male	37.4	30.7	44.7	267	46.1	38.9	53.5	266	49.9	43.6	56.3	306	65.6	58.9	71.7	285
Female	39.4	34.5	44.6	472	44.3	38.7	50.2	451	45.0	39.5	50.6	425	61.1	55.4	66.4	443
AGE																
18-24	*	*	*	*	*	*	*	*	32.0	20.3	46.5	52	67.5	53.5	78.9	62
25-34	29.4	20.7	39.9	96	49.7	37.5	61.9	96	44.5	35.1	54.4	113	53.2	43.7	62.4	138
35-44	36.2	28.3	44.9	155	43.0	33.3	53.3	107	47.1	37.9	56.5	118	58.5	48.8	67.5	120
45-54	45.4	36.3	54.8	146	48.0	38.8	57.3	140	52.0	43.8	60.2	165	67.4	58.2	75.5	138
55-64	40.2	32.0	49.0	148	42.2	33.2	51.7	136	53.1	43.7	62.3	129	66.9	57.9	74.9	134
65+	47.8	38.7	57.0	141	55.8	48.2	63.1	202	58.3	49.4	66.6	152	67.7	58.1	76.0	130
18-34	31.7	23.4	41.3	140	40.1	29.7	51.4	128	38.3	30.3	46.9	165	60.6	52.1	68.5	200
35-54	40.6	34.5	47.1	301	45.7	39.0	52.6	247	49.7	43.5	56.0	283	63.1	56.4	69.2	258
55+	43.9	37.7	50.3	289	49.7	43.8	55.7	338	55.8	49.3	62.1	281	67.3	60.9	73.2	264
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	40.9	29.1	53.8	70	63.9	51.0	75.1	77
35-54	42.8	33.3	52.8	114	50.9	40.4	61.4	98	54.8	45.6	63.7	127	66.7	56.4	75.7	105
55+	43.9	34.1	54.2	104	49.4	39.9	59.0	118	55.7	45.5	65.5	109	67.2	56.8	76.1	102
Female																
18-34	36.6	26.8	47.7	92	42.1	28.9	56.7	79	35.7	25.8	47.0	95	57.4	46.1	67.9	123
35-54	38.4	31.0	46.3	187	40.5	32.4	49.1	149	44.8	36.6	53.3	156	59.4	50.9	67.4	153
55+	43.9	36.3	51.7	185	50.0	42.7	57.4	220	55.9	47.7	63.7	172	67.4	59.1	74.8	162
INCOME																
Less than \$15,000	*	*	*	*	57.6	40.6	73.0	76	48.4	32.9	64.1	68	67.7	50.1	81.4	70
\$15,000 - \$24,999	44.1	32.1	56.9	92	49.1	38.0	60.3	125	47.1	37.1	57.4	125	60.9	49.8	70.9	115
\$25,000 - \$34,999	37.2	25.4	50.8	86	44.8	32.9	57.3	94	59.2	47.3	70.2	89	64.6	51.6	75.7	78
\$35,000 - \$49,999	43.3	33.2	54.1	132	41.5	32.0	51.8	131	53.0	43.0	62.7	122	60.8	50.9	69.9	118
\$50,000+	34.6	28.8	40.8	308	46.4	38.8	54.1	217	42.5	35.9	49.4	254	64.5	58.2	70.4	271
EMPLOYMENT																
Employed	37.4	32.4	42.7	463	44.7	38.8	50.7	422	46.6	41.3	51.9	443	61.9	56.5	67.1	429
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	38.4	31.2	46.2	255	45.3	38.1	52.6	281	51.2	44.1	58.3	269	65.3	58.0	71.9	277
EDUCATION																
K-11th Grade	*	*	*	*	29.0	17.2	44.6	92	*	*	*	*	*	*	*	*
12th Grade or GED	41.3	32.0	51.2	163	50.3	41.6	59.0	217	50.7	42.8	58.6	224	65.4	57.4	72.5	206
Some College	38.5	31.4	46.1	248	44.9	37.7	52.3	233	42.5	35.5	49.9	234	65.1	57.6	72.0	250
College Graduate+	37.6	31.3	44.4	290	51.1	42.9	59.2	173	48.6	41.4	55.8	224	64.1	57.1	70.5	239

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

No Sex Education

Idaho adults who think there should be no comprehensive sex education in schools, 2006

									Publi	c Hea	th D	istrict				
		State	wide			Distr	ict 1			Distr	ict 2			Distr	ict 3	
	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	6.6	5.8	7.5	4,585	8.1	5.5	11.6	649	7.6	5.6	10.4	657	6.3	4.6	8.6	677
SEX																
Male	6.6	5.4	8.2	1,815	10.9	6.5	17.9	275	7.8	5.0	12.0	272	6.4	3.9	10.3	266
Female	6.6	5.6	7.8	2,770	5.4	3.4	8.5	374	7.5	4.8	11.6	385	6.3	4.2	9.3	411
AGE																
18-24	2.6	1.0	6.7	272	*	*	*	*	*	*	*	*	*	*	*	*
25-34	5.4	3.7	7.8	703	5.3	2.0	13.2	75	8.3	3.8	17.2	95	5.8	2.9	11.4	130
35-44	6.9	5.1	9.2	837	7.6	3.9	14.3	128	4.7	1.8	11.5	111	7.0	3.2	14.5	122
45-54	6.4	4.8	8.4	968	3.1	1.2	7.7	137	6.9	3.2	14.1	138	6.5	3.2	13.0	141
55-64	9.3	7.2	11.9	844	12.0	6.6	20.8	135	6.4	3.0	13.1	136	10.0	5.0	19.0	100
65+	10.0	8.0	12.5	940	10.4	6.3	16.9	148	15.3	9.8	23.0	142	8.1	4.2	15.0	141
18-34	4.1	2.8	6.0	975	8.6	3.1	21.7	98	6.3	3.0	13.1	127	3.5	1.7	7.0	170
35-54	6.6	5.4	8.1	1,805	5.2	3.0	8.8	265	5.8	3.2	10.3	249	6.8	4.0	11.3	263
55+	9.7	8.2	11.4	1,784	11.2	7.5	16.4	283	11.0	7.6	15.9	278	9.0	5.6	14.2	241
SEX and AGE																
Male																
18-34	4.2	2.2	7.8	363	*	*	*	*	*	*	*	*	1.1	0.2	7.2	64
35-54	7.0	5.2	9.5	742	7.2	3.6	14.0	108	7.1	3.1	15.6	106	8.9	4.4	17.1	111
55+	9.0	7.0	11.6	707	10.1	5.7	17.2	126	12.0	7.0	19.9	125	9.9	4.9	19.0	91
Female																
18-34	4.0	2.6	6.2	612	1.0	0.2	4.0	57	8.1	3.0	19.9	87	5.8	2.7	12.0	106
35-54	6.2	4.7	8.1	1,063	3.2	1.4	7.1	157	4.5	2.1	9.2	143	4.6	2.1	9.5	152
55+	10.2	8.1	12.7	1,077	12.2	7.0	20.4	157	10.1	5.9	16.8	153	8.2	4.3	15.2	150
INCOME																
Less than \$15,000	5.0	3.2	7.7	435	14.2	7.3	25.8	66	4.6	1.3	15.4	72	4.4	1.2	14.9	77
\$15,000 - \$24,999	5.6	4.0	7.8	736	6.7	2.7	16.0	103	8.5	4.3	16.1	110	2.5	0.8	7.6	120
\$25,000 - \$34,999	6.8	4.8	9.5	572	10.6	4.6	22.7	78	11.8	6.5	20.7	91	5.6	2.5	12.4	88
\$35,000 - \$49,999	5.5	3.9	7.5	821	4.9	2.2	10.4	123	9.9	4.5	20.6	124	5.2	2.1	12.4	109
\$50,000+	7.5	5.9	9.4	1,591	7.4	3.0	17.1	222	5.7	3.0	10.7	187	7.3	4.3	12.0	211
EMPLOYMENT																
Employed	6.3	5.2	7.5	2,771	8.4	4.9	14.0	369	6.9	4.2	11.0	380	6.3	4.2	9.4	411
Unemployed	5.0	2.0	12.1	117	*	*	*	*	*	*	*	*	*	*	*	*
Other**	7.5	6.2	9.0	1,688	6.8	4.4	10.3	258	9.2	6.2	13.5	258	6.3	3.7	10.3	249
EDUCATION																
K-11th Grade	4.1	2.6	6.5	_	*	*	*	*	*	*	*	*	4.4	1.7	10.9	78
12th Grade or GED	6.2	4.7	8.2		11.4	5.8	21.4	199	9.7	5.8	15.6	221	2.7	1.3	5.4	230
Some College	6.0		7.4			3.0	9.0	239	6.5	3.4	12.0	191	6.9	3.9	11.8	201
College Graduate+	8.5	6.8	10.5	1,379	8.7	4.7	15.4	168	7.1	3.9	12.8	197	12.0	7.3	19.1	168

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

No Sex Education

Idaho adults who think there should be no comprehensive sex education in schools, 2006

						l			lth Dis	strict						
		District 4 % 95% Cl 5.2 3.7 7.4				Distri	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	G CI	n	%	95%	G CI	n	%	95%	CI	n	%	95%	6 CI	n
TOTAL	5.2	3.7	7.4	668	6.7	4.9	9.2	641	7.6	5.7	10.1	652	6.7	4.9	9.1	641
SEX																
Male	3.7	1.9	7.2	235	7.6	4.7	12.1	237	8.1	5.3	12.1	279	5.6	3.3	9.3	251
Female	6.7	4.5	9.9	433	5.9	3.9	8.7	404	7.2	4.9	10.6	373	7.8	5.3	11.2	390
AGE																
18-24	*	*	*	*	*	*	*	*	0.0	0.0	0.0	50	1.5	0.2	9.7	55
25-34	6.8	3.1	14.3	85	3.2	0.8	12.2	89	6.3	2.8	13.4	106	1.7	0.4	6.7	123
35-44	8.6	4.9	14.9	150	4.9	2.0	11.6	100		2.8	12.7	112	5.0	2.2	10.9	114
45-54	4.3	1.7	10.1	135	4.0	1.6	9.7	131	12.2	7.4	19.6	157	12.5	7.1	21.0	129
55-64	4.5	1.9	10.1	134	13.9	8.3	22.4	114	10.2	5.1	19.2	112	12.5	7.2	20.7	113
65+	5.7	2.1	14.4	115	11.5	7.1	18.2	176	13.5	7.8	22.3	114	11.7	6.2	21.1	104
18-34	3.9	1.8	8.5	127	3.3	1.0	10.3	119	3.1	1.4	6.8	156	1.6	0.5	5.1	178
35-54	6.6	4.1	10.5	285	4.4	2.3	8.2	231	9.4	6.1	14.0		8.8	5.5	13.7	243
55+	5.0	2.6	9.4	249	12.6	8.9	17.5	290		7.7	17.7		12.1	8.0	17.9	217
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	3.7	1.2	10.9	66	1.0	0.1	6.9	68
35-54	6.1	2.7	13.2	103	4.1	1.5	10.8	93	8.5	4.5	15.7		8.5	4.0	17.2	99
55+	2.5	0.6	9.4	91	13.5	7.8	22.4	99	13.9	7.7	24.0		8.8	4.2	17.7	84
Female																
18-34	6.2	2.7	13.7	87	1.3	0.2	8.8	75	2.5	0.8	7.6	90	2.1	0.5	9.0	110
35-54	7.0	4.0	12.1	182	4.7	2.1	10.4	138	10.2	5.8	17.2	147	9.1	5.1	15.5	144
55+	7.4	3.5	14.7	158	11.7	7.5	17.7	191	9.9	5.4	17.4	135	15.1	9.2	23.7	133
INCOME																
Less than \$15,000	*	*	*	*	4.9	1.6	14.4	66	2.4	0.6	9.8	59	3.1	0.6	15.4	58
\$15,000 - \$24,999	1.9	0.4	8.0	80	9.1	3.7	20.7	106	9.7	5.3	17.1	113	4.6	2.0	10.0	104
\$25,000 - \$34,999	3.5	1.0	12.1	81	8.8	4.2	17.7	91	4.8	1.8	12.2	79	6.3	2.3	15.9	64
\$35,000 - \$49,999	4.4	1.7	10.6	122	2.6	0.9	6.9	123	8.6	4.4	16.1	115	6.5	3.0	13.6	105
\$50,000+	6.8	4.2	10.7	289	7.8	4.7	12.6	198	8.5	5.4	13.3	234	9.5	6.1	14.3	250
EMPLOYMENT																
Employed	5.5	3.6	8.4	423	6.5	4.2	10.0	389	5.6	3.7	8.4	409	5.3	3.4	8.4	390
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	5.3	2.8	9.9	225	7.4	4.6	11.6	242	11.3	7.4	16.8	224	9.8	6.4	14.7	232
EDUCATION																
K-11th Grade	*	*	*	*	5.3	2.2	12.4	79	*	*	*	*	*	*	*	*
12th Grade or GED	3.5	1.5	8.1	138	10.7	6.4	17.1	190	3.6	1.7	7.4	196	4.7	2.4	8.8	181
Some College	4.6	2.5	8.3	231	2.4	1.1	5.3	211	11.8	7.8	17.4	211	6.7	4.0	11.0	219
College Graduate+	7.2	4.3	11.8	270	8.3	4.7	14.4	159	8.2	5.0	13.2	206	9.8	6.1	15.4	211

^{*}Figure not reliable by BRFSS standards (N<50)
**Other includes students, homemakers, retirees, and persons unable to work

Sex Education in 7th Grade+

Idaho adults who think comprehensive sex education should begin in 7th grade or later, 2006 (among those indicating any grade)

									Public	: Heal	th Di	strict				
				Distri	ict 1			Distr	ict 2			Distr	ict 3			
	%	95%	6 CI	n	%	95%	G CI	n	%	95%	G CI	n	%	95%	G CI	n
TOTAL	38.0	36.1	40.0	4,257	39.0	34.3	44.0	597	34.5	29.7	39.7	606	35.6	31.4	40.1	635
SEX																
Male	43.9	40.7	47.1	1,680	47.3	39.9	54.8	248	37.3	29.7	45.6	248	38.9	32.2	46.0	249
Female	32.4	30.1	34.8	2,577	31.9	26.0	38.5	349	31.7	25.8	38.3	358	32.6	27.5	38.2	386
AGE																
18-24	39.1	32.1	46.5	266	*	*	*	*	*	*	*	*	*	*	*	*
25-34	40.4	35.5	45.4	666	40.6	29.0	53.4	70	33.6	22.8	46.4	88	34.4	25.8	44.1	122
35-44	39.4	35.4	43.5	784	39.8	30.6	49.7	118	33.3	24.6	43.3	106	34.6	25.4	45.2	115
45-54	38.0	34.2	41.9	907	38.0	29.3	47.6	132	39.6	30.7	49.3	130	43.6	34.9	52.7	133
55-64	32.7	28.9	36.7	769	35.6	26.8	45.6	121	28.6	20.9	37.8	128	26.0	17.3	37.1	91
65+	37.2	33.4	41.1	846	33.4	25.2	42.6	132	33.9	25.4	43.5	121	39.1	30.5	48.4	132
18-34	39.7	35.5	44.1	932	43.7	31.9	56.3	91	35.6	25.0	47.8	118	34.5	26.6	43.4	162
35-54	38.7	35.9		1,691			45.7	250			43.5		39.0		45.9	248
55+	34.9	32.2		1,615			41.2	253		25.3	37.8		33.0		40.0	223
SEX and AGE																
Male																
18-34	42.6	35.8	49.6	347	*	*	*	*	*	*	*	*	33.6	22.1	47.4	63
35-54	45.2	40.8	49.7		47.6	37.1	58.4	99	42.5	32.6	53.1	100	41.1	31.0	52.0	103
55+	43.5	39.1	48.0	639	41.3	32.0	51.3	113	36.2	27.2	46.3	110	43.4	32.7	54.8	83
Female																
18-34	37.0	32.1	42.1	585	36.1	22.3	52.8	55	38.0	25.0	52.9	81	35.4	25.4	46.9	99
35-54	32.2	28.9	35.7		30.5		38.9	151	30.5	22.9	39.4		36.8		45.6	145
55+	27.1	24.1	30.4		28.3		37.4	140		19.5	35.3		24.2		32.6	140
INCOME																
Less than \$15,000	35.1	27.5	43.5	409	36.7	21.8	54.5	56	33.6	19.4	51.5	69	27.5	16.7	41.9	74
\$15,000 - \$24,999	33.3	28.7	38.3	682	34.4	22.7	48.3	96	25.3	15.3	39.0	97	32.9	23.6	43.8	117
\$25,000 - \$34,999	43.8	37.7	50.0	527	54.7	39.8	68.8	70	28.1	17.7	41.6	79	37.4	26.5	49.8	82
\$35,000 - \$49,999	39.3	34.9	43.8	774	44.8	34.9	55.2	116	39.4	29.5	50.3	116	35.3	25.6	46.3	104
\$50,000+	38.3	35.2	41.5	1,476	36.5	29.5	44.2	210	36.6	29.2	44.8	177	36.8	29.8	44.4	196
EMPLOYMENT																
Employed	39.2	36.8	41.7	2,600	38.7	32.8	44.9	343	35.9	29.5	42.8	358	36.2	30.9	41.9	386
Unemployed	21.5	13.2	33.2	110	*	*	*	*	*	*	*	*	*	*	*	*
Other**	37.5	34.1	40.9	1,540	42.4	34.1	51.2	234	34.4	26.9	42.6	230	34.3	27.5	41.9	234
EDUCATION																
K-11th Grade	33.4	26.4	41.2		*	*	*	*	*	*	*	*	36.8		50.7	73
12th Grade or GED	41.1	37.3		1,259	37.9	29.4	47.3	180		31.1	49.2		38.7	31.3	46.7	222
Some College	37.0	33.8	40.4	′ ′	45.9	38.4	53.7	225	35.2	26.9	44.4		31.8		39.9	188
College Graduate+	37.4	34.1	40.9	1,272	28.5	21.4	36.9	154	37.5	30.1	45.6	185	35.4	27.6	44.0	152

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Sex Education in 7th Grade+

Idaho adults who think comprehensive sex education should begin in 7th grade or later, 2006 (among those indicating any grade)

						Ì	Publi	c Heal	lth Dis	strict							
	District 4					Distri	ct 5			Distr	ict 6		District 7				
	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	6 CI	n	
TOTAL	35.9	31.2	40.9	631	38.8	33.7	44.0	593	39.8	35.2	44.6	602	44.6	39.7	49.7	593	
SEX																	
Male	39.8	32.1	48.0	226	51.5	43.4	59.5	218	46.1	39.1	53.1	256	50.5	42.8	58.1	235	
Female	32.0	26.8	37.6	405	26.4	21.2	32.3	375	33.8	28.0	40.1	346	39.0	32.9	45.4	358	
AGE																	
18-24	*	*	*	*	*	*	*	*	43.2	29.3	58.2	50	41.1	26.8	57.2	54	
25-34	44.5	32.5	57.1	78	45.8	32.7	59.5	87	35.3	25.9	46.0	100	41.8	32.0	52.2	121	
35-44	36.1	27.6	45.7	137	39.2	29.2	50.2	95	43.3	33.8	53.4	105	54.5		64.3	108	
45-54	28.8	20.8	38.4	130	43.5	33.9	53.5	126	41.7	33.1	50.9	142	43.5	33.7	53.8	114	
55-64	28.4	20.5	37.9	128	35.8	25.7	47.5	98	32.6	23.5	43.2	103	48.9	38.7	59.2	100	
65+	40.4	30.5	51.1	109	32.2	24.9	40.4	158	40.6	30.6	51.4	101	39.5	29.1	50.8	93	
18-34	41.4	31.2	52.5	120	39.8	28.8	52.0	116	39.4	30.7	48.9	150	41.5	32.3	51.2	175	
35-54	32.6	26.5	39.3	267	41.5		49.0	221	42.5	36.0	49.3		49.2		56.4	222	
55+	33.9	27.5	40.9	237	33.8		40.6	256	36.5	29.6	44.0		44.3		52.0	193	
SEX and AGE																	
Male																	
18-34	*	*	*	*	*	*	*	*	43.4	30.5	57.4	63	45.2	31.4	59.7	67	
35-54	37.2	27.6	47.8	97	55.3	44.1	66.1	89	49.6	40.0	59.2		55.2		65.8	91	
55+	43.4	32.9	54.6	89	42.6	32.0	53.9	87	44.8	33.5	56.7	80	53.2	41.4	64.5	77	
Female																	
18-34	43.1	31.9	55.0	81	25.8	15.2	40.3	74	35.5	24.7	48.1	87	37.8	26.8	50.3	108	
35-54	28.1	21.0	36.6	170	27.1	19.8	35.9	132	35.3	26.9	44.8		43.2	34.5	52.4	131	
55+	24.5	17.9	32.6	148	26.1	19.5	34.0	169	29.0	21.3	38.2		35.9		45.6	116	
INCOME																	
Less than \$15,000	*	*	*	*	33.6	15.9	57.5	62	35.6	20.0	55.0	57	57.0	37.9	74.3	56	
\$15,000 - \$24,999	30.1	19.2	43.7	78	27.6	18.0	39.7	96	37.8	27.3	49.6	101	44.9	33.0	57.4	97	
\$25,000 - \$34,999	47.3	32.1	63.1	78	52.0	38.4	65.4	83	39.6	27.9	52.5	75	32.6	20.5	47.6	60	
\$35,000 - \$49,999	38.9	28.3	50.7	116	36.0	26.6	46.7	119	34.8	25.7	45.2	106	46.1	35.8	56.8	97	
\$50,000+	35.6	29.1	42.6	270	39.0	31.4	47.3	181	41.7	34.4	49.4	215	47.2	40.2	54.4	227	
EMPLOYMENT																	
Employed	37.5	31.8	43.6	397	42.0	35.6	48.6	363	38.4	32.9	44.2	385	48.3	42.3	54.2	368	
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Other**	37.2	28.8	46.5	214	34.0	26.5	42.4	221	40.4	32.5	48.9	201	37.9	29.5	47.2	206	
EDUCATION																	
K-11th Grade	*	*	*	*	36.6		54.6	72	*	*	*	*	*	*	*	*	
12th Grade or GED	42.3	31.4	54.0	132	44.8		55.2	169	40.9	32.8	49.6		44.4		53.8	170	
Some College	34.0	26.6	42.3	218	32.3		40.1	203	42.2	33.9	51.0		39.4	30.9	48.5	202	
College Graduate+	36.1	29.3	43.6	253	42.0	33.3	51.1	147	35.1	28.1	42.9	190	50.2	42.2	58.2	191	

^{*}Figure not reliable by BRFSS standards (N<50)

^{**}Other includes students, homemakers, retirees, and persons unable to work

Child Safety Seat and Seat Belt Use

Idaho children aged 15 and younger who did not always use a safety seat or seat belt when riding in a car, 2006

	Public Health District															
		State	wide			Distr	ict 1			Distr	ict 2					
	%	95%	CI	n	%	95%	G CI	n	%	95%	6 CI	n	%	95%	CI	n
TOTAL	12.6	10.7	14.8	1,498	7.7	4.1	13.9	185	14.2	9.0	21.8	170	9.5	6.3	14.1	248
SEX																
Male	12.4	9.7	15.6	792	7.5	3.1	17.0	104	14.9	8.3	25.3	87	7.7	4.2	13.7	124
Female	12.9		16.1		7.9	3.3	17.9		13.5	6.5	26.0	-		6.6	19.3	124
AGE																
Less than 2	2.4	0.9	6.8	219	*	*	*	*	*	*	*	*	*	*	*	*
2-7	9.5	6.8	13.1	556	7.0	2.4	19.0	60	7.6	2.7	19.7	57	6.6	3.2	13.4	101
8-12	11.7	8.6	15.7	437	8.6	3.1	21.8	57	11.3	4.6	25.2	55	8.5	3.8	18.3	73
13-15	25.2	19.6	31.9	286	*	*	*	*	*	*	*	*	*	*	*	*
0-4	4.5	2.7	7.5	509	7.5	2.2	22.3	59	3.9	0.9	14.7	57	4.6	1.6	12.9	78
5-15	16.1	13.5	19.1		7.8	3.8	15.4	126	17.6	10.9	27.1	113	12.1	7.8	18.4	170
SEX and AGE																
Male																
0-4	3.6	1.7	7.4	275	*	*	*	*	*	*	*	*	*	*	*	*
5-15	16.1	12.5	20.5		10.0	3.8	23.4	67	16.6	8.7	29.5	55	11.1	5.9	19.9	86
Female																
0-4	5.5	2.8	10.8	234	*	*	*	*	*	*	*	*	*	*	*	*
5-15	16.1	12.6	20.4	472	5.5	1.9	14.9	59	18.6	9.1	34.4	58	13.2	7.1	23.3	84

^{*}Figure not reliable by BRFSS standards (N<50)

 $[\]ensuremath{^{**}}\xspace$ Other includes students, homemakers, retirees, and persons unable to work

Child Safety Seat/Seat Belt

Idaho children aged 15 and younger who did not always use a car safety seat or seat belt when riding in a car, 2006

							_	c Hea	lth Di	strict						
		Distr	ict 4			Distr	ict 5			Distr	ict 6			Distr	ict 7	
	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n	%	95%	CI	n
TOTAL	6.3	3.4	11.1	226	16.9	10.5	26.0	182	22.5	16.7	29.6	239	20.3	14.6	27.7	248
SEX																
Male	6.1	2.6	13.3	126	24.4	13.9	39.2	99	20.6	12.8	31.5	110	15.9	9.6	25.1	142
Female	6.4	2.7	14.5				18.6			16.7	34.5				36.8	106
AGE																
Less than 2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2-7	7.1	2.7	17.4	83	9.1	3.2	22.9	67	18.8	10.4	31.8	90	14.0	7.1	25.8	98
8-12	5.3	1.7	15.9	80	5.9	2.0	16.3	50	22.9	12.9	37.2	59	28.4	16.7	43.8	63
13-15	*	*	*	*	*	*	*	*	35.4	21.6	52.2	53	*	*	*	*
0-4	1.9	0.3	12.2	71	9.6	3.3	24.7	65	6.1	2.2	15.7	87	2.0	0.3	13.0	92
5-15	8.4	4.5	15.1				31.2			20.8	37.6		27.7	19.9	37.0	156
SEX and AGE																
Male																
0-4	*	*	*	*	*	*	*	*	*	*	*	*	4.2	0.6	24.3	54
5-15	8.9	3.9	19.2	84	27.0	14.3	45.0	70	27.2	16.5	41.4	67	20.2		31.9	88
Female																
0-4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
5-15	7.8	3.0	18.7	71	*	*	*	*	29.7	19.8	41.9	85	35.8	23.5	50.3	68

^{*}Figure not reliable by BRFSS standards (N<50)

 $[\]ensuremath{^{**}}\xspace$ Other includes students, homemakers, retirees, and persons unable to work

Appendix B: Trend Tables

Trends of Risk Factors

By Public Health District, 1999-2006

			Бу			Public Health District											
			State	wide			Distri	ict 1			Distri	ict 2			Distri	ict 3	
		%	95%		n	%	95%		n	%	95%		n	%	95%		n
Well Water	1999	32.0	30.5	33.6	4,870	33.5	29.8	37.5	686	28.9	25.4	32.8	693	46.5	42.0	51.0	701
	2000	29.9	28.4	31.4	4,856	29.5	25.9	33.3	693	26.3	22.9	30.0	689	41.8	37.7	46.0	691
	2001	30.6	29.2	32.2	4,662	30.5	26.8	34.6	655	26.0	22.6	29.7	654	42.5	38.3	46.7	657
	2002	29.8	28.3	31.3	4,772	32.4	28.7	36.4	713	29.1	25.4	33.0	692	42.9	38.7	47.2	681
	2003	30.5	29.0	32.1	4,763	32.8	28.9	36.8	676	29.8	25.9	34.0	646	41.6	37.4	45.9	671
	2004	30.3	28.8	31.8	4,993	31.0	27.2	35.0	688	26.0	22.6	29.6	728	40.6	36.5	44.8	703
	2005	28.0	26.5	29.6	5,313	26.4	22.9	30.4	848	25.2	21.7	29.1	736	39.3	35.0	43.7	728
	2006	28.3	26.7	30.0	5,075	22.7	19.4	26.4	710	25.8	22.0	29.9	717	36.8	32.8	41.0	748
Unfiltered Tap	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Water	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2005	48.0	46.2	49.8	5,349	54.0	49.5	58.4	853	53.8	49.3	58.2	738	39.6	35.2	44.2	730
	2006	46.3	44.5	48.1	5,109	51.4	46.8	55.9	719	50.4	45.5	55.3	720	40.1	36.0	44.2	755
No Sex Education	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	-	*				*				*				*		
	2005	5.8	5.1		4,822		4.4	7.9	773	3.6	2.3	5.6	667	6.8	5.0	9.2	651
Sex Education in	2006	6.6	5.8	7.5 *	4,585	8.1	5.5	11.6	649	7.6 *	5.6	10.4	657	6.3	4.6	8.6 *	677
7th Grade +	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
(among those	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
indicating any grade)	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
grade)	2002 2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	40.5	38.5	12 F	4,510	43.8	38.9	48.9	722	37.4	32.7	42.3	640	37.3	32.7	42.2	605
	2005	38.0			4,257			44.0	597	34.5		39.7	606			40.1	635
No Child Car	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Seat/Seat Belt	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	14.9	13.1	17 O	1,728	9.6	6.0	15.1	230	11.3	7.3	17.1	202	13.0	9.0	18.5	266
	2004	10.4	8.8		1,552		2.8	9.4	213			17.1	187			13.7	211
	2005	12.6			1,498		4.1	13.8	185			21.8	170			14.1	248
* Indicatos data ara not		or that y		14.0	1,490	1.1	4.1	13.0	100	14.2	ჟ.∪	∠1.0	170	9.0	0.3	14.1	∠40

^{*} Indicates data are not available for that year

Appendix B: Trend Tables

Trends of Selected Risk Factors

By Public Health District, 1999-2006

			Бу				<u>1 רוס ו</u> F			th Di							
			Distri	ict 4			Distri	ict 5			Distri	ict 6			Distr	ict 7	
		%	95%	G CI	n	%	95%	6 CI	n	%	95%	G CI	n	%	95%	6 CI	n
Well Water	1999	18.6	15.4	22.4	700	38.8	35.0	42.9	695	27.6	24.1	31.4	700	41.6	37.3	46.2	695
	2000	17.6	14.5	21.2	693	39.3	35.3	43.4	696	26.9	23.5	30.7	706	38.5	34.6	42.7	688
	2001	17.0	14.1	20.4	666	43.0	38.9	47.3	667	33.0	29.2	37.0	683	35.4	31.6	39.5	680
	2002	16.3	13.5	19.6	689	39.4	35.2	43.8	617	26.3	22.9	30.0	694	34.8	30.8	39.1	686
	2003	15.7	12.8	19.2	672	40.0	36.0	44.2	708	29.0	25.4	32.9	684	40.4	36.2	44.7	706
	2004	18.1	15.2	21.4	734	38.3	34.2	42.6	682	30.6	26.9	34.5	749	38.7	34.7	42.9	709
	2005	16.9	13.7	20.6	717	39.1	35.3	43.1	858	25.3	21.6	29.3	711	34.3	30.3	38.5	715
	2006	18.2	14.6	22.6	737	41.9	37.4	46.6	714	29.7	25.9	33.8	731	34.3	30.2	38.5	718
Unfiltered Tap	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Water	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2005	39.8	35.6	44.2	734	49.2	45.1	53.3	862	51.4	46.8	56.0	709	61.8	57.3	66.1	723
	2006	38.4	34.2	42.8	739	45.2	40.6	49.9	717	47.4	43.2	51.7	731	63.3	59.0	67.4	728
No Sex Education	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2005	5.3	3.7	7.5	671	6.6	4.9	8.8	763	5.3	3.8	7.4	639	6.9	5.1	9.3	658
0 51 11 1	2006	5.2	3.7	7.4	668	6.7	4.9	9.2	641	7.6	5.7	10.1	652	6.7	4.9	9.1	641
Sex Education in 7th Grade +	1999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
(among those	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
indicating any	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
grade)	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	*	*	*	*		*	*	*		*	*	*		*	*	*
	2005	39.1	34.4	44.1	633		31.2	39.7	709	45.8	40.8	50.9	599	45.9	41.1	50.8	602
No Child Con	2006	35.9	31.2	40.9	631	38.8	33.7	44.0	593	39.8	35.2	44.6	602	44.6	39.7	49.7	593
No Child Car Seat/Seat Belt	1999		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
July Cour Bon	2000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2001	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2002	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2003	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	2004	6.3	3.6	10.9	277		14.0	26.4	227	29.3		35.9	279		17.7	29.8	247
	2005	4.8	2.6	8.6	232		9.4	20.6	241				218			25.7	250
	2006	6.3	3.4	11.1	226	16.9	10.5	26.0	182	22.5	16.7	29.6	239	20.3	14.6	27.6	248

^{*} Indicates data are not available for that year

Appendix C: Public Health District Sponsored Questions, 2006

Q1. What is the main source of your home water supply?

(n=5,075)

- 1 A city, county, or town water system (66.4%)
- A small water system operated by a home association (3.9%)
- A private well serving your home (28.3%)
- 4 Other source (1.4%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q2. Which of the following best describes the water that you drink at home most often?

(n=5,109)

- 1 Unfiltered tap water (46.3%)
- 2 Filtered tap water (36.4%)
- 3 Bottled or vended water (15.6%)
- 4 Water from another source (1.7%)
- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q3. At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices.

(n=4,585)

- 1 1st (1.4%)
- 2 2nd (0.8%)
- 3 3rd (3.1%)
- 4 4th (8.3%)
- 5 5th (18.2%)
- 6 6th (25.1%)
- 7 7th (17.3%)
- 8 8th (8.1%)

9

- 10 10th (2.4%)
- 11 11th (0.9%)
- 12 12th (1.8%)
- 55 Kindergarten (1.1%)

9th (5.0%)

- 88 NEVER (6.6%)
- 77 DON'T KNOW/NOT SURE
- 99 REFUSED

Appendix C: Public Health District Sponsored Questions, 2006

Q4. [IF ANY CHILDREN IN HOUSEHOLD RANDOMLY SELECT ONE OF THE CHILDREN] What is the birth month and year of the [SELECTED] child?

Data suppressed due to number of responses

Used to approximate child age at time of interview

Q5. [IF ANY CHILDREN IN HOUSEHOLD AND CHILD AGE < 16 YEARS] How often does the [CHILD AGE]-month/year old child in your household use a [IF CHILD AGE < 5 "car safety seat", IF CHILD AGE > 4 "seatbelt"] when they ride in a car?

(n=1,498)

- 1 Always (87.4%)
- 2 Nearly Always (9.5%)
- 3 Sometimes (2.8%)
- 4 Seldom (0.3%)
- 5 Never (0.1%)
- 7 DON'T KNOW /NOT SURE
- 9 REFUSED

Costs associated with this publication are available from the Idaho Department of Health and Welfare.

HW-1206 February 2008