

# **INDUCED ABORTION DATA SUMMARY**

## **IDAHO**

**Induced Abortions Occurring in Idaho and  
Induced Abortions to Idaho Residents**

**1996-2006**

**Bureau of Vital Records and Health Statistics  
Division of Health  
Idaho Department of Health and Welfare**

**September 2007**

# TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1
 <b><u>Induced Abortions Occurring in Idaho</u></b>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1996-2006 (Table 1).....	4
Selected demographic characteristics, 1996-2006 (Table 2A).....	5
Selected demographic characteristics (percent), 1996-2006 (Table 2B).....	6
Idaho residence status, 1996-2006 (Graph 1).....	7
Marital status, 1996-2006 (Graph 2).....	7
Age, 1996-2006 (Graph 3).....	8
Number of previous abortions, 1996-2006 (Graph 4).....	8
Procedure characteristics, 1996-2006 (Table 3A).....	9
Procedure characteristics (percent), 1996-2006 (Table 3B).....	10
Termination procedure by length of gestation, three-year total, 2004-2006 (Table 4).....	11
Length of gestation, three-year total, 2004-2006 (Graph 5).....	11
Age by length of gestation, three-year total, 2004-2006 (Table 5).....	12
Age by length of gestation, three-year total, 2004-2006 (Graph 6).....	12
Age by marital status, three-year total, 2004-2006 (Table 6).....	13
Age by marital status, three-year total, 2004-2006 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2004-2006 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2004-2006 (Graph 8).....	14
Patient educational materials provided, 1996-2006 (Table 8).....	15
 <b><u>Induced Abortions to Idaho Residents</u></b>	
Definition, limitations, and summary.....	16
District and county of residence, 1996-2006 (Table 9A).....	18
District and county of residence, (rates) 1996-2006 (Table 9B).....	19
State of occurrence, 1996-2006 (Table 10).....	20
Occurring in Idaho and out of state, 1996-2006 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 1996-2006 (Table 11).....	21
Termination procedure by length of gestation, three-year total, 2004-2006 (Table 12).....	22
Length of gestation, three-year total, 2004-2006 (Graph 10).....	22
 <b><u>Appendix</u></b>	
Counties comprising Idaho public health districts.....	23

## INDUCED ABORTION SUMMARY REPORT

### Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1996 - 2006.

## **INDUCED ABORTIONS OCCURRING IN IDAHO 1996-2006**

### **Definition**

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

### **Limitations**

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

### **Summary**

From 1996 to 2006, the number of induced abortions occurring in Idaho increased 22.2 percent from 1,022 in 1996 to 1,249 in 2006. In 2006, 97.5 percent of abortions occurred in Ada County and 2.5 percent occurred in Bannock County.

The number of abortions occurring to Idaho residents in Idaho increased 26.3 percent from 962 in 1996 to 1,215 in 2006. At the same time, the number of abortions occurring to out-of-state residents in Idaho decreased 43.3 percent. Of the 1,022 abortions occurring in Idaho in 1996, 60 (5.9 percent) were to out-of-state residents compared with 34 out of 1,249 (2.7 percent) in 2006.

## **INDUCED ABORTIONS OCCURRING IN IDAHO 2006**

The number of induced abortions occurring in Idaho increased 13.6 percent in 2006, from 1,099 in 2005 to 1,249 in 2006. The number of abortions occurring in Ada County increased 19.6 percent in 2006, from 1,018 in 2005 to 1,218 in 2006.

### **Age:**

From 2005 to 2006, the number of abortions increased in each age group, except for the 45 and older age group, which had one fewer abortion than in 2005. The number of abortions in the 15-17 year old age group increased 54.8 percent (40 abortions). The number of abortions to women in the age group 20 to 24 accounted for 31.9 percent of all abortions in 2006.

### **Residency Status:**

The number of abortions occurring in Idaho to Idaho residents increased 14.1 percent in 2006, from 1,065 in 2005 to 1,215 in 2006. The number of abortions occurring to non-Idaho residents remained the same in 2006 at 34.

### **Marital Status:**

The number of abortions occurring to married women increased 16.9 percent in 2006, from 219 in 2005 to 256 in 2006. The number of abortions occurring to unmarried women increased 13.1 percent in 2006, from 878 in 2005 to 993 in 2006.

### **Race:**

The number of abortions occurring to whites increased 11.3 percent in 2006, from 1,018 in 2005 to 1,133 in 2006. The number of abortions occurring to American Indians increased 31.6 percent in 2006, from 19 in 2005 to 25 in 2006.

### **Ethnicity:**

The number of abortions occurring to Hispanics increased 2.3 percent in 2006, from 133 in 2005 to 136 in 2006. The number of abortions occurring to non-Hispanics increased 15.1 percent in 2006, from 959 in 2005 to 1,104 in 2006.

**Table 1**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence**  
**1996-2006**

PLACE OF OCCURRENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IN IDAHO</b>	<b>1,022</b>	<b>878</b>	<b>888</b>	<b>867</b>	<b>801</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>
District 1	1	-	-	1	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	1	-	-	-	-	-	-	-	-
District 4	943	787	822	798	699	652	756	838	873	1,018	1,218
District 5	31	35	24	24	30	32	10	24	25	18	-
District 6	47	56	40	43	72	53	63	49	65	63	31
District 7	-	-	1	1	-	1	-	-	-	-	-
Ada	943	787	822	798	699	652	756	838	873	1,018	1,218
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	47	56	40	43	72	53	63	49	65	63	31
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	30	34	24	24	30	32	10	24	25	18	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	1	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	1	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	1	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	1	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	1	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	1	-	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	1	1	-	-	-	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2A**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics**  
**1996-2006**

DEMOGRAPHIC CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IN IDAHO</b>	<b>1,022</b>	<b>878</b>	<b>888</b>	<b>867</b>	<b>801</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>
Age:											
10-14	15	10	8	3	7	4	4	3	2	6	8
15-19	265	226	221	229	159	168	176	178	189	208	257
15-17	99	91	69	72	53	54	66	47	68	73	113
18-19	166	135	152	157	106	114	110	131	121	135	144
20-24	284	277	272	246	270	220	259	304	302	330	398
25-29	194	157	159	164	160	145	171	171	191	267	268
30-34	135	90	114	117	92	95	110	137	151	138	162
35-39	95	92	87	73	78	71	73	74	95	107	112
40-44	33	24	26	32	33	29	35	43	32	41	42
45+	1	2	-	3	2	5	1	1	1	2	1
Not stated	-	-	1	-	-	1	-	-	-	-	1
Idaho residence status:											
Resident	962	840	862	839	779	712	800	871	928	1,065	1,215
Non-resident	60	38	26	28	22	26	29	40	35	34	34
Marital status:											
Married	212	167	174	218	168	168	178	238	184	219	256
Not married	808	711	712	649	632	569	650	671	778	878	993
Not stated	2	-	2	-	1	1	1	2	1	2	-
Previous induced abortions:											
None	744	658	657	672	637	597	627	691	725	856	976
1	202	155	173	137	117	96	149	159	182	177	199
2	53	45	40	34	33	29	39	38	39	46	48
3+	17	19	17	24	13	14	12	16	13	15	19
Not stated	6	1	1	-	1	2	2	7	4	5	7
Race											
White	971	819	834	813	751	679	769	845	894	1,018	1,133
Black	9	10	7	10	8	13	15	11	17	16	14
American Indian	15	14	13	10	10	17	7	10	11	19	25
Asian/Pacific Islander	24	31	31	32	23	24	32	32	32	35	38
Other	-	2	-	-	-	1	2	-	3	1	3
Race not stated	3	2	3	2	9	4	4	13	6	10	36
Ethnicity*											
Hispanic	96	91	102	82	87	92	90	110	115	133	136
Non-Hispanic	918	783	783	785	709	641	736	785	838	959	1,104
Ethnicity not stated	8	4	3	-	5	5	3	16	10	7	9

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2B**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics (Percent)**  
**1996-2006**

DEMOGRAPHIC CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IN IDAHO</b>	<b>1,022</b>	<b>878</b>	<b>888</b>	<b>867</b>	<b>801</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>
Age:											
10-14	1.5%	1.1%	0.9%	0.3%	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%
15-19	25.9	25.7	24.9	26.4	19.9	22.8	21.2	19.5	19.6	18.9	20.6
15-17	9.7	10.4	7.8	8.3	6.6	7.3	8.0	5.2	7.1	6.6	9.1
18-19	16.2	15.4	17.1	18.1	13.2	15.5	13.3	14.4	12.6	12.3	11.5
20-24	27.8	31.5	30.7	28.4	33.7	29.9	31.2	33.4	31.4	30.0	31.9
25-29	19.0	17.9	17.9	18.9	20.0	19.7	20.6	18.8	19.8	24.3	21.5
30-34	13.2	10.3	12.9	13.5	11.5	12.9	13.3	15.0	15.7	12.6	13.0
35-39	9.3	10.5	9.8	8.4	9.7	9.6	8.8	8.1	9.9	9.7	9.0
40-44	3.2	2.7	2.9	3.7	4.1	3.9	4.2	4.7	3.3	3.7	3.4
45+	0.1	0.2	-	0.3	0.2	0.7	0.1	0.1	0.1	0.2	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	94.1%	95.7%	97.1%	96.8%	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%
Non-resident	5.9	4.3	2.9	3.2	2.7	3.5	3.5	4.4	3.6	3.1	2.7
Marital status:											
Married	20.8%	19.0%	19.6%	25.1%	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%
Not married	79.2	81.0	80.4	74.9	79.0	77.2	78.5	73.8	80.9	80.0	79.5
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	73.2%	75.0%	74.1%	77.5%	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%
1	19.9	17.7	19.5	15.8	14.6	13.0	18.0	17.6	19.0	16.2	16.0
2	5.2	5.1	4.5	3.9	4.1	3.9	4.7	4.2	4.1	4.2	3.9
3+	1.7	2.2	1.9	2.8	1.6	1.9	1.5	1.8	1.4	1.4	1.5
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	95.3%	93.5%	94.2%	94.0%	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%
Black	0.9	1.1	0.8	1.2	1.0	1.8	1.8	1.2	1.8	1.5	1.2
American Indian	1.5	1.6	1.5	1.2	1.3	2.3	0.8	1.1	1.1	1.7	2.1
Asian/Pacific Islander	2.4	3.5	3.5	3.7	2.9	3.3	3.9	3.6	3.3	3.2	3.1
Other	-	0.2	-	-	-	0.1	0.2	-	0.3	0.1	0.2
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	9.5	10.4	11.5	9.5	10.9	12.6	10.9	12.3	12.1	12.2	11.0
Non-Hispanic	90.5	89.6	88.5	90.5	89.1	87.4	89.1	87.7	87.9	87.8	89.0
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable.


Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.



**Graph 1  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Idaho Residence Status  
1996-2006**




**Graph 2  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Marital Status  
1996-2006**



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 3**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age**  
**1996-2006**



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

**Graph 4**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Number of Previous Abortions**  
**1996-2006**



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3A**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Procedure Characteristics**  
**1996-2006**

PROCEDURE CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IN IDAHO</b>	<b>1,022</b>	<b>878</b>	<b>888</b>	<b>867</b>	<b>801</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>
Weeks of gestation:											
<9	523	466	446	488	476	488	501	540	585	645	804
9-10	312	251	297	236	217	153	211	236	238	303	258
11-12	135	121	104	106	74	74	87	103	111	118	135
13-15	35	26	25	20	14	12	18	13	18	15	37
16-20	10	9	10	8	12	6	8	12	6	13	8
21-24	4	2	5	7	4	1	2	3	5	4	3
25+	1	2	-	-	1	2	1	1	-	1	2
Not stated	2	1	1	2	3	2	1	3	-	-	2
Termination procedure: <sup>1</sup>											
Suction curettage	1,002	855	872	853	784	724	823	895	952	967	1,035
Medical (nonsurgical) <sup>2</sup>	NA	NA	NA	3	8	7	2	10	3	117	198
Dilation and evacuation (D&E)	3	4	1	1	3	1	1	3	1	3	7
Intra-uterine instillation (saline / prostaglandin)	4	4	2	4	4	2	2	1	4	4	3
Sharp curettage (D&C)	2	-	4	1	1	3	-	-	2	4	3
Hysterotomy / Hysterectomy	1	1	-	1	1	-	1	-	-	-	-
Other	10	14	9	4	-	-	-	1	1	4	3
Not stated	-	-	-	-	-	1	-	1	-	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3B**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Procedure Characteristics (Percent)**  
**1996-2006**

PROCEDURE CHARACTERISTICS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IN IDAHO</b>	<b>1,022</b>	<b>878</b>	<b>888</b>	<b>867</b>	<b>801</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>
Weeks of gestation:											
<9	51.3%	53.1%	50.3%	56.4%	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%
9-10	30.6	28.6	33.5	27.3	27.2	20.8	25.5	26.0	24.7	27.6	20.7
11-12	13.2	13.8	11.7	12.3	9.3	10.1	10.5	11.3	11.5	10.7	10.8
13-15	3.4	3.0	2.8	2.3	1.8	1.6	2.2	1.4	1.9	1.4	3.0
16-20	1.0	1.0	1.1	0.9	1.5	0.8	1.0	1.3	0.6	1.2	0.6
21-24	0.4	0.2	0.6	0.8	0.5	0.1	0.2	0.3	0.5	0.4	0.2
25+	0.1	0.2	-	-	0.1	0.3	0.1	0.1	-	0.1	0.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: <sup>1</sup>											
Suction curettage	98.0%	97.4%	98.2%	98.4%	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%
Medical (nonsurgical) <sup>2</sup>	NA	NA	NA	0.3	1.0	0.9	0.2	1.1	0.3	10.6	15.9
Dilation and evacuation (D&E)	0.3	0.5	0.1	0.1	0.4	0.1	0.1	0.3	0.1	0.3	0.6
Intra-uterine instillation (saline / prostaglandin)	0.4	0.5	0.2	0.5	0.5	0.3	0.2	0.1	0.4	0.4	0.2
Sharp curettage (D&C)	0.2	-	0.5	0.1	0.1	0.4	-	-	0.2	0.4	0.2
Hysterotomy / Hysterectomy	0.1	0.1	-	0.1	0.1	-	0.1	-	-	-	-
Other	1.0	1.6	1.0	0.5	-	-	-	0.1	0.1	0.4	0.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 4**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Termination Procedure by Length of Gestation**  
**Three-Year Total, 2004-2006**


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>3,311</b>	<b>2,034</b>	<b>799</b>	<b>364</b>	<b>70</b>	<b>27</b>	<b>12</b>	<b>3</b>	<b>2</b>
Suction curettage	2,954	1,732	789	360	63	6	1	1	2
Medical (nonsurgical)	318	297	8	1	-	6	4	2	-
Dilation and evacuation (D&E)	11	-	-	1	7	3	-	-	-
Intra-uterine instillation (saline / prostaglandin)	11	-	-	-	-	7	4	-	-
Sharp curettage (D&C)	9	5	2	2	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	8	-	-	-	-	5	3	-	-
Not stated	-	-	-	-	-	-	-	-	-

\* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 5**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Length of Gestation**  
**Three-Year Total, 2004-2006**



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.


**Table 5  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Age by Length of Gestation  
Three-Year Total, 2004-2006**

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>3,311</b>	<b>2,034</b>	<b>799</b>	<b>364</b>	<b>70</b>	<b>27</b>	<b>12</b>	<b>3</b>	<b>2</b>
10-14	16	8	4	4	-	-	-	-	-
15-19	654	353	190	84	23	3	1	-	-
15-17	254	142	73	30	9	-	-	-	-
18-19	400	211	117	54	14	3	1	-	-
20-24	1,030	609	264	134	13	8	2	-	-
25-29	726	469	161	79	12	1	3	-	1
30-34	451	315	82	31	12	6	4	1	-
35-39	314	199	73	24	6	7	2	2	1
40-44	115	77	25	8	4	1	-	-	-
45+	4	3	-	-	-	1	-	-	-
Not stated	1	1	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 6  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Age by Length of Gestation in Weeks  
Three-Year Total, 2004-2006**




**Table 6**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Marital Status**  
**Three-Year Total, 2004-2006**

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
<b>TOTAL IN IDAHO</b>	<b>3,311</b>	<b>2,649</b>	<b>659</b>	<b>3</b>
10-14	16	16	-	-
15-19	654	626	28	-
15-17	254	249	5	-
18-19	400	377	23	-
20-24	1,030	885	144	1
25-29	726	537	188	1
30-34	451	306	144	1
35-39	314	203	111	-
40-44	115	74	41	-
45+	4	1	3	-
Not stated	1	1	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 7**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Marital Status**  
**Three-Year Total, 2004-2006**




**Table 7**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Number of Previous Induced Abortions**  
**Three-Year Total, 2004-2006**

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>3,311</b>	<b>2,557</b>	<b>558</b>	<b>133</b>	<b>47</b>	<b>16</b>
10-14	16	16	-	-	-	-
15-19	654	601	48	3	1	1
15-17	254	246	7	1	-	-
18-19	400	355	41	2	1	1
20-24	1,030	844	141	32	10	3
25-29	726	509	157	41	16	3
30-34	451	305	106	30	5	5
35-39	314	206	78	15	13	2
40-44	115	73	26	12	2	2
45+	4	3	1	-	-	-
Not stated	1	-	1	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 8**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Number of Previous Induced Abortions**  
**Three-Year Total, 2004-2006**





**Table 8**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Patient Educational Materials Provided**  
**1996-2006**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1996	957	33	32	1,022
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

## **INDUCED ABORTIONS TO IDAHO RESIDENTS 1996-2006**

### **Definition**

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

### **Limitations**

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2006, there were three out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

### **Summary**

From 1996 to 2006, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 1,919 in 2006. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1996 to 2006, most abortions to Idaho residents which occurred out of state occurred in Washington. Of the 704 abortions to Idaho residents which occurred out of state in 2006, 528 (75.0 percent) occurred in Washington.

Overall, the number of abortions to Idaho residents increased by 113 (6.3 percent) from 1996 to 2006. At the same time, there was an increase in the population for females aged 15-44, which resulted in an overall decrease in the abortion rate. The abortion rate per 1,000 females aged 15-44 decreased 7.2 percent from 6.9 in 1996 to 6.4 per 1,000 females in 2006. Similarly, the abortion ratio per 1,000 live births declined 18.5 percent from 97.3 per 1,000 live births in 1996 to 79.3 in 2006.

## **INDUCED ABORTIONS TO IDAHO RESIDENTS 2006**

The number of induced abortions occurring to Idaho residents increased 5.0 percent in 2006, from 1,827 in 2005 to 1,919 in 2006. From 2005 to 2006, the number of abortions increased to residents in District 3 and 4, and decreased in the remaining districts.

### **In Idaho:**

The number of induced abortions occurring to Idaho residents in Idaho increased 14.1 percent in 2006, from 1,065 in 2005 to 1,215 in 2006. The majority of this increase occurred to residents of Ada County. There were 76 (11.6 percent) more abortions to Ada County residents in Idaho in 2006 than in 2005.

From 2005 to 2006, the number of abortions increased in the 10-14, 15-17, 20-24, 25-29, and the 30-34 age group. It decreased in the 18-19, 35-39, 40-44, and the 45 and older category. The number of abortions in the 25-29 year old age group increased 9.2 percent (53 abortions).

### **Out-of-State:**

The number of induced abortions occurring to Idaho residents out-of-state decreased 7.6 percent in 2006, from 762 in 2005 to 704 in 2006. The majority of this decrease occurred to residents of Kootenai County. There were 37 (11.8 percent) fewer abortions to Kootenai County residents out-of-state in 2006 than in 2005.

**Table 9A  
INDUCED ABORTIONS TO IDAHO RESIDENTS  
Number by District and County of Residence  
1996-2006**

RESIDENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IDAHO RESIDENT</b>	<b>1,806</b>	<b>1,623</b>	<b>1,636</b>	<b>1,561</b>	<b>1,553</b>	<b>1,473</b>	<b>1,493</b>	<b>1,620</b>	<b>1,618</b>	<b>1,827</b>	<b>1,919</b>
District 1	407	390	395	377	465	428	391	395	357	423	371
District 2	230	204	193	182	166	174	158	187	172	161	158
District 3	180	150	198	161	153	149	157	191	183	192	265
District 4	660	603	617	619	536	505	558	603	625	744	840
District 5	142	112	95	84	99	91	91	124	147	150	142
District 6	106	78	89	76	62	61	70	62	83	91	78
District 7	81	86	49	62	72	65	68	58	51	66	65
Ada	615	558	579	571	505	471	526	571	586	703	775
Adams	2	-	2	3	1	3	2	3	1	2	5
Bannock	73	42	63	53	45	40	46	40	63	58	57
Bear Lake	1	2	1	1	1	2	1	2	1	-	3
Benewah	19	11	16	14	19	13	13	11	13	12	8
Bingham	17	17	12	10	10	11	11	10	12	21	10
Blaine	60	53	40	33	41	42	35	51	61	54	41
Boise	5	3	7	7	2	4	4	1	-	3	8
Bonner	77	63	61	66	82	82	68	57	55	62	59
Bonneville	49	52	27	35	40	38	45	38	33	40	38
Boundary	9	12	13	11	18	7	7	10	9	14	8
Butte	1	1	3	-	-	-	1	2	1	1	-
Camas	-	1	-	-	-	-	-	-	-	-	1
Canyon	140	125	162	135	129	127	131	160	150	161	214
Caribou	1	2	2	5	3	1	1	3	1	1	-
Cassia	8	8	6	4	6	7	-	6	7	9	9
Clark	-	-	-	-	1	-	1	-	-	1	-
Clearwater	16	9	10	10	9	8	10	7	7	8	2
Custer	5	3	4	6	4	4	4	4	3	3	1
Elmore	23	25	24	32	20	17	22	21	23	25	31
Franklin	6	5	4	7	-	4	-	3	3	5	3
Fremont	3	3	-	5	6	2	2	2	2	5	3
Gem	13	10	7	7	6	4	11	8	6	9	15
Gooding	10	5	2	8	8	2	7	7	7	5	10
Idaho	14	19	12	7	10	13	9	12	5	5	6
Jefferson	4	6	2	3	4	5	3	2	2	4	5
Jerome	13	7	7	6	6	7	8	9	13	14	14
Kootenai	268	280	276	263	315	308	281	295	260	313	277
Latah	109	89	84	85	76	73	83	100	73	79	66
Lemhi	12	10	10	11	12	10	6	10	6	6	11
Lewis	4	6	6	5	4	6	5	6	7	4	7
Lincoln	2	3	-	-	3	-	-	1	6	4	4
Madison	2	4	1	2	2	3	3	-	3	3	2
Minidoka	8	6	9	5	5	5	7	10	9	6	5
Nez Perce	87	81	81	75	67	74	51	62	80	65	77
Oneida	1	4	1	-	-	-	2	1	2	1	1
Owyhee	6	5	7	5	5	1	3	4	8	7	3
Payette	14	8	16	9	9	13	5	12	14	10	22
Power	6	5	3	-	3	3	8	1	-	4	4
Shoshone	34	24	29	23	31	18	22	22	20	22	19
Teton	6	8	5	-	3	3	4	2	2	4	5
Twin Falls	41	29	31	28	30	28	34	40	44	58	58
Valley	17	17	7	9	9	13	6	10	16	13	26
Washington	5	2	4	2	3	1	5	4	4	3	6

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 9B**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Rate by District and County of Residence**  
**1996-2006**

RESIDENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IDAHO RESIDENT</b>	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4
District 1	11.8	11.1	11.2	10.5	13.1	12.0	10.9	10.8	9.4	10.8	9.4
District 2	10.7	9.4	9.0	8.6	7.8	8.3	7.7	9.2	8.4	7.8	8.1
District 3	5.1	4.1	5.3	4.2	3.9	3.6	3.6	4.3	4.0	4.0	5.3
District 4	9.2	8.3	8.2	8.1	6.8	6.3	6.9	7.5	7.7	8.9	9.9
District 5	4.5	3.5	3.0	2.6	3.0	2.8	2.8	3.8	4.4	4.5	4.3
District 6	3.2	2.4	2.7	2.3	1.8	1.8	2.1	1.9	2.5	2.7	2.4
District 7	2.4	2.5	1.4	1.8	2.0	1.8	1.8	1.5	1.3	1.7	1.7
Ada	9.7	8.6	8.7	8.4	7.3	6.6	7.3	8.0	8.1	9.4	10.2
Adams	2.7	-	2.8	4.3	1.8	5.4	3.6	5.3	1.7	3.3	8.8
Bannock	4.3	2.5	3.7	3.1	2.5	2.3	2.7	2.4	3.7	3.3	3.4
Bear Lake	0.9	1.8	0.9	0.9	0.8	1.7	0.9	1.7	0.9	-	2.8
Benewah	10.5	6.1	8.9	7.9	11.1	8.0	8.2	7.0	8.3	7.6	5.0
Bingham	2.0	2.0	1.4	1.2	1.2	1.3	1.3	1.1	1.3	2.3	1.1
Blaine	14.6	12.9	9.8	8.1	10.3	10.2	8.4	12.3	14.8	13.4	10.5
Boise	5.0	2.9	6.8	6.7	1.6	3.1	3.0	0.7	-	2.2	5.7
Bonner	11.1	9.0	8.6	9.3	11.9	11.9	9.6	7.9	7.5	8.3	7.9
Bonneville	2.9	3.1	1.6	2.1	2.3	2.2	2.5	2.1	1.8	2.1	2.0
Boundary	4.6	6.1	6.7	5.6	9.8	3.9	3.8	5.4	4.7	7.3	4.2
Butte	1.7	1.7	5.3	-	-	-	2.0	4.2	2.1	2.2	-
Camas	-	6.5	-	-	-	-	-	-	-	-	4.3
Canyon	5.7	4.9	6.2	5.0	4.6	4.2	4.1	4.8	4.3	4.4	5.6
Caribou	0.7	1.5	1.5	3.8	2.1	0.7	0.7	2.2	0.7	0.8	-
Cassia	1.9	1.9	1.4	1.0	1.4	1.7	-	1.5	1.7	2.2	2.3
Clark	-	-	-	-	5.1	-	5.3	-	-	5.6	-
Clearwater	9.2	5.2	5.9	6.0	6.1	5.8	7.6	5.5	5.6	6.6	1.7
Custer	5.6	3.5	5.0	7.5	5.4	5.4	5.6	5.8	4.3	4.5	1.5
Elmore	4.2	4.3	4.1	5.4	3.1	2.7	3.5	3.4	3.9	4.4	5.8
Franklin	3.1	2.5	2.0	3.4	-	1.7	-	1.3	1.2	2.0	1.2
Fremont	1.4	1.3	-	2.2	2.7	0.9	0.9	0.9	0.9	2.3	1.4
Gem	4.9	3.7	2.5	2.5	2.1	1.4	3.7	2.7	1.9	2.8	4.7
Gooding	4.1	2.0	0.8	3.3	3.0	0.8	2.7	2.7	2.7	2.0	4.1
Idaho	5.1	6.9	4.4	2.6	3.9	5.1	3.6	4.9	2.0	2.0	2.5
Jefferson	1.1	1.6	0.5	0.8	1.0	1.3	0.7	0.5	0.5	0.9	1.1
Jerome	3.8	2.0	2.0	1.7	1.6	1.9	2.2	2.5	3.5	3.7	3.7
Kootenai	12.7	12.9	12.6	11.7	13.9	13.4	12.1	12.3	10.4	12.0	10.5
Latah	12.5	10.1	9.7	9.9	8.5	8.2	9.4	11.5	8.5	8.9	8.0
Lemhi	7.9	6.6	6.8	7.7	9.0	7.7	4.5	7.5	4.4	4.4	8.2
Lewis	5.7	8.6	8.8	7.5	6.2	9.9	8.2	9.8	11.7	6.8	12.0
Lincoln	2.8	4.1	-	-	4.0	-	-	1.2	6.8	4.3	4.3
Madison	0.3	0.5	0.1	0.2	0.2	0.3	0.3	-	0.3	0.3	0.2
Minidoka	2.0	1.5	2.3	1.3	1.2	1.3	1.8	2.7	2.4	1.7	1.4
Nez Perce	11.3	10.5	10.7	10.0	8.8	9.9	6.9	8.4	10.8	8.7	10.9
Oneida	1.5	6.0	1.5	-	-	-	2.6	1.3	2.6	1.3	1.3
Owyhee	3.1	2.5	3.5	2.5	2.5	0.5	1.5	1.9	4.0	3.5	1.5
Payette	3.5	2.0	3.9	2.2	2.2	3.2	1.2	2.8	3.3	2.3	5.0
Power	3.4	2.8	1.7	-	2.0	2.0	5.3	0.7	-	2.5	2.5
Shoshone	12.5	8.9	10.9	8.9	12.5	7.7	9.8	10.3	9.4	10.2	8.8
Teton	5.6	7.3	4.4	-	2.3	2.1	2.7	1.3	1.3	2.7	3.2
Twin Falls	3.3	2.3	2.4	2.2	2.3	2.1	2.6	2.9	3.2	4.2	4.1
Valley	10.6	10.5	4.4	5.9	6.8	9.8	4.8	7.8	12.2	9.4	17.1
Washington	2.8	1.1	2.1	1.1	1.7	0.6	2.8	2.3	2.2	1.7	3.5

Rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Refer to Table 11 on page 21 for population source.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 10**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**1996-2006**

STATE OF OCCURRENCE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IDAHO RESIDENT</b>	<b>1,806</b>	<b>1,623</b>	<b>1,636</b>	<b>1,561</b>	<b>1,553</b>	<b>1,473</b>	<b>1,493</b>	<b>1,620</b>	<b>1,618</b>	<b>1,827</b>	<b>1,919</b>
Abortions in Idaho	962	840	862	839	779	712	800	871	928	1,065	1,215
Abortions out of state	844	783	774	722	774	761	693	749	690	762	704
Montana	66	68	60	46	43	43	16	25	19	20	19
Oregon	36	49	61	67	61	67	60	57	49	45	59
Utah	117	92	86	74	64	71	70	79	87	104	96
Washington	623	572	562	533	605	575	546	586	533	591	528
All others	2	2	5	2	1	5	1	2	2	2	2

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 9**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Occurring in Idaho and Out of State**  
**1996-2006**



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 11  
INDUCED ABORTIONS TO IDAHO RESIDENTS  
Age, Abortion Rate, and Abortion Ratio  
1996-2006**

AGE	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>TOTAL IDAHO RESIDENT</b>	<b>1,806</b>	<b>1,623</b>	<b>1,636</b>	<b>1,561</b>	<b>1,553</b>	<b>1,473</b>	<b>1,493</b>	<b>1,620</b>	<b>1,618</b>	<b>1,827</b>	<b>1,919</b>
Age:											
10-14	21	16	13	7	12	10	9	12	6	9	12
15-19	465	406	384	394	346	362	326	336	323	356	380
15-17	168	166	139	125	129	128	131	105	127	127	159
18-19	297	240	245	269	217	234	195	231	196	229	221
20-24	504	480	524	471	502	453	485	553	530	579	632
25-29	347	325	324	289	312	258	286	303	327	412	427
30-34	252	184	201	205	179	192	187	221	223	219	228
35-39	163	161	144	138	147	129	139	133	141	177	173
40-44	52	47	40	50	51	55	57	58	63	68	60
45+	2	4	4	7	2	9	3	3	3	5	2
Not stated	-	-	2	-	2	5	1	1	2	2	5
Abortion rate per 1,000 females in age group:											
Total <sup>1</sup>	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4
Age:											
10-14	0.4	0.3	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2
15-19	8.8	7.5	7.0	7.2	6.3	6.5	6.1	6.4	6.1	6.7	7.0
15-17	5.3	5.2	4.3	4.0	4.0	3.9	4.2	3.4	4.1	4.0	4.8
18-19	13.9	10.9	10.7	11.6	9.5	10.1	9.0	10.7	9.0	10.6	10.3
20-24	11.9	10.9	11.5	10.0	11.1	9.9	9.4	10.2	9.5	10.2	12.7
25-29	9.6	8.7	8.4	7.2	7.6	6.1	6.9	7.1	7.4	8.7	8.0
30-34	6.5	4.9	5.4	5.5	4.3	4.6	4.3	5.1	5.1	4.9	5.0
35-39	3.5	3.5	3.2	3.1	3.1	2.7	3.1	3.0	3.2	3.9	3.7
40-44	1.1	1.0	0.9	1.1	1.0	1.1	1.1	1.2	1.3	1.3	1.2
45+	-	0.1	0.1	0.2	-	0.2	0.1	0.1	0.1	0.1	-
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group:											
Total <sup>2</sup>	97.3	87.6	84.5	78.6	76.5	71.2	71.2	74.3	71.8	79.2	79.3
Age:											
10-14	807.7	444.4	464.3	225.8	750.0	625.0	562.5	631.6	428.6	473.7	666.7
15-19	186.9	174.1	156.7	164.4	147.9	154.8	156.9	161.8	156.9	176.3	176.9
15-17	201.7	222.5	177.3	157.4	192.8	191.3	225.1	192.7	241.9	238.7	266.3
18-19	179.5	151.3	147.1	167.9	129.9	140.1	130.3	150.9	127.9	154.0	142.5
20-24	88.7	86.1	86.1	76.0	79.2	71.5	72.2	79.8	73.7	80.6	84.1
25-29	65.7	61.4	58.1	50.1	53.8	44.5	47.2	46.8	48.5	57.7	55.7
30-34	74.7	52.9	59.0	56.8	46.9	50.3	46.0	52.4	51.5	49.9	50.3
35-39	115.4	107.2	97.8	91.3	90.6	79.5	84.3	77.8	79.3	94.1	89.4
40-44	190.5	152.6	128.2	152.0	144.9	156.3	159.7	168.6	165.4	167.1	172.9
45+	95.2	363.6	285.7	304.3	117.6	529.4	115.4	150.0	96.8	178.6	100.0
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1996-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003, 2004, 2005, and 2006 are based on July 1, 2003, July 1, 2004, July 1, 2005, and July 1, 2006 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, and August 16, 2007, respectively.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

**Table 12**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Termination Procedure by Length of Gestation**  
**Three-Year Total, 2004-2006**


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	5,364	3,088	1,224	534	252	191	50	7	18
Suction curettage	4,464	2,510	1,206	522	181	28	4	1	12
Medical (nonsurgical)	590	560	10	1	3	6	6	3	1
Dilation and evacuation (D&E)	240	8	5	7	61	120	32	3	4
Intra-uterine instillation (saline / prostaglandin)	14	-	-	-	-	8	6	-	-
Sharp curettage (D&C)	27	5	2	3	4	12	-	-	1
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	8	1	-	-	-	5	2	-	-
Not stated	21	4	1	1	3	12	-	-	-

\* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.


**Graph 10**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Length of Gestation**  
**Three-Year Total, 2004-2006**



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100% due to rounding.



**APPENDIX**  
**Counties Comprising Idaho Public Health Districts**



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton