

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2017 - December 31, 2017<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,285	1,075	112	66	26	2	-	4
Suction curettage	685	524	104	47	8	-	-	2
Medical (nonsurgical)	556	551	-	1	1	1	-	2
Dilation and evacuation (D&E)	43	-	8	17	17	1	-	-
Intra-uterine instillation (saline/prostaglandin)	1	-	-	1	-	-	-	-
Sharp curettage (D&C)	-	-	-	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

Source: Bureau of Vital Records and Health Statistics, Division of Public Health (June 28, 2018).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2016 - December 31, 2016<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,289	1,081	108	78	19	1	1	1
Suction curettage	622	502	85	32	2	-	-	1
Medical (nonsurgical)	581	579	1	-	-	-	1	-
Dilation and evacuation (D&E)	85	-	22	46	17	-	-	-
Intra-uterine instillation (saline/prostaglandin)	-	-	-	-	-	-	-	-
Sharp curettage (D&C)	-	-	-	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

In 2016, there was one induced termination procedure in Idaho at 20+ weeks' postfertilization in which the provider reported the patient had a medical condition that so complicated her medical condition as to necessitate the abortion of the pregnancy to avert her death or to avert serious risk of substantial and irreversible physical impairment of a major bodily function, not including psychological or emotional conditions.

Source: Bureau of Vital Records and Health Statistics, Division of Public Health (June 27, 2017).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2015 - December 31, 2015<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,272	1,080	104	61	27	-	-	-
Suction curettage	666	520	99	43	4	-	-	-
Medical (nonsurgical)	561	560	-	-	1	-	-	-
Dilation and evacuation (D&E)	45	-	5	18	22	-	-	-
Intra-uterine instillation (saline/prostaglandin)	-	-	-	-	-	-	-	-
Sharp curettage (D&C)	-	-	-	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

Source: Bureau of Vital Records and Health Statistics, Division of Public Health (July 7, 2016).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2014 - December 31, 2014<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,353	1,161	115	61	8	5	-	3
Suction curettage	778	614	107	49	4	1	-	3
Medical (nonsurgical)	547	545	1	-	-	1	-	-
Dilation and evacuation (D&E)	24	2	6	12	3	1	-	-
Intra-uterine instillation (saline/prostaglandin)	2	-	-	-	-	2	-	-
Sharp curettage (D&C)	1	-	1	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

3. The three abortions with postfertilization age not stated were reported to be less than 9 weeks of gestation for 2 abortions and 9 weeks for 1 abortion calculated using the date last normal menses began and the date of pregnancy termination reported on the induced abortion record.

Source: Bureau of Vital Records and Health Statistics, Division of Public Health (July 2015).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2013 - December 31, 2013<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,375	1,155	144	63	7	5	1	-
Suction curettage	845	643	140	61	1	-	-	-
Medical (nonsurgical)	513	512	-	-	-	1	-	-
Dilation and evacuation (D&E)	8	-	1	2	5	-	-	-
Intra-uterine instillation (saline/prostaglandin)	2	-	-	-	-	2	-	-
Sharp curettage (D&C)	3	-	3	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	4	-	-	-	1	2	1	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

Source: Bureau of Vital Records and Health Statistics, Idaho Department of Health and Welfare (June 30, 2014).

Based on records filed with the state as of June 30, 2014.

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
January 1, 2012 - December 31, 2012<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	1,458	1,220	141	83	6	8	-	-
Suction curettage	883	665	139	77	2	-	-	-
Medical (nonsurgical)	559	554	1	-	-	4	-	-
Dilation and evacuation (D&E)	12	-	-	6	4	2	-	-
Intra-uterine instillation (saline/prostaglandin)	2	-	-	-	-	2	-	-
Sharp curettage (D&C)	2	1	1	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

Source: Bureau of Vital Records and Health Statistics, Idaho Department of Health and Welfare (June 24, 2013).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.

**Induced Abortions Occurring in Idaho  
Primary Procedure of Termination by Postfertilization Age  
April 13, 2011 - December 31, 2011<sup>1</sup>**

Primary Procedure of Termination	Total	Postfertilization Age in Weeks <sup>2</sup>						
		<9	9-10	11-12	13-15	16-19	20+	Not stated
Total	997	851	95	42	3	5	-	1
Suction curettage	637	502	93	41	1	-	-	-
Medical (nonsurgical)	354	348	1	-	1	3	-	1
Dilation and evacuation (D&E)	3	-	1	1	1	-	-	-
Intra-uterine instillation (saline/prostaglandin)	1	-	-	-	-	1	-	-
Sharp curettage (D&C)	1	1	-	-	-	-	-	-
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-
Not stated	-	-	-	-	-	-	-	-

1. Idaho Code 18-505 added to existing law the prohibition of abortion of a fetus at 20 or more weeks postfertilization age, except when the woman had a condition which so complicated her medical condition as to necessitate the abortion to avert her death, to avert serious risk of substantial and irreversible physical impairment of a major bodily function, or it is necessary to preserve the life of an unborn child. The law went into effect on April 13, 2011. Idaho Code 18-506 requires the Idaho Department of Health and Welfare to issue a public report providing statistics for the previous calendar year compiled from all of the reports of induced termination covering that year submitted in accordance with items listed in Idaho Code 18-506. For the 2011 report, data are provided based on induced terminations occurring in Idaho from April 13, 2011 through December 31, 2011.

2. Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. For this report, postfertilization age is calculated by the number of completed weeks of gestation based on clinical estimate of gestation minus two weeks. Abortion data published in other reports are based on the clinical estimate of gestation. DATA ARE NOT COMPARABLE.

3. The abortion with postfertilization age not stated was reported to be less than 9 weeks of gestation calculated using the date last normal menses began and the date of pregnancy termination reported on the induced abortion record.

Source: Bureau of Vital Records and Health Statistics, Idaho Department of Health and Welfare (June 29, 2012).

For more information, contact the Bureau of Vital Records and Health Statistics at (208) 334-6658.