



IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER – GOVERNOR
RICHARD M. ARMSTRONG – DIRECTOR

TAMARA PRISOCK – ADMINISTRATOR
DIVISION OF LICENSING & CERTIFICATION
JAMIE SIMPSON – PROGRAM SUPERVISOR
RESIDENTIAL ASSISTED LIVING FACILITY PROGRAM
P.O. Box 83720
Boise, Idaho 83720-0009
PHONE: 208-364-1962
FAX: 208-364-1888

February 25, 2015

Christy Watson, Administrator
Powerline Residential Care
930 South Powerline Road
Nampa, Idaho 83686

Provider ID: RC-431

Ms. Watson:

On January 15, 2015, a state licensure/follow-up survey was conducted at Powerline Residential Care. As a result of that survey, deficient practices were found. The deficiencies were cited at the following level(s):

- Non-core issues, which are described on the Punch List, and for which you have submitted evidence of resolution.

Your submitted evidence of resolution is being accepted by this office. Please ensure the corrections you identified are implemented for all residents and situations, and implement a monitoring system to make certain the deficient practices do not recur.

Thank you for your work to correct these deficiencies. Should you have questions, please contact Rae Jean McPhillips, RN, BSN, Health Facility Surveyor, Residential Assisted Living Facility Program, at (208) 364-1962.

Sincerely,

RAE JEAN MCPHILLIPS, RN, BSN
Team Leader
Health Facility Surveyor

RM/sc

cc: Jamie Simpson, MBA, QMRP Supervisor, Residential Assisted Living Facility Program



IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER -- GOVERNOR
RICHARD M. ARMSTRONG -- DIRECTOR

TAMARA PRISOCK -- ADMINISTRATOR
DIVISION OF LICENSING & CERTIFICATION
JAMIE SIMPSON -- PROGRAM SUPERVISOR
RESIDENTIAL ASSISTED LIVING FACILITY PROGRAM
P.O. Box 83720
Boise, Idaho 83720-0009
PHONE: 208-364-1962
FAX: 208-364-1888

February 4, 2015

Christy Watson, Administrator
Powerline Residential Care
930 South Powerline Road
Nampa, Idaho 83686

Ms. Watson:

Congratulations to both you and your staff on your recent state licensure/follow-up survey that was conducted at Powerline Residential Care between January 14, 2015 and January 15, 2015. No core deficiencies were found and you had three or fewer non-core deficiencies cited during your survey, which qualifies you for a *Silver Excellence in Care Award*.

This award demonstrates that you have worked exceptionally hard to meet the requirements set forth in the Rules for Residential Care or Assisted Living Facilities. Thank you for providing excellent care and ensuring the residents you serve live in a clean, safe and home-like community.

Please bear in mind that non-core issue deficiencies were identified on the punch list, a copy of which was reviewed and left with you during the exit conference, on **January 15, 2015**. The completed punch list form and accompanying evidence of resolution (e.g., receipts, pictures, policy updates, etc) are to be submitted to this office within thirty (30) days from the exit date.

Again, congratulations to you and your staff for a job well done.

Sincerely,

JAMIE SIMPSON, MBA, QMRP
Program Supervisor
Residential Assisted Living Facility Program

JS/sc

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13R431	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/15/2015
--	---	---	---

NAME OF PROVIDER OR SUPPLIER POWERLINE RESIDENTIAL CARE	STREET ADDRESS, CITY, STATE, ZIP CODE 930 SOUTH POWERLINE ROAD NAMPA, ID 83686
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>Initial Comments</p> <p>The residential care/assisted living facility was found to be in substantial compliance with the Rules for Residential Care or Assisted Living Facilities in Idaho. No core deficiencies were cited during the licensure and follow-up survey conducted January 14, 2015 through January 15, 2015 at your facility. The surveyors conducting the survey were:</p> <p>Rae Jean McPhillips, RN, BSN Team Coordinator Health Facility Surveyor</p> <p>Polly Watt-Geier Health Facility Surveyor</p>	R 000		

Bureau of Facility Standards
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____



Facility POWERLINE RESIDENTIAL CARE	License # RC-431	Physical Address 930 SOUTH POWERLINE ROAD	Phone Number (208) 467-0030
Administrator Christy Watson	City NAMPA	ZIP Code 83686	Survey Date January 15, 2015
Survey Team Leader Rae Jean McPhillips	Survey Type Licensure and Follow-up	RESPONSE DUE: February 14, 2015	
Administrator Signature <i>Christy Watson</i>	Date Signed 1-15-15		

NON-CORE ISSUES

Item #	IDAPA Rule #	Description	Department Use Only	
			EOR Accepted	Initials
1	260.06	The following housekeeping and maintenance concerns were observed: The hallways were observed to have dust and cobwebs on the lights, walls, ceiling and sprinkler pipes; Vents and fans had a thick layer of dust; Bathroom #2's closet door was off the track; The bathroom off of the dining room's toilet tank cover was broken and taped back together, there was mildew observed on the ceiling and the shower stall had hard water build-up; The interior paint had multiple chipped areas and/or patches; The old smoke alarms had exposed wires; There were multiple burnt out light bulbs and the back women's hallway light fixture did not work; The patio off of the dining room had a build-up of moss on the awning, siding, pavement.	2/19/15	Rm
2	300.01	The facility RN did not assess 2 of 3 sampled residents on a 90 day basis. <i>error Rm</i>		
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				



IDAHO DEPARTMENT OF

HEALTH & WELFARE Food Establishment Inspection Report

Residential Assisted Living Facility Program, Medicaid L & C
3232 W. Elder Street, Boise, Idaho 83705
208-334-6626

Critical Violations

Noncritical Violations

Establishment Name <u>Powerline Res Care</u>		Operator <u>Christy Watson</u>	
Address <u>930 S. Powerline Rd</u>		<u>Nampa</u>	
County	Estab #	EHS/SUR #	Travel time:
Inspection Type:		Risk Category: <u>High</u>	Follow-Up Report: OR On-Site Follow-Up: Date: _____ Date: _____
Items marked are violations of Idaho's Food Code, IDAPA 16.02.19, and require correction as noted.			

# of Risk Factor Violations	<u>0</u>	# of Retail Practice Violations	<u>0</u>
# of Repeat Violations	<u>0</u>	# of Repeat Violations	<u>0</u>
Score	<u>0</u>	Score	<u>0</u>
A score greater than 3 Med or 5 High-risk = mandatory on-site reinspection		A score greater than 6 Med or 8 High-risk = mandatory on-site reinspection.	

RISK FACTORS AND INTERVENTIONS (Idaho Food Code applicable sections in parentheses)

The letter to the left of each item indicates that item's status at the inspection.

	Demonstration of Knowledge (2-102)	COS	R
<u>Y</u> N	1. Certification by Accredited Program, or Approved Course, or correct responses; or compliance with Code	<input type="checkbox"/>	<input type="checkbox"/>
Employee Health (2-201)			
<u>Y</u> N	2. Exclusion, restriction and reporting	<input type="checkbox"/>	<input type="checkbox"/>
Good Hygienic Practices			
<u>Y</u> N	3. Eating, tasting, drinking, or tobacco use (2-401)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	4. Discharge from eyes, nose and mouth (2-401)	<input type="checkbox"/>	<input type="checkbox"/>
Control of Hands as a Vehicle of Contamination			
<u>Y</u> N	5. Clean hands, properly washed (2-301)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	6. Bare hand contact with ready-to-eat foods/exemption (3-301)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	7. Handwashing facilities (5-203 & 6-301)	<input type="checkbox"/>	<input type="checkbox"/>
Approved Source			
<u>Y</u> N	8. Food obtained from approved source (3-101 & 3-201)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	9. Receiving temperature / condition (3-202)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>(N/A)</u>	10. Records: shellstock tags, parasite destruction, required HACCP plan (3-202 & 3-203)	<input type="checkbox"/>	<input type="checkbox"/>
Protection from Contamination			
<u>Y</u> N <u>N/A</u>	11. Food segregated, separated and protected (3-302)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>N/A</u>	12. Food contact surfaces clean and sanitized (4-5, 4-6, 4-7)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	13. Returned / reservice of food (3-306 & 3-801)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	14. Discarding / reconditioning unsafe food (3-701)	<input type="checkbox"/>	<input type="checkbox"/>

	Potentially Hazardous Food Time/Temperature	COS	R
<u>Y</u> N <u>(N/O)</u> <u>N/A</u>	15. Proper cooking, time and temperature (3-401)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>(N/O)</u> <u>N/A</u>	16. Reheating for hot holding (3-403)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>(N/O)</u> <u>N/A</u>	17. Cooling (3-501)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>(N/O)</u> <u>N/A</u>	18. Hot holding (3-501)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>N/O</u> <u>N/A</u>	19. Cold Holding (3-501)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>N/O</u> <u>N/A</u>	20. Date marking and disposition (3-501)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N <u>(N/O)</u> <u>N/A</u>	21. Time as a public health control (procedures/records) (3-501)	<input type="checkbox"/>	<input type="checkbox"/>
Consumer Advisory			
<u>Y</u> N <u>(N/A)</u>	22. Consumer advisory for raw or undercooked food (3-603)	<input type="checkbox"/>	<input type="checkbox"/>
Highly Susceptible Populations			
<u>Y</u> N <u>N/O</u> <u>N/A</u>	23. Pasteurized foods used, avoidance of prohibited foods (3-801)	<input type="checkbox"/>	<input type="checkbox"/>
Chemical			
<u>Y</u> N <u>N/A</u>	24. Additives / approved, unapproved (3-207)	<input type="checkbox"/>	<input type="checkbox"/>
<u>Y</u> N	25. Toxic substances properly identified, stored, used (7-101 through 7-301)	<input type="checkbox"/>	<input type="checkbox"/>
Conformance with Approved Procedures			
<u>Y</u> N <u>(N/A)</u>	26. Compliance with variance and HACCP plan (8-201)	<input type="checkbox"/>	<input type="checkbox"/>

Y = yes, in compliance N = no, not in compliance
N/O = not observed N/A = not applicable
COS = Corrected on-site R = Repeat violation
 = COS or R

Item/Location	Temp	Item/Location	Temp	Item/Location	Temp	Item/Location	Temp
<u>yams - Fridge</u>	<u>38</u>						
<u>beans - Fridge</u>	<u>37</u>						

GOOD RETAIL PRACTICES (= not in compliance)

	COS	R		COS	R		COS	R
<input type="checkbox"/> 27. Use of ice and pasteurized eggs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 34. Food contamination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 42. Food utensils/in-use	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 28. Water source and quantity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 35. Equipment for temp. control	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 43. Thermometers/Test strips	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 29. Insects/rodents/animals	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 36. Personal cleanliness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 44. Warewashing facility	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 30. Food and non-food contact surfaces: constructed, cleanable, use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 37. Food labeled/condition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 45. Wiping cloths	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 31. Plumbing installed; cross-connection; back flow prevention	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 38. Plant food cooking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 46. Utensil & single-service storage	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 32. Sewage and waste water disposal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 39. Thawing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 47. Physical facilities	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> 33. Sinks contaminated from cleaning maintenance tools	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 40. Toilet facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 48. Specialized processing methods	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/> 41. Garbage and refuse disposal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 49. Other	<input type="checkbox"/>	<input type="checkbox"/>

OBSERVATIONS AND CORRECTIVE ACTIONS (CONTINUED ON NEXT PAGE)

Person in Charge (Signature) <u>Christy Watson</u> (Print) <u>Christy Watson</u> Title <u>Admin</u> Date <u>1-15-15</u>	Follow-up: (Circle One) Yes No
Inspector (Signature) <u>[Signature]</u> (Print) _____ Date <u>1/15/15</u>	