



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Division of Licensing & Certification

DDA/ResHab Certification - Statement of Deficiencies

Agency:	Collaborative Behavior Solutions	Region(s):	1
Agency Type:	DDA	Survey Dates:	4/26-27/2017
Certificate(s):	DDA-5350	Certificate(s) Granted:	<input type="checkbox"/> 6 - Month Provisional <input checked="" type="checkbox"/> 1 - Year Full <input type="checkbox"/> 3 - Year Full

Rule Reference/Text	Findings	Agency's Plan of Correction (Please refer to the Statement of Deficiencies cover letter for guidance)	Date to be Corrected (mm/dd/yyyy)
16.03.21.500.03.f. 500.FACILITY STANDARDS FOR AGENCIES PROVIDING CENTER-BASED SERVICES. The requirements in Section 500 of this rule, apply when an agency is providing center-based services. 03. Fire and Safety Standards. f. All hazardous or toxic substances must be properly labeled and stored under lock and key; and (7-1-11)	In review of the facility the downstairs bathroom had a canister of Clorox wipes and therapy supply room had paint and a can of texture material on the shelves within reach of children. They were moved to a locked storage immediately. Corrected during survey.	<ol style="list-style-type: none"> 1. n/a 2. Agency will install child safety locks on cupboards accessible to children and on the materials closet. 3. In addition, the agency director will check cupboards that are not locked at least weekly to ensure no hazardous items are accessible to children. 4. <i>Click here to enter text.</i> 	4/26/2017

Agency Representative & Title: Jennifer Queen, Director/Owner	Date Submitted: 5/9/2017
<i>* By entering my name and title, I agree to implement this plan of correction as stated above.</i>	
Department Representative & Title: Kimberly D. Cole, LSW	Date Approved: 5/10/2017



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Division of Licensing & Certification

DDA/ResHab Certification - Statement of Deficiencies

<p>* By entering my name and title, I approve of this plan of correction as it is written on the date identified.</p>	
---	--