

Sound, Noise and Alarm Reduction:

1. **“Nursing Home Alarm Elimination Program: It’s Possible to Reduce Falls by Eliminating Resident Alarms.”** MASSPRO, Quality Improvement Organization for Massachusetts, Nursing Home Initiative: 2006. Website publication: <http://www.masspro.org/education.php>
2. **“Rethinking the Use of Position Change Alarms.”** Quality Partners of Road Island, the Quality Support Center for the Nursing Home Quality Initiative, Positional Paper, Joanne Rader, Barbara Frank, Cathie Brady. January 12, 2007.
<http://www.healthandwelfare.idaho.gov/LinkClick.aspx?fileticket=Dbip2Pr9Sd!%3D&tabid=281&mid=2432>
3. **“From Institutionalized to Individualized Care. Part 1.” The detrimental use of alarms in terms of their effects on residents: 2007 CMS satellite video broadcast training;**
http://www.bandfconsultinginc.com/Site/Free_Resources/Entries/2009/7/2_Eliminating_Alarms_~Reducing_Falls.html
4. **“Effects of a Noise Reduction Program on a Medical-Surgical Unit.,”** Rebecca Taylor-Ford, et al., Clinical Nursing Research, Vol. 17, No. 2, 74-88. May 2008.
<http://www.sonoma.edu/users/c/catlin/noise%20reduction.pdf>
5. **Management of Falls the Next Step . . . Moving Beyond Alarms and Low Beds.”** Molly Morand, BSN, RN, BC, Indiana State Dept. of Health, Indiana Long Term Care Leadership Conference, June 15, 2007. Presentation repeated at the AANAC Convention, Las Vegas, NV. October 2008.
6. CMS, Guidance to Surveyors of Long Term Care Facilities, March 2009, F252 Environment, Interpretive Guidelines, 483.15(h) (1) “Some good practices that serve to decrease the institutional character of the environment include **the elimination of the widespread and long-term use of audible (to the resident) chair and bed alarms**, instead of their limited use for several residents for diagnostic purposes only.”
7. **“Wisconsin Success Stories in Restraint and Alarm Reduction,”** Advancing Excellence – Wisconsin Coalition for Person Directed Care. Web conference: June 18, 2009. (archived) <http://www.metastar.com/web/Default.aspx?tabid=312>
8. **“Staff Solutions for Noise Reduction in the Workplace.”** Alison Connor, RN, BSN, The Permanente Journal, Vol. 14, No. 4. Fall 2009.
<http://xnet.kp.org/permanentejournal/Fall09/StaffSolutionsNoiseReductionWorkplace.pdf>
9. MI DHS, Departmental Appeals Board, **Civil Remedies Division**, September 30, 2009, Docket# C-08-690, Decision# CR2011. IDR findings’ following falls with alarm use.
<http://www.hhs.gov/dab/decisions/civildecisions/cr2011.pdf>
10. **“The Impact of Alarms on Patient Falls at a VA Community Center Living.”** Poster session 2010 Annual Conference: Transforming Fall Management Practices, Department of Veterans Affairs.
11. **“Strategic Approaches to Improving the Care Delivery Process, Falls and Fall Risk.”** Dr. Steven Levenson, MN Joint Coalition Statewide Training. May 2010.

12. **“What’s That Noise? An Account of the Journey to an Alarm Free Culture,”** by Morgan Hinkley, Administrator, Mala Strana Health Care Ctr., Care Providers’ Quality First Award, June 2010.
13. **“Eliminating Restraints including Alarms.”** Pioneer Network’s Annual Convention, Indianapolis, IN. Preconference Intensive. August 9, 2010. Carmen Bowman, MSH & Theresa Laufmann, BSN and DON at Oakview Terrace Nursing Home, Freeman SD.
14. **“Eliminating Restraints and Alarms by Engaging the Whole Person.”** Action Pact Culture Change Now Teleconference, August 20, 2010, Carmen Bowman, MSH, Theresa Laufmann, BSN.
15. **“Evidence-Based Design Meets Evidence-Based Medicine: The Sound Sleep Study.”** Jo M. Solet, PhD., et al., Validating Acoustic Guidelines for Healthcare Facilities. The Center for Health Design, Research Coalition. 2010.
http://www.healthdesign.org/sites/default/files/Validating%20Acoustic%20Guidelines%20for%20HC%20Facilities_Sound%20Sleep%20Study.pdf
16. **“Integrating the MDS 3.0 Into Daily Practice: Promoting Mobility, Reducing Falls, and Eliminating Alarms Through Individualized Care,”** Series Two, Part Four, Pioneer Network Webinar, Joanne Rader, February 12, 2012.
17. **“Leading a Fall Prevention Program Without Physical Restraints or Personal Alarms,”** Stratis Health, Quality Improvement Organization for Minnesota, Webinar Archives. April 17 & 24, 2012.
18. **“Physical Restraints and Fall Prevention; Participants will identify effective strategies to eliminating alarms without increasing their fall rate.”** Healthcentric Advisors, Quality Improvement Organization for Road Island, Long Term Care Leadership Advisory Group. Providence, RI, April 24, 2012. <http://www.healthcentricadvisors.org/events/256-long-term-care-leadership-advisory-group-physical-restraints-and-fall-prevention.html>
19. **“Effects of an Intervention to Increase Bed Alarm Use to Prevent Falls in Hospitalized Patients: A Cluster Randomized Trial.”** Ronald Shoor, MD, et al., Annals of Internal Medicine, Vol. 157, No 10, pp. 692-299, November 2012 “. . . alarms had no statistically or clinically significant effect on fall-related events or physical restraint use.”
20. **“Nursing Homes in State Going 'Alarm-Free,' Liking the Results.”** The Day, Connecticut. Lisa Chedekel, Published March 25, 2013.

Balance, Strength, Exercise, Activity:

1. **“Exercise Training for Rehabilitation and Secondary Prevention of Falls in Geriatric Patients with a History of Injurious Falls.”** K. Hauer, PhD., et al., Journal of the American Geriatric Society, Vol. 49, pp. 10 – 20. 2001.
2. **“Muscle Weakness and Falls in Older Adults: A Systematic Review and Meta-Analysis.”** J. D. Moreland, PhD., et al., Journal of American Geriatric Society, Vol. 52, pp. 1121 -1129, 2004.
3. **“Fall Incidence in Frail Older Women After Individualized Visual Feed-back Balance Training,”** S. Sihvonen, PhD., Gerontology, Vol. 50, pp. 411 – 416. November/December 2004.

4. **“Tai Chi and Fall Reductions in Older Adults: A Randomized Controlled Trial.”** F. Li, PhD., et al., Journal of Gerontological and Biological Sciences, February; 60(2):187-94, 2005.
5. **“Balance Training Program is Highly Effective in Improving Functional Status and Reducing the Risk of Falls in Elderly Women with Osteoporosis.”** MM. Madureira, PhD., et al., Osteoporosis International, Vol. 18, pp. 419 – 425, 2007.
6. **“Effective Exercise for the Prevention of Falls in Older People: A Systematic Review and Meta-Analysis.”** Catherine Sherrington, PhD., et al., Journal of American Geriatric Society, Vol. 56, pp. 2234 – 2243, 2008.
7. **“Not Preventing Falls – Promoting Function,”** Elizabeth Capezuti, RN, PhD, et al., Geriatric Nursing, Vol. 32, No. 1, p. 55 - 57. January/February 2011.

Correct Bed Heights, Chair Heights, Sit to Stand, Movement:

1. **“The relative importance of strength and balance in chair rise by functionally impaired older individuals.”** M. Schenkman, et al., Journal of the American Geriatrics Society, 44(12), 1441-1446. 1996.
2. **“Revolutionary advances in adaptive seating systems for the elderly and persons with disabilities that assist sit-to-stand transfers.”** R. F. Edlich, (2003). Journal of Long-Term Effects of Medical Implants, 13(1), 31-39. 2003.
3. **“Influence of the relative difference in chair seat height according to different lower thigh length on floor reaction force and lower-limb strength during sit-to-stand movement.”** T. Yamada, et al., Journal of Physiological Anthropology & Applied Human, Science, 23(6), 197-203. 2004.
4. **“Association between subject functional status, seat height, and movement strategy in sit-to-stand performance.”** C. Mazza, et al., Journal of the American Geriatrics Society, 52(10), 1750-1754. 2004.
5. **“Bed and Toilet Height as Potential Environmental Risk Factors,”** Elizabeth Capezuti, et al., Clinical Nursing Research, 17(1), 50-66. 2008.
6. **Equipment Issues and Fall Prevention in Residential Care,** Townsend, Robin, et al., 2010. http://fallssa.com.au/documents/hp/TOWNSEND_Equipment_+ Falls_RAC.pdf

Reducing Bedside Floor Mats:

1. **“Tips and Tricks for Selecting a Bedsize Floor Mat.”** S.P. Applegarth, Tampa, FL: VISN 8 Patient Safety Center of Inquiry, 2004.
2. **“The Hazards of Using Floor Mats as a Fall Protection Device at the Bedside.”** A.K. Doig, and J.M. Morse, Journal of Patient Safety. 6(2):68-75, June 2010.
3. **“Bedside Floor Mats, Risky for Patient Falls,”** American Hospital Association Resource Center Blog, June 24, 2010. <http://aharesourcecenter.wordpress.com/2010/06/24/bedside-floor-mats-risky-for-patient-falls/>

4. **“Staff and Patient Safety: Issues surrounding the use of fall-injury-protection bedside floor mats at a large southeastern VA medical center community living center,”** Human Factors and Ergonomics in Manufacturing & Service Industries, Melville Bradley. Volume 22, Issue 1, Pages 32 – 38, January/February 2012. <http://onlinelibrary.wiley.com/doi/10.1002/hfm.20279/full>

Hip Protectors:

1. **“Effectiveness of hip protectors for preventing hip fractures in elderly people: systematic review.”** British Medical Journal, 332:571, March 2006.
2. **“Efficacy of a Hip Protector to Prevent Hip Fracture in Nursing Home Residents.”** Douglas P. Kiel, MD, MPH, et al. JAMA. 298(4):413-422, July 2007.
3. **“Hip Protector Implementation Toolkit, VISN 8 Patient Safety.”** Tatjana Bulat, MD, et al. May 2010. www.visn8.va.gov

Environmental Design:

1. **“Environmental & Communication Assessment Toolkit,”** Jenifer Brush, Jon Sanford, et al., Health Professional Press, 2012. www.healthpropress.com
2. **“Energize Your Interior Design for Powerful Person-Centered Outcomes,”** Lorraine G. Hiatt, Pioneer Network Annual Conference, Current Session A4, 2012.