



IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER – Governor
RICHARD M. ARMSTRONG – Director

DEBRA RANSOM, R.N., R.H.I.T., Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, ID 83720-0009
PHONE 208-334-6626
FAX 208-364-1888

February 27, 2014

Michael Day, Administrator
Independent Living Services Milclay
P.O. Box 6395
Boise, ID 83711

RE: Independent Living Services Milclay, Provider #13G011

Dear Mr. Day:

This is to advise you of the findings of the Medicaid/Licensure survey of Independent Living Services Milclay, which was conducted on February 26, 2014.

Enclosed is your copy of the Statement of Deficiencies/Plan of Correction Form CMS-2567, which states that no deficiencies were noted at the time of the survey.

Thank you for the courtesies extended to us during our visit. If you have questions, please call this office at (208) 334-6626.

Sincerely,

MONICA NIELSEN
Health Facility Surveyor
Non-Long Term Care

NICOLE WISENOR
Co-Supervisor
Non-Long Term Care

MN/pmt
Enclosures

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/27/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13G011	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2014
NAME OF PROVIDER OR SUPPLIER INDEPENDENT LIVING SERVICES MILCLAY			STREET ADDRESS, CITY, STATE, ZIP CODE 10528 MILCLAY STREET BOISE, ID 83704	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
W 000	<p>INITIAL COMMENTS</p> <p>Independent Living Services Milclay is in compliance with the requirements of 42 CFR 483 Subpart I, Conditions of Participation: Intermediate Care Facilities for Individuals with Intellectual Disabilities. The annual recertification survey was conducted from 2/24/14 to 2/26/14.</p> <p>The survey was conducted by: Monica Nielsen, QIDP, Team Leader Trish O'Hara, RN</p>	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13G011	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2014
--	--	---	--

NAME OF PROVIDER OR SUPPLIER INDEPENDENT LIVING SERVICES MILCLAY	STREET ADDRESS, CITY, STATE, ZIP CODE 10528 MILCLAY STREET BOISE, ID 83704
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	<p>16.03.11 Initial Comments</p> <p>Independent Living Services Milclay is in compliance with the requirements of Idaho Department of Health and Welfare Rules, Title 03, Chapter 11, "Rules Governing Intermediate Care Facilities for the Intellectually Disabled (ICF/ID)." The annual licensure survey was conducted from 2/24/14 to 2/26/14.</p> <p>The survey was conducted by: Monica Nielsen, QIDP, Team Leader Trish O'Hara, RN</p>	M 000		

Bureau of Facility Standards
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____