

Idaho-WITS Training | User: Lindsay, Kym | Loc: ATR Provider, Facility 1 | Client: Grouch, Oscar | 312141770000155 | November 2011 | MedlinePlus | Print View | Logout

The filter you created has been applied to the client list.

Client Search

Agency: ATR Provider | Facility: [Dropdown]
 First Name: [Text] | SSN: [Text] | Client ID: [Text]
 Treatment Staff: [Dropdown] | Provider Client ID: [Text]
 Case Status: All Clients | Primary Care Staff: [Text]
 Other Number: [Text] | Intake Staff: [Dropdown] | Number Type: [Dropdown]
 Include Only Active Consents: Yes [Dropdown] | **Go**

A Client Profile must be created... or chosen before proceeding to the Short Screener

Client List (Export)

Client ID	Full Name	DOB	SSN	Gender	Actions
21120170000026O	Abc, Zoe, Allen	11/20/1970	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
20506170000008O	Back, Holla	5/6/1970	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
20101182000003A	Bailey, Carly	1/1/1982	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
11108187788510O	blow, joe	11/8/1987	522-14-7885	Male	Profile Activity List Delete Record Linked Consents
21106168000016A	Cake, Patty	11/6/1968	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
11104168000002O	Client, Test	11/4/1994	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
10822193000004U	Dinkel, Dusty	8/22/1993	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
20531166000002E	Drugge, Beth	5/31/1966	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
20119158000004A	Duke, Daisy	1/19/1958	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
10531172000006R	Flint, Fred	5/31/1972	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
11225175111106R	Flintstone, Fred	12/25/1975	111-11-1111	Male	Profile Activity List Delete Record Linked Consents
10912185000019M	Fry, Small	9/12/1985	000-00-0000	Male	Profile Activity List Delete Record Linked Consents

Clients with Consents from Outside Agencies

Agency	Client ID	Client Name	DOB	SSN	Gender	Actions
SUD Provider Training Agency	20116166000008E	Me, Help	1/16/1966	000-00-0000	Female	Activity List Link Remove
A Managed Service Contractor	10907175000002E	Thera, Ben	07/1075	000-00-0000	Male	Activity List Link Remove

Idaho-WITS Training | User: Lindsay, Kym | Loc: ATR Provider, Facility 1 | Client: Grouch, Oscar | 312141770000155 | December 2011 | MedlinePlus | Print Report | Print View | Logout

Client Profile for Grouch, Oscar

First Name: Oscar | Middle Name: the | Last Name: Grouch
 Gender: Male | DOB: 12/14/1977 | SSN: 000-00-0000
 Provider Client ID: [Text] | Client ID: 312141770000155 | State Client ID: [Text]
 Record Created By: Lindsay, Kimberlee | Last Updated By: Lindsay, Kym
 Created Date: 10/28/2011 4:11 PM | Last Updated Date: 1/5/2012 1:16 PM
 Driver's License: [Text] | Access Category: [Text]

Access the GAIN Short Screener in the Navigation Pane located on the left side of the window

Save **Finish**

Alternate Names

Last Name	First Name	Middle Name	Actions

Addresses

Address Type	Address	Confidential	Created	Updated	Actions
Client Home	123 Sesame St NYC, ID 12345	No	10/28/2011	10/28/2011	Review Delete



GAIN Short Screener

GAIN Short Screener Scores

Cancel Start ID Scr ED Scr SD Scr CV Scr Scores

Screeners	Items	Past Month (3s)	Past Year (3s, or 2s)	Lifetime (1s, 2s, or 3s)
Internalizing Disorder Screener (IDScr)	1a-1e	2	4	4
Externalizing Disorder Screener (EDScr)	2a-2e	4	5	5
Substance Disorder Screener (SDScr)	3a-3e	4	5	5
Crime/Violence Screener (CVScr)	4a-4e	1	3	5
Total Disorder Screener		11	17	19

GAIN I Recommended

Yes

How would you like to proceed?

I do not want to perform a GAIN I right now.

I want to perform a GAIN I in my agency.

I do not want to perform a GAIN I right now.

I want to refer the client to an outside agency.

After answering all questions in the Short Screener, answer "I do not want to perform a GAIN I right now." when asked how you would like to proceed. Click save.

Back

Save

- Home Page
- Agency
- Group List
- Client List
- Client Profile
- Gain Short Screener
- Eligibility Screener
- Benefit Application
- Linked Consents
- Non-Episode Contact
- Activity List
- Episode List
- System Administration
- My Settings
- Reports
- Support Ticket

The filter you created has been applied to the client list.

Client Search

Agency ATR Provider

First Name

Last Name

DOB

Client ID

Facility

Last Name

DOB

Provider Client ID

Primary Care Staff

Intake Staff

Number Type

This will bring you back to the 'Client Search' page.

To access the GAIN SS report, you must click 'Gain Short Screener' again.

Clear Go

Client List

Client ID	Full Name	DOB	SSN	Gender	Actions
211201700000260	Abc, Zoe, Allen	11/20/1970	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
205061700000080	Back, Holla	5/6/1970	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
20101182000003A	Bailey, Carly	1/1/1982	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
111081877885100	blow, joe	11/8/1987	522-14-7885	Male	Profile Activity List Delete Record Linked Consents
211061680000016A	Cake, Patty	11/6/1968	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
111041680000020E	Client, Test	11/4/1994	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
108221930000004U	Dinkel, Dusty	8/22/1993	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
205311660000002E	Drugge, Beth	5/31/1966	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
201191580000004A	Duke, Daisy	1/19/1958	000-00-0000	Female	Profile Activity List Delete Record Linked Consents
105311720000006R	Flint, Fred	5/31/1972	000-00-0000	Male	Profile Activity List Delete Record Linked Consents
11225175111106R	Flintstone, Fred	12/25/1975	111-11-1111	Male	Profile Activity List Delete Record Linked Consents




GAIN Short Screener

Create

Gain ID: 215 Date: 12/30/2011 1:03:42 PM Screener Name: Lindsay, Kym	Intention: I do not want to perform a GAIN I right now. Refer to Agency: Gain I Status:	GAIN I Recommended Yes
--	---	----------------------------------

Click to expand



GAIN Short Screener

Create

Gain ID: 215 Date: 12/30/2011 1:03:42 PM Screener Name: Lindsay, Kym	Intention: I do not want to perform a GAIN I right now. Refer to Agency: Gain I Status:	GAIN I Recommended Yes		
Screener	Items	Past Month (3s)	Past Year (3s, or 2s)	Lifetime (1s, 2s, or 3s)
Internalizing Disorder Screener (IDScr)	1a-1e	2	4	4
Externalizing Disorder Screener (EDScr)	2a-2e	4	5	5
Substance Disorder Screener (SDScr)	3a-3e	5	5	5
Crime/Violence Screener (CVScr)	4a-4e	0	1	3
Total Disorder Screener		11	15	17

[Edit](#) [Delete](#) [View Report](#)

Click 'View Report'. This will bring up the report in another window, which can then be printed.



Client ID: 31214177000015S

Screening Date: 12/30/2011

Name: Oscar Grouch

Screeener: Lindsay, Kym

Narrative:

Oscar Grouch is a 34 year-old Male, who completed the GAIN - Short Screener (GAIN-SS) on 12/30/2011. Oscar Grouch endorsed 19 out of the 20 lifetime symptoms, including 17 in the past year and 11 in the past month which suggests that Oscar Grouch will probably have a diagnosis on the full GAIN administration.

Below is a summary of Oscar Grouch's scores on the four sub-screeners on the GAIN-SS. The information contained in this report is meant to supplement (not replace) the evaluation of trained professionals. It is recommended that Oscar Grouch review this information with a doctor, counselor or behavioral health specialist prior to taking any other actions in response to this information.

Screener Scores

Internalizing Disorders

On the Internalizing Disorders Screener, Oscar Grouch endorsed 4 out of 5 past year symptoms, placing him in the high severity range.

Oscar Grouch reported the following significant problems in the past month:

- with feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future
- when something reminded him of the past, and he became very distressed and upset

Oscar Grouch reported the following significant problems 2 to 12 months ago:

- with sleeping, such as bad dreams, sleeping restlessly or falling asleep during the day
- with feeling very anxious, nervous, tense, fearful, scared, panicked or like something bad was going to happen

This suggests that Oscar Grouch has a high probability of an internalizing disorder diagnosis, and is likely to need more formal assessment and intervention (either directly or through referral). This may include mental health treatment related to somatic complaints, depression, anxiety, trauma, suicide, and, at extreme levels, more serious mental illness (e.g., bipolar, schizoaffective, schizophrenia). If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., Cognitive Behavioral Therapy (CBT), desensitization) and medication.

Externalizing Disorders

On the Externalizing Disorders Screener, Oscar Grouch endorsed 5 out of 5 past year symptoms, placing him in the high severity range.

Oscar Grouch reported the following significant problems in the past month:

- had a hard time paying attention at school, work, or home
- had a hard time listening to instructions at school, work or home
- was a bully or threatened other people
- started fights with other people

Oscar Grouch reported the following significant problems 2 to 12 months ago:

- lied or conned to get things he wanted or to avoid having to do something

This suggests that Oscar Grouch has a high probability of an externalizing disorder diagnosis, and is likely to need more formal assessment and intervention (either directly or through referral). This may include mental health treatment related to attention deficits, hyperactivity, impulsivity, conduct problems, and, in rarer cases, for gambling or other impulse control disorders. These rates are highest among adolescents but still common in about 1 in 5 adults in substance abuse treatment. If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., Cognitive Behavioral Therapy (CBT), Contingency Management (CM), Dialectical Behavior Therapy (DBT), Multi-Systematic Therapy (MST)), increased structure in the environment, contingency management, and medications.

Substance Use Disorders

On the Substance Use Disorders Screener, Oscar Grouch endorsed 5 out of 5 past year symptoms, placing him in the high severity range.

Oscar Grouch reported the following significant problems in the past month:

- used alcohol or drugs weekly
- spent a lot of time either getting alcohol or drugs, using alcohol or drugs, or feeling the effects of alcohol or drugs
- kept using alcohol or drugs even though it was causing social problems, leading to fights, or getting him into trouble with other people
- use of alcohol or drugs caused him to give up, reduce or have problems at important activities at work, school, home or social events

Oscar Grouch reported the following significant problems 2 to 12 months ago:

- he had withdrawal problems from alcohol or drugs like shaking hands, throwing up, having trouble sitting still or sleeping, or that he used any alcohol or drugs to stop being sick or avoid withdrawal problems

This suggests that Oscar Grouch has a high probability of a substance use disorder diagnosis, and is likely to need more formal assessment and intervention (either directly or through referral). This may include substance abuse, dependence, and substance use disorder treatment and, in more extreme cases, the need for detoxification or maintenance services. If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., Cognitive Behavioral Therapy (CBT), Motivational Interviewing (MI), Contingency Management (CM), Community Reinforcement, Functional Family Therapy) and medications for the management of withdrawal, maintenance, and craving reduction.

Crime/Violence Problems

On the Crime and Violence Screener, Oscar Grouch endorsed 5 out of 5 past year symptoms, placing him in the high severity range.

Oscar Grouch reported the following significant problems in the past month:

- purposely damaged or destroyed property that did not belong to him

Oscar Grouch reported the following significant problems 2 to 12 months ago:

- had a disagreement in which he pushed, grabbed or shoved someone
- took something from a store without paying for it

Oscar Grouch reported the following significant problems more than one year ago:

- sold, distributed or helped to make illegal drugs
- drove a vehicle while under the influence of alcohol or illegal drugs

This suggests that Oscar Grouch has a high probability of a crime/violence problem, and is likely to need more formal assessment and intervention (either directly or through referral). This may include help with interpersonal violence, drug-related crimes, property crimes, and, in more extreme cases, interpersonal/violent crimes. If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., Cognitive Behavioral Therapy (CBT), Motivational Interviewing (MI), Contingency Management (CM), Cognitive Restructuring; Multi-Systemic Therapy (MST)) and medications to control impulsive violence and co-occurring problems.

Summary

During the past year Oscar Grouch was in the high severity range on internalizing disorders; the high severity range on externalizing disorders; the high range for substance use disorders; and the high range on the crime/violence sub-screener. Given Oscar Grouch's self-reported information, the following is recommended:

- evaluation by a mental health service provider
- evaluation by a substance abuse service provider
- evaluation for anger management or legal services

Intention:

No further action will be taken at this time.

Profile

The table shows Oscar Grouch's scores for each of the four sub-screeners and for the total screener. Note that each timeframe is calculated separately. The past-month, past-year, and lifetime symptom counts are determined by adding the number 3s for past month, the number of 3s and 2s for past year problems, and the number of 1s, 2s and 3s for problems that have occurred anytime over the life span.

GAIN-SS Scoring Table

Screener	Items	Past Month (3s)	Past Year (3s, 2s)	Lifetime (1s, 2s or 3s)
Internalizing Disorder Moderate/high scores suggest the need for mental health treatment related to somatic complaints, depression, anxiety, trauma, suicide, and, at extreme levels, more serious mental illness (e.g., bipolar, schizoaffective, schizophrenia). If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., Cognitive Behavioral Treatment (CBT), desensitization) and medication.	1a - e	2	4	4
Externalizing Disorder Screener Moderate/high scores suggest the need for mental health treatment related to attention deficits, hyperactivity, impulsivity, conduct problems, and, in rarer cases, for gambling or other impulse control disorders. These rates are highest among adolescents but still common in about 1 in 5 adults in substance abuse treatment. If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., CBT, contingency management (CM), Dialectical Behavior Therapy (DBT), Multi-Systemic Therapy (MST)), increased structure in the environment, contingency management, and medications.	2a - e	4	5	5
Substance Disorder Screener Moderate/high scores suggest the need for substance abuse, dependence, and substance use disorder treatment and, in more extreme cases, the need for detoxification or maintenance services. If confirmed by a clinician, typical treatments often include a combination of counseling (e.g., CBT, Motivational Interviewing (MI), CM, Community Reinforcement, Functional Family Therapy) and medications for the management of withdrawal, maintenance, and craving reduction.	3a - e	4	5	5
Crime/Violence Disorder Screener Moderate/high scores on the Crime/Violence Screener (CVSscr) suggest the need for help with interpersonal violence, drug-related crimes, property crimes, and, in more extreme cases, interpersonal/violent crimes. If confirmed by a clinician, typical treatments include a combination of counseling (e.g., Anger Replacement Therapy (ART), CBT, MI, CM, Cognitive Restructuring; MST) and medications to control impulsive violence and co-occurring problems.	4a - e	1	3	5
Total Disorder Screener	1a - 4e	11	17	19

Disclaimer:

The GAIN-Short Screener is designed to serve as a screener in general populations to quickly and accurately identify individuals whom the full 1.5 to 2-hour GAIN-Initial would identify as having 1 or more behavioral health disorders (e.g., internalizing or externalizing psychiatric disorders, substance use disorders, or crime/violence problems), which would suggest the need for referral to some part of the behavioral health treatment system. It also rules out those who would not be identified as having behavioral health disorders. The information contained in this report is meant to supplement (not replace) the evaluation of a trained professional. It is recommended that this information be reviewed by a psychiatrist, psychologist, counselor or behavioral health specialist prior to taking any action in response to this information.