

# **INDUCED ABORTION DATA SUMMARY**

## **IDAHO**

**Induced Abortions Occurring in Idaho and  
Induced Abortions to Idaho Residents**

**2001-2011**

**Bureau of Vital Records and Health Statistics  
Division of Public Health  
Idaho Department of Health and Welfare**

**February 2013**

# TABLE OF CONTENTS

	<u>Page</u>
Purpose and data sources .....	1

## **Induced Abortions Occurring in Idaho**

Definition, limitations, and summary .....	2
District and county of occurrence, 2001-2011 (Table 1) .....	4
Selected demographic characteristics, 2001-2011 (Table 2A) .....	5
Selected demographic characteristics (percent), 2001-2011 (Table 2B) .....	6
Idaho residence status, 2001-2011 (Graph 1) .....	7
Marital status, 2001-2011 (Graph 2) .....	7
Age, 2001-2011 (Graph 3) .....	8
Number of previous abortions, 2001-2011 (Graph 4) .....	8
Procedure characteristics, 2001-2011 (Table 3A) .....	9
Procedure characteristics (percent), 2001-2011 (Table 3B) .....	10
Termination procedure by length of gestation, three-year total, 2009-2011 (Table 4) .....	11
Length of gestation, three-year total, 2009-2011 (Graph 5) .....	11
Age by length of gestation, three-year total, 2009-2011 (Table 5) .....	12
Age by length of gestation, three-year total, 2009-2011 (Graph 6) .....	12
Age by marital status, three-year total, 2009-2011 (Table 6) .....	13
Age by marital status, three-year total, 2009-2011 (Graph 7) .....	13
Age by number of previous induced abortions, three-year total, 2009-2011 (Table 7) .....	14
Age by number of previous induced abortions, three-year total, 2009-2011 (Graph 8) .....	14
Patient educational materials provided, 1998-2011 (Table 8) .....	15
Informed consent, aged <18, 2011 (Table 9) .....	15

## **Induced Abortions to Idaho Residents**

Definition, limitations, and summary .....	16
District and county of residence, 2001-2011 (Table 10A) .....	18
District and county of residence, (rates) 2001-2011 (Table 10B) .....	19
State of occurrence, 2001-2011 (Table 11) .....	20
Occurring in Idaho and out of state, 2001-2011 (Graph 9) .....	20
Age, abortion rate, and abortion ratio, 2001-2011 (Table 12) .....	21
Termination procedure by length of gestation, three-year total, 2009-2011 (Table 13) .....	22
Length of gestation, three-year total, 2009-2011 (Graph 10) .....	22

## **Appendix**

Counties comprising Idaho public health districts .....	23
---	----

## **INDUCED ABORTION SUMMARY REPORT**

### **Purpose**

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho, regardless of residence, and data regarding abortions to Idaho residents, regardless of state of procedure, for the years 2001 - 2011.

### **Data Sources**

Idaho data are from Idaho induced termination records and out-of-state abortion records for Idahoans who have a procedure out of state. Numbers of abortions, rates, and ratios are from the Idaho Bureau of Vital Records and Health Statistics, Idaho Department of Health and Welfare. For more information, please contact the bureau at (208) 334-6658.

## INDUCED ABORTIONS OCCURRING IN IDAHO

### **Definition**

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

### **Limitations**

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

### **Summary**

From 2001 to 2011, the number of induced abortions occurring in Idaho increased 95.1 percent from 738 in 2001 to 1,440 in 2011. During the time period, there were a total of 13,312 abortions in Idaho. The majority occurred in Ada County (12,451, 93.5 percent) and Twin Falls County (423, 3.2 percent).

In the past year, induced abortions occurring in Idaho decreased 4.6 percent from 1,510 in 2010 to 1,440 in 2011. In 2011, induced abortion procedures occurred in three counties; Ada County (1,240), Twin Falls County (199), and Madison County (1). Ada County reported a 9.5 percent decrease of abortions from 2010 to 2011. The number in Twin Falls County increased 42.1 percent from 140 in 2010 to 199 in 2011.

### **Age:**

From 2010 to 2011, the number of abortions decreased in all age groups except 30-34 and 40-44 year olds. The number of abortions in the 15-19 age group decreased 15.9 percent and accounted for 14.4 percent of the abortions in Idaho in 2011. The age group with the highest percent change was the 40-44 age group (32.5 percent increase); however, this age group made up a small overall proportion of abortions (3.7 percent) in 2011. The number of abortions to women aged 20 to 24 accounted for the highest percentage of abortions in 2011 (33.0 percent) with 475 abortions.

### **Residency Status:**

Idaho residents accounted for 95.3 percent of abortions occurring in Idaho and non-residents accounted for 4.7 percent in 2011. The number of abortions occurring in Idaho to Idaho residents decreased 4.4 percent in 2011, from 1,435 in 2010 to 1,372 in 2011. The number of abortions occurring to non-Idaho residents decreased 9.3 percent from 75 in 2010 to 68 in 2011.

**Marital Status:**

The number of abortions occurring to married women decreased less than one percent in 2011, from 227 in 2010 to 226 in 2011. The number of abortions occurring to unmarried women declined 5.8 percent in 2011, from 1,283 in 2010 to 1,209 in 2011.

**Race:**

There was a decrease in the number of abortions occurring to whites (5.4 percent), Asians (6.7 percent), Blacks (27.3 percent), and American Indians (62.5 percent) and from 2010 to 2011. The number of abortions among Other race, which includes more than one race, increased 21.9 percent from 2010 to 2011.

**Ethnicity:**

The number of abortions occurring to Hispanics decreased 20.7 percent in 2011, from 246 in 2010 to 195 in 2011. The number of abortions occurring to non-Hispanics decreased 1.0 percent in 2011, from 1,242 in 2010 to 1,230 in 2011. The number of abortions to Hispanic women accounted for 14.1 percent in 2009, 16.5 percent in 2010, and 13.7 percent in 2011.

**Table 1**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence**  
**2001-2011**

PLACE OF OCCURRENCE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IN IDAHO</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>	<b>1,442</b>	<b>1,481</b>	<b>1,650</b>	<b>1,510</b>	<b>1,440</b>
District 1	-	-	-	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	652	756	838	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240
District 5	32	10	24	25	18	-	-	8	76	140	199
District 6	53	63	49	65	63	31	1	-	-	-	-
District 7	1	-	-	-	-	-	-	-	2	-	1
Ada	652	756	838	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	53	63	49	65	63	31	1	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	32	10	24	25	18	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	1	-	-	-	-	-	-	-	2	-	1
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	-	-	-	8	76	140	199
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2A  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Selected Demographic Characteristics  
2001-2011**

DEMOGRAPHIC CHARACTERISTICS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IN IDAHO</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>	<b>1,442</b>	<b>1,481</b>	<b>1,650</b>	<b>1,510</b>	<b>1,440</b>
Age:											
10-14	4	4	3	2	6	8	5	3	6	6	6
15-19	168	176	178	189	208	257	290	274	283	246	207
15-17	54	66	47	68	73	113	99	80	85	75	54
18-19	114	110	131	121	135	144	191	194	198	171	153
20-24	220	259	304	302	330	398	475	511	562	509	475
25-29	145	171	171	191	267	268	318	317	353	335	329
30-34	95	110	137	151	138	162	178	211	229	251	252
35-39	71	73	74	95	107	112	122	118	143	121	115
40-44	29	35	43	32	41	42	51	42	72	40	53
45+	5	1	1	1	2	1	3	5	2	2	2
Not stated	1	-	-	-	-	1	-	-	-	-	1
Idaho residence status:											
Resident	712	800	871	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372
Non-resident	26	29	40	35	34	34	52	42	67	75	68
Marital status:											
Married	168	178	238	184	219	256	309	269	318	227	226
Not married	569	650	671	778	878	993	1,132	1,210	1,331	1,283	1,209
Not stated	1	1	2	1	2	-	1	2	1	-	5
Previous induced abortions:											
None	597	627	691	725	856	976	1,104	1,078	1,174	1,055	1,007
1	96	149	159	182	177	199	272	311	347	331	317
2	29	39	38	39	46	48	47	64	89	85	75
3+	14	12	16	13	15	19	17	28	38	39	32
Not stated	2	2	7	4	5	7	2	-	2	-	9
Race											
White	679	769	845	894	1,018	1,133	1,288	1,358	1,500	1,315	1,244
Black	13	15	11	17	16	14	23	14	22	22	16
American Indian	17	7	10	11	19	25	17	18	20	24	9
Asian/Pacific Islander	24	32	32	32	35	38	41	48	50	45	42
Other	1	2	-	3	1	3	11	34	39	32	39
Race not stated	4	4	13	6	10	36	62	9	19	72	90
Ethnicity*											
Hispanic	92	90	110	115	133	136	140	151	231	246	195
Non-Hispanic	641	736	785	838	959	1,104	1,281	1,319	1,406	1,242	1,230
Ethnicity not stated	5	3	16	10	7	9	21	11	13	22	15

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2B  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Selected Demographic Characteristics (Percent)  
2001-2011**

DEMOGRAPHIC CHARACTERISTICS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IN IDAHO</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>	<b>1,442</b>	<b>1,481</b>	<b>1,650</b>	<b>1,510</b>	<b>1,440</b>
Age:											
10-14	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%	0.3%	0.2%	0.4%	0.4%	0.4%
15-19	22.8	21.2	19.5	19.6	18.9	20.6	20.1	18.5	17.2	16.3	14.4
15-17	7.3	8.0	5.2	7.1	6.6	9.1	6.9	5.4	5.2	5.0	3.8
18-19	15.5	13.3	14.4	12.6	12.3	11.5	13.2	13.1	12.0	11.3	10.6
20-24	29.9	31.2	33.4	31.4	30.0	31.9	32.9	34.5	34.1	33.7	33.0
25-29	19.7	20.6	18.8	19.8	24.3	21.5	22.1	21.4	21.4	22.2	22.9
30-34	12.9	13.3	15.0	15.7	12.6	13.0	12.3	14.2	13.9	16.6	17.5
35-39	9.6	8.8	8.1	9.9	9.7	9.0	8.5	8.0	8.7	8.0	8.0
40-44	3.9	4.2	4.7	3.3	3.7	3.4	3.5	2.8	4.4	2.6	3.7
45+	0.7	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%	96.4%	97.2%	95.9%	95.0%	95.3%
Non-resident	3.5	3.5	4.4	3.6	3.1	2.7	3.6	2.8	4.1	5.0	4.7
Marital status:											
Married	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%	21.4%	18.2%	19.3%	15.0%	15.7%
Not married	77.2	78.5	73.8	80.9	80.0	79.5	78.6	81.8	80.7	85.0	84.3
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%	76.7%	72.8%	71.2%	69.9%	70.4%
1	13.0	18.0	17.6	19.0	16.2	16.0	18.9	21.0	21.1	21.9	22.2
2	3.9	4.7	4.2	4.1	4.2	3.9	3.3	4.3	5.4	5.6	5.2
3+	1.9	1.5	1.8	1.4	1.4	1.5	1.2	1.9	2.3	2.6	2.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%	93.3%	92.3%	92.0%	91.4%	92.1%
Black	1.8	1.8	1.2	1.8	1.5	1.2	1.7	1.0	1.3	1.5	1.2
American Indian	2.3	0.8	1.1	1.1	1.7	2.1	1.2	1.2	1.2	1.7	0.7
Asian/Pacific Islander	3.3	3.9	3.6	3.3	3.2	3.1	3.0	3.3	3.1	3.1	3.1
Other	0.1	0.2	-	0.3	0.1	0.2	0.8	2.3	2.4	2.2	2.9
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	12.6%	10.9%	12.3%	12.1%	12.2%	11.0%	9.9%	10.3%	14.1%	16.5%	13.7%
Non-Hispanic	87.4	89.1	87.7	87.9	87.8	89.0	90.1	89.7	85.9	83.5	86.3
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 1  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Idaho Residence Status  
2001-2011**




**Graph 2  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Marital Status  
2001-2011**



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 3  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Age  
2001-2011**



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

**Graph 4  
INDUCED ABORTIONS OCCURRING IN IDAHO  
Number of Previous Abortions  
2001-2011**



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3A**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Weeks of Gestation and Primary Termination Procedure**  
**2001-2011**

PROCEDURE CHARACTERISTICS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IN IDAHO</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>	<b>1,442</b>	<b>1,481</b>	<b>1,650</b>	<b>1,510</b>	<b>1,440</b>
Weeks of gestation: <sup>1</sup>											
<9	488	501	540	585	645	804	926	997	1,056	994	887
9-10	153	211	236	238	303	258	256	275	309	282	300
11-12	74	87	103	111	118	135	187	135	199	163	174
13-15	12	18	13	18	15	37	53	62	65	59	69
16-20	6	8	12	6	13	8	11	8	14	6	6
21-24	1	2	3	5	4	3	5	3	5	5	2
25+	2	1	1	-	1	2	-	-	1	1	-
Not stated	2	1	3	-	-	2	4	1	1	-	2
Termination procedure: <sup>2</sup>											
Suction curettage	724	823	895	952	967	1,035	1,129	1,043	1,068	995	932
Medical (nonsurgical)	7	2	10	3	117	198	293	423	556	504	499
Dilation and evacuation (D&E)	1	1	3	1	3	7	12	7	13	6	4
Intra-uterine instillation (saline / prostaglandin)	2	2	1	4	4	3	2	1	1	1	1
Sharp curettage (D&C)	3	-	-	2	4	3	2	4	5	2	2
Hysterotomy / Hysterectomy	-	1	-	-	-	-	-	-	1	-	-
Other	-	-	1	1	4	3	4	3	6	2	2
Not stated	1	-	1	-	-	-	-	-	-	-	-

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table are based on the clinical estimated length of gestation, and are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3B**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Weeks of Gestation and Primary Termination Procedure (Percent)**  
**2001-2011**

PROCEDURE CHARACTERISTICS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IN IDAHO</b>	<b>738</b>	<b>829</b>	<b>911</b>	<b>963</b>	<b>1,099</b>	<b>1,249</b>	<b>1,442</b>	<b>1,481</b>	<b>1,650</b>	<b>1,510</b>	<b>1,440</b>
Weeks of gestation: <sup>1</sup>											
<9	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%	64.4%	67.4%	64.0%	65.8%	61.7%
9-10	20.8	25.5	26.0	24.7	27.6	20.7	17.8	18.6	18.7	18.7	20.9
11-12	10.1	10.5	11.3	11.5	10.7	10.8	13.0	9.1	12.1	10.8	12.1
13-15	1.6	2.2	1.4	1.9	1.4	3.0	3.7	4.2	3.9	3.9	4.8
16-20	0.8	1.0	1.3	0.6	1.2	0.6	0.8	0.5	0.8	0.4	0.4
21-24	0.1	0.2	0.3	0.5	0.4	0.2	0.3	0.2	0.3	0.3	0.1
25+	0.3	0.1	0.1	-	0.1	0.2	-	-	0.1	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: <sup>2</sup>											
Suction curettage	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%	78.3%	70.4%	64.7%	65.9%	64.7%
Medical (nonsurgical)	0.9	0.2	1.1	0.3	10.6	15.9	20.3	28.6	33.7	33.4	34.7
Dilation and evacuation (D&E)	0.1	0.1	0.3	0.1	0.3	0.6	0.8	0.5	0.8	0.4	0.3
Intra-uterine instillation (saline / prostaglandin)	0.3	0.2	0.1	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1
Sharp curettage (D&C)	0.4	-	-	0.2	0.4	0.2	0.1	0.3	0.3	0.1	0.1
Hysterotomy / Hysterectomy	-	0.1	-	-	-	-	-	-	0.1	-	-
Other	-	-	0.1	0.1	0.4	0.2	0.3	0.2	0.4	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table based on the clinical estimated length of gestation are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.


NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 4**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure by Clinical Estimated Length of Gestation\***  
**Three-Year Total, 2009-2011**

TERMINATION PROCEDURE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>4,600</b>	<b>2,937</b>	<b>891</b>	<b>536</b>	<b>193</b>	<b>26</b>	<b>12</b>	<b>2</b>	<b>3</b>
Suction curettage	2,995	1,425	859	530	179	-	-	-	2
Medical (nonsurgical)	1,559	1,509	32	3	-	10	3	1	1
Dilation and evacuation (D&E)	23	-	-	1	11	11	-	-	-
Intra-uterine instillation (saline / prostaglandin)	3	-	-	-	-	2	1	-	-
Sharp curettage (D&C)	9	3	-	2	3	1	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	10	-	-	-	-	2	8	-	-
Not stated	-	-	-	-	-	-	-	-	-

**Graph 5**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Length of Gestation\***  
**Three-Year Total, 2009-2011**



Percentages are based on records with known data for length of gestation.

\*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Dash (-) represents zero.

**Table 5**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Clinical Estimated Length of Gestation\***  
**Three-Year Total, 2009-2011**

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>4,600</b>	<b>2,937</b>	<b>891</b>	<b>536</b>	<b>193</b>	<b>26</b>	<b>12</b>	<b>2</b>	<b>3</b>
10-14	18	7	7	2	2	-	-	-	-
15-19	736	428	162	105	38	2	1	-	-
15-17	214	112	49	42	10	1	-	-	-
18-19	522	316	113	63	28	1	1	-	-
20-24	1,546	966	312	181	76	7	4	-	-
25-29	1,017	673	178	124	36	4	1	-	1
30-34	732	496	135	68	19	7	4	2	1
35-39	379	243	71	40	18	4	2	-	1
40-44	165	120	24	16	3	2	-	-	-
45+	6	4	1	-	1	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-

Dash (-) represents zero.

**Graph 6**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Clinical Estimated Length of Gestation\***  
**Three-Year Total, 2009-2011**



\*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information).


**Table 6**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Marital Status**  
**Three-Year Total, 2009-2011**

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
<b>TOTAL IN IDAHO</b>	<b>4,600</b>	<b>3,823</b>	<b>771</b>	<b>6</b>
10-14	18	18	-	-
15-19	736	709	25	2
15-17	214	211	3	-
18-19	522	498	22	2
20-24	1,546	1,370	174	2
25-29	1,017	829	187	1
30-34	732	534	198	-
35-39	379	251	127	1
40-44	165	107	58	-
45+	6	4	2	-
Not stated	1	1	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 7**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Marital Status**  
**Three-Year Total, 2009-2011**




**Table 7**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Number of Previous Induced Abortions**  
**Three-Year Total, 2009-2011**

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
<b>TOTAL IN IDAHO</b>	<b>4,600</b>	<b>3,236</b>	<b>995</b>	<b>249</b>	<b>109</b>	<b>11</b>
10-14	18	17	1	-	-	-
15-19	736	674	54	8	-	-
15-17	214	207	6	1	-	-
18-19	522	467	48	7	-	-
20-24	1,546	1,106	353	57	25	5
25-29	1,017	662	243	80	31	1
30-34	732	447	183	64	35	3
35-39	379	236	104	27	11	1
40-44	165	89	56	13	7	-
45+	6	5	1	-	-	-
Not stated	1	-	-	-	-	1

Dash (-) represents zero.

**Graph 8**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age by Number of Previous Induced Abortions**  
**Three-Year Total, 2009-2011**



**Table 8**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Patient Educational Materials Provided**  
**1998-2011**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**Table 9**  
**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Informed Consent\*, Aged Under 18**  
**2011**

Total Abortions Aged <18	60
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	58
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	2
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	-
Unknown	-

\* Data on Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007. Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

## **INDUCED ABORTIONS TO IDAHO RESIDENTS 2001 - 2011**

### **Definition**

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

### **Limitations**

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2011, there were four out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

### **Summary 2001 to 2011**

From 2001 to 2011, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 2,348 in 2009. There were a total of 20,718 abortions to Idaho residents from 2001 to 2011, for an average of 1,883 abortions per year. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 2001 to 2011, 12,810 abortions to residents occurred in Idaho (61.8 percent). Of the 7,908 abortions to Idaho residents which occurred out of state, most occurred in Washington (5,688 abortions or 71.9 percent of out-of-state abortions).

Overall, the number of abortions to Idaho residents increased by 532 (36.1 percent) from 1,473 in 2001 to 2,005 in 2011. The abortion rate per 1,000 females aged 15-44 increased 25.1 percent from 5.2 in 2001 to 6.5 per 1,000 females in 2011. The abortion ratio per 1,000 live births increased 26.2 percent from 71.2 per 1,000 live births in 2001 to 89.9 per 1,000 live births in 2011.

## **INDUCED ABORTIONS TO IDAHO RESIDENTS 2011**

### **Summary 2010 to 2011**

From 2010 to 2011, the number of abortions to Idaho residents decreased by 118 (5.6 percent) from 2,123 in 2010 to 2,005 in 2011. Overall, the Idaho resident abortion rate decreased 6.3 percent from 6.9 per 1,000 females aged 15-44 to 6.5 in 2011. The abortion ratio per 1,000 live births decreased 1.8 percent from 91.5 abortions per 1,000 live births in 2010 to 89.9 abortions per 1,000 live births in 2011.

### **District of Residence:**

From 2010 to 2011, the number of abortions decreased for residents in Districts 1, 3, 4, 5, and 7. Districts 1 and 7 saw the highest decrease in the number of abortions to residents (19.5 and 11.9 percent declines, respectively). District 5 had a 1.8 percent decrease in the number of abortions among residents, for the lowest decrease among the districts. District 6 had less than one percent increase and District 2 had a 27.0 percent increase in the number of abortions among residents. The abortion rate decreased for all districts except District 2, with the greatest decreases among District 1 and 7 residents (19.7, and 13.0 percent declines, respectively). The abortion rate among District 2 residents increased 25.9 percent from 6.3 abortions per 1,000 females aged 15-44 to 7.9 abortions per 1,000 females aged 15-44. Overall in 2011, District 7 had the lowest abortion rate with 2.2 and District 4 had the highest abortion rate with 8.9 abortions per 1,000 females aged 15-44.

### **In Idaho:**

The number of induced abortions occurring to Idaho residents in Idaho decreased 4.4 percent in 2011, from 1,435 in 2010 to 1,372 in 2011.

### **Out-of-State:**

The number of induced abortions occurring to Idaho residents in another state decreased 8.0 percent, from 688 in 2010 to 633 in 2011. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington in 2011 (64.8 percent), although between 2010 and 2011 there was a 6.4 percent decrease in the number of abortions occurring in Washington (438 in 2010 compared with 410 in 2011).

Between 2010 and 2011, there was a 5.7 percent decrease in the number of Idaho resident abortions occurring in Montana and a 24.6 percent decrease in abortions in Utah. The number of abortions in Oregon to Idahoans was 31 in 2010, compared with 30 in 2011.

**Table 10A**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Number by District and County of Residence**  
**2001-2011**

RESIDENCE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IDAHO RESIDENT</b>	<b>1,473</b>	<b>1,493</b>	<b>1,620</b>	<b>1,618</b>	<b>1,827</b>	<b>1,919</b>	<b>2,160</b>	<b>2,132</b>	<b>2,348</b>	<b>2,123</b>	<b>2,005</b>
District 1	428	391	395	357	423	371	364	365	346	333	268
District 2	174	158	187	172	161	158	170	133	138	126	160
District 3	149	157	191	183	192	265	294	324	408	326	312
District 4	505	558	603	625	744	840	909	921	894	851	794
District 5	91	91	124	147	150	142	200	196	273	226	222
District 6	61	70	62	83	91	78	132	105	164	152	153
District 7	65	68	58	51	66	65	91	88	125	109	96
Ada	471	526	571	586	703	775	840	862	837	786	735
Adams	3	2	3	1	2	5	1	4	7	-	2
Bannock	40	46	40	63	58	57	97	74	120	111	88
Bear Lake	2	1	2	1	-	3	-	1	1	3	2
Benewah	13	13	11	13	12	8	15	15	17	11	12
Bingham	11	11	10	12	21	10	23	18	30	25	46
Blaine	42	35	51	61	54	41	46	43	47	39	42
Boise	4	4	1	-	3	8	3	7	7	9	8
Bonner	82	68	57	55	62	59	64	59	35	55	38
Bonneville	38	45	38	33	40	38	62	59	88	75	65
Boundary	7	7	10	9	14	8	7	6	13	7	6
Butte	-	1	2	1	1	-	1	-	1	-	1
Camas	-	-	-	-	-	1	-	-	1	-	2
Canyon	127	131	160	150	161	214	248	267	336	264	271
Caribou	1	1	3	1	1	-	3	4	4	3	3
Cassia	7	-	6	7	9	9	11	14	17	18	17
Clark	-	1	-	-	1	-	1	-	-	-	-
Clearwater	8	10	7	7	8	2	5	7	7	4	7
Custer	4	4	4	3	3	1	2	4	6	3	1
Elmore	17	22	21	23	25	31	46	34	37	43	39
Franklin	4	-	3	3	5	3	2	3	3	4	1
Fremont	2	2	2	2	5	3	4	4	5	1	5
Gem	4	11	8	6	9	15	11	18	14	13	9
Gooding	2	7	7	7	5	10	18	19	31	23	13
Idaho	13	9	12	5	5	6	9	10	8	8	8
Jefferson	5	3	2	2	4	5	4	3	9	12	8
Jerome	7	8	9	13	14	14	18	21	27	15	26
Kootenai	308	281	295	260	313	277	265	266	262	248	192
Latah	73	83	100	73	79	66	76	59	56	59	64
Lemhi	10	6	10	6	6	11	9	9	5	5	5
Lewis	6	5	6	7	4	7	6	5	4	2	3
Lincoln	-	-	1	6	4	4	5	3	2	6	4
Madison	3	3	-	3	3	2	2	3	5	3	6
Minidoka	5	7	10	9	6	5	15	9	14	20	13
Nez Perce	74	51	62	80	65	77	74	52	63	53	78
Oneida	-	2	1	2	1	1	2	-	1	1	2
Owyhee	1	3	4	8	7	3	6	10	10	12	7
Payette	13	5	12	14	10	22	24	18	28	31	18
Power	3	8	1	-	4	4	4	5	4	5	10
Shoshone	18	22	22	20	22	19	13	19	19	12	20
Teton	3	4	2	2	4	5	7	6	7	10	6
Twin Falls	28	34	40	44	58	58	87	87	134	105	105
Valley	13	6	10	16	13	26	20	18	13	13	12
Washington	1	5	4	4	3	6	4	7	13	6	5

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 10B**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Rate by District and County of Residence**  
**2001-2011**

RESIDENCE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL</b>	<b>5.2</b>	<b>5.3</b>	<b>5.6</b>	<b>5.5</b>	<b>6.1</b>	<b>6.4</b>	<b>7.2</b>	<b>7.1</b>	<b>7.7</b>	<b>6.9</b>	<b>6.5</b>
District 1	12.0	10.9	10.8	9.4	10.8	9.4	9.3	9.2	9.0	8.9	7.2
District 2	8.3	7.7	9.2	8.4	7.8	8.1	8.5	6.9	6.7	6.3	7.9
District 3	3.6	3.6	4.3	4.0	4.0	5.3	5.9	6.5	8.3	6.6	6.3
District 4	6.3	6.9	7.5	7.7	8.9	9.9	10.5	10.6	9.9	9.6	8.9
District 5	2.8	2.8	3.8	4.4	4.5	4.3	6.2	6.1	8.4	6.6	6.5
District 6	1.8	2.1	1.9	2.5	2.7	2.4	4.0	3.2	4.9	4.6	4.6
District 7	1.8	1.8	1.5	1.3	1.7	1.7	2.3	2.1	2.9	2.5	2.2
Ada	6.6	7.3	8.0	8.1	9.4	10.2	10.8	11.0	10.3	9.7	9.0
Adams	5.4	3.6	5.3	1.7	3.3	8.8	1.7	7.2	13.8	-	3.8
Bannock	2.3	2.7	2.4	3.7	3.3	3.4	5.7	4.4	6.6	6.4	4.9
Bear Lake	1.7	0.9	1.7	0.9	-	2.8	-	1.0	1.1	3.2	2.1
Benewah	8.0	8.2	7.0	8.3	7.6	5.0	9.7	9.8	12.0	7.7	8.8
Bingham	1.3	1.3	1.1	1.3	2.3	1.1	2.7	2.1	3.7	2.9	5.3
Blaine	10.2	8.4	12.3	14.8	13.4	10.5	12.3	11.6	12.2	10.5	11.5
Boise	3.1	3.0	0.7	-	2.2	5.7	2.2	5.3	5.9	9.8	8.6
Bonner	11.9	9.6	7.9	7.5	8.3	7.9	8.9	8.2	5.2	8.8	6.1
Bonneville	2.2	2.5	2.1	1.8	2.1	2.0	3.2	3.0	4.4	3.7	3.2
Boundary	3.9	3.8	5.4	4.7	7.3	4.2	3.7	3.2	7.6	4.1	3.6
Butte	-	2.0	4.2	2.1	2.2	-	2.3	-	2.6	-	2.4
Camas	-	-	-	-	-	4.3	-	-	4.6	-	10.8
Canyon	4.2	4.1	4.8	4.3	4.4	5.6	6.5	6.9	8.8	6.8	7.0
Caribou	0.7	0.7	2.2	0.7	0.8	-	2.5	3.4	3.5	2.7	2.7
Cassia	1.7	-	1.5	1.7	2.2	2.3	2.9	3.7	4.6	4.3	4.1
Clark	-	5.3	-	-	5.6	-	5.8	-	-	-	-
Clearwater	5.8	7.6	5.5	5.6	6.6	1.7	4.4	6.5	7.4	3.6	6.6
Custer	5.4	5.6	5.8	4.3	4.5	1.5	3.1	6.2	9.9	4.9	1.7
Elmore	2.7	3.5	3.4	3.9	4.4	5.8	8.4	6.3	5.8	7.7	7.2
Franklin	1.7	-	1.3	1.2	2.0	1.2	0.9	1.3	1.3	1.7	0.4
Fremont	0.9	0.9	0.9	0.9	2.3	1.4	1.8	1.8	2.3	0.4	2.2
Gem	1.4	3.7	2.7	1.9	2.8	4.7	3.6	6.0	5.2	4.8	3.4
Gooding	0.8	2.7	2.7	2.7	2.0	4.1	7.4	7.8	13.3	8.5	4.9
Idaho	5.1	3.6	4.9	2.0	2.0	2.5	3.9	4.4	4.0	3.7	3.7
Jefferson	1.3	0.7	0.5	0.5	0.9	1.1	0.9	0.6	2.0	2.4	1.6
Jerome	1.9	2.2	2.5	3.5	3.7	3.7	4.9	5.7	7.1	3.5	6.1
Kootenai	13.4	12.1	12.3	10.4	12.0	10.5	10.0	9.9	9.9	9.6	7.4
Latah	8.2	9.4	11.5	8.5	8.9	8.0	8.8	7.0	5.8	6.5	6.9
Lemhi	7.7	4.5	7.5	4.4	4.4	8.2	7.1	7.0	4.5	4.7	4.7
Lewis	9.9	8.2	9.8	11.7	6.8	12.0	11.2	9.1	7.5	3.9	5.7
Lincoln	-	-	1.2	6.8	4.3	4.3	5.8	3.5	2.4	6.2	4.2
Madison	0.3	0.3	-	0.3	0.3	0.2	0.2	0.3	0.4	0.3	0.5
Minidoka	1.3	1.8	2.7	2.4	1.7	1.4	4.6	2.7	4.3	5.8	3.7
Nez Perce	9.9	6.9	8.4	10.8	8.7	10.9	10.2	7.3	8.4	7.4	10.9
Oneida	-	2.6	1.3	2.6	1.3	1.3	2.8	-	1.5	1.5	3.1
Owyhee	0.5	1.5	1.9	4.0	3.5	1.5	3.2	5.4	5.7	6.0	3.5
Payette	3.2	1.2	2.8	3.3	2.3	5.0	5.6	4.2	6.7	7.5	4.4
Power	2.0	5.3	0.7	-	2.5	2.5	2.7	3.4	2.7	3.6	7.4
Shoshone	7.7	9.8	10.3	9.4	10.2	8.8	6.3	9.4	9.8	6.1	10.2
Teton	2.1	2.7	1.3	1.3	2.7	3.2	4.2	3.4	3.5	4.6	2.9
Twin Falls	2.1	2.6	2.9	3.2	4.2	4.1	6.1	6.1	9.2	7.1	7.0
Valley	9.8	4.8	7.8	12.2	9.4	17.1	13.3	12.3	9.3	8.9	8.5
Washington	0.6	2.8	2.3	2.2	1.7	3.5	2.3	4.0	8.4	3.8	3.2

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.

Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 11**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2001-2011**

STATE OF OCCURRENCE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IDAHO RESIDENT</b>	<b>1,473</b>	<b>1,493</b>	<b>1,620</b>	<b>1,618</b>	<b>1,827</b>	<b>1,919</b>	<b>2,160</b>	<b>2,132</b>	<b>2,348</b>	<b>2,123</b>	<b>2,005</b>
Abortions in Idaho	712	800	871	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372
Abortions out of state	761	693	749	690	762	704	770	693	765	688	633
Montana	43	16	25	19	20	19	30	39	61	59	36
Oregon	67	60	57	49	45	59	33	27	35	31	30
Utah	71	70	79	87	104	96	181	134	202	160	156
Washington	575	546	586	533	591	528	525	490	466	438	410
All other	5	1	2	2	2	2	1	3	1	-	1

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 9**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Occurring in Idaho and Out of State**  
**2001-2011**



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 12**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Age, Abortion Rate, and Abortion Ratio**  
**2001-2011**

AGE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>TOTAL IDAHO RESIDENT</b>	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005
Age:											
10-14	10	9	12	6	9	12	8	6	8	13	6
15-19	362	326	336	323	356	380	430	395	409	344	328
15-17	128	131	105	127	127	159	155	127	136	113	97
18-19	234	195	231	196	229	221	275	268	273	231	231
20-24	453	485	553	530	579	632	732	733	786	722	649
25-29	258	286	303	327	412	427	470	453	517	470	450
30-34	192	187	221	223	219	228	272	297	308	333	331
35-39	129	139	133	141	177	173	167	174	216	175	159
40-44	55	57	58	63	68	60	72	63	91	61	76
45+	9	3	3	3	5	2	6	7	9	4	3
Not stated	5	1	1	2	2	5	3	4	4	1	3
Abortion rate per 1,000 females in age group:											
Total <sup>1</sup>	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1	7.7	6.9	6.5
Age:*											
10-14	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1
15-19	6.5	6.1	6.4	6.1	6.7	7.0	7.9	7.2	7.2	6.1	5.7
15-17	3.9	4.2	3.4	4.1	4.0	4.8	4.7	3.9	4.2	3.4	2.9
18-19	10.1	9.0	10.7	9.0	10.6	10.3	12.7	12.1	11.3	10.0	9.8
20-24	9.9	9.4	10.2	9.5	10.2	12.7	15.1	15.1	14.6	13.5	12.0
25-29	6.1	6.9	7.1	7.4	8.7	8.0	8.7	8.2	9.5	9.1	8.7
30-34	4.6	4.3	5.1	5.1	4.9	5.0	5.8	6.2	6.4	6.7	6.4
35-39	2.7	3.1	3.0	3.2	3.9	3.7	3.5	3.6	4.6	3.7	3.4
40-44	1.1	1.1	1.2	1.3	1.3	1.2	1.5	1.3	2.0	1.3	1.6
45+	0.2	0.1	0.1	0.1	0.1	-	0.1	0.1	0.2	0.1	0.1
Not stated	NA	NA									
Abortion ratio per 1,000 live births in age group:											
Total <sup>2</sup>	71.2	71.2	74.3	71.8	79.2	79.3	86.3	84.8	99.0	91.5	89.9
Age:											
10-14	625.0	562.5	631.6	428.6	473.7	666.7	470.6	333.3	533.3	1,000.0	400.0
15-19	154.8	156.9	161.8	156.9	176.3	176.9	190.3	174.6	201.4	184.5	207.1
15-17	191.3	225.1	192.7	241.9	238.7	266.3	246.8	195.1	248.2	223.8	251.9
18-19	140.1	130.3	150.9	127.9	154.0	142.5	168.5	166.4	184.1	170.0	192.7
20-24	71.5	72.2	79.8	73.7	80.6	84.1	97.0	100.6	116.1	114.0	106.2
25-29	44.5	47.2	46.8	48.5	57.7	55.7	59.5	55.6	68.7	62.1	63.0
30-34	50.3	46.0	52.4	51.5	49.9	50.3	57.2	59.9	61.9	65.9	64.9
35-39	79.5	84.3	77.8	79.3	94.1	89.4	80.1	84.6	109.4	90.3	82.9
40-44	156.3	159.7	168.6	165.4	167.1	172.9	168.6	166.2	230.4	151.7	180.1
45+	529.4	115.4	150.0	96.8	178.6	100.0	272.7	166.7	272.7	111.1	150.0
Not stated	NA	NA									

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2001-2002 are based on the National Center for Health Statistics (NCHS), estimates of the July 1, 2001 and 2002, US population from the 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003.

Rates for 2003-2009 and 2011 are based on July 1, 2003-July 1, 2011 population estimates from the U.S. Census Bureau and NCHS, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, September 2, 2009, July 23, 2010, and July 20, 2012. Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

\*Rate for 45+ age group is based on the population of women 45-49 years of age.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.


Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

**Table 13**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Primary Termination Procedure by Clinical Estimated Length of Gestation\***  
**Three-Year Total, 2009-2011**

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	6,476	3,970	1,224	703	356	160	45	4	14
Suction curettage	4,272	2,123	1,175	689	265	11	1	-	8
Medical (nonsurgical)	1,892	1,823	45	4	1	11	4	-	4
Dilation and evacuation (D&E)	261	13	2	6	77	127	31	3	2
Intra-uterine instillation (saline / prostaglandin)	5	-	-	-	-	3	2	-	-
Sharp curettage (D&C)	22	5	-	3	11	3	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	10	1	-	-	-	2	7	-	-
Not stated	13	5	2	1	2	3	-	-	-

**Graph 10**  
**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Clinical Estimated Length of Gestation**  
**Three-Year Total, 2009-2011**




Percentages are based on records with known data for length of gestation.

\*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

**APPENDIX**  
**Counties Comprising Idaho Public Health Districts**



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Costs associated with this publication are available from  
 Idaho Department of Health and Welfare.  
 HW-1206 February 2013