

Idaho Behavioral Risk Factors, 2012



Results From the Behavioral Risk Factor Surveillance System

*Bureau of Vital Records and Health Statistics
Division of Public Health
Idaho Department of Health and Welfare*



: YVfi Ufm2015

Acknowledgments

The 2012 Idaho BRFSS was funded in part by a grant from the Centers for Disease Control and Prevention, Grant Number 5U58SO000055, and administered via a cooperative agreement with the Idaho Bureau of Vital Records and Health Statistics. The contents of this report are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

The Idaho Department of Health and Welfare wishes to thank the citizens of Idaho who have participated in the Behavioral Risk Factor Surveillance System.

This report was prepared by Christopher F. Murphy, MS, BRFSS Director and Research Analyst Supervisor, and Tamara N. Salazar, MPH, Research Analyst, Senior, both of Bureau of Vital Records and Health Statistics, Division of Public Health, Idaho Department of Health and Welfare.

This report is available electronically at <http://healthstatistics.dhw.idaho.gov>.

For more details on this project or any of the survey results, please contact Christopher F. Murphy, BRFSS Director, Bureau of Vital Records and Health Statistics: murphyc@dhw.idaho.gov or 208.332.7326.

Suggested Citation

Idaho Behavioral Risk Factors. Results from the 2012 Behavioral Risk Factor Surveillance System. Bureau of Vital Records and Health Statistics, Division of Public Health, Idaho Department of Health and Welfare. 2014.

Copyright

This report is in the public domain and may be reproduced or copied without permission. Citation to the source is appreciated.

Table of Contents


Idaho Behavioral Risk Factors, 2012.....	1
Acknowledgments	2
Table of Contents	3
Map of Idaho Public Health Districts.....	6
Introduction	7
Methods	7
Data Collection	7
Data Weighting.....	8
Cancer Screening.....	8
Data Analysis	8
Reporting.....	9
Data Limitations.....	9
Response Rate Calculation.....	9
Results	10
Number of Interviews	10
Response Rates.....	10
Idaho vs. U.S. Medians	10
General Health	12
General Health Status	12
Health Care Coverage.....	13
Dental Insurance	14
Chronic Disease Prevalence	15
Diabetes	15
Asthma	16
Health Risk Behaviors	17
Physical Activity.....	17
Body Mass Index.....	18
Overweight	19
Obesity	20
Cigarette Smoking.....	21
Binge Drinking.....	22
Heavy Drinking.....	23
Illicit Drug Use	24
Preventive Behaviors	25
Seat Belt Use	25
Colorectal Cancer Screening	26
Breast Cancer Screening	27
Cervical Cancer Screening.....	28
Dental Visits	29
Data Tables.....	30
General Health Status	32
Health Care Coverage.....	34
Dental Insurance	36

Diabetes	38
Asthma	40
Physical Activity.....	42
Overweight	44
Obesity	46
Cigarette Smoking.....	48
Binge Drinking	50
Heavy Drinking.....	52
Illicit Drug Use	54
Seat Belt Use	56
Colorectal Cancer Screening	58
Breast Cancer Screening	60
Cervical Cancer Screening.....	62
Dental Visits	64
References.....	66
Appendix A: Questionnaire.....	67
Section 01: Health Status.....	68
Section 02: Healthy Days -- Health-Related Quality of Life.....	68
Section 03: Health Care Access.....	68
Section 04: Exercise	68
Section 05: Chronic Health Conditions.....	68
Module 02: Diabetes.....	69
Section 06: Oral Health.....	70
Section 07: Demographics.....	71
Section 08: Disability.....	72
Section 09: Tobacco Use.....	72
Section 10: Alcohol Consumption.....	73
Section 11: Immunization	73
Section 12: Falls	74
Section 13: Seatbelt Use.....	74
Section 14: Drinking and Driving	74
Section 15: Breast and Cervical Cancer Screening.....	74
Section 16: Prostate Cancer Screening.....	75
Section 17: Colorectal Cancer Screening.....	76
Section 18: HIV / AIDS	76
Module 06: Excess Sun Exposure.....	77
Module 23: Random Child Selection	77
State Added 01: Prostate Cancer	77
State Added 02: Health Care Coverage	77
State Added 03: High Blood Pressure	78
State Added 04: Actions to Control High Blood Pressure	78
State Added 05: Occupation	79
State Added 06: Injury.....	79
State Added 07: Weight Control.....	79
State Added 08: Radon	79

State Added 09: Fish Consumption	80
State Added 10: Social Context.....	80
State Added 11: Suicide.....	80
State Added 12: Sexual Orientation.....	80
State Added 13: Illicit Drug Use.....	80
State Added 14: Intimate Partner Violence.....	81

Map of Idaho Public Health Districts

Idaho is divided into seven public health districts, with each of the districts containing four to eight counties. The seven health districts are independent agencies governed by a local board appointed by the county commissioners within the district.



2012 Estimated Population Adults Aged 18 and Over

Overall: 1,168,675

District 1: 166,168

District 2: 85,731

District 3: 182,089

District 4: 334,004

District 5: 134,436

District 6: 120,385

District 7: 145,862

Note: Population estimates are obtained from the Centers for Disease Control and Prevention and are used in weighting BRFSS data. These population estimates may differ from U.S. Census Bureau population figures.

Panhandle Health District	North Central District Health Department	Southwest District Health	Central District Health Department	South Central Public Health District	Southeastern Idaho Public Health	Eastern Idaho Public Health District
District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Introduction

Chronic diseases and injuries comprise nine of the ten leading causes of death nationally and in Idaho. Deaths from influenza and pneumonia, infectious diseases for which preventive vaccines are available, comprise the remaining category (1,2).

Monitoring of modifiable risk factors for these diseases and injuries, as well as the use of preventive health services, is vital to planning and implementing public health education and intervention programs at the state and local level. Monitoring helps track progress toward achieving public health objectives. Systematic, ongoing monitoring and assessment of health indicators in the population is known as public health surveillance.

The Behavioral Risk Factor Surveillance System (BRFSS) is a public health surveillance program developed and partially funded by the federal Centers for Disease Control and Prevention (CDC). The BRFSS is designed to provide state and sub-state estimates of the prevalence of chronic diseases, conditions, and health-related behaviors associated with the major causes of death and disability. Idaho has worked with CDC to conduct the BRFSS since its inception in 1984. The BRFSS has grown to include every state, the District of Columbia, Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and Palau.

BRFSS data are used to identify emerging health problems and to develop and evaluate public health programs. BRFSS information is used by the general public, the media, health researchers and clinicians, and policy makers such as public health officials and legislators. For certain state and national objectives, the BRFSS is the only source of data. BRFSS is unique in providing data enabling state health policymakers to assess their own states' needs and determine progress toward public health goals.

Methods

Data Collection

The 2012 Idaho BRFSS used random-digit-dialed (RDD) surveys of landline and cellular telephone users who were aged 18 or older. Landline telephone numbers were sampled using disproportionately stratified sampling (DSS); the state's seven public health districts were defined as strata. Interviewers conducted a minimum of 800 landline interviews in each public health district. For each landline household contacted, one adult was randomly selected for interviewing from among all adults living in the household. Cellular telephone users were sampled randomly statewide. In 2012, the cell phone survey was restricted to those adults who used a cell phone for at least 90% of their calls.

The survey instrument was a questionnaire comprised of three parts. The core component included questions standardized by CDC and asked in all states. An optional module component included questions standardized, edited, and evaluated by CDC and which addressed Idaho's needs. A state-added component included questions not edited or evaluated by CDC but which addressed Idaho's needs. Both landline and cell phone respondents were asked the full questionnaire.

Trained interviewers used computer-assisted telephone interviewing (CATI) software to record responses. Interviews were conducted in either English or Spanish per the respondent's choice.

Data Weighting

Ideally, all Idaho adults would have an equal chance of being surveyed and a sample would accurately represent the state's population. Sample design and random chance, however can affect the probability of selection. For example, people with multiple phones are more likely to be called. A sample may not include all population groups proportionately, and some demographic subgroups may have lower response rates. Known differences between a sample and the population due to sample design and population factors were accounted for by data weighting. A brief introduction to survey data weighting is available from the American Association of Public Opinion Research (AAPOR) (3).

In 2011, the BRFSS implemented a new weighting method known as raking or iterative proportional fitting. Raking improved the accuracy of BRFSS results by accounting for cell phone surveying and adjusting for a greater number of demographic differences between the survey sample and the statewide population. Raking replaced the previous weighting method known as post-stratification and is a primary reason why results from 2012 are not directly comparable to 2010 or earlier. The 2011 data should be considered a new baseline for future comparisons.

A summary of changes to the 2011 BRFSS methodology is available online from CDC (4). A more detailed report on the changes in BRFSS methodology and the effects on subsequent BRFSS estimates is presented by Pierannunzi, et al. (5).

Cancer Screening

Cancer screening was defined as the percentage of adults in 2012 who had been screened for cancer according to recommendations by the U.S. Preventive Services Task Force (USPSTF) (6). USPSTF cancer screening recommendations included colorectal cancer screening with either high-sensitivity fecal occult blood testing every year, a sigmoidoscopy every 5 years with high-sensitivity fecal occult blood testing every 3 years, or a colonoscopy every 10 years for adults aged 50-75; breast cancer screening with mammography every 2 years for women aged 50-74; and cervical cancer screening with a Pap test every 3 years for women aged 21-65.

The USPSTF recommended against prostate-specific antigen (PSA)-based screening for prostate cancer and concluded there is at least moderate certainty the harms of PSA-based screening equal or outweigh the benefits for routine screening. For this reason, a measure of prostate cancer screening is not included in this report.

Data Analysis

Idaho used SAS[®] v9.3 software for data manipulation and risk factor creation. Idaho used SAS-callable SUDAAN[®] (Survey Data Analysis) v11.0.1 software for statistical testing and calculation of confidence limits. SUDAAN enables analysts to account for the complex sampling design of the BRFSS survey. "Don't know," "not sure," and "refused" responses were excluded from analyses. Analytical methods for cancer screening conformed to those outlined by the CDC Division of Cancer Prevention and Control (7).

Reporting

Prevalence estimates are reported as percentages. Estimates with fewer than 50 respondents in the denominator were considered statistically unreliable and were suppressed. Suppressed estimates are indicated in data tables with an asterisk (*).

Data Limitations

Errors in estimation can result from BRFSS data being self-reported, e.g., certain behaviors may be underreported (8). Error may result when a sample deviates from the population. Additional errors may occur due to the population from which the sample is drawn. In order to be cost effective, the sample was limited to adults aged 18 and older who were non-institutionalized, lived in a household with either a landline telephone or who used a cell phone 90% of the time, and could communicate in English or Spanish. This excluded people in prisons or housed in medical facilities, those who exclusively spoke a language other than English or Spanish, and others who could not communicate by telephone.

The Federal Communications Commission estimated 96.0% of Idaho households had telephone service in 2008 (9). With ongoing changes in telephone technology, there has been an increase in households with cellular telephones only. These households may have been underrepresented in the 2012 sampling frame for the BRFSS. Although data weighting is designed to account for underrepresentation, there may be additional unknown bias resulting from the smaller sample of cell phone users (8).

Response Rate Calculation

The BRFSS used standards set by the American Association of Public Opinion Research (AAPOR) to calculate response rates and other measures of survey quality. The response rate was calculated using AAPOR Response Rate #4 (RR4) which corresponds to response rates calculated prior to 2011 which were based on definitions set by the Council of American Survey Research Organizations (CASRO) (10). Further detail on response rate calculation is presented in the BRFSS 2012 Summary Data Quality Report (11).

Results

Number of Interviews

The 2012 survey included 5,630 interviews; 4,096 (72.6%) were conducted by landline phone, and 1,534 (27.3%) were conducted by cell phone.

Response Rates

The response rate for the landline survey was 52.2%, and the response rate for the cell phone survey was 43.3%. The combined response rate was 51.7%

Idaho vs. U.S. Medians

Idaho adults who ...	2012 Idaho Percent	2012 U.S. Median Percent*
Reported their general health as "fair" or "poor"	15.6	16.9
Did not have health care coverage	19.3	17.1
Did not have dental insurance	46.7	n/a
Had ever been told they had diabetes	8.5	9.7
Were diagnosed with and still had asthma	8.5	8.9
Did not participate in leisure time physical activity	20.3	22.9
Were overweight (BMI \geq 25)	62.5	64.1
Were obese (BMI \geq 30)	26.8	27.6
Smoked cigarettes	16.4	19.6

* Median percent of all states and District of Columbia (51)

n/a = data not available

Results

Idaho vs. U.S. Medians (continued)

Percent of adults who:	Idaho %	US Median %
Were binge drinkers (≥4 alcoholic drinks for females or ≥5 alcoholic drinks for males on single occasion)	14.1	16.9
Were heavy drinkers (>30 alcoholic drinks for females or >60 alcoholic drinks for males in past 30 days)	5.7	6.1
Used illicit drugs in the last 12 months	4.6	n/a
Did not always wear a seatbelt when driving or riding in a car	26.5	15.6
Had not visited the dentist in the last 12 months	32.4	32.8
Were aged 50-75 and were screened for colorectal cancer according to current guidelines	60.5	65.2
Were females aged 50-74 and had a mammogram in the last two years	69.4	78.5
Were females aged 21-65 and had a Pap test in the last three years	74.6	84.2

* Median percent of all states and District of Columbia (51)

n/a = data not available


General Health

General Health Status

Respondents were asked to rate their health as "excellent", "very good", "good", "fair", or "poor."

15.6% of Idaho adults rated their health as "fair" or "poor" in 2012.


Idaho adults with "fair" or "poor" general health, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district's percentage of adults with "fair" or "poor" health differed significantly from the statewide percentage.

Idaho adults with "fair" or "poor" general health, 2012
Statewide and by Public Health District



"Fair" or "poor" health was associated with:

- Increasing age: 8.2% for 18-34, 17.2% for 35-64, and 24.5% for 65+
- Household income less than \$35,000: 24.1% vs. 8.6% for \$35,000+
- Being unemployed, a student, homemaker, retiree, or unable to work: 24.4% vs. 8.9% for employed
- Not being a college graduate: 18.0% vs. 7.4% for college graduates.


General Health

Health Care Coverage

Health care coverage was defined as having health insurance, prepaid plans such as HMOs, or government plans such as Medicare.

19.3% of Idaho adults did not have health care coverage in 2012.


Idaho adults without health care coverage, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 3 had a significantly higher percentage of adults without health care coverage compared with the statewide percentage.

Idaho adults without health care coverage, 2012
Statewide and by Public Health District



Not having health care coverage was associated with:

- Age: 27.4% for ages 18-44, 17.8% for ages 45-64, and 1.2% for ages 65+
- Household income of less than \$35,000: 33.0% vs. 8.0% for \$35,000+
- Being unemployed: 59.9% vs. 16.5% for employed, students, homemakers, retirees, and persons unable to work
- Lower levels of education: 45.8% for less than high school/GED, 24.8% for high school graduates, 13.4% for some college, and 7.3% for college graduates
- Being Hispanic: 50.6% vs. 16.0% for non-Hispanic.


General Health

Dental Insurance

Traditional dental insurance, prepaid plans such as HMOs, and government plans such as Medicare that paid for some or all of routine dental care were included in this category

46.7% of Idaho adults did not have dental insurance in 2012.


Idaho adults without dental insurance, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 3 had a significantly higher percentage of adults without dental insurance compared with the statewide percentage.

Idaho adults without dental insurance, 2012
Statewide and by Public Health District



Not having dental insurance was associated with:

- Being age 65 or older: 70.3% vs. 41.3% for ages 18-64
- Household income of less than \$35,000: 64.9% vs. 31.8% for \$35,000+
- Being unemployed, a student, homemaker, retiree, or unable to work: 60.4% vs. 36.5% for employed
- Not being a college graduate: 51.0% vs. 31.6% for college graduates.


Chronic Disease Prevalence

Diabetes

Respondents were asked whether they had been told by a doctor or other health professional they had diabetes. This figure does not include women told they had diabetes only during pregnancy.

8.5% of Idaho adults in 2012 had ever been diagnosed with diabetes.


Idaho adults ever diagnosed with diabetes, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a prevalence of diabetes significantly different from the statewide prevalence.

Idaho adults diagnosed with diabetes, 2012
Statewide and by Public Health District



Having a diagnosis of diabetes was associated with:

- Age: 0.9% for 18-34, 9.0% for 35-64, and 19.4% for 65+
- Household income of less than \$35,000: 10.9% vs. 6.6% for \$35,000+
- Being unemployed, a student, homemaker, retiree, or unable to work: 13.6% vs. 4.3% for employed
- Not being a college graduate: 9.2% vs. 5.8% for college graduates.


Chronic Disease Prevalence

Asthma

The Idaho BRFSS reports asthma as those adults who had ever been told by a doctor or other health professional they had asthma and who indicated they still had asthma.

8.5% of Idaho adults had been diagnosed and currently had asthma in 2012.


Idaho adults ever diagnosed with and still had asthma, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Among Idaho public health districts, no district had a prevalence of asthma significantly different from the statewide prevalence.

Idaho adults who had been diagnosed and still had asthma, 2012
Statewide and by Public Health District



Having current asthma was associated with:

- Being female: 10.5% vs. 6.4% for males
- Being unemployed, a student, homemaker, retiree, or unable to work: 12.0% vs. 5.8% for employed
- Not being a college graduate: 9.2% vs 5.8% for college graduates.


Health Risk Behaviors

Physical Activity

Physical activity was defined as any activity, such as running, golf, gardening, or walking for exercise, in which a person participated outside of their regular job during the past month.

20.3% of Idaho adults had not participated in physical activity in the past month in 2012.


Idaho adults engaging in no leisure time physical activity, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a percentage significantly different from the statewide percentage of adults who did not participate in leisure time physical activity during the past month.

Idaho adults engaging in no leisure time physical activity, 2012
Statewide and by Public Health District



Not participating in physical activity was associated with:

- Being 65 or older: 28.4% vs. 18.3% for ages 18-64
- Household income less than \$50,000: 24.8% vs. 11.7% for \$50,000+
- Lower levels of education: 27.3% for high school graduate or lower vs. 15.4% for some college or college graduate.

Health Risk Behaviors

Body Mass Index

Body Mass Index (BMI) is an index based on height and weight used to categorize an adult as underweight, normal, overweight, or obese. BMI is calculated using the following formula:

$$\frac{\text{Weight in kilograms}}{(\text{Height in meters})^2}$$

The following table illustrates common BMI classifications used in this report.

BMI Category	BMI
Not Overweight or Obese*	< 25.0
Overweight**	25.0 +
Obese	30.0 +

*The category "Not Overweight or Obese" also includes adults who are normal or underweight based on BMI < 18.5. Although underweight is a recognized health risk, only 1.8 percent of Idaho's adult population fell into the underweight category in 2012.

** The category Overweight *includes* the category Obese.


Health Risk Behaviors

Overweight

Adults with a BMI of 25 or greater were considered overweight. This definition includes adults who were obese (BMI of 30 or greater).

62.5% of adults in Idaho were overweight in 2012.


Idaho adults who were overweight (BMI \geq 25), 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a statistically different percentage of overweight adults from the statewide percentage.

Idaho adults who were overweight, 2012
Statewide and by Public Health District



Being overweight was associated with:

- Being male: 69.6% vs. 54.9% for females
- Being 35 or older: 69.2% vs. 47.5% for adults ages 18-34.


Health Risk Behaviors

Obesity

Adult obesity was defined as having a BMI or 30 or greater.

26.8% of adults in Idaho were obese in 2012.


Percent of Idaho adults who were obese (BMI \geq 30), 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 3 had a significantly higher percentage of obese adults than the statewide percentage.

Idaho adults who were obese, 2012
Statewide and by Public Health District



Being obese was associated with:

- Being age 35-64: 31.9% vs. 21.3% for ages 18-34 or 65+

The prevalence of obesity was statistically similar between genders, between Hispanic and non-Hispanic adults, and across income levels and employment status categories.


Health Risk Behaviors

Cigarette Smoking

Adults were classified as cigarette smokers if they smoked at least 100 cigarettes in their lifetimes and currently smoked every day or some days.

16.4% of Idaho adults were current smokers in 2012.


Idaho adults who were current cigarette smokers, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 7 had a prevalence of cigarette smoking significantly lower than the statewide prevalence.

Idaho adults who currently smoke cigarettes, 2012
Statewide and by Public Health District



Being a current smoker was associated with:

- Being age 64 or younger: 18.0% vs. 8.8% for 65+
- Low household income: 35.3% for less than \$15,000 vs. 5.5% for \$75,000+
- Lower levels of education: 29.6% for less than high school/GED vs. 4.5% for college graduates.


Health Risk Behaviors

Binge Drinking

Binge drinking for females was defined as consuming four or more alcoholic beverages on one occasion in the last 30 days. For males, binge drinking was defined as five or more alcoholic beverages on one occasion in the last 30 days.

14.1% of adults in Idaho engaged in binge drinking in 2012.


Idaho adults who were binge drinkers, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a prevalence of binge drinking significantly different from the statewide prevalence.

Idaho adults who were binge drinkers, 2012
Statewide and by Public Health District



Binge drinking was associated with:

- Being male: 17.9% vs. 10.5% for females
- Being age 64 or younger: 16.5% vs. 4.0% for 65 and older
- Being employed or unemployed: 18.7% vs. 6.4% for students, homemakers, retirees, or those unable to work.


Health Risk Behaviors

Heavy Drinking

Heavy drinking for females was defined as consuming more than 30 alcoholic beverages in the last 30 days. For males, heavy drinking was defined as consuming more than 60 alcoholic beverages in the last 30 days.

5.7% of adults in Idaho were heavy drinkers in 2012.


Idaho adults who were heavy drinkers, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a prevalence of heavy drinking significantly different from the statewide prevalence.

Idaho adults who were heavy drinkers, 2012
Statewide and by Public Health District



Heavy drinking:

The prevalence of heavy drinking was statistically similar between men and women and across age groups, income levels, employment status categories, education levels, and Hispanic/non-Hispanic ethnicity.


Health Risk Behaviors

Illicit Drug Use

Illicit drugs include prescription drugs not prescribed by a doctor or those used to get high or out of curiosity. These include marijuana, cocaine (including crack), heroin, methamphetamines, and prescription painkillers.

4.6% of Idaho adults in 2012 used illicit drugs in the past 12 months.


Idaho adults who used illicit drugs in the past 12 months, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Although the prevalence of illicit drug use among public health districts was variable, no district's prevalence differed statistically from the statewide prevalence.

Idaho adults who used illicit drugs in the last 12 months, 2012
Statewide and by Public Health District



Illicit drug use was associated with:

- Younger age groups: 9.8% for 18-34, 3.0% for 35-64, and 0.6% for 65+
- Household income less than \$35,000: 7.7% vs. 2.6% for \$35,000+
- Being unemployed: 12.2% vs. 4.0% for employed, students, homemakers, retirees, or those unable to work.


Preventive Behaviors

Seat Belt Use

Respondents were asked how often they used seat belts when they drove or rode in a car: "always", "nearly always", "sometimes", "seldom", or "never."

26.5% of Idaho adults did not always use a seat belt in 2012.


Idaho adults who did not always wear a seat belt, 2006-2010 and 2011-2012*
Breaks in the trendline indicate data are not available for those years



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 4 had a significantly lower percentage of adults who did not always wear a seatbelt than statewide. In Districts 6 and 7, more than 1 in 3 adults did not always wear a seatbelt—significantly higher percentages than statewide.

Idaho adults who did not always wear a seat belt, 2012
Statewide and by Public Health District



Not always wearing a seat belt was associated with:

- Being male: 31.5% vs. 21.5% for females
- Lower household income: 28.9% for less than \$75,000 vs. 20.4% for \$75,000+
- Being employed or unemployed: 29.2% vs. 21.7% for students, homemakers, retirees, or those unable to work
- Not being a college graduate: 28.4% vs. 20.0% for college graduates.


Preventive Behaviors

Colorectal Cancer Screening

The US Preventive Services Task Force recommends adults aged 50-75 receive colorectal cancer screening with either high-sensitivity fecal occult blood testing every year, a sigmoidoscopy every 5 years with high-sensitivity fecal occult blood testing every 3 years, or a screening colonoscopy every 10 years..

60.5% of Idaho adults aged 50-75 in 2012 had been screened for colorectal cancer according to USPSTF guidelines.


Idaho adults screened for colorectal cancer (2012 guidelines), 2006-2010 and 2011-2012*
Breaks in the trendline indicate data are not available for those years



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district's percentage was significantly different from the statewide percentage of adults screened for colorectal cancer.

Idaho adults screened for colorectal cancer (2012 guidelines), 2012
Statewide and by Public Health District



Being screened for colorectal cancer was associated with:

- Household income of \$35,000 or greater: 64.3% vs. 54.1% for those in households with incomes less than \$35,000
- Being a student, homemaker, retiree, or unable to work: 70.9% vs. 52.5% for employed and unemployed.


Preventive Behaviors

Breast Cancer Screening

The U.S. Preventive Services Task Force recommends women aged 50-74, and who have no special risk factors, receive breast cancer screening with a mammography every two years.

69.4% of Idaho women aged 50-74 and older in 2012 had a mammography in the past two years.


Idaho women screened for breast cancer (2012 guidelines), 2006-2010 and 2011-2012*
Breaks in the trendline indicate data are not available for those years



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district percentage differed significantly from the statewide percentage of women aged 50-74 who had a mammography in the past two years.

Idaho women screened for breast cancer (2012 guidelines), 2012
Statewide and by Public Health District



Among Idaho women age 50-74, having had a mammogram in the past two years was associated with:

- Household income of \$35,000 or greater: 76.7% vs. 57.5% for women in households with incomes less than \$35,000.


Preventive Behaviors

Cervical Cancer Screening

The U.S. Preventive Services Task Force recommends screening for cervical cancer in women aged 21 to 65 years with a Pap test every 3 years or, for women aged 30 to 65 years, a combined Pap test and human papillomavirus (HPV) test every 5 years.

74.6% of Idaho women aged 21-65 in 2012 had a Pap test in the past three years.


Idaho women screened for cervical cancer (2012 guidelines), 2006-2010 and 2011-2012*
Breaks in the trendline indicate data are not available for those years



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

No public health district had a significantly different percentage from the statewide percentage of women aged 21-65 who had a Pap test in the past three years.

Idaho women screened for cervical cancer (2012 guidelines), 2012
Statewide and by Public Health District



Among Idaho women age 21-65, having a Pap test in the past three years was associated with:

- Household income of \$35,000 or greater: 84.7% vs. 63.6% for women in households with incomes less than \$35,000.


Preventive Behaviors

Dental Visits

Respondents were asked how long it had been since they visited a dentist for any reason.

32.4% of Idaho adults in 2012 had not visited a dentist in the past 12 months.


Idaho adults with no dental visit in the past 12 months, 2006-2010 and 2011-2012*



*Method changes make results from 2011 and later not directly comparable with 2010 and earlier.

Public Health District 5 had significantly higher percentages of adults who had not visited a dentist in the past 12 months compared with the statewide percentage.

Idaho adults with no dental visit in the last 12 months, 2012
Statewide and by Public Health District



Not visiting a dentist in the last 12 months was associated with:

- Household income lower than \$35,000: 47.0% vs. 21.5% for \$35,000+
- Being unemployed: 58.1% vs. 30.7% for employed, students, homemakers, retirees, and those unable to work
- Lower levels of education: 51.2% for less than high school/GED, 34.0% for high school graduate or some college, and 17.5% for college graduate.

Data Tables

The data tables on the following pages provide both state and health district data for various demographic subcategories. An understanding of the tables is important to interpreting the data correctly. Please refer to the following example.

A Risk Factor																
B Population																
D	C Public Health District															
	E Statewide				District 1			District 2			District 3					
	F %	G 95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	38.5	36.6	40.5	5,012	41.8	36.6	47.1	750	42.9	37.9	48.0	701	39.9	35.1	44.9	678
SEX																
Male	40.4	37.4	43.6	1,967	44.9	36.8	53.3	313	51.5	43.5	59.3	259	41.0	33.3	49.1	249
Female	36.7	34.4	39.2	3,045	38.6	32.5	45.1	437	35.6	29.8	41.8	442	38.9	33.1	45.0	429

- A. This title refers to the risk factor.
- B. This title refers to the population surveyed. For most questions, this will be the adult (aged 18 and over) Idaho population. The population surveyed, however, may be a subset of adults aged 18 and over. For example, the Colorectal Cancer Screening risk factor table includes only adults aged 50-74. It is important to understand the population the data represent in order to accurately interpret the data in the tables.
- C. The labels across the top of the table (i.e., Statewide and District) refer to the geographic region of residence of the population in (B). For more information on geographic break-outs, please refer to the map of Idaho’s seven public health districts in this report.
- D. The labels on the left side of the table refer to the particular group the numbers represent. For example, the row labeled "Female" will contain data for women in the geographic region indicated at the top of the table (C). In the above example table, the circled data point should be interpreted as:

 “In 2012, 38.6% of females in Public Health District 1 were in the indicated risk factor group.”
- E. The symbol "n" refers to the number of people in the sample within the indicated demographic group and geographic region who responded to the question. It does NOT represent the number of people who have the risk factor in the population. An asterisk indicates fewer than 50 people in the group responded (please refer to Data Analysis in the Methods section for an explanation on suppressing data for sample sizes less than 50). In the example table, the boxed data point should be interpreted as:

 “In 2012, 750 people in Public Health District 1 answered the survey question regarding this risk factor.”

Data Tables

- F. The shaded columns contain the prevalence (in percent) of the risk factor. This percentage is a weighted percentage and is not calculated using the sample frequencies from the column containing n. Therefore, it is not possible to calculate the prevalence by simply dividing n by the total number of people sampled for the year (please refer to Data Weighting in the Methods section for explanation on weighting procedures).
- G. The two numbers in the column labeled "95% CI" are the lower and upper limits of the 95% confidence interval. Confidence intervals are a way to measure sampling error and define the range of values where the "true" percentage would be found. This interval can be interpreted to mean the true population value would be found within this interval at least 95% of the time if the sample were to be repeated a large number of times.

In the example table, the confidence interval data should be interpreted as:

"For this risk factor, the estimated prevalence in Idaho in 2012 was 38.5%. We can say if we sampled this population a large number of times, at least 95% of the time the true prevalence would fall within the range of 36.6% to 40.5%.

General Health Status

Idaho adults reporting "fair" or "poor" general health, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	15.6	14.1	17.2	5,872	17.3	13.5	21.9	825	13.4	10.2	17.5	811	18.1	14.4	22.6	831
SEX																
Male	15.2	13.1	17.6	2,344	16.9	11.7	23.9	320	13.0	8.3	19.9	330	19.8	13.7	27.7	321
Female	16.0	14.0	18.3	3,528	17.7	12.5	24.3	505	13.8	9.9	18.9	481	16.6	12.5	21.6	510
AGE																
18-24	8.2	4.6	14.0	228	*	*	*	*	*	*	*	*	*	*	*	*
25-34	8.3	5.2	12.9	440	*	*	*	*	*	*	*	*	4.6	1.7	11.9	71
35-44	13.1	9.5	17.6	661	24.0	13.2	39.4	83	11.2	3.7	29.2	79	12.7	5.0	28.6	97
45-54	18.1	14.5	22.3	967	18.3	10.3	30.4	125	14.5	8.4	23.9	160	25.2	14.8	39.6	119
55-64	20.5	17.2	24.1	1,332	16.5	10.6	24.9	219	15.8	8.6	27.3	178	26.5	17.2	38.5	178
65+	24.5	21.7	27.5	2,185	19.7	14.8	25.8	328	25.9	19.0	34.1	312	29.8	23.2	37.3	321
18-34	8.2	5.8	11.6	668	10.1	3.6	25.3	60	4.5	1.4	13.1	71	6.4	2.9	13.8	110
35-64	17.2	15.1	19.5	2,960	19.3	14.1	25.8	427	14.1	9.4	20.4	417	21.1	15.1	28.7	394
65+	24.5	21.7	27.5	2,185	19.7	14.8	25.8	328	25.9	19.0	34.1	312	29.8	23.2	37.3	321
SEX and AGE																
Male																
18-34	4.3	2.1	8.8	262	*	*	*	*	*	*	*	*	*	*	*	*
35-64	18.3	15.2	21.9	1,263	23.0	15.1	33.4	186	16.6	9.2	28.1	184	25.1	15.4	38.1	160
65+	27.3	22.6	32.6	798	16.0	9.7	25.4	116	24.5	13.3	40.6	116	33.2	23.1	45.1	119
Female																
18-34	12.3	8.2	18.0	406	*	*	*	*	*	*	*	*	8.9	4.0	18.6	68
35-64	16.0	13.4	19.1	1,697	15.0	9.7	22.5	241	11.5	7.0	18.3	233	17.2	11.2	25.5	234
65+	22.1	19.1	25.5	1,387	22.6	16.0	31.0	212	27.1	20.4	35.1	196	26.9	19.1	36.5	202
INCOME																
Less than \$15,000	33.1	26.8	40.2	654	42.1	24.0	62.5	100	28.3	13.1	50.9	87	36.3	23.8	50.9	141
\$15,000 - \$24,999	24.0	19.6	29.1	999	24.6	14.6	38.3	137	20.9	13.9	30.2	146	26.3	16.5	39.2	168
\$25,000 - \$34,999	15.2	11.6	19.8	705	11.1	5.1	22.3	103	19.1	10.3	32.6	88	14.8	8.5	24.6	108
\$35,000 - \$49,999	14.4	11.1	18.4	873	13.2	7.3	22.7	123	18.5	8.1	36.8	121	10.6	5.0	20.8	121
\$50,000 - \$74,999	6.8	5.1	9.1	849	9.8	5.1	17.9	113	7.1	3.8	12.8	125	4.6	2.2	9.4	99
\$75,000+	5.0	3.5	7.0	1,033	5.1	2.4	10.2	139	2.6	1.0	6.3	133	8.0	2.7	21.5	89
EMPLOYMENT																
Employed	8.9	7.3	10.8	2,601	9.1	5.4	15.1	340	6.9	3.9	11.7	363	7.7	4.4	13.3	346
Unemployed	26.0	18.4	35.3	267	*	*	*	*	*	*	*	*	41.0	23.3	61.5	50
Other**	24.1	21.5	26.9	2,984	25.4	19.1	33.0	452	22.6	15.9	31.1	404	27.5	21.2	34.9	432
EDUCATION																
K-11th Grade	29.9	23.3	37.5	433	34.8	18.0	56.5	54	10.1	4.7	20.3	60	34.1	21.6	49.4	102
12th Grade or GED	17.4	14.8	20.4	1,733	19.2	12.6	28.2	248	22.5	15.0	32.3	263	21.7	15.1	30.2	282
Some College	14.5	12.3	17.0	1,866	16.9	11.6	24.0	282	13.3	7.8	21.8	224	11.7	7.7	17.5	247
College Graduate+	7.4	5.9	9.3	1,824	6.8	3.3	13.4	237	4.7	2.9	7.4	262	6.3	2.7	13.7	198
ETHNICITY																
Non-Hispanic	15.0	13.6	16.6	5,554	18.4	14.4	23.2	803	13.3	10.1	17.4	778	17.3	13.5	22.0	752
Hispanic	22.2	15.5	30.7	259	*	*	*	*	*	*	*	*	20.3	10.3	36.3	69

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

General Health Status

Idaho adults reporting "fair" or "poor" general health, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	12.5	9.9	15.8	954	17.2	12.9	22.5	816	19.9	15.3	25.5	804	14.0	10.6	18.2	831
SEX																
Male	12.1	8.5	16.8	419	16.2	11.0	23.3	308	19.4	13.2	27.5	313	12.1	7.7	18.4	333
Female	13.0	9.3	18.0	535	18.1	11.9	26.5	508	20.4	14.1	28.6	491	15.8	11.1	22.0	498
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	5.5	1.5	18.4	68	8.8	2.2	29.5	76	10.5	3.8	25.6	62	12.0	4.6	28.0	80
35-44	8.1	4.4	14.3	130	23.0	10.4	43.3	83	12.9	4.4	32.1	80	6.0	2.7	12.8	109
45-54	14.4	8.9	22.5	168	22.9	13.0	37.3	121	18.9	11.0	30.5	143	14.5	6.6	29.0	131
55-64	20.1	13.6	28.8	222	16.3	10.1	25.3	176	27.0	17.4	39.4	181	20.8	13.9	30.1	178
65+	18.2	13.0	24.8	305	23.5	16.8	31.9	323	36.0	25.2	48.5	309	28.0	20.3	37.4	287
18-34	7.9	3.3	17.3	117	8.0	2.7	21.1	105	11.8	5.5	23.6	86	8.8	4.0	18.6	119
35-64	14.0	10.6	18.2	520	20.8	14.3	29.2	380	19.5	13.7	27.0	404	13.5	9.3	19.2	418
65+	18.2	13.0	24.8	305	23.5	16.8	31.9	323	36.0	25.2	48.5	309	28.0	20.3	37.4	287
SEX and AGE																
Male																
18-34	6.0	1.5	21.0	52	*	*	*	*	*	*	*	*	6.0	1.5	21.6	52
35-64	14.5	9.8	20.9	234	20.5	12.5	31.9	163	16.2	9.8	25.7	163	11.9	6.6	20.6	173
65+	17.6	10.1	28.7	125	34.0	21.5	49.2	108	48.2	30.5	66.3	109	31.2	18.6	47.4	105
Female																
18-34	9.7	3.3	25.6	65	15.7	5.6	37.1	72	*	*	*	*	12.9	5.0	29.7	67
35-64	13.4	9.0	19.5	286	21.1	11.8	34.6	217	22.5	14.0	34.2	241	14.7	9.1	22.8	245
65+	18.6	12.2	27.4	180	15.5	10.7	22.0	215	23.0	15.0	33.5	200	25.3	16.7	36.3	182
INCOME																
Less than \$15,000	28.9	16.9	44.8	74	32.4	19.9	48.1	90	38.7	21.7	59.0	86	27.1	14.0	45.8	76
\$15,000 - \$24,999	14.8	8.1	25.4	120	34.6	21.6	50.3	157	26.9	15.1	43.3	150	21.2	11.7	35.3	121
\$25,000 - \$34,999	15.3	8.0	27.3	110	11.5	6.2	20.5	100	26.8	12.4	48.9	94	16.3	9.1	27.5	102
\$35,000 - \$49,999	14.2	7.8	24.3	133	15.5	6.6	32.0	112	18.8	10.4	31.6	131	14.1	6.9	26.7	132
\$50,000 - \$74,999	4.4	2.2	8.4	149	7.8	3.0	18.8	121	12.7	5.9	25.2	122	5.4	2.5	11.2	120
\$75,000+	6.1	3.5	10.5	245	2.4	0.8	7.1	127	5.6	1.7	16.8	126	2.6	1.2	5.4	174
EMPLOYMENT																
Employed	6.8	4.3	10.6	463	12.9	7.6	21.2	362	13.5	8.2	21.4	335	8.9	5.3	14.6	392
Unemployed	23.4	10.6	44.1	51	*	*	*	*	*	*	*	*	*	*	*	*
Other**	20.2	15.2	26.4	437	25.3	18.8	33.0	422	29.3	21.4	38.7	430	21.4	15.3	29.0	407
EDUCATION																
K-11th Grade	*	*	*	*	33.7	18.7	52.8	85	26.1	11.8	48.2	53	*	*	*	*
12th Grade or GED	11.3	7.1	17.6	213	20.2	13.2	29.7	245	20.6	12.7	31.8	250	13.2	8.4	20.0	232
Some College	14.2	10.0	19.8	295	10.6	6.5	16.9	267	23.7	15.9	33.8	275	12.2	7.4	19.6	276
College Graduate+	7.7	5.2	11.3	404	5.7	3.4	9.3	218	10.2	5.3	18.9	222	8.5	4.8	14.5	283
ETHNICITY																
Non-Hispanic	12.2	9.6	15.4	919	15.3	11.5	20.0	742	18.2	13.8	23.6	765	13.3	10.1	17.4	795
Hispanic	*	*	*	*	27.4	13.1	48.7	66	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Health Care Coverage

Idaho adults without health care coverage, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	19.3	17.4	21.3	5,873	22.7	17.6	28.9	827	15.5	10.9	21.7	811	26.4	21.4	32.1	829
SEX																
Male	19.4	16.6	22.6	2,342	21.9	14.2	32.1	320	16.0	9.6	25.5	330	29.5	21.6	38.9	320
Female	19.1	16.7	21.9	3,531	23.6	17.2	31.4	507	15.0	9.1	23.9	481	23.3	17.7	30.1	509
AGE																
18-24	27.6	21.1	35.2	223	*	*	*	*	*	*	*	*	*	*	*	*
25-34	26.6	21.0	33.1	439	*	*	*	*	*	*	*	*	31.1	18.5	47.3	71
35-44	28.0	22.8	33.8	663	31.6	19.6	46.7	84	27.0	13.8	46.2	80	30.0	17.6	46.3	97
45-54	18.4	14.7	22.7	970	24.6	14.4	38.8	125	11.8	7.3	18.6	160	32.4	21.1	46.2	119
55-64	17.1	13.9	20.9	1,335	16.2	9.9	25.5	219	19.2	9.4	35.3	177	35.1	24.0	48.0	178
65+	1.2	0.5	2.9	2,186	0.5	0.2	1.4	330	1.9	0.7	5.1	312	0.4	0.1	1.6	320
18-34	27.0	22.7	31.9	662	40.5	25.5	57.4	60	19.8	9.8	36.0	70	32.2	22.1	44.3	109
35-64	21.2	18.7	23.9	2,968	23.6	17.7	30.8	428	18.9	12.8	27.0	417	32.3	25.1	40.5	394
65+	1.2	0.5	2.9	2,186	0.5	0.2	1.4	330	1.9	0.7	5.1	312	0.4	0.1	1.6	320
SEX and AGE																
Male																
18-34	26.0	19.9	33.3	258	*	*	*	*	*	*	*	*	*	*	*	*
35-64	21.4	17.7	25.6	1,265	21.8	13.9	32.6	186	20.4	11.8	32.8	184	32.5	21.5	45.9	160
65+	2.0	0.6	6.1	798	0.7	0.2	2.8	116	2.9	0.8	10.0	116	0.0	0.0	0.0	119
Female																
18-34	28.1	22.3	34.7	404	*	*	*	*	*	*	*	*	23.5	13.1	38.5	68
35-64	21.0	17.7	24.6	1,703	25.8	17.7	35.8	242	17.4	9.7	29.2	233	32.2	23.6	42.1	234
65+	0.5	0.3	0.9	1,388	0.3	0.1	1.3	214	0.9	0.2	3.9	196	0.7	0.2	2.9	201
INCOME																
Less than \$15,000	42.3	35.1	49.9	652	33.6	18.2	53.6	100	23.9	7.8	54.0	88	60.3	46.0	73.0	141
\$15,000 - \$24,999	33.1	27.8	38.9	1,002	40.9	27.5	55.8	138	32.8	19.6	49.4	146	31.8	20.4	45.8	166
\$25,000 - \$34,999	23.5	17.8	30.4	704	16.5	5.9	38.2	103	12.3	4.9	27.4	87	33.9	20.7	50.2	108
\$35,000 - \$49,999	13.1	9.5	17.9	875	23.9	12.2	41.3	124	11.6	4.4	27.4	122	15.9	6.9	32.6	122
\$50,000 - \$74,999	8.0	5.1	12.5	850	14.0	3.7	40.7	113	9.0	3.0	23.6	125	4.5	1.1	16.3	99
\$75,000+	3.7	2.0	6.7	1,034	2.7	0.8	9.1	139	1.1	0.2	5.8	132	2.3	0.4	11.7	89
EMPLOYMENT																
Employed	20.0	17.4	22.9	2,606	28.1	20.3	37.5	340	11.0	6.5	17.8	363	27.2	20.4	35.3	347
Unemployed	59.9	50.5	68.6	266	*	*	*	*	*	*	*	*	*	*	*	*
Other**	11.1	9.0	13.6	2,981	9.3	5.9	14.4	454	12.2	6.3	22.4	404	18.3	11.8	27.2	431
EDUCATION																
K-11th Grade	45.8	38.0	53.8	435	49.6	30.5	68.8	53	29.3	14.0	51.3	62	52.5	37.8	66.8	102
12th Grade or GED	24.8	21.2	28.8	1,728	22.4	13.9	34.0	249	25.1	14.9	39.1	263	31.9	22.9	42.4	279
Some College	13.4	10.8	16.4	1,867	21.9	13.9	32.9	283	6.0	3.1	11.5	223	14.6	9.4	21.8	248
College Graduate+	7.3	5.3	9.9	1,827	8.9	4.3	17.5	238	7.6	2.7	19.5	261	11.6	5.3	23.3	198
ETHNICITY																
Non-Hispanic	16.0	14.2	17.9	5,552	20.8	15.9	26.7	805	14.6	9.9	20.9	778	20.1	15.4	25.8	749
Hispanic	50.6	41.5	59.7	261	*	*	*	*	*	*	*	*	53.7	37.6	69.1	70

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Health Care Coverage

Idaho adults without health care coverage, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	15.7	12.2	19.9	952	22.5	17.3	28.7	816	18.9	13.6	25.6	807	14.4	10.3	19.7	831
SEX																
Male	14.4	9.8	20.7	416	19.7	13.0	28.7	308	23.8	15.6	34.6	315	14.0	8.3	22.7	333
Female	16.9	12.1	23.1	536	25.2	17.9	34.1	508	14.0	8.3	22.7	492	14.8	9.7	21.8	498
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	19.7	10.3	34.3	68	27.4	14.5	45.8	75	29.1	15.8	47.2	62	20.9	10.1	38.4	80
35-44	26.0	16.7	38.1	130	41.8	26.0	59.6	83	31.1	15.4	52.7	80	11.0	6.5	18.0	109
45-54	11.4	6.6	18.9	169	25.9	14.2	42.3	121	16.3	9.1	27.4	144	8.6	4.3	16.5	132
55-64	12.3	7.1	20.4	224	12.2	7.8	18.5	175	11.0	4.8	23.3	183	17.0	9.8	27.8	179
65+	0.5	0.1	3.5	303	0.4	0.1	1.3	326	0.8	0.2	2.8	309	5.8	1.2	24.4	286
18-34	22.3	14.5	32.8	115	30.2	19.1	44.2	104	27.7	16.7	42.4	86	20.9	12.3	33.1	118
35-64	16.6	12.3	22.0	523	26.8	19.4	35.7	379	19.5	12.6	29.0	407	12.0	8.6	16.6	420
65+	0.5	0.1	3.5	303	0.4	0.1	1.3	326	0.8	0.2	2.8	309	5.8	1.2	24.4	286
SEX and AGE																
Male																
18-34	20.1	10.1	36.1	50	*	*	*	*	*	*	*	*	18.6	8.6	35.5	52
35-64	15.1	9.6	22.9	235	27.1	17.2	39.9	162	28.0	16.2	43.9	164	9.8	5.6	16.6	174
65+	1.1	0.2	7.4	124	0.0	0.0	0.0	109	1.5	0.4	5.4	110	10.9	1.8	45.1	104
Female																
18-34	24.5	14.0	39.4	65	40.3	24.3	58.6	71	*	*	*	*	24.5	11.8	44.1	66
35-64	18.2	12.1	26.4	288	26.5	16.5	39.6	217	11.8	6.0	21.9	243	13.7	8.9	20.4	246
65+	0.0	0.0	0.0	179	0.7	0.2	2.4	217	0.0	0.0	0.0	199	1.4	0.3	5.4	182
INCOME																
Less than \$15,000	45.8	30.5	61.9	74	24.6	12.9	41.6	89	30.4	15.1	51.6	85	34.6	17.5	56.8	75
\$15,000 - \$24,999	23.6	14.1	36.9	120	38.5	24.8	54.2	157	37.3	22.7	54.5	151	31.9	19.0	48.3	124
\$25,000 - \$34,999	29.2	17.5	44.5	110	20.0	10.5	34.8	100	24.9	9.7	50.5	94	5.7	2.3	13.3	102
\$35,000 - \$49,999	6.7	3.0	14.2	134	14.8	7.3	27.7	111	12.3	3.8	33.6	131	9.7	4.8	18.6	131
\$50,000 - \$74,999	3.2	0.6	16.0	149	16.3	7.6	31.6	122	6.7	2.6	16.0	122	8.0	2.2	24.8	120
\$75,000+	2.0	0.6	6.5	245	14.6	4.2	39.8	128	3.2	0.9	10.7	127	4.0	1.6	9.7	174
EMPLOYMENT																
Employed	13.6	9.4	19.1	464	24.8	17.4	34.1	362	22.2	14.5	32.5	338	16.0	10.5	23.6	392
Unemployed	59.2	41.3	75.0	51	*	*	*	*	*	*	*	*	*	*	*	*
Other**	9.8	5.6	16.5	434	15.0	9.6	22.5	421	6.4	2.9	13.5	430	7.2	3.8	13.1	407
EDUCATION																
K-11th Grade	*	*	*	*	42.3	25.4	61.2	86	39.3	20.2	62.3	54	*	*	*	*
12th Grade or GED	24.6	17.4	33.5	212	24.7	16.6	35.1	243	24.6	14.4	38.9	250	18.1	10.6	29.2	232
Some College	9.6	5.7	15.8	295	16.8	10.2	26.3	268	13.0	6.7	23.7	276	9.8	5.6	16.5	274
College Graduate+	6.3	3.3	11.5	404	6.4	2.8	13.9	218	8.6	3.1	21.5	223	3.9	2.2	7.0	285
ETHNICITY																
Non-Hispanic	14.4	11.1	18.3	917	16.9	12.1	23.1	742	13.5	9.0	19.8	767	11.5	8.0	16.3	794
Hispanic	*	*	*	*	51.0	32.6	69.1	65	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Dental Insurance

Idaho adults without dental insurance, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	46.7	44.4	49.1	5,467	50.4	44.2	56.6	775	47.2	40.3	54.3	757	54.4	48.6	60.2	778
SEX																
Male	44.4	40.9	48.0	2,153	44.6	35.2	54.4	298	43.2	32.9	54.2	307	55.5	46.5	64.2	301
Female	48.9	45.9	51.9	3,314	55.8	48.0	63.4	477	51.2	42.8	59.6	450	53.4	45.8	60.8	477
AGE																
18-24	41.3	32.9	50.3	186	*	*	*	*	*	*	*	*	*	*	*	*
25-34	40.2	33.3	47.5	391	*	*	*	*	*	*	*	*	35.3	21.6	51.9	66
35-44	37.5	31.9	43.4	620	42.7	28.6	58.1	76	37.6	21.8	56.5	75	45.1	31.0	60.1	96
45-54	37.6	32.8	42.7	913	45.9	33.0	59.3	120	30.3	21.9	40.2	149	56.8	43.3	69.3	110
55-64	49.9	45.5	54.3	1,261	51.4	40.7	62.0	207	51.9	37.9	65.5	166	66.1	54.9	75.8	165
65+	70.3	67.1	73.2	2,049	67.9	59.6	75.2	310	78.0	72.1	83.0	297	72.9	64.9	79.6	302
18-34	40.7	35.3	46.3	577	42.3	26.6	59.7	55	34.0	19.5	52.2	62	41.9	30.0	54.8	100
35-64	41.6	38.7	44.6	2,794	47.0	39.5	54.6	403	40.5	32.4	49.1	390	55.1	47.1	62.8	371
65+	70.3	67.1	73.2	2,049	67.9	59.6	75.2	310	78.0	72.1	83.0	297	72.9	64.9	79.6	302
SEX and AGE																
Male																
18-34	36.6	28.7	45.3	212	*	*	*	*	*	*	*	*	*	*	*	*
35-64	41.3	36.8	45.9	1,173	44.1	33.2	55.5	173	44.4	31.7	57.8	171	55.1	42.5	67.0	148
65+	65.9	60.7	70.7	750	61.0	46.6	73.8	109	82.0	72.4	88.8	111	67.7	56.9	76.9	113
Female																
18-34	44.6	37.5	52.0	365	*	*	*	*	*	*	*	*	33.7	20.4	50.2	60
35-64	41.9	38.1	45.7	1,621	50.1	40.4	59.9	230	36.9	27.2	47.9	219	55.2	45.2	64.7	223
65+	74.1	70.3	77.5	1,299	73.5	64.5	80.9	201	74.6	66.8	81.1	186	77.6	65.0	86.6	189
INCOME																
Less than \$15,000	73.7	65.4	80.6	588	69.6	42.8	87.5	92	43.3	21.3	68.3	78	83.2	69.5	91.5	131
\$15,000 - \$24,999	63.5	57.5	69.1	923	68.6	53.9	80.4	130	77.0	60.5	88.0	134	71.1	56.3	82.4	156
\$25,000 - \$34,999	59.0	51.7	65.8	658	57.4	36.2	76.2	99	71.5	56.5	82.9	83	61.3	45.0	75.4	103
\$35,000 - \$49,999	42.8	37.4	48.5	819	46.1	31.2	61.7	116	54.4	37.7	70.1	113	44.3	30.6	59.0	112
\$50,000 - \$74,999	32.8	27.6	38.5	804	39.5	24.5	56.8	105	32.0	20.6	46.0	118	30.3	17.2	47.5	95
\$75,000+	21.7	17.9	26.0	988	24.9	15.9	36.9	134	19.9	10.2	35.0	127	14.1	8.1	23.5	87
EMPLOYMENT																
Employed	36.5	33.3	39.7	2,422	45.8	36.7	55.1	313	36.4	27.9	45.9	336	44.5	36.3	53.0	322
Unemployed	75.5	66.4	82.8	246	*	*	*	*	*	*	*	*	*	*	*	*
Other**	57.7	54.3	61.1	2,783	54.5	46.2	62.6	430	55.8	43.0	67.9	383	62.6	53.7	70.7	408
EDUCATION																
K-11th Grade	68.1	59.6	75.6	390	*	*	*	*	49.2	25.8	73.0	58	72.2	55.7	84.3	94
12th Grade or GED	52.2	47.8	56.6	1,601	51.4	40.3	62.4	232	61.7	49.7	72.4	245	63.8	54.2	72.5	262
Some College	44.4	40.5	48.3	1,751	49.3	39.0	59.5	268	42.0	30.7	54.1	215	45.4	35.5	55.7	230
College Graduate+	31.6	28.3	35.1	1,711	38.2	28.7	48.7	224	33.5	23.4	45.3	238	33.5	23.9	44.6	191
ETHNICITY																
Non-Hispanic	45.4	43.1	47.8	5,186	48.4	42.3	54.6	754	46.3	39.2	53.5	729	52.7	46.5	58.8	703
Hispanic	58.3	48.5	67.6	228	*	*	*	*	*	*	*	*	59.6	42.2	74.9	65

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Dental Insurance

Idaho adults without dental insurance, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	39.6	35.0	44.4	869	54.5	48.0	60.8	757	45.7	38.9	52.7	756	41.2	35.4	47.3	775
SEX																
Male	37.4	30.7	44.6	372	54.3	44.0	64.2	278	46.0	35.5	56.9	294	34.5	25.7	44.5	303
Female	41.7	35.6	48.2	497	54.7	46.7	62.5	479	45.4	36.9	54.1	462	47.2	39.8	54.7	472
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	25.3	13.6	42.2	53	51.7	33.5	69.3	68	48.3	29.9	67.2	55	46.7	30.3	63.9	74
35-44	33.8	23.9	45.5	119	50.0	32.3	67.7	77	29.4	15.0	49.6	75	23.7	15.8	34.0	102
45-54	31.4	22.5	41.9	159	37.1	24.0	52.4	112	40.1	29.0	52.3	138	21.1	13.3	31.8	125
55-64	50.0	40.9	59.1	210	41.9	31.1	53.4	166	41.2	29.7	53.7	175	41.9	31.1	53.6	172
65+	58.9	51.0	66.3	276	77.9	71.6	83.1	304	80.0	70.4	87.1	290	71.3	63.9	77.7	270
18-34	33.0	22.9	44.9	96	56.6	41.5	70.5	92	40.2	25.7	56.7	73	43.8	30.5	58.1	99
35-64	38.0	32.3	44.0	488	42.8	34.5	51.7	355	36.9	29.0	45.5	388	28.6	23.0	35.1	399
65+	58.9	51.0	66.3	276	77.9	71.6	83.1	304	80.0	70.4	87.1	290	71.3	63.9	77.7	270
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-64	38.2	29.9	47.4	213	41.7	29.7	54.7	151	40.8	28.4	54.5	157	20.8	14.7	28.5	160
65+	52.4	40.8	63.7	115	80.5	70.2	87.9	97	72.2	54.7	84.8	104	67.1	53.9	78.1	101
Female																
18-34	37.4	23.9	53.1	58	53.9	36.0	70.9	66	*	*	*	*	57.3	39.7	73.2	60
35-64	37.8	30.4	45.7	275	44.2	33.2	55.7	204	33.2	23.9	43.9	231	33.9	25.8	43.2	239
65+	64.9	54.6	73.9	161	76.0	67.8	82.7	207	88.4	82.8	92.4	186	75.0	66.5	81.9	169
INCOME																
Less than \$15,000	70.4	51.8	84.0	65	77.7	62.3	88.0	81	78.4	53.1	92.1	80	74.8	48.2	90.4	61
\$15,000 - \$24,999	50.4	35.8	64.9	107	65.1	49.2	78.2	145	57.1	40.9	71.9	138	64.8	48.6	78.2	113
\$25,000 - \$34,999	51.5	37.3	65.4	99	72.4	53.8	85.5	91	74.4	59.8	85.0	86	41.6	25.2	60.1	97
\$35,000 - \$49,999	41.4	30.3	53.4	123	39.7	25.8	55.4	104	29.6	18.9	43.3	124	45.2	31.6	59.6	127
\$50,000 - \$74,999	29.0	20.8	38.7	140	35.2	21.7	51.5	115	41.3	26.1	58.4	116	27.5	14.1	46.6	115
\$75,000+	18.3	13.0	25.2	229	39.3	24.4	56.5	121	31.4	17.0	50.7	122	14.4	9.7	20.8	168
EMPLOYMENT																
Employed	28.6	23.0	35.0	426	44.2	35.3	53.5	338	32.5	23.9	42.6	319	29.2	21.9	37.8	368
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	48.2	41.1	55.4	394	69.9	61.5	77.2	387	62.0	51.2	71.7	401	61.0	52.1	69.1	380
EDUCATION																
K-11th Grade	*	*	*	*	76.2	57.4	88.4	79	*	*	*	*	*	*	*	*
12th Grade or GED	41.6	32.4	51.5	191	51.8	40.3	63.1	224	54.5	41.1	67.3	234	48.8	36.9	60.8	213
Some College	40.8	33.2	48.8	273	52.8	42.6	62.7	248	41.8	32.0	52.3	261	39.8	30.7	49.7	256
College Graduate+	28.9	23.4	35.2	370	36.4	28.2	45.6	205	35.4	24.2	48.5	210	23.9	17.8	31.2	273
ETHNICITY																
Non-Hispanic	39.6	35.0	44.4	841	51.2	44.6	57.8	693	45.9	38.9	53.1	720	40.7	34.8	46.9	746
Hispanic	*	*	*	*	67.7	47.1	83.2	57	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Diabetes

Idaho adults who had ever been told they had diabetes, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	8.5	7.5	9.6	5,884	11.1	8.3	14.8	824	8.0	5.8	10.9	814	9.7	6.8	13.5	832
SEX																
Male	9.3	7.7	11.1	2,348	14.0	9.3	20.4	318	8.0	5.0	12.6	333	10.9	6.4	17.9	321
Female	7.7	6.5	9.0	3,536	8.4	5.6	12.6	506	8.0	5.2	12.0	481	8.6	5.6	12.8	511
AGE																
18-24	0.5	0.1	3.2	227	*	*	*	*	*	*	*	*	*	*	*	*
25-34	1.3	0.5	3.5	440	*	*	*	*	*	*	*	*	0.3	0.0	2.2	71
35-44	4.9	2.9	8.1	663	8.6	2.9	22.6	84	2.6	0.9	7.2	80	5.6	1.1	24.5	98
45-54	7.9	5.6	10.9	971	8.9	4.1	18.4	125	8.0	3.4	17.8	160	10.1	4.1	22.8	119
55-64	14.6	11.6	18.2	1,334	14.2	7.3	25.7	218	12.1	5.7	23.9	178	25.1	14.6	39.7	178
65+	19.4	16.9	22.2	2,191	22.5	16.4	30.1	328	19.9	14.4	26.9	313	16.6	12.0	22.5	321
18-34	0.9	0.4	2.3	667	1.2	0.2	7.9	60	0.5	0.1	2.2	71	0.2	0.0	1.3	110
35-64	9.0	7.5	10.8	2,968	10.7	6.8	16.6	427	7.9	4.7	13.2	418	13.0	8.0	20.3	395
65+	19.4	16.9	22.2	2,191	22.5	16.4	30.1	328	19.9	14.4	26.9	313	16.6	12.0	22.5	321
SEX and AGE																
Male																
18-34	0.3	0.1	1.4	261	*	*	*	*	*	*	*	*	*	*	*	*
35-64	10.1	7.8	13.1	1,265	13.9	8.0	23.2	185	7.5	3.1	17.0	185	16.5	8.5	29.4	160
65+	22.4	18.2	27.4	801	27.2	16.4	41.6	115	23.3	14.9	34.4	117	14.2	8.6	22.5	119
Female																
18-34	1.6	0.6	4.3	406	*	*	*	*	*	*	*	*	0.4	0.0	2.6	68
35-64	7.9	6.1	10.1	1,703	7.0	3.0	15.4	242	8.4	4.5	15.2	233	9.5	4.8	17.8	235
65+	16.8	14.0	20.0	1,390	18.9	13.1	26.4	213	16.8	10.0	27.0	196	18.6	12.0	27.7	202
INCOME																
Less than \$15,000	13.2	9.3	18.3	656	18.6	7.4	39.4	101	9.6	3.2	25.6	88	9.4	4.4	19.0	141
\$15,000 - \$24,999	10.2	7.8	13.1	1,001	10.6	5.0	20.9	137	11.8	6.7	19.9	146	14.2	7.8	24.4	168
\$25,000 - \$34,999	9.8	7.0	13.5	704	13.4	6.7	25.2	102	11.0	5.5	20.7	88	10.6	3.7	26.7	109
\$35,000 - \$49,999	9.8	6.9	13.7	875	8.0	3.2	18.8	123	13.6	6.1	27.7	122	14.8	5.8	32.8	121
\$50,000 - \$74,999	4.8	3.6	6.6	848	5.8	2.8	11.6	113	4.2	2.1	8.3	125	4.2	2.0	9.0	99
\$75,000+	5.4	4.0	7.3	1,036	5.9	3.0	11.3	139	3.7	1.8	7.3	133	2.3	0.8	6.4	89
EMPLOYMENT																
Employed	4.3	3.4	5.5	2,604	5.3	2.9	9.6	339	4.0	2.6	6.1	364	4.8	2.2	10.5	347
Unemployed	11.2	6.5	18.6	268	*	*	*	*	*	*	*	*	15.0	4.8	38.2	50
Other**	14.1	12.2	16.2	2,991	18.7	13.6	25.2	452	14.4	9.5	21.2	406	15.5	10.6	22.2	432
EDUCATION																
K-11th Grade	13.6	9.6	18.9	436	19.6	8.4	39.4	54	7.7	3.3	16.7	62	19.1	9.8	33.9	102
12th Grade or GED	7.7	6.2	9.6	1,735	10.0	6.3	15.5	247	8.3	4.5	15.0	264	8.7	4.5	16.1	282
Some College	9.0	7.3	11.0	1,873	11.6	7.2	18.3	283	9.1	5.3	15.2	224	8.7	4.8	15.4	248
College Graduate+	5.8	4.7	7.3	1,824	7.3	4.7	11.3	236	6.8	3.6	12.4	262	3.8	2.1	6.7	198
ETHNICITY																
Non-Hispanic	8.7	7.6	9.8	5,563	11.6	8.6	15.3	803	8.0	5.8	11.0	780	9.9	7.0	13.9	752
Hispanic	5.6	3.0	10.1	262	*	*	*	*	*	*	*	*	9.0	2.7	25.9	70

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Diabetes

Idaho adults who had ever been told they had diabetes, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	6.2	4.7	8.0	954	9.5	6.6	13.6	818	8.0	5.8	10.8	809	8.8	6.2	12.4	833
SEX																
Male	6.6	4.6	9.5	418	9.6	5.4	16.5	309	9.6	6.1	14.7	316	8.4	5.0	13.9	333
Female	5.7	3.9	8.2	536	9.5	5.9	14.7	509	6.4	4.2	9.7	493	9.3	5.8	14.5	500
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	0.8	0.1	5.6	68	0.2	0.0	1.5	75	0.0	0.0	0.0	62	4.8	1.0	19.7	81
35-44	4.8	1.8	11.9	130	4.2	1.2	13.9	82	1.9	0.6	6.0	80	4.2	1.3	12.6	109
45-54	4.0	1.5	10.1	169	7.9	2.5	22.3	122	10.3	5.6	18.4	144	11.7	5.5	23.3	132
55-64	10.7	6.8	16.5	222	12.1	7.4	19.2	176	13.2	7.2	22.8	183	16.5	9.4	27.2	179
65+	17.6	13.0	23.4	305	20.7	12.9	31.6	326	21.5	14.0	31.5	311	18.9	11.4	29.7	287
18-34	0.4	0.1	2.9	117	1.9	0.3	11.2	104	0.0	0.0	0.0	86	2.7	0.6	11.8	119
35-64	6.3	4.2	9.3	521	8.1	4.9	13.0	380	8.4	5.5	12.6	407	10.6	6.9	15.9	420
65+	17.6	13.0	23.4	305	20.7	12.9	31.6	326	21.5	14.0	31.5	311	18.9	11.4	29.7	287
SEX and AGE																
Male																
18-34	0.8	0.1	5.7	52	*	*	*	*	*	*	*	*	0.5	0.1	3.5	51
35-64	6.1	3.4	10.8	234	9.2	4.4	18.0	163	8.5	4.6	15.1	164	10.9	5.6	20.2	174
65+	21.5	13.9	31.7	125	17.6	7.2	37.1	109	29.7	16.5	47.5	111	26.2	12.6	46.6	105
Female																
18-34	0.0	0.0	0.0	65	3.8	0.6	20.5	71	*	*	*	*	5.9	1.1	26.4	68
35-64	6.4	3.7	11.0	287	6.9	3.6	12.7	217	8.4	4.6	14.7	243	10.3	5.9	17.5	246
65+	14.2	9.3	21.1	180	23.1	13.2	37.3	217	12.5	8.2	18.8	200	12.6	8.3	18.6	182
INCOME																
Less than \$15,000	11.5	5.4	22.9	74	28.3	11.6	54.4	90	6.2	2.7	13.7	86	18.0	7.8	36.3	76
\$15,000 - \$24,999	6.8	3.8	11.9	120	6.8	3.5	12.8	156	5.7	3.2	9.9	151	18.4	9.6	32.3	123
\$25,000 - \$34,999	3.5	1.7	7.1	110	16.4	7.3	32.9	99	11.0	5.9	19.5	94	11.8	5.2	24.8	102
\$35,000 - \$49,999	9.5	5.0	17.4	134	12.3	4.3	30.4	112	12.1	5.3	25.4	131	2.3	1.1	4.9	132
\$50,000 - \$74,999	4.2	2.0	8.6	147	2.6	1.1	5.8	122	7.6	3.6	15.2	122	6.4	2.5	15.3	120
\$75,000+	5.7	3.4	9.5	246	4.6	2.0	10.1	128	9.2	3.8	20.5	127	4.9	1.7	13.2	174
EMPLOYMENT																
Employed	3.7	2.3	5.9	461	2.7	1.6	4.6	361	6.4	3.8	10.6	338	4.2	2.4	7.3	394
Unemployed	9.4	3.4	23.1	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	9.7	7.1	13.2	438	18.5	12.4	26.9	424	10.8	7.2	16.0	432	14.7	9.4	22.3	407
EDUCATION																
K-11th Grade	*	*	*	*	19.2	9.1	36.1	85	3.5	1.4	8.4	54	*	*	*	*
12th Grade or GED	5.2	3.1	8.8	213	7.5	4.0	13.6	244	7.4	4.0	13.3	252	9.2	5.4	15.3	233
Some College	7.2	4.6	11.1	297	8.1	4.3	14.8	269	12.2	7.7	18.9	276	8.1	4.3	14.8	276
College Graduate+	6.3	4.1	9.8	402	5.0	2.8	8.8	219	5.1	2.7	9.6	223	5.3	2.8	9.9	284
ETHNICITY																
Non-Hispanic	6.4	4.9	8.4	919	9.3	6.3	13.6	744	8.3	5.9	11.4	769	9.1	6.3	12.9	796
Hispanic	*	*	*	*	6.0	2.6	13.0	65	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Asthma

Idaho adults who were diagnosed with and still had asthma, 2012

	Public Health District															
	Statewide				District 1			District 2			District 3					
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	8.5	7.3	9.8	5,838	6.4	4.3	9.6	822	9.2	6.4	13.3	808	7.7	5.3	11.2	823
SEX																
Male	6.4	5.0	8.2	2,328	3.5	2.0	6.1	319	6.7	3.4	12.9	330	7.3	3.8	13.6	316
Female	10.5	8.8	12.5	3,510	9.4	5.6	15.3	503	11.9	7.7	17.9	478	8.1	5.1	12.6	507
AGE																
18-24	7.0	3.9	12.1	224	*	*	*	*	*	*	*	*	*	*	*	*
25-34	6.6	3.9	10.9	438	*	*	*	*	*	*	*	*	5.4	1.4	18.5	70
35-44	7.8	5.4	11.1	660	12.6	6.1	24.5	84	5.9	2.7	12.3	80	2.6	1.0	7.0	97
45-54	12.2	9.1	16.0	962	5.0	2.6	9.5	123	15.4	7.3	29.8	160	16.4	7.7	31.4	119
55-64	8.1	6.3	10.4	1,325	5.7	3.4	9.3	218	7.3	4.3	12.2	177	8.2	4.5	14.5	176
65+	9.0	7.1	11.3	2,171	5.8	3.7	8.9	330	13.8	8.0	22.7	308	9.7	5.5	16.5	316
18-34	6.8	4.6	9.8	662	5.0	0.9	22.7	58	5.6	1.7	16.8	71	4.6	1.6	12.2	109
35-64	9.4	7.9	11.2	2,947	7.5	4.9	11.2	425	9.7	6.1	15.3	417	9.1	5.4	14.9	392
65+	9.0	7.1	11.3	2,171	5.8	3.7	8.9	330	13.8	8.0	22.7	308	9.7	5.5	16.5	316
SEX and AGE																
Male																
18-34	4.6	2.3	8.8	260	*	*	*	*	*	*	*	*	*	*	*	*
35-64	6.9	5.0	9.4	1,253	4.3	2.1	8.7	185	8.5	3.5	18.9	184	7.8	3.1	18.2	158
65+	8.7	5.7	13.0	794	5.0	2.3	10.7	116	14.6	5.4	34.0	115	8.6	3.0	22.2	116
Female																
18-34	9.1	5.7	14.2	402	*	*	*	*	*	*	*	*	3.3	0.8	12.2	67
35-64	12.0	9.7	14.7	1,694	11.3	6.8	18.0	240	11.0	6.6	17.9	233	10.3	5.5	18.3	234
65+	9.3	7.2	11.8	1,377	6.4	3.7	10.7	214	13.1	8.5	19.6	193	10.5	5.5	19.2	200
INCOME																
Less than \$15,000	14.7	10.3	20.5	644	16.0	4.6	42.6	100	10.1	3.4	26.1	87	11.0	4.6	24.0	137
\$15,000 - \$24,999	10.2	7.5	13.9	996	5.3	2.3	11.9	138	9.6	5.5	16.4	145	15.4	7.8	28.0	168
\$25,000 - \$34,999	5.6	3.9	8.1	699	7.9	3.0	19.1	103	3.8	1.6	8.9	86	2.9	1.2	7.0	105
\$35,000 - \$49,999	8.9	6.2	12.5	873	5.7	2.2	13.8	124	9.8	3.5	24.3	122	11.1	5.0	22.8	120
\$50,000 - \$74,999	6.4	4.1	9.9	842	4.8	2.2	10.1	112	12.8	5.5	27.1	124	2.1	0.8	5.5	99
\$75,000+	5.3	3.6	7.6	1,031	4.6	2.2	9.2	139	6.7	1.6	23.5	133	2.3	0.7	7.4	89
EMPLOYMENT																
Employed	5.8	4.6	7.3	2,591	2.8	1.7	4.5	339	8.2	4.5	14.6	364	3.4	1.9	5.9	345
Unemployed	15.7	9.7	24.4	265	*	*	*	*	*	*	*	*	23.2	9.2	47.4	50
Other**	11.3	9.3	13.7	2,961	9.5	5.1	16.7	450	12.2	7.6	19.1	400	10.7	6.5	17.0	425
EDUCATION																
K-11th Grade	12.1	7.7	18.6	432	12.4	2.5	44.1	54	5.3	2.1	12.7	61	13.1	5.3	28.8	99
12th Grade or GED	8.5	6.5	11.0	1,722	9.1	5.2	15.6	247	8.3	4.2	15.5	262	8.7	4.7	15.4	278
Some College	8.7	7.0	10.9	1,853	5.4	3.4	8.4	281	7.5	4.1	13.2	222	6.8	3.7	11.9	247
College Graduate+	5.8	4.5	7.5	1,815	2.3	1.1	4.9	236	11.2	5.7	20.9	261	2.6	1.3	5.3	197
ETHNICITY																
Non-Hispanic	8.7	7.5	10.1	5,521	6.7	4.4	10.1	801	9.7	6.6	14.0	774	7.8	5.2	11.6	745
Hispanic	6.0	3.1	11.5	258	*	*	*	*	*	*	*	*	5.7	1.5	19.5	68

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Asthma

Idaho adults who were diagnosed with and still had asthma, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	7.7	5.6	10.5	942	8.8	6.0	12.7	813	11.4	7.9	16.3	802	10.2	6.8	15.1	828
SEX																
Male	4.6	2.6	7.8	414	8.9	4.6	16.3	305	7.9	4.3	14.1	314	9.0	4.3	17.6	330
Female	10.8	7.4	15.6	528	8.7	5.9	12.7	508	14.9	9.3	22.9	488	11.4	7.1	17.9	498
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	2.2	0.7	6.8	67	2.2	0.3	14.4	76	9.7	3.2	26.1	62	13.0	4.4	32.5	80
35-44	5.3	2.1	12.6	129	10.8	4.5	23.6	83	10.2	3.5	26.2	80	12.5	5.0	27.9	107
45-54	14.1	8.4	22.7	166	11.8	5.0	25.4	119	7.8	3.9	15.3	143	12.5	5.5	26.0	132
55-64	7.2	3.9	12.9	220	7.9	4.6	13.3	175	11.9	5.2	25.2	182	11.4	6.2	20.1	177
65+	5.9	3.4	10.2	300	12.4	6.7	21.7	324	17.5	9.4	30.2	306	4.2	2.4	7.3	287
18-34	6.7	3.1	13.9	116	4.3	1.1	15.5	104	10.3	4.5	21.9	86	10.4	4.5	22.3	118
35-64	9.0	6.2	12.9	515	10.2	6.4	15.9	377	10.0	5.9	16.3	405	12.2	7.6	18.8	416
65+	5.9	3.4	10.2	300	12.4	6.7	21.7	324	17.5	9.4	30.2	306	4.2	2.4	7.3	287
SEX and AGE																
Male																
18-34	3.0	0.6	12.7	52	*	*	*	*	*	*	*	*	9.7	2.7	29.4	50
35-64	6.2	3.3	11.3	231	8.5	3.4	19.4	160	5.9	2.6	13.0	163	9.8	4.1	21.6	172
65+	2.6	0.9	7.3	124	17.6	7.0	37.8	108	17.1	5.9	40.5	110	4.5	1.9	10.0	105
Female																
18-34	10.5	4.3	23.3	64	3.2	0.6	16.2	71	*	*	*	*	11.3	3.8	29.0	68
35-64	11.9	7.5	18.4	284	12.1	7.5	18.9	217	13.7	7.2	24.3	242	13.9	8.0	23.0	244
65+	8.8	4.6	16.2	176	8.5	5.2	13.4	216	18.0	9.4	31.6	196	4.0	1.9	8.2	182
INCOME																
Less than \$15,000	18.9	9.8	33.2	72	21.3	11.0	37.2	88	18.8	7.4	40.2	84	8.6	3.3	20.6	76
\$15,000 - \$24,999	7.8	3.5	16.4	120	7.7	3.2	17.3	155	19.1	9.4	35.0	147	7.0	2.9	15.7	123
\$25,000 - \$34,999	4.1	1.8	9.1	110	4.5	1.7	11.3	100	18.2	8.2	35.5	94	4.1	1.7	10.0	101
\$35,000 - \$49,999	5.1	2.4	10.7	132	15.0	5.5	34.9	112	3.5	1.4	8.4	131	15.4	7.1	30.3	132
\$50,000 - \$74,999	5.7	2.6	12.0	146	6.0	2.8	12.1	120	2.7	1.2	5.8	122	14.1	4.2	38.2	119
\$75,000+	3.3	1.6	6.6	243	4.8	1.4	14.9	128	8.3	4.0	16.4	127	10.8	4.5	24.0	172
EMPLOYMENT																
Employed	5.3	3.3	8.6	456	3.7	2.2	6.0	359	8.7	4.8	15.1	338	12.1	7.0	20.0	390
Unemployed	15.6	6.6	32.5	51	*	*	*	*	*	*	*	*	*	*	*	*
Other**	10.2	6.4	16.0	432	16.4	10.5	24.8	422	15.2	9.2	24.1	426	8.1	4.5	14.2	406
EDUCATION																
K-11th Grade	*	*	*	*	7.0	2.2	20.0	86	14.9	4.3	40.6	53	*	*	*	*
12th Grade or GED	7.0	3.7	12.8	210	6.0	3.1	11.0	241	8.5	4.7	14.9	251	13.2	6.0	26.6	233
Some College	7.5	4.6	12.0	290	12.2	6.9	20.7	268	15.9	9.0	26.6	273	10.2	5.4	18.4	272
College Graduate+	4.9	2.9	8.2	400	8.7	3.9	18.2	217	7.2	3.4	14.3	221	8.3	4.8	14.2	283
EDUCATION																
K-11th Grade	8.3	6.0	11.3	907	9.7	6.7	13.8	740	9.8	6.6	14.3	763	10.9	7.2	16.2	791
12th Grade or GED	*	*	*	*	5.2	0.8	26.5	64	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Physical Activity

Idaho adults with no leisure time physical activity, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	20.3	18.6	22.1	5,889	20.4	16.3	25.2	828	19.5	14.9	25.1	814	24.3	19.8	29.5	832
SEX																
Male	20.1	17.6	22.9	2,352	26.2	19.1	34.9	320	20.9	13.5	30.9	333	20.2	14.2	28.0	322
Female	20.4	18.2	22.9	3,537	14.8	11.2	19.3	508	18.0	13.6	23.5	481	28.2	21.9	35.5	510
AGE																
18-24	9.7	6.0	15.4	228	*	*	*	*	*	*	*	*	*	*	*	*
25-34	19.4	14.5	25.5	440	*	*	*	*	*	*	*	*	25.4	13.5	42.8	71
35-44	16.3	12.3	21.4	664	23.3	13.1	38.1	84	16.3	8.4	29.2	80	18.2	8.7	34.1	98
45-54	18.9	15.3	23.1	969	17.9	8.9	32.6	125	15.2	8.8	25.0	160	23.5	14.3	36.2	119
55-64	25.9	22.1	30.1	1,337	23.5	14.9	35.2	219	33.1	20.3	49.0	178	38.2	27.2	50.6	179
65+	28.4	25.5	31.4	2,191	31.2	24.3	39.1	330	29.7	22.4	38.3	313	30.9	24.0	38.7	320
18-34	15.1	11.8	19.3	668	7.4	2.7	19.0	60	9.6	3.4	24.3	71	17.6	9.7	29.7	110
35-64	20.3	18.0	22.8	2,970	21.5	15.7	28.8	428	22.1	15.6	30.2	418	26.0	19.6	33.6	396
65+	28.4	25.5	31.4	2,191	31.2	24.3	39.1	330	29.7	22.4	38.3	313	30.9	24.0	38.7	320
SEX and AGE																
Male																
18-34	14.8	10.3	20.9	261	*	*	*	*	*	*	*	*	*	*	*	*
35-64	20.8	17.3	24.6	1,268	30.6	21.1	42.2	186	24.5	14.4	38.5	185	24.5	15.4	36.6	161
65+	26.6	22.0	31.7	801	31.2	19.5	45.9	116	22.5	11.7	38.8	117	24.7	16.2	35.7	119
Female																
18-34	15.5	10.9	21.6	407	*	*	*	*	*	*	*	*	24.2	12.2	42.4	68
35-64	19.8	16.9	23.2	1,702	10.8	6.6	17.3	242	19.6	13.0	28.3	233	27.5	19.3	37.5	235
65+	30.0	26.5	33.7	1,390	31.2	23.8	39.8	214	36.3	27.9	45.7	196	36.1	26.3	47.4	201
INCOME																
Less than \$15,000	32.0	25.5	39.3	653	26.8	13.7	45.8	101	37.0	16.7	63.3	88	40.6	27.2	55.6	140
\$15,000 - \$24,999	24.6	20.3	29.5	1,003	21.7	14.0	32.1	138	19.7	10.8	33.2	146	24.8	15.1	37.9	168
\$25,000 - \$34,999	19.6	15.4	24.6	707	12.3	7.0	20.8	103	16.5	9.3	27.6	88	21.9	13.2	34.0	109
\$35,000 - \$49,999	23.5	18.9	28.8	877	28.0	16.1	44.1	124	14.2	6.4	28.7	122	30.0	18.2	45.2	122
\$50,000 - \$74,999	13.6	10.5	17.3	849	15.1	8.3	26.0	113	17.3	8.9	30.8	125	5.5	1.9	15.0	99
\$75,000+	10.2	7.4	13.9	1,036	16.1	7.7	30.6	139	13.8	6.3	27.6	133	18.7	9.0	35.1	89
EMPLOYMENT																
Employed	16.4	14.1	18.9	2,606	16.3	11.0	23.5	340	17.7	12.0	25.1	364	19.4	13.5	27.0	347
Unemployed	23.8	16.5	33.0	269	*	*	*	*	*	*	*	*	23.3	10.0	45.5	50
Other**	25.4	22.7	28.3	2,993	25.5	19.7	32.3	455	19.7	13.8	27.4	406	31.2	24.1	39.3	432
EDUCATION																
K-11th Grade	34.7	27.8	42.3	437	29.5	15.9	48.0	54	16.1	7.6	30.9	62	45.5	31.2	60.5	102
12th Grade or GED	24.2	20.8	28.0	1,734	24.3	16.8	33.7	249	27.8	18.3	39.7	264	29.1	21.1	38.7	282
Some College	16.7	14.3	19.4	1,873	17.0	11.3	24.7	283	16.7	9.9	27.0	224	16.3	10.7	24.2	248
College Graduate+	13.4	10.8	16.3	1,829	18.6	10.4	31.0	238	15.1	8.7	25.1	262	7.6	4.4	12.9	198
ETHNICITY																
Non-Hispanic	19.7	17.9	21.5	5,567	21.2	16.9	26.3	806	18.9	14.2	24.6	780	24.4	19.6	29.9	752
Hispanic	25.0	17.9	33.7	262	*	*	*	*	*	*	*	*	25.0	13.5	41.6	70

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Physical Activity

Idaho adults with no leisure time physical activity, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	17.1	14.0	20.8	955	19.2	14.8	24.5	819	23.9	18.4	30.6	806	20.8	16.4	26.0	835
SEX																
Male	15.8	11.7	21.0	420	20.7	14.0	29.6	309	26.3	17.7	37.2	314	16.9	11.3	24.4	334
Female	18.4	14.0	24.0	535	17.6	12.7	24.1	510	21.6	15.2	29.7	492	24.6	18.3	32.2	501
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	12.9	6.0	25.3	68	21.4	9.4	41.5	76	25.7	11.8	47.1	61	24.9	13.2	42.1	81
35-44	16.0	8.7	27.4	130	9.0	4.1	18.9	83	19.4	7.9	40.5	80	11.4	5.2	23.0	109
45-54	12.1	7.5	19.0	168	25.2	14.1	40.7	122	21.7	13.9	32.2	143	25.6	14.8	40.6	132
55-64	22.5	15.7	31.2	223	13.9	9.4	20.1	176	33.2	22.3	46.3	183	22.7	14.8	33.2	179
65+	23.7	18.2	30.2	305	31.5	24.2	39.9	325	26.9	17.5	39.0	310	27.9	20.7	36.6	288
18-34	14.4	8.5	23.4	117	14.0	6.2	28.5	105	21.2	10.7	37.7	85	19.2	11.3	30.6	120
35-64	16.6	12.6	21.5	521	16.1	11.1	22.7	381	24.7	18.0	33.0	406	19.8	14.2	26.8	420
65+	23.7	18.2	30.2	305	31.5	24.2	39.9	325	26.9	17.5	39.0	310	27.9	20.7	36.6	288
SEX and AGE																
Male																
18-34	13.1	5.9	26.8	52	*	*	*	*	*	*	*	*	15.6	7.3	30.3	52
35-64	15.2	10.2	22.0	235	16.7	9.4	28.0	163	24.3	14.2	38.4	164	14.4	7.8	25.3	174
65+	21.2	14.1	30.5	125	34.1	21.5	49.4	109	29.1	14.2	50.5	110	27.2	15.8	42.6	105
Female																
18-34	15.8	7.7	29.5	65	12.6	3.8	34.6	72	*	*	*	*	24.3	11.6	43.9	68
35-64	18.0	12.2	25.7	286	15.4	9.8	23.3	218	25.1	17.1	35.3	242	23.7	16.1	33.5	246
65+	25.8	18.1	35.2	180	29.5	22.0	38.3	216	24.5	16.5	34.8	200	28.6	20.4	38.5	183
INCOME																
Less than \$15,000	29.5	17.2	45.8	73	39.8	21.9	60.9	90	24.8	11.7	45.1	85	24.1	10.7	45.7	76
\$15,000 - \$24,999	15.0	8.8	24.5	120	23.5	13.6	37.5	157	43.7	28.7	59.9	150	28.0	17.8	41.2	124
\$25,000 - \$34,999	22.1	13.5	33.9	111	24.5	12.2	43.1	100	15.5	8.1	27.7	94	17.2	10.0	28.0	102
\$35,000 - \$49,999	19.1	11.5	30.1	134	16.3	7.0	33.5	112	22.7	11.7	39.4	131	29.1	17.6	44.2	132
\$50,000 - \$74,999	16.7	10.5	25.4	148	12.6	5.9	25.1	122	12.0	5.9	22.8	122	15.3	6.9	30.6	120
\$75,000+	6.3	3.5	11.0	246	6.3	2.7	14.3	128	20.9	8.3	43.5	127	2.7	1.3	5.7	174
EMPLOYMENT																
Employed	13.4	9.6	18.3	462	14.2	8.8	22.0	363	21.8	14.2	31.8	336	17.3	11.9	24.4	394
Unemployed	13.2	6.2	25.9	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	24.7	18.9	31.5	438	27.0	20.5	34.5	423	23.9	16.6	33.0	431	23.4	17.0	31.3	408
EDUCATION																
K-11th Grade	*	*	*	*	31.1	17.6	48.7	86	49.9	27.9	72.0	53	*	*	*	*
12th Grade or GED	20.2	13.5	29.1	212	17.1	10.5	26.5	244	29.1	18.2	43.2	250	25.7	17.3	36.4	233
Some College	15.8	11.5	21.4	297	17.6	11.1	26.7	269	14.8	9.9	21.4	276	18.7	12.6	26.9	276
College Graduate+	13.1	9.2	18.2	404	12.6	7.5	20.4	219	16.5	8.3	30.1	223	11.0	5.6	20.4	285
ETHNICITY																
Non-Hispanic	16.1	13.1	19.6	920	18.4	14.0	23.8	744	22.7	17.0	29.7	767	19.8	15.5	25.1	798
Hispanic	*	*	*	*	19.1	8.8	36.6	66	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Overweight

Idaho adults who were overweight (BMI ≥ 25), 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	62.5	60.2	64.8	5,578	58.9	52.7	64.8	790	58.4	50.7	65.6	780	67.9	62.2	73.0	782
SEX																
Male	69.6	66.2	72.8	2,321	70.2	60.6	78.3	318	64.8	52.8	75.1	330	73.7	65.3	80.7	319
Female	54.9	51.8	57.9	3,257	46.8	39.3	54.5	472	51.1	41.9	60.3	450	61.5	53.8	68.6	463
AGE																
18-24	36.4	29.0	44.7	216	*	*	*	*	*	*	*	*	*	*	*	*
25-34	56.5	49.4	63.3	403	*	*	*	*	*	*	*	*	59.8	42.8	74.7	65
35-44	68.4	63.0	73.4	618	69.8	54.8	81.5	82	70.6	48.9	85.8	74	79.2	67.3	87.5	89
45-54	69.2	64.6	73.5	923	67.9	55.2	78.4	118	59.3	46.6	70.8	155	77.1	65.4	85.8	113
55-64	71.4	67.1	75.3	1,264	59.1	47.6	69.7	209	86.6	80.3	91.2	174	77.2	66.1	85.4	168
65+	68.1	65.0	70.9	2,116	64.9	57.4	71.7	321	67.2	58.8	74.6	304	70.3	63.0	76.7	307
18-34	47.5	42.2	52.9	619	39.1	23.4	57.4	55	31.7	17.8	49.9	65	49.3	36.8	61.9	102
35-64	69.7	66.9	72.2	2,805	65.2	57.8	72.0	409	72.6	64.2	79.6	403	77.9	71.5	83.1	370
65+	68.1	65.0	70.9	2,116	64.9	57.4	71.7	321	67.2	58.8	74.6	304	70.3	63.0	76.7	307
SEX and AGE																
Male																
18-34	52.8	45.2	60.3	260	*	*	*	*	*	*	*	*	*	*	*	*
35-64	78.3	74.4	81.7	1,249	75.5	64.7	83.8	185	80.1	67.9	88.5	183	84.0	74.7	90.4	160
65+	75.2	70.7	79.1	794	72.1	59.7	81.9	115	74.3	59.0	85.3	117	76.8	67.0	84.3	117
Female																
18-34	41.2	34.3	48.5	359	*	*	*	*	*	*	*	*	41.7	26.3	59.0	60
35-64	60.3	56.5	64.0	1,556	52.1	42.1	61.9	224	64.6	53.0	74.7	220	71.0	61.8	78.8	210
65+	61.7	57.6	65.7	1,322	59.0	49.8	67.6	206	60.4	51.1	69.0	187	64.6	53.7	74.2	190
INCOME																
Less than \$15,000	61.6	53.9	68.9	623	58.4	38.4	75.9	99	30.4	15.8	50.5	85	75.7	61.2	86.1	132
\$15,000 - \$24,999	59.3	53.3	65.1	951	46.8	33.5	60.6	133	66.9	54.1	77.7	141	64.7	50.9	76.3	160
\$25,000 - \$34,999	65.4	58.0	72.0	668	62.2	40.6	79.9	101	63.7	45.2	78.8	85	72.3	57.1	83.6	103
\$35,000 - \$49,999	68.3	62.7	73.4	848	59.8	43.9	74.0	123	63.5	45.9	78.1	114	75.9	63.4	85.2	118
\$50,000 - \$74,999	67.3	61.7	72.4	816	69.0	56.0	79.5	107	68.7	53.5	80.7	123	66.9	49.5	80.7	95
\$75,000+	60.6	55.6	65.4	1,007	65.3	52.5	76.2	133	48.3	30.8	66.2	131	56.1	39.7	71.2	88
EMPLOYMENT																
Employed	62.9	59.7	66.1	2,477	55.7	46.6	64.5	322	64.9	54.5	74.0	347	65.2	56.8	72.7	327
Unemployed	67.3	57.5	75.9	255	*	*	*	*	*	*	*	*	*	*	*	*
Other**	60.8	57.4	64.0	2,834	61.4	54.0	68.3	436	54.9	42.7	66.4	391	73.4	65.8	79.9	406
EDUCATION																
K-11th Grade	64.9	56.6	72.4	400	59.5	38.2	77.7	51	65.9	37.6	86.2	59	67.2	52.1	79.4	97
12th Grade or GED	60.9	56.5	65.1	1,642	59.4	48.9	69.0	238	61.3	48.5	72.7	253	71.1	62.0	78.8	266
Some College	63.5	59.5	67.3	1,770	57.2	46.7	67.1	272	50.9	37.3	64.4	216	63.3	52.1	73.3	226
College Graduate+	61.5	57.6	65.2	1,757	61.8	51.1	71.4	228	57.5	45.3	68.8	250	70.1	58.7	79.5	192
ETHNICITY																
Non-Hispanic	61.8	59.4	64.1	5,290	58.8	52.6	64.7	772	58.2	50.3	65.7	749	66.6	60.5	72.1	706
Hispanic	70.3	60.9	78.2	238	*	*	*	*	*	*	*	*	72.5	55.4	84.9	66

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Overweight

Idaho adults who were overweight (BMI ≥ 25), 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	58.7	53.9	63.4	904	65.6	59.0	71.6	763	63.7	56.6	70.3	766	67.6	61.7	73.0	793
SEX																
Male	67.6	60.5	73.9	412	68.6	57.9	77.6	300	70.0	59.4	78.9	310	71.8	62.5	79.5	332
Female	49.2	42.8	55.7	492	62.3	54.3	69.7	463	57.0	47.6	65.9	456	62.9	55.4	69.8	461
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	58.1	43.3	71.6	64	60.0	41.1	76.3	68	48.9	31.0	67.2	58	75.1	58.6	86.5	71
35-44	57.9	46.6	68.4	116	73.7	55.0	86.5	79	72.4	56.0	84.4	74	67.6	54.6	78.4	104
45-54	67.6	57.6	76.2	164	71.5	58.3	81.9	112	65.3	52.3	76.3	132	71.5	58.8	81.5	129
55-64	71.8	62.8	79.4	210	76.9	65.7	85.3	160	72.3	58.9	82.6	172	64.6	52.4	75.1	171
65+	70.3	63.5	76.4	294	65.7	57.4	73.1	312	67.4	56.6	76.7	304	68.7	59.2	76.8	274
18-34	40.5	30.5	51.3	111	51.1	36.5	65.5	95	53.4	38.1	68.1	82	66.6	54.0	77.2	109
35-64	65.8	60.0	71.1	490	74.0	65.7	80.8	351	69.9	61.8	76.9	378	68.1	60.9	74.5	404
65+	70.3	63.5	76.4	294	65.7	57.4	73.1	312	67.4	56.6	76.7	304	68.7	59.2	76.8	274
SEX and AGE																
Male																
18-34	48.1	33.4	63.1	52	*	*	*	*	*	*	*	*	65.3	48.3	79.2	52
35-64	75.6	67.4	82.3	228	78.7	64.6	88.2	157	77.5	65.7	86.1	163	80.6	70.1	88.0	173
65+	79.0	69.9	86.0	124	77.5	67.5	85.2	108	73.9	56.3	86.2	109	67.9	51.8	80.7	104
Female																
18-34	32.1	20.1	47.1	59	58.0	39.3	74.7	63	*	*	*	*	68.7	50.6	82.5	57
35-64	55.2	47.1	63.0	262	68.3	58.3	76.9	194	61.7	50.7	71.6	215	57.9	48.3	67.0	231
65+	62.5	52.5	71.6	170	56.2	45.2	66.7	204	60.8	48.0	72.3	195	69.4	58.7	78.4	170
INCOME																
Less than \$15,000	52.0	35.4	68.2	68	74.1	57.3	85.9	85	66.2	44.1	82.9	82	66.9	45.0	83.3	72
\$15,000 - \$24,999	45.0	31.4	59.5	112	70.7	54.8	82.7	148	67.7	51.6	80.5	142	65.1	47.9	79.1	115
\$25,000 - \$34,999	67.7	53.6	79.1	101	63.5	41.6	80.9	91	53.9	31.6	74.8	90	63.5	45.0	78.8	97
\$35,000 - \$49,999	69.8	56.6	80.4	130	66.4	50.9	79.1	106	76.4	64.4	85.3	130	65.6	51.1	77.7	127
\$50,000 - \$74,999	60.1	48.7	70.5	143	65.7	48.1	79.8	114	70.9	54.2	83.3	118	78.1	65.5	87.0	116
\$75,000+	62.9	54.5	70.6	239	58.8	42.8	73.1	124	47.8	33.6	62.4	122	70.3	59.5	79.3	170
EMPLOYMENT																
Employed	56.5	50.0	62.9	440	70.5	61.3	78.3	338	70.2	60.5	78.4	321	70.7	63.0	77.4	382
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	60.8	53.4	67.7	414	57.7	48.6	66.3	396	50.2	40.0	60.3	411	60.7	51.1	69.5	380
EDUCATION																
K-11th Grade	*	*	*	*	68.1	47.1	83.6	73	67.9	40.1	87.0	50	*	*	*	*
12th Grade or GED	47.7	37.9	57.5	201	73.3	62.6	81.8	231	61.9	48.3	73.9	239	61.9	49.7	72.8	214
Some College	63.4	55.2	71.0	283	63.6	52.6	73.3	251	70.1	60.0	78.6	258	72.7	63.5	80.2	264
College Graduate+	61.4	54.7	67.7	385	51.5	40.0	62.9	207	55.2	41.7	68.1	217	67.4	57.7	75.8	278
ETHNICITY																
Non-Hispanic	58.4	53.5	63.2	873	63.1	56.3	69.5	700	63.1	55.7	70.0	731	67.6	61.7	73.0	759
Hispanic	*	*	*	*	77.0	53.3	90.8	55	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Obesity

Idaho adults who were obese (BMI ≥ 30), 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	26.8	24.8	28.8	5,578	21.7	17.4	26.7	790	23.7	19.0	29.1	780	35.0	29.6	40.7	782
SEX																
Male	27.3	24.4	30.4	2,321	25.0	18.3	33.2	318	25.3	18.2	33.9	330	32.2	24.5	41.0	319
Female	26.2	23.6	28.9	3,257	18.2	13.4	24.1	472	22.0	16.5	28.7	450	37.9	30.9	45.5	463
AGE																
18-24	13.3	8.9	19.4	216	*	*	*	*	*	*	*	*	*	*	*	*
25-34	21.7	16.8	27.6	403	*	*	*	*	*	*	*	*	16.7	8.4	30.5	65
35-44	31.3	26.0	37.2	618	23.5	13.7	37.5	82	20.1	11.5	32.5	74	51.1	36.1	65.9	89
45-54	34.2	29.5	39.3	923	33.2	21.4	47.5	118	28.7	19.7	39.8	155	43.6	30.6	57.4	113
55-64	29.8	25.8	34.1	1,264	21.8	14.9	30.8	209	30.2	18.5	45.2	174	43.4	31.7	55.9	168
65+	26.9	23.9	30.1	2,116	22.7	16.1	31.0	321	31.3	24.4	39.2	304	33.0	25.5	41.6	307
18-34	18.0	14.5	22.1	619	10.0	3.9	23.2	55	14.1	6.7	27.1	65	17.2	9.8	28.3	102
35-64	31.9	29.1	34.8	2,805	26.1	20.1	33.2	409	26.8	20.4	34.4	403	46.2	38.2	54.3	370
65+	26.9	23.9	30.1	2,116	22.7	16.1	31.0	321	31.3	24.4	39.2	304	33.0	25.5	41.6	307
SEX and AGE																
Male																
18-34	16.6	12.1	22.5	260	*	*	*	*	*	*	*	*	*	*	*	*
35-64	33.5	29.4	37.9	1,249	31.0	22.0	41.6	185	26.4	17.4	37.8	183	42.2	30.6	54.8	160
65+	27.4	22.7	32.7	794	24.4	13.4	40.4	115	36.7	25.3	49.7	117	25.9	17.3	36.9	117
Female																
18-34	19.5	14.6	25.7	359	*	*	*	*	*	*	*	*	14.1	6.7	27.4	60
35-64	30.1	26.5	34.0	1,556	19.9	13.2	28.9	224	27.4	18.9	37.8	220	50.5	40.4	60.7	210
65+	26.5	22.8	30.4	1,322	21.3	14.7	29.8	206	26.2	18.1	36.2	187	39.3	28.1	51.6	190
INCOME																
Less than \$15,000	28.0	22.1	34.8	623	23.8	12.2	41.3	99	13.2	6.7	24.4	85	34.2	21.8	49.2	132
\$15,000 - \$24,999	27.7	23.0	32.9	951	23.4	14.1	36.4	133	37.6	25.0	52.0	141	35.3	23.9	48.6	160
\$25,000 - \$34,999	27.0	21.5	33.3	668	22.2	11.9	37.7	101	32.5	19.8	48.4	85	45.0	30.3	60.7	103
\$35,000 - \$49,999	32.7	27.4	38.4	848	26.3	15.0	41.8	123	26.6	15.6	41.6	114	30.8	19.1	45.7	118
\$50,000 - \$74,999	27.2	22.4	32.7	816	21.0	12.1	33.9	107	26.0	15.1	41.1	123	37.5	22.9	54.7	95
\$75,000+	22.6	18.9	26.9	1,007	20.0	11.4	32.8	133	18.4	9.6	32.4	131	24.4	15.1	37.0	88
EMPLOYMENT																
Employed	25.1	22.5	28.0	2,477	19.5	13.7	27.0	322	24.5	17.7	32.9	347	30.1	23.2	38.1	327
Unemployed	33.4	25.0	42.9	255	*	*	*	*	*	*	*	*	*	*	*	*
Other**	27.8	24.9	30.8	2,834	19.9	15.3	25.4	436	24.0	17.4	32.1	391	43.6	35.2	52.4	406
EDUCATION																
K-11th Grade	30.3	23.4	38.2	400	14.2	7.2	26.2	51	33.9	16.7	56.7	59	34.2	21.3	49.8	97
12th Grade or GED	24.5	21.2	28.1	1,642	21.3	13.9	31.3	238	24.7	18.1	32.8	253	37.1	28.1	47.1	266
Some College	29.0	25.6	32.5	1,770	24.1	17.2	32.6	272	23.7	15.9	33.9	216	35.2	26.1	45.6	226
College Graduate+	24.2	20.9	27.8	1,757	20.1	12.1	31.6	228	17.7	9.8	29.8	250	31.1	20.3	44.5	192
ETHNICITY																
Non-Hispanic	26.2	24.2	28.3	5,290	22.7	18.3	27.9	772	22.8	18.4	27.9	749	32.5	27.0	38.5	706
Hispanic	31.6	23.6	40.7	238	*	*	*	*	*	*	*	*	44.4	28.9	61.1	66

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Obesity

Idaho adults who were obese (BMI ≥ 30), 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	24.6	20.8	28.8	904	29.1	23.3	35.7	763	24.5	19.6	30.1	766	29.0	23.8	34.9	793
SEX																
Male	26.5	21.0	32.9	412	29.8	21.7	39.5	300	23.2	16.4	31.7	310	27.8	20.5	36.6	332
Female	22.5	17.6	28.3	492	28.3	20.5	37.6	463	25.9	19.4	33.6	456	30.4	23.5	38.2	461
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	22.7	13.0	36.7	64	30.1	16.2	49.0	68	13.7	6.6	26.2	58	34.1	20.3	51.3	71
35-44	22.9	14.8	33.6	116	30.4	15.6	50.9	79	27.3	13.6	47.4	74	42.4	29.0	57.1	104
45-54	33.9	24.9	44.2	164	39.4	25.4	55.3	112	34.9	24.5	46.9	132	22.0	13.6	33.7	129
55-64	31.5	23.1	41.3	210	23.5	15.9	33.4	160	32.2	23.1	42.9	172	23.5	16.3	32.6	171
65+	26.7	20.2	34.3	294	22.7	16.0	31.3	312	27.2	19.3	36.8	304	26.0	17.6	36.5	274
18-34	14.5	8.6	23.3	111	27.2	16.2	42.0	95	13.4	6.6	25.4	82	29.9	20.1	42.1	109
35-64	29.6	24.4	35.5	490	31.3	23.1	40.8	351	31.5	24.4	39.7	378	29.4	22.9	36.9	404
65+	26.7	20.2	34.3	294	22.7	16.0	31.3	312	27.2	19.3	36.8	304	26.0	17.6	36.5	274
SEX and AGE																
Male																
18-34	14.4	6.9	27.8	52	*	*	*	*	*	*	*	*	25.7	14.8	41.0	52
35-64	32.4	24.8	41.1	228	33.3	22.4	46.3	157	35.4	24.1	48.6	163	30.4	20.1	43.1	173
65+	28.8	18.9	41.1	124	27.5	15.5	43.9	108	23.2	12.4	39.1	109	27.6	14.0	47.1	104
Female																
18-34	14.5	6.9	28.1	59	34.5	18.8	54.5	63	*	*	*	*	37.3	21.0	57.1	57
35-64	26.7	19.9	34.8	262	28.9	17.5	43.8	194	27.4	19.8	36.6	215	28.6	20.9	37.8	231
65+	24.8	17.1	34.6	170	18.9	13.2	26.3	204	31.3	21.6	42.9	195	24.4	17.1	33.6	170
INCOME																
Less than \$15,000	23.5	13.0	38.7	68	35.3	17.0	59.2	85	33.8	18.4	53.8	82	31.3	16.2	51.7	72
\$15,000 - \$24,999	15.7	9.0	26.1	112	34.3	21.1	50.5	148	25.1	14.2	40.5	142	32.7	20.6	47.7	115
\$25,000 - \$34,999	22.0	12.1	36.5	101	18.9	10.9	30.6	91	29.2	14.9	49.3	90	23.9	13.9	37.8	97
\$35,000 - \$49,999	38.0	26.6	50.8	130	43.4	27.8	60.5	106	21.7	13.1	33.6	130	36.2	23.1	51.7	127
\$50,000 - \$74,999	23.6	15.5	34.2	143	26.4	14.0	44.0	114	23.6	14.4	36.2	118	33.0	19.3	50.3	116
\$75,000+	24.7	18.0	32.9	239	25.0	13.2	42.2	124	21.5	13.4	32.5	122	20.1	12.8	30.3	170
EMPLOYMENT																
Employed	23.2	18.3	29.0	440	28.8	20.9	38.2	338	25.9	19.0	34.1	321	26.9	20.2	34.7	382
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	26.8	20.8	33.6	414	26.1	18.9	34.9	396	18.9	13.9	25.3	411	31.5	23.2	41.1	380
EDUCATION																
K-11th Grade	*	*	*	*	40.7	22.9	61.3	73	22.9	9.0	47.1	50	*	*	*	*
12th Grade or GED	17.4	11.6	25.3	201	25.1	16.4	36.5	231	23.1	15.8	32.5	239	24.5	16.3	35.1	214
Some College	28.4	21.9	36.0	283	30.2	21.6	40.5	251	30.3	21.3	41.1	258	30.6	22.2	40.6	264
College Graduate+	24.0	18.6	30.4	385	20.1	12.9	29.9	207	19.2	12.3	28.7	217	33.1	23.9	43.8	278
ETHNICITY																
Non-Hispanic	25.1	21.3	29.4	873	25.7	20.2	32.2	700	25.0	19.8	30.9	731	29.2	23.8	35.2	759
Hispanic	*	*	*	*	42.7	24.1	63.6	55	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Cigarette Smoking

Idaho adults who smoked cigarettes, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	16.4	14.7	18.3	5,794	15.1	11.4	19.7	817	14.5	10.1	20.4	805	15.8	12.2	20.1	815
SEX																
Male	16.3	13.7	19.2	2,312	9.6	6.2	14.6	316	11.9	6.4	21.0	327	11.8	7.4	18.2	318
Female	16.6	14.3	19.1	3,482	20.4	14.4	28.0	501	17.2	11.1	25.7	478	19.6	14.5	26.0	497
AGE																
18-24	21.0	15.1	28.6	226	*	*	*	*	*	*	*	*	*	*	*	*
25-34	21.6	16.5	27.7	435	*	*	*	*	*	*	*	*	21.1	11.0	36.6	70
35-44	18.5	14.1	23.9	656	18.2	9.1	32.9	84	21.8	10.5	40.0	78	12.9	6.4	24.0	97
45-54	14.5	11.5	18.1	963	13.6	8.0	22.1	124	17.7	9.9	29.6	159	17.4	10.7	27.1	119
55-64	14.5	11.9	17.7	1,308	13.3	8.5	20.1	217	14.4	7.5	25.9	174	18.4	11.5	28.0	172
65+	8.8	6.9	11.1	2,151	8.2	5.1	12.9	326	7.8	4.2	14.0	311	8.7	5.4	13.7	314
18-34	21.3	17.3	26.0	661	21.7	11.6	36.9	59	15.0	6.2	31.8	71	19.7	11.8	31.0	108
35-64	15.8	13.7	18.2	2,927	14.8	10.7	20.2	425	17.7	12.2	25.0	411	16.1	11.8	21.5	388
65+	8.8	6.9	11.1	2,151	8.2	5.1	12.9	326	7.8	4.2	14.0	311	8.7	5.4	13.7	314
SEX and AGE																
Male																
18-34	19.5	14.1	26.2	259	*	*	*	*	*	*	*	*	*	*	*	*
35-64	15.9	12.7	19.8	1,245	13.4	8.1	21.4	185	14.8	7.7	26.6	180	9.8	6.0	15.7	157
65+	9.2	6.4	13.2	788	6.6	3.0	13.9	114	8.9	3.2	22.8	116	7.6	4.0	14.0	119
Female																
18-34	23.3	17.7	30.0	402	*	*	*	*	*	*	*	*	22.0	11.7	37.5	66
35-64	15.7	13.2	18.6	1,682	16.5	10.7	24.5	240	20.6	13.2	30.7	231	22.3	15.4	31.3	231
65+	8.4	6.1	11.3	1,363	9.5	5.3	16.6	212	6.7	3.8	11.6	195	9.8	5.0	18.1	195
INCOME																
Less than \$15,000	35.3	28.4	43.0	640	34.6	18.0	56.1	100	36.3	15.3	64.3	87	30.7	19.1	45.4	138
\$15,000 - \$24,999	22.0	17.5	27.3	990	31.9	19.9	46.9	136	16.0	9.4	26.0	143	23.1	14.6	34.5	165
\$25,000 - \$34,999	18.3	13.5	24.4	697	12.1	5.9	23.3	103	28.5	12.8	52.1	87	14.1	7.0	26.3	108
\$35,000 - \$49,999	13.3	9.5	18.2	863	7.5	2.8	18.3	123	5.2	2.5	10.6	121	8.5	3.5	19.4	117
\$50,000 - \$74,999	11.9	8.5	16.5	843	11.3	5.5	22.0	110	19.9	9.8	36.3	123	5.2	1.8	14.0	99
\$75,000+	5.5	3.6	8.4	1,026	4.4	1.8	10.1	138	3.0	1.3	6.6	133	8.6	3.1	22.0	88
EMPLOYMENT																
Employed	16.1	13.7	18.8	2,573	14.2	9.3	20.9	335	18.3	11.8	27.4	360	15.1	10.4	21.4	339
Unemployed	30.0	21.7	39.9	265	*	*	*	*	*	*	*	*	*	*	*	*
Other**	14.3	11.9	17.0	2,937	16.3	11.0	23.6	449	6.8	4.7	9.7	402	15.6	10.5	22.6	424
EDUCATION																
K-11th Grade	29.6	22.7	37.6	425	34.5	17.2	57.3	53	8.0	3.6	16.8	61	20.6	11.9	33.3	100
12th Grade or GED	24.6	21.0	28.7	1,711	17.8	12.1	25.3	246	27.0	16.9	40.1	262	25.5	17.8	35.0	275
Some College	12.9	10.4	15.8	1,841	14.1	8.9	21.8	279	13.4	6.4	26.0	222	10.2	6.3	16.2	243
College Graduate+	4.5	3.2	6.3	1,801	3.7	2.1	6.5	235	4.7	2.0	10.3	258	2.4	1.0	5.8	195
ETHNICITY																
Non-Hispanic	16.4	14.6	18.4	5,478	15.3	11.5	20.1	797	15.7	10.9	21.9	772	16.2	12.3	21.0	735
Hispanic	15.6	9.6	24.3	258	*	*	*	*	*	*	*	*	12.6	5.8	25.5	70

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Cigarette Smoking

Idaho adults who smoked cigarettes, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	19.1	15.1	23.7	935	20.4	15.4	26.5	803	18.3	13.5	24.3	797	8.6	5.5	13.0	822
SEX																
Male	23.5	17.5	30.8	409	21.7	14.0	32.1	301	16.7	10.7	25.2	312	10.1	5.4	17.9	329
Female	14.7	10.1	20.8	526	19.2	13.6	26.4	502	19.8	13.1	28.8	485	7.1	3.8	12.7	493
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	25.7	14.8	40.8	67	21.2	10.4	38.5	74	21.7	11.1	38.1	61	11.9	4.1	29.9	80
35-44	19.4	11.0	31.8	130	27.3	13.5	47.5	80	22.8	10.2	43.5	79	11.1	5.0	22.8	108
45-54	9.9	5.4	17.3	167	31.0	18.5	47.1	121	17.3	9.4	29.9	143	3.6	1.8	7.0	130
55-64	16.4	10.5	24.6	217	12.3	7.4	19.8	169	16.6	9.3	28.0	181	7.2	4.0	12.7	178
65+	9.0	5.0	15.7	294	11.5	6.1	20.6	322	11.4	5.1	23.3	304	4.0	2.3	6.9	280
18-34	29.9	20.8	40.9	116	18.9	10.5	31.7	103	21.1	12.0	34.3	85	11.9	5.6	23.3	119
35-64	15.1	10.9	20.4	514	23.7	16.5	33.0	370	18.9	12.7	27.3	403	7.3	4.6	11.5	416
65+	9.0	5.0	15.7	294	11.5	6.1	20.6	322	11.4	5.1	23.3	304	4.0	2.3	6.9	280
SEX and AGE																
Male																
18-34	35.4	22.2	51.4	51	*	*	*	*	*	*	*	*	12.0	4.4	28.9	52
35-64	18.4	11.8	27.4	230	23.6	12.7	39.5	157	21.0	11.5	35.1	164	9.2	4.4	18.2	172
65+	12.0	5.0	25.9	121	10.1	5.3	18.3	108	11.6	3.6	31.3	108	6.0	2.8	12.2	102
Female																
18-34	24.3	13.2	40.3	65	17.1	7.5	34.4	71	*	*	*	*	11.6	3.8	30.6	67
35-64	11.8	7.5	18.0	284	23.9	16.0	34.2	213	17.1	9.9	27.8	239	6.0	3.4	10.1	244
65+	6.4	3.5	11.4	173	12.7	4.9	28.8	214	11.2	3.7	29.0	196	2.3	1.0	5.4	178
INCOME																
Less than \$15,000	40.2	25.4	57.0	73	44.5	25.7	65.1	86	45.6	26.4	66.1	83	23.8	10.3	46.2	73
\$15,000 - \$24,999	24.5	13.6	40.1	119	18.6	10.5	30.7	156	25.3	13.3	42.8	149	9.1	4.0	19.7	122
\$25,000 - \$34,999	20.9	11.0	36.1	107	25.2	11.9	45.6	97	20.7	8.9	41.3	93	10.2	4.1	23.0	102
\$35,000 - \$49,999	26.4	15.9	40.5	129	16.0	7.3	31.7	112	11.5	6.2	20.2	130	5.8	1.2	24.3	131
\$50,000 - \$74,999	14.5	7.6	26.1	149	19.1	8.2	38.2	120	12.8	4.9	29.6	122	1.4	0.4	4.4	120
\$75,000+	3.2	1.1	8.6	241	17.8	6.9	38.9	126	4.6	2.2	9.2	127	4.2	1.7	10.1	173
EMPLOYMENT																
Employed	18.5	13.4	24.9	456	21.2	14.3	30.2	356	14.7	9.3	22.4	335	9.1	5.0	15.9	392
Unemployed	42.3	25.5	61.0	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	14.9	9.6	22.3	424	16.7	11.0	24.5	415	19.7	12.7	29.4	423	7.0	3.4	14.0	400
EDUCATION																
K-11th Grade	*	*	*	*	30.1	15.4	50.5	84	50.6	28.5	72.4	52	*	*	*	*
12th Grade or GED	32.7	23.8	43.1	209	24.7	16.1	35.9	242	22.6	13.6	35.0	247	14.6	8.0	25.3	230
Some College	15.6	10.2	23.0	292	19.2	12.5	28.5	262	9.3	5.4	15.4	272	5.7	2.1	14.7	271
College Graduate+	4.9	2.6	9.0	393	2.1	0.9	4.7	214	8.3	3.6	17.8	222	4.2	1.6	10.4	284
ETHNICITY																
Non-Hispanic	17.6	13.9	22.2	900	22.4	16.8	29.3	731	18.4	13.4	24.7	758	9.0	5.7	13.8	785
Hispanic	*	*	*	*	6.9	3.0	14.7	63	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Binge Drinking

Idaho adults who were binge drinkers (males who consumed 5+ drinks and females who consumed 4+ drinks on an occasion in the last 30 days), 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	14.1	12.5	16.0	5,725	13.4	9.6	18.2	801	19.7	14.2	26.6	794	13.7	9.9	18.7	809
SEX																
Male	17.9	15.2	21.0	2,283	16.4	10.6	24.5	306	21.1	13.6	31.4	326	19.1	12.7	27.8	315
Female	10.5	8.6	12.6	3,442	10.4	6.3	16.7	495	18.2	11.1	28.4	468	8.4	4.9	13.9	494
AGE																
18-24	17.9	12.3	25.2	222	*	*	*	*	*	*	*	*	*	*	*	*
25-34	21.4	16.2	27.8	430	*	*	*	*	*	*	*	*	27.5	15.6	43.8	70
35-44	16.7	12.7	21.8	655	23.0	12.7	38.1	84	32.7	18.5	50.9	78	11.2	4.2	26.7	96
45-54	15.2	11.9	19.1	944	17.7	10.6	28.0	122	20.7	11.9	33.5	157	14.8	7.3	27.8	117
55-64	11.0	8.7	13.9	1,293	11.0	6.5	18.1	215	17.6	10.3	28.5	169	9.8	5.4	17.1	170
65+	4.0	2.7	5.8	2,125	2.1	1.0	4.4	315	9.2	4.2	19.1	309	4.6	1.3	14.8	312
18-34	19.8	15.9	24.5	652	16.1	7.1	32.8	58	22.4	10.7	41.1	70	21.7	13.2	33.8	108
35-64	14.4	12.4	16.6	2,892	16.9	12.2	22.9	421	23.1	16.9	30.9	404	12.1	7.6	18.7	383
65+	4.0	2.7	5.8	2,125	2.1	1.0	4.4	315	9.2	4.2	19.1	309	4.6	1.3	14.8	312
SEX and AGE																
Male																
18-34	24.0	17.9	31.4	254	*	*	*	*	*	*	*	*	*	*	*	*
35-64	18.5	15.1	22.3	1,232	21.5	14.1	31.2	181	21.4	13.5	32.2	178	17.4	9.9	28.9	157
65+	5.2	3.2	8.3	776	3.2	1.2	8.4	108	14.7	5.5	33.8	117	1.1	0.2	7.4	116
Female																
18-34	15.5	11.0	21.5	398	*	*	*	*	*	*	*	*	12.0	5.2	25.4	66
35-64	10.3	8.3	12.8	1,660	11.5	6.9	18.5	240	24.8	16.0	36.4	226	6.5	2.9	14.1	226
65+	2.9	1.5	5.6	1,349	1.3	0.5	3.5	207	4.1	1.9	8.4	192	7.5	1.9	25.2	196
INCOME																
Less than \$15,000	16.0	10.7	23.2	638	8.5	3.6	18.7	97	24.9	7.3	58.4	87	15.8	7.1	31.5	137
\$15,000 - \$24,999	13.7	10.0	18.6	977	14.2	6.1	29.6	135	14.5	8.6	23.5	141	7.6	3.3	16.4	164
\$25,000 - \$34,999	15.0	10.0	21.8	684	10.7	3.9	26.0	98	9.3	4.0	19.9	87	9.2	2.6	28.0	106
\$35,000 - \$49,999	12.0	8.5	16.7	857	6.4	2.2	17.2	122	21.9	10.8	39.5	119	16.5	7.2	33.6	118
\$50,000 - \$74,999	18.5	14.0	24.1	834	31.0	16.5	50.6	111	20.8	10.8	36.5	121	24.8	13.0	42.0	98
\$75,000+	15.3	11.9	19.4	1,018	14.8	8.9	23.6	137	26.3	12.6	47.0	132	19.4	9.3	36.2	87
EMPLOYMENT																
Employed	18.5	16.0	21.3	2,540	19.7	13.6	27.6	329	23.3	15.5	33.4	353	21.3	14.9	29.6	337
Unemployed	20.1	13.1	29.6	260	*	*	*	*	*	*	*	*	*	*	*	*
Other**	6.4	4.8	8.5	2,906	4.3	2.5	7.3	439	12.5	6.0	24.3	399	3.9	1.7	9.1	420
EDUCATION																
K-11th Grade	14.9	9.8	22.2	416	18.2	7.7	37.4	53	10.0	3.9	23.5	60	6.3	2.7	14.0	99
12th Grade or GED	15.1	12.0	18.8	1,692	11.8	6.8	19.7	242	20.4	12.5	31.4	259	10.9	5.4	20.7	273
Some College	12.3	9.8	15.4	1,818	12.1	6.4	21.5	273	25.1	13.2	42.4	220	16.4	9.6	26.4	239
College Graduate+	15.6	12.6	19.3	1,784	16.6	9.6	27.4	229	18.8	10.6	31.2	253	21.1	11.2	36.3	196
ETHNICITY																
Non-Hispanic	13.7	12.0	15.5	5,415	12.6	9.2	17.0	780	20.2	14.4	27.6	762	15.4	10.9	21.3	730
Hispanic	18.9	12.2	28.2	253	*	*	*	*	*	*	*	*	6.8	2.8	15.5	69

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Binge Drinking

Idaho adults who were binge drinkers (males who consumed 5+ drinks and females who consumed 4+ drinks on an occasion in the last 30 days), 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	15.5	12.3	19.5	920	15.5	10.9	21.8	793	13.8	8.9	20.8	792	8.2	5.1	12.8	816
SEX																
Male	18.8	13.8	25.2	405	20.1	12.6	30.7	297	19.2	10.9	31.4	310	10.8	5.7	19.4	324
Female	12.4	8.5	17.6	515	11.0	6.4	18.0	496	8.5	4.4	15.8	482	5.6	3.0	10.4	492
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	23.8	13.6	38.3	66	20.4	8.6	41.0	73	14.7	5.3	34.7	60	15.1	6.2	32.1	79
35-44	12.2	7.1	20.0	129	20.7	9.0	40.9	82	25.3	10.5	49.4	78	10.7	4.3	24.2	108
45-54	14.8	9.4	22.6	163	24.0	12.6	41.1	119	8.4	4.4	15.7	140	7.3	2.3	20.7	126
55-64	14.2	8.7	22.3	215	7.8	4.5	13.1	167	8.8	4.2	17.5	180	5.9	3.2	10.8	177
65+	4.4	1.9	9.9	287	2.2	1.1	4.6	315	3.5	1.2	10.1	305	3.0	1.4	6.2	282
18-34	24.6	16.5	34.9	114	21.1	11.3	36.0	102	18.8	9.0	35.2	84	10.5	4.7	21.9	116
35-64	13.7	10.4	17.9	507	17.7	11.2	26.7	368	14.2	8.0	24.0	398	8.0	4.6	13.8	411
65+	4.4	1.9	9.9	287	2.2	1.1	4.6	315	3.5	1.2	10.1	305	3.0	1.4	6.2	282
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-64	17.1	11.7	24.3	228	22.3	12.1	37.4	158	21.4	10.6	38.5	162	9.9	4.4	20.7	168
65+	7.9	3.0	19.0	120	3.2	1.2	8.5	103	2.4	0.9	6.0	108	5.0	2.1	11.5	104
Female																
18-34	21.6	12.0	35.7	65	15.0	5.5	34.8	70	*	*	*	*	6.1	1.8	18.7	67
35-64	10.3	6.8	15.3	279	12.7	6.9	22.1	210	7.6	3.1	17.6	236	6.7	3.0	14.2	243
65+	1.2	0.3	4.8	167	1.5	0.5	4.1	212	4.7	0.9	20.6	197	1.3	0.3	5.0	178
INCOME																
Less than \$15,000	20.8	9.3	40.3	73	9.2	2.7	27.3	88	29.0	13.2	52.4	84	3.4	0.9	11.6	72
\$15,000 - \$24,999	15.7	7.9	28.7	117	10.7	4.1	24.9	154	20.2	9.1	39.1	145	15.4	6.0	34.2	121
\$25,000 - \$34,999	21.2	10.8	37.6	103	16.7	6.1	38.6	94	19.8	4.9	54.0	94	11.5	3.5	31.5	102
\$35,000 - \$49,999	13.2	6.6	24.7	129	16.2	6.4	35.3	109	4.9	2.2	10.5	128	9.0	2.6	26.7	132
\$50,000 - \$74,999	15.8	9.0	26.3	145	15.8	6.3	34.3	119	13.2	3.3	40.2	122	10.9	4.3	25.3	118
\$75,000+	16.8	11.5	23.9	241	25.3	12.2	45.4	126	4.2	2.0	8.5	124	2.2	0.8	5.4	171
EMPLOYMENT																
Employed	18.3	13.9	23.8	451	19.8	12.9	29.3	352	16.8	9.5	28.1	331	11.7	6.7	19.4	387
Unemployed	29.0	14.4	49.7	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	7.5	4.1	13.2	415	6.0	3.1	11.2	408	10.2	4.8	20.5	423	2.7	1.5	4.8	402
EDUCATION																
K-11th Grade	*	*	*	*	16.2	5.3	40.3	81	20.5	7.4	45.3	51	*	*	*	*
12th Grade or GED	20.0	12.9	29.7	205	17.1	9.6	28.7	237	17.7	7.9	34.9	248	6.9	2.9	15.4	228
Some College	10.7	6.7	16.6	287	13.6	7.6	23.2	259	9.3	4.6	18.0	268	7.9	3.8	15.9	272
College Graduate+	17.2	12.5	23.3	390	16.1	7.0	33.1	215	11.4	4.2	27.8	221	5.7	1.7	17.3	280
ETHNICITY																
Non-Hispanic	14.6	11.5	18.3	886	16.3	11.1	23.4	721	11.3	6.8	18.3	754	6.8	4.1	10.9	782
Hispanic	*	*	*	*	12.8	5.0	28.8	63	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Heavy Drinking

Idaho adults who were heavy drinkers (males who consumed >60 drinks and females who consumed >30 drinks in the last 30 days), 2012

	Statewide			Public Health District								
				District 1			District 2			District 3		
	%	95% CI	n	%	95% CI	n	%	95% CI	n	%	95% CI	n
TOTAL	5.7	4.7 7.0	5,730	4.9	3.1 7.7	803	9.1	5.0 16.1	795	5.5	3.3 9.2	812
SEX												
Male	6.6	4.9 8.7	2,288	4.3	1.9 9.2	305	11.2	5.4 21.8	326	5.8	2.7 12.1	318
Female	4.9	3.7 6.5	3,442	5.6	3.3 9.3	498	6.9	2.3 18.7	469	5.3	2.6 10.5	494
AGE												
18-24	3.8	1.7 8.3	223	*	*	*	*	*	*	*	*	*
25-34	7.8	4.7 12.6	431	*	*	*	*	*	*	10.8	3.7 27.7	70
35-44	7.0	4.3 11.4	657	7.0	2.3 19.7	83	12.4	4.5 30.0	78	4.3	1.1 15.4	98
45-54	5.7	3.8 8.5	941	6.6	2.4 17.1	120	10.6	4.8 21.9	158	1.9	0.6 5.5	117
55-64	5.2	3.4 7.7	1,298	5.0	2.5 9.9	217	2.8	1.4 5.9	170	5.9	2.5 13.1	171
65+	4.7	3.3 6.7	2,124	4.5	2.7 7.5	317	6.6	2.3 17.5	309	4.3	1.3 12.7	312
18-34	6.0	3.9 9.1	654	2.9	0.6 13.2	59	12.0	3.5 34.2	69	8.9	3.7 19.8	108
35-64	6.0	4.6 7.8	2,896	6.2	3.5 10.6	420	8.3	4.7 14.3	406	3.9	2.0 7.6	386
65+	4.7	3.3 6.7	2,124	4.5	2.7 7.5	317	6.6	2.3 17.5	309	4.3	1.3 12.7	312
SEX and AGE												
Male												
18-34	6.7	3.7 12.0	255	*	*	*	*	*	*	*	*	*
35-64	7.0	4.8 10.1	1,235	6.3	2.5 14.9	180	11.5	5.3 23.3	179	3.5	1.8 6.7	159
65+	5.2	3.1 8.5	777	3.6	1.4 9.0	108	10.7	2.8 32.9	116	2.9	0.9 8.7	117
Female												
18-34	5.3	2.9 9.4	399	*	*	*	*	*	*	6.8	2.1 19.8	66
35-64	5.0	3.5 7.1	1,661	6.0	3.3 10.7	240	5.1	2.8 9.1	227	4.3	1.4 12.6	227
65+	4.3	2.6 7.0	1,347	5.3	2.9 9.4	209	2.8	1.3 6.0	193	5.4	1.1 22.8	195
INCOME												
Less than \$15,000	4.4	2.1 9.1	637	3.6	1.3 9.6	97	16.5	2.6 59.3	87	5.8	1.4 21.4	139
\$15,000 - \$24,999	5.7	3.6 9.1	975	3.5	1.2 9.9	136	7.1	3.3 14.6	142	5.5	2.0 14.6	164
\$25,000 - \$34,999	5.0	2.5 9.8	686	2.1	0.8 5.6	99	2.0	0.7 5.9	86	8.8	2.3 28.1	106
\$35,000 - \$49,999	7.7	4.8 12.2	859	8.0	2.7 21.2	122	6.7	1.6 23.8	119	7.3	2.6 19.1	119
\$50,000 - \$74,999	5.2	3.1 8.6	835	9.1	3.2 23.7	111	9.7	3.1 26.3	122	1.5	0.5 4.9	97
\$75,000+	7.2	4.8 10.7	1,016	4.0	2.1 7.3	134	15.9	5.2 39.4	132	8.3	2.2 26.9	87
EMPLOYMENT												
Employed	7.0	5.4 9.0	2,541	5.8	3.1 10.6	328	10.4	4.8 21.0	353	7.5	3.9 14.0	339
Unemployed	2.2	0.9 5.5	259	*	*	*	*	*	*	*	*	*
Other**	4.4	3.2 6.1	2,912	3.9	2.3 6.8	443	8.6	3.0 22.1	400	3.2	1.3 7.9	421
EDUCATION												
K-11th Grade	4.8	2.3 9.4	414	3.4	1.1 9.9	51	3.2	0.9 11.1	60	3.6	1.0 11.9	98
12th Grade or GED	7.3	5.1 10.3	1,697	8.2	3.8 16.8	245	10.0	4.8 19.6	261	4.9	1.7 13.4	276
Some College	4.6	3.2 6.5	1,823	2.2	1.1 4.4	275	14.8	4.9 37.1	219	6.1	2.7 13.3	242
College Graduate+	6.2	4.3 9.0	1,781	7.7	3.3 17.0	228	5.2	2.0 12.6	253	7.1	2.0 21.9	194
ETHNICITY												
Non-Hispanic	5.8	4.7 7.1	5,422	5.2	3.3 8.1	782	9.8	5.4 17.3	763	6.0	3.4 10.4	733
Hispanic	5.8	2.5 12.9	250	*	*	*	*	*	*	3.8	1.1 12.0	69

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Heavy Drinking

Idaho adults who were heavy drinkers (males who consumed >60 drinks and females who consumed >30 drinks in the last 30 days), 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	5.5	3.7	8.1	921	6.2	3.4	11.2	795	6.4	3.2	12.5	789	4.4	2.3	8.1	815
SEX																
Male	5.8	3.4	9.9	407	6.9	2.8	16.2	299	10.7	4.7	22.5	310	5.1	1.9	12.9	323
Female	5.2	3.0	8.9	514	5.6	2.6	11.6	496	2.1	0.9	4.7	479	3.7	1.9	7.2	492
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	3.6	1.1	11.2	67	13.4	4.4	34.2	74	7.1	1.3	30.3	61	7.1	1.9	23.0	78
35-44	7.6	3.0	18.3	130	3.9	1.2	12.0	82	17.6	5.3	45.0	78	1.1	0.2	7.4	108
45-54	5.4	2.7	10.5	163	11.4	3.3	32.5	118	6.1	2.6	13.5	139	1.9	0.6	5.4	126
55-64	5.1	1.6	15.0	215	4.8	2.4	9.1	168	3.3	1.5	7.3	179	8.4	3.3	19.5	178
65+	7.4	3.8	13.9	286	2.3	1.2	4.3	316	2.8	0.7	10.4	303	2.8	1.3	6.0	281
18-34	3.8	1.6	8.7	115	8.2	2.7	22.7	103	4.5	0.8	21.0	85	6.0	2.0	16.6	115
35-64	6.1	3.5	10.3	508	6.7	3.1	13.9	368	9.0	3.9	19.4	396	3.6	1.7	7.4	412
65+	7.4	3.8	13.9	286	2.3	1.2	4.3	316	2.8	0.7	10.4	303	2.8	1.3	6.0	281
SEX and AGE																
Male																
18-34	3.7	1.1	11.6	50	*	*	*	*	*	*	*	*	*	*	*	*
35-64	6.2	2.8	13.1	229	8.7	3.0	22.8	159	16.4	6.5	35.5	161	1.7	0.6	4.9	168
65+	9.5	3.9	21.2	120	1.7	0.5	5.3	104	1.6	0.5	5.2	108	4.2	1.5	11.1	104
Female																
18-34	4.0	1.2	12.3	65	9.1	2.3	29.7	71	*	*	*	*	2.7	0.8	8.8	67
35-64	6.0	2.8	12.2	279	4.5	2.1	9.4	209	2.4	1.0	5.3	235	5.0	2.1	11.5	244
65+	5.6	2.1	14.1	166	2.8	1.3	5.8	212	4.2	0.7	22.4	195	1.5	0.6	4.1	177
INCOME																
Less than \$15,000	1.8	0.4	7.7	72	6.1	1.1	28.4	88	3.8	0.5	22.8	82	1.2	0.2	6.6	72
\$15,000 - \$24,999	6.4	2.4	16.2	117	2.0	0.9	4.5	153	9.1	2.4	28.5	144	8.0	2.2	25.4	119
\$25,000 - \$34,999	2.2	0.5	9.4	104	4.9	1.4	15.9	95	17.7	3.7	54.7	94	2.4	0.8	6.8	102
\$35,000 - \$49,999	10.0	3.7	24.3	128	6.9	1.6	24.9	110	2.7	1.0	7.3	129	8.6	2.5	25.5	132
\$50,000 - \$74,999	10.5	4.8	21.5	146	1.1	0.4	3.1	119	0.6	0.1	4.2	121	1.1	0.3	3.7	119
\$75,000+	4.6	2.7	7.8	241	22.8	9.7	44.9	126	3.4	1.5	7.6	125	2.6	1.0	6.5	171
EMPLOYMENT																
Employed	6.3	3.8	10.4	453	8.5	4.1	16.9	351	8.5	3.6	18.7	330	5.0	2.1	11.4	387
Unemployed	2.6	0.4	16.4	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	4.8	2.8	8.2	414	2.9	1.4	6.1	411	4.7	1.3	16.1	422	3.9	1.8	8.4	401
EDUCATION																
K-11th Grade	*	*	*	*	6.5	0.9	33.7	82	5.4	1.4	19.3	51	*	*	*	*
12th Grade or GED	9.1	4.5	17.4	204	4.3	1.4	12.7	239	10.3	3.4	27.4	245	4.4	1.3	14.5	227
Some College	2.5	1.2	5.2	287	6.2	2.8	13.1	259	2.9	1.5	5.8	268	5.6	2.2	13.3	273
College Graduate+	6.2	3.8	10.0	391	10.2	2.8	31.0	214	6.6	1.3	27.2	221	1.7	0.8	3.6	280
ETHNICITY																
Non-Hispanic	5.2	3.5	7.5	886	7.2	3.8	13.1	723	5.1	2.3	10.9	752	4.6	2.4	8.5	783
Hispanic	*	*	*	*	2.0	0.3	13.1	63	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Illicit Drug Use

Idaho adults who used illicit drugs in the last 12 months, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	4.6	3.6	5.9	5,446	3.2	1.7	6.1	765	4.4	1.7	10.9	759	3.9	2.2	7.1	778
SEX																
Male	5.6	3.9	7.8	2,148	1.9	0.9	3.9	294	7.0	2.2	20.0	310	5.2	2.3	11.4	300
Female	3.8	2.7	5.3	3,298	4.5	1.9	10.3	471	1.9	0.7	4.9	449	2.7	1.2	6.0	478
AGE																
18-24	15.3	9.9	22.8	192	*	*	*	*	*	*	*	*	*	*	*	*
25-34	5.5	3.2	9.3	388	*	*	*	*	*	*	*	*	6.1	2.0	17.2	68
35-44	3.5	1.8	6.9	613	0.5	0.1	3.8	75	3.7	1.3	9.9	75	2.0	0.6	6.7	97
45-54	2.1	1.1	4.0	913	1.8	0.6	5.1	119	1.0	0.2	4.1	151	2.8	0.7	10.9	110
55-64	3.6	2.3	5.4	1,252	1.2	0.4	3.7	203	1.5	0.6	3.6	166	5.3	2.1	12.9	162
65+	0.6	0.3	1.2	2,041	0.5	0.1	1.7	307	0.3	0.1	1.2	296	0.2	0.0	1.5	302
18-34	9.8	7.0	13.7	580	9.5	4.0	20.6	54	11.6	3.5	32.2	63	7.5	3.0	17.8	102
35-64	3.0	2.2	4.3	2,778	1.2	0.6	2.6	397	1.9	1.0	3.7	392	3.2	1.7	6.2	369
65+	0.6	0.3	1.2	2,041	0.5	0.1	1.7	307	0.3	0.1	1.2	296	0.2	0.0	1.5	302
SEX and AGE																
Male																
18-34	11.2	6.9	17.8	219	*	*	*	*	*	*	*	*	*	*	*	*
35-64	3.6	2.2	5.7	1,164	1.7	0.7	3.9	171	1.7	0.6	4.6	171	3.3	1.3	8.1	144
65+	0.8	0.3	2.1	746	0.0	0.0	0.0	106	0.6	0.1	2.5	112	0.0	0.0	0.0	116
Female																
18-34	8.4	5.3	13.2	361	*	*	*	*	*	*	*	*	3.6	0.8	15.1	62
35-64	2.6	1.6	4.1	1,614	0.8	0.2	2.9	226	2.1	0.9	5.0	221	3.2	1.2	8.1	225
65+	0.5	0.2	1.0	1,295	0.9	0.2	2.9	201	0.0	0.0	0.0	184	0.4	0.1	2.8	186
INCOME																
Less than \$15,000	10.6	6.1	17.9	595	2.3	0.7	7.7	94	25.8	4.8	70.5	78	4.1	1.5	10.9	130
\$15,000 - \$24,999	7.6	4.6	12.1	911	14.2	5.7	30.9	125	3.9	0.8	16.2	135	1.8	0.5	6.4	157
\$25,000 - \$34,999	5.1	2.7	9.3	659	2.6	0.8	7.6	99	4.7	1.2	16.9	83	6.6	2.0	19.8	104
\$35,000 - \$49,999	2.1	1.0	4.5	820	0.0	0.0	0.0	116	1.6	0.4	6.3	113	1.0	0.1	6.6	112
\$50,000 - \$74,999	2.7	1.5	4.9	797	0.6	0.1	4.5	100	2.3	0.7	7.2	118	4.3	1.0	16.5	93
\$75,000+	3.0	1.4	6.0	979	0.6	0.1	4.3	134	0.7	0.2	3.5	128	9.7	2.0	36.9	86
EMPLOYMENT																
Employed	4.3	3.1	6.0	2,399	4.1	1.8	9.3	309	2.5	1.1	5.6	335	5.2	2.3	11.1	320
Unemployed	12.2	6.5	21.5	247	*	*	*	*	*	*	*	*	*	*	*	*
Other**	3.5	2.2	5.5	2,783	1.8	0.8	3.9	424	5.2	1.0	23.8	386	2.2	0.9	5.5	408
EDUCATION																
K-11th Grade	5.3	2.7	10.4	387	*	*	*	*	0.0	0.0	0.0	56	7.2	2.7	17.7	92
12th Grade or GED	4.9	3.1	7.7	1,602	2.7	1.0	6.8	229	2.8	0.7	10.4	247	2.8	1.2	6.5	262
Some College	5.3	3.5	7.8	1,743	4.9	2.0	11.5	265	10.5	2.8	31.8	215	4.5	1.2	15.1	232
College Graduate+	2.8	1.7	4.6	1,699	1.5	0.5	4.4	220	2.5	0.8	7.4	240	1.0	0.3	3.3	190
ETHNICITY																
Non-Hispanic	4.7	3.6	6.0	5,166	3.1	1.6	6.2	745	4.5	1.7	11.6	730	4.0	2.0	7.7	705
Hispanic	3.3	1.4	7.5	226	*	*	*	*	*	*	*	*	4.2	1.2	13.4	63

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Illicit Drug Use

Idaho adults who used illicit drugs in the last 12 months, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	7.5	5.0	11.1	863	5.0	2.6	9.2	754	2.4	1.1	5.1	755	2.4	0.9	5.8	772
SEX																
Male	8.8	4.8	15.5	367	6.7	2.9	14.7	283	2.1	1.0	4.4	293	4.3	1.5	11.6	301
Female	6.4	3.8	10.7	496	3.2	1.2	8.2	471	2.7	0.8	8.7	462	0.6	0.2	2.0	471
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	8.2	2.8	21.5	53	6.2	1.3	25.0	66	1.9	0.4	8.4	55	0.0	0.0	0.0	72
35-44	7.3	2.5	19.6	116	0.9	0.2	3.7	76	3.2	1.2	8.1	74	2.8	0.5	13.1	100
45-54	2.6	0.8	8.6	160	3.5	0.8	14.1	112	0.6	0.1	3.1	138	0.7	0.1	4.9	123
55-64	5.9	2.9	11.9	209	3.3	1.2	8.9	166	1.8	0.8	4.3	175	2.1	0.7	6.5	171
65+	1.1	0.3	3.8	273	1.4	0.5	3.8	301	0.0	0.0	0.0	289	0.5	0.1	2.4	273
18-34	16.3	9.3	27.0	95	8.4	3.1	20.6	93	4.7	1.4	14.8	75	4.2	1.0	16.6	98
35-64	5.1	2.8	9.1	485	2.7	1.2	6.0	354	1.9	1.0	3.4	387	1.9	0.7	4.8	394
65+	1.1	0.3	3.8	273	1.4	0.5	3.8	301	0.0	0.0	0.0	289	0.5	0.1	2.4	273
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-64	6.0	2.5	13.6	211	2.1	0.8	5.8	154	2.7	1.3	5.6	156	4.0	1.4	11.4	157
65+	1.9	0.5	8.0	112	1.8	0.4	7.4	97	0.0	0.0	0.0	102	0.8	0.1	5.8	101
Female																
18-34	14.1	6.9	26.7	58	4.9	0.9	21.9	65	*	*	*	*	1.3	0.2	9.0	58
35-64	4.3	2.0	9.2	274	3.3	1.0	10.8	200	1.1	0.4	3.2	231	0.4	0.1	1.9	237
65+	0.4	0.1	2.8	161	1.1	0.2	4.8	204	0.0	0.0	0.0	187	0.2	0.0	1.4	172
INCOME																
Less than \$15,000	19.6	9.0	37.6	68	19.8	4.5	56.1	83	2.4	0.6	9.2	79	2.1	0.4	10.6	63
\$15,000 - \$24,999	12.6	4.9	28.6	105	5.7	1.3	22.1	139	4.6	0.9	20.9	137	8.5	2.0	29.6	113
\$25,000 - \$34,999	7.1	2.1	22.0	97	2.9	0.7	11.9	93	3.6	0.5	21.5	87	4.7	0.8	22.9	96
\$35,000 - \$49,999	4.5	1.4	13.7	122	4.8	0.9	22.7	106	1.8	0.6	5.4	126	0.0	0.0	0.0	125
\$50,000 - \$74,999	5.2	2.1	12.6	142	0.7	0.2	2.2	116	0.4	0.1	2.7	114	2.0	0.6	6.2	114
\$75,000+	2.8	0.8	9.5	225	7.8	2.4	22.3	120	1.3	0.4	4.3	122	0.3	0.0	2.4	164
EMPLOYMENT																
Employed	6.1	3.5	10.4	422	3.2	1.2	8.6	333	2.4	0.7	8.4	317	2.9	0.8	9.4	363
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	6.3	2.8	13.8	392	3.9	1.5	9.5	389	2.5	1.0	5.7	401	0.9	0.3	2.5	383
EDUCATION																
K-11th Grade	*	*	*	*	9.0	2.2	30.0	78	*	*	*	*	*	*	*	*
12th Grade or GED	10.0	4.7	20.1	188	5.7	1.9	15.8	227	1.4	0.6	3.5	236	4.7	1.2	17.3	213
Some College	8.0	4.2	14.6	273	3.5	1.2	9.4	244	3.7	0.9	13.6	257	0.8	0.2	2.9	257
College Graduate+	4.6	2.1	9.6	366	2.4	1.1	5.1	204	2.1	0.8	5.0	209	2.1	0.4	9.0	270
ETHNICITY																
Non-Hispanic	8.0	5.3	11.8	835	4.4	2.2	8.5	689	1.8	1.0	3.3	718	2.5	1.0	6.1	744
Hispanic	*	*	*	*	2.0	0.3	10.8	57	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Seat Belt Use

Idaho adults who did not always wear a seat belt, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	26.5	24.4	28.6	5,744	20.5	15.9	26.0	807	27.0	21.2	33.7	799	26.6	21.6	32.3	813
SEX																
Male	31.5	28.3	34.8	2,291	22.5	15.6	31.3	313	34.0	25.2	44.1	328	29.0	21.5	37.9	316
Female	21.5	19.1	24.2	3,453	18.6	12.9	25.9	494	19.7	12.5	29.7	471	24.4	18.2	31.8	497
AGE																
18-24	33.4	26.5	41.2	224	*	*	*	*	*	*	*	*	*	*	*	*
25-34	28.1	22.4	34.6	431	*	*	*	*	*	*	*	*	29.6	17.1	46.2	71
35-44	30.0	24.8	35.7	653	30.0	18.2	45.2	84	27.1	13.9	46.1	78	31.1	19.3	46.0	97
45-54	24.2	20.0	28.8	947	23.8	13.5	38.3	123	22.8	14.6	33.8	156	21.6	12.1	35.6	117
55-64	24.0	20.5	28.0	1,303	13.4	8.8	20.0	217	40.6	27.2	55.4	174	28.5	18.9	40.5	170
65+	20.9	18.2	24.0	2,132	17.5	12.4	24.2	318	22.8	16.0	31.5	308	14.0	9.3	20.4	314
18-34	30.5	26.0	35.4	655	20.6	9.9	37.9	58	25.5	13.9	42.2	71	33.8	23.0	46.6	109
35-64	26.0	23.5	28.8	2,903	21.9	16.1	29.0	424	30.5	23.0	39.3	408	27.0	20.5	34.8	384
65+	20.9	18.2	24.0	2,132	17.5	12.4	24.2	318	22.8	16.0	31.5	308	14.0	9.3	20.4	314
SEX and AGE																
Male																
18-34	32.7	26.1	40.1	257	*	*	*	*	*	*	*	*	*	*	*	*
35-64	32.6	28.4	37.0	1,237	27.1	18.2	38.3	185	43.4	31.0	56.6	181	31.8	21.4	44.3	155
65+	26.2	21.7	31.4	777	19.1	11.6	29.9	111	36.4	23.6	51.4	116	19.4	11.4	30.9	119
Female																
18-34	28.2	22.3	34.9	398	*	*	*	*	*	*	*	*	37.6	23.1	54.8	67
35-64	19.6	16.7	22.9	1,666	15.7	10.1	23.7	239	17.4	10.5	27.4	227	22.3	15.2	31.5	229
65+	16.4	13.4	19.9	1,355	16.3	9.9	25.7	207	10.4	6.8	15.7	192	9.3	5.2	16.0	195
INCOME																
Less than \$15,000	34.6	27.6	42.2	634	30.8	14.6	53.7	100	17.9	7.3	37.7	87	33.3	20.8	48.8	138
\$15,000 - \$24,999	32.4	27.0	38.2	978	29.0	17.5	44.0	133	29.8	18.4	44.4	143	29.4	17.6	44.7	164
\$25,000 - \$34,999	25.6	20.2	31.8	687	10.6	5.7	19.0	100	32.4	17.3	52.3	87	19.3	10.5	32.9	107
\$35,000 - \$49,999	27.2	22.4	32.6	857	20.2	10.5	35.4	122	29.2	16.3	46.6	119	31.7	19.7	46.8	116
\$50,000 - \$74,999	25.0	20.2	30.4	838	29.5	15.7	48.6	110	30.9	18.9	46.3	121	10.2	3.6	25.3	99
\$75,000+	20.4	16.5	24.8	1,020	16.0	8.4	28.3	137	28.6	14.0	49.6	132	23.3	11.9	40.6	89
EMPLOYMENT																
Employed	28.7	25.9	31.7	2,546	22.3	15.7	30.7	329	31.7	23.2	41.6	357	30.8	23.4	39.3	337
Unemployed	33.5	24.8	43.4	260	*	*	*	*	*	*	*	*	*	*	*	*
Other**	21.7	18.9	24.7	2,921	17.2	11.7	24.5	445	21.3	13.9	31.1	400	18.3	12.5	25.9	424
EDUCATION																
K-11th Grade	32.2	25.1	40.2	417	41.3	23.3	62.0	53	17.0	7.0	35.6	62	30.7	17.8	47.5	99
12th Grade or GED	30.7	26.9	34.8	1,689	17.7	11.3	26.6	241	31.3	22.2	42.1	260	25.1	17.7	34.5	274
Some College	25.3	22.0	28.9	1,837	20.2	13.0	29.9	278	34.0	21.9	48.5	224	30.5	21.3	41.6	241
College Graduate+	20.0	17.0	23.5	1,786	14.9	8.5	24.6	231	20.4	11.3	33.9	251	17.5	10.9	27.0	197
ETHNICITY																
Non-Hispanic	25.6	23.6	27.7	5,438	20.1	15.7	25.5	786	27.8	21.7	34.8	767	24.9	19.9	30.7	735
Hispanic	34.4	25.7	44.3	251	*	*	*	*	*	*	*	*	35.5	21.1	53.2	68

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Seat Belt Use

Idaho adults who did not always wear a seat belt, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	18.5	15.0	22.6	928	32.6	26.6	39.2	792	37.8	31.4	44.7	791	35.6	29.9	41.7	814
SEX																
Male	21.2	16.1	27.4	404	39.5	30.0	49.8	298	47.9	37.7	58.4	310	45.0	35.7	54.6	322
Female	15.9	11.4	21.8	524	25.6	19.0	33.5	494	27.9	20.9	36.1	481	26.2	20.3	33.1	492
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	14.5	7.2	27.1	65	41.2	25.1	59.5	74	33.0	18.4	51.7	61	32.6	19.2	49.7	78
35-44	24.2	15.2	36.4	128	24.4	12.9	41.3	80	51.5	33.4	69.2	78	30.3	19.2	44.4	108
45-54	16.3	10.0	25.3	165	28.2	15.7	45.3	116	36.4	25.9	48.3	142	35.8	24.4	49.1	128
55-64	11.8	7.1	19.2	218	29.9	19.6	42.7	170	41.0	29.1	54.1	178	32.3	22.3	44.3	176
65+	14.3	9.7	20.5	292	27.0	19.9	35.6	316	34.6	24.0	46.9	305	30.7	21.6	41.5	279
18-34	23.0	15.5	32.8	113	41.9	28.5	56.5	103	32.2	20.4	46.8	85	41.3	29.8	53.8	116
35-64	17.6	13.1	23.1	511	27.5	20.3	36.2	366	42.9	34.5	51.8	398	32.8	26.1	40.3	412
65+	14.3	9.7	20.5	292	27.0	19.9	35.6	316	34.6	24.0	46.9	305	30.7	21.6	41.5	279
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	49.9	33.5	66.3	50
35-64	22.0	15.5	30.2	228	32.0	20.7	45.7	158	56.5	44.2	68.1	162	43.7	32.0	56.1	168
65+	19.4	11.7	30.5	119	30.4	20.5	42.5	103	42.3	25.0	61.7	108	33.0	18.4	51.8	101
Female																
18-34	24.1	14.0	38.2	64	30.7	16.4	49.9	70	*	*	*	*	27.8	15.3	45.0	66
35-64	13.3	8.0	21.4	283	22.4	15.0	32.1	208	30.5	21.9	40.8	236	24.8	17.7	33.5	244
65+	9.7	5.4	16.9	173	24.5	15.1	37.3	213	26.5	16.8	39.1	197	28.7	18.9	40.9	178
INCOME																
Less than \$15,000	24.1	12.5	41.4	71	34.6	16.1	59.4	86	65.1	45.7	80.5	82	54.1	33.4	73.5	70
\$15,000 - \$24,999	20.4	11.1	34.4	117	35.5	22.0	51.9	152	42.0	27.2	58.4	147	47.7	32.9	62.8	122
\$25,000 - \$34,999	22.1	12.4	36.3	105	44.0	26.8	62.8	97	40.3	22.9	60.5	94	31.6	18.8	48.1	97
\$35,000 - \$49,999	17.5	9.7	29.4	129	27.9	15.9	44.3	111	42.8	27.6	59.6	128	33.5	21.7	47.9	132
\$50,000 - \$74,999	23.8	15.6	34.5	148	24.2	14.0	38.5	118	23.9	13.0	39.7	122	38.7	23.9	55.8	120
\$75,000+	14.1	8.8	21.7	242	33.5	18.6	52.7	124	27.4	17.9	39.6	124	21.2	14.2	30.4	172
EMPLOYMENT																
Employed	21.6	16.8	27.3	453	30.8	22.9	40.0	353	43.5	34.1	53.4	331	35.5	27.9	44.0	386
Unemployed	23.2	10.9	42.6	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	12.1	7.6	18.8	420	30.9	22.7	40.6	408	28.1	20.1	37.7	423	36.0	27.6	45.2	401
EDUCATION																
K-11th Grade	*	*	*	*	38.7	21.8	58.8	82	40.7	21.0	63.9	52	*	*	*	*
12th Grade or GED	25.6	17.8	35.3	206	36.2	25.8	48.1	237	39.7	28.0	52.6	247	49.1	37.5	60.7	224
Some College	15.0	10.0	21.9	290	27.9	19.4	38.2	260	43.4	32.9	54.4	270	29.4	21.6	38.5	274
College Graduate+	15.9	11.4	21.6	394	29.6	18.6	43.6	212	25.8	16.3	38.3	219	28.7	20.0	39.4	282
ETHNICITY																
Non-Hispanic	17.7	14.3	21.6	894	31.4	25.4	38.1	723	35.4	29.0	42.4	752	36.6	30.7	42.9	781
Hispanic	*	*	*	*	35.1	18.2	56.9	62	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Colorectal Cancer Screening

Idaho adults aged 50-75 who were screened for colorectal cancer
according to current guidelines, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	60.5	57.6	63.4	2,977	57.5	50.0	64.5	467	64.4	55.9	72.1	439	59.1	51.1	66.6	397
SEX																
Male	62.9	58.3	67.2	1,218	58.3	46.6	69.1	188	66.0	53.7	76.5	200	54.1	41.3	66.5	149
Female	58.3	54.4	62.0	1,759	56.6	47.3	65.5	279	62.6	50.8	73.0	239	63.3	53.9	71.7	248
INCOME																
Less than \$15,000	53.9	42.8	64.7	314	57.8	31.6	80.2	57	*	*	*	*	68.6	49.3	83.1	68
\$15,000 - \$24,999	54.3	46.6	61.8	455	57.9	40.6	73.5	77	33.8	19.9	51.3	74	69.1	52.0	82.1	63
\$25,000 - \$34,999	53.9	45.2	62.4	356	45.8	27.6	65.2	53	*	*	*	*	36.0	19.7	56.3	51
\$35,000 - \$49,999	62.5	55.1	69.3	478	50.5	32.7	68.1	75	69.2	52.2	82.1	72	66.8	45.5	82.9	61
\$50,000 - \$74,999	59.5	52.2	66.4	480	62.5	47.8	75.3	76	66.7	45.5	82.8	69	52.5	32.2	72.0	56
\$75,000+	69.9	63.5	75.7	557	70.6	53.7	83.3	81	86.4	76.0	92.7	79	67.7	52.2	80.1	53
Less than \$35,000	54.1	48.9	59.1	1,125	54.1	41.7	66.1	187	47.1	34.7	59.9	165	58.1	46.0	69.3	182
\$35,000+	64.3	60.2	68.1	1,515	61.9	52.0	70.9	232	73.7	62.7	82.4	220	61.7	49.5	72.6	170
EMPLOYMENT																
Employed	53.1	48.6	57.4	1,260	49.7	38.6	60.9	191	60.1	47.6	71.4	191	42.8	31.6	54.9	140
Unemployed	43.8	30.3	58.4	129	*	*	*	*	*	*	*	*	*	*	*	*
Other**	70.9	67.1	74.4	1,581	69.8	61.9	76.7	257	69.9	58.9	79.1	228	71.0	60.3	79.9	236
EDUCATION																
K-11th Grade	45.0	33.8	56.7	184	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	56.4	50.9	61.7	851	51.7	38.0	65.3	129	62.4	47.5	75.2	138	53.6	41.3	65.6	137
Some College	63.3	58.3	68.0	981	55.6	43.5	67.1	160	69.6	55.0	81.0	134	68.1	52.8	80.3	122
College Graduate+	68.6	64.0	72.9	951	70.6	58.9	80.0	149	69.3	53.9	81.3	141	65.7	51.3	77.6	94
ETHNICITY																
Non-Hispanic	61.1	58.0	64.0	2,867	57.9	50.4	65.1	459	65.7	57.5	73.1	426	60.4	52.3	68.0	372
Hispanic	45.8	30.8	61.7	80	*	*	*	*	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Colorectal Cancer Screening

Idaho adults aged 50-75 who were screened for colorectal cancer
according to current guidelines, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	66.0	59.4	72.0	445	56.1	47.8	64.0	410	62.7	54.2	70.5	407	54.4	46.5	62.0	412
SEX																
Male	73.9	64.9	81.2	210	50.5	37.4	63.6	151	65.9	52.1	77.5	158	59.5	47.4	70.6	162
Female	57.3	48.1	66.0	235	61.2	51.5	70.1	259	59.2	48.9	68.7	249	50.8	40.9	60.7	250
INCOME																
Less than \$15,000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	58.9	38.6	76.5	51	47.1	31.3	63.5	68	37.8	19.7	60.1	67	68.3	49.8	82.4	55
\$25,000 - \$34,999	*	*	*	*	59.4	38.9	77.1	50	59.6	41.1	75.6	50	64.8	47.7	78.8	59
\$35,000 - \$49,999	80.3	68.1	88.6	76	40.1	23.6	59.3	55	71.5	56.7	82.7	72	43.7	26.6	62.5	67
\$50,000 - \$74,999	54.0	38.5	68.7	82	62.4	43.5	78.2	64	79.2	64.3	89.0	73	50.4	31.3	69.3	60
\$75,000+	75.4	63.3	84.5	110	51.9	31.9	71.4	78	75.0	60.4	85.6	70	59.6	43.3	74.0	86
Less than \$35,000	55.8	42.6	68.1	124	54.6	42.8	65.9	164	40.2	26.9	55.2	153	62.0	49.9	72.8	150
\$35,000+	70.0	61.8	77.1	268	52.6	40.7	64.2	197	75.3	67.2	81.9	215	51.7	41.1	62.1	213
EMPLOYMENT																
Employed	59.2	49.6	68.2	203	50.9	38.9	62.8	183	60.3	48.8	70.7	166	45.3	35.1	55.9	186
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	80.3	71.5	86.9	216	63.1	52.3	72.7	214	66.5	52.9	77.8	219	64.5	53.0	74.6	211
EDUCATION																
K-11th Grade	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	60.0	46.7	72.0	97	52.3	37.1	67.0	118	61.1	45.1	75.0	123	57.9	44.3	70.5	109
Some College	69.4	58.3	78.7	141	59.2	47.5	70.0	144	71.2	60.2	80.2	140	49.7	37.2	62.2	140
College Graduate+	70.6	61.4	78.3	190	61.9	50.9	71.8	114	76.8	65.4	85.3	115	60.7	48.0	72.0	148
ETHNICITY																
Non-Hispanic	64.4	57.7	70.6	432	57.2	48.4	65.5	386	65.5	56.9	73.2	394	55.8	47.7	63.6	398
Hispanic	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Breast Cancer Screening

Idaho females aged 50-74 who had a mammogram
in the past two years, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL FEMALES	69.4	65.6	72.9	1,756	74.7	66.1	81.8	276	68.8	56.7	78.7	242	61.8	52.3	70.5	251
INCOME																
Less than \$15,000	50.4	37.2	63.5	210	*	*	*	*	*	*	*	*	52.5	29.9	74.2	50
\$15,000 - \$24,999	59.9	49.8	69.2	273	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	60.6	48.5	71.6	210	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	79.7	72.3	85.5	271	*	*	*	*	*	*	*	*	*	*	*	*
\$50,000 - \$74,999	68.9	58.6	77.6	267	*	*	*	*	*	*	*	*	*	*	*	*
\$75,000+	81.8	74.2	87.6	275	*	*	*	*	*	*	*	*	*	*	*	*
Less than \$35,000	57.5	50.8	63.9	693	60.8	43.5	75.8	109	59.9	37.7	78.6	95	62.7	48.8	74.8	120
\$35,000+	76.7	71.7	81.0	813	83.9	75.0	90.1	132	76.4	64.0	85.5	112	67.8	51.7	80.5	92
EMPLOYMENT																
Employed	70.0	64.0	75.3	673	75.1	60.0	85.9	116	62.4	42.6	78.7	97	57.8	41.5	72.6	78
Unemployed	60.9	40.7	78.0	75	*	*	*	*	*	*	*	*	*	*	*	*
Other**	69.7	64.8	74.1	1,001	72.9	62.6	81.2	150	74.4	63.9	82.7	135	66.3	55.0	76.0	157
EDUCATION																
K-11th Grade	57.1	41.4	71.4	116	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	66.1	59.3	72.4	499	77.7	63.5	87.5	69	74.2	60.3	84.5	75	59.8	43.5	74.1	92
Some College	71.1	65.0	76.5	623	72.0	56.4	83.6	111	75.3	53.7	88.9	79	69.2	52.4	82.1	79
College Graduate+	75.0	69.2	80.0	510	70.1	53.4	82.7	77	71.5	53.7	84.5	73	60.0	38.8	78.0	52
ETHNICITY																
Non-Hispanic	69.6	65.8	73.1	1,698	75.1	66.3	82.2	272	73.1	63.0	81.3	235	59.0	49.1	68.2	235
Hispanic	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Sample size insufficient for reliable estimate (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Breast Cancer Screening

Idaho females aged 50-74 who had a mammogram
in the past two years, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL FEMALES	70.4	60.9	78.4	238	71.9	62.5	79.7	259	67.2	56.2	76.6	251	68.6	58.7	77.1	239
INCOME																
Less than \$15,000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$50,000 - \$74,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$75,000+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Less than \$35,000	45.2	29.6	61.8	68	69.9	58.5	79.2	109	52.2	34.2	69.7	101	53.3	37.1	68.9	91
\$35,000+	79.3	67.0	87.9	134	70.9	54.2	83.3	113	72.3	56.9	83.8	119	77.4	64.1	86.8	111
EMPLOYMENT																
Employed	70.4	55.3	82.1	95	70.5	54.9	82.4	100	80.2	69.5	87.8	88	70.6	55.9	82.0	99
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	73.2	60.3	83.0	130	73.9	62.0	83.0	150	59.1	43.3	73.2	147	66.4	52.1	78.2	132
EDUCATION																
K-11th Grade	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	*	*	*	*	63.7	43.4	80.1	74	59.0	39.1	76.3	78	59.6	42.0	75.0	63
Some College	69.9	55.6	81.1	87	74.5	58.7	85.7	93	72.3	55.7	84.4	86	69.0	52.3	81.9	88
College Graduate+	81.3	70.2	88.9	89	75.9	63.3	85.1	69	80.4	67.0	89.2	68	74.4	57.6	86.1	82
ETHNICITY																
Non-Hispanic	70.1	60.6	78.2	234	71.5	61.6	79.6	246	69.7	59.6	78.2	244	69.0	58.7	77.7	232
Hispanic	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Sample size insufficient for reliable estimate (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Cervical Cancer Screening

Idaho females aged 21-65 who had a Pap test
in the past three years, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL FEMALES	74.6	70.6	78.2	1,444	75.1	62.5	84.5	208	81.5	70.4	89.1	186	65.0	54.4	74.3	201
INCOME																
Less than \$15,000	57.7	43.4	70.9	159	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	68.0	56.4	77.8	204	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	63.4	48.6	76.0	149	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	83.3	76.2	88.6	206	*	*	*	*	*	*	*	*	*	*	*	*
\$50,000 - \$74,999	77.4	67.4	85.1	246	*	*	*	*	*	*	*	*	*	*	*	*
\$75,000+	91.3	86.8	94.4	322	*	*	*	*	*	*	*	*	*	*	*	*
Less than \$35,000	63.6	55.9	70.6	512	60.6	39.1	78.6	84	63.1	39.2	82.0	60	59.5	44.3	73.0	98
\$35,000+	84.7	80.6	88.0	774	89.4	81.3	94.2	99	91.9	85.0	95.8	106	75.6	57.5	87.6	78
EMPLOYMENT																
Employed	75.5	70.3	80.1	850	78.3	62.0	88.9	120	80.2	64.2	90.1	114	68.2	54.8	79.2	115
Unemployed	81.0	64.8	90.9	79	*	*	*	*	*	*	*	*	*	*	*	*
Other**	71.5	64.4	77.6	513	63.2	41.4	80.6	76	85.7	71.0	93.6	58	57.0	37.9	74.2	70
EDUCATION																
K-11th Grade	62.3	46.0	76.2	94	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	67.7	58.7	75.5	323	*	*	*	*	*	*	*	*	47.8	30.7	65.4	63
Some College	75.3	68.7	80.9	484	70.7	51.3	84.7	82	*	*	*	*	82.5	65.0	92.3	59
College Graduate+	85.0	80.1	88.9	536	91.9	83.8	96.1	67	81.5	65.5	91.1	73	58.5	37.5	76.8	56
ETHNICITY																
Non-Hispanic	75.9	72.0	79.5	1,340	78.8	67.6	86.9	200	84.8	76.4	90.6	176	62.5	50.4	73.1	168
Hispanic	68.8	52.5	81.5	94	*	*	*	*	*	*	*	*	*	*	*	*

*Sample size insufficient for reliable estimate (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Cervical Cancer Screening

Idaho females aged 21-65 who had a Pap test
in the past three years, 2012

	Public Health District															
	District 4			District 5			District 6			District 7						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL FEMALES	75.0	66.3	82.0	259	76.6	65.0	85.3	212	79.4	68.8	87.1	167	75.1	64.6	83.3	211
INCOME																
Less than \$15,000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$50,000 - \$74,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$75,000+	89.6	79.4	95.0	87	*	*	*	*	*	*	*	*	91.4	72.8	97.7	50
Less than \$35,000	60.1	43.9	74.3	77	73.5	51.6	87.8	82	75.8	53.8	89.4	54	60.5	36.6	80.2	57
\$35,000+	84.6	75.3	90.9	160	80.5	66.4	89.6	102	85.9	76.7	91.9	99	86.2	77.3	92.0	130
EMPLOYMENT																
Employed	74.7	62.9	83.7	153	75.1	59.2	86.3	129	71.1	55.4	83.0	100	84.0	74.0	90.7	119
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	75.4	60.1	86.2	87	78.7	62.7	89.0	75	83.8	67.9	92.6	61	64.4	46.2	79.3	86
EDUCATION																
K-11th Grade	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	*	*	*	*	73.1	51.1	87.6	50	*	*	*	*	*	*	*	*
Some College	72.5	57.1	83.9	75	77.0	60.7	87.9	66	77.4	58.1	89.4	66	72.7	57.0	84.3	88
College Graduate+	90.4	82.8	94.8	132	87.3	77.4	93.2	76	*	*	*	*	83.3	66.1	92.7	84
ETHNICITY																
Non-Hispanic	75.6	67.0	82.6	251	79.7	69.9	86.9	186	81.2	71.0	88.4	156	75.0	64.2	83.4	203
Hispanic	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Sample size insufficient for reliable estimate (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Dental Visits

Idaho adults with no dental visit in the last 12 months, 2012

	Statewide			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	32.4	30.4	34.6	5,862	34.2	28.7	40.1	821	32.7	26.9	39.1	812	36.6	31.3	42.2	828
SEX																
Male	33.4	30.3	36.7	2,339	32.5	24.6	41.7	316	36.3	27.1	46.5	332	37.4	29.4	46.2	321
Female	31.5	28.8	34.3	3,523	35.8	28.7	43.6	505	29.1	22.4	36.8	480	35.7	29.1	42.9	507
AGE																
18-24	28.7	22.2	36.2	226	*	*	*	*	*	*	*	*	*	*	*	*
25-34	33.4	27.5	39.9	438	*	*	*	*	*	*	*	*	38.4	24.6	54.3	71
35-44	35.2	29.8	41.1	662	36.8	24.2	51.5	83	35.2	20.5	53.3	80	39.2	25.6	54.7	98
45-54	32.4	28.0	37.2	970	49.4	36.7	62.2	125	33.9	24.1	45.4	160	36.4	24.9	49.6	119
55-64	30.8	26.8	35.0	1,329	22.3	14.9	32.0	219	38.1	25.6	52.4	177	38.7	27.8	50.8	175
65+	33.6	30.5	36.8	2,179	30.5	24.1	37.8	325	34.6	28.0	41.9	312	36.5	29.3	44.4	320
18-34	31.3	26.8	36.1	664	33.9	20.4	50.7	60	27.7	16.1	43.3	71	34.0	23.8	46.1	110
35-64	32.8	30.1	35.7	2,961	35.8	28.9	43.3	427	35.8	28.3	44.1	417	38.1	30.7	46.1	392
65+	33.6	30.5	36.8	2,179	30.5	24.1	37.8	325	34.6	28.0	41.9	312	36.5	29.3	44.4	320
SEX and AGE																
Male																
18-34	28.2	22.1	35.4	260	*	*	*	*	*	*	*	*	*	*	*	*
35-64	35.3	31.2	39.7	1,263	38.3	28.3	49.3	186	42.3	30.3	55.4	184	37.9	26.8	50.5	160
65+	37.4	32.3	42.8	796	24.3	16.0	35.1	113	35.0	24.3	47.4	117	39.3	28.9	50.8	119
Female																
18-34	34.5	28.3	41.2	404	*	*	*	*	*	*	*	*	32.5	19.9	48.4	68
35-64	30.3	26.9	34.0	1,698	32.9	24.2	42.9	241	29.2	21.2	38.8	233	38.2	29.0	48.3	232
65+	30.3	26.7	34.1	1,383	35.4	27.0	44.8	212	34.3	26.8	42.7	195	34.2	24.7	45.1	201
INCOME																
Less than \$15,000	51.0	43.5	58.4	649	50.1	30.6	69.5	100	36.9	17.0	62.6	88	62.6	47.7	75.4	138
\$15,000 - \$24,999	46.7	41.1	52.4	999	48.8	35.4	62.4	138	41.9	29.9	55.0	146	46.7	34.3	59.5	168
\$25,000 - \$34,999	43.3	36.6	50.3	703	47.1	28.4	66.7	102	38.4	23.7	55.5	87	27.6	17.6	40.5	109
\$35,000 - \$49,999	30.9	25.9	36.4	877	29.0	17.5	43.9	124	35.2	21.4	52.0	122	30.8	18.8	46.0	122
\$50,000 - \$74,999	22.0	17.9	26.7	848	19.9	11.9	31.4	113	32.9	20.5	48.1	125	21.5	11.4	36.8	98
\$75,000+	12.8	9.7	16.6	1,034	16.3	8.4	29.1	138	20.6	10.4	36.7	133	15.6	7.3	30.2	89
EMPLOYMENT																
Employed	30.1	27.3	33.2	2,601	33.7	25.7	42.7	339	30.3	22.7	39.2	364	33.7	26.4	41.9	345
Unemployed	58.1	48.5	67.1	268	*	*	*	*	*	*	*	*	*	*	*	*
Other**	31.5	28.6	34.6	2,974	32.0	25.8	38.9	449	29.4	22.0	38.0	404	31.8	24.9	39.6	432
EDUCATION																
K-11th Grade	51.2	43.3	59.0	433	48.0	29.5	67.1	54	31.7	16.0	53.0	62	63.4	47.7	76.6	101
12th Grade or GED	37.4	33.5	41.5	1,722	38.6	28.7	49.5	246	42.2	31.4	53.7	262	39.8	30.7	49.6	280
Some College	31.2	27.8	34.8	1,865	32.7	24.0	42.7	280	29.3	19.8	40.9	224	26.9	19.5	35.8	247
College Graduate+	17.5	14.8	20.7	1,827	22.1	13.9	33.3	237	23.3	15.1	34.2	262	21.5	13.5	32.6	198
ETHNICITY																
Non-Hispanic	31.4	29.3	33.6	5,545	33.0	27.7	38.8	799	32.8	26.8	39.4	778	33.6	28.2	39.5	748
Hispanic	40.1	31.6	49.2	258	*	*	*	*	*	*	*	*	48.7	33.0	64.6	70

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Dental Visits

Idaho adults with no dental visit in the last 12 months, 2012

	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	27.3	23.3	31.7	951	41.8	35.7	48.3	817	30.5	25.0	36.7	803	29.6	24.4	35.4	830
SEX																
Male	27.6	21.7	34.3	419	45.4	36.0	55.2	308	29.6	21.5	39.1	313	33.1	25.1	42.3	330
Female	27.1	21.9	33.0	532	38.3	30.5	46.8	509	31.5	24.3	39.8	490	26.3	19.8	33.9	500
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	27.0	16.5	41.0	68	58.5	41.3	73.9	75	24.0	12.9	40.2	62	31.4	18.4	48.0	79
35-44	29.7	20.3	41.3	129	62.0	44.8	76.7	83	24.1	11.6	43.3	80	25.6	14.6	40.9	109
45-54	22.3	15.4	31.3	169	24.5	14.4	38.3	122	44.8	33.6	56.6	144	28.8	18.0	42.6	131
55-64	28.8	20.9	38.3	223	39.2	28.2	51.4	176	30.1	20.8	41.3	181	25.3	16.8	36.3	178
65+	26.4	19.9	34.2	303	37.7	29.9	46.2	324	39.1	28.4	51.0	308	39.6	30.4	49.7	287
18-34	28.4	20.1	38.4	115	46.0	32.4	60.3	104	22.5	13.2	35.7	86	29.2	19.5	41.3	118
35-64	26.8	21.8	32.4	521	41.9	33.6	50.7	381	33.0	25.8	41.2	405	26.6	20.2	34.1	418
65+	26.4	19.9	34.2	303	37.7	29.9	46.2	324	39.1	28.4	51.0	308	39.6	30.4	49.7	287
SEX and AGE																
Male																
18-34	20.0	10.4	35.0	52	*	*	*	*	*	*	*	*	30.1	17.3	47.1	50
35-64	29.3	21.7	38.3	235	45.1	33.1	57.7	163	34.8	23.5	48.1	163	28.9	19.3	40.9	172
65+	34.7	24.1	46.9	124	45.5	32.6	59.1	108	38.3	21.5	58.4	110	52.7	37.9	67.1	105
Female																
18-34	37.2	24.8	51.5	63	42.8	26.4	61.0	71	*	*	*	*	27.9	15.0	46.0	68
35-64	24.1	18.2	31.2	286	38.5	27.4	50.9	218	31.4	22.7	41.7	242	24.9	16.8	35.2	246
65+	19.5	12.4	29.2	179	31.7	23.3	41.6	216	40.1	29.6	51.6	198	28.2	19.5	38.8	182
INCOME																
Less than \$15,000	55.3	38.9	70.6	74	45.1	28.1	63.3	89	47.0	28.1	66.8	84	34.2	17.7	55.6	76
\$15,000 - \$24,999	27.5	17.5	40.4	118	58.3	43.5	71.7	156	52.4	37.0	67.3	151	59.4	43.7	73.4	122
\$25,000 - \$34,999	48.3	35.0	61.8	111	46.6	29.8	64.3	100	49.7	28.9	70.5	93	44.6	27.1	63.7	101
\$35,000 - \$49,999	30.8	20.5	43.3	134	36.7	22.5	53.6	112	22.5	13.8	34.7	131	33.1	21.3	47.5	132
\$50,000 - \$74,999	16.4	10.9	24.0	149	39.5	25.1	56.1	121	17.6	9.9	29.3	122	12.9	7.1	22.4	120
\$75,000+	10.4	6.0	17.3	246	20.2	8.8	39.9	128	11.3	6.4	19.4	127	4.3	2.1	8.6	173
EMPLOYMENT																
Employed	24.0	19.1	29.8	463	43.9	35.1	53.1	362	26.1	19.3	34.2	338	26.2	19.3	34.3	390
Unemployed	50.4	32.8	67.9	52	*	*	*	*	*	*	*	*	*	*	*	*
Other**	28.3	21.9	35.7	433	39.5	31.6	47.9	422	31.3	23.1	40.8	427	31.6	24.2	40.0	407
EDUCATION																
K-11th Grade	*	*	*	*	49.7	32.0	67.5	86	51.2	29.0	72.9	54	*	*	*	*
12th Grade or GED	31.0	23.0	40.3	209	36.3	26.5	47.3	243	39.4	28.1	52.1	249	42.1	31.4	53.6	233
Some College	31.0	24.3	38.6	297	51.2	41.3	61.0	268	24.0	17.4	32.2	274	23.6	16.5	32.5	275
College Graduate+	14.1	10.2	19.2	404	20.7	10.8	36.1	219	17.0	9.5	28.5	223	13.8	8.6	21.4	284
ETHNICITY																
Non-Hispanic	27.8	23.7	32.3	917	39.6	33.2	46.3	743	29.7	24.0	36.1	764	29.2	23.9	35.1	796
Hispanic	*	*	*	*	55.4	36.4	72.9	65	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

References

1. Heron M. Deaths: Leading causes for 2010. National vital statistics reports; vol 62 no 6. Hyattsville, MD: National Center for Health Statistics. 2013. Available at http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_06.pdf. Accessed 24 February 2014.
2. Idaho Vital Statistics 2011. Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics. February 2013. Available at <http://www.healthandwelfare.idaho.gov/Portals/0/Health/Statistics/Final11.pdf>. Accessed 24 February 2014.
3. American Association for Public Opinion Research. 2007. AAPOR | Weighting. Available at <http://www.aapor.org/Weighting1/3715.htm#.UuftR-Ln-H4>. Accessed 28 January 2014.
4. Methodologic Changes in the Behavioral Risk Factor Surveillance System in 2011 and Potential Effects on Prevalence Estimates. Available at <http://www.cdc.gov/surveillancepractice/reports/brfss/brfss.html>. Accessed 28 January 2014.
5. Pierannunzi C, Town M, Garvin W, Shaw FE, Balluz L. 2012. Methodologic Changes in the Behavioral Risk Factor Surveillance System in 2011 and Potential Effects on Prevalence Estimates. Morbidity and Mortality Weekly Report (MMWR). June 8, 2012 / 61(22);410-413. Available at <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6122a3.htm>. Accessed 28 January 2014.
6. U.S. Preventive Services Task Force. 2014. Published Recommendations. Available at <http://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browse-recommendations>. Accessed 6 November 2014.
7. Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Cancer Prevention. 2014. BRFSS Statistical Brief on Cancer Screening Questions. Available at http://www.cdc.gov/brfss/data_documentation/PDF/2014_BRFSS-statistical-brief_cancer.pdf. Accessed 30 September 2014.
8. Centers for Disease Control and Prevention. 2012. Comparability of Data: BRFSS 2011. Available at http://www.cdc.gov/brfss/annual_data/2011/compare_11_20121212.pdf. Accessed 28 January 2014.
9. Federal Communications Commission, Wireline Competition Bureau, Industry Analysis and Technology Division. 2010. Trends in Telephone Service. Washington DC; Federal Communications Commission. 2010. Available at <http://transition.fcc.gov/wcb/iatd/trends.html>. Accessed 28 January 2014.
10. American Association for Public Opinion Research. 2007. Standard Definitions. Available at http://www.aapor.org/Standard_Definitions2.htm. Accessed 7 November 2014.
11. Centers for Disease Control and Prevention. 2013. 2012 Summary Data Quality Report. Available at http://www.cdc.gov/brfss/annual_data/annual_2012.html. Accessed 7 November 2014.

Appendix A: Questionnaire

2012 Behavioral Risk Factor Surveillance System Questionnaire

In the following pages, the 2012 Idaho BRFSS questionnaire is presented in its entirety. In addition to the text of each question, the results for most of the questions are included. Some results are not provided due to space constraints or confidentiality.

The number of people (n) who responded to each question is listed below the text for the respective question. The percent for each response category can be found in parentheses to the right of the response categories. Note that percentages are weighted results and do not directly correspond to the n's for each question.

Weighted percentages account for unequal probability of selection among individuals (e.g., people with multiple phones are more likely to be called) and differences between the demographic groups known to make up the state's population and those responding to the survey.

NOTE: Care should be exercised when interpreting these results. In order to interpret the results correctly, it is important to understand what group has been asked the question. For example, for question ID2.4, 21.4% of the respondents reported using Medicare to pay for most of their medical care. This question, however, was asked only of those who responded "yes" to question Q3.1. The exclusion of certain respondents is indicated by the text in square brackets at the beginning of question ID2.4. These are called "skip patterns" and are used extensively throughout the survey.

In order to properly identify what group has been asked a specific question, the skip pattern must be considered. In addition, there may be confusion when trying to compare results from the questionnaire to those in published reports. The risk factors reported in published reports are often constructed from the responses of multiple questions and may not be comparable to the results of one particular question.

Response categories of "Don't Know" and "Refused" were not read aloud during the survey interview. Responses of "Don't Know" and "Refused" were excluded from the n's, percentages, and means calculations. Other responses may have been excluded and are indicating by showing the response without any percentage. If there were fewer than 50 respondents for a question the results are suppressed because they are considered statistically unreliable.

For help in interpreting these results, contact the Idaho BRFSS Project Director at (208) 332-7326.

Section 01: Health Status

- Q1.1 Would you say that in general your health is ... ?
(n=5872)
- 1 Excellent (20.0%)
 - 2 Very good (32.5%)
 - 3 Good (31.9%)
 - 4 Fair (11.0%)
 - 5 Poor (4.6%)

 - 7 Don't Know/Not Sure
 - 9 Refused

Section 02: Healthy Days -- Health-Related Quality of Life

- Q2.1 Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?
(n=5733)

Mean number of days not good: 4.1
Reported any days not good: 38.6%
Mean number of days for those with any: 10.5

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

- Q2.2 Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?
(n=5769)

Mean number of days not good: 3.8
Reported any days not good: 36.1%
Mean number of days for those with any: 10.5

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

- Q2.3 **[If Q2.1 ≠ 88 AND Q2.2 ≠ 88]** During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?
(n=3215)

Mean number of days not good: 4.9
Reported any days not good: 41.6%
Mean number of days for those with any: 11.7

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

Section 03: Health Care Access

- Q3.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, government plans such as Medicare, or Indian Health Services?
(n=5873)
- 1 Yes (80.7%)
 - 2 No (19.3%)

 - 7 Don't Know/Not Sure
 - 9 Refused

- Q3.2 Do you have one person you think of as your personal doctor or health care provider?
(n=5882)

- 1 Yes, only one (64.4%)
- 2 More than one (7.3%)
- 3 No (28.3%)

- 7 Don't Know/Not Sure
- 9 Refused

- Q3.3 Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?
(n=5876)

- 1 Yes (17.7%)
- 2 No (82.3%)

- 7 Don't Know/Not Sure
- 9 Refused

- Q3.4 About how long has it been since you last visited a doctor for a routine checkup? A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.
(n=5841)

- 1 Within the past year (anytime less than 12 months ago) (55.7%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (15.2%)
- 3 Within the past 5 years (2 years but less than 5 years ago) (11.9%)
- 4 5 or more years ago (15.6%)
- 8 Never (1.6%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 04: Exercise

- Q4.1 During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?
(n=5889)

- 1 Yes (79.7%)
- 2 No (20.3%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 05: Chronic Health Conditions

- Q5.1 Now I would like to ask you some questions about general health conditions. Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes," "No," or you're "Not sure." (Ever told) you that you had a heart attack also called a myocardial infarction?
(n=5871)

- 1 Yes (3.6%)
- 2 No (96.4%)

- 7 Don't Know/Not Sure
- 9 Refused

Q5.2 (Ever told) you had angina or coronary heart disease?
(n=5840)

- 1 Yes (3.6%)
- 2 No (96.4%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.3 (Ever told) you had a stroke?
(n=5873)

- 1 Yes (2.7%)
- 2 No (97.3%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.4 (Ever told) you had asthma?
(n=5863)

- 1 Yes (11.6%)
- 2 No (88.4%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.5 **[If Q5.4 = 1]** Do you still have asthma?
(n=690)

- 1 Yes (74.9%)
- 2 No (25.1%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.6 (Ever told) you had skin cancer?
(n=5870)

- 1 Yes (7.3%)
- 2 No (92.7%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.7 (Ever told) you had any other types of cancer?
(n=5884)

- 1 Yes (6.0%)
- 2 No (94.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.8 (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema, or chronic bronchitis?
(n=5858)

- 1 Yes (5.3%)
- 2 No (94.7%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.9 (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?
(n=5859)

- 1 Yes (26.0%)
- 2 No (74.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.10 (Ever told) you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?
(n=5876)

- 1 Yes (19.9%)
- 2 No (80.1%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.11 (Ever told) you have kidney disease? Do not include kidney stones, bladder infection or incontinence.
(n=5874)

- 1 Yes (2.1%)
- 2 No (97.9%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.12 Do you have any trouble seeing, even when wearing glasses or contact lenses?
(n=5866)

- 1 Yes (15.9%)
- 2 No (83.9%)
- 3 Not Applicable (Blind) (0.3%)
- 7 Don't Know/Not Sure
- 9 Refused

Q5.13 (Ever told) you have diabetes?
(n=5884)

- 1 Yes (8.5%)
- 2 Yes, but female told only during pregnancy (0.8%)
- 3 No (89.1%)
- 4 No, pre-diabetes or borderline diabetes (1.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Module 02: Diabetes

M2.1 **[If Q5.13 = 1]** How old were you when you were told you have diabetes?
(n=691)

- Mean age in years: 50.6
- 98 Don't Know/Not Sure
 - 99 Refused

M2.2 **[If Q5.13 = 1]** Are you now taking insulin?
(n=718)

- 1 Yes (27.0%)
- 2 No (73.0%)
- 9 Refused

M2.3 **[If Q5.13 = 1]** About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.
(n=718)

Mean times per day: 1.5
Reported checking at all: 82.9%
Mean times per day for those who checked: 1.8

888 Never
777 Don't Know/Not Sure
999 Refused

M2.4 **[If Q5.13 = 1]** About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do not include times when checked by a health professional.
(n=701)

Mean times per day: 1.2
Reported checking at all: 84.3%
Mean times per day for those who checked: 1.4

555 No Feet
888 Never
777 Don't Know/Not Sure
999 Refused

M2.5 **[If Q5.13 = 1]** About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?
(n=701)

Mean times in past 12 months: 3.0
Reported going at all: 83.3%
Mean of those who saw professional at all: 3.6

88 None
77 Don't Know/Not Sure
99 Refused

M2.6 **[If Q5.13 = 1]** A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?
(n=683)

Mean times in past 12 months: 7.0
Reported having heard of A1C: 84.7%
Mean of those who have heard of A1C: 8.3

88 None
98 Never heard of "A one C" test
77 Don't Know/Not Sure
99 Refused

M2.7 **[If Q5.13 = 1 AND M2.4 ≠ 555]** About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?
(n=699)

Mean times in past 12 months: 2.4

88 None
77 Don't Know/Not Sure
99 Refused

M2.8 **[If Q5.13 = 1]** When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.
(n=717)

- 1 Within the past month (anytime less than 1 month ago) (11.3%)
- 2 Within the past year (1 month but less than 12 months ago) (48.0%)
- 3 Within the past 2 years (1 year but less than 2 years ago) (17.1%)
- 4 2 or more years ago (17.8%)
- 8 Never (5.8%)

- 7 Don't Know/Not Sure
- 9 Refused

M2.9 **[If Q5.13 = 1]** Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?
(n=711)

- 1 Yes (16.1%)
- 2 No (83.9%)

- 7 Don't Know/Not Sure
- 9 Refused

M2.10 **[If Q5.13 = 1]** Have you ever taken a course or class in how to manage your diabetes yourself?
(n=720)

- 1 Yes (62.2%)
- 2 No (37.8%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 06: Oral Health

Q6.1 How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.
(n=5862)

- 1 Within past year (anytime less than 12 months ago) (67.6%)
- 2 Within past 2 years (1 year but less than 2 years ago) (9.9%)
- 3 Within past 5 years (2 years but less than 5 years ago) (11.1%)
- 4 5 or more years ago (11.0%)
- 8 Never (0.5%)

- 7 Don't Know/Not Sure
- 9 Refused

Q6.2 How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics.
(n=5813)

- 1 1 to 5 (28.4%)
- 2 6 or more but not all (8.7%)
- 3 All (4.9%)
- 8 None (57.9%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 07: Demographics

- Q7.1 What is your age?
(n=5836)
- Mean age in years: 46.4
- 07 Don't Know/Not Sure
09 Refused
- Q7.2 Are you Hispanic or Latino?
(n=5836)
- 1 Yes (9.8%)
2 No (90.2%)
- 7 Don't Know/Not Sure
9 Refused
- Q7.3 Which one or more of the following would you say is your race?
(n=5740)
- 1 White (94.2%)
2 Black or African American (0.6%)
3 Asian (1.2%)
4 Native Hawaiian or Other Pacific Islander (0.2%)
5 American Indian or Alaska Native (1.6%)
6 Other (0.6%)
7 Multiracial (1.7%)
- 77 Don't Know/Not Sure
99 Refused
- Q7.4 **[If Q7.3 =7]** Which of these groups would you say best represents your race?
(n=69)
- 1 White (66.5%)
2 Black or African American (4.2%)
3 Asian (13.2%)
4 Native Hawaiian or Other Pacific Islander (3.1%)
5 American Indian or Alaska Native (13.0%)
6 Other (0.0%)
- 7 Don't Know/Not Sure
9 Refused
- Q7.5 Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.
(n=5893)
- 1 Yes (13.4%)
2 No (86.6%)
- 7 Don't Know/Not Sure
9 Refused
- Q7.6 Are you ... ?
(n=5874)
- 1 Married (59.9%)
2 Divorced (11.1%)
3 Widowed (5.6%)
4 Separated (1.4%)
5 Never married (18.7%)
6 A member of an unmarried couple (3.2%)
- 9 Refused

- Q7.7 How many children less than 18 years of age live in your household?
(n=5878)
- Mean number of children per household overall: 0.9
Reported having any children in household: 41.6%
Mean number of children in households with any: 2.3
- 88 None
99 Refused
- Q7.8 What is the highest grade or year of school you completed?
(n=5880)
- 1 Never attended school or only attended kindergarten (0.1%)
2 Grades 1 through 8 (Elementary) (2.9%)
3 Grades 9 through 11 (Some high school) (9.3%)
4 Grade 12 or GED (High school graduate) (29.0%)
5 College 1 year to 3 years (Some college or technical school) (36.8%)
6 College 4 years or more (College graduate) (22.0%)
- 9 Refused
- Q7.9 Are you currently ... ?
(n=5875)
- 1 Employed for wages (46.1%)
2 Self-employed (10.5%)
3 Out of work for more than 1 year (3.2%)
4 Out of work for less than 1 year (3.4%)
5 A Homemaker (8.7%)
6 A Student (5.6%)
7 Retired (17.0%)
8 Unable to work (5.5%)
- 9 Refused
- Q7.10 Is your annual household income from all sources..
(n=5130)
- 1 Less than \$10,000 (6.5%)
2 \$10,000 to less than \$15,000 (6.3%)
3 \$15,000 to less than \$20,000 (8.7%)
4 \$20,000 to less than \$25,000 (10.2%)
5 \$25,000 to less than \$35,000 (13.0%)
6 \$35,000 to less than \$50,000 (17.7%)
7 \$50,000 to less than \$75,000 (17.0%)
8 More than \$75,000 (20.5%)
- 77 Don't Know/Not Sure
99 Refused
- Q7.11 About how much do you weigh without shoes?
(n=5634)
- Mean weight in pounds (male): 196.2
Mean weight in pounds (female): 160.1
- 7777 Don't Know/Not Sure
9999 Refused
- Q7.12 About how tall are you without shoes?
(n=5841)
- Mean height in feet and inches (male): 5' 11"
Mean height in feet and inches (female): 5' 5"
- 77/77 Don't Know/Not Sure
99/99 Refused

Q7.13 What county do you live in?
(n=5742)

(Due to the size of the table, these data are not printed.)

777 Don't Know/Not Sure
999 Refused

Q7.14 What is the ZIP Code where you live?
(n=5697)

(Due to the size of the table, these data are not printed.)

77777 Don't Know/Not Sure
99999 Refused

Q7.15 Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.
(n=5222)

1 Yes (3.2%)
2 No (96.8%)

7 Don't Know/Not Sure
9 Refused

Q7.16 **[If Q7.15 = 1]** How many of these telephone numbers are residential numbers?
(n=187)

1 One (66.6%)
2 Two (31.0%)
3 Three (1.9%)
4 Four (0.5%)

7 Don't Know/Not Sure
9 Refused

Q7.17 Do you have a cell phone for personal use? Please include cell phones used for both business and personal use.
(n=5220)

1 Yes (87.8%)
2 No (12.2%)

7 Don't Know/Not Sure
9 Refused

Q7.18 **[If Q7.17 = 1]** Thinking about all the phone calls that you receive on your landline and cell phone, what percent, between 0 and 100, are received on your cell phone?
(n=3705)

Mean percent received on cell phone: 43.1

888 Zero
777 Don't Know/Not Sure
999 Refused

Q7.19 Do you own or rent your home?
(n=5845)

1 Own (72.8%)
2 Rent (21.9%)
3 Other arrangement (5.3%)

7 Don't Know/Not Sure
9 Refused

Q7.20 Indicate sex of respondent.
(n=5896)

1 Male (49.6%)
2 Female (50.4%)

Q7.21 **[If Q7.1 < 45 AND Q7.20 = 2]** To your knowledge, are you now pregnant?
(n=830)

1 Yes (3.6%)
2 No (96.4%)

7 Don't Know/Not Sure
9 Refused

Section 08: Disability

Q8.1 The following questions are about health problems or impairments you may have. Are you limited in any way in any activities because of physical, mental, or emotional problems?
(n=5828)

1 Yes (24.0%)
2 No (76.0%)

7 Don't Know/Not Sure
9 Refused

Q8.2 Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?
(n=5840)

1 Yes (7.4%)
2 No (92.6%)

7 Don't Know/Not Sure
9 Refused

Section 09: Tobacco Use

Q9.1 Have you smoked at least 100 cigarettes in your entire life?
(n=5796)

1 Yes (40.7%)
2 No (59.3%)

7 Don't Know/Not Sure
9 Refused

Q9.2 **[If Q9.1 = 1]** Do you now smoke cigarettes every day, some days, or not at all?
(n=2415)

1 Every day (30.3%)
2 Some days (10.0%)
3 Not at all (59.6%)

7 Don't Know/Not Sure
9 Refused

Q9.3 **[If Q9.2 = 1 OR Q9.2 = 2]** During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?
(n=793)

1 Yes (55.6%)
2 No (44.4%)

7 Don't Know/Not Sure
9 Refused

Q9.4 **[If Q9.2 = 3]** How long has it been since you last smoked a cigarette, even one or two puffs?
(n=1616)

- 1 Within the past month (less than 1 month ago) (3.3%)
- 2 Within the past 3 months (1 month but less than 3 months ago) (2.2%)
- 3 Within the past 6 months (3 months but less than 6 months ago) (3.0%)
- 4 Within the past year (6 months but less than 1 year ago) (5.3%)
- 5 Within the past 5 years (1 year but less than 5 years ago) (15.5%)
- 6 Within the past 10 years (5 years but less than 10 years ago) (11.2%)
- 7 10 years or more (59.5%)

77 Don't Know/Not Sure
99 Refused

Q9.5 Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all?
(n=5821)

- 1 Every day (3.1%)
- 2 Some days (1.7%)
- 3 Not at all (95.1%)

7 Don't Know/Not Sure
9 Refused

Section 10: Alcohol Consumption

Q10.1 During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?
(n=5777)

Mean number of days in the past 30 days: 4.3
Reported drinking any alcohol: 47.1%
Mean number of days for those who drank alcohol: 9.4

888 No drinks in past 30 days
777 Don't Know/Not Sure
999 Refused

Q10.2 **[If Q10.1 < 777]** One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average?
(n=2457)

Mean number of drinks: 2.3

77 Don't Know/Not Sure
99 Refused

Q10.3 **[If Q10.1 < 777]** Considering all types of alcoholic beverages, how many times during the past 30 days did you have [if male, 5; if female, 4] or more drinks on an occasion?
(n=2452)

Mean number of times in the past 30 days: 1.3

88 None
77 Don't Know/Not Sure
99 Refused

Q10.4 **[If Q10.1 < 777]** During the past 30 days, what is the largest number of drinks you had on any occasion?
(n=2423)

Mean largest number of drinks: 3.6

77 Don't Know/Not Sure
99 Refused

Section 11: Immunization

Q11.1 There are two ways to get the seasonal flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist. During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in your nose?
(n=5774)

- 1 Yes (30.3%)
- 2 No (69.7%)

7 Don't Know/Not Sure
9 Refused

Q11.2 **[If Q11.1 = 1]** During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?
(n=2039)

- 1 February – August 2011 (2.5%)
- 2 September 2011 (7.6%)
- 3 October 2011 (35.4%)
- 4 November 2011 (21.3%)
- 5 December 2011 (6.8%)
- 6 January 2012 (3.5%)
- 7 February 2012 (3.0%)
- 8 March 2012 (1.0%)
- 9 April – August 2012 (0.6%)
- 10 September 2012 (2.6%)
- 11 October 2012 (10.9%)
- 12 November 2012 (4.7%)
- 13 December 2012 (0.2%)

77/7777 Don't Know/Not Sure
99/9999 Refused

Q11.3 **[If Q11.1 = 1]** At what kind of place did you get your last flu shot/vaccine?
(n=2168)

- 1 A doctor's office or health maintenance organization (HMO) (31.3%)
- 2 A health department (3.0%)
- 3 Another type of clinic or health center (Example: a community health center) (10.0%)
- 4 A senior, recreation, or community center (0.9%)
- 5 A store (Examples: supermarket, drug store) (24.3%)
- 6 A hospital (Example: inpatient) (7.3%)
- 7 An emergency room (< 0.1%)
- 8 Workplace (18.1%)
- 9 Some other kind of place (3.7%)
- 10 Received vaccination in Canada/Mexico (0.0%)
- 11 A school (1.3%)

77 Don't Know/Not Sure
99 Refused

Q11.4 A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?
(n=5344)

- 1 Yes (29.2%)
- 2 No (70.8%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 12: Falls

Q12.1 **[If Q7.1 >= 45]** Next, I will ask about recent falls. By a fall, we mean when a person unintentionally comes to rest on the ground or another lower level. In the past 12 months, how many times have you fallen?
(n=4382)

Mean number of times fell overall: 1.1
Reported having fallen: 31.2%
Mean number of times had fallen for those who fell: 3.4

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

Q12.2 **[If Q7.1 >= 45 AND Q12.1 < 77]** How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.
(n=1479)

Mean number of injury-causing falls overall: 0.9
Reported any injury-causing falls: 37.2%
Mean number of injury-causing falls, those with any: 2.4

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

Section 13: Seatbelt Use

Q13.1 How often do you use seat belts when you drive or ride in a car? Would you say ...
(n=5745)

- 1 Always (73.5%)
- 2 Nearly always (16.9%)
- 3 Sometimes (5.3%)
- 4 Seldom (2.2%)
- 5 Never (2.0%)
- 8 Never drive or ride in a car (0.0%)

- 7 Don't Know/Not Sure
- 9 Refused

Section 14: Drinking and Driving

Q14.1 **[If Q10.1 ≠ 888 AND Q13.1 ≠ 8]** The next question is about drinking and driving. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?
(n=2508)

Mean times drank and drove in past 30 days overall: 0.1
Reported driving when too much to drink: 2.7%
Mean times drank and drove of those who did at all: 2.5

- 88 None
- 77 Don't Know/Not Sure
- 99 Refused

Section 15: Breast and Cervical Cancer Screening

Q15.1 **[If Q7.20 = 2]** The next questions are about breast and cervical cancer. A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?
(n=3451)

- 1 Yes (59.8%)
- 2 No (40.2%)

- 7 Don't Know/Not Sure
- 9 Refused

Q15.2 **[If Q15.1 = 1]** How long has it been since you had your last mammogram?
(n=2657)

- 1 Within the past year (anytime less than 12 months ago) (53.5%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (18.3%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (7.6%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (6.9%)
- 5 5 or more years ago (13.7%)

- 7 Don't Know/Not Sure
- 9 Refused

Q15.3 **[If Q7.20 = 2]** A clinical breast exam is when a doctor, nurse, or other health professional feels the breasts for lumps. Have you ever had a clinical breast exam?
(n=3434)

- 1 Yes (87.0%)
- 2 No (13.0%)

- 7 Don't Know/Not Sure
- 9 Refused

Q15.4 **[If Q15.3 = 1]** How long has it been since your last breast exam?
(n=3103)

- 1 Within the past year (anytime less than 12 months ago) (58.0%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (17.4%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (6.1%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (7.0%)
- 5 5 or more years ago (11.5%)
- 7 Don't Know/Not Sure
- 9 Refused

Q15.5 **[If Q7.20 = 2]** A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?
(n=3429)

- 1 Yes (91.4%)
- 2 No (8.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Q15.6 **[If Q15.5 = 1]** How long has it been since you had your last Pap test?
(n=3219)

- 1 Within the past year (anytime less than 12 months ago) (40.4%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (18.6%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (7.7%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (8.5%)
- 5 5 or more years ago (24.9%)
- 7 Don't Know/Not Sure
- 9 Refused

Q15.7 **[If Q7.20 = 2 AND Q7.21 ≠ 1]** Have you had a hysterectomy?
(n=3406)

- 1 Yes (28.6%)
- 2 No (71.4%)
- 7 Don't Know/Not Sure
- 9 Refused

Section 16: Prostate Cancer Screening

Q16.1 **[If Q7.20 = 1 AND Q7.1 > 39]** A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?
(n=1836)

- 1 Yes (56.4%)
- 2 No (43.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Q16.2 **[If Q7.20 = 1 AND Q7.1 > 39]** Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?
(n=1824)

- 1 Yes (23.9%)
- 2 No (76.1%)
- 7 Don't Know/Not Sure
- 9 Refused

Q16.3 **[If Q7.20 = 1 AND Q7.1 > 39]** Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?
(n=1827)

- 1 Yes (48.1%)
- 2 No (51.9%)
- 7 Don't Know/Not Sure
- 9 Refused

Q16.4 **[If Q7.20 = 1 AND Q7.1 > 39]** Have you EVER HAD a PSA test?
(n=1764)

- 1 Yes (58.4%)
- 2 No (41.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Q16.5 **[If Q16.4 = 1]** How long has it been since you had your last PSA test?
(n=1133)

- 1 Within the past year (anytime less than 12 months ago) (58.9%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (15.3%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (10.1%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (6.5%)
- 5 5 or more years ago (9.3%)
- 7 Don't Know/Not Sure
- 9 Refused

Q16.6 **[If Q16.4 = 1]** What was the MAIN reason you had this PSA test - was it ... ?
(n=1132)

- 1 Part of a routine exam (72.2%)
- 2 Because of a prostate problem (6.5%)
- 3 Because of a family history of prostate cancer (4.8%)
- 4 Because you were told you had prostate cancer (3.5%)
- 5 Some other reason (13.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Section 17: Colorectal Cancer Screening

Q17.1 **[If Q7.1 > 49]** The next questions are about colorectal cancer screening. A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?
(n=3915)

- 1 Yes (35.0%)
- 2 No (65.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Q17.2 **[If Q17.1 = 1]** How long has it been since you had your last blood stool test using a home kit?
(n=1465)

- 1 Within the past year (anytime less than 12 months ago) (21.8%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (12.8%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (13.5%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (12.4%)
- 5 5 or more years ago (39.5%)
- 7 Don't Know/Not Sure
- 9 Refused

Q17.3 **[If Q7.1 > 49]** Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?
(n=3928)

- 1 Yes (65.0%)
- 2 No (35.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Q17.4 **[If Q17.3 = 1]** For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?
(n=2579)

- 1 Sigmoidoscopy (4.4%)
- 2 Colonoscopy (95.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Q17.5 **[If Q17.3 = 1]** How long has it been since you had your last sigmoidoscopy or colonoscopy?
(n=2621)

- 1 Within the past year (anytime less than 12 months ago) (19.4%)
- 2 Within the past 2 years (1 year but less than 2 years ago) (15.8%)
- 3 Within the past 3 years (2 years but less than 3 years ago) (16.4%)
- 4 Within the past 5 years (3 years but less than 5 years ago) (23.7%)
- 5 Within the past 10 years (5 years but less than 10 years ago) (17.8%)
- 6 10 or more years ago (7.0%)
- 7 Don't Know/Not Sure
- 9 Refused

Section 18: HIV / AIDS

Q18.1 The next few questions are about the national health problem of HIV, the virus that causes AIDS. Please remember that your answers are strictly confidential and that you do not have to answer every question if you do not want to. Although we will ask you about testing, we will not ask you about the results of any test you may have had. Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.
(n=5485)

- 1 Yes (28.5%)
- 2 No (71.5%)
- 7 Don't Know/Not Sure
- 9 Refused

Q18.2 **[If Q18.1 = 1]** Not including blood donations, in what month and year was your last HIV test?
(n=941)

Mode month and year for last HIV test: May, 2011 (3.8%)

77/7777 Don't Know/Not Sure
99/9999 Refused

Q18.3 I'm going to read you a list. When I'm done, please tell me if any of the situations apply to you. You do not need to tell me which one: You have used intravenous drugs in the past year; You have been treated for a sexually transmitted or venereal diseases in the past year; You have given or received money or drugs in exchange for sex in the past year; You had anal sex without a condom in the past year. Do any of these situations apply to you?
(n=5649)

- 1 Yes (2.4%)
- 2 No (97.6%)
- 7 Don't Know/Not Sure
- 9 Refused

Module 06: Excess Sun Exposure

- M6.1 In the past 12 months, how many times did you have a red OR painful sunburn that lasted a day or more?
(n=5525)
- 1 One (14.8%)
 - 2 Two (9.7%)
 - 3 Three (2.8%)
 - 4 Four (0.7%)
 - 5 Five or more (2.2%)
 - 8 Zero (69.7%)
 - 7 Don't Know/Not Sure
 - 9 Refused

Module 23: Random Child Selection

- M23.1 **[If Q7.7 ≥ 1 AND Q7.7 < 88]** Previously, you indicated there was at least one child age 17 or younger in your household. I would like to ask some questions about [that child/one of those children]. What is the birth month and year of the child?
(n=1312)

(Due to the size of this table, these data are not printed.)

77/7777 Don't Know/Not Sure
99/9999 Refused

- M23.2 Is the child a boy or a girl?
(n=1433)

- 1 Boy (52.3%)
- 2 Girl (47.7%)
- 9 Refused

- M23.3 Is the child Hispanic or Latino?
(n=1443)

- 1 Yes (15.9%)
- 2 No (84.1%)
- 7 Don't Know/Not Sure
- 9 Refused

- M23.4 Which one or more of the following would you say is the race of the child?
(n=1408)

- 1 White (94.3%)
- 2 Black or African American (1.1%)
- 3 Asian (0.6%)
- 4 Native Hawaiian or Other Pacific Islander (0.3%)
- 5 American Indian or Alaska Native (1.6%)
- 6 Other (0.0%)
- 7 Multiracial (2.1%)

77 Don't Know/Not Sure
99 Refused

- M23.5 **[M23.4 = multiple responses]** Which one of these groups would you say best represents the child's race?
(n=32)

Figures are not reliable due to insufficient sample size
(n<50)

- M23.6 How are you related to the child?
(n=1453)

- 1 Parent (include biologic, step, or adoptive parent) (84.4%)
- 2 Grandparent (3.6%)
- 3 Foster parent or guardian (0.9%)
- 4 Sibling (include biologic, step, and adoptive sibling) (7.7%)
- 5 Other relative (1.9%)
- 6 Not related in any way (1.6%)
- 7 Don't Know/Not Sure
- 9 Refused

State Added 01: Prostate Cancer

- ID1.1 **[If Q7.20 = 1 AND Q7.1 => 40]** Has your father, brother, son, or grandfather ever been told by a doctor, nurse, or health professional that he had prostate cancer?
(n=1737)

- 1 Yes (14.1%)
- 2 No (85.9%)
- 7 Don't Know/Not Sure
- 9 Refused

State Added 02: Health Care Coverage

- ID2.1 **[If Q7.7 ≥ 1 AND < 88]** Does the child have any kind of health care coverage, including health insurance, prepaid plans such as HMO's, or government plans such as Medicaid or the Children's Health Insurance Program, also known as CHIP?
(n=1290)

- 1 Yes (91.6%)
- 2 No (8.4%)
- 7 Don't Know/Not Sure
- 9 Refused

- ID2.2 **[If Q3.1 = 2]** Previously you said you did not have any health care coverage. What is the main reason you are without health care coverage?
(n=653)

- 1 Lost job or changed employers (16.9%)
- 2 Spouse/parent lost job/changed employers (3.0%)
- 3 Became divorced or separated (1.8%)
- 4 Spouse or parent died (0.0%)
- 5 Became ineligible because of age or left school (4.7%)
- 6 Employer doesn't offer or stopped offering coverage (10.2%)
- 7 Cut back to part time or became temporary employee (1.8%)
- 8 Benefits from employer or former employer ran out (0.3%)
- 9 Couldn't afford to pay the premiums (37.7%)
- 10 Insurance company refused coverage (0.5%)
- 11 Lost Medicaid or medical assistance eligibility (3.6%)
- 87 Other reason (19.4%)
- 77 Don't Know/Not Sure
- 99 Refused

ID2.3 **[If Q3.1 = 2]** About how long has it been since you had health care coverage?
(n=653)

- 1 Within the past 6 months (12.4%)
- 2 Within the past year (7-12 months) (13.2%)
- 3 Within the past 2 years (more than 1 year, less than 2 years) (12.5%)
- 4 Within the past 5 years (more than 2 years, less than 5 years) (19.0%)
- 5 5 or more years ago (28.1%)
- 8 Never (14.8%)
- 7 Don't Know/Not Sure
- 9 Refused

ID2.4 **[If Q3.1 = 1]** Previously you said that you had some kind of health care coverage. What type of health care coverage do you use to pay for most of your medical care?
(n=4719)

- 1 Your Employer (33.4%)
- 2 Someone else's employer (19.6%)
- 3 A plan that you or someone else buys on your own (12.2%)
- 4 Medicare (21.4%)
- 5 Medicaid or Medical Assistance (4.2%)
- 6 The military, CHAMPUS, Tricare, or the VA (5.6%)
- 7 The Indian Health Service (0.2%)
- 8 Some other source (3.2%)
- 88 None (0.1%)
- 77 Don't Know/Not Sure
- 99 Refused

ID2.5 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?
(n=5467)

- 1 Yes (53.3%)
- 2 No (46.7%)
- 7 Don't Know/Not Sure
- 9 Refused

State Added 03: High Blood Pressure

ID3.1 Have you EVER been told by a doctor, nurse, or other health professional that you have high blood pressure?
(n=5518)

- 1 Yes (29.6%)
- 2 Yes, but female told only during pregnancy (1.5%)
- 3 No (68.0%)
- 4 Told borderline high or pre-hypertensive (0.8%)
- 7 Don't Know/Not Sure
- 9 Refused

State Added 04: Actions to Control High Blood Pressure

ID4.1 **[If ID3.1 = 1]** Are you now doing any of the following to help lower or control your high blood pressure? (Are you) changing your eating habits (to help lower or control your high blood pressure)?
(n=2190)

- 1 Yes (69.1%)
- 2 No (30.9%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.2 **[If ID3.1 = 1]** (Are you) cutting down on salt (to help lower or control your high blood pressure)?
(n=2194)

- 1 Yes (69.6%)
- 2 No (25.5%)
- 3 Do not use salt (4.9%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.3 **[If ID3.1 = 1]** (Are you) reducing alcohol use (to help lower or control your high blood pressure)?
(n=2196)

- 1 Yes (36.4%)
- 2 No (24.8%)
- 3 Do not drink (38.8%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.4 **[If ID3.1 = 1]** (Are you) exercising (to help lower or control your high blood pressure)?
(n=2189)

- 1 Yes (74.2%)
- 2 No (25.8%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.5 **[If ID3.1 = 1]** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure? (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?
(n=2176)

- 1 Yes (56.3%)
- 2 No (43.7%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.6 **[If ID3.1 = 1]** (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?
(n=2179)

- 1 Yes (58.6%)
- 2 No (39.3%)
- 3 Do not use salt (2.1%)
- 7 Don't Know/Not Sure
- 9 Refused

ID4.7 **[If ID3.1 = 1]** (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?
(n=2187)

- 1 Yes (33.7%)
- 2 No (49.4%)
- 3 Do not drink (16.9%)

- 7 Don't Know/Not Sure
- 9 Refused

ID4.8 **[If ID3.1 = 1]** (Ever advised you to) exercise (to help lower or control your high blood pressure)?
(n=2178)

- 1 Yes (77.9%)
- 2 No (22.1%)

- 7 Don't Know/Not Sure
- 9 Refused

ID4.9 **[If ID3.1 = 1]** (Ever advised you to) take medication (to help lower or control your high blood pressure)?
(n=2196)

- 1 Yes (81.6%)
- 2 No (18.4%)

- 7 Don't Know/Not Sure
- 9 Refused

ID4.10 **[If ID3.1 = 1]** Were you told on TWO OR MORE DIFFERENT VISITS by a doctor or other health professional that you had high blood pressure?
(n=2168)

- 1 Yes (77.2%)
- 2 Yes, but female told only during pregnancy (0.3%)
- 3 No (22.2%)
- 4 Told borderline or pre-hypertensive (0.3%)

- 7 Don't Know/Not Sure
- 9 Refused

State Added 05: Occupation

ID5.1 **[If Q7.9 = 1 OR Q7.9 = 2]** Which of the following best describes your current employment?
(n=2415)

- 1 Management or professional (29.7%)
- 2 Office, clerical, or administrative support (10.2%)
- 3 Health care practitioner or support (7.5%)
- 4 Service or sales (23.8%)
- 5 Production, construction, installation, or mining (12.2%)
- 6 Farming, fishing, or forestry (6.1%)
- 7 Transportation or material moving (4.2%)
- 8 Armed Forces, law enforcement, or emergency services (2.9%)
- 9 Other (specify) (3.3%)

- 77 Don't Know/Not Sure
- 99 Refused

State Added 06: Injury

ID6.1 In the past 12 months, did you experience an injury that resulted in a visit to a doctor or other medical professional?
(n=5490)

- 1 Yes (18.8%)
- 2 No (81.2%)

- 7 Don't Know/Not Sure
- 9 Refused

State Added 07: Weight Control

ID7.1 In the past 12 months, has a doctor, nurse, or other health professional given you advice about your weight?
(n=5495)

- 1 Yes, lose weight (14.7%)
- 2 Yes, gain weight (0.7%)
- 3 Yes, maintain current weight (1.8%)
- 4 No (82.7%)

- 7 Don't Know/Not Sure
- 9 Refused

State Added 08: Radon

ID8.1 Have you ever heard of radon which is a radioactive gas that occurs in nature?
(n=5484)

- 1 Yes (75.4%)
- 2 No (24.6%)

- 7 Don't Know/Not Sure
- 9 Refused

ID8.2 **[If ID8.1 = 1]** Have you ever tested your house for radon?
(n=4384)

- 1 Yes (19.8%)
- 2 No (80.2%)

- 7 Don't Know/Not Sure
- 9 Refused

ID8.3 **[If ID8.1 = 1]** "Radon is the leading cause of lung cancer among non-smokers." Do you agree or disagree with this statement?
(n=2144)

- 1 Agree (65.9%)
- 2 Disagree (34.1%)

- 7 Don't Know/Not Sure
- 9 Refused

State Added 09: Fish Consumption

ID9.1 How often do you eat fish? Be sure to include canned tuna and canned salmon, imitation crab and fish eaten at restaurants. Do not include shellfish such as shrimp, oysters, clams or real crab. (n=5410)

Mean times per year ate fish: 46.3
Reported eating any fish: 90.6%
Mean times per year ate fish for those who ate any: 51.1

555 Never
777 Don't Know/Not Sure
999 Refused

ID9.2 **[If ID9.1 > 100 AND ID9.1 < 555]** How often do you eat fish that have been caught in Idaho waters? This includes lakes, reservoirs, rivers, creeks, or ponds. (n=4634)

Mean times per year ate fish caught in Idaho: 7.9
Reported eating any fish caught in Idaho: 56.9%
Mean times per year ate fish caught in Idaho for those who ate any: 13.9

555 Never
777 Don't Know/Not Sure
999 Refused

State Added 10: Social Context

ID10.1 The next section of questions is the final section. Some of these questions are of a personal or sensitive nature. This information allows us to better understand various situations that may contribute to public health problems. Please keep in mind that your answers are strictly confidential. You may ask me to skip any question you do not want to answer. How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed ... (n=5473)

1 Always (5.2%)
2 Usually (5.9%)
3 Sometimes (15.6%)
4 Rarely (19.7%)
5 Never (53.6%)

8 Not applicable (0.0%)
7 Don't Know/Not Sure
9 Refused

State Added 11: Suicide

ID11.1 Have you ever attempted suicide? (n=5469)

1 Yes (5.2%)
2 No (94.8%)

7 Don't Know/Not Sure
9 Refused

ID11.2 **[If ID11.1 = 1]** When did you make the last attempt? (n=224)

1 Within the past year (1 to 12 months ago) (11.8%)
2 Within the past 5 years (1 to 5 years ago) (20.4%)
3 Within the past 10 years (5 to 10 years ago) (15.0%)
4 More than 10 years ago (52.9%)

7 Don't Know/Not Sure
9 Refused

State Added 12: Sexual Orientation

ID12.1 Research has shown that some sexual minority community members have important health risk factors such as smoking. We are collecting information about sexual orientation to learn whether this is true in Idaho. Do you consider yourself to be: (n=5241)

1 Heterosexual, that is, straight (98.1%)
2 Homosexual, that is, gay or lesbian (1.1%)
3 Bisexual (0.8%)
4 Transgender (0.0%)
5 Other (Specify) (0.0%)

7 Don't Know/Not Sure
9 Refused

State Added 13: Illicit Drug Use

ID13.1 I am now going to ask about your non-medical use of drugs. "Non-medical use" means using drugs not prescribed by a doctor, or used to get high or for curiosity. I will be referring to cocaine, including crack, heroin or drugs like heroin such as codeine or Demerol, marijuana, also referred to as pot, methamphetamine, also known as meth, crank or ice, hallucinogens, inhalants, prescription painkillers, stimulants, and sedatives. Remember, all information on this survey is strictly confidential. Have you ever used any of the drugs I just mentioned? (n=5450)

1 Yes (23.4%)
2 No (76.6%)

7 Don't Know/Not Sure
9 Refused

ID13.2 **[If ID13.1 = 1]** How long has it been since you last used any of these drugs for non-medical purposes? Would you say ... (n=961)

1 Within the last 30 days (0-30 days) (11.7%)
2 More than 30 days but within the past 12 months (31 days to 12 months) (8.2%)
3 More than 12 months ago (80.1%)

7 Don't Know/Not Sure
9 Refused

State Added 14: Intimate Partner Violence

ID14.1 The next questions are about different types of violence in relationships with an intimate partner. By an intimate partner I mean any current or former spouse, boyfriend, or girlfriend. Someone you were dating or romantically or sexually intimate with would also be considered an intimate partner. This information will help us to better understand the problem of violence in relationships. This is a sensitive topic. Some people may feel uncomfortable with these questions. At the end of this section, I will give you phone numbers of organizations that can provide information and referral for these issues. Please keep in mind that if you are not in a safe place you can ask me skip any questions you do not want to answer. Are you in a safe place to answer these questions?
(n=5433)

- 1 Yes (98.7%)
- 2 No (1.3%)

- 7 Don't Know/Not Sure
- 9 Refused

ID14.2 **[If ID14.1 = 1]** Has an intimate partner EVER THREATENED you with physical violence? This includes threatening to hit, slap, push, kick, or hurt you in any way.
(n=5349)

- 1 Yes (13.7%)
- 2 No (86.3%)

- 7 Don't Know/Not Sure
- 9 Refused

ID14.3 **[If ID14.1 = 1]** Has an intimate partner EVER ATTEMPTED physical violence against you? This includes times when they tried to hit, slap, push, kick, or otherwise hurt you, BUT THEY WERE NOT ABLE TO.
(n=5336)

- 1 Yes (13.9%)
- 2 No (86.1%)

- 7 Don't Know/Not Sure
- 9 Refused

ID14.4 **[If ID14.1 = 1]** Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way?
(n=5344)

- 1 Yes (14.1%)
- 2 No (85.9%)

- 7 Don't Know/Not Sure
- 9 Refused

ID14.5 **[If ID14.3 = 1 OR ID14.4 = 1]** At the time of the most recent incident involving an intimate partner who was PHYSICALLY VIOLENT with you, what was that person's relationship to you?
(n=839)

- 1 Current boyfriend (5.0%)
- 2 Current girlfriend (2.2%)
- 3 Former boyfriend (21.5%)
- 4 Former girlfriend (6.4%)
- 5 Fiancé (male) (0.5%)
- 6 Fiancé (female) (0.0%)
- 7 Male you were dating (0.4%)
- 8 Female you were dating (1.4%)
- 9 Female first date (0.0%)
- 10 Male first date (< 0.1%)
- 11 Husband or male live-in partner (20.0%)
- 12 Wife or female live-in partner (11.0%)
- 13 Former husband or former male live-in partner (23.5%)
- 14 Former wife or former female live-in partner (7.3%)
- 15 Other (0.6%)

- 77 Don't Know/Not Sure
- 99 Refused

Costs associated with this publication are available from the
Idaho Department of Health and Welfare.

HW-1206 — : YVfi Ufm2015