



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

C.L. "BUTCH" OTTER – Governor  
RICHARD M. ARMSTRONG – Director

DEBBY RANSOM, R.N., R.H.I.T – Chief  
BUREAU OF FACILITY STANDARDS  
3232 Elder Street  
P.O. Box 83720  
Boise, Idaho 83720-0009  
PHONE: (208) 334-6626  
FAX: (208) 364-1888  
E-mail: [jsb@dhw.idaho.gov](mailto:jsb@dhw.idaho.gov)

June 5, 2013

Patricia Fowler, Administrator  
Living Spring Residential Care LLC  
1050 Hemlock Drive  
Lewiston, ID 83501

License #: RC-957

Dear Ms. Fowler:

On May 15, 2013, a Fire Life Safety Survey was conducted at Living Spring Residential Care, LLC. As a result of that survey, deficient practices were found. The deficiencies were cited at the following level(s):

- Non-core issues, which are described on the Punch List, and for which you have submitted evidence of resolution.

This office is accepting your submitted evidence of resolution.

Should you have questions, please contact me at (208) 334-6626.

Sincerely,

TOM MROZ  
Health Facility Surveyor  
Facility Fire Safety & Construction Program

TM/nm

COPY



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

C.L. "BUTCH" OTTER, Governor  
RICHARD M. ARMSTRONG – Director

DEBBY RANSOM, R.N., R.H.I.T – Chief  
BUREAU OF FACILITY STANDARDS  
3232 Elder Street  
P.O. Box 83720  
Boise, Idaho 83720-0009  
PHONE: (208) 334-6626  
FAX: (208) 364-1888  
E-mail: [fsb@dhw.idaho.gov](mailto:fsb@dhw.idaho.gov)

May 22, 2013

Patricia Fowler, Administrator  
Living Spring Residential Care LLC  
1050 Hemlock Drive  
Lewiston, ID 83501

Dear Ms. Fowler:

On May 15, 2013, a Fire Life Safety Survey was conducted at Living Spring Residential Care LLC. The facility was found to be providing a safe environment for its residents.

The enclosed form, stating no core issue deficiencies were cited during the survey, is for your records only and need not be returned.

Please bear in mind that non-core issue deficiencies were identified on the punch list, a copy of which was reviewed and left with you during the exit conference. The completed punch list form and accompanying evidence of resolution (e.g., receipts, pictures, policy updates, etc.) are to be submitted to this office by June 15, 2013.

Should you have any questions about our visit, please contact me at (208) 334-6626.

Sincerely,

MARK P. GRIMES, Supervisor  
Facility Fire Safety & Construction Program

MPG/nm  
Enclosure

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  13R957	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 - ENTIRE BUILDING  B. WING _____	(X3) DATE SURVEY COMPLETED  05/15/2013
NAME OF PROVIDER OR SUPPLIER  LIVING SPRING RESIDENTIAL CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 1050 HEMLOCK DRIVE LEWISTON, ID 83501		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>Initial Comments</p> <p>The facility was found to be in substantial compliance with the fire and life safety requirements of the Rules for Residential or Assisted Living Facilities in Idaho. No core deficiencies were cited during the standard fire/life safety survey conducted on May 15, 2013.</p> <p>The surveyor conducting the survey was:</p> <p>Tom Mroz CFI-II Health Facility Surveyor Facility Fire/Life Safety &amp; Construction Program</p>	R 000		

Bureau of Facility Standards

TITLE

(X8) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

