



**Sexually Transmitted Diseases  
Reported Cases Among Residents of Idaho  
January - March 2017\***

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	4	100	24	1	0	1	130
2	0	79	10	1	0	0	90
3	1	174	22	0	0	0	197
4	2	366	56	1	0	3	428
5	2	122	12	1	0	0	137
6	0	79	3	0	0	0	82
7	0	86	4	0	0	0	90
<b>Total</b>	<b>9</b>	<b>1,006</b>	<b>131</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>1,154</b>

**Sexually Transmitted Diseases  
Reported Cases Among Residents of Idaho  
January – March 2016\***

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	1	170	10	1	0	1	183
2	1	96	10	0	0	0	107
3	0	296	17	4	0	0	317
4	3	483	59	10	0	1	556
5	3	187	30	1	0	1	222
6	1	146	2	0	0	3	152
7	0	129	12	0	0	0	141
<b>Total</b>	<b>9</b>	<b>1,507</b>	<b>140</b>	<b>16</b>	<b>0</b>	<b>6</b>	<b>1,678</b>

\*Data are provisional. Percentages may not sum 100 due to rounding.

†Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

\*\*Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.

HIV infection as defined by CDC inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."

HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria.

For more information, visit [www.cdc.gov/nndss](http://www.cdc.gov/nndss)



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported <u>Idaho</u> HIV and AIDS Cases Presumed Living <sup>1</sup> by Diagnostic Status as of March 31, 2017							
District	HIV Cases <sup>2</sup>	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases <sup>3</sup>	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living
1	101	11	90	189	84	105	195
2	56	9	47	82	31	51	98
3	117	15	102	184	66	118	220
4	446	48	398	592	240	352	750
5	88	9	79	128	50	78	157
6	89	13	76	144	59	85	161
7	67	6	61	114	49	65	126
<b>TOTAL</b>	<b>964</b>	<b>111</b>	<b>853</b>	<b>1,433</b>	<b>579</b>	<b>854</b>	<b>1,707</b>

<sup>1</sup> Presumed living: Cases ever reported in Idaho and not reported as deceased

<sup>2</sup> Number of reported individuals with HIV Infection (not yet HIV Stage 3 [AIDS]) ever reported in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS)

<sup>3</sup> Number of individuals with Stage 3 HIV Infection (AIDS) ever reported in Idaho

**HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through March 31, 2017**

	HIV		AIDS		COMBINED	
<b>Sex</b>						
Male	491	83%	723	85%	1,214	84%
Female	99	17%	128	15%	227	16%
Total	590	100%	851	100%	1,441	100%
<b>Pediatric/Adult &amp; Adolescent</b>						
Adults/Adolescents (13 or above)	586	99%	845	99%	1,431	99%
Pediatric (<13 years)	4	1%	6	1%	10	1%
Total	590	100%	851	100%	1,441	100%
<b>Race/Ethnicity</b>						
Hispanic - All Races	67	11%	103	12%	170	12%
Not Hispanic						
American Indian/Alaska Native	9	2%	12	1%	21	1%
Asian	8	1%	2	0%	10	1%
Black	34	6%	35	4%	69	5%
Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
White	448	76%	685	80%	1,133	79%
Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
Multi-race	5	1%	6	1%	11	1%
Unknown	19	3%	6	1%	25	2%
Total	590	100%	851	100%	1,441	101%
<b>Exposure Categories - Adults/Adolescents</b>						
Men who have sex with men (MSM)	284	48%	429	51%	713	50%
Injection drug use	55	9%	91	11%	146	10%
MSM and inject drugs	62	11%	77	9%	139	10%
Hemophilia/Coagulation disorder	1	0%	18	2%	19	1%
High-risk heterosexual contact	63	11%	103	12%	166	12%
Presumed heterosexual contact	15	3%	17	2%	32	2%
Receipt of blood, components, or tissue	2	0%	11	1%	13	1%
Other/risk not reported or identified	104	18%	99	12%	203	14%
Total	586	100%	845	100%	1,431	100%
<b>Exposure Categories - Pediatric</b>						
Hemophilia/Coagulation disorder	0	0%	0	0%	0	0%
Mother with/at risk for HIV infection	3	75%	3	50%	6	60%
Receipt of blood, components, or tissue	0	0%	2	33%	2	20%
Other/risk not reported or identified	1	25%	1	17%	2	20%
Total	4	100%	6	100%	10	100%
<b>Cases by Age Group</b>						
Under 5	4	1%	2	0%	6	0%
5-12	0	0%	1	0%	1	0%
13-19	15	3%	8	1%	23	2%
20-29	240	41%	124	15%	364	25%
30-39	168	28%	334	93%	502	35%
40-49	115	19%	247	29%	362	25%
Over 49	48	8%	135	16%	183	13%
Unknown	0	0%	0	0%	0	0%
Total	590	100%	851	100%	1,441	100%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not equal 100 due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at [allen.haumann@dhw.idaho.gov](mailto:allen.haumann@dhw.idaho.gov) to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.