



**Idaho STD and HIV Infection by  
Public Health District of Residence  
April - June 2018**

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	190	28	4	0	0	222
2	0	98	18	2	0	0	118
3	1	364	39	1	0	1	406
4	2	563	94	11	0	3	673
5	3	170	39	2	0	1	215
6	0	112	21	2	0	1	136
7	2	83	8	2	0	3	98
<b>Total</b>	<b>8</b>	<b>1,580</b>	<b>247</b>	<b>24</b>	<b>0</b>	<b>9</b>	<b>1,868</b>

**Idaho STD and HIV Infection by  
Public Health District of Residence  
April - June 2017**

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	3	207	20	1	0	1	232
2	0	67	10	2	0	0	79
3	2	245	29	1	0	0	277
4	1	518	61	6	0	1	587
5	2	189	10	0	0	0	201
6	1	104	31	0	0	0	136
7	0	113	20	1	0	0	134
<b>Total</b>	<b>9</b>	<b>1,443</b>	<b>181</b>	<b>11</b>	<b>0</b>	<b>2</b>	<b>1,646</b>

\*Data are provisional. Percentages may not sum to 100% due to rounding.

\*\*Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration

††Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."  
HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria.

For more information, visit <https://www.cdc.gov/ndss/conditions/>



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported Idaho HIV and AIDS Cases Presumed Living <sup>1</sup> by Diagnostic Status as of June 30, 2018							
District	HIV Cases <sup>2</sup>	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases <sup>3</sup>	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living
1	109	12	97	204	86	118	215
2	56	10	46	88	31	57	103
3	130	17	113	201	69	132	245
4	484	52	432	620	250	370	802
5	95	10	85	140	51	89	174
6	91	15	76	149	64	85	161
7	78	6	72	118	52	66	138
<b>TOTAL</b>	<b>1,043</b>	<b>122</b>	<b>921</b>	<b>1,520</b>	<b>603</b>	<b>917</b>	<b>1,838</b>

<sup>1</sup> Presumed living: Cases ever reported in Idaho and not determined to be deceased.

<sup>2</sup> Number of reported cases of HIV Infection (not yet HIV Stage 3 [AIDS]) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS) or have progressed to HIV Stage 3 (AIDS).

<sup>3</sup> Number of reported cases of Stage 3 HIV Infection (AIDS) ever reported in Idaho.

HIV and AIDS (HIV Stage 3) Among Residents of Idaho at Diagnosis by Case Status, January 1, 1984 - June 30, 2018							
		HIV		AIDS		COMBINED	
<b>Sex</b>							
Male		519	84%	749	85%	1,268	85%
Female		101	16%	131	15%	232	15%
Total		620	100%	880	100%	1,500	100%
<b>Pediatric/Adult &amp; Adolescent</b>							
Adults/Adolescents (13 or above)		617	100%	873	99%	1,490	99%
Pediatric (<13 years)		3	0%	7	1%	10	1%
Total		620	100%	880	100%	1,500	100%
<b>Race/Ethnicity</b>							
Hispanic - All Races		76	12%	106	12%	182	12%
Not Hispanic	American Indian/Alaska Native	11	2%	12	1%	23	2%
	Asian	8	1%	2	0%	10	1%
	Black	35	6%	37	4%	72	5%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	469	76%	708	80%	1,177	78%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	5	1%	7	1%	12	1%
	Unknown	16	3%	6	1%	22	1%
	Total	620	100%	880	100%	1,500	100%
<b>Exposure Categories - Adults/Adolescents</b>							
Men who have sex with men (MSM)		301	49%	441	51%	742	50%
Injection drug use		56	9%	91	10%	147	10%
MSM and inject drugs		68	11%	83	10%	151	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		68	11%	105	12%	173	12%
Presumed heterosexual contact		14	2%	17	2%	31	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		107	17%	107	12%	214	14%
Total		617	100%	873	100%	1,490	100%
<b>Exposure Categories - Pediatric</b>							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		3	100%	4	57%	7	70%
Receipt of blood, components, or tissue		0	0%	2	29%	2	20%
Other/risk not reported or identified		0	0%	1	14%	1	10%
Total		3	100%	7	100%	10	100%
<b>Cases by Age Group</b>							
Under 5		3	0%	3	0%	6	0%
5-12		0	0%	1	0%	1	0%
13-19		15	2%	8	1%	23	2%
20-29		261	42%	131	15%	392	26%
30-39		173	28%	343	39%	516	34%
40-49		117	19%	249	28%	366	24%
Over 49		51	8%	145	16%	196	13%
Unknown		0	0%	0	0%	0	0%
Total		620	100%	880	100%	1,500	99%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not sum to 100% due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at [allen.haumann@dhw.idaho.gov](mailto:allen.haumann@dhw.idaho.gov) to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.