



**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho  
July - September 2017\***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	3	211	23	3	0	2	242
2	0	83	22	1	0	0	106
3	0	315	52	1	0	0	368
4	6	556	90	8	0	5	665
5	2	189	8	0	0	1	200
6	0	116	36	0	0	0	152
7	0	105	23	1	0	2	131
Unknown	0	0	0	0	0	0	0
<b>Total</b>	<b>11</b>	<b>1,575</b>	<b>254</b>	<b>14</b>	<b>0</b>	<b>10</b>	<b>1,864</b>

**Sexually Transmitted Diseases - Reported Cases Among Residents of Idaho  
July - September 2016\***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	2	167	6	2	0	0	177
2	0	95	17	0	0	2	114
3	0	266	0	2	0	0	268
4	4	537	97	9	0	2	649
5	3	175	6	1	0	0	185
6	0	115	2	0	0	0	117
7	1	127	7	0	0	2	137
Unknown	0	0	0	0	0	0	0
<b>Total</b>	<b>10</b>	<b>1,482</b>	<b>135</b>	<b>14</b>	<b>0</b>	<b>6</b>	<b>1,647</b>

\*Data are provisional. Percentages may not sum to 100% due to rounding.

\*\*syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis

†syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3".

HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria. For more information, visit [http://www.cdc.gov/nndss/document/2012\\_Case%20Definitions.pdf](http://www.cdc.gov/nndss/document/2012_Case%20Definitions.pdf)



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported Idaho HIV and AIDS Cases Presumed Living <sup>1</sup> by Diagnostic Status as of September 30, 2017							
District	HIV Cases <sup>2</sup>	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living <sup>3</sup>
1	105	11	94	197	84	113	207
2	60	9	51	82	31	51	102
3	124	16	108	187	66	121	229
4	460	48	412	603	241	362	774
5	92	9	83	133	50	83	166
6	89	13	76	148	61	87	163
7	70	6	64	114	49	65	129
<b>TOTAL</b>	<b>1,000</b>	<b>112</b>	<b>888</b>	<b>1,464</b>	<b>582</b>	<b>882</b>	<b>1,770</b>

<sup>1</sup> Presumed living: Cases ever reported in Idaho and not determined to be deceased.

<sup>2</sup> Number of reported cases of HIV Infection (not yet HIV Stage 3 [AIDS]) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS) or have progressed to HIV Stage 3 (AIDS).

<sup>3</sup> Number of reported cases of Stage 3 HIV Infection (AIDS) ever reported in Idaho.

**HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through 9/30/2017**

		HIV		AIDS		COMBINED	
<b>Sex</b>							
Male		500	83%	735	85%	1,235	84%
Female		101	17%	129	15%	230	16%
Total		601	100%	864	100%	1,465	100%
<b>Pediatric/Adult &amp; Adolescent</b>							
Adults/Adolescents (13 or above)		598	100%	853	99%	1,451	99%
Pediatric (<13 years)		3	0%	11	1%	14	1%
Total		601	100%	864	100%	1,465	100%
<b>Race/Ethnicity</b>							
Hispanic - All Races		70	12%	104	12%	174	12%
Not Hispanic	American Indian/Alaska Native	10	2%	12	1%	22	2%
	Asian	8	1%	2	0%	10	1%
	Black	35	6%	33	4%	68	5%
	Native Hawaiian/Pacific Islander	0	0%	1	0%	1	0%
	White	456	76%	696	81%	1,152	79%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	5	1%	8	1%	13	1%
	Unknown	17	3%	6	1%	23	2%
Total		601	100%	864	100%	1,465	102%
<b>Exposure Categories - Adults/Adolescents</b>							
Men who have sex with men (MSM)		291	49%	435	51%	726	50%
Injection drug use		55	9%	91	11%	146	10%
MSM and inject drugs		65	11%	78	9%	143	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		65	11%	103	12%	168	12%
Presumed heterosexual contact		15	3%	17	2%	32	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		104	17%	104	12%	208	14%
Total		598	100%	857	100%	1,455	100%
<b>Exposure Categories - Pediatric</b>							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		3	100%	4	57%	7	70%
Receipt of blood, components, or tissue		0	0%	2	29%	2	20%
Other/risk not reported or identified		0	0%	1	14%	1	10%
Total		3	100%	7	100%	10	100%
<b>Cases by Age Group</b>							
Under 5		3	0%	3	0%	6	0%
5-12		0	0%	1	0%	1	0%
13-19		16	3%	8	1%	24	2%
20-29		247	41%	126	15%	373	25%
30-39		169	28%	338	39%	507	35%
40-49		115	19%	247	29%	362	25%
Over 49		51	8%	141	16%	192	13%
Unknown		0	0%	0	0%	0	0%
Total		601	100%	864	100%	1,465	100%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Reports of HIV positive and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at [allen.haumann@dhw.idaho.gov](mailto:allen.haumann@dhw.idaho.gov) to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.