

**Idaho STD and HIV Infection by  
Public Health District of Residence  
April - June 2016**

| District     | HIV Infection¶ | Chlamydia    | Gonorrhea  | Early Syphilis** | Congenital Syphilis | Late or Unknown Duration Syphilis† | TOTAL        |
|--------------|----------------|--------------|------------|------------------|---------------------|------------------------------------|--------------|
| 1            | 0              | 125          | 12         | 4                | 0                   | 4                                  | 145          |
| 2            | 0              | 76           | 0          | 0                | 0                   | 0                                  | 76           |
| 3            | 1              | 231          | 4          | 2                | 0                   | 0                                  | 238          |
| 4            | 4              | 404          | 91         | 5                | 0                   | 8                                  | 512          |
| 5            | 1              | 129          | 17         | 2                | 0                   | 1                                  | 150          |
| 6            | 1              | 138          | 12         | 3                | 0                   | 2                                  | 156          |
| 7            | 0              | 103          | 10         | 0                | 0                   | 0                                  | 113          |
| <b>Total</b> | <b>7</b>       | <b>1,206</b> | <b>146</b> | <b>16</b>        | <b>0</b>            | <b>15</b>                          | <b>1,390</b> |

**Idaho STD and HIV Infection by  
Public Health District of Residence  
April - June 2015**

| District     | HIV Infection¶ | Chlamydia    | Gonorrhea  | Early Syphilis** | Congenital Syphilis | Late or Unknown Duration Syphilis† | TOTAL        |
|--------------|----------------|--------------|------------|------------------|---------------------|------------------------------------|--------------|
| 1            | 2              | 155          | 15         | 1                | 0                   | 0                                  | 173          |
| 2            | 1              | 105          | 7          | 0                | 0                   | 0                                  | 113          |
| 3            | 0              | 263          | 13         | 0                | 0                   | 0                                  | 276          |
| 4            | 5              | 396          | 51         | 6                | 0                   | 1                                  | 459          |
| 5            | 2              | 142          | 4          | 1                | 0                   | 0                                  | 149          |
| 6            | 2              | 128          | 7          | 0                | 0                   | 0                                  | 137          |
| 7            | 0              | 122          | 7          | 0                | 0                   | 0                                  | 129          |
| <b>Total</b> | <b>12</b>      | <b>1,311</b> | <b>104</b> | <b>8</b>         | <b>0</b>            | <b>1</b>                           | <b>1,436</b> |


\*Data are provisional. Percentages may not sum to 100% due to rounding.

\*\*Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

HIV infection as defined by CDC is inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."  
HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria.  
For more information, visit [http://wwwn.cdc.gov/nndss/document/2012\\_Case%20Definitions.pdf](http://wwwn.cdc.gov/nndss/document/2012_Case%20Definitions.pdf)



| Idaho District Health Departments |               |          |
|-----------------------------------|---------------|----------|
| District 1                        | Coeur d'Alene | 415-5100 |
| District 2                        | Lewiston      | 799-3100 |
| District 3                        | Caldwell      | 455-5300 |
| District 4                        | Boise         | 375-5211 |
| District 5                        | Twin Falls    | 734-5900 |
| District 6                        | Pocatello     | 233-9080 |
| District 7                        | Idaho Falls   | 522-0310 |

| Idaho HIV Infection Presumed Living <sup>1</sup> by Stage 3 (AIDS) Status, Reported January 1, 1984 - June 30, 2016 |                        |                             |                          |                         |                              |                           |   |
|---|------------------------|-----------------------------|--------------------------|-------------------------|------------------------------|---------------------------|---|
| District  | HIV Cases <sup>2</sup> | HIV Cases Reported Deceased | Presumed Living with HIV | AIDS Cases <sup>3</sup> | AIDS Cases Reported Deceased | Presumed Living with AIDS | Reported HIV and AIDS Cases Presumed Living |
| 1   | 89                     | 11                          | 78                       | 186                     | 81                           | 105                       | 183   |
| 2   | 57                     | 9                           | 48                       | 80                      | 29                           | 51                        | 99  |
| 3   | 111                    | 12                          | 99                       | 180                     | 63                           | 117                       | 216   |
| 4   | 419                    | 45                          | 374                      | 583                     | 235                          | 348                       | 722   |
| 5   | 74                     | 9                           | 65                       | 127                     | 48                           | 79                        | 144   |
| 6   | 81                     | 11                          | 70                       | 143                     | 56                           | 87                        | 157   |
| 7   | 66                     | 5                           | 61                       | 110                     | 47                           | 63                        | 124   |
| <b>TOTAL</b>  | <b>897</b>             | <b>102</b>                  | <b>795</b>               | <b>1,409</b>            | <b>559</b>                   | <b>850</b>                | <b>1,645</b>                                |

<sup>1</sup> Presumed living: Cases ever reported in Idaho and not determined to be deceased.

<sup>2</sup> Number of reported cases of HIV Infection (not yet HIV Stage 3 [AIDS]) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS) or have progressed to HIV Stage 3 (AIDS).

<sup>3</sup> Number of reported cases of Stage 3 HIV Infection (AIDS) ever reported in Idaho.

**HIV and AIDS (HIV Stage 3) Among Residents of Idaho at Diagnosis by Case Status, January 1, 1984 - June 30, 2016**

|   |                                  | HIV |      | AIDS |      | COMBINED |      |
|---|----------------------------------|-----|------|------|------|----------|------|
| <b>Sex</b>                                      |                                  |     |      |      |      |          |      |
| Male  |                                  | 466 | 84%  | 711  | 85%  | 1,177    | 84%  |
| Female  |                                  | 90  | 16%  | 128  | 15%  | 218      | 16%  |
| Total   |                                  | 556 | 100% | 839  | 100% | 1,395    | 100% |
| <b>Pediatric/Adult &amp; Adolescent</b>         |                                  |     |      |      |      |          |      |
| Adults/Adolescents (13 or above)                |                                  | 553 | 99%  | 833  | 99%  | 1,386    | 99%  |
| Pediatric (<13 years)                           |                                  | 3   | 1%   | 6    | 1%   | 9        | 1%   |
| Total   |                                  | 556 | 100% | 839  | 100% | 1,395    | 100% |
| <b>Race/Ethnicity</b>                           |                                  |     |      |      |      |          |      |
| Hispanic - All Races                            |                                  | 61  | 11%  | 99   | 12%  | 160      | 11%  |
| Not Hispanic                                    | American Indian/Alaska Native    | 10  | 2%   | 11   | 1%   | 21       | 2%   |
|   | Asian                            | 8   | 1%   | 2    | 0%   | 10       | 1%   |
|   | Black                            | 28  | 5%   | 34   | 4%   | 62       | 4%   |
|   | Native Hawaiian/Pacific Islander | 0   | 0%   | 0    | 0%   | 0        | 0%   |
|   | White                            | 428 | 77%  | 678  | 81%  | 1,106    | 79%  |
|   | Legacy Asian/Pacific Islander    | 0   | 0%   | 2    | 0%   | 2        | 0%   |
|   | Multi-race                       | 5   | 1%   | 6    | 1%   | 11       | 1%   |
|   | Unknown                          | 16  | 3%   | 7    | 1%   | 23       | 2%   |
| Total   |                                  | 556 | 100% | 839  | 100% | 1,395    | 100% |
| <b>Exposure Categories - Adults/Adolescents</b> |                                  |     |      |      |      |          |      |
| Men who have sex with men (MSM)                 |                                  | 266 | 48%  | 421  | 51%  | 687      | 50%  |
| Injection drug use                              |                                  | 56  | 10%  | 89   | 11%  | 145      | 10%  |
| MSM and inject drugs                            |                                  | 63  | 11%  | 75   | 9%   | 138      | 10%  |
| Hemophilia/Coagulation disorder                 |                                  | 1   | 0%   | 18   | 2%   | 19       | 1%   |
| High-risk heterosexual contact                  |                                  | 60  | 11%  | 101  | 12%  | 161      | 12%  |
| Presumed heterosexual contact                   |                                  | 11  | 2%   | 18   | 2%   | 29       | 2%   |
| Receipt of blood, components, or tissue         |                                  | 2   | 0%   | 11   | 1%   | 13       | 1%   |
| Other/risk not reported or identified           |                                  | 94  | 17%  | 100  | 12%  | 194      | 14%  |
| Total   |                                  | 553 | 100% | 833  | 100% | 1,386    | 100% |
| <b>Exposure Categories - Pediatric</b>          |                                  |     |      |      |      |          |      |
| Hemophilia/Coagulation disorder                 |                                  | 0   | 0%   | 0    | 0%   | 0        | 0%   |
| Mother with/at risk for HIV infection           |                                  | 3   | 100% | 3    | 50%  | 6        | 67%  |
| Receipt of blood, components, or tissue         |                                  | 0   | 0%   | 2    | 33%  | 2        | 22%  |
| Other/risk not reported or identified           |                                  | 0   | 0%   | 1    | 17%  | 1        | 11%  |
| Total   |                                  | 3   | 100% | 6    | 100% | 9        | 100% |
| <b>Cases by Age Group</b>                       |                                  |     |      |      |      |          |      |
| Under 5   |                                  | 3   | 1%   | 2    | 0%   | 5        | 0%   |
| 5-12  |                                  | 0   | 0%   | 1    | 0%   | 1        | 0%   |
| 13-19   |                                  | 14  | 3%   | 8    | 1%   | 22       | 2%   |
| 20-29   |                                  | 225 | 40%  | 123  | 15%  | 348      | 25%  |
| 30-39   |                                  | 162 | 29%  | 333  | 40%  | 495      | 35%  |
| 40-49   |                                  | 107 | 19%  | 244  | 29%  | 351      | 25%  |
| Over 49   |                                  | 45  | 8%   | 128  | 15%  | 173      | 12%  |
| Unknown   |                                  | 0   | 0%   | 0    | 0%   | 0        | 0%   |
| Total   |                                  | 556 | 100% | 839  | 100% | 1,395    | 99%  |

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not sum to 100% due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at [haumanna@dhw.idaho.gov](mailto:haumanna@dhw.idaho.gov) to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.