



**Sexually Transmitted Diseases
Reported Cases Among Residents of Idaho
January - March 2015***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	1	177	13	1	0	1	193
2	0	133	2	0	0	0	135
3	0	257	15	1	0	0	273
4	4	443	46	6	0	2	501
5	1	133	4	0	0	1	139
6	1	127	0	1	0	1	130
7	1	72	10	0	0	0	84
Total	8	1,342	90	9	0	6	1,455

**Sexually Transmitted Diseases
Reported Cases Among Residents of Idaho
January – March 2014***

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown Duration Syphilis†	TOTAL
1	0	181	8	0	0	0	189
2	0	112	3	0	0	0	115
3	0	266	14	0	0	0	280
4	1	403	51	4	0	2	461
5	0	164	11	0	0	1	176
6	1	118	9	0	0	1	129
7	0	87	5	0	0	0	92
Total	2	1,331	101	4	0	4	1,442

*Data are provisional. Percentages may not equal 100 due to rounding.

¶Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

**Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported Idaho HIV and AIDS Cases Presumed Living ¹ by Diagnostic Status as of March 31, 2015							
District	HIV Cases ²	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases ³	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living
1	88	11	77	176	81	95	172
2	54	8	46	79	29	50	96
3	114	12	102	171	60	111	213
4	408	45	363	548	232	316	679
5	70	9	61	119	46	73	134
6	84	11	73	128	56	72	145
7	66	5	61	105	46	59	120
TOTAL	884	101	783	1,326	550	776	1,559

¹ Presumed living: Cases ever reported in Idaho and not reported as deceased

² Number of reported individuals with HIV Infection (not yet HIV Stage 3 [AIDS]) ever reported in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS)

³ Number of individuals with Stage 3 HIV Infection (AIDS) ever reported in Idaho

HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through March 31, 2015

	HIV		AIDS		COMBINED	
Sex						
Male	449	84%	673	84%	1,122	84%
Female	87	16%	124	16%	211	16%
Total	536	100%	797	100%	1,333	100%
Pediatric/Adult & Adolescent						
Adults/Adolescents (13 or above)	534	100%	791	99%	1,325	99%
Pediatric (<13 years)	2	0%	6	1%	8	1%
Total	536	100%	797	100%	1,333	100%
Race/Ethnicity						
Hispanic - All Races	60	11%	91	11%	151	11%
Not Hispanic						
American Indian/Alaska Native	11	2%	11	1%	22	2%
Asian	3	1%	1	0%	4	0%
Black	23	4%	26	3%	49	4%
Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
White	424	79%	653	82%	1,077	81%
Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
Multi-race	4	1%	6	1%	10	1%
Unknown	11	2%	7	1%	18	1%
Total	536	100%	797	100%	1,333	100%
Exposure Categories - Adults/Adolescents						
Men who have sex with men (MSM)	259	49%	401	51%	660	50%
Injection drug use	53	10%	87	11%	140	11%
MSM and inject drugs	62	12%	70	9%	132	10%
Hemophilia/Coagulation disorder	1	0%	18	2%	19	1%
High-risk heterosexual contact	56	10%	98	12%	154	12%
Presumed heterosexual contact	9	2%	17	2%	26	2%
Receipt of blood, components, or tissue	2	0%	11	1%	13	1%
Other/risk not reported or identified	92	17%	89	11%	181	14%
Total	534	100%	791	100%	1,325	100%
Exposure Categories - Pediatric						
Hemophilia/Coagulation disorder	0	0%	0	0%	0	0%
Mother with/at risk for HIV infection	2	100%	3	50%	5	63%
Receipt of blood, components, or tissue	0	0%	2	33%	2	25%
Other/risk not reported or identified	0	0%	1	17%	1	13%
Total	2	100%	6	100%	8	100%
Cases by Age Group						
Under 5	2	0%	3	0%	5	0%
5-12	0	0%	3	0%	3	0%
13-19	13	2%	10	1%	23	2%
20-29	220	41%	191	24%	411	31%
30-39	158	29%	309	39%	467	35%
40-49	106	20%	177	22%	283	21%
Over 49	37	7%	104	13%	141	11%
Unknown	0	0%	0	0%	0	0%
Total	536	100%	797	100%	1,333	100%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not equal 100 due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human

Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at haumanna@dhw.idaho.gov to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.