



Influenza Vaccine Update

Tamarie Olson

Vaccine Operations Manager

Pediatric Influenza Vaccine Provided by the IIP

Trade Name	Manufacturer	Presentation	Age Group
Fluarix	GlaxoSmithKline	0.5mL pre-filled syringe	≥ 6 months
Flucelvax	Seqirus	0.5mL pre-filled syringe	≥ 4 years
		5.0mL multi-dose vial	≥ 4 years
FluLaval	GlaxoSmithKline	0.5mL pre-filled syringe	≥ 6 months
		5.0mL multi-dose vial	≥ 6 months
Fluzone	Sanofi Pasteur	0.25mL pre-filled syringe	6-35 months
		0.5mL pre-filled syringe	≥ 36 months
		0.5mL single dose vial	≥ 36 months
		5.0mL multi-dose vial	≥ 6 months

Recommendation



Dose Recommendations for Children 6 months through 8 years



Has the child received ≥ 2 doses of trivalent or quadrivalent influenza vaccine before July 1, 2018?

YES

1 dose of 2018-19 influenza vaccine recommended

NO

2 doses of 2018-19 influenza vaccine recommended

Live-Attenuated Influenza Vaccine (LAIV)

- The ACIP recommended LAIV for the 2018-2019 season
- The IIP will not have LAIV this season



Ordering Influenza Vaccine

- Do not need to follow your ordering frequency
- Influenza ONLY orders require a physical inventory count for influenza vaccine
- Orders may be placed for specific brands and/or presentations
 - If the brand and/or presentation requested was not indicated on the influenza pre-book submitted by your facility and/or is not available, then the order will be denied

Distribution of Influenza Vaccine

A Private Situation



Distribution of Influenza Vaccine

An IIP Situation



Multi-dose Vials of Influenza Vaccine

Use Until Expiration Printed on Vial

- Fluzone® 0.5mL MDV
- Flucelvax® 0.5mL MDV

Use Until 28 Days After the First Use

- FluLaval® 0.5mL MDV
 - Document the beyond use date on the label along with the initials of the person noting the date



Influenza Pre-book through IRIS

- Online
 - Viewable to organizations after submission
- Administration history
- Availability feature

