

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

2000-2010

**Bureau of Vital Records and Health Statistics
Division of Health
Idaho Department of Health and Welfare**

December 2011

TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1

Induced Abortions Occurring in Idaho

Definition, limitations, and summary	2
District and county of occurrence, 2000-2010 (Table 1)	4
Selected demographic characteristics, 2000-2010 (Table 2A)	5
Selected demographic characteristics (percent), 2000-2010 (Table 2B).....	6
Idaho residence status, 2000-2010 (Graph 1).....	7
Marital status, 2000-2010 (Graph 2).....	7
Age, 2000-2010 (Graph 3).....	8
Number of previous abortions, 2000-2010 (Graph 4).....	8
Procedure characteristics, 2000-2010 (Table 3A).....	9
Procedure characteristics (percent), 2000-2010 (Table 3B)	10
Termination procedure by length of gestation, three-year total, 2008-2010 (Table 4).....	11
Length of gestation, three-year total, 2008-2010 (Graph 5).....	11
Age by length of gestation, three-year total, 2008-2010 (Table 5).....	12
Age by length of gestation, three-year total, 2008-2010 (Graph 6).....	12
Age by marital status, three-year total, 2008-2010 (Table 6).....	13
Age by marital status, three-year total, 2008-2010 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2008-2010 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2008-2010 (Graph 8).....	14
Patient educational materials provided, 1998-2010 (Table 8).....	15
Informed consent, aged <18, 2010 (Table 9)	15

Induced Abortions to Idaho Residents

Definition, limitations, and summary	16
District and county of residence, 2000-2010 (Table 10A)	18
District and county of residence, (rates) 2000-2010 (Table 10B).....	19
State of occurrence, 2000-2010 (Table 11).....	20
Occurring in Idaho and out of state, 2000-2010 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 2000-2010 (Table 12)	21
Termination procedure by length of gestation, three-year total, 2008-2010 (Table 13).....	22
Length of gestation, three-year total, 2008-2010 (Graph 10).....	22

Appendix

Counties comprising Idaho public health districts.....	23
--------------------------------------------------------	----

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 2000 - 2010.

INDUCED ABORTIONS OCCURRING IN IDAHO 2000 - 2010

Definition

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 2000 to 2010, the number of induced abortions occurring in Idaho increased 88.5 percent from 801 in 2000 to 1,510 in 2010. During the time period, there have been a total of 12,673 abortions in Idaho. The majority occurred in Ada County (11,910, 94.0 percent), followed by Bannock County (3.1 percent), Twin Falls County (1.8 percent), and Blaine County (1.1 percent). However, in the past three years, no procedures occurred in Bannock County, and in the past five years, none occurred in Blaine County.

The number of abortions occurring to Idaho residents in Idaho increased 84.2 percent from 779 in 2000 to 1,435 in 2010. At the same time, the number of abortions occurring to out-of-state residents in Idaho more than tripled from 22 in 2000 to 75 in 2010. A total of 801 abortions occurred in Idaho in 2000, of those 22 (2.7 percent) were to out-of-state residents compared with 75 out of 1,510 (5.0 percent) in 2010.

INDUCED ABORTIONS OCCURRING IN IDAHO 2010

Induced abortions occurring in Idaho decreased by 8.5 percent in 2010, from 1,650 in 2009 to 1,510 in 2010. In 2010, induced abortion procedures occurred in two Idaho counties; 140 abortions occurred in Twin Falls County, and 1,370 occurred in Ada County. Ada County reported a decrease of abortions; down 12.9 percent from 1,572 in 2009 to 1,370 in 2010. The number in Twin Falls County increased 84.2 percent from 76 in 2009 to 140 in 2010.

Age:

From 2009 to 2010, the number of abortions decreased in all age groups except 30-34 year olds, which increased 9.6 percent. The number of abortions in the 10-19 age group decreased 12.8 percent and accounted for 16.7 percent of the abortions in Idaho in 2010. The age group with the highest percent change was the 40 and older age group (43.2 percent decrease); however, this age group made up the smallest overall proportion of abortions (2.8 percent) in 2010. The number of abortions to women aged 20 to 24 accounted for the highest percentage of abortions in 2010 (33.7 percent).

Residency Status:

The number of abortions occurring in Idaho to Idaho residents decreased 9.3 percent in 2010, from 1,583 in 2009 to 1,435 in 2010. The number of abortions occurring to non-Idaho residents increased 11.9 percent to 75 in 2010 from 67 in 2009.

Marital Status:

The number of abortions occurring to married women decreased 28.6 percent in 2010, from 318 in 2009 to 227 in 2010. The number of abortions occurring to unmarried women declined 3.6 percent in 2010, from 1,331 in 2009 to 1,283 in 2010.

Race:

The number of abortions occurring to whites and to Asians decreased 12.3 percent and 36.0 percent, respectively, from 2009 to 2010. The number of abortions among American Indians increased from 20 to 24 in 2010, while the number among Blacks remained the same at 22.

Ethnicity:

The number of abortions occurring to Hispanics increased 6.5 percent in 2010, from 231 in 2009 to 246 in 2010. The number of abortions occurring to non-Hispanics decreased 11.7 percent in 2010, from 1,406 in 2009 to 1,242. The number of abortions to Hispanic women accounted for 10.3 percent of abortions in 2008, 14.1 percent in 2009, and 16.5 percent in 2010.

**Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
2000-2010**

PLACE OF OCCURRENCE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IN IDAHO	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650	1,510
District 1	-	-	-	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	699	652	756	838	873	1,018	1,218	1,441	1,473	1,572	1,370
District 5	30	32	10	24	25	18	-	-	8	76	140
District 6	72	53	63	49	65	63	31	1	-	-	-
District 7	-	1	-	-	-	-	-	-	-	2	-
Ada	699	652	756	838	873	1,018	1,218	1,441	1,473	1,572	1,370
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	72	53	63	49	65	63	31	1	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	30	32	10	24	25	18	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	1	-	-	-	-	-	-	-	2	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	-	-	-	-	8	76	140
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
2000-2010**

DEMOGRAPHIC CHARACTERISTICS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IN IDAHO	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650	1,510
Age:											
10-14	7	4	4	3	2	6	8	5	3	6	6
15-19	159	168	176	178	189	208	257	290	274	283	246
15-17	53	54	66	47	68	73	113	99	80	85	75
18-19	106	114	110	131	121	135	144	191	194	198	171
20-24	270	220	259	304	302	330	398	475	511	562	509
25-29	160	145	171	171	191	267	268	318	317	353	335
30-34	92	95	110	137	151	138	162	178	211	229	251
35-39	78	71	73	74	95	107	112	122	118	143	121
40-44	33	29	35	43	32	41	42	51	42	72	40
45+	2	5	1	1	1	2	1	3	5	2	2
Not stated	-	1	-	-	-	-	1	-	-	-	-
Idaho residence status:											
Resident	779	712	800	871	928	1,065	1,215	1,390	1,439	1,583	1,435
Non-resident	22	26	29	40	35	34	34	52	42	67	75
Marital status:											
Married	168	168	178	238	184	219	256	309	269	318	227
Not married	632	569	650	671	778	878	993	1,132	1,210	1,331	1,283
Not stated	1	1	1	2	1	2	-	1	2	1	-
Previous induced abortions:											
None	637	597	627	691	725	856	976	1,104	1,078	1,174	1,055
1	117	96	149	159	182	177	199	272	311	347	331
2	33	29	39	38	39	46	48	47	64	89	85
3+	13	14	12	16	13	15	19	17	28	38	39
Not stated	1	2	2	7	4	5	7	2	-	2	-
Race											
White	751	679	769	845	894	1,018	1,133	1,288	1,358	1,500	1,315
Black	8	13	15	11	17	16	14	23	14	22	22
American Indian	10	17	7	10	11	19	25	17	18	20	24
Asian/Pacific Islander	23	24	32	32	32	35	38	41	48	50	45
Other	-	1	2	-	3	1	3	11	34	39	32
Race not stated	9	4	4	13	6	10	36	62	9	19	72
Ethnicity*											
Hispanic	87	92	90	110	115	133	136	140	151	231	246
Non-Hispanic	709	641	736	785	838	959	1,104	1,281	1,319	1,406	1,242
Ethnicity not stated	5	5	3	16	10	7	9	21	11	13	22

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
2000-2010**

DEMOGRAPHIC CHARACTERISTICS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IN IDAHO	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650	1,510
Age:											
10-14	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%	0.3%	0.2%	0.2%	0.4%
15-19	19.9	22.8	21.2	19.5	19.6	18.9	20.6	20.1	18.5	16.6	16.3
15-17	6.6	7.3	8.0	5.2	7.1	6.6	9.1	6.9	5.4	4.8	5.0
18-19	13.2	15.5	13.3	14.4	12.6	12.3	11.5	13.2	13.1	11.8	11.3
20-24	33.7	29.9	31.2	33.4	31.4	30.0	31.9	32.9	34.5	31.0	33.7
25-29	20.0	19.7	20.6	18.8	19.8	24.3	21.5	22.1	21.4	19.2	22.2
30-34	11.5	12.9	13.3	15.0	15.7	12.6	13.0	12.3	14.2	12.8	16.6
35-39	9.7	9.6	8.8	8.1	9.9	9.7	9.0	8.5	8.0	7.2	8.0
40-44	4.1	3.9	4.2	4.7	3.3	3.7	3.4	3.5	2.8	2.5	2.6
45+	0.2	0.7	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%	96.4%	97.2%	87.2%	95.0%
Non-resident	2.7	3.5	3.5	4.4	3.6	3.1	2.7	3.6	2.8	2.5	5.0
Marital status:											
Married	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%	21.4%	18.2%	16.3%	15.0%
Not married	79.0	77.2	78.5	73.8	80.9	80.0	79.5	78.6	81.8	73.4	85.0
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%	76.7%	72.8%	65.3%	69.9%
1	14.6	13.0	18.0	17.6	19.0	16.2	16.0	18.9	21.0	18.8	21.9
2	4.1	3.9	4.7	4.2	4.1	4.2	3.9	3.3	4.3	3.9	5.6
3+	1.6	1.9	1.5	1.8	1.4	1.4	1.5	1.2	1.9	1.7	2.6
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%	93.3%	92.3%	82.8%	91.4%
Black	1.0	1.8	1.8	1.2	1.8	1.5	1.2	1.7	1.0	0.9	1.5
American Indian	1.3	2.3	0.8	1.1	1.1	1.7	2.1	1.2	1.2	1.1	1.7
Asian/Pacific Islander	2.9	3.3	3.9	3.6	3.3	3.2	3.1	3.0	3.3	2.9	3.1
Other	-	0.1	0.2	-	0.3	0.1	0.2	0.8	2.3	2.1	2.2
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	10.9	12.6	10.9	12.3	12.1	12.2	11.0	9.9	10.3	9.2	16.5
Non-Hispanic	89.1	87.4	89.1	87.7	87.9	87.8	89.0	90.1	89.7	80.5	83.5
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
2000-2010**




**Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
2000-2010**



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
2000-2010



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
2000-2010



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
2000-2010

PROCEDURE CHARACTERISTICS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IN IDAHO	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650	1,510
Weeks of gestation:											
<9	476	488	501	540	585	645	804	926	997	1,056	994
9-10	217	153	211	236	238	303	258	256	275	309	282
11-12	74	74	87	103	111	118	135	187	135	199	163
13-15	14	12	18	13	18	15	37	53	62	65	59
16-20	12	6	8	12	6	13	8	11	8	14	6
21-24	4	1	2	3	5	4	3	5	3	5	5
25+	1	2	1	1	-	1	2	-	-	1	1
Not stated	3	2	1	3	-	-	2	4	1	1	-
Termination procedure: ¹											
Suction curettage	784	724	823	895	952	967	1,035	1,129	1,043	1,068	995
Medical (nonsurgical) ²	8	7	2	10	3	117	198	293	423	556	504
Dilation and evacuation (D&E)	3	1	1	3	1	3	7	12	7	13	6
Intra-uterine instillation (saline / prostaglandin)	4	2	2	1	4	4	3	2	1	1	1
Sharp curettage (D&C)	1	3	-	-	2	4	3	2	4	5	2
Hysterotomy / Hysterectomy	1	-	1	-	-	-	-	-	-	1	-
Other	-	-	-	1	1	4	3	4	3	6	2
Not stated	-	1	-	1	-	-	-	-	-	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
2000-2010

PROCEDURE CHARACTERISTICS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IN IDAHO	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650	1,510
Weeks of gestation:											
<9	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%	64.4%	67.4%	64.0%	65.8%
9-10	27.2	20.8	25.5	26.0	24.7	27.6	20.7	17.8	18.6	18.7	18.7
11-12	9.3	10.1	10.5	11.3	11.5	10.7	10.8	13.0	9.1	12.1	10.8
13-15	1.8	1.6	2.2	1.4	1.9	1.4	3.0	3.7	4.2	3.9	3.9
16-20	1.5	0.8	1.0	1.3	0.6	1.2	0.6	0.8	0.5	0.8	0.4
21-24	0.5	0.1	0.2	0.3	0.5	0.4	0.2	0.3	0.2	0.3	0.3
25+	0.1	0.3	0.1	0.1	-	0.1	0.2	-	-	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: ¹											
Suction curettage	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%	78.3%	70.4%	64.7%	65.9%
Medical (nonsurgical) ²	1.0	0.9	0.2	1.1	0.3	10.6	15.9	20.3	28.6	33.7	33.4
Dilation and evacuation (D&E)	0.4	0.1	0.1	0.3	0.1	0.3	0.6	0.8	0.5	0.8	0.4
Intra-uterine instillation (saline / prostaglandin)	0.5	0.3	0.2	0.1	0.4	0.4	0.2	0.1	0.1	0.1	0.1
Sharp curettage (D&C)	0.1	0.4	-	-	0.2	0.4	0.2	0.1	0.3	0.3	0.1
Hysterotomy / Hysterectomy	0.1	-	0.1	-	-	-	-	-	-	0.1	-
Other	-	-	-	0.1	0.1	0.4	0.2	0.3	0.2	0.4	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2008-2010


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,641	3,047	866	497	186	28	13	2	2
Suction curettage	3,106	1,614	830	491	168	1	-	-	2
Medical (nonsurgical)	1,483	1,431	36	3	-	9	3	1	-
Dilation and evacuation (D&E)	26	-	-	1	12	13	-	-	-
Intra-uterine instillation (saline / prostaglandin)	3	-	-	-	-	1	2	-	-
Sharp curettage (D&C)	11	2	-	2	6	1	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	11	-	-	-	-	3	8	-	-
Not stated	-	-	-	-	-	-	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2008-2010



Percentages are based on records with known data for length of gestation. Percentages do not sum to 100 percent due to rounding.

**Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2008-2010**

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,641	3,047	866	497	186	28	13	2	2
10-14	15	7	6	2	-	-	-	-	-
15-19	803	471	177	110	41	2	2	-	-
15-17	240	125	53	47	14	1	-	-	-
18-19	563	346	124	63	27	1	2	-	-
20-24	1,582	1,031	301	171	68	6	4	-	1
25-29	1,005	685	171	111	33	3	2	-	-
30-34	691	481	123	50	22	9	3	2	1
35-39	382	250	67	42	17	4	2	-	-
40-44	154	115	19	11	5	4	-	-	-
45+	9	7	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2008-2010**




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2008-2010

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	4,641	3,824	814	3
10-14	15	15	-	-
15-19	803	776	26	1
15-17	240	235	5	-
18-19	563	541	21	1
20-24	1,582	1,397	184	1
25-29	1,005	802	203	-
30-34	691	491	200	-
35-39	382	247	134	1
40-44	154	91	63	-
45+	9	5	4	-
Not stated	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2008-2010





Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2008-2010

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	4,641	3,307	989	238	105	2
10-14	15	14	1	-	-	-
15-19	803	727	67	9	-	-
15-17	240	231	8	1	-	-
18-19	563	496	59	8	-	-
20-24	1,582	1,155	337	62	27	1
25-29	1,005	654	250	69	32	-
30-34	691	435	174	53	28	1
35-39	382	230	105	34	13	-
40-44	154	87	51	11	5	-
45+	9	5	4	-	-	-
Not stated	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2008-2010



**Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1998-2010**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent*, Aged Under 18
2010**

Total Abortions Aged <18	81
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	79
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	2
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	-
Unknown	-

* Data on Informed Consent for females under age 18 was required by legislation to be collected beginning March 27, 2007.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2000 - 2010

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2010, there were two out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 2000 to 2010, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 2,348 in 2009. There were a total of 20,266 abortions to Idaho residents from 2000 to 2010, for an average of 1,842 abortions per year. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 2000 to 2010, 12,217 abortions to residents occurred in Idaho (60.3 percent). Of the 8,039 abortions to Idaho residents which occurred out of state, most occurred in Washington (5,883 abortions or 73.1 percent).

Overall, the number of abortions to Idaho residents increased by 570 (36.7 percent) from 2000 to 2010. The abortion rate per 1,000 females aged 15-44 increased 23.2 percent from 5.6 in 2000 to 6.9 per 1,000 females in 2010. The abortion ratio per 1,000 live births increased 19.6 percent from 76.5 per 1,000 live births in 2000 to 91.5 in 2010.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2010

From 2009 to 2010, the Idaho resident abortion rate decreased 10.4 percent from 7.7 per 1,000 females aged 15-44 to 6.9. Overall, the number of abortions to Idaho residents decreased by 225 (9.6 percent) from 2,348 in 2009 to 2,123 in 2010. The abortion ratio per 1,000 live births decreased 7.6 percent from 99.0 abortions per 1,000 live births in 2009 to 91.5 abortions per 1,000 live births in 2010.

District of Residence:

From 2009 to 2010, the number of abortions decreased for residents in all Districts. Districts 3 and 5 saw the highest decrease in the number of abortions to residents (20.1 and 17.2 percent declines, respectively). District 1 had a 3.8 percent decrease in the number of abortions among residents, for the lowest decrease among the districts. The abortion rate also decreased for all districts, with the greatest decreases among District 3 and 5 residents (21.1, and 21.7 percent declines, respectively).

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho decreased 9.4 percent in 2010, from 1,583 in 2009 to 1,435 in 2010.

Out-of-State:

The number of induced abortions occurring to Idaho residents in another state decreased 10.1 percent, from 765 in 2009 to 688 in 2010. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington in 2009 (63.7 percent), although between 2009 and 2010 there was a 6.0 percent decrease in the number of abortions occurring in Washington (466 in 2009 compared with 438 in 2010).

Between 2009 and 2010, there was a 3.3 percent decrease in the number of Idaho resident abortions occurring in Montana and a 20.8 percent decrease in abortions in Utah. The number of abortions in Oregon to Idahoans was 35 in 2009, compared with 31 in 2010.

Age:

From 2009 to 2010, the number of abortions to Idaho residents decreased for all age groups except 30-34 age group, which had an 8.1 percent increase from 2009. In 2010, the abortion rate was highest for the 20-24 age group (13.5 abortions per 1,000 females aged 20-24) and the 20-24 age group accounted for the highest proportion, 34.0 percent of the abortions.

Table 10A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
2000-2010

RESIDENCE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IDAHO RESIDENT	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123
District 1	465	428	391	395	357	423	371	364	365	346	333
District 2	166	174	158	187	172	161	158	170	133	138	126
District 3	153	149	157	191	183	192	265	294	324	408	326
District 4	536	505	558	603	625	744	840	909	921	894	851
District 5	99	91	91	124	147	150	142	200	196	273	226
District 6	62	61	70	62	83	91	78	132	105	164	152
District 7	72	65	68	58	51	66	65	91	88	125	109
Ada	505	471	526	571	586	703	775	840	862	837	786
Adams	1	3	2	3	1	2	5	1	4	7	-
Bannock	45	40	46	40	63	58	57	97	74	120	111
Bear Lake	1	2	1	2	1	-	3	-	1	1	3
Benewah	19	13	13	11	13	12	8	15	15	17	11
Bingham	10	11	11	10	12	21	10	23	18	30	25
Blaine	41	42	35	51	61	54	41	46	43	47	39
Boise	2	4	4	1	-	3	8	3	7	7	9
Bonner	82	82	68	57	55	62	59	64	59	35	55
Bonneville	40	38	45	38	33	40	38	62	59	88	75
Boundary	18	7	7	10	9	14	8	7	6	13	7
Butte	-	-	1	2	1	1	-	1	-	1	-
Camas	-	-	-	-	-	-	1	-	-	1	-
Canyon	129	127	131	160	150	161	214	248	267	336	264
Caribou	3	1	1	3	1	1	-	3	4	4	3
Cassia	6	7	-	6	7	9	9	11	14	17	18
Clark	1	-	1	-	-	1	-	1	-	-	-
Clearwater	9	8	10	7	7	8	2	5	7	7	4
Custer	4	4	4	4	3	3	1	2	4	6	3
Elmore	20	17	22	21	23	25	31	46	34	37	43
Franklin	-	4	-	3	3	5	3	2	3	3	4
Fremont	6	2	2	2	2	5	3	4	4	5	1
Gem	6	4	11	8	6	9	15	11	18	14	13
Gooding	8	2	7	7	7	5	10	18	19	31	23
Idaho	10	13	9	12	5	5	6	9	10	8	8
Jefferson	4	5	3	2	2	4	5	4	3	9	12
Jerome	6	7	8	9	13	14	14	18	21	27	15
Kootenai	315	308	281	295	260	313	277	265	266	262	248
Latah	76	73	83	100	73	79	66	76	59	56	59
Lemhi	12	10	6	10	6	6	11	9	9	5	5
Lewis	4	6	5	6	7	4	7	6	5	4	2
Lincoln	3	-	-	1	6	4	4	5	3	2	6
Madison	2	3	3	-	3	3	2	2	3	5	3
Minidoka	5	5	7	10	9	6	5	15	9	14	20
Nez Perce	67	74	51	62	80	65	77	74	52	63	53
Oneida	-	-	2	1	2	1	1	2	-	1	1
Owyhee	5	1	3	4	8	7	3	6	10	10	12
Payette	9	13	5	12	14	10	22	24	18	28	31
Power	3	3	8	1	-	4	4	4	5	4	5
Shoshone	31	18	22	22	20	22	19	13	19	19	12
Teton	3	3	4	2	2	4	5	7	6	7	10
Twin Falls	30	28	34	40	44	58	58	87	87	134	105
Valley	9	13	6	10	16	13	26	20	18	13	13
Washington	3	1	5	4	4	3	6	4	7	13	6

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
2000-2010

RESIDENCE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IDAHO RESIDENT	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1	7.7	6.9
District 1	13.1	12.0	10.9	10.8	9.4	10.8	9.4	9.3	9.2	9.0	8.9
District 2	7.8	8.3	7.7	9.2	8.4	7.8	8.1	8.5	6.9	6.7	6.3
District 3	3.9	3.6	3.6	4.3	4.0	4.0	5.3	5.9	6.5	8.3	6.6
District 4	6.8	6.3	6.9	7.5	7.7	8.9	9.9	10.5	10.6	9.9	9.6
District 5	3.0	2.8	2.8	3.8	4.4	4.5	4.3	6.2	6.1	8.4	6.6
District 6	1.8	1.8	2.1	1.9	2.5	2.7	2.4	4.0	3.2	4.9	4.6
District 7	2.0	1.8	1.8	1.5	1.3	1.7	1.7	2.3	2.1	2.9	2.5
Ada	7.3	6.6	7.3	8.0	8.1	9.4	10.2	10.8	11.0	10.3	9.7
Adams	1.8	5.4	3.6	5.3	1.7	3.3	8.8	1.7	7.2	13.8	-
Bannock	2.5	2.3	2.7	2.4	3.7	3.3	3.4	5.7	4.4	6.6	6.4
Bear Lake	0.8	1.7	0.9	1.7	0.9	-	2.8	-	1.0	1.1	3.2
Benewah	11.1	8.0	8.2	7.0	8.3	7.6	5.0	9.7	9.8	12.0	7.7
Bingham	1.2	1.3	1.3	1.1	1.3	2.3	1.1	2.7	2.1	3.7	2.9
Blaine	10.3	10.2	8.4	12.3	14.8	13.4	10.5	12.3	11.6	12.2	10.5
Boise	1.6	3.1	3.0	0.7	-	2.2	5.7	2.2	5.3	5.9	9.8
Bonner	11.9	11.9	9.6	7.9	7.5	8.3	7.9	8.9	8.2	5.2	8.8
Bonneville	2.3	2.2	2.5	2.1	1.8	2.1	2.0	3.2	3.0	4.4	3.7
Boundary	9.8	3.9	3.8	5.4	4.7	7.3	4.2	3.7	3.2	7.6	4.1
Butte	-	-	2.0	4.2	2.1	2.2	-	2.3	-	2.6	-
Camas	-	-	-	-	-	-	4.3	-	-	4.6	-
Canyon	4.6	4.2	4.1	4.8	4.3	4.4	5.6	6.5	6.9	8.8	6.8
Caribou	2.1	0.7	0.7	2.2	0.7	0.8	-	2.5	3.4	3.5	2.7
Cassia	1.4	1.7	-	1.5	1.7	2.2	2.3	2.9	3.7	4.6	4.3
Clark	5.1	-	5.3	-	-	5.6	-	5.8	-	-	-
Clearwater	6.1	5.8	7.6	5.5	5.6	6.6	1.7	4.4	6.5	7.4	3.6
Custer	5.4	5.4	5.6	5.8	4.3	4.5	1.5	3.1	6.2	9.9	4.9
Elmore	3.1	2.7	3.5	3.4	3.9	4.4	5.8	8.4	6.3	5.8	7.7
Franklin	-	1.7	-	1.3	1.2	2.0	1.2	0.9	1.3	1.3	1.7
Fremont	2.7	0.9	0.9	0.9	0.9	2.3	1.4	1.8	1.8	2.3	0.4
Gem	2.1	1.4	3.7	2.7	1.9	2.8	4.7	3.6	6.0	5.2	4.8
Gooding	3.0	0.8	2.7	2.7	2.7	2.0	4.1	7.4	7.8	13.3	8.5
Idaho	3.9	5.1	3.6	4.9	2.0	2.0	2.5	3.9	4.4	4.0	3.7
Jefferson	1.0	1.3	0.7	0.5	0.5	0.9	1.1	0.9	0.6	2.0	2.4
Jerome	1.6	1.9	2.2	2.5	3.5	3.7	3.7	4.9	5.7	7.1	3.5
Kootenai	13.9	13.4	12.1	12.3	10.4	12.0	10.5	10.0	9.9	9.9	9.6
Latah	8.5	8.2	9.4	11.5	8.5	8.9	8.0	8.8	7.0	5.8	6.5
Lemhi	9.0	7.7	4.5	7.5	4.4	4.4	8.2	7.1	7.0	4.5	4.7
Lewis	6.2	9.9	8.2	9.8	11.7	6.8	12.0	11.2	9.1	7.5	3.9
Lincoln	4.0	-	-	1.2	6.8	4.3	4.3	5.8	3.5	2.4	6.2
Madison	0.2	0.3	0.3	-	0.3	0.3	0.2	0.2	0.3	0.4	0.3
Minidoka	1.2	1.3	1.8	2.7	2.4	1.7	1.4	4.6	2.7	4.3	5.8
Nez Perce	8.8	9.9	6.9	8.4	10.8	8.7	10.9	10.2	7.3	8.4	7.4
Oneida	-	-	2.6	1.3	2.6	1.3	1.3	2.8	-	1.5	1.5
Owyhee	2.5	0.5	1.5	1.9	4.0	3.5	1.5	3.2	5.4	5.7	6.0
Payette	2.2	3.2	1.2	2.8	3.3	2.3	5.0	5.6	4.2	6.7	7.5
Power	2.0	2.0	5.3	0.7	-	2.5	2.5	2.7	3.4	2.7	3.6
Shoshone	12.5	7.7	9.8	10.3	9.4	10.2	8.8	6.3	9.4	9.8	6.1
Teton	2.3	2.1	2.7	1.3	1.3	2.7	3.2	4.2	3.4	3.5	4.6
Twin Falls	2.3	2.1	2.6	2.9	3.2	4.2	4.1	6.1	6.1	9.2	7.1
Valley	6.8	9.8	4.8	7.8	12.2	9.4	17.1	13.3	12.3	9.3	8.9
Washington	1.7	0.6	2.8	2.3	2.2	1.7	3.5	2.3	4.0	8.4	3.8

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2000-2010

STATE OF OCCURRENCE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IDAHO RESIDENT	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123
Abortions in Idaho	779	712	800	871	928	1,065	1,215	1,390	1,439	1,583	1,435
Abortions out of state	774	761	693	749	690	762	704	770	693	765	688
Montana	43	43	16	25	19	20	19	30	39	61	59
Oregon	61	67	60	57	49	45	59	33	27	35	31
Utah	64	71	70	79	87	104	96	181	134	202	160
Washington	605	575	546	586	533	591	528	525	490	466	438
All others	1	5	1	2	2	2	2	1	3	1	-

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
2000-2010



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
2000-2010

AGE	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL IDAHO RESIDENT	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123
Age:											
10-14	12	10	9	12	6	9	12	8	6	8	13
15-19	346	362	326	336	323	356	380	430	395	409	344
15-17	129	128	131	105	127	127	159	155	127	136	113
18-19	217	234	195	231	196	229	221	275	268	273	231
20-24	502	453	485	553	530	579	632	732	733	786	722
25-29	312	258	286	303	327	412	427	470	453	517	470
30-34	179	192	187	221	223	219	228	272	297	308	333
35-39	147	129	139	133	141	177	173	167	174	216	175
40-44	51	55	57	58	63	68	60	72	63	91	61
45+	2	9	3	3	3	5	2	6	7	9	4
Not stated	2	5	1	1	2	2	5	3	4	4	1
Abortion rate per 1,000 females in age group:											
Total ¹	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1	7.7	6.9
Age:*											
10-14	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.2
15-19	6.3	6.5	6.1	6.4	6.1	6.7	7.0	7.9	7.2	7.2	6.1
15-17	4.0	3.9	4.2	3.4	4.1	4.0	4.8	4.7	3.9	4.2	3.4
18-19	9.5	10.1	9.0	10.7	9.0	10.6	10.3	12.7	12.1	11.3	10.0
20-24	11.1	9.9	9.4	10.2	9.5	10.2	12.7	15.1	15.1	14.6	13.5
25-29	7.6	6.1	6.9	7.1	7.4	8.7	8.0	8.7	8.2	9.5	9.1
30-34	4.3	4.6	4.3	5.1	5.1	4.9	5.0	5.8	6.2	6.4	6.7
35-39	3.1	2.7	3.1	3.0	3.2	3.9	3.7	3.5	3.6	4.6	3.7
40-44	1.0	1.1	1.1	1.2	1.3	1.3	1.2	1.5	1.3	2.0	1.3
45+	-	0.2	0.1	0.1	0.1	0.1	-	0.1	0.1	0.2	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group:											
Total ²	76.5	71.2	71.2	74.3	71.8	79.2	79.3	86.3	84.8	99.0	91.5
Age:											
10-14	750.0	625.0	562.5	631.6	428.6	473.7	666.7	470.6	333.3	533.3	1,000.0
15-19	147.9	154.8	156.9	161.8	156.9	176.3	176.9	190.3	174.6	201.4	184.5
15-17	192.8	191.3	225.1	192.7	241.9	238.7	266.3	246.8	195.1	248.2	223.8
18-19	129.9	140.1	130.3	150.9	127.9	154.0	142.5	168.5	166.4	184.1	170.0
20-24	79.2	71.5	72.2	79.8	73.7	80.6	84.1	97.0	100.6	116.1	114.0
25-29	53.8	44.5	47.2	46.8	48.5	57.7	55.7	59.5	55.6	68.7	62.1
30-34	46.9	50.3	46.0	52.4	51.5	49.9	50.3	57.2	59.9	61.9	65.9
35-39	90.6	79.5	84.3	77.8	79.3	94.1	89.4	80.1	84.6	109.4	90.3
40-44	144.9	156.3	159.7	168.6	165.4	167.1	172.9	168.6	166.2	230.4	151.7
45+	117.6	529.4	115.4	150.0	96.8	178.6	100.0	272.7	166.7	272.7	111.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003-2009 are based on July 1, 2003-July 1, 2009 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, September 2, 2009, and July 23, 2010. Rates for 2010 are based on April 1, 2010 Census data, Internet release May 12, 2011.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

*Rate for 45+ age group is based on the population of women 45-49 years of age.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 13
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2008-2010


TERMINATION PROCEDURE*	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	6,603	4,113	1,203	706	346	169	52	3	11
Suction curettage	4,500	2,389	1,152	688	252	11	1	-	7
Medical (nonsurgical)	1,769	1,704	43	4	1	11	4	-	2
Dilation and evacuation (D&E)	278	13	2	9	79	135	36	2	2
Intra-uterine instillation (saline / prostaglandin)	8	-	-	-	-	4	4	-	-
Sharp curettage (D&C)	28	5	4	3	12	4	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	10	-	-	-	-	3	7	-	-
Not stated	9	2	2	2	2	1	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2008-2010



Percent distributions are based on records with known data for length of gestation. Percentages do not sum to 100 percent due to rounding.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Costs associated with this publication are available from
 Idaho Department of Health and Welfare.
 HW-1206 December 2011