


# Induced Abortion 2016



IDAHO VITAL STATISTICS

Division of Public Health

December 2017



IDAHO DEPARTMENT OF HEALTH & WELFARE  
**DIVISION OF PUBLIC HEALTH**

## 2016 Vital Statistics – Induced Abortion

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at [www.healthstatistics.dhw.idaho.gov](http://www.healthstatistics.dhw.idaho.gov).
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics - Induced Abortion 2016*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, December 2017.

# TABLE OF CONTENTS

	Page
<b>INDUCED ABORTION DEFINITIONS AND FORMULAS</b> .....	4
<b>VITAL REGISTRATION AND DATA COLLECTION</b> .....	4
<b>INDUCED ABORTION</b> .....	5
<b>INDUCED ABORTION OCCURRING IN IDAHO</b>	
2006-2016 Induced abortions in Idaho ( <i>Idaho, districts, counties</i> ) .....	6
2016 Induced abortions in Idaho: place of occurrence by patient’s residence .....	7
2006-2016 Induced abortions in Idaho: patient’s demographic characteristics .....	8
2006-2016 Induced abortions in Idaho: patient’s demographic characteristics (percentage) .....	9
2006-2016 Induced abortions in Idaho: length of gestation and termination procedure .....	10
2016 Induced abortions in Idaho: age of patient by length of gestation .....	11
2016 Induced abortions in Idaho: age of patient by previous abortions and live births .....	11
2016 Induced abortions in Idaho: termination procedure by length of gestation .....	12
2016 Induced abortions in Idaho: termination procedure by reported complications .....	12
2016 Induced abortions in Idaho: age of patient by marital status .....	13
2016 Induced abortions in Idaho: previous abortions and living children .....	13
2016 Induced abortions in Idaho: patient educational materials provided .....	14
2016 Induced abortions in Idaho: informed consent for teens aged under 18 .....	14
<b>INDUCED ABORTION OCCURRING TO IDAHO RESIDENTS</b>	
2006-2016 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) .....	15
2006-2016 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) (rates) .....	16
2016 Induced abortions to Idaho residents: place of residence by place of occurrence .....	17
2016 Induced abortions to Idaho residents: rates and age ( <i>Idaho, districts, counties</i> ) .....	18
2016 Induced abortions to Idaho residents: ratio, race and ethnicity ( <i>Idaho, districts, counties</i> ) .....	19
2006-2016 Induced abortions to Idaho residents: age rate, and ratio .....	20
2016 Induced abortions to Idaho residents: termination procedure by length of gestation .....	21
2016 Induced abortions to Idaho residents: length of gestation (graph) .....	21
2006-2016 Induced abortions to Idaho residents by state of occurrence .....	22
Counties comprising Idaho Public Health Districts .....	23
<b>INDUCED ABORTION TECHNICAL NOTES</b> .....	24

## DEFINITIONS AND FORMULAS

**Residence Data** Data allocated by place of residence of the registrant

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

**Occurrence Data** Data allocated by place where event occurred, regardless of the person's place of residence

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

**Induced Abortion** A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

## VITAL REGISTRATION AND DATA COLLECTION

**Registration of Records**

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

**Induced Abortion**

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was June 29, 2017 for 2016 records.

# INDUCED ABORTION

## U.S.

In 2014, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 652,639 legal abortions were reported to the CDC by the 49 reporting areas in 2014. In 2014, the U.S. abortion ratio was 186 abortions per 1,000 live births in the reporting area. The number of abortions in 2014 decreased 11,796 (-1.8 percent) from 2013, for which 664,435 abortions were reported from the same 49 reporting areas<sup>1</sup>.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S 2014 <sup>1</sup>	652,639	186	12.1
Idaho 2016 (Occurrence)	1,289	58.1	NA
Idaho 2016 (Residence)	1,749	77.9	5.4


## Abortion in Idaho

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2016 was 1,289 a 1.3 percent increase from the 1,272 reported in 2015. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,289 procedures performed in Idaho, 1,244 (95.5 percent) were to residents of Idaho and 45 (3.5 percent) were to non-residents.

## Idaho Resident Abortion

Abortions to Idaho residents increased 3.7 percent from 1,686 in 2015 to 1,749 in 2016. Abortions to Idaho residents may occur in Idaho or out of state. In 2016, 1,244 abortions to Idaho residents occurred in Idaho, and 505 were performed out of state. Of the 505 abortions obtained by Idaho residents out of state, 331 occurred in Washington, 129 in Utah, 13 in Montana, and 32 in Oregon.

### IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 2005-2016



1. "Abortion Surveillance – United States, 2014", Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol 66/No. SS 24, November 24, 2017.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence**  
**2006-2016**

OCCURRENCE	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IN IDAHO	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289
District 1	-	-	-	-	-	-	-	1	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,090	1,068	1,047
District 5	-	-	8	76	140	199	258	267	263	203	242
District 6	31	1	-	-	-	-	-	-	-	-	-
District 7	-	-	-	2	-	1	-	1	-	1	-
Ada	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,089	1,068	1,047
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	31	1	-	-	-	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	-	1	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	2	-	1	-	1	-	1	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	8	76	140	199	258	267	263	203	242
Valley	-	-	-	-	-	-	-	-	1	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence by Place of Residence**  
**2016**

OCCURRENCE	ABORTIONS OCCURRING IN IDAHO		
	Abortion in Idaho, District and County of Occurrence, Total	Resident of Idaho	Resident of Other State or Unknown
IDAHO	1,289	1,244	45
District 1	-	-	-
District 2	-	-	-
District 3	-	-	-
District 4	1,047	1,018	29
District 5	242	226	16
District 6	-	-	-
District 7	-	-	-
Ada	1,047	1,018	29
Adams	-	-	-
Bannock	-	-	-
Bear Lake	-	-	-
Benewah	-	-	-
Bingham	-	-	-
Blaine	-	-	-
Boise	-	-	-
Bonner	-	-	-
Bonneville	-	-	-
Boundary	-	-	-
Butte	-	-	-
Camas	-	-	-
Canyon	-	-	-
Caribou	-	-	-
Cassia	-	-	-
Clark	-	-	-
Clearwater	-	-	-
Custer	-	-	-
Elmore	-	-	-
Franklin	-	-	-
Fremont	-	-	-
Gem	-	-	-
Gooding	-	-	-
Idaho	-	-	-
Jefferson	-	-	-
Jerome	-	-	-
Kootenai	-	-	-
Latah	-	-	-
Lemhi	-	-	-
Lewis	-	-	-
Lincoln	-	-	-
Madison	-	-	-
Minidoka	-	-	-
Nez Perce	-	-	-
Oneida	-	-	-
Owyhee	-	-	-
Payette	-	-	-
Power	-	-	-
Shoshone	-	-	-
Teton	-	-	-
Twin Falls	242	226	16
Valley	-	-	-
Washington	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics**  
**2006-2016**

DEMOGRAPHIC CHARACTERISTICS	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IN IDAHO	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289
Age:											
10-14	8	5	3	6	6	6	3	3	7	2	3
15-19	257	290	274	283	246	207	235	173	175	165	164
15-17	113	99	80	85	75	54	68	45	39	48	40
18-19	144	191	194	198	171	153	167	128	136	117	124
20-24	398	475	511	562	509	475	484	492	462	433	436
25-29	268	318	317	353	335	329	353	340	339	274	328
30-34	162	178	211	229	251	252	212	177	201	202	211
35-39	112	122	118	143	121	115	106	135	124	144	102
40-44	42	51	42	72	40	53	59	50	42	45	41
45+	1	3	5	2	2	2	5	5	3	7	3
Not stated	1	-	-	-	-	1	1	-	-	-	1
Idaho residence status:											
Resident	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283	1,213	1,244
Non-resident	34	52	42	67	75	68	79	54	70	59	45
Marital status:											
Married	256	309	269	318	227	226	197	225	223	231	228
Not married	993	1,132	1,210	1,331	1,283	1,209	1,257	1,143	1,103	997	965
Not stated	-	1	2	1	-	5	4	7	27	44	96
Previous induced abortions:											
None	976	1,104	1,078	1,174	1,055	1,007	1,049	1,014	937	932	933
1	199	272	311	347	331	317	251	251	292	252	252
2	48	47	64	89	85	75	69	64	87	59	79
3+	19	17	28	38	39	32	28	28	36	26	23
Not stated	7	2	-	2	-	9	61	18	1	3	2
Race											
White	1,133	1,288	1,358	1,500	1,315	1,244	1,260	1,178	1,150	1,041	1,054
Black	14	23	14	22	22	16	23	20	22	28	26
American Indian	25	17	18	20	24	9	12	22	15	11	24
Asian/Pacific Islander	38	41	48	50	45	42	45	38	41	27	44
Other	3	11	34	39	32	39	60	78	51	57	76
Race not stated	36	62	9	19	72	90	58	39	74	108	65
Ethnicity*											
Hispanic	136	140	151	231	246	195	222	202	209	184	245
Non-Hispanic	1,104	1,281	1,319	1,406	1,242	1,230	1,218	1,135	1,107	984	989
Ethnicity not stated	9	21	11	13	22	15	18	38	37	104	55

\*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics (Percent)**  
**2006-2016**

DEMOGRAPHIC CHARACTERISTICS	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IN IDAHO	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289
Age:											
10-14	0.6%	0.3%	0.2%	0.4%	0.4%	0.4%	0.2%	0.2%	0.5%	0.2%	0.2%
15-19	20.6	20.1	18.5	17.2	16.3	14.4	16.1	12.6	12.9	13.0	12.7
15-17	9.1	6.9	5.4	5.2	5.0	3.8	4.7	3.3	2.9	3.8	3.1
18-19	11.5	13.2	13.1	12.0	11.3	10.6	11.5	9.3	10.1	9.2	9.6
20-24	31.9	32.9	34.5	34.1	33.7	33.0	33.2	35.8	34.1	34.0	33.9
25-29	21.5	22.1	21.4	21.4	22.2	22.9	24.2	24.7	25.1	21.5	25.5
30-34	13.0	12.3	14.2	13.9	16.6	17.5	14.6	12.9	14.9	15.9	16.4
35-39	9.0	8.5	8.0	8.7	8.0	8.0	7.3	9.8	9.2	11.3	7.9
40-44	3.4	3.5	2.8	4.4	2.6	3.7	4.0	3.6	3.1	3.5	3.2
45+	0.1	0.2	0.3	0.1	0.1	0.1	0.3	0.4	0.2	0.6	0.2
Not stated	NA										
Idaho residence status:											
Resident	97.3%	96.4%	97.2%	95.9%	95.0%	95.3%	94.6%	96.1%	94.8%	95.4%	96.5%
Non-resident	2.7	3.6	2.8	4.1	5.0	4.7	5.4	3.9	5.2	4.6	3.5
Marital status:											
Married	20.5%	21.4%	18.2%	19.3%	15.0%	15.7%	13.5%	16.4%	16.8%	18.8%	19.1%
Not married	79.5	78.6	81.8	80.7	85.0	84.3	86.5	83.6	83.2	81.2	80.9
Not stated	NA										
Previous induced abortions:											
None	78.6%	76.7%	72.8%	71.2%	69.9%	70.4%	75.1%	74.7%	69.3%	73.4%	72.5%
1	16.0	18.9	21.0	21.1	21.9	22.2	18.0	18.5	21.6	19.9	19.6
2	3.9	3.3	4.3	5.4	5.6	5.2	4.9	4.7	6.4	4.6	6.1
3+	1.5	1.2	1.9	2.3	2.6	2.2	2.0	2.1	2.7	2.0	1.8
Not stated	NA										
Race											
White	93.4%	93.3%	92.3%	92.0%	91.4%	92.1%	90.0%	88.2%	89.9%	89.4%	86.1%
Black	1.2	1.7	1.0	1.3	1.5	1.2	1.6	1.5	1.7	2.4	2.1
American Indian	2.1	1.2	1.2	1.2	1.7	0.7	0.9	1.6	1.2	0.9	2.0
Asian/Pacific Islander	3.1	3.0	3.3	3.1	3.1	3.1	3.2	2.8	3.2	2.3	3.6
Other	0.2	0.8	2.3	2.4	2.2	2.9	4.3	5.8	4.0	4.9	6.2
Race not stated	NA										
Ethnicity*											
Hispanic	11.0%	9.9%	10.3%	14.1%	16.5%	13.7%	15.4%	15.1%	15.9%	15.8%	19.9%
Non-Hispanic	89.0	90.1	89.7	85.9	83.5	86.3	84.6	84.9	84.1	84.2	80.1
Ethnicity not stated	NA										

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals  
NA - not applicable.  
Percent distributions are based on records with known data.  
Percentages may not sum to 100 due to rounding.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Weeks of Gestation and Primary Termination Procedure**  
**2006-2016**

PROCEDURE CHARACTERISTICS	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IN IDAHO	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289
Weeks of gestation											
Number <sup>1</sup>											
<9	804	926	997	1,056	994	887	978	921	923	832	824
9-10	258	256	275	309	282	300	242	234	238	248	257
11-12	135	187	135	199	163	174	141	144	115	104	108
13-15	37	53	62	65	59	69	86	64	67	80	97
16-20	8	11	8	14	6	6	10	9	6	8	1
21-24	3	5	3	5	5	2	1	3	1	-	-
25+	2	-	-	1	1	-	-	-	-	-	1
Not stated	2	4	1	1	-	2	-	-	3	-	1
Percent <sup>1</sup>											
<9	64.5%	64.4%	67.4%	64.0%	65.8%	61.7%	67.1%	67.0%	68.4%	65.4%	64.0%
9-10	20.7	17.8	18.6	18.7	18.7	20.9	16.6	17.0	17.6	19.5	20.0
11-12	10.8	13.0	9.1	12.1	10.8	12.1	9.7	10.5	8.5	8.2	8.4
13-15	3.0	3.7	4.2	3.9	3.9	4.8	5.9	4.7	5.0	6.3	7.5
16-20	0.6	0.8	0.5	0.8	0.4	0.4	0.7	0.7	0.4	0.6	0.1
21-24	0.2	0.3	0.2	0.3	0.3	0.1	0.1	0.2	0.1	-	-
25+	0.2	-	-	0.1	0.1	-	-	-	-	-	0.1
Not stated	NA										
Termination procedure											
Number <sup>2</sup>											
Suction curettage	1,035	1,129	1,043	1,068	995	932	883	845	778	666	622
Sharp curettage (D&C)	3	2	4	5	2	2	2	3	1	-	-
Dilation and evacuation (D&E)	7	12	7	13	6	4	12	8	24	45	85
Intra-uterine instillation (saline or prostaglandin)	3	2	1	1	1	1	2	2	2	-	-
Medical (nonsurgical)	198	293	423	556	504	499	559	513	547	561	581
Hysterotomy/Hysterectomy	-	-	-	1	-	-	-	-	-	-	-
Other	3	4	3	6	2	2	-	4	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-
Percent <sup>2</sup>											
Suction curettage	82.9%	78.3%	70.4%	64.7%	65.9%	64.7%	60.6%	61.5%	57.5%	52.4%	48.3%
Sharp curettage (D&C)	0.2	0.1	0.3	0.3	0.1	0.1	0.1	0.2	0.1	-	-
Dilation and evacuation (D&E)	0.6	0.8	0.5	0.8	0.4	0.3	0.8	0.6	1.8	3.5	6.6
Intra-uterine instillation (saline or prostaglandin)	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-
Medical (nonsurgical)	15.9	20.3	28.6	33.7	33.4	34.7	38.3	37.3	40.4	44.1	45.1
Hysterotomy/Hysterectomy	-	-	-	0.1	-	-	-	-	-	-	-
Other	0.2	0.3	0.2	0.4	0.1	0.1	-	0.3	0.1	-	0.1
Not stated	NA										

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on week's of gestation differ from data based on week's Postfertilization. The Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The clinical estimated length of gestation is approximately two weeks longer than the number of week's Postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

NA: not applicable.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Length of Gestation<sup>1</sup>**  
**2016**

AGE OF PATIENT	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL	1,289	824	257	108	97	1	-	1	1
<15	3	2	1	-	-	-	-	-	-
15-19	164	89	40	18	17	-	-	-	-
15-17	40	19	8	7	6	-	-	-	-
18-19	124	70	32	11	11	-	-	-	-
20-24	436	265	94	32	44	-	-	-	1
25-29	328	227	60	22	18	-	-	1	-
30-34	211	147	33	20	11	-	-	-	-
35-39	102	64	22	11	5	-	-	-	-
40-44	41	27	7	4	2	1	-	-	-
45+	3	2	-	1	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-

1. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Number of Previous Induced Abortions and Live Births**  
**2016**

AGE OF PATIENT	TOTAL IN IDAHO	NUMBER OF PREVIOUS ABORTIONS				NUMBER OF PREVIOUS LIVE BIRTHS			
		None	1	2+	Not Stated	None	1	2+	Not Stated
TOTAL	1,289	933	252	102	2	626	280	382	1
<15	3	3	-	-	-	3	-	-	-
15-19	164	151	13	-	-	147	17	-	-
15-17	40	39	1	-	-	39	1	-	-
18-19	124	112	12	-	-	108	16	-	-
20-24	436	333	82	21	-	274	96	66	-
25-29	328	219	71	36	2	132	87	108	1
30-34	211	125	57	29	-	48	50	113	-
35-39	102	68	23	11	-	14	20	68	-
40-44	41	32	6	3	-	7	10	24	-
45+	3	2	-	1	-	-	-	3	-
Not stated	1	-	-	1	-	1	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure<sup>1</sup> by Length of Gestation<sup>2</sup>**  
**2016**

TERMINATION PROCEDURE <sup>1</sup>	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,289	824	257	108	97	1	-	1	1
Suction curettage	622	326	176	85	34	-	-	-	1
Sharp curettage	-	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	85	-	-	22	63	-	-	-	-
Intra-uterine saline/ prostaglandin instillation	-	-	-	-	-	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	581	498	81	1	-	-	-	1	-
Other	1	-	-	-	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure by Reported Complications**  
**2016**

TERMINATION PROCEDURE <sup>1</sup>	TOTAL IN IDAHO	REPORTED COMPLICATIONS <sup>2</sup>						
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	1,289	1,280	-	-	1	-	5	3
Suction curettage	622	619	-	-	1	-	2	-
Sharp curettage	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	85	84	-	-	-	-	-	1
Intra-uterine saline / prostaglandin instillation	-	-	-	-	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	581	576	-	-	-	-	3	2
Other	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. One or more complications may be reported per termination procedure; therefore, the number of reported complications plus no complications may sum to more than total number of procedures.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Marital Status**  
**2016**

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,289	228	965	96
<15	3	-	3	-
15-19	164	3	145	16
15-17	40	1	37	2
18-19	124	2	108	14
20-24	436	38	364	34
25-29	328	67	241	20
30-34	211	68	122	21
35-39	102	36	62	4
40-44	41	14	26	1
45+	3	2	1	-
Not stated	1	-	1	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Number of Previous Induced Abortions and Living Children**  
**Percentage of Abortions**  
**By Number of Previous Induced Abortions or Living Children**  
**2016**

	PREVIOUS INDUCED ABORTIONS		LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,289	100.0%	1,289	100.0%
None	933	72.5%	626	48.6%
1	252	19.6	280	21.7
2	79	6.1	210	16.3
3+	23	1.8	172	13.4
Not stated	2	NA	1	NA

Percentages are based on records with stated number of previous induced abortions or number of living children.

**INDUCED ABORTIONS OCCURRING IN IDAHO  
Patient Educational Materials Provided  
2007-2016**

YEAR	WERE PATIENT EDUCATIONAL MATERIALS PROVIDED?			
	Yes	No	Unknown	Total
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375
2014	1,351	-	2	1,353
2015	1,271	1	-	1,272
2016	1,285	1	3	1,289

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**INDUCED ABORTIONS OCCURRING IN IDAHO  
Informed Consent\*, Aged Under 18  
2016**

Total Abortions Aged <18	43
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	41
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	2
Written informed consent of court pursuant to order stating abortion in best interest of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent	-
Medical emergency	-
Unknown	-

\* Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Number by District and County of Residence**  
**2006-2016**

RESIDENCE	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
<b>TOTAL</b>	<b>1,919</b>	<b>2,160</b>	<b>2,132</b>	<b>2,348</b>	<b>2,123</b>	<b>2,005</b>	<b>1,916</b>	<b>1,794</b>	<b>1,751</b>	<b>1,686</b>	<b>1,749</b>
District 1	371	364	365	346	333	268	264	229	242	252	226
District 2	158	170	133	138	126	160	90	102	109	106	95
District 3	265	294	324	408	326	312	319	305	276	270	276
District 4	840	909	921	894	851	794	794	718	692	689	702
District 5	142	200	196	273	226	222	230	218	254	188	211
District 6	78	132	105	164	152	153	132	128	98	101	144
District 7	65	91	88	125	109	96	87	94	80	80	95
Ada	775	840	862	837	786	735	729	668	649	640	656
Adams	5	1	4	7	-	2	3	4	2	5	3
Bannock	57	97	74	120	111	88	84	81	63	72	101
Bear Lake	3	-	1	1	3	2	1	3	-	-	1
Benewah	8	15	15	17	11	12	4	6	4	5	7
Bingham	10	23	18	30	25	46	33	31	22	15	22
Blaine	41	46	43	47	39	42	41	34	56	33	32
Boise	8	3	7	7	9	8	2	8	8	5	8
Bonner	59	64	59	35	55	38	40	33	29	32	40
Bonneville	38	62	59	88	75	65	60	68	59	58	67
Boundary	8	7	6	13	7	6	5	8	5	5	4
Butte	-	1	-	1	-	1	1	1	3	1	1
Camas	1	-	-	1	-	2	-	1	-	1	1
Canyon	214	248	267	336	264	271	264	253	234	217	230
Caribou	-	3	4	4	3	3	1	3	1	3	2
Cassia	9	11	14	17	18	17	14	16	23	10	13
Clark	-	1	-	-	-	-	-	-	-	-	1
Clearwater	2	5	7	7	4	7	3	6	5	7	3
Custer	1	2	4	6	3	1	2	5	2	4	4
Elmore	31	46	34	37	43	39	45	31	25	35	30
Franklin	3	2	3	3	4	1	6	4	3	2	6
Fremont	3	4	4	5	1	5	2	5	4	2	1
Gem	15	11	18	14	13	9	13	12	9	15	13
Gooding	10	18	19	31	23	13	8	10	12	9	9
Idaho	6	9	10	8	8	8	6	4	5	6	7
Jefferson	5	4	3	9	12	8	6	9	7	3	9
Jerome	14	18	21	27	15	26	24	21	28	21	22
Kootenai	277	265	266	262	248	192	195	163	184	197	166
Latah	66	76	59	56	59	64	43	57	54	50	38
Lemhi	11	9	9	5	5	5	11	2	3	2	3
Lewis	7	6	5	4	2	3	1	-	2	4	5
Lincoln	4	5	3	2	6	4	8	2	4	4	6
Madison	2	2	3	5	3	6	5	5	2	6	5
Minidoka	5	15	9	14	20	13	21	24	15	7	21
Nez Perce	77	74	52	63	53	78	37	35	43	39	42
Oneida	1	2	-	1	1	2	2	1	1	-	2
Owyhee	3	6	10	10	12	7	7	4	8	3	3
Payette	22	24	18	28	31	18	26	22	20	24	18
Power	4	4	5	4	5	10	4	4	5	8	9
Shoshone	19	13	19	19	12	20	20	19	20	13	9
Teton	5	7	6	7	10	6	1	-	3	5	5
Twin Falls	58	87	87	134	105	105	114	110	116	103	107
Valley	26	20	18	13	13	12	18	11	10	9	8
Washington	6	4	7	13	6	5	6	10	3	6	9

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Abortion Rate by District and County of Residence**  
**2006-2016**

RESIDENCE	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6	5.3	5.4
District 1	9.4	9.3	9.2	9.0	8.9	7.2	7.0	6.1	6.4	6.6	5.7
District 2	8.1	8.5	6.9	6.7	6.3	7.9	4.4	5.0	5.4	5.2	4.7
District 3	5.3	5.9	6.5	8.3	6.6	6.3	6.4	6.0	5.3	5.1	5.2
District 4	9.9	10.5	10.6	9.9	9.6	8.9	8.7	7.8	7.4	7.3	7.3
District 5	4.3	6.2	6.1	8.4	6.6	6.5	6.7	6.3	7.2	5.3	5.9
District 6	2.4	4.0	3.2	4.9	4.6	4.6	4.0	3.9	3.0	3.1	4.4
District 7	1.7	2.3	2.1	2.9	2.5	2.2	2.0	2.2	1.8	1.8	2.1
Ada	10.2	10.8	11.0	10.3	9.7	9.0	8.7	7.9	7.6	7.3	7.4
Adams	8.8	1.7	7.2	13.8	-	3.8	6.0	8.2	4.1	10.5	6.4
Bannock	3.4	5.7	4.4	6.6	6.4	4.9	4.7	4.6	3.6	4.1	5.8
Bear Lake	2.8	-	1.0	1.1	3.2	2.1	1.0	3.1	-	-	1.0
Benewah	5.0	9.7	9.8	12.0	7.7	8.8	2.9	4.5	3.0	3.7	5.3
Bingham	1.1	2.7	2.1	3.7	2.9	5.3	3.9	3.7	2.6	1.8	2.6
Blaine	10.5	12.3	11.6	12.2	10.5	11.5	11.5	9.6	15.5	9.3	8.9
Boise	5.7	2.2	5.3	5.9	9.8	8.6	2.2	8.9	8.8	5.1	8.3
Bonner	7.9	8.9	8.2	5.2	8.8	6.1	6.5	5.3	4.6	5.1	6.2
Bonneville	2.0	3.2	3.0	4.4	3.7	3.2	2.9	3.2	2.8	2.7	3.0
Boundary	4.2	3.7	3.2	7.6	4.1	3.6	3.0	4.8	2.9	2.8	2.1
Butte	-	2.3	-	2.6	-	2.4	2.5	2.6	7.4	2.5	2.6
Camas	4.3	-	-	4.6	-	10.8	-	6.0	-	5.9	6.1
Canyon	5.6	6.5	6.9	8.8	6.8	7.0	6.7	6.3	5.7	5.2	5.4
Caribou	-	2.5	3.4	3.5	2.7	2.7	0.9	2.7	0.9	2.7	1.8
Cassia	2.3	2.9	3.7	4.6	4.3	4.1	3.4	3.8	5.4	2.3	3.0
Clark	-	5.8	-	-	-	-	-	-	-	-	6.3
Clearwater	1.7	4.4	6.5	7.4	3.6	6.6	2.9	5.9	5.1	7.0	3.0
Custer	1.5	3.1	6.2	9.9	4.9	1.7	3.3	8.2	3.4	7.1	7.2
Elmore	5.8	8.4	6.3	5.8	7.7	7.2	8.4	5.9	4.8	6.9	5.9
Franklin	1.2	0.9	1.3	1.3	1.7	0.4	2.6	1.7	1.3	0.8	2.4
Fremont	1.4	1.8	1.8	2.3	0.4	2.2	0.9	2.2	1.8	0.9	0.5
Gem	4.7	3.6	6.0	5.2	4.8	3.4	5.0	4.6	3.5	5.8	4.8
Gooding	4.1	7.4	7.8	13.3	8.5	4.9	3.1	3.9	4.6	3.4	3.4
Idaho	2.5	3.9	4.4	4.0	3.7	3.7	2.8	1.9	2.4	2.9	3.3
Jefferson	1.1	0.9	0.6	2.0	2.4	1.6	1.2	1.8	1.4	0.6	1.7
Jerome	3.7	4.9	5.7	7.1	3.5	6.1	5.7	5.0	6.6	5.0	5.2
Kootenai	10.5	10.0	9.9	9.9	9.6	7.4	7.4	6.2	6.9	7.2	6.0
Latah	8.0	8.8	7.0	5.8	6.5	6.9	4.6	6.1	5.8	5.3	4.0
Lemhi	8.2	7.1	7.0	4.5	4.7	4.7	10.8	2.0	3.0	1.9	2.9
Lewis	12.0	11.2	9.1	7.5	3.9	5.7	1.9	-	3.9	7.7	9.4
Lincoln	4.3	5.8	3.5	2.4	6.2	4.2	8.2	2.0	4.0	3.9	5.9
Madison	0.2	0.2	0.3	0.4	0.3	0.5	0.4	0.5	0.2	0.5	0.5
Minidoka	1.4	4.6	2.7	4.3	5.8	3.7	6.0	6.7	4.2	1.9	5.7
Nez Perce	10.9	10.2	7.3	8.4	7.4	10.9	5.1	4.8	5.9	5.4	5.7
Oneida	1.3	2.8	-	1.5	1.5	3.1	3.1	1.5	1.5	-	2.9
Owyhee	1.5	3.2	5.4	5.7	6.0	3.5	3.5	2.0	4.1	1.5	1.5
Payette	5.0	5.6	4.2	6.7	7.5	4.4	6.4	5.5	5.0	6.0	4.5
Power	2.5	2.7	3.4	2.7	3.6	7.4	2.9	3.0	3.8	6.1	6.8
Shoshone	8.8	6.3	9.4	9.8	6.1	10.2	10.1	9.6	10.6	7.0	4.9
Teton	3.2	4.2	3.4	3.5	4.6	2.9	0.5	-	1.5	2.4	2.3
Twin Falls	4.1	6.1	6.1	9.2	7.1	7.0	7.5	7.1	7.4	6.4	6.6
Valley	17.1	13.3	12.3	9.3	8.9	8.5	12.7	7.9	7.1	6.2	5.4
Washington	3.5	2.3	4.0	8.4	3.8	3.2	3.8	6.5	1.9	4.0	6.0

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**District and County of Residence by State of Occurrence**  
**2016**

RESIDENCE	ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Total	Abortion Occurring in Idaho	Abortion Occurring in Other State
IDAHO	1,749	1,244	505
District 1	226	-	226
District 2	95	2	93
District 3	276	268	8
District 4	702	664	38
District 5	211	200	11
District 6	144	62	82
District 7	95	48	47
Ada	656	620	36
Adams	3	3	-
Bannock	101	46	55
Bear Lake	1	-	1
Benewah	7	-	7
Bingham	22	12	10
Blaine	32	32	-
Boise	8	6	2
Bonner	40	-	40
Bonneville	67	31	36
Boundary	4	-	4
Butte	1	1	-
Camas	1	1	-
Canyon	230	223	7
Caribou	2	-	2
Cassia	13	10	3
Clark	1	1	-
Clearwater	3	-	3
Custer	4	3	1
Elmore	30	30	-
Franklin	6	-	6
Fremont	1	1	-
Gem	13	13	-
Gooding	9	9	-
Idaho	7	-	7
Jefferson	9	6	3
Jerome	22	22	-
Kootenai	166	-	166
Latah	38	1	37
Lemhi	3	-	3
Lewis	5	-	5
Lincoln	6	6	-
Madison	5	5	-
Minidoka	21	15	6
Nez Perce	42	1	41
Oneida	2	-	2
Owyhee	3	3	-
Payette	18	18	-
Power	9	3	6
Shoshone	9	-	9
Teton	5	1	4
Twin Falls	107	105	2
Valley	8	8	-
Washington	9	8	1

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Rates by District and County of Residence**  
**Age of Patient**  
**2016**

RESIDENCE	TOTAL		AGE OF PATIENT									
	Number	Rate <sup>1</sup>	<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
				Total	15-17	18-19						
IDAHO	1,749*	5.4	4	219	62	157	594	431	292	150	51	6
District 1	226	5.7	2	30	8	22	71	45	45	32	1	-
District 2	95*	4.7	-	9	3	6	46	19	13	5	3	-
District 3	276	5.2	1	40	12	28	94	74	36	16	12	3
District 4	702	7.3	1	79	20	59	227	179	123	66	23	3
District 5	211	5.9	-	27	10	17	80	49	36	13	6	-
District 6	144	4.4	-	20	4	16	44	43	25	8	4	-
District 7	95	2.1	-	14	5	9	32	22	14	10	2	-
Ada	656	7.4	1	75	20	55	212	163	118	62	21	3
Adams	3	6.4	-	1	-	1	-	2	-	-	-	-
Bannock	101	5.8	-	16	4	12	31	28	16	6	4	-
Bear Lake	1	1.0	-	-	-	-	-	1	-	-	-	-
Benewah	7	5.3	-	2	-	2	-	4	-	1	-	-
Bingham	22	2.6	-	3	-	3	8	10	-	1	-	-
Blaine	32	8.9	-	2	-	2	10	8	7	2	3	-
Boise	8	8.3	-	1	-	1	2	1	1	2	1	-
Bonner	40	6.2	-	3	-	3	8	10	13	6	-	-
Bonneville	67	3.0	-	9	5	4	22	18	8	7	2	-
Boundary	4	2.1	-	-	-	-	1	-	2	1	-	-
Butte	1	2.6	-	-	-	-	-	-	-	1	-	-
Camas	1	6.1	-	-	-	-	-	-	1	-	-	-
Canyon	230	5.4	1	32	11	21	83	61	29	13	9	2
Caribou	2	1.8	-	1	-	1	1	-	-	-	-	-
Cassia	13	3.0	-	2	-	2	5	2	3	-	1	-
Clark	1	6.3	-	-	-	-	1	-	-	-	-	-
Clearwater	3	3.0	-	1	-	1	1	1	-	-	-	-
Custer	4	7.2	-	1	-	1	1	1	1	-	-	-
Elmore	30	5.9	-	2	-	2	12	13	1	1	1	-
Franklin	6	2.4	-	-	-	-	-	1	5	-	-	-
Fremont	1	0.5	-	-	-	-	-	1	-	-	-	-
Gem	13	4.8	-	2	-	2	5	2	2	1	-	1
Gooding	9	3.4	-	-	-	-	6	3	-	-	-	-
Idaho	7	3.3	-	1	1	-	4	-	2	-	-	-
Jefferson	9	1.7	-	-	-	-	3	1	3	2	-	-
Jerome	22	5.2	-	1	-	1	9	7	3	2	-	-
Kootenai	166	6.0	1	24	7	17	60	30	28	22	1	-
Latah	38	4.0	-	3	-	3	19	10	2	2	2	-
Lemhi	3	2.9	-	-	-	-	-	1	1	1	-	-
Lewis	5	9.4	-	-	-	-	1	1	3	-	-	-
Lincoln	6	5.9	-	1	-	1	3	-	2	-	-	-
Madison	5	0.5	-	2	-	2	3	-	-	-	-	-
Minidoka	21	5.7	-	5	4	1	8	2	5	1	-	-
Nez Perce	42*	5.7	-	4	2	2	21	7	6	3	1	-
Oneida	2	2.9	-	-	-	-	2	-	-	-	-	-
Owyhee	3	1.5	-	-	-	-	1	-	1	-	1	-
Payette	18	4.5	-	3	-	3	5	4	4	1	1	-
Power	9	6.8	-	-	-	-	2	3	4	-	-	-
Shoshone	9	4.9	1	1	1	-	2	1	2	2	-	-
Teton	5	2.3	-	2	-	2	2	-	1	-	-	-
Twin Falls	107	6.6	-	16	6	10	39	27	15	8	2	-
Valley	8	5.4	-	1	-	1	1	2	3	1	-	-
Washington	9	6.0	-	2	1	1	-	5	-	1	1	-

\* Total includes one record with age not stated: Nez Perce County (District 2).  
1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Ratios and Race/Ethnicity of Patient by District and County of Residence**  
**2016**

RESIDENCE	TOTAL ABORTIONS		RACE						ETHNICITY <sup>2</sup>		
	Number	Ratio <sup>1</sup>	White	Black	American Indian	Asian/Pacific Islander	Other Race	Race Not Stated	Non-Hispanic	Hispanic	Ethnicity Not Stated
IDAHO	1,749	77.9	1,476	31	27	46	82	87	1,406	273	70
District 1	226	86.9	214	3	1	-	1	7	215	5	6
District 2	95	80.9	88	-	3	-	2	2	87	5	3
District 3	276	70.6	226	3	6	6	25	10	207	65	4
District 4	702	124.8	569	18	9	29	40	37	571	98	33
District 5	211	74.8	175	4	3	7	9	13	139	61	11
District 6	144	58.9	120	3	4	4	3	10	113	24	7
District 7	95	24.5	84	-	1	-	2	8	74	15	6
Ada	656	130.6	532	16	7	28	38	35	536	91	29
Adams	3	81.1	3	-	-	-	-	-	3	-	-
Bannock	101	84.2	86	3	3	4	1	4	85	12	4
Bear Lake	1	11.1	1	-	-	-	-	-	1	-	-
Benewah	7	68.0	6	-	1	-	-	-	7	-	-
Bingham	22	33.3	16	-	-	-	2	4	12	7	3
Blaine	32	158.4	26	-	1	2	1	2	19	13	-
Boise	8	163.3	8	-	-	-	-	-	8	-	-
Bonner	40	91.5	39	1	-	-	-	-	40	-	-
Bonneville	67	35.1	59	-	1	-	1	6	51	11	5
Boundary	4	25.6	4	-	-	-	-	-	4	-	-
Butte	1	33.3	1	-	-	-	-	-	1	-	-
Camas	1	125.0	1	-	-	-	-	-	1	-	-
Canyon	230	73.5	183	3	4	5	25	10	163	63	4
Caribou	2	22.5	2	-	-	-	-	-	2	-	-
Cassia	13	33.9	11	-	-	-	-	2	7	5	1
Clark	1	142.9	1	-	-	-	-	-	1	-	-
Clearwater	3	41.7	3	-	-	-	-	-	3	-	-
Custer	4	85.1	4	-	-	-	-	-	4	-	-
Elmore	30	65.6	21	2	2	1	2	2	20	7	3
Franklin	6	29.7	5	-	-	-	-	1	4	2	-
Fremont	1	5.7	1	-	-	-	-	-	1	-	-
Gem	13	62.8	12	-	-	1	-	-	13	-	-
Gooding	9	39.6	6	-	-	1	1	1	4	4	1
Idaho	7	49.0	7	-	-	-	-	-	6	1	-
Jefferson	9	20.1	8	-	-	-	-	1	7	1	1
Jerome	22	54.9	19	-	-	-	2	1	11	11	-
Kootenai	166	94.5	156	2	-	-	1	7	156	4	6
Latah	38	89.6	34	-	1	-	2	1	33	3	2
Lemhi	3	37.5	2	-	-	-	1	-	2	1	-
Lewis	5	128.2	5	-	-	-	-	-	5	-	-
Lincoln	6	107.1	5	-	-	-	1	-	2	4	-
Madison	5	4.7	5	-	-	-	-	-	5	-	-
Minidoka	21	69.1	18	-	-	-	1	2	8	12	1
Nez Perce	42	84.5	39	-	2	-	-	1	40	1	1
Oneida	2	40.0	2	-	-	-	-	-	2	-	-
Owyhee	3	22.1	3	-	-	-	-	-	3	-	-
Payette	18	62.3	16	-	2	-	-	-	16	2	-
Power	9	73.2	7	-	1	-	-	1	6	3	-
Shoshone	9	60.8	9	-	-	-	-	-	8	1	-
Teton	5	34.7	4	-	-	-	-	1	3	2	-
Twin Falls	107	86.3	89	4	2	4	3	5	87	12	8
Valley	8	83.3	8	-	-	-	-	-	7	-	1
Washington	9	79.6	9	-	-	-	-	-	9	-	-

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.

2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Age, Abortion Rate, and Abortion Ratio**  
**2006-2016**

AGE	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IDAHO RESIDENT	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751	1,686	1,749
Age:											
10-14	12	8	6	8	13	6	8	4	7	4	4
15-19	380	430	395	409	344	328	314	224	233	215	219
15-17	159	155	127	136	113	97	102	62	56	71	62
18-19	221	275	268	273	231	231	212	162	177	144	157
20-24	632	732	733	786	722	649	621	620	572	567	594
25-29	427	470	453	517	470	450	457	445	439	387	431
30-34	228	272	297	308	333	331	290	245	270	260	292
35-39	173	167	174	216	175	159	139	179	159	185	150
40-44	60	72	63	91	61	76	74	66	62	58	51
45+	2	6	7	9	4	3	7	7	7	9	6
Not stated	5	3	4	4	1	3	6	4	2	1	2
Abortion rate per 1,000 females in age group											
Total <sup>1</sup>	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6	5.3	5.4
Age <sup>2</sup> :											
10-14	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
15-19	7.0	7.9	7.2	7.2	6.1	5.7	5.7	4.0	4.2	3.8	3.8
15-17	4.8	4.7	3.9	4.2	3.4	2.9	3.0	1.8	1.6	2.0	1.7
18-19	10.3	12.7	12.1	11.3	10.0	9.8	9.7	7.5	8.2	6.5	7.2
20-24	12.7	15.1	15.1	14.6	13.5	12.0	11.2	11.4	10.7	10.7	11.2
25-29	8.0	8.7	8.2	9.5	9.1	8.7	8.9	8.6	8.2	7.1	7.8
30-34	5.0	5.8	6.2	6.4	6.7	6.4	5.6	4.6	5.1	4.9	5.4
35-39	3.7	3.5	3.6	4.6	3.7	3.4	2.9	3.7	3.2	3.6	2.8
40-44	1.2	1.5	1.3	2.0	1.3	1.6	1.5	1.4	1.3	1.2	1.1
45+	-	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group											
Total <sup>3</sup>	79.3	86.3	84.8	99.0	91.5	89.9	83.5	80.3	76.5	73.8	77.9
Age:											
10-14	666.7	470.6	333.3	533.3	1,000.0	400.0	888.9	363.6	1,000.0	363.6	571.4
15-19	176.9	190.3	174.6	201.4	184.5	207.1	200.4	157.1	179.0	167.3	187.3
15-17	266.3	246.8	195.1	248.2	223.8	251.9	260.9	199.4	180.1	237.5	222.2
18-19	142.5	168.5	166.4	184.1	170.0	192.7	180.3	145.3	178.6	146.0	176.4
20-24	84.1	97.0	100.6	116.1	114.0	106.2	99.1	105.9	93.1	98.9	106.5
25-29	55.7	59.5	55.6	68.7	62.1	63.0	62.5	61.1	60.8	52.8	60.1
30-34	50.3	57.2	59.9	61.9	65.9	64.9	54.6	47.2	49.3	46.5	51.3
35-39	89.4	80.1	84.6	109.4	90.3	82.9	69.4	84.8	70.3	77.9	64.5
40-44	172.9	168.6	166.2	230.4	151.7	180.1	167.0	153.1	139.6	125.8	104.3
45+	100.0	272.7	166.7	272.7	111.1	150.0	259.3	184.2	259.3	272.7	181.8
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2006-2009, and 2011-2016 are based on July 1, 2006-July 1, 2016 population estimates from the U.S. Census Bureau and NCHS, Internet release dates Aug. 2007, Sept. 2008, Sept. 2009, July 2010, July 2012, June 2013, June 2014, June 2015, June 2016, and June 2017.

Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.


3. Total abortion ratio: Number of induced abortions per 1,000 live births.

NA - not applicable.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Primary Termination Procedure by Clinical Estimated Length of Gestation\***  
**2016**

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	1,749	1,070	347	146	140	34	7	3	2
Suction curettage	841	422	233	122	57	5	-	-	2
Medical (nonsurgical)	762	645	113	1	-	-	2	1	-
Dilation and evacuation (D&E)	144	2	1	23	83	28	5	2	-
Intra-uterine instillation (saline / prostaglandin)	-	-	-	-	-	-	-	-	-
Sharp curettage (D&C)	1	1	-	-	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Clinical Estimated Length of Gestation**  
**2016**




Percentages are based on records with known data for length of gestation.

\* The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2006-2016**

STATE OF OCCURRENCE	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
TOTAL IDAHO RESIDENT	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751	1,686	1,749
Abortions in Idaho	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283	1,213	1,244
Abortions out of state	704	770	693	765	688	633	537	473	468	473	505
Montana	19	30	39	61	59	36	48	28	18	21	13
Oregon	59	33	27	35	31	30	18	21	14	12	32
Utah	96	181	134	202	160	156	108	92	79	86	129
Washington	528	525	490	466	438	410	362	332	356	354	331
All other	2	1	3	1	-	1	1	-	1	-	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2006-2016**



# Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

# TECHNICAL NOTES

## Induced Abortion

### Termination Procedure

**The primary procedure that terminated this pregnancy.**

#### **Suction Curettage**

(Also known as vacuum aspiration)-In this procedure the cervical canal is dilated by the successive insertion of instruments of increasing diameter (dilators). When the cervix is sufficiently dilated, a flexible tube (cannula) is inserted into the uterine cavity, and the fetal and placental tissues are then removed using an electric vacuum pump.

#### **Medical (Nonsurgical)**

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g. methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g. prostaglandin suppositories, injectable prostaglandins, etc.) may be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intravaginally.

#### **Dilation and Evacuation (D&E)**

This procedure, used most frequently in the second trimester of pregnancy (greater than or equal to 13 weeks' gestation) involves opening the cervix (dilation) and primarily using sharp instrument techniques, but also suction and other instrumentation such as forceps for evacuation.

#### **Intrauterine Instillation (Saline or Prostaglandin)**

This procedure involves either withdrawing a portion of the amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin – a substance with hormone-like activity- into the uterine cavity through a needle inserted through the abdominal wall (known as intrauterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

#### **Sharp Curettage (D&C)**

(Also known as dilation and curettage, D&C, or surgical curettage)-This procedure involves the dilation of the cervix as in the section curettage procedure, although usually to a larger diameter. The fetal and placental tissues are then removed with a sharp curette.

#### **Hysterotomy/Hysterectomy**

Hysterotomy involves surgical entry into the uterus to remove a fetus. Hysterotomy is usually performed only if other abortion procedures fail or if other abortion procedures are not appropriate. Hysterectomy is a procedure in which the uterus is removed (with the fetus inside). It is usually performed only when a pathological condition of the uterus, such as fibroid tumors, warrants its removal or when a woman desires sterilization.

Note there may be one or more procedure used to terminate the pregnancy.

**Complications of Termination**

**Hemorrhage**

A copious discharge of blood from the blood vessels

**Infection**

Invasion and multiplication of microorganisms in body tissues, especially that causing local cellular injury due to competitive metabolism, toxins, intracellular replication, or antigen-antibody response

**Uterine Perforation**

Perforation of the uterus

**Cervical Laceration**

Laceration of the cervix

**Retained Products**

Retained products of conception

**Educational Materials**

Was the patient provided the education materials as specified in Idaho Code § 18-609(4)? Education materials include information on induced termination, fetal development, and services for women, infants, and children in Idaho. Go to [www.abortioninfo.dhw.idaho.gov](http://www.abortioninfo.dhw.idaho.gov) for education materials provided to patients.

**Clinical Estimate of Gestation**

The length of gestation as estimated by the attending physician in completed menstrual weeks. This estimate is not computed from the date last normal menses began and date of termination. Clinical estimate of gestation is used for the length of gestation.

**Postfertilization Age**

Age calculated from the date of fertilization of the human ovum. The termination record does not collect the date of fertilization. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The postfertilization age is calculated to be the number of completed weeks' clinical estimate of gestation minus two weeks. For example, 20 weeks postfertilization is equal to 22 weeks' clinical estimate of gestation.

**Method for Determining Gestational Age**

The method used by the attendant in determining the reported weeks of gestation.

**Ultrasound**

Weeks of gestation were determined by an ultrasound procedure

**Pelvic Exam**

Weeks of gestation were determined by a pelvic examination procedure

**Other, Specify**

Indicate what method/procedure/evidence the attendant used to determine the weeks of gestation

**None**

A clinical estimate of gestation was not performed.

**Race**

Patient's race is a write-in category for one race. If race is written as "Hispanic", "Mexican", or "Latina", the patient's race is categorized as "white". If race is written as "other", "mixed race", or "multi race" the patient's race is categorized as "other".

**Ethnicity**

Patient's ethnicity is reported separately from race on the induced termination record. Ethnicity is reported as a check box of yes or no for the question "Of Hispanic origin?". If checked "yes", Hispanic origin is specified as Cuban, Mexican, Puerto Rican,

Costs associated with this publication are available from  
Idaho Department of Health and Welfare.  
HW-1206 December 2017