



November 2018



IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

2017 Trends and Summary

Idaho Vital Statistics



2017 IDAHO VITAL STATISTICS – SUMMARY AND TRENDS

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at www.healthstatistics.dhw.idaho.gov.
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics- Summary and Trends 2017*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, November 2018.

TABLE OF CONTENTS

| | Page |
|---|------|
| SUMMARY AND TRENDS DEFINITIONS AND FORMULAS | 4 |
| VITAL REGISTRATION AND DATA COLLECTION | 8 |
| SUMMARY AND TRENDS | 9 |
| Idaho vital statistics, 2008-2017 | 10 |
| Births, deaths, marriages, divorces by numbers, 2007-2017 (graph)..... | 11 |
| Birth and death rates, 2007-2017 (graph) (<i>U.S., Idaho</i>) | 11 |
| Summary of 2017 births, deaths, marriages, divorces (<i>U.S., Idaho, districts, counties</i>) | 12 |
| Summary of 2017 infant, fetal, perinatal mortality (<i>U.S., Idaho, districts, counties</i>) | 13 |
| Live births, number and rate, 1920-2017 | 14 |
| Teen pregnancies, number and rate by age, 2005-2017 | 15 |
| Teen live births, number and rate by age, 2005-2017 | 15 |
| Deaths, number and rate, 1920-2017 | 16 |
| Marriages and divorces, number and rate, 1950-2017 | 17 |
| Counties comprising Idaho Public Health Districts | 18 |

DEFINITIONS AND FORMULAS

Residence Data Data allocated by place of residence of the registrant, or by place of residence of the infant's parent (births, stillbirths, deaths, and abortions)

Occurrence Data Data allocated by place where event occurred, regardless of the person's place of residence (marriages, divorces, and abortions)

Marriage A personal relation arising out of a civil contract between capable consenting parties followed by the issuance of a state and federally authorized sanction, license, authentication and recording of such contract

MARRIAGE RATE -- number of marriages per 1,000 population

$$\frac{\text{marriages}}{\text{population}} \times 1,000$$

Divorce Those parties in a prior state of legal marriage in which they have been restored to the state of 'unmarried persons' due to the issuance of a decree by the judgment of a jurisdictional court

DIVORCE RATE -- number of divorces per 1,000 population

$$\frac{\text{divorces}}{\text{population}} \times 1,000$$

Induced Abortion A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

Live Birth A birth that shows any sign of life after delivery

(CRUDE) BIRTH RATE -- number of live births per 1,000 population

$$\frac{\text{live births}}{\text{population}} \times 1,000$$

FERTILITY RATE -- number of live births per 1,000 women 15-44 years of age

$$\frac{\text{all live births}}{\text{females 15-44}} \times 1,000$$

DEFINITIONS AND FORMULAS (CONTINUED)

Pregnancy (Teens)

Includes the sum of live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams)

PREGNANCY RATE – number of pregnancies per 1,000 females within the corresponding age group indicated in data tables and graph (<15, 15-17, 15-19, 18-19)

$$\frac{\text{pregnancies}}{\text{females}} \times 1,000$$

(corresponding age group)

Low Birthweight

A live birth weighing under 2,500 grams (5 ½ pounds or less)

LOW BIRTHWEIGHT RATE (percent) -- number of low birthweight live births per 100 live births with stated birthweight

$$\frac{\text{low birthweight live births}}{\text{live births with stated birthweight}} \times 100$$

Out-of-wedlock Birth

A live birth to a women who was not married at conception, birth, or anytime between

OUT-OF-WEDLOCK RATE (percent) -- number of out-of-wedlock live births per 100 live births

$$\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 100$$

Infant Death

Death of an infant under 1 year of age

INFANT MORTALITY RATE -- number of infant deaths per 1,000 live births

$$\frac{\text{infant deaths}}{\text{live births}} \times 1,000$$

Neonatal Death

Death of an infant within the first 27 days of life

NEONATAL MORTALITY RATE -- number of neonatal deaths per 1,000 live births

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1,000$$

Postneonatal Death

Death of an infant 28 days through the first 11 months of life

POSTNEONATAL MORTALITY RATE -- number of postneonatal deaths per 1,000 live births

$$\frac{\text{postneonatal deaths}}{\text{live births}} \times 1,000$$

DEFINITIONS AND FORMULAS (CONTINUED)

Stillbirth A spontaneous fetal death of at least 20 weeks gestation or a weight of at least 350 grams (does not include any induced abortions)

STILLBIRTH RATIO -- number of stillbirths per 1,000 live births

$$\frac{\text{stillbirths}}{\text{live births}} \times 1,000$$

Perinatal Death Includes stillbirths and deaths of infants within the first 6 days of life

PERINATAL MORTALITY RATIO -- number of perinatal deaths per 1,000 live births

$$\frac{\text{perinatal deaths}}{\text{live births}} \times 1,000$$

Maternal Death Death attributable to complications of pregnancy, childbirth, or the puerperium based on ICD-10 codes A34, O00-O95, and O98-O99.

MATERNAL MORTALITY RATIO -- number of maternal deaths per 100,000 live births

$$\frac{\text{maternal deaths}}{\text{live births}} \times 100,000$$

Death (CRUDE) DEATH RATE -- number of deaths per 100,000 population

$$\frac{\text{deaths}}{\text{population}} \times 1,000$$

AGE-ADJUSTED DEATH RATE (DIRECT METHOD) -- number of deaths per 100,000 standard population. Age-adjusted death rates are artificial measurements and should be used only to compare to other age-adjusted death rates calculated using the same standard population. Idaho and U.S. age-adjusted rates shown were calculated using the 2000 population estimate as the standard population.

$$\frac{\text{sum of (age-specific death rates per 100,000 for selected population x standard population in corresponding age groups)}}{\text{sum of standard population}}$$

U.S. Data In this publication, there are references to provisional and preliminary U.S. data. If the U.S. statistics are not noted as provisional or preliminary, they are considered final. In either case, the most recent U.S. information is provided. The following definitions have been added to clarify the differences among the types of U.S. data.

DEFINITIONS AND FORMULAS (CONTINUED)

U.S. Provisional Data

Prior to 1996, the National Center for Health Statistics (NCHS) released U.S. vital data and rates in two basic forms: provisional and final. Provisional data are based on monthly summary counts of birth, death, marriage, and divorce records received in state vital registration offices. Rates for 12-month periods, January through December, are the sum of events for the period per population estimated at the midpoint of the period. Provisional divorce rates are based on 44 reporting states and the District of Columbia. Provisional marriage rates are based on 50 reporting states and the District of Columbia. Populations have been estimated by NCHS for the 12-month divorce and marriage rates based on these reporting states. The 2016 U.S. marriage and divorce rates in this publication are provisional measures¹. These and U.S. provisional rates for previous years are available at: <https://www.cdc.gov/nchs/nvss/marriage-divorce.htm>.

U.S. Final Data

Final U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 99 percent of the births and deaths occurring in this country are registered through the state vital registration system. At the time of publication, the latest U.S. final data reports available are 2016 for death² and 2016 for birth³. Final U.S. data for births and deaths are available on the Centers for Disease Control and Prevention's (CDC) WONDER online databases.

For the latest U.S. reports please visit:
<http://www.cdc.gov/nchs/products/nvsr.htm>

1. "National Marriage and Divorce Rate Trends for 2000-2016," National Vital Statistics System. January, 2017.
2. "Deaths: Final Data for 2016," National Vital Statistics Reports, National Center for Health Statistics, Vol. 67, No. 6, July 26, 2018.
3. "Births: Final Data for 2016," National Vital Statistics Reports, National Center for Health Statistics, Vol. 67, No. 1, January 31, 2018.

VITAL REGISTRATION AND DATA COLLECTION

Registration of Records

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Birth, Death, and Stillbirth Certificates

Registration of births, deaths, and stillbirths is a legal requirement. Most certificates of births occurring at Idaho hospitals are filed electronically. Death certificates are usually completed by physicians, coroners, and funeral directors. A stillbirth certificate must be filed for all spontaneous fetal deaths of at least 20 weeks gestation or with a weight of at least 350 grams.

Unless otherwise stated, birth, death, and stillbirth data contained in this report are provided for Idaho residents, regardless of where the event occurred. There is an agreement among all registration areas in the United States for resident exchange of copies of birth, death, and stillbirth certificates. For data analysis, the cut-off date for 2017 birth records was July 3, 2018; the cut-off date for 2017 stillbirth records was September 13, 2018; and the cut-off date for 2017 death records was June 21, 2018. Records may be sent to Vital Statistics or revised after these dates; they are included or revised in the vital records mainframe database, but are not included or updated in the databases for statistical analysis.

Marriage and Divorce Certificates

Idaho vital statistics law makes marriages and divorces occurring in Idaho reportable events. Marriages are registered with the county recorder in the county where the license was issued; divorces are filed with the clerk of the court where the divorce was granted. These records are then forwarded to the Bureau of Vital Records and Health Statistics. There is no agreement among states to exchange certificates of resident marriages or divorces that occur out of state. Marriage and divorce data provided in this annual report are based on events occurring in Idaho, regardless of the party's residence. The cut-off date for 2017 marriage and divorce record's inclusion in the data base for analysis was August 29, 2018.

Induced Abortion Certificates

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was September 13, 2018 for 2017 records.

SUMMARY AND TRENDS

| | |
|------------------------------|--|
| Births | The number of Idaho resident live births in 2017 decreased by 303 births from 22,462 in 2016 to 22,159 in 2017. This is a 1.3 percent decrease in the number of resident births. The birth rate decreased 3.3 percent from 13.3 per 1,000 to 12.9 per 1,000 in 2017, after a slight decrease from the year before. |
| Out-of-Wedlock Births | The number of births to unmarried women increased 0.3 percent from 6,184 in 2016 to 6,204 in 2017. The percent of out-of-wedlock births increased to its highest level among Idaho residents in 2017 which is a slight increase from 2015 and 2016. The out-of-wedlock rates were 27.7 percent in 2015, 27.6 percent in 2016, and 28.0 percent in 2017. |
| Deaths | Idaho recorded the highest number of deaths in 2017 with 14,007 deaths. This was an increase of 637 deaths from 2016. The mortality rate increased from 7.9 per 1,000 population in 2016 to 8.2 per 1,000 population in 2017, a 3.8 percent increase in the mortality rate. |
| Stillbirths | In the past ten years, the numbers of stillbirths have fluctuated from a high of 142 in 2015 to a low of 106 in 2017. In 2017, the ratio of stillbirths to live births was 4.8 stillbirths per 1,000 live births. |
| Infant Deaths | Statewide, there were 101 deaths to infants under the age of one in 2017, which was a 26.3 percent decrease from 137 deaths in 2016. Like, stillbirths, infant deaths tend to fluctuate from year to year. The infant mortality rate was 4.6 deaths per 1,000 live births in 2017, a 24.6 percent decrease from 6.1 deaths per 1,000 births in 2016. The neonatal mortality rate was 3.1 deaths per 1,000 live births, which was a decrease of 16.2 percent in 2017. The postneonatal mortality rate decreased from 2.4 per 1,000 live births in 2016 to 1.5 per 1,000 births in 2017. |
| Induced Abortions | The number of induced abortions among Idaho residents decreased 1.1 percent from 1,749 in 2016 to 1,730 in 2017; the rate decreased slightly from 5.4 abortions per 1,000 females aged 15-44 to 5.3 in 2017. The number of induced abortions occurring in Idaho also decreased from 1,289 in 2016 to 1,285 in 2017. |
| Marriages | The number of marriages occurring in Idaho increased by 96 in 2017, from 13,595 in 2016 to 13,691 in 2017. However, the state's population grew at a faster pace, and the marriage rate declined from 2016 to 2017. The marriage rate decreased from 8.1 marriages per 1,000 population in 2016 to 8.0 marriages per 1,000 population in 2017. |
| Divorces | The number of divorces occurring in Idaho decreased 1.7 percent in 2017, from 6,786 divorces in 2016 to 6,674 in 2017. The 2017 divorce rate of 3.9 per 1,000 population was slightly lower than the rate of 4.0 per 1,000 population in 2016. |

IDAHO VITAL STATISTICS 2008-2017


| | 2017 | 2016 | 2015 | 2014 | 2013 | 2012 | 2011 | 2010 | 2009 | 2008 |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| LIVE BIRTHS | 22,159 | 22,462 | 22,832 | 22,888 | 22,348 | 22,941 | 22,311 | 23,202 | 23,726 | 25,156 |
| Birth Rate | 12.9 | 13.3 | 13.8 | 14.0 | 13.9 | 14.4 | 14.1 | 14.8 | 15.3 | 16.5 |
| Fertility Rate | 67.4 | 69.7 | 71.8 | 72.7 | 71.7 | 74.0 | 72.3 | 75.7 | 77.4 | 83.4 |
| Males | 11,311 | 11,481 | 11,503 | 11,751 | 11,334 | 11,661 | 11,501 | 11,882 | 12,188 | 12,770 |
| Females | 10,848 | 10,981 | 11,329 | 11,137 | 11,014 | 11,280 | 10,810 | 11,320 | 11,538 | 12,386 |
| OUT-OF-WEDLOCK LIVE BIRTHS | 6,204 | 6,184 | 6,308 | 6,354 | 6,040 | 6,267 | 5,898 | 6,143 | 6,084 | 6,358 |
| Percent | 28.0 | 27.6 | 27.7 | 27.8 | 27.0 | 27.3 | 26.4 | 26.5 | 25.6 | 25.3 |
| LOW BIRTHWEIGHT LIVE BIRTHS | 1,552 | 1,559 | 1,506 | 1,478 | 1,547 | 1,481 | 1,355 | 1,582 | 1,557 | 1,643 |
| Percent | 7.0 | 6.9 | 6.6 | 6.5 | 6.9 | 6.5 | 6.1 | 6.8 | 6.6 | 6.5 |
| DEATHS | 14,007 | 13,370 | 13,031 | 12,610 | 12,426 | 11,993 | 11,990 | 11,411 | 11,065 | 10,927 |
| Crude Death Rate | 8.2 | 7.9 | 7.9 | 7.7 | 7.7 | 7.5 | 7.6 | 7.3 | 7.2 | 7.2 |
| Age-Adjusted Death Rate | 7.4 | 7.3 | 7.3 | 7.2 | 7.3 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| Males | 7,364 | 6,938 | 6,856 | 6,493 | 6,402 | 6,203 | 6,112 | 5,883 | 5,703 | 5,519 |
| Females | 6,643 | 6,432 | 6,175 | 6,117 | 6,024 | 5,790 | 5,878 | 5,528 | 5,362 | 5,408 |
| INFANT DEATHS | 101 | 137 | 106 | 126 | 126 | 121 | 112 | 112 | 126 | 146 |
| Rate | 4.6 | 6.1 | 4.6 | 5.5 | 5.6 | 5.3 | 5.0 | 4.8 | 5.3 | 5.8 |
| <28 Days | 3.1 | 3.7 | 3.1 | 3.8 | 3.7 | 3.7 | 3.0 | 2.7 | 3.4 | 3.9 |
| 28 Days - <1 Year | 1.5 | 2.4 | 1.5 | 1.7 | 2.0 | 1.6 | 2.0 | 2.1 | 1.9 | 1.9 |
| STILLBIRTHS | 106 | 114 | 142 | 114 | 109 | 115 | 137 | 123 | 115 | 128 |
| Ratio | 4.8 | 5.1 | 6.2 | 5.0 | 4.9 | 5.0 | 6.1 | 5.3 | 4.8 | 5.1 |
| PERINATAL DEATHS | 162 | 186 | 203 | 191 | 186 | 191 | 193 | 174 | 178 | 217 |
| Ratio | 7.3 | 8.3 | 8.9 | 8.3 | 8.3 | 8.3 | 8.7 | 7.5 | 7.5 | 8.6 |
| MATERNAL DEATHS¹ | 6 | 6 | 8 | 3 | 9 | 3 | 2 | 5 | 3 | 4 |
| Ratio/100,000 births | 27.1 | 26.7 | 35.0 | 13.1 | 40.3 | 13.1 | 9.0 | 21.5 | 12.6 | 15.9 |
| INDUCED ABORTIONS | | | | | | | | | | |
| Idaho Residents | 1,730 | 1,749 | 1,686 | 1,751 | 1,794 | 1,916 | 2,005 | 2,123 | 2,348 | 2,132 |
| Rate | 5.3 | 5.4 | 5.3 | 5.6 | 5.8 | 6.2 | 6.5 | 6.9 | 7.7 | 7.1 |
| Ratio births to residents | 78.1 | 77.9 | 73.8 | 76.5 | 80.3 | 83.5 | 89.9 | 91.5 | 99.0 | 84.8 |
| Occurring in Idaho ² | 1,285 | 1,289 | 1,272 | 1,353 | 1,375 | 1,458 | 1,440 | 1,510 | 1,650 | 1,481 |
| Ratio births in Idaho | 58.9 | 58.1 | 56.6 | 60.2 | 62.5 | 64.8 | 65.9 | 66.2 | 71.0 | 60.0 |
| MARRIAGES² | 13,691 | 13,595 | 13,500 | 13,699 | 13,207 | 13,114 | 13,696 | 13,757 | 13,771 | 14,641 |
| Rate | 8.0 | 8.1 | 8.2 | 8.4 | 8.2 | 8.2 | 8.6 | 8.8 | 8.9 | 9.6 |
| DIVORCES² | 6,674 | 6,786 | 6,817 | 6,943 | 7,248 | 7,598 | 7,773 | 8,136 | 7,729 | 7,424 |
| Rate | 3.9 | 4.0 | 4.1 | 4.2 | 4.5 | 4.8 | 4.9 | 5.2 | 5.0 | 4.9 |

1. In 2003, a question on pregnancy status among females aged 10-54 was added to the Idaho death certificate resulting in the identification of more maternal deaths. Maternal death data for 2003 and after are not comparable with data prior to 2003.


2. Marriage, divorce, and specified abortion data are for events occurring in Idaho; all other data reflect events occurring to Idaho residents.

Note: All rates are per 1,000 unless otherwise stated; see Definitions and Formulas for specific rates and ratio definitions.

IDAHO VITAL STATISTICS Births, Deaths, Marriages, Divorces 2007-2017



Idaho and U.S. Birth and Death Rates 2007-2017



SUMMARY OF IDAHO VITAL STATISTICS

Births, Deaths, Marriages, Divorces

2017

| | POPULATION July 1, 2017 ¹ | LIVE BIRTHS ² | | DEATHS ² | | MARRIAGES ³ | | DIVORCES ³ | |
|------------|---|--------------------------|------|---------------------|------|---------------------------|------|---------------------------|------|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| U.S. Rates | | 12.2 (2016 Final) | | 8.5 (2016 Final) | | 6.9 (2016 Provisional) | | 3.2 (2016 Provisional) | |
| IDAHO | 1,716,943 | 22,159 | 12.9 | 14,007 | 8.2 | 13,691 | 8.0 | 6,674 | 3.9 |
| District 1 | 234,845 | 2,594 | 11.0 | 2,380 | 10.1 | 2,957 | 12.6 | 950 | 4.0 |
| District 2 | 108,520 | 1,178 | 10.9 | 1,087 | 10.0 | 698 | 6.4 | 373 | 3.4 |
| District 3 | 283,189 | 3,845 | 13.6 | 2,310 | 8.2 | 1,786 | 6.3 | 1,121 | 4.0 |
| District 4 | 501,649 | 5,456 | 10.9 | 3,550 | 7.1 | 3,862 | 7.7 | 2,009 | 4.0 |
| District 5 | 196,712 | 2,772 | 14.1 | 1,611 | 8.2 | 1,392 | 7.1 | 818 | 4.2 |
| District 6 | 172,451 | 2,364 | 13.7 | 1,540 | 8.9 | 977 | 5.7 | 575 | 3.3 |
| District 7 | 219,577 | 3,950 | 18.0 | 1,529 | 7.0 | 2,019 | 9.2 | 828 | 3.8 |
| Ada | 456,849 | 4,832 | 10.6 | 3,229 | 7.1 | 3,257 | 7.1 | 1,794 | 3.9 |
| Adams | 4,147 | 31 | 7.5 | 52 | 12.5 | 28 | 6.8 | 12 | 2.9 |
| Bannock | 85,269 | 1,189 | 13.9 | 742 | 8.7 | 516 | 6.1 | 285 | 3.3 |
| Bear Lake | 6,028 | 83 | 13.8 | 73 | 12.1 | 35 | 5.8 | 17 | 2.8 |
| Benewah | 9,184 | 97 | 10.6 | 131 | 14.3 | 67 | 7.3 | 29 | 3.2 |
| Bingham | 45,927 | 603 | 13.1 | 391 | 8.5 | 236 | 5.1 | 159 | 3.5 |
| Blaine | 22,024 | 188 | 8.5 | 116 | 5.3 | 170 | 7.7 | 93 | 4.2 |
| Boise | 7,290 | 61 | 8.4 | 53 | 7.3 | 105 | 14.4 | 16 | 2.2 |
| Bonner | 43,560 | 425 | 9.8 | 463 | 10.6 | 385 | 8.8 | 163 | 3.7 |
| Bonneville | 114,595 | 1,872 | 16.3 | 914 | 8.0 | 1,107 | 9.7 | 557 | 4.9 |
| Boundary | 11,922 | 121 | 10.1 | 121 | 10.1 | 76 | 6.4 | 41 | 3.4 |
| Butte | 2,602 | 33 | 12.7 | 31 | 11.9 | 16 | 6.1 | 9 | 3.5 |
| Camas | 1,102 | 13 | 11.8 | 14 | 12.7 | 10 | 9.1 | 6 | 5.4 |
| Canyon | 216,699 | 3,057 | 14.1 | 1,575 | 7.3 | 1,305 | 6.0 | 876 | 4.0 |
| Caribou | 7,034 | 95 | 13.5 | 87 | 12.4 | 40 | 5.7 | 14 | 2.0 |
| Cassia | 23,664 | 392 | 16.6 | 205 | 8.7 | 180 | 7.6 | 92 | 3.9 |
| Clark | 873 | 9 | 10.3 | 7 | 8.0 | 10 | 11.5 | - | - |
| Clearwater | 8,546 | 69 | 8.1 | 117 | 13.7 | 82 | 9.6 | 34 | 4.0 |
| Custer | 4,172 | 38 | 9.1 | 48 | 11.5 | 99 | 23.7 | 13 | 3.1 |
| Elmore | 26,823 | 470 | 17.5 | 189 | 7.0 | 194 | 7.2 | 161 | 6.0 |
| Franklin | 13,564 | 191 | 14.1 | 120 | 8.8 | 72 | 5.3 | 44 | 3.2 |
| Fremont | 13,094 | 175 | 13.4 | 109 | 8.3 | 107 | 8.2 | 31 | 2.4 |
| Gem | 17,379 | 195 | 11.2 | 212 | 12.2 | 162 | 9.3 | 79 | 4.5 |
| Gooding | 15,124 | 197 | 13.0 | 150 | 9.9 | 80 | 5.3 | 36 | 2.4 |
| Idaho | 16,369 | 158 | 9.7 | 177 | 10.8 | 101 | 6.2 | 53 | 3.2 |
| Jefferson | 28,446 | 497 | 17.5 | 168 | 5.9 | 208 | 7.3 | 71 | 2.5 |
| Jerome | 23,627 | 364 | 15.4 | 164 | 6.9 | 159 | 6.7 | 94 | 4.0 |
| Kootenai | 157,637 | 1,809 | 11.5 | 1,463 | 9.3 | 2,323 | 14.7 | 668 | 4.2 |
| Latah | 39,333 | 450 | 11.4 | 216 | 5.5 | 225 | 5.7 | 102 | 2.6 |
| Lemhi | 7,875 | 78 | 9.9 | 103 | 13.1 | 61 | 7.7 | 25 | 3.2 |
| Lewis | 3,887 | 34 | 8.7 | 52 | 13.4 | 19 | 4.9 | 8 | 2.1 |
| Lincoln | 5,318 | 79 | 14.9 | 29 | 5.5 | 20 | 3.8 | 18 | 3.4 |
| Madison | 39,141 | 1,133 | 28.9 | 140 | 3.6 | 346 | 8.8 | 100 | 2.6 |
| Minidoka | 20,729 | 325 | 15.7 | 182 | 8.8 | 127 | 6.1 | 63 | 3.0 |
| Nez Perce | 40,385 | 467 | 11.6 | 525 | 13.0 | 271 | 6.7 | 165 | 4.1 |
| Oneida | 4,427 | 56 | 12.6 | 41 | 9.3 | 21 | 4.7 | 13 | 2.9 |
| Owyhee | 11,628 | 141 | 12.1 | 97 | 8.3 | 85 | 7.3 | 18 | 1.5 |
| Payette | 23,215 | 314 | 13.5 | 240 | 10.3 | 147 | 6.3 | 96 | 4.1 |
| Power | 7,600 | 114 | 15.0 | 55 | 7.2 | 41 | 5.4 | 14 | 1.8 |
| Shoshone | 12,542 | 142 | 11.3 | 202 | 16.1 | 106 | 8.5 | 44 | 3.5 |
| Teton | 11,381 | 148 | 13.0 | 40 | 3.5 | 81 | 7.1 | 31 | 2.7 |
| Twin Falls | 85,124 | 1,214 | 14.3 | 751 | 8.8 | 646 | 7.6 | 416 | 4.9 |
| Valley | 10,687 | 93 | 8.7 | 79 | 7.4 | 306 | 28.6 | 38 | 3.6 |
| Washington | 10,121 | 107 | 10.6 | 134 | 13.2 | 59 | 5.8 | 40 | 4.0 |

1. Source for population: U.S. Bureau of the Census, Internet release June 27, 2018.

2. Births, deaths: county of residence. Rate: number per 1,000 population.

3. Marriages, divorces: county of occurrence. Divorces by county will not total district and state totals because tribal court divorces are not included in county totals; tribal court divorces are included in district totals Rate: number per 1,000 population.

SUMMARY OF IDAHO VITAL STATISTICS
Resident Infant, Fetal, Perinatal Mortality
2016 U.S. and 2017 Idaho

| RESIDENCE | TOTAL LIVE BIRTHS | INFANT DEATHS | | STILLBIRTHS | | PERINATAL DEATHS | |
|------------|-------------------|---------------------|------|-------------|-------|------------------|-------|
| | | Number | Rate | Number | Ratio | Number | Ratio |
| U.S. Rate | | 5.9 (2016 Final) | | NA | | NA | |
| IDAHO | 22,159 | 101 | 4.6 | 106 | 4.8 | 162 | 7.3 |
| District 1 | 2,594 | 8 | 3.1 | 7 | 2.7 | 10 | 3.9 |
| District 2 | 1,178 | 4 | 3.4 | 6 | 5.1 | 8 | 6.8 |
| District 3 | 3,845 | 24 | 6.2 | 27 | 7.0 | 41 | 10.7 |
| District 4 | 5,456 | 22 | 4.0 | 20 | 3.7 | 31 | 5.7 |
| District 5 | 2,772 | 14 | 5.1 | 12 | 4.3 | 20 | 7.2 |
| District 6 | 2,364 | 15 | 6.3 | 11 | 4.7 | 19 | 8.0 |
| District 7 | 3,950 | 14 | 3.5 | 23 | 5.8 | 33 | 8.4 |
| Ada | 4,832 | 20 | 4.1 | 17 | 3.5 | 26 | 5.4 |
| Adams | 31 | - | - | - | - | - | - |
| Bannock | 1,189 | 7 | 5.9 | 3 | 2.5 | 6 | 5.0 |
| Bear Lake | 83 | - | - | 1 | 12.0 | 1 | 12.0 |
| Benewah | 97 | - | - | - | - | - | - |
| Bingham | 603 | 4 | 6.6 | 4 | 6.6 | 7 | 11.6 |
| Blaine | 188 | 1 | 5.3 | 1 | 5.3 | 1 | 5.3 |
| Boise | 61 | 1 | 16.4 | - | - | 1 | 16.4 |
| Bonner | 425 | 3 | 7.1 | 2 | 4.7 | 5 | 11.8 |
| Bonneville | 1,872 | 4 | 2.1 | 10 | 5.3 | 13 | 6.9 |
| Boundary | 121 | - | - | - | - | - | - |
| Butte | 33 | - | - | - | - | - | - |
| Camas | 13 | - | - | - | - | - | - |
| Canyon | 3,057 | 14 | 4.6 | 22 | 7.2 | 29 | 9.5 |
| Caribou | 95 | 1 | 10.5 | 1 | 10.5 | 2 | 21.1 |
| Cassia | 392 | 1 | 2.6 | 2 | 5.1 | 3 | 7.7 |
| Clark | 9 | - | - | - | - | - | - |
| Clearwater | 69 | - | - | - | - | - | - |
| Custer | 38 | - | - | - | - | - | - |
| Elmore | 470 | 1 | 2.1 | 3 | 6.4 | 4 | 8.5 |
| Franklin | 191 | 3 | 15.7 | - | - | 1 | 5.2 |
| Fremont | 175 | 1 | 5.7 | - | - | 1 | 5.7 |
| Gem | 195 | 1 | 5.1 | 1 | 5.1 | 2 | 10.3 |
| Gooding | 197 | 1 | 5.1 | 1 | 5.1 | 1 | 5.1 |
| Idaho | 158 | 1 | 6.3 | 1 | 6.3 | 2 | 12.7 |
| Jefferson | 497 | 3 | 6.0 | 3 | 6.0 | 5 | 10.1 |
| Jerome | 364 | 1 | 2.7 | - | - | - | - |
| Kootenai | 1,809 | 5 | 2.8 | 5 | 2.8 | 5 | 2.8 |
| Latah | 450 | 1 | 2.2 | 2 | 4.4 | 2 | 4.4 |
| Lemhi | 78 | 2 | 25.6 | - | - | 1 | 12.8 |
| Lewis | 34 | - | - | - | - | - | - |
| Lincoln | 79 | - | - | - | - | - | - |
| Madison | 1,133 | 4 | 3.5 | 10 | 8.8 | 13 | 11.5 |
| Minidoka | 325 | 5 | 15.4 | 1 | 3.1 | 5 | 15.4 |
| Nez Perce | 467 | 2 | 4.3 | 3 | 6.4 | 4 | 8.6 |
| Oneida | 56 | - | - | 1 | 17.9 | 1 | 17.9 |
| Owyhee | 141 | 3 | 21.3 | - | - | 1 | 7.1 |
| Payette | 314 | 4 | 12.7 | 2 | 6.4 | 5 | 15.9 |
| Power | 114 | - | - | 1 | 8.8 | 1 | 8.8 |
| Shoshone | 142 | - | - | - | - | - | - |
| Teton | 148 | - | - | - | - | - | - |
| Twin Falls | 1,214 | 5 | 4.1 | 7 | 5.8 | 10 | 8.2 |
| Valley | 93 | - | - | - | - | - | - |
| Washington | 107 | 2 | 18.7 | 2 | 18.7 | 4 | 37.4 |

Infant death rate: Number of infant deaths under one year of age per 1,000 live births.

Stillbirth ratio: Number of spontaneous fetal deaths of at least 20 weeks gestation or a weight of 350 grams per 1,000 live births.

Perinatal ratio: Number of stillbirths plus infant deaths within the first 6 days of life per 1,000 live births.

NA: not available.

IDAHO BIRTHS
Number and Rate per 1,000 Population
1920-2017

| IDAHO BIRTHS | | | | | | | | |
|--------------|--------|------|------|--------|------|------|--------|------|
| Year | Number | Rate | Year | Number | Rate | Year | Number | Rate |
| 1920 | 10,227 | 25.2 | 1953 | 16,499 | 26.0 | 1986 | 16,436 | 16.6 |
| 1921 | 10,885 | NA | 1954 | 16,747 | 25.9 | 1987 | 15,927 | 16.2 |
| 1922 | 10,500 | NA | 1955 | 16,705 | 25.4 | 1988 | 15,730 | 16.0 |
| 1923 | 10,047 | NA | 1956 | 16,428 | 24.5 | 1989 | 15,868 | 16.0 |
| 1924 | 9,872 | NA | 1957 | 16,500 | 23.9 | 1990 | 16,442 | 16.3 |
| 1925 | 9,070 | NA | 1958 | 16,732 | 24.1 | 1991 | 16,789 | 16.2 |
| 1926 | 10,128 | NA | 1959 | 17,009 | 25.7 | 1992 | 17,318 | 16.2 |
| 1927 | 9,777 | NA | 1960 | 17,016 | 25.5 | 1993 | 17,411 | 15.8 |
| 1928 | 9,099 | NA | 1961 | 16,701 | 24.7 | 1994 | 17,541 | 15.4 |
| 1929 | 9,925 | NA | 1962 | 16,303 | 23.7 | 1995 | 18,003 | 15.5 |
| 1930 | 9,711 | 21.8 | 1963 | 14,734 | 21.0 | 1996 | 18,564 | 15.6 |
| 1931 | 9,908 | NA | 1964 | 14,080 | 20.5 | 1997 | 18,537 | 15.3 |
| 1932 | 8,887 | NA | 1965 | 13,370 | 19.3 | 1998 | 19,350 | 15.7 |
| 1933 | 8,448 | NA | 1966 | 12,978 | 18.7 | 1999 | 19,870 | 15.9 |
| 1934 | 9,594 | NA | 1967 | 12,762 | 18.3 | 2000 | 20,305 | 15.7 |
| 1935 | 9,763 | NA | 1968 | 13,101 | 18.6 | 2001 | 20,686 | 15.7 |
| 1936 | 10,367 | NA | 1969 | 13,468 | 18.9 | 2002 | 20,973 | 15.6 |
| 1937 | 10,631 | NA | 1970 | 14,540 | 20.4 | 2003 | 21,794 | 16.0 |
| 1938 | 11,376 | NA | 1971 | 14,387 | 19.5 | 2004 | 22,529 | 16.2 |
| 1939 | 11,307 | NA | 1972 | 14,250 | 18.9 | 2005 | 23,064 | 16.1 |
| 1940 | 11,761 | 22.4 | 1973 | 14,507 | 18.7 | 2006 | 24,185 | 16.5 |
| 1941 | 11,970 | NA | 1974 | 15,570 | 19.5 | 2007 | 25,023 | 16.7 |
| 1942 | 11,537 | NA | 1975 | 16,242 | 20.0 | 2008 | 25,156 | 16.5 |
| 1943 | 12,675 | NA | 1976 | 17,322 | 20.8 | 2009 | 23,726 | 15.3 |
| 1944 | 12,432 | NA | 1977 | 18,813 | 22.0 | 2010 | 23,202 | 14.8 |
| 1945 | 11,811 | NA | 1978 | 19,355 | 21.9 | 2011 | 22,311 | 14.1 |
| 1946 | 13,495 | NA | 1979 | 19,919 | 22.0 | 2012 | 22,941 | 14.4 |
| 1947 | 15,940 | NA | 1980 | 20,140 | 21.3 | 2013 | 22,348 | 13.9 |
| 1948 | 15,720 | NA | 1981 | 19,488 | 20.3 | 2014 | 22,888 | 14.0 |
| 1949 | 15,802 | NA | 1982 | 19,581 | 20.4 | 2015 | 22,832 | 13.8 |
| 1950 | 15,666 | 26.6 | 1983 | 18,742 | 19.0 | 2016 | 22,462 | 13.3 |
| 1951 | 16,182 | 26.6 | 1984 | 17,988 | 18.2 | 2017 | 22,159 | 12.9 |
| 1952 | 16,402 | 26.4 | 1985 | 17,553 | 17.7 | | | |

NA: Birth rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.

Births from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Births from 1964 to 2017 are numbers occurring to residents of Idaho, regardless of state of occurrence.

Birth rate: number of births per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to the present, not including the census years, are based on number of births and postcensal estimates provided in the corresponding Vital Statistics annual report.

IDAHO RESIDENT TEEN PREGNANCIES¹
Number of Pregnancies and Rates² by Age
2005-2017

| YEAR | IDAHO RESIDENT PREGNANCIES BY AGE | | | | | | | |
|------|-----------------------------------|------|--------|------|--------|------|--------|------|
| | <15 | | 15-19 | | 15-17 | | 18-19 | |
| | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 2005 | 28 | 0.6 | 2,387 | 44.7 | 659 | 20.8 | 1,728 | 79.7 |
| 2006 | 31 | 0.6 | 2,543 | 46.5 | 762 | 22.9 | 1,781 | 83.3 |
| 2007 | 25 | 0.5 | 2,702 | 49.5 | 788 | 23.9 | 1,914 | 88.7 |
| 2008 | 25 | 0.5 | 2,672 | 48.7 | 781 | 23.8 | 1,891 | 85.5 |
| 2009 | 23 | 0.4 | 2,458 | 43.3 | 690 | 21.2 | 1,768 | 73.1 |
| 2010 | 27 | 0.5 | 2,218 | 39.3 | 618 | 18.5 | 1,600 | 69.4 |
| 2011 | 21 | 0.4 | 1,921 | 33.6 | 488 | 14.6 | 1,433 | 60.5 |
| 2012 | 17 | 0.3 | 1,891 | 34.1 | 496 | 14.8 | 1,395 | 63.6 |
| 2013 | 15 | 0.3 | 1,657 | 29.9 | 375 | 11.1 | 1,282 | 59.6 |
| 2014 | 14 | 0.2 | 1,541 | 27.5 | 369 | 10.7 | 1,172 | 54.1 |
| 2015 | 15 | 0.2 | 1,509 | 26.4 | 372 | 10.6 | 1,137 | 51.7 |
| 2016 | 11 | 0.2 | 1,401 | 24.1 | 346 | 9.5 | 1,055 | 48.2 |
| 2017 | 13 | 0.2 | 1,322 | 22.2 | 275 | 7.4 | 1,047 | 46.7 |

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).
 2. Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on pregnancies to females aged < 15 and population for females aged 10-14.
- Data may differ from previous publications due to updates in the data base, revisions in population estimates, and standardization of file cutoff dates.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number of Births and Rates¹ by Age
2005-2017

| YEAR | IDAHO RESIDENT LIVE BIRTHS BY AGE | | | | | | | |
|------|-----------------------------------|------|--------|------|--------|------|--------|------|
| | <15 | | 15-19 | | 15-17 | | 18-19 | |
| | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 2005 | 19 | 0.4 | 2,019 | 37.8 | 532 | 16.8 | 1,487 | 68.6 |
| 2006 | 18 | 0.3 | 2,148 | 39.3 | 597 | 17.9 | 1,551 | 72.5 |
| 2007 | 17 | 0.3 | 2,260 | 41.4 | 628 | 19.0 | 1,632 | 75.6 |
| 2008 | 18 | 0.3 | 2,262 | 41.2 | 651 | 19.9 | 1,611 | 72.9 |
| 2009 | 15 | 0.3 | 2,031 | 35.8 | 548 | 16.8 | 1,483 | 61.3 |
| 2010 | 13 | 0.2 | 1,864 | 33.0 | 505 | 15.1 | 1,359 | 58.9 |
| 2011 | 15 | 0.3 | 1,584 | 27.7 | 385 | 11.5 | 1,199 | 50.6 |
| 2012 | 9 | 0.2 | 1,567 | 28.3 | 391 | 11.7 | 1,176 | 53.6 |
| 2013 | 11 | 0.2 | 1,426 | 25.7 | 311 | 9.2 | 1,115 | 51.9 |
| 2014 | 7 | 0.1 | 1,302 | 23.2 | 311 | 9.0 | 991 | 45.7 |
| 2015 | 11 | 0.2 | 1,285 | 22.5 | 299 | 8.5 | 986 | 44.8 |
| 2016 | 7 | 0.1 | 1,169 | 20.1 | 279 | 7.7 | 890 | 40.6 |
| 2017 | 10 | 0.2 | 1,105 | 18.6 | 216 | 5.8 | 889 | 39.6 |

1. Live birth rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on births to females aged < 15 and population for females aged 10-14.

IDAHO DEATHS
Number and Rate per 1,000 Population
1920-2017

| IDAHO DEATHS | | | | | | | | |
|--------------|--------|------|------|--------|------|------|--------|------|
| Year | Number | Rate | Year | Number | Rate | Year | Number | Rate |
| 1920 | 3,319 | 7.7 | 1953 | 4,902 | 7.7 | 1986 | 7,345 | 7.4 |
| 1921 | 3,638 | NA | 1954 | 4,773 | 7.3 | 1987 | 7,305 | 7.4 |
| 1922 | 3,729 | NA | 1955 | 4,836 | 7.3 | 1988 | 7,654 | 7.8 |
| 1923 | 3,406 | NA | 1956 | 4,931 | 7.3 | 1989 | 7,386 | 7.4 |
| 1924 | 3,791 | NA | 1957 | 5,095 | 7.4 | 1990 | 7,386 | 7.3 |
| 1925 | 3,488 | NA | 1958 | 5,092 | 7.3 | 1991 | 7,678 | 7.4 |
| 1926 | 3,910 | NA | 1959 | 5,295 | 7.9 | 1992 | 7,870 | 7.4 |
| 1927 | 3,781 | NA | 1960 | 5,252 | 7.9 | 1993 | 8,360 | 7.6 |
| 1928 | 3,931 | NA | 1961 | 5,357 | 7.9 | 1994 | 8,394 | 7.4 |
| 1929 | 4,640 | NA | 1962 | 5,362 | 7.8 | 1995 | 8,491 | 7.3 |
| 1930 | 4,246 | 9.5 | 1963 | 5,619 | 8.0 | 1996 | 8,706 | 7.3 |
| 1931 | 4,117 | NA | 1964 | 5,833 | 8.4 | 1997 | 8,952 | 7.4 |
| 1932 | 3,920 | NA | 1965 | 5,939 | 8.6 | 1998 | 9,141 | 7.4 |
| 1933 | 4,106 | NA | 1966 | 5,939 | 8.6 | 1999 | 9,508 | 7.6 |
| 1934 | 4,502 | NA | 1967 | 5,898 | 8.4 | 2000 | 9,535 | 7.4 |
| 1935 | 4,604 | NA | 1968 | 6,000 | 8.5 | 2001 | 9,751 | 7.4 |
| 1936 | 5,003 | NA | 1969 | 6,119 | 8.6 | 2002 | 9,909 | 7.4 |
| 1937 | 4,852 | NA | 1970 | 6,146 | 8.6 | 2003 | 10,364 | 7.6 |
| 1938 | 4,566 | NA | 1971 | 6,336 | 8.6 | 2004 | 10,013 | 7.2 |
| 1939 | 4,796 | NA | 1972 | 6,283 | 8.3 | 2005 | 10,513 | 7.4 |
| 1940 | 4,897 | 9.3 | 1973 | 6,465 | 8.3 | 2006 | 10,556 | 7.2 |
| 1941 | 4,466 | NA | 1974 | 6,452 | 8.1 | 2007 | 10,742 | 7.2 |
| 1942 | 4,627 | NA | 1975 | 6,505 | 8.0 | 2008 | 10,927 | 7.2 |
| 1943 | 4,712 | NA | 1976 | 6,635 | 8.0 | 2009 | 11,065 | 7.2 |
| 1944 | 4,650 | NA | 1977 | 6,448 | 7.5 | 2010 | 11,411 | 7.3 |
| 1945 | 4,615 | NA | 1978 | 6,487 | 7.4 | 2011 | 11,990 | 7.6 |
| 1946 | 4,540 | NA | 1979 | 6,386 | 7.1 | 2012 | 11,993 | 7.5 |
| 1947 | 4,666 | NA | 1980 | 6,753 | 7.2 | 2013 | 12,426 | 7.7 |
| 1948 | 4,782 | NA | 1981 | 6,902 | 7.2 | 2014 | 12,610 | 7.7 |
| 1949 | 4,577 | NA | 1982 | 6,924 | 7.1 | 2015 | 13,031 | 7.9 |
| 1950 | 4,698 | 8.0 | 1983 | 7,204 | 7.3 | 2016 | 13,370 | 7.9 |
| 1951 | 4,891 | 8.0 | 1984 | 7,229 | 7.2 | 2017 | 14,007 | 8.2 |
| 1952 | 4,722 | 7.6 | 1985 | 7,105 | 7.1 | | | |

NA: Death rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.

Deaths from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Deaths from 1964 to present are numbers occurring to residents of Idaho, regardless of state of occurrence.

Death rate: number of deaths per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates for non-census years from 1961 to the present are based on number of deaths and postcensal estimates provided in the corresponding Vital Statistics report.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO
Number and Rate per 1,000 Population
1950-2017

| MARRIAGES OCCURRING IN IDAHO | | | | | |
|------------------------------|--------|------|------|--------|------|
| Year | Number | Rate | Year | Number | Rate |
| 1950 | 8,345 | 14.2 | 1984 | 13,264 | 13.3 |
| 1951 | 7,849 | 13.2 | 1985 | 12,277 | 12.2 |
| 1952 | 8,120 | 13.4 | 1986 | 11,957 | 11.9 |
| 1953 | 8,486 | 13.9 | 1987 | 11,428 | 11.5 |
| 1954 | 8,915 | 14.4 | 1988 | 12,165 | 12.3 |
| 1955 | 8,879 | 14.1 | 1989 | 13,193 | 13.3 |
| 1956 | 9,132 | 14.4 | 1990 | 14,064 | 13.9 |
| 1957 | 8,995 | 14.0 | 1991 | 14,352 | 13.8 |
| 1958 | 9,522 | 14.6 | 1992 | 14,458 | 13.6 |
| 1959 | 9,343 | 14.2 | 1993 | 14,836 | 13.5 |
| 1960 | 10,325 | 15.5 | 1994 | 14,895 | 13.1 |
| 1961 | 11,151 | 16.5 | 1995 | 15,106 | 13.0 |
| 1962 | 11,934 | 17.4 | 1996 | 15,027 | 12.7 |
| 1963 | 12,680 | 18.1 | 1997 | 15,114 | 12.5 |
| 1964 | 14,019 | 20.4 | 1998 | 15,266 | 12.4 |
| 1965 | 15,864 | 22.9 | 1999 | 15,489 | 12.4 |
| 1966 | 17,129 | 24.6 | 2000 | 15,057 | 11.6 |
| 1967 | 14,108 | 20.1 | 2001 | 14,820 | 11.2 |
| 1968 | 11,130 | 16.0 | 2002 | 14,683 | 10.9 |
| 1969 | 10,993 | 15.5 | 2003 | 14,867 | 10.9 |
| 1970 | 10,915 | 15.3 | 2004 | 14,997 | 10.8 |
| 1971 | 11,356 | 15.4 | 2005 | 14,933 | 10.4 |
| 1972 | 12,086 | 16.0 | 2006 | 14,855 | 10.1 |
| 1973 | 12,236 | 15.8 | 2007 | 14,973 | 10.0 |
| 1974 | 12,489 | 15.7 | 2008 | 14,641 | 9.6 |
| 1975 | 12,688 | 15.6 | 2009 | 13,771 | 8.9 |
| 1976 | 13,104 | 15.8 | 2010 | 13,757 | 8.8 |
| 1977 | 13,691 | 16.0 | 2011 | 13,696 | 8.6 |
| 1978 | 13,570 | 15.4 | 2012 | 13,114 | 8.2 |
| 1979 | 13,429 | 14.8 | 2013 | 13,207 | 8.2 |
| 1980 | 13,428 | 14.2 | 2014 | 13,699 | 8.4 |
| 1981 | 14,175 | 14.7 | 2015 | 13,500 | 8.2 |
| 1982 | 14,066 | 14.4 | 2016 | 13,595 | 8.1 |
| 1983 | 13,421 | 13.6 | 2017 | 13,691 | 8.0 |

| DIVORCES OCCURRING IN IDAHO | | | | | |
|-----------------------------|--------|------|------|--------|------|
| Year | Number | Rate | Year | Number | Rate |
| 1950 | 2,696 | 4.6 | 1984 | 6,210 | 6.3 |
| 1951 | 2,569 | 4.3 | 1985 | 6,207 | 6.2 |
| 1952 | 2,586 | 4.3 | 1986 | 6,067 | 6.1 |
| 1953 | 2,584 | 4.2 | 1987 | 5,892 | 6.0 |
| 1954 | 2,523 | 4.1 | 1988 | 5,987 | 6.1 |
| 1955 | 2,414 | 3.8 | 1989 | 6,275 | 6.3 |
| 1956 | 2,214 | 3.5 | 1990 | 6,446 | 6.4 |
| 1957 | 2,360 | 3.7 | 1991 | 6,619 | 6.4 |
| 1958 | 2,372 | 3.6 | 1992 | 6,857 | 6.4 |
| 1959 | 2,652 | 4.0 | 1993 | 6,899 | 6.3 |
| 1960 | 2,515 | 3.8 | 1994 | 6,799 | 6.0 |
| 1961 | 2,685 | 4.0 | 1995 | 6,749 | 5.8 |
| 1962 | 2,547 | 3.7 | 1996 | 6,985 | 5.9 |
| 1963 | 2,798 | 4.0 | 1997 | 7,035 | 5.8 |
| 1964 | 2,876 | 4.1 | 1998 | 6,980 | 5.7 |
| 1965 | 2,874 | 4.2 | 1999 | 6,947 | 5.6 |
| 1966 | 3,062 | 4.4 | 2000 | 7,110 | 5.5 |
| 1967 | 3,183 | 4.6 | 2001 | 7,025 | 5.3 |
| 1968 | 3,278 | 4.7 | 2002 | 7,087 | 5.3 |
| 1969 | 3,506 | 5.0 | 2003 | 7,080 | 5.2 |
| 1970 | 3,612 | 5.1 | 2004 | 6,921 | 5.0 |
| 1971 | 3,664 | 5.0 | 2005 | 7,118 | 5.0 |
| 1972 | 3,847 | 5.1 | 2006 | 7,392 | 5.0 |
| 1973 | 4,341 | 5.6 | 2007 | 7,344 | 4.9 |
| 1974 | 4,808 | 6.0 | 2008 | 7,424 | 4.9 |
| 1975 | 5,203 | 6.4 | 2009 | 7,729 | 5.0 |
| 1976 | 5,699 | 6.8 | 2010 | 8,136 | 5.2 |
| 1977 | 6,013 | 7.0 | 2011 | 7,773 | 4.9 |
| 1978 | 6,356 | 7.2 | 2012 | 7,598 | 4.8 |
| 1979 | 6,449 | 7.1 | 2013 | 7,248 | 4.5 |
| 1980 | 6,596 | 7.0 | 2014 | 6,943 | 4.2 |
| 1981 | 6,770 | 7.0 | 2015 | 6,817 | 4.1 |
| 1982 | 6,238 | 6.4 | 2016 | 6,786 | 4.0 |
| 1983 | 6,228 | 6.3 | 2017 | 6,674 | 3.9 |


Note: Marriage and divorce partner's residency may have been in Idaho or out of state.

Marriage rate: Number of marriages occurring in Idaho per 1,000 population in Idaho in corresponding year.

Divorce rate: Number of divorces occurring in Idaho per 1,000 population in Idaho in corresponding year.

Source for population: 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to the present not including the census years, are based July 1, population estimates of the corresponding year.

Counties Comprising Idaho Public Health Districts



| District 1 | District 2 | District 3 | District 4 | District 5 | District 6 | District 7 |
|------------|------------|------------|------------|------------|------------|------------|
| Benewah | Clearwater | Adams | Ada | Blaine | Bannock | Bonneville |
| Bonner | Idaho | Canyon | Boise | Camas | Bear Lake | Clark |
| Boundary | Latah | Gem | Elmore | Cassia | Bingham | Custer |
| Kootenai | Lewis | Owyhee | Valley | Gooding | Butte | Fremont |
| Shoshone | Nez Perce | Payette | | Jerome | Caribou | Jefferson |
| | | Washington | | Lincoln | Franklin | Lemhi |
| | | Adams | | Minidoka | Oneida | Madison |
| | | Canyon | | Twin Falls | Power | Teton |

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 November 2018