

**Idaho Resident Drug-Induced Deaths by Type of Drug and Year
2012-2014**

Type of Drug(s) Listed on Death Record	Total	Year		
		2012	2013	2014
Total Drug-Induced Deaths	646	191	227	228
Prescription RX listed only	272	95	86	91
Prescription RX with non-RX	40	13	13	14
Non-RX listed only	76	10	29	37
Non-specified drug(s) / Unknown	258	73	99	86
Drug not-specified, but "Prescription" or "Pain Medication" reported	145	33	64	48

**Idaho Resident Drug-Induced Deaths
Percentage of Drug Deaths by Type of Drug and Year
2012-2014**

Type of Drug(s) Listed on Death Record	Total	Year		
		2012	2013	2014
Total Drug-Induced Deaths	100.0%	100.0%	100.0%	100.0%
Prescription RX listed only	42.1%	49.7%	37.9%	39.9%
Prescription RX with non-RX	6.2%	6.8%	5.7%	6.1%
Non-RX listed only	11.8%	5.2%	12.8%	16.2%
Non-specified drug(s) / Unknown	39.9%	38.2%	43.6%	37.7%

None, one, or more drugs may be reported on the death record for drug-induced deaths. From 2012-2014, a total of 258 (39.9 percent) records did not have any drugs listed on the death record for drug-induced deaths. Of the 258 records without any specific drug listed, 145 reported "prescription" or "pain medication" on the record.

From 2012-2014, a total of 312 death records from drug-induced deaths reported specific prescription drug(s). A total of 272 reported only prescription drug(s) (42.1 percent), and 40 reported prescription drug(s) with non-prescription drug(s) (6.2 percent).

From 2012-2014, a total of 116 death records from drug-induced deaths reported specific non-prescription drug(s). A total of 76 reported only non-prescription drug(s) (11.8 percent), and 40 reported prescription drug(s) with non-prescription drug(s) (6.2 percent).

**Idaho Resident Drug-Induced Deaths by Manner of Death and Year
2012-2014**

Manner of Death	Total	Year		
		2012	2013	2014
Total Drug-Induced Deaths	646	191	227	228
Mental & behavioral disorders due to psychoactive substance use (natural)	43	8	18	17
Accidental poisoning	401	114	142	145
Intentional self poisoning (suicide)	111	27	40	44
Assault (homicide)	1	1	-	-
Undetermined intent	90	41	27	22

Source: Bureau of Vital Records and Health Statistics; Division of Public Health (Jan 2016).

Idaho Drug-Induced Deaths From Prescription Drugs
Type of Drug and Year
2012-2014

Prescription Drug and ICD-10 Code	Total	Year		
		2012	2013	2014
Number of Deaths with Prescription RX Drugs Reported	312	108	99	105
Number of Prescription RX Drugs Listed (may have one or more drugs listed per death record)	518	176	166	176
Antibiotics, Antiparasitics, Antagonists, & Nonopioid analgesic (T36.0-T39.9)	13	4	3	6
Codeine and morphine (T40.2)	152	55	52	45
Methadone (T40.3)	52	21	13	18
Other Synthetic narcotics (T40.4)	47	19	14	14
Benzodiazepines (T42.4)	66	22	21	23
Anaesthetics, antiepileptic, sedative-hypnotic (T41.0-T42.3, T42.5-T42.9)	25	11	7	7
Tricyclic antidepressant (T43.0)	32	8	8	16
Monoamine antidepressant (T43.1)	-	-	-	-
Other and unspecified antidepressants SSRI (T43.2)	45	15	17	13
Psychotropic NES (T43.3-T43.5 and T43.8-T43.9)	30	6	11	13
Other RX (T44.0-T50.8)	56	15	20	21

From 2012-2014, there were 312 Idaho resident drug-induced deaths with specific prescription drug(s) reported on the death record. Of the 312 drug-induced deaths with prescription drugs reported, there were a total of 518 specific prescription drugs listed on the death records. One or more drug(s) may be listed per record.

Source: Bureau of Vital Records and Health Statistics; Division of Public Health (Jan 2016).

Idaho Drug-Induced Deaths From Non-Prescription Drugs
Type of Drug and Year
2012-2014

Non-Prescription Drug and ICD-10 Code	Total	Year		
		2012	2013	2014
Number of Deaths with Non-Prescription Drugs Reported	116	23	42	51
Number of Non-Prescription Drugs Listed (may have one or more drugs listed per death record)	122	24	44	54
Opium (T40.0)	-	-	-	-
Heroin (T40.1)	19	1	6	12
Cocaine (T40.5)	3	2	-	1
Other and unspecified narcotics (T40.6)	20	5	7	8
Cannabis (T40.7)	8	5	3	-
Lysergide (LSD) (T40.8)	-	-	-	-
Other and unspecified psychodysleptics (hallucinogens T40.9)	-	-	-	-
Psychostimulants with abuse potential (Methamphetamine/MDMA/MDA/Ecstasy) (T43.6)	72	11	28	33

From 2012-2014, there were 116 Idaho resident drug-induced deaths with specific non-prescription drug(s) reported on the death record. Of the 116 drug-induced deaths with non-prescription drugs reported, there were a total of 122 non-prescription drugs listed on the death records. One or more drug(s) may be listed per record.

In 2003 and 2006, NCHS expanded the list of ICD-10 codes for drug-induced causes to be more comprehensive. Drug-induced ICD-10 codes include: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0- F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0, L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1- R78.5, X40-X44, X60-X64, X85, and Y10-Y14. Drug-induced deaths include deaths due to drug psychosis; drug dependence; nondependent use of drugs not including alcohol and tobacco; drug-induced pancreatitis; drug-induced fever; accidental poisoning by drugs, medicaments, and biologicals; suicide by drugs, medicaments, and biologicals; assault from poisoning by drugs and medicaments; and poisoning by drugs, medicaments, and biologicals, undetermined whether accidental or purposely inflicted. Drug-induced deaths do not include accidents, homicides, and other causes indirectly related to drug use. Also excluded are newborn deaths associated with maternal drug use. Types of drugs listed on the death certificate include prescriptions, over-the-counter drugs, and narcotics.

Source: Bureau of Vital Records and Health Statistics; Division of Public Health (Jan 2016).

**Idaho Resident Accidental Drug Deaths by Type of Drug and Year
2012-2014**

Type of Drug(s) Listed on Death Record	Total	Year		
		2012	2013	2014
Total Accidental Drug Deaths	401	114	142	145
Prescription RX listed only	163	57	48	58
Prescription RX with non-RX	36	11	13	12
Non-RX listed only	60	8	22	30
Non-specified drug(s) / Unknown	142	38	59	45
Drug not-specified, but "Prescription" or "Pain Medication" reported	104	23	51	30

**Idaho Resident Accidental Drug Deaths
Percentage of Accidental Drug Deaths by Type of Drug and Year
2012-2014**

Type of Drug(s) Listed on Death Record	Total	Year		
		2012	2013	2014
Total Accidental Drug Deaths	100.0%	100.0%	100.0%	100.0%
Prescription RX listed only	40.6%	50.0%	33.8%	40.0%
Prescription RX with non-RX	9.0%	9.6%	9.2%	8.3%
Non-RX listed only	15.0%	7.0%	15.5%	20.7%
Non-specified drug(s) / Unknown	35.4%	33.3%	41.5%	31.0%

None, one, or more drugs may be reported on the death record for accidental drug deaths. From 2012-2014, a total of 142 (35.4 percent) records did not have any drugs listed on the death record for accidental drug deaths. Of the 142 records without any specific drug listed, 104 reported "prescription" or "pain medication" on the record.

From 2012-2014, a total of 199 death records from accidental drug deaths reported specific prescription drug(s). A total of 163 reported only prescription drug(s) (40.6 percent), and 36 reported prescription drug(s) with non-prescription drug(s) (9.0 percent).

From 2012-2014, a total of 96 death records from accidental drug deaths reported specific non-prescription drug(s). A total of 60 reported only non-prescription drug(s) (15.0 percent), and 36 reported prescription drug(s) with non-prescription drug(s) (9.0 percent).

Idaho Accidental Drug Deaths From Prescription Drugs
Type of Drug and Year
2012-2014

Prescription Drug and ICD-10 Code	Total	Year		
		2012	2013	2014
Number of Deaths with Prescription RX Drugs Reported	199	68	61	70
Number of Prescription RX Drugs Listed (may have one or more drugs listed per death record)	328	103	102	123
Antibiotics, Antiparasitics, Antagonists, & Nonopioid analgesic (T36.0-T39.9)	9	3	2	4
Codeine and morphine (T40.2)	107	35	37	35
Methadone (T40.3)	43	16	11	16
Other Synthetic narcotics (T40.4)	38	14	12	12
Benzodiazepines (T42.4)	39	9	13	17
Anaesthetics, antiepileptic, sedative-hypnotic (T41.0-T42.3, T42.5-T42.9)	11	5	2	4
Tricyclic antidepressant (T43.0)	13	2	4	7
Monoamine antidepressant (T43.1)	-	-	-	-
Other and unspecified antidepressants SSRI (T43.2)	22	7	9	6
Psychotropic NES (T43.3-T43.5 and T43.8-T43.9)	17	2	6	9
Other RX (T44.0-T50.8)	29	10	6	13

From 2012-2014, there were 199 accidental drug deaths in which a prescription drug or drugs were reported on the death certificate either alone or with non-prescription drug(s). Of the 199 deaths, 328 prescriptions drugs were reported.

Source: Bureau of Vital Records and Health Statistics; Division of Public Health (Jan 2016).

Idaho Accidental Drug Deaths From Non-Prescription Drugs
Type of Drug and Year
2012-2014

Non-Prescription Drug and ICD-10 Code	Total	Year		
		2012	2013	2014
Number of Deaths with Non-Prescription Drugs Reported	96	19	35	42
Number of Non-Prescription Drugs Listed (may have one or more drugs listed per death record)	102	20	37	45
Opium (T40.0)	-	-	-	-
Heroin (T40.1)	18	1	5	12
Cocaine (T40.5)	3	2	-	1
Other and unspecified narcotics (T40.6)	15	4	6	5
Cannabis (T40.7)	8	5	3	-
Lysergide (LSD) (T40.8)	-	-	-	-
Other and unspecified psychodysleptics (hallucinogens T40.9)	-	-	-	-
Psychostimulants with abuse potential (Methamphetamine/MDMA/MDA/Ecstasy) (T43.6)	58	8	23	27

From 2012-2014, there were 96 accidental drug deaths in which a non-prescription drug or drugs were reported on the death certificate either alone or with prescription drug(s). Of the 96 deaths, 102 non-prescriptions drugs were reported.

Accidental (unintentional) poisoning deaths by drugs include accidental poisoning by and exposure to drugs, medicaments, and biological substances. These may include illegal narcotics, prescription medications, and over-the-counter medications. Drug poisoning deaths were defined as those with an underlying cause of death classified using the *International Classification of Diseases, 10th Revision (ICD-10)* codes as X40-X44 (Accidental poisoning by drugs).

Source: Bureau of Vital Records and Health Statistics; Division of Public Health (Jan 2016).