


Induced Abortion 2016



IDAHO VITAL STATISTICS

Division of Public Health

December 2017



IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

2016 Vital Statistics – Induced Abortion

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at www.healthstatistics.dhw.idaho.gov.
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics - Induced Abortion 2016*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, December 2017.

TABLE OF CONTENTS

| | Page |
|--|------|
| INDUCED ABORTION DEFINITIONS AND FORMULAS | 4 |
| VITAL REGISTRATION AND DATA COLLECTION | 4 |
| INDUCED ABORTION | 5 |
| INDUCED ABORTION OCCURRING IN IDAHO | |
| 2006-2016 Induced abortions in Idaho (<i>Idaho, districts, counties</i>) | 6 |
| 2016 Induced abortions in Idaho: place of occurrence by patient’s residence | 7 |
| 2006-2016 Induced abortions in Idaho: patient’s demographic characteristics..... | 8 |
| 2006-2016 Induced abortions in Idaho: patient’s demographic characteristics (percentage) | 9 |
| 2006-2016 Induced abortions in Idaho: length of gestation and termination procedure | 10 |
| 2016 Induced abortions in Idaho: age of patient by length of gestation | 11 |
| 2016 Induced abortions in Idaho: age of patient by previous abortions and live births..... | 11 |
| 2016 Induced abortions in Idaho: termination procedure by length of gestation | 12 |
| 2016 Induced abortions in Idaho: termination procedure by reported complications | 12 |
| 2016 Induced abortions in Idaho: age of patient by marital status | 13 |
| 2016 Induced abortions in Idaho: previous abortions and living children | 13 |
| 2016 Induced abortions in Idaho: patient educational materials provided..... | 14 |
| 2016 Induced abortions in Idaho: informed consent for teens aged under 18 | 14 |
| INDUCED ABORTION OCCURRING TO IDAHO RESIDENTS | |
| 2006-2016 Induced abortions to Idaho residents (<i>Idaho, districts, counties</i>) | 15 |
| 2006-2016 Induced abortions to Idaho residents (<i>Idaho, districts, counties</i>) (rates)..... | 16 |
| 2016 Induced abortions to Idaho residents: place of residence by place of occurrence..... | 17 |
| 2016 Induced abortions to Idaho residents: rates and age (<i>Idaho, districts, counties</i>) | 18 |
| 2016 Induced abortions to Idaho residents: ratio, race and ethnicity (<i>Idaho, districts, counties</i>).... | 19 |
| 2006-2016 Induced abortions to Idaho residents: age rate, and ratio | 20 |
| 2016 Induced abortions to Idaho residents: termination procedure by length of gestation | 21 |
| 2016 Induced abortions to Idaho residents: length of gestation (graph) | 21 |
| 2006-2016 Induced abortions to Idaho residents by state of occurrence..... | 22 |
| Counties comprising Idaho Public Health Districts | 23 |
| INDUCED ABORTION TECHNICAL NOTES | 24 |

DEFINITIONS AND FORMULAS

Residence Data Data allocated by place of residence of the registrant

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Occurrence Data Data allocated by place where event occurred, regardless of the person's place of residence

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

Induced Abortion A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

VITAL REGISTRATION AND DATA COLLECTION

Registration of Records

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Induced Abortion

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was June 29, 2017 for 2016 records.

INDUCED ABORTION

U.S.

In 2014, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 652,639 legal abortions were reported to the CDC by the 49 reporting areas in 2014. In 2014, the U.S. abortion ratio was 186 abortions per 1,000 live births in the reporting area. The number of abortions in 2014 decreased 11,796 (-1.8 percent) from 2013, for which 664,435 abortions were reported from the same 49 reporting areas¹.

| | INDUCED ABORTIONS | RATIO PER 1,000 LIVE BIRTHS | RATE PER 1,000 FEMALES AGED 15-44 |
|-------------------------|-------------------|-----------------------------|-----------------------------------|
| U.S 2014 ¹ | 652,639 | 186 | 12.1 |
| Idaho 2016 (Occurrence) | 1,289 | 58.1 | NA |
| Idaho 2016 (Residence) | 1,749 | 77.9 | 5.4 |


Abortion in Idaho

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2016 was 1,289 a 1.3 percent increase from the 1,272 reported in 2015. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,289 procedures performed in Idaho, 1,244 (95.5 percent) were to residents of Idaho and 45 (3.5 percent) were to non-residents.

Idaho Resident Abortion

Abortions to Idaho residents increased 3.7 percent from 1,686 in 2015 to 1,749 in 2016. Abortions to Idaho residents may occur in Idaho or out of state. In 2016, 1,244 abortions to Idaho residents occurred in Idaho, and 505 were performed out of state. Of the 505 abortions obtained by Idaho residents out of state, 331 occurred in Washington, 129 in Utah, 13 in Montana, and 32 in Oregon.

IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 2005-2016



1. "Abortion Surveillance – United States, 2014", Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol 66/No. SS 24, November 24, 2017.

INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
2006-2016

| OCCURRENCE | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL IN IDAHO | 1,249 | 1,442 | 1,481 | 1,650 | 1,510 | 1,440 | 1,458 | 1,375 | 1,353 | 1,272 | 1,289 |
| District 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| District 2 | - | - | - | - | - | - | - | - | - | - | - |
| District 3 | - | - | - | - | - | - | - | - | - | - | - |
| District 4 | 1,218 | 1,441 | 1,473 | 1,572 | 1,370 | 1,240 | 1,200 | 1,106 | 1,090 | 1,068 | 1,047 |
| District 5 | - | - | 8 | 76 | 140 | 199 | 258 | 267 | 263 | 203 | 242 |
| District 6 | 31 | 1 | - | - | - | - | - | - | - | - | - |
| District 7 | - | - | - | 2 | - | 1 | - | 1 | - | 1 | - |
| Ada | 1,218 | 1,441 | 1,473 | 1,572 | 1,370 | 1,240 | 1,200 | 1,106 | 1,089 | 1,068 | 1,047 |
| Adams | - | - | - | - | - | - | - | - | - | - | - |
| Bannock | 31 | 1 | - | - | - | - | - | - | - | - | - |
| Bear Lake | - | - | - | - | - | - | - | - | - | - | - |
| Benewah | - | - | - | - | - | - | - | - | - | - | - |
| Bingham | - | - | - | - | - | - | - | - | - | - | - |
| Blaine | - | - | - | - | - | - | - | - | - | - | - |
| Boise | - | - | - | - | - | - | - | - | - | - | - |
| Bonner | - | - | - | - | - | - | - | - | - | - | - |
| Bonneville | - | - | - | - | - | - | - | - | - | - | - |
| Boundary | - | - | - | - | - | - | - | - | - | - | - |
| Butte | - | - | - | - | - | - | - | - | - | - | - |
| Camas | - | - | - | - | - | - | - | - | - | - | - |
| Canyon | - | - | - | - | - | - | - | - | - | - | - |
| Caribou | - | - | - | - | - | - | - | - | - | - | - |
| Cassia | - | - | - | - | - | - | - | - | - | - | - |
| Clark | - | - | - | - | - | - | - | - | - | - | - |
| Clearwater | - | - | - | - | - | - | - | - | - | - | - |
| Custer | - | - | - | - | - | - | - | - | - | - | - |
| Elmore | - | - | - | - | - | - | - | - | - | - | - |
| Franklin | - | - | - | - | - | - | - | - | - | - | - |
| Fremont | - | - | - | - | - | - | - | - | - | - | - |
| Gem | - | - | - | - | - | - | - | - | - | - | - |
| Gooding | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | - | - | - | - | - | - | - | - | - | - | - |
| Jefferson | - | - | - | - | - | - | - | - | - | - | - |
| Jerome | - | - | - | - | - | - | - | - | - | - | - |
| Kootenai | - | - | - | - | - | - | - | 1 | - | - | - |
| Latah | - | - | - | - | - | - | - | - | - | - | - |
| Lemhi | - | - | - | - | - | - | - | - | - | - | - |
| Lewis | - | - | - | - | - | - | - | - | - | - | - |
| Lincoln | - | - | - | - | - | - | - | - | - | - | - |
| Madison | - | - | - | 2 | - | 1 | - | 1 | - | 1 | - |
| Minidoka | - | - | - | - | - | - | - | - | - | - | - |
| Nez Perce | - | - | - | - | - | - | - | - | - | - | - |
| Oneida | - | - | - | - | - | - | - | - | - | - | - |
| Owyhee | - | - | - | - | - | - | - | - | - | - | - |
| Payette | - | - | - | - | - | - | - | - | - | - | - |
| Power | - | - | - | - | - | - | - | - | - | - | - |
| Shoshone | - | - | - | - | - | - | - | - | - | - | - |
| Teton | - | - | - | - | - | - | - | - | - | - | - |
| Twin Falls | - | - | 8 | 76 | 140 | 199 | 258 | 267 | 263 | 203 | 242 |
| Valley | - | - | - | - | - | - | - | - | 1 | - | - |
| Washington | - | - | - | - | - | - | - | - | - | - | - |

INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence by Place of Residence
2016

| OCCURRENCE | ABORTIONS OCCURRING IN IDAHO | | |
|------------|---|-------------------|------------------------------------|
| | Abortion in Idaho, District and County of Occurrence, Total | Resident of Idaho | Resident of Other State or Unknown |
| IDAHO | 1,289 | 1,244 | 45 |
| District 1 | - | - | - |
| District 2 | - | - | - |
| District 3 | - | - | - |
| District 4 | 1,047 | 1,018 | 29 |
| District 5 | 242 | 226 | 16 |
| District 6 | - | - | - |
| District 7 | - | - | - |
| Ada | 1,047 | 1,018 | 29 |
| Adams | - | - | - |
| Bannock | - | - | - |
| Bear Lake | - | - | - |
| Benewah | - | - | - |
| Bingham | - | - | - |
| Blaine | - | - | - |
| Boise | - | - | - |
| Bonner | - | - | - |
| Bonneville | - | - | - |
| Boundary | - | - | - |
| Butte | - | - | - |
| Camas | - | - | - |
| Canyon | - | - | - |
| Caribou | - | - | - |
| Cassia | - | - | - |
| Clark | - | - | - |
| Clearwater | - | - | - |
| Custer | - | - | - |
| Elmore | - | - | - |
| Franklin | - | - | - |
| Fremont | - | - | - |
| Gem | - | - | - |
| Gooding | - | - | - |
| Idaho | - | - | - |
| Jefferson | - | - | - |
| Jerome | - | - | - |
| Kootenai | - | - | - |
| Latah | - | - | - |
| Lemhi | - | - | - |
| Lewis | - | - | - |
| Lincoln | - | - | - |
| Madison | - | - | - |
| Minidoka | - | - | - |
| Nez Perce | - | - | - |
| Oneida | - | - | - |
| Owyhee | - | - | - |
| Payette | - | - | - |
| Power | - | - | - |
| Shoshone | - | - | - |
| Teton | - | - | - |
| Twin Falls | 242 | 226 | 16 |
| Valley | - | - | - |
| Washington | - | - | - |

INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
2006-2016

| DEMOGRAPHIC CHARACTERISTICS | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL IN IDAHO | 1,249 | 1,442 | 1,481 | 1,650 | 1,510 | 1,440 | 1,458 | 1,375 | 1,353 | 1,272 | 1,289 |
| Age: | | | | | | | | | | | |
| 10-14 | 8 | 5 | 3 | 6 | 6 | 6 | 3 | 3 | 7 | 2 | 3 |
| 15-19 | 257 | 290 | 274 | 283 | 246 | 207 | 235 | 173 | 175 | 165 | 164 |
| 15-17 | 113 | 99 | 80 | 85 | 75 | 54 | 68 | 45 | 39 | 48 | 40 |
| 18-19 | 144 | 191 | 194 | 198 | 171 | 153 | 167 | 128 | 136 | 117 | 124 |
| 20-24 | 398 | 475 | 511 | 562 | 509 | 475 | 484 | 492 | 462 | 433 | 436 |
| 25-29 | 268 | 318 | 317 | 353 | 335 | 329 | 353 | 340 | 339 | 274 | 328 |
| 30-34 | 162 | 178 | 211 | 229 | 251 | 252 | 212 | 177 | 201 | 202 | 211 |
| 35-39 | 112 | 122 | 118 | 143 | 121 | 115 | 106 | 135 | 124 | 144 | 102 |
| 40-44 | 42 | 51 | 42 | 72 | 40 | 53 | 59 | 50 | 42 | 45 | 41 |
| 45+ | 1 | 3 | 5 | 2 | 2 | 2 | 5 | 5 | 3 | 7 | 3 |
| Not stated | 1 | - | - | - | - | 1 | 1 | - | - | - | 1 |
| Idaho residence status: | | | | | | | | | | | |
| Resident | 1,215 | 1,390 | 1,439 | 1,583 | 1,435 | 1,372 | 1,379 | 1,321 | 1,283 | 1,213 | 1,244 |
| Non-resident | 34 | 52 | 42 | 67 | 75 | 68 | 79 | 54 | 70 | 59 | 45 |
| Marital status: | | | | | | | | | | | |
| Married | 256 | 309 | 269 | 318 | 227 | 226 | 197 | 225 | 223 | 231 | 228 |
| Not married | 993 | 1,132 | 1,210 | 1,331 | 1,283 | 1,209 | 1,257 | 1,143 | 1,103 | 997 | 965 |
| Not stated | - | 1 | 2 | 1 | - | 5 | 4 | 7 | 27 | 44 | 96 |
| Previous induced abortions: | | | | | | | | | | | |
| None | 976 | 1,104 | 1,078 | 1,174 | 1,055 | 1,007 | 1,049 | 1,014 | 937 | 932 | 933 |
| 1 | 199 | 272 | 311 | 347 | 331 | 317 | 251 | 251 | 292 | 252 | 252 |
| 2 | 48 | 47 | 64 | 89 | 85 | 75 | 69 | 64 | 87 | 59 | 79 |
| 3+ | 19 | 17 | 28 | 38 | 39 | 32 | 28 | 28 | 36 | 26 | 23 |
| Not stated | 7 | 2 | - | 2 | - | 9 | 61 | 18 | 1 | 3 | 2 |
| Race | | | | | | | | | | | |
| White | 1,133 | 1,288 | 1,358 | 1,500 | 1,315 | 1,244 | 1,260 | 1,178 | 1,150 | 1,041 | 1,054 |
| Black | 14 | 23 | 14 | 22 | 22 | 16 | 23 | 20 | 22 | 28 | 26 |
| American Indian | 25 | 17 | 18 | 20 | 24 | 9 | 12 | 22 | 15 | 11 | 24 |
| Asian/Pacific Islander | 38 | 41 | 48 | 50 | 45 | 42 | 45 | 38 | 41 | 27 | 44 |
| Other | 3 | 11 | 34 | 39 | 32 | 39 | 60 | 78 | 51 | 57 | 76 |
| Race not stated | 36 | 62 | 9 | 19 | 72 | 90 | 58 | 39 | 74 | 108 | 65 |
| Ethnicity* | | | | | | | | | | | |
| Hispanic | 136 | 140 | 151 | 231 | 246 | 195 | 222 | 202 | 209 | 184 | 245 |
| Non-Hispanic | 1,104 | 1,281 | 1,319 | 1,406 | 1,242 | 1,230 | 1,218 | 1,135 | 1,107 | 984 | 989 |
| Ethnicity not stated | 9 | 21 | 11 | 13 | 22 | 15 | 18 | 38 | 37 | 104 | 55 |

*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
2006-2016

| DEMOGRAPHIC CHARACTERISTICS | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL IN IDAHO | 1,249 | 1,442 | 1,481 | 1,650 | 1,510 | 1,440 | 1,458 | 1,375 | 1,353 | 1,272 | 1,289 |
| Age: | | | | | | | | | | | |
| 10-14 | 0.6% | 0.3% | 0.2% | 0.4% | 0.4% | 0.4% | 0.2% | 0.2% | 0.5% | 0.2% | 0.2% |
| 15-19 | 20.6 | 20.1 | 18.5 | 17.2 | 16.3 | 14.4 | 16.1 | 12.6 | 12.9 | 13.0 | 12.7 |
| 15-17 | 9.1 | 6.9 | 5.4 | 5.2 | 5.0 | 3.8 | 4.7 | 3.3 | 2.9 | 3.8 | 3.1 |
| 18-19 | 11.5 | 13.2 | 13.1 | 12.0 | 11.3 | 10.6 | 11.5 | 9.3 | 10.1 | 9.2 | 9.6 |
| 20-24 | 31.9 | 32.9 | 34.5 | 34.1 | 33.7 | 33.0 | 33.2 | 35.8 | 34.1 | 34.0 | 33.9 |
| 25-29 | 21.5 | 22.1 | 21.4 | 21.4 | 22.2 | 22.9 | 24.2 | 24.7 | 25.1 | 21.5 | 25.5 |
| 30-34 | 13.0 | 12.3 | 14.2 | 13.9 | 16.6 | 17.5 | 14.6 | 12.9 | 14.9 | 15.9 | 16.4 |
| 35-39 | 9.0 | 8.5 | 8.0 | 8.7 | 8.0 | 8.0 | 7.3 | 9.8 | 9.2 | 11.3 | 7.9 |
| 40-44 | 3.4 | 3.5 | 2.8 | 4.4 | 2.6 | 3.7 | 4.0 | 3.6 | 3.1 | 3.5 | 3.2 |
| 45+ | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.3 | 0.4 | 0.2 | 0.6 | 0.2 |
| Not stated | NA |
| Idaho residence status: | | | | | | | | | | | |
| Resident | 97.3% | 96.4% | 97.2% | 95.9% | 95.0% | 95.3% | 94.6% | 96.1% | 94.8% | 95.4% | 96.5% |
| Non-resident | 2.7 | 3.6 | 2.8 | 4.1 | 5.0 | 4.7 | 5.4 | 3.9 | 5.2 | 4.6 | 3.5 |
| Marital status: | | | | | | | | | | | |
| Married | 20.5% | 21.4% | 18.2% | 19.3% | 15.0% | 15.7% | 13.5% | 16.4% | 16.8% | 18.8% | 19.1% |
| Not married | 79.5 | 78.6 | 81.8 | 80.7 | 85.0 | 84.3 | 86.5 | 83.6 | 83.2 | 81.2 | 80.9 |
| Not stated | NA |
| Previous induced abortions: | | | | | | | | | | | |
| None | 78.6% | 76.7% | 72.8% | 71.2% | 69.9% | 70.4% | 75.1% | 74.7% | 69.3% | 73.4% | 72.5% |
| 1 | 16.0 | 18.9 | 21.0 | 21.1 | 21.9 | 22.2 | 18.0 | 18.5 | 21.6 | 19.9 | 19.6 |
| 2 | 3.9 | 3.3 | 4.3 | 5.4 | 5.6 | 5.2 | 4.9 | 4.7 | 6.4 | 4.6 | 6.1 |
| 3+ | 1.5 | 1.2 | 1.9 | 2.3 | 2.6 | 2.2 | 2.0 | 2.1 | 2.7 | 2.0 | 1.8 |
| Not stated | NA |
| Race | | | | | | | | | | | |
| White | 93.4% | 93.3% | 92.3% | 92.0% | 91.4% | 92.1% | 90.0% | 88.2% | 89.9% | 89.4% | 86.1% |
| Black | 1.2 | 1.7 | 1.0 | 1.3 | 1.5 | 1.2 | 1.6 | 1.5 | 1.7 | 2.4 | 2.1 |
| American Indian | 2.1 | 1.2 | 1.2 | 1.2 | 1.7 | 0.7 | 0.9 | 1.6 | 1.2 | 0.9 | 2.0 |
| Asian/Pacific Islander | 3.1 | 3.0 | 3.3 | 3.1 | 3.1 | 3.1 | 3.2 | 2.8 | 3.2 | 2.3 | 3.6 |
| Other | 0.2 | 0.8 | 2.3 | 2.4 | 2.2 | 2.9 | 4.3 | 5.8 | 4.0 | 4.9 | 6.2 |
| Race not stated | NA |
| Ethnicity* | | | | | | | | | | | |
| Hispanic | 11.0% | 9.9% | 10.3% | 14.1% | 16.5% | 13.7% | 15.4% | 15.1% | 15.9% | 15.8% | 19.9% |
| Non-Hispanic | 89.0 | 90.1 | 89.7 | 85.9 | 83.5 | 86.3 | 84.6 | 84.9 | 84.1 | 84.2 | 80.1 |
| Ethnicity not stated | NA |

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals
NA - not applicable.
Percent distributions are based on records with known data.
Percentages may not sum to 100 due to rounding.

INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure
2006-2016

| PROCEDURE CHARACTERISTICS | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL IN IDAHO | 1,249 | 1,442 | 1,481 | 1,650 | 1,510 | 1,440 | 1,458 | 1,375 | 1,353 | 1,272 | 1,289 |
| Weeks of gestation | | | | | | | | | | | |
| Number ¹ | | | | | | | | | | | |
| <9 | 804 | 926 | 997 | 1,056 | 994 | 887 | 978 | 921 | 923 | 832 | 824 |
| 9-10 | 258 | 256 | 275 | 309 | 282 | 300 | 242 | 234 | 238 | 248 | 257 |
| 11-12 | 135 | 187 | 135 | 199 | 163 | 174 | 141 | 144 | 115 | 104 | 108 |
| 13-15 | 37 | 53 | 62 | 65 | 59 | 69 | 86 | 64 | 67 | 80 | 97 |
| 16-20 | 8 | 11 | 8 | 14 | 6 | 6 | 10 | 9 | 6 | 8 | 1 |
| 21-24 | 3 | 5 | 3 | 5 | 5 | 2 | 1 | 3 | 1 | - | - |
| 25+ | 2 | - | - | 1 | 1 | - | - | - | - | - | 1 |
| Not stated | 2 | 4 | 1 | 1 | - | 2 | - | - | 3 | - | 1 |
| Percent ¹ | | | | | | | | | | | |
| <9 | 64.5% | 64.4% | 67.4% | 64.0% | 65.8% | 61.7% | 67.1% | 67.0% | 68.4% | 65.4% | 64.0% |
| 9-10 | 20.7 | 17.8 | 18.6 | 18.7 | 18.7 | 20.9 | 16.6 | 17.0 | 17.6 | 19.5 | 20.0 |
| 11-12 | 10.8 | 13.0 | 9.1 | 12.1 | 10.8 | 12.1 | 9.7 | 10.5 | 8.5 | 8.2 | 8.4 |
| 13-15 | 3.0 | 3.7 | 4.2 | 3.9 | 3.9 | 4.8 | 5.9 | 4.7 | 5.0 | 6.3 | 7.5 |
| 16-20 | 0.6 | 0.8 | 0.5 | 0.8 | 0.4 | 0.4 | 0.7 | 0.7 | 0.4 | 0.6 | 0.1 |
| 21-24 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.1 | 0.1 | 0.2 | 0.1 | - | - |
| 25+ | 0.2 | - | - | 0.1 | 0.1 | - | - | - | - | - | 0.1 |
| Not stated | NA |
| Termination procedure | | | | | | | | | | | |
| Number ² | | | | | | | | | | | |
| Suction curettage | 1,035 | 1,129 | 1,043 | 1,068 | 995 | 932 | 883 | 845 | 778 | 666 | 622 |
| Sharp curettage (D&C) | 3 | 2 | 4 | 5 | 2 | 2 | 2 | 3 | 1 | - | - |
| Dilation and evacuation (D&E) | 7 | 12 | 7 | 13 | 6 | 4 | 12 | 8 | 24 | 45 | 85 |
| Intra-uterine instillation (saline or prostaglandin) | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | - | - |
| Medical (nonsurgical) | 198 | 293 | 423 | 556 | 504 | 499 | 559 | 513 | 547 | 561 | 581 |
| Hysterotomy/Hysterectomy | - | - | - | 1 | - | - | - | - | - | - | - |
| Other | 3 | 4 | 3 | 6 | 2 | 2 | - | 4 | 1 | - | 1 |
| Not stated | - | - | - | - | - | - | - | - | - | - | - |
| Percent ² | | | | | | | | | | | |
| Suction curettage | 82.9% | 78.3% | 70.4% | 64.7% | 65.9% | 64.7% | 60.6% | 61.5% | 57.5% | 52.4% | 48.3% |
| Sharp curettage (D&C) | 0.2 | 0.1 | 0.3 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | - | - |
| Dilation and evacuation (D&E) | 0.6 | 0.8 | 0.5 | 0.8 | 0.4 | 0.3 | 0.8 | 0.6 | 1.8 | 3.5 | 6.6 |
| Intra-uterine instillation (saline or prostaglandin) | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | - | - |
| Medical (nonsurgical) | 15.9 | 20.3 | 28.6 | 33.7 | 33.4 | 34.7 | 38.3 | 37.3 | 40.4 | 44.1 | 45.1 |
| Hysterotomy/Hysterectomy | - | - | - | 0.1 | - | - | - | - | - | - | - |
| Other | 0.2 | 0.3 | 0.2 | 0.4 | 0.1 | 0.1 | - | 0.3 | 0.1 | - | 0.1 |
| Not stated | NA |

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on week's of gestation differ from data based on week's Postfertilization. The Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The clinical estimated length of gestation is approximately two weeks longer than the number of week's Postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

NA: not applicable.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Length of Gestation¹
2016

| AGE OF PATIENT | TOTAL IN IDAHO | WEEKS OF GESTATION | | | | | | | |
|----------------|----------------|--------------------|------|-------|-------|-------|-------|-----|------------|
| | | <9 | 9-10 | 11-12 | 13-15 | 16-20 | 21-24 | 25+ | Not Stated |
| TOTAL | 1,289 | 824 | 257 | 108 | 97 | 1 | - | 1 | 1 |
| <15 | 3 | 2 | 1 | - | - | - | - | - | - |
| 15-19 | 164 | 89 | 40 | 18 | 17 | - | - | - | - |
| 15-17 | 40 | 19 | 8 | 7 | 6 | - | - | - | - |
| 18-19 | 124 | 70 | 32 | 11 | 11 | - | - | - | - |
| 20-24 | 436 | 265 | 94 | 32 | 44 | - | - | - | 1 |
| 25-29 | 328 | 227 | 60 | 22 | 18 | - | - | 1 | - |
| 30-34 | 211 | 147 | 33 | 20 | 11 | - | - | - | - |
| 35-39 | 102 | 64 | 22 | 11 | 5 | - | - | - | - |
| 40-44 | 41 | 27 | 7 | 4 | 2 | 1 | - | - | - |
| 45+ | 3 | 2 | - | 1 | - | - | - | - | - |
| Not stated | 1 | 1 | - | - | - | - | - | - | - |

1. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Number of Previous Induced Abortions and Live Births
2016

| AGE OF PATIENT | TOTAL IN IDAHO | NUMBER OF PREVIOUS ABORTIONS | | | | NUMBER OF PREVIOUS LIVE BIRTHS | | | |
|----------------|----------------|------------------------------|-----|-----|------------|--------------------------------|-----|-----|------------|
| | | None | 1 | 2+ | Not Stated | None | 1 | 2+ | Not Stated |
| TOTAL | 1,289 | 933 | 252 | 102 | 2 | 626 | 280 | 382 | 1 |
| <15 | 3 | 3 | - | - | - | 3 | - | - | - |
| 15-19 | 164 | 151 | 13 | - | - | 147 | 17 | - | - |
| 15-17 | 40 | 39 | 1 | - | - | 39 | 1 | - | - |
| 18-19 | 124 | 112 | 12 | - | - | 108 | 16 | - | - |
| 20-24 | 436 | 333 | 82 | 21 | - | 274 | 96 | 66 | - |
| 25-29 | 328 | 219 | 71 | 36 | 2 | 132 | 87 | 108 | 1 |
| 30-34 | 211 | 125 | 57 | 29 | - | 48 | 50 | 113 | - |
| 35-39 | 102 | 68 | 23 | 11 | - | 14 | 20 | 68 | - |
| 40-44 | 41 | 32 | 6 | 3 | - | 7 | 10 | 24 | - |
| 45+ | 3 | 2 | - | 1 | - | - | - | 3 | - |
| Not stated | 1 | - | - | 1 | - | 1 | - | - | - |

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure¹ by Length of Gestation²
2016

| TERMINATION PROCEDURE ¹ | TOTAL IN IDAHO | WEEKS OF GESTATION | | | | | | | |
|---|----------------|--------------------|------|-------|-------|-------|-------|-----|------------|
| | | <9 | 9-10 | 11-12 | 13-15 | 16-20 | 21-24 | 25+ | Not Stated |
| TOTAL IN IDAHO | 1,289 | 824 | 257 | 108 | 97 | 1 | - | 1 | 1 |
| Suction curettage | 622 | 326 | 176 | 85 | 34 | - | - | - | 1 |
| Sharp curettage | - | - | - | - | - | - | - | - | - |
| Dilation and evacuation (D&E) | 85 | - | - | 22 | 63 | - | - | - | - |
| Intra-uterine saline/ prostaglandin instillation | - | - | - | - | - | - | - | - | - |
| Hysterotomy/hysterectomy | - | - | - | - | - | - | - | - | - |
| Medical (non-surgical) | 581 | 498 | 81 | 1 | - | - | - | 1 | - |
| Other | 1 | - | - | - | - | 1 | - | - | - |
| Not stated | - | - | - | - | - | - | - | - | - |

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Reported Complications
2016

| TERMINATION PROCEDURE ¹ | TOTAL IN IDAHO | REPORTED COMPLICATIONS ² | | | | | | |
|---|----------------|-------------------------------------|------------|-----------|---------------------|---------------------|-------------------|-------|
| | | No Complications | Hemorrhage | Infection | Uterine Perforation | Cervical Laceration | Retained Products | Other |
| TOTAL IN IDAHO | 1,289 | 1,280 | - | - | 1 | - | 5 | 3 |
| Suction curettage | 622 | 619 | - | - | 1 | - | 2 | - |
| Sharp curettage | - | - | - | - | - | - | - | - |
| Dilation and evacuation (D&E) | 85 | 84 | - | - | - | - | - | 1 |
| Intra-uterine saline / prostaglandin instillation | - | - | - | - | - | - | - | - |
| Hysterotomy/hysterectomy | - | - | - | - | - | - | - | - |
| Medical (non-surgical) | 581 | 576 | - | - | - | - | 3 | 2 |
| Other | 1 | 1 | - | - | - | - | - | - |
| Not stated | - | - | - | - | - | - | - | - |

1. Primary termination procedure reported; there may be more than one procedure reported.
2. One or more complications may be reported per termination procedure; therefore, the number of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2016

| AGE OF PATIENT | TOTAL IN IDAHO | MARITAL STATUS | | |
|----------------|----------------|----------------|-------------|------------|
| | | Married | Not Married | Not Stated |
| TOTAL | 1,289 | 228 | 965 | 96 |
| <15 | 3 | - | 3 | - |
| 15-19 | 164 | 3 | 145 | 16 |
| 15-17 | 40 | 1 | 37 | 2 |
| 18-19 | 124 | 2 | 108 | 14 |
| 20-24 | 436 | 38 | 364 | 34 |
| 25-29 | 328 | 67 | 241 | 20 |
| 30-34 | 211 | 68 | 122 | 21 |
| 35-39 | 102 | 36 | 62 | 4 |
| 40-44 | 41 | 14 | 26 | 1 |
| 45+ | 3 | 2 | 1 | - |
| Not stated | 1 | - | 1 | - |

INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Induced Abortions and Living Children
Percentage of Abortions
By Number of Previous Induced Abortions or Living Children
2016

| | PREVIOUS INDUCED ABORTIONS | | LIVING CHILDREN | |
|------------|----------------------------|---------|-----------------|---------|
| | Number | Percent | Number | Percent |
| TOTAL | 1,289 | 100.0% | 1,289 | 100.0% |
| None | 933 | 72.5% | 626 | 48.6% |
| 1 | 252 | 19.6 | 280 | 21.7 |
| 2 | 79 | 6.1 | 210 | 16.3 |
| 3+ | 23 | 1.8 | 172 | 13.4 |
| Not stated | 2 | NA | 1 | NA |

Percentages are based on records with stated number of previous induced abortions or number of living children.

INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
2007-2016

| YEAR | WERE PATIENT EDUCATIONAL MATERIALS PROVIDED? | | | |
|------|--|----|---------|-------|
| | Yes | No | Unknown | Total |
| 2007 | 1,442 | - | - | 1,442 |
| 2008 | 1,481 | - | - | 1,481 |
| 2009 | 1,650 | - | - | 1,650 |
| 2010 | 1,509 | 1 | - | 1,510 |
| 2011 | 1,440 | - | - | 1,440 |
| 2012 | 1,458 | - | - | 1,458 |
| 2013 | 1,375 | - | - | 1,375 |
| 2014 | 1,351 | - | 2 | 1,353 |
| 2015 | 1,271 | 1 | - | 1,272 |
| 2016 | 1,285 | 1 | 3 | 1,289 |

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent*, Aged Under 18
2016

| | |
|---|----|
| Total Abortions Aged <18 | 43 |
| TERMINATION PERFORMED FOLLOWING: | |
| Written informed consent of a parent, guardian, or conservator and the minor | 41 |
| Written informed consent of emancipated minor for herself | - |
| Written informed consent of minor for herself pursuant to court order granting minor right to self-consent | 2 |
| Written informed consent of court pursuant to order stating abortion in best interest of minor, despite absence of parental consent | - |
| Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent | - |
| Medical emergency | - |
| Unknown | - |

* Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
2006-2016

| RESIDENCE | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TOTAL | 1,919 | 2,160 | 2,132 | 2,348 | 2,123 | 2,005 | 1,916 | 1,794 | 1,751 | 1,686 | 1,749 |
| District 1 | 371 | 364 | 365 | 346 | 333 | 268 | 264 | 229 | 242 | 252 | 226 |
| District 2 | 158 | 170 | 133 | 138 | 126 | 160 | 90 | 102 | 109 | 106 | 95 |
| District 3 | 265 | 294 | 324 | 408 | 326 | 312 | 319 | 305 | 276 | 270 | 276 |
| District 4 | 840 | 909 | 921 | 894 | 851 | 794 | 794 | 718 | 692 | 689 | 702 |
| District 5 | 142 | 200 | 196 | 273 | 226 | 222 | 230 | 218 | 254 | 188 | 211 |
| District 6 | 78 | 132 | 105 | 164 | 152 | 153 | 132 | 128 | 98 | 101 | 144 |
| District 7 | 65 | 91 | 88 | 125 | 109 | 96 | 87 | 94 | 80 | 80 | 95 |
| Ada | 775 | 840 | 862 | 837 | 786 | 735 | 729 | 668 | 649 | 640 | 656 |
| Adams | 5 | 1 | 4 | 7 | - | 2 | 3 | 4 | 2 | 5 | 3 |
| Bannock | 57 | 97 | 74 | 120 | 111 | 88 | 84 | 81 | 63 | 72 | 101 |
| Bear Lake | 3 | - | 1 | 1 | 3 | 2 | 1 | 3 | - | - | 1 |
| Benewah | 8 | 15 | 15 | 17 | 11 | 12 | 4 | 6 | 4 | 5 | 7 |
| Bingham | 10 | 23 | 18 | 30 | 25 | 46 | 33 | 31 | 22 | 15 | 22 |
| Blaine | 41 | 46 | 43 | 47 | 39 | 42 | 41 | 34 | 56 | 33 | 32 |
| Boise | 8 | 3 | 7 | 7 | 9 | 8 | 2 | 8 | 8 | 5 | 8 |
| Bonner | 59 | 64 | 59 | 35 | 55 | 38 | 40 | 33 | 29 | 32 | 40 |
| Bonneville | 38 | 62 | 59 | 88 | 75 | 65 | 60 | 68 | 59 | 58 | 67 |
| Boundary | 8 | 7 | 6 | 13 | 7 | 6 | 5 | 8 | 5 | 5 | 4 |
| Butte | - | 1 | - | 1 | - | 1 | 1 | 1 | 3 | 1 | 1 |
| Camas | 1 | - | - | 1 | - | 2 | - | 1 | - | 1 | 1 |
| Canyon | 214 | 248 | 267 | 336 | 264 | 271 | 264 | 253 | 234 | 217 | 230 |
| Caribou | - | 3 | 4 | 4 | 3 | 3 | 1 | 3 | 1 | 3 | 2 |
| Cassia | 9 | 11 | 14 | 17 | 18 | 17 | 14 | 16 | 23 | 10 | 13 |
| Clark | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Clearwater | 2 | 5 | 7 | 7 | 4 | 7 | 3 | 6 | 5 | 7 | 3 |
| Custer | 1 | 2 | 4 | 6 | 3 | 1 | 2 | 5 | 2 | 4 | 4 |
| Elmore | 31 | 46 | 34 | 37 | 43 | 39 | 45 | 31 | 25 | 35 | 30 |
| Franklin | 3 | 2 | 3 | 3 | 4 | 1 | 6 | 4 | 3 | 2 | 6 |
| Fremont | 3 | 4 | 4 | 5 | 1 | 5 | 2 | 5 | 4 | 2 | 1 |
| Gem | 15 | 11 | 18 | 14 | 13 | 9 | 13 | 12 | 9 | 15 | 13 |
| Gooding | 10 | 18 | 19 | 31 | 23 | 13 | 8 | 10 | 12 | 9 | 9 |
| Idaho | 6 | 9 | 10 | 8 | 8 | 8 | 6 | 4 | 5 | 6 | 7 |
| Jefferson | 5 | 4 | 3 | 9 | 12 | 8 | 6 | 9 | 7 | 3 | 9 |
| Jerome | 14 | 18 | 21 | 27 | 15 | 26 | 24 | 21 | 28 | 21 | 22 |
| Kootenai | 277 | 265 | 266 | 262 | 248 | 192 | 195 | 163 | 184 | 197 | 166 |
| Latah | 66 | 76 | 59 | 56 | 59 | 64 | 43 | 57 | 54 | 50 | 38 |
| Lemhi | 11 | 9 | 9 | 5 | 5 | 5 | 11 | 2 | 3 | 2 | 3 |
| Lewis | 7 | 6 | 5 | 4 | 2 | 3 | 1 | - | 2 | 4 | 5 |
| Lincoln | 4 | 5 | 3 | 2 | 6 | 4 | 8 | 2 | 4 | 4 | 6 |
| Madison | 2 | 2 | 3 | 5 | 3 | 6 | 5 | 5 | 2 | 6 | 5 |
| Minidoka | 5 | 15 | 9 | 14 | 20 | 13 | 21 | 24 | 15 | 7 | 21 |
| Nez Perce | 77 | 74 | 52 | 63 | 53 | 78 | 37 | 35 | 43 | 39 | 42 |
| Oneida | 1 | 2 | - | 1 | 1 | 2 | 2 | 1 | 1 | - | 2 |
| Owyhee | 3 | 6 | 10 | 10 | 12 | 7 | 7 | 4 | 8 | 3 | 3 |
| Payette | 22 | 24 | 18 | 28 | 31 | 18 | 26 | 22 | 20 | 24 | 18 |
| Power | 4 | 4 | 5 | 4 | 5 | 10 | 4 | 4 | 5 | 8 | 9 |
| Shoshone | 19 | 13 | 19 | 19 | 12 | 20 | 20 | 19 | 20 | 13 | 9 |
| Teton | 5 | 7 | 6 | 7 | 10 | 6 | 1 | - | 3 | 5 | 5 |
| Twin Falls | 58 | 87 | 87 | 134 | 105 | 105 | 114 | 110 | 116 | 103 | 107 |
| Valley | 26 | 20 | 18 | 13 | 13 | 12 | 18 | 11 | 10 | 9 | 8 |
| Washington | 6 | 4 | 7 | 13 | 6 | 5 | 6 | 10 | 3 | 6 | 9 |

INDUCED ABORTIONS TO IDAHO RESIDENTS
Abortion Rate by District and County of Residence
2006-2016

| RESIDENCE | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------|------|------|------|------|------|------|------|------|------|------|------|
| TOTAL | 6.4 | 7.2 | 7.1 | 7.7 | 6.9 | 6.5 | 6.2 | 5.8 | 5.6 | 5.3 | 5.4 |
| District 1 | 9.4 | 9.3 | 9.2 | 9.0 | 8.9 | 7.2 | 7.0 | 6.1 | 6.4 | 6.6 | 5.7 |
| District 2 | 8.1 | 8.5 | 6.9 | 6.7 | 6.3 | 7.9 | 4.4 | 5.0 | 5.4 | 5.2 | 4.7 |
| District 3 | 5.3 | 5.9 | 6.5 | 8.3 | 6.6 | 6.3 | 6.4 | 6.0 | 5.3 | 5.1 | 5.2 |
| District 4 | 9.9 | 10.5 | 10.6 | 9.9 | 9.6 | 8.9 | 8.7 | 7.8 | 7.4 | 7.3 | 7.3 |
| District 5 | 4.3 | 6.2 | 6.1 | 8.4 | 6.6 | 6.5 | 6.7 | 6.3 | 7.2 | 5.3 | 5.9 |
| District 6 | 2.4 | 4.0 | 3.2 | 4.9 | 4.6 | 4.6 | 4.0 | 3.9 | 3.0 | 3.1 | 4.4 |
| District 7 | 1.7 | 2.3 | 2.1 | 2.9 | 2.5 | 2.2 | 2.0 | 2.2 | 1.8 | 1.8 | 2.1 |
| Ada | 10.2 | 10.8 | 11.0 | 10.3 | 9.7 | 9.0 | 8.7 | 7.9 | 7.6 | 7.3 | 7.4 |
| Adams | 8.8 | 1.7 | 7.2 | 13.8 | - | 3.8 | 6.0 | 8.2 | 4.1 | 10.5 | 6.4 |
| Bannock | 3.4 | 5.7 | 4.4 | 6.6 | 6.4 | 4.9 | 4.7 | 4.6 | 3.6 | 4.1 | 5.8 |
| Bear Lake | 2.8 | - | 1.0 | 1.1 | 3.2 | 2.1 | 1.0 | 3.1 | - | - | 1.0 |
| Benewah | 5.0 | 9.7 | 9.8 | 12.0 | 7.7 | 8.8 | 2.9 | 4.5 | 3.0 | 3.7 | 5.3 |
| Bingham | 1.1 | 2.7 | 2.1 | 3.7 | 2.9 | 5.3 | 3.9 | 3.7 | 2.6 | 1.8 | 2.6 |
| Blaine | 10.5 | 12.3 | 11.6 | 12.2 | 10.5 | 11.5 | 11.5 | 9.6 | 15.5 | 9.3 | 8.9 |
| Boise | 5.7 | 2.2 | 5.3 | 5.9 | 9.8 | 8.6 | 2.2 | 8.9 | 8.8 | 5.1 | 8.3 |
| Bonner | 7.9 | 8.9 | 8.2 | 5.2 | 8.8 | 6.1 | 6.5 | 5.3 | 4.6 | 5.1 | 6.2 |
| Bonneville | 2.0 | 3.2 | 3.0 | 4.4 | 3.7 | 3.2 | 2.9 | 3.2 | 2.8 | 2.7 | 3.0 |
| Boundary | 4.2 | 3.7 | 3.2 | 7.6 | 4.1 | 3.6 | 3.0 | 4.8 | 2.9 | 2.8 | 2.1 |
| Butte | - | 2.3 | - | 2.6 | - | 2.4 | 2.5 | 2.6 | 7.4 | 2.5 | 2.6 |
| Camas | 4.3 | - | - | 4.6 | - | 10.8 | - | 6.0 | - | 5.9 | 6.1 |
| Canyon | 5.6 | 6.5 | 6.9 | 8.8 | 6.8 | 7.0 | 6.7 | 6.3 | 5.7 | 5.2 | 5.4 |
| Caribou | - | 2.5 | 3.4 | 3.5 | 2.7 | 2.7 | 0.9 | 2.7 | 0.9 | 2.7 | 1.8 |
| Cassia | 2.3 | 2.9 | 3.7 | 4.6 | 4.3 | 4.1 | 3.4 | 3.8 | 5.4 | 2.3 | 3.0 |
| Clark | - | 5.8 | - | - | - | - | - | - | - | - | 6.3 |
| Clearwater | 1.7 | 4.4 | 6.5 | 7.4 | 3.6 | 6.6 | 2.9 | 5.9 | 5.1 | 7.0 | 3.0 |
| Custer | 1.5 | 3.1 | 6.2 | 9.9 | 4.9 | 1.7 | 3.3 | 8.2 | 3.4 | 7.1 | 7.2 |
| Elmore | 5.8 | 8.4 | 6.3 | 5.8 | 7.7 | 7.2 | 8.4 | 5.9 | 4.8 | 6.9 | 5.9 |
| Franklin | 1.2 | 0.9 | 1.3 | 1.3 | 1.7 | 0.4 | 2.6 | 1.7 | 1.3 | 0.8 | 2.4 |
| Fremont | 1.4 | 1.8 | 1.8 | 2.3 | 0.4 | 2.2 | 0.9 | 2.2 | 1.8 | 0.9 | 0.5 |
| Gem | 4.7 | 3.6 | 6.0 | 5.2 | 4.8 | 3.4 | 5.0 | 4.6 | 3.5 | 5.8 | 4.8 |
| Gooding | 4.1 | 7.4 | 7.8 | 13.3 | 8.5 | 4.9 | 3.1 | 3.9 | 4.6 | 3.4 | 3.4 |
| Idaho | 2.5 | 3.9 | 4.4 | 4.0 | 3.7 | 3.7 | 2.8 | 1.9 | 2.4 | 2.9 | 3.3 |
| Jefferson | 1.1 | 0.9 | 0.6 | 2.0 | 2.4 | 1.6 | 1.2 | 1.8 | 1.4 | 0.6 | 1.7 |
| Jerome | 3.7 | 4.9 | 5.7 | 7.1 | 3.5 | 6.1 | 5.7 | 5.0 | 6.6 | 5.0 | 5.2 |
| Kootenai | 10.5 | 10.0 | 9.9 | 9.9 | 9.6 | 7.4 | 7.4 | 6.2 | 6.9 | 7.2 | 6.0 |
| Latah | 8.0 | 8.8 | 7.0 | 5.8 | 6.5 | 6.9 | 4.6 | 6.1 | 5.8 | 5.3 | 4.0 |
| Lemhi | 8.2 | 7.1 | 7.0 | 4.5 | 4.7 | 4.7 | 10.8 | 2.0 | 3.0 | 1.9 | 2.9 |
| Lewis | 12.0 | 11.2 | 9.1 | 7.5 | 3.9 | 5.7 | 1.9 | - | 3.9 | 7.7 | 9.4 |
| Lincoln | 4.3 | 5.8 | 3.5 | 2.4 | 6.2 | 4.2 | 8.2 | 2.0 | 4.0 | 3.9 | 5.9 |
| Madison | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 | 0.2 | 0.5 | 0.5 |
| Minidoka | 1.4 | 4.6 | 2.7 | 4.3 | 5.8 | 3.7 | 6.0 | 6.7 | 4.2 | 1.9 | 5.7 |
| Nez Perce | 10.9 | 10.2 | 7.3 | 8.4 | 7.4 | 10.9 | 5.1 | 4.8 | 5.9 | 5.4 | 5.7 |
| Oneida | 1.3 | 2.8 | - | 1.5 | 1.5 | 3.1 | 3.1 | 1.5 | 1.5 | - | 2.9 |
| Owyhee | 1.5 | 3.2 | 5.4 | 5.7 | 6.0 | 3.5 | 3.5 | 2.0 | 4.1 | 1.5 | 1.5 |
| Payette | 5.0 | 5.6 | 4.2 | 6.7 | 7.5 | 4.4 | 6.4 | 5.5 | 5.0 | 6.0 | 4.5 |
| Power | 2.5 | 2.7 | 3.4 | 2.7 | 3.6 | 7.4 | 2.9 | 3.0 | 3.8 | 6.1 | 6.8 |
| Shoshone | 8.8 | 6.3 | 9.4 | 9.8 | 6.1 | 10.2 | 10.1 | 9.6 | 10.6 | 7.0 | 4.9 |
| Teton | 3.2 | 4.2 | 3.4 | 3.5 | 4.6 | 2.9 | 0.5 | - | 1.5 | 2.4 | 2.3 |
| Twin Falls | 4.1 | 6.1 | 6.1 | 9.2 | 7.1 | 7.0 | 7.5 | 7.1 | 7.4 | 6.4 | 6.6 |
| Valley | 17.1 | 13.3 | 12.3 | 9.3 | 8.9 | 8.5 | 12.7 | 7.9 | 7.1 | 6.2 | 5.4 |
| Washington | 3.5 | 2.3 | 4.0 | 8.4 | 3.8 | 3.2 | 3.8 | 6.5 | 1.9 | 4.0 | 6.0 |

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

INDUCED ABORTIONS TO IDAHO RESIDENTS
District and County of Residence by State of Occurrence
2016

| RESIDENCE | ABORTIONS OCCURRING TO IDAHO RESIDENTS | | |
|------------|--|-----------------------------|-----------------------------------|
| | Total | Abortion Occurring in Idaho | Abortion Occurring in Other State |
| IDAHO | 1,749 | 1,244 | 505 |
| District 1 | 226 | - | 226 |
| District 2 | 95 | 2 | 93 |
| District 3 | 276 | 268 | 8 |
| District 4 | 702 | 664 | 38 |
| District 5 | 211 | 200 | 11 |
| District 6 | 144 | 62 | 82 |
| District 7 | 95 | 48 | 47 |
| Ada | 656 | 620 | 36 |
| Adams | 3 | 3 | - |
| Bannock | 101 | 46 | 55 |
| Bear Lake | 1 | - | 1 |
| Benewah | 7 | - | 7 |
| Bingham | 22 | 12 | 10 |
| Blaine | 32 | 32 | - |
| Boise | 8 | 6 | 2 |
| Bonner | 40 | - | 40 |
| Bonneville | 67 | 31 | 36 |
| Boundary | 4 | - | 4 |
| Butte | 1 | 1 | - |
| Camas | 1 | 1 | - |
| Canyon | 230 | 223 | 7 |
| Caribou | 2 | - | 2 |
| Cassia | 13 | 10 | 3 |
| Clark | 1 | 1 | - |
| Clearwater | 3 | - | 3 |
| Custer | 4 | 3 | 1 |
| Elmore | 30 | 30 | - |
| Franklin | 6 | - | 6 |
| Fremont | 1 | 1 | - |
| Gem | 13 | 13 | - |
| Gooding | 9 | 9 | - |
| Idaho | 7 | - | 7 |
| Jefferson | 9 | 6 | 3 |
| Jerome | 22 | 22 | - |
| Kootenai | 166 | - | 166 |
| Latah | 38 | 1 | 37 |
| Lemhi | 3 | - | 3 |
| Lewis | 5 | - | 5 |
| Lincoln | 6 | 6 | - |
| Madison | 5 | 5 | - |
| Minidoka | 21 | 15 | 6 |
| Nez Perce | 42 | 1 | 41 |
| Oneida | 2 | - | 2 |
| Owyhee | 3 | 3 | - |
| Payette | 18 | 18 | - |
| Power | 9 | 3 | 6 |
| Shoshone | 9 | - | 9 |
| Teton | 5 | 1 | 4 |
| Twin Falls | 107 | 105 | 2 |
| Valley | 8 | 8 | - |
| Washington | 9 | 8 | 1 |

INDUCED ABORTIONS TO IDAHO RESIDENTS
Rates by District and County of Residence
Age of Patient
2016

| RESIDENCE | TOTAL | | AGE OF PATIENT | | | | | | | | | |
|------------|--------|-------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | Number | Rate ¹ | <15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
| | | | | Total | 15-17 | 18-19 | | | | | | |
| IDAHO | 1,749* | 5.4 | 4 | 219 | 62 | 157 | 594 | 431 | 292 | 150 | 51 | 6 |
| District 1 | 226 | 5.7 | 2 | 30 | 8 | 22 | 71 | 45 | 45 | 32 | 1 | - |
| District 2 | 95* | 4.7 | - | 9 | 3 | 6 | 46 | 19 | 13 | 5 | 3 | - |
| District 3 | 276 | 5.2 | 1 | 40 | 12 | 28 | 94 | 74 | 36 | 16 | 12 | 3 |
| District 4 | 702 | 7.3 | 1 | 79 | 20 | 59 | 227 | 179 | 123 | 66 | 23 | 3 |
| District 5 | 211 | 5.9 | - | 27 | 10 | 17 | 80 | 49 | 36 | 13 | 6 | - |
| District 6 | 144 | 4.4 | - | 20 | 4 | 16 | 44 | 43 | 25 | 8 | 4 | - |
| District 7 | 95 | 2.1 | - | 14 | 5 | 9 | 32 | 22 | 14 | 10 | 2 | - |
| Ada | 656 | 7.4 | 1 | 75 | 20 | 55 | 212 | 163 | 118 | 62 | 21 | 3 |
| Adams | 3 | 6.4 | - | 1 | - | 1 | - | 2 | - | - | - | - |
| Bannock | 101 | 5.8 | - | 16 | 4 | 12 | 31 | 28 | 16 | 6 | 4 | - |
| Bear Lake | 1 | 1.0 | - | - | - | - | - | 1 | - | - | - | - |
| Benewah | 7 | 5.3 | - | 2 | - | 2 | - | 4 | - | 1 | - | - |
| Bingham | 22 | 2.6 | - | 3 | - | 3 | 8 | 10 | - | 1 | - | - |
| Blaine | 32 | 8.9 | - | 2 | - | 2 | 10 | 8 | 7 | 2 | 3 | - |
| Boise | 8 | 8.3 | - | 1 | - | 1 | 2 | 1 | 1 | 2 | 1 | - |
| Bonner | 40 | 6.2 | - | 3 | - | 3 | 8 | 10 | 13 | 6 | - | - |
| Bonneville | 67 | 3.0 | - | 9 | 5 | 4 | 22 | 18 | 8 | 7 | 2 | - |
| Boundary | 4 | 2.1 | - | - | - | - | 1 | - | 2 | 1 | - | - |
| Butte | 1 | 2.6 | - | - | - | - | - | - | - | 1 | - | - |
| Camas | 1 | 6.1 | - | - | - | - | - | - | 1 | - | - | - |
| Canyon | 230 | 5.4 | 1 | 32 | 11 | 21 | 83 | 61 | 29 | 13 | 9 | 2 |
| Caribou | 2 | 1.8 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Cassia | 13 | 3.0 | - | 2 | - | 2 | 5 | 2 | 3 | - | 1 | - |
| Clark | 1 | 6.3 | - | - | - | - | 1 | - | - | - | - | - |
| Clearwater | 3 | 3.0 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Custer | 4 | 7.2 | - | 1 | - | 1 | 1 | 1 | 1 | - | - | - |
| Elmore | 30 | 5.9 | - | 2 | - | 2 | 12 | 13 | 1 | 1 | 1 | - |
| Franklin | 6 | 2.4 | - | - | - | - | - | 1 | 5 | - | - | - |
| Fremont | 1 | 0.5 | - | - | - | - | - | 1 | - | - | - | - |
| Gem | 13 | 4.8 | - | 2 | - | 2 | 5 | 2 | 2 | 1 | - | 1 |
| Gooding | 9 | 3.4 | - | - | - | - | 6 | 3 | - | - | - | - |
| Idaho | 7 | 3.3 | - | 1 | 1 | - | 4 | - | 2 | - | - | - |
| Jefferson | 9 | 1.7 | - | - | - | - | 3 | 1 | 3 | 2 | - | - |
| Jerome | 22 | 5.2 | - | 1 | - | 1 | 9 | 7 | 3 | 2 | - | - |
| Kootenai | 166 | 6.0 | 1 | 24 | 7 | 17 | 60 | 30 | 28 | 22 | 1 | - |
| Latah | 38 | 4.0 | - | 3 | - | 3 | 19 | 10 | 2 | 2 | 2 | - |
| Lemhi | 3 | 2.9 | - | - | - | - | - | 1 | 1 | 1 | - | - |
| Lewis | 5 | 9.4 | - | - | - | - | 1 | 1 | 3 | - | - | - |
| Lincoln | 6 | 5.9 | - | 1 | - | 1 | 3 | - | 2 | - | - | - |
| Madison | 5 | 0.5 | - | 2 | - | 2 | 3 | - | - | - | - | - |
| Minidoka | 21 | 5.7 | - | 5 | 4 | 1 | 8 | 2 | 5 | 1 | - | - |
| Nez Perce | 42* | 5.7 | - | 4 | 2 | 2 | 21 | 7 | 6 | 3 | 1 | - |
| Oneida | 2 | 2.9 | - | - | - | - | 2 | - | - | - | - | - |
| Owyhee | 3 | 1.5 | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Payette | 18 | 4.5 | - | 3 | - | 3 | 5 | 4 | 4 | 1 | 1 | - |
| Power | 9 | 6.8 | - | - | - | - | 2 | 3 | 4 | - | - | - |
| Shoshone | 9 | 4.9 | 1 | 1 | 1 | - | 2 | 1 | 2 | 2 | - | - |
| Teton | 5 | 2.3 | - | 2 | - | 2 | 2 | - | 1 | - | - | - |
| Twin Falls | 107 | 6.6 | - | 16 | 6 | 10 | 39 | 27 | 15 | 8 | 2 | - |
| Valley | 8 | 5.4 | - | 1 | - | 1 | 1 | 2 | 3 | 1 | - | - |
| Washington | 9 | 6.0 | - | 2 | 1 | 1 | - | 5 | - | 1 | 1 | - |

* Total includes one record with age not stated: Nez Perce County (District 2).
1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios and Race/Ethnicity of Patient by District and County of Residence
2016

| RESIDENCE | TOTAL ABORTIONS | | RACE | | | | | | ETHNICITY ² | | |
|------------|-----------------|--------------------|-------|-------|-----------------|------------------------|------------|-----------------|------------------------|----------|----------------------|
| | Number | Ratio ¹ | White | Black | American Indian | Asian/Pacific Islander | Other Race | Race Not Stated | Non-Hispanic | Hispanic | Ethnicity Not Stated |
| IDAHO | 1,749 | 77.9 | 1,476 | 31 | 27 | 46 | 82 | 87 | 1,406 | 273 | 70 |
| District 1 | 226 | 86.9 | 214 | 3 | 1 | - | 1 | 7 | 215 | 5 | 6 |
| District 2 | 95 | 80.9 | 88 | - | 3 | - | 2 | 2 | 87 | 5 | 3 |
| District 3 | 276 | 70.6 | 226 | 3 | 6 | 6 | 25 | 10 | 207 | 65 | 4 |
| District 4 | 702 | 124.8 | 569 | 18 | 9 | 29 | 40 | 37 | 571 | 98 | 33 |
| District 5 | 211 | 74.8 | 175 | 4 | 3 | 7 | 9 | 13 | 139 | 61 | 11 |
| District 6 | 144 | 58.9 | 120 | 3 | 4 | 4 | 3 | 10 | 113 | 24 | 7 |
| District 7 | 95 | 24.5 | 84 | - | 1 | - | 2 | 8 | 74 | 15 | 6 |
| Ada | 656 | 130.6 | 532 | 16 | 7 | 28 | 38 | 35 | 536 | 91 | 29 |
| Adams | 3 | 81.1 | 3 | - | - | - | - | - | 3 | - | - |
| Bannock | 101 | 84.2 | 86 | 3 | 3 | 4 | 1 | 4 | 85 | 12 | 4 |
| Bear Lake | 1 | 11.1 | 1 | - | - | - | - | - | 1 | - | - |
| Benewah | 7 | 68.0 | 6 | - | 1 | - | - | - | 7 | - | - |
| Bingham | 22 | 33.3 | 16 | - | - | - | 2 | 4 | 12 | 7 | 3 |
| Blaine | 32 | 158.4 | 26 | - | 1 | 2 | 1 | 2 | 19 | 13 | - |
| Boise | 8 | 163.3 | 8 | - | - | - | - | - | 8 | - | - |
| Bonner | 40 | 91.5 | 39 | 1 | - | - | - | - | 40 | - | - |
| Bonneville | 67 | 35.1 | 59 | - | 1 | - | 1 | 6 | 51 | 11 | 5 |
| Boundary | 4 | 25.6 | 4 | - | - | - | - | - | 4 | - | - |
| Butte | 1 | 33.3 | 1 | - | - | - | - | - | 1 | - | - |
| Camas | 1 | 125.0 | 1 | - | - | - | - | - | 1 | - | - |
| Canyon | 230 | 73.5 | 183 | 3 | 4 | 5 | 25 | 10 | 163 | 63 | 4 |
| Caribou | 2 | 22.5 | 2 | - | - | - | - | - | 2 | - | - |
| Cassia | 13 | 33.9 | 11 | - | - | - | - | 2 | 7 | 5 | 1 |
| Clark | 1 | 142.9 | 1 | - | - | - | - | - | 1 | - | - |
| Clearwater | 3 | 41.7 | 3 | - | - | - | - | - | 3 | - | - |
| Custer | 4 | 85.1 | 4 | - | - | - | - | - | 4 | - | - |
| Elmore | 30 | 65.6 | 21 | 2 | 2 | 1 | 2 | 2 | 20 | 7 | 3 |
| Franklin | 6 | 29.7 | 5 | - | - | - | - | 1 | 4 | 2 | - |
| Fremont | 1 | 5.7 | 1 | - | - | - | - | - | 1 | - | - |
| Gem | 13 | 62.8 | 12 | - | - | 1 | - | - | 13 | - | - |
| Gooding | 9 | 39.6 | 6 | - | - | 1 | 1 | 1 | 4 | 4 | 1 |
| Idaho | 7 | 49.0 | 7 | - | - | - | - | - | 6 | 1 | - |
| Jefferson | 9 | 20.1 | 8 | - | - | - | - | 1 | 7 | 1 | 1 |
| Jerome | 22 | 54.9 | 19 | - | - | - | 2 | 1 | 11 | 11 | - |
| Kootenai | 166 | 94.5 | 156 | 2 | - | - | 1 | 7 | 156 | 4 | 6 |
| Latah | 38 | 89.6 | 34 | - | 1 | - | 2 | 1 | 33 | 3 | 2 |
| Lemhi | 3 | 37.5 | 2 | - | - | - | 1 | - | 2 | 1 | - |
| Lewis | 5 | 128.2 | 5 | - | - | - | - | - | 5 | - | - |
| Lincoln | 6 | 107.1 | 5 | - | - | - | 1 | - | 2 | 4 | - |
| Madison | 5 | 4.7 | 5 | - | - | - | - | - | 5 | - | - |
| Minidoka | 21 | 69.1 | 18 | - | - | - | 1 | 2 | 8 | 12 | 1 |
| Nez Perce | 42 | 84.5 | 39 | - | 2 | - | - | 1 | 40 | 1 | 1 |
| Oneida | 2 | 40.0 | 2 | - | - | - | - | - | 2 | - | - |
| Owyhee | 3 | 22.1 | 3 | - | - | - | - | - | 3 | - | - |
| Payette | 18 | 62.3 | 16 | - | 2 | - | - | - | 16 | 2 | - |
| Power | 9 | 73.2 | 7 | - | 1 | - | - | 1 | 6 | 3 | - |
| Shoshone | 9 | 60.8 | 9 | - | - | - | - | - | 8 | 1 | - |
| Teton | 5 | 34.7 | 4 | - | - | - | - | 1 | 3 | 2 | - |
| Twin Falls | 107 | 86.3 | 89 | 4 | 2 | 4 | 3 | 5 | 87 | 12 | 8 |
| Valley | 8 | 83.3 | 8 | - | - | - | - | - | 7 | - | 1 |
| Washington | 9 | 79.6 | 9 | - | - | - | - | - | 9 | - | - |

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.

2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
2006-2016

| AGE | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|
| TOTAL IDAHO RESIDENT | 1,919 | 2,160 | 2,132 | 2,348 | 2,123 | 2,005 | 1,916 | 1,794 | 1,751 | 1,686 | 1,749 |
| Age: | | | | | | | | | | | |
| 10-14 | 12 | 8 | 6 | 8 | 13 | 6 | 8 | 4 | 7 | 4 | 4 |
| 15-19 | 380 | 430 | 395 | 409 | 344 | 328 | 314 | 224 | 233 | 215 | 219 |
| 15-17 | 159 | 155 | 127 | 136 | 113 | 97 | 102 | 62 | 56 | 71 | 62 |
| 18-19 | 221 | 275 | 268 | 273 | 231 | 231 | 212 | 162 | 177 | 144 | 157 |
| 20-24 | 632 | 732 | 733 | 786 | 722 | 649 | 621 | 620 | 572 | 567 | 594 |
| 25-29 | 427 | 470 | 453 | 517 | 470 | 450 | 457 | 445 | 439 | 387 | 431 |
| 30-34 | 228 | 272 | 297 | 308 | 333 | 331 | 290 | 245 | 270 | 260 | 292 |
| 35-39 | 173 | 167 | 174 | 216 | 175 | 159 | 139 | 179 | 159 | 185 | 150 |
| 40-44 | 60 | 72 | 63 | 91 | 61 | 76 | 74 | 66 | 62 | 58 | 51 |
| 45+ | 2 | 6 | 7 | 9 | 4 | 3 | 7 | 7 | 7 | 9 | 6 |
| Not stated | 5 | 3 | 4 | 4 | 1 | 3 | 6 | 4 | 2 | 1 | 2 |
| Abortion rate per 1,000 females in age group | | | | | | | | | | | |
| Total ¹ | 6.4 | 7.2 | 7.1 | 7.7 | 6.9 | 6.5 | 6.2 | 5.8 | 5.6 | 5.3 | 5.4 |
| Age ² : | | | | | | | | | | | |
| 10-14 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 15-19 | 7.0 | 7.9 | 7.2 | 7.2 | 6.1 | 5.7 | 5.7 | 4.0 | 4.2 | 3.8 | 3.8 |
| 15-17 | 4.8 | 4.7 | 3.9 | 4.2 | 3.4 | 2.9 | 3.0 | 1.8 | 1.6 | 2.0 | 1.7 |
| 18-19 | 10.3 | 12.7 | 12.1 | 11.3 | 10.0 | 9.8 | 9.7 | 7.5 | 8.2 | 6.5 | 7.2 |
| 20-24 | 12.7 | 15.1 | 15.1 | 14.6 | 13.5 | 12.0 | 11.2 | 11.4 | 10.7 | 10.7 | 11.2 |
| 25-29 | 8.0 | 8.7 | 8.2 | 9.5 | 9.1 | 8.7 | 8.9 | 8.6 | 8.2 | 7.1 | 7.8 |
| 30-34 | 5.0 | 5.8 | 6.2 | 6.4 | 6.7 | 6.4 | 5.6 | 4.6 | 5.1 | 4.9 | 5.4 |
| 35-39 | 3.7 | 3.5 | 3.6 | 4.6 | 3.7 | 3.4 | 2.9 | 3.7 | 3.2 | 3.6 | 2.8 |
| 40-44 | 1.2 | 1.5 | 1.3 | 2.0 | 1.3 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 |
| 45+ | - | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 |
| Not stated | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Abortion ratio per 1,000 live births in age group | | | | | | | | | | | |
| Total ³ | 79.3 | 86.3 | 84.8 | 99.0 | 91.5 | 89.9 | 83.5 | 80.3 | 76.5 | 73.8 | 77.9 |
| Age: | | | | | | | | | | | |
| 10-14 | 666.7 | 470.6 | 333.3 | 533.3 | 1,000.0 | 400.0 | 888.9 | 363.6 | 1,000.0 | 363.6 | 571.4 |
| 15-19 | 176.9 | 190.3 | 174.6 | 201.4 | 184.5 | 207.1 | 200.4 | 157.1 | 179.0 | 167.3 | 187.3 |
| 15-17 | 266.3 | 246.8 | 195.1 | 248.2 | 223.8 | 251.9 | 260.9 | 199.4 | 180.1 | 237.5 | 222.2 |
| 18-19 | 142.5 | 168.5 | 166.4 | 184.1 | 170.0 | 192.7 | 180.3 | 145.3 | 178.6 | 146.0 | 176.4 |
| 20-24 | 84.1 | 97.0 | 100.6 | 116.1 | 114.0 | 106.2 | 99.1 | 105.9 | 93.1 | 98.9 | 106.5 |
| 25-29 | 55.7 | 59.5 | 55.6 | 68.7 | 62.1 | 63.0 | 62.5 | 61.1 | 60.8 | 52.8 | 60.1 |
| 30-34 | 50.3 | 57.2 | 59.9 | 61.9 | 65.9 | 64.9 | 54.6 | 47.2 | 49.3 | 46.5 | 51.3 |
| 35-39 | 89.4 | 80.1 | 84.6 | 109.4 | 90.3 | 82.9 | 69.4 | 84.8 | 70.3 | 77.9 | 64.5 |
| 40-44 | 172.9 | 168.6 | 166.2 | 230.4 | 151.7 | 180.1 | 167.0 | 153.1 | 139.6 | 125.8 | 104.3 |
| 45+ | 100.0 | 272.7 | 166.7 | 272.7 | 111.1 | 150.0 | 259.3 | 184.2 | 259.3 | 272.7 | 181.8 |
| Not stated | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2006-2009, and 2011-2016 are based on July 1, 2006-July 1, 2016 population estimates from the U.S. Census Bureau and NCHS, Internet release dates Aug. 2007, Sept. 2008, Sept. 2009, July 2010, July 2012, June 2013, June 2014, June 2015, June 2016, and June 2017.

Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.


3. Total abortion ratio: Number of induced abortions per 1,000 live births.

NA - not applicable.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Primary Termination Procedure by Clinical Estimated Length of Gestation*
2016

| TERMINATION PROCEDURE | TOTAL | WEEKS OF GESTATION | | | | | | | |
|---|-------|--------------------|------|-------|-------|-------|-------|-----|------------|
| | | <9 | 9-10 | 11-12 | 13-15 | 16-20 | 21-24 | 25+ | Not Stated |
| TOTAL RESIDENTS OF IDAHO | 1,749 | 1,070 | 347 | 146 | 140 | 34 | 7 | 3 | 2 |
| Suction curettage | 841 | 422 | 233 | 122 | 57 | 5 | - | - | 2 |
| Medical (nonsurgical) | 762 | 645 | 113 | 1 | - | - | 2 | 1 | - |
| Dilation and evacuation (D&E) | 144 | 2 | 1 | 23 | 83 | 28 | 5 | 2 | - |
| Intra-uterine instillation (saline / prostaglandin) | - | - | - | - | - | - | - | - | - |
| Sharp curettage (D&C) | 1 | 1 | - | - | - | - | - | - | - |
| Hysterotomy / Hysterectomy | - | - | - | - | - | - | - | - | - |
| Other | 1 | - | - | - | - | 1 | - | - | - |
| Not stated | - | - | - | - | - | - | - | - | - |

INDUCED ABORTIONS TO IDAHO RESIDENTS
Clinical Estimated Length of Gestation
2016




Percentages are based on records with known data for length of gestation.

* The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2006-2016

| STATE OF OCCURRENCE | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL IDAHO RESIDENT | 1,919 | 2,160 | 2,132 | 2,348 | 2,123 | 2,005 | 1,916 | 1,794 | 1,751 | 1,686 | 1,749 |
| Abortions in Idaho | 1,215 | 1,390 | 1,439 | 1,583 | 1,435 | 1,372 | 1,379 | 1,321 | 1,283 | 1,213 | 1,244 |
| Abortions out of state | 704 | 770 | 693 | 765 | 688 | 633 | 537 | 473 | 468 | 473 | 505 |
| Montana | 19 | 30 | 39 | 61 | 59 | 36 | 48 | 28 | 18 | 21 | 13 |
| Oregon | 59 | 33 | 27 | 35 | 31 | 30 | 18 | 21 | 14 | 12 | 32 |
| Utah | 96 | 181 | 134 | 202 | 160 | 156 | 108 | 92 | 79 | 86 | 129 |
| Washington | 528 | 525 | 490 | 466 | 438 | 410 | 362 | 332 | 356 | 354 | 331 |
| All other | 2 | 1 | 3 | 1 | - | 1 | 1 | - | 1 | - | - |

INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2006-2016



Counties Comprising Idaho Public Health Districts



| District 1 | District 2 | District 3 | District 4 | District 5 | District 6 | District 7 |
|------------|------------|------------|------------|------------|------------|------------|
| Benewah | Clearwater | Adams | Ada | Blaine | Bannock | Bonneville |
| Bonner | Idaho | Canyon | Boise | Camas | Bear Lake | Clark |
| Boundary | Latah | Gem | Elmore | Cassia | Bingham | Custer |
| Kootenai | Lewis | Owyhee | Valley | Gooding | Butte | Fremont |
| Shoshone | Nez Perce | Payette | | Jerome | Caribou | Jefferson |
| | | Washington | | Lincoln | Franklin | Lemhi |
| | | | | Minidoka | Oneida | Madison |
| | | | | Twin Falls | Power | Teton |

TECHNICAL NOTES

Induced Abortion

Termination Procedure

The primary procedure that terminated this pregnancy.

Suction Curettage

(Also known as vacuum aspiration)-In this procedure the cervical canal is dilated by the successive insertion of instruments of increasing diameter (dilators). When the cervix is sufficiently dilated, a flexible tube (cannula) is inserted into the uterine cavity, and the fetal and placental tissues are then removed using an electric vacuum pump.

Medical (Nonsurgical)

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g. methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g. prostaglandin suppositories, injectable prostaglandins, etc.) may be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intravaginally.

Dilation and Evacuation (D&E)

This procedure, used most frequently in the second trimester of pregnancy (greater than or equal to 13 weeks' gestation) involves opening the cervix (dilation) and primarily using sharp instrument techniques, but also suction and other instrumentation such as forceps for evacuation.

Intrauterine Instillation (Saline or Prostaglandin)

This procedure involves either withdrawing a portion of the amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin – a substance with hormone-like activity- into the uterine cavity through a needle inserted through the abdominal wall (known as intrauterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

Sharp Curettage (D&C)

(Also known as dilation and curettage, D&C, or surgical curettage)-This procedure involves the dilation of the cervix as in the section curettage procedure, although usually to a larger diameter. The fetal and placental tissues are then removed with a sharp curette.

Hysterotomy/Hysterectomy

Hysterotomy involves surgical entry into the uterus to remove a fetus. Hysterotomy is usually performed only if other abortion procedures fail or if other abortion procedures are not appropriate. Hysterectomy is a procedure in which the uterus is removed (with the fetus inside). It is usually performed only when a pathological condition of the uterus, such as fibroid tumors, warrants its removal or when a woman desires sterilization.

Note there may be one or more procedure used to terminate the pregnancy.

Complications of Termination

Hemorrhage

A copious discharge of blood from the blood vessels

Infection

Invasion and multiplication of microorganisms in body tissues, especially that causing local cellular injury due to competitive metabolism, toxins, intracellular replication, or antigen-antibody response

Uterine Perforation

Perforation of the uterus

Cervical Laceration

Laceration of the cervix

Retained Products

Retained products of conception

Educational Materials

Was the patient provided the education materials as specified in Idaho Code § 18-609(4)? Education materials include information on induced termination, fetal development, and services for women, infants, and children in Idaho. Go to www.abortioninfo.dhw.idaho.gov for education materials provided to patients.

Clinical Estimate of Gestation

The length of gestation as estimated by the attending physician in completed menstrual weeks. This estimate is not computed from the date last normal menses began and date of termination. Clinical estimate of gestation is used for the length of gestation.

Postfertilization Age

Age calculated from the date of fertilization of the human ovum. The termination record does not collect the date of fertilization. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The postfertilization age is calculated to be the number of completed weeks' clinical estimate of gestation minus two weeks. For example, 20 weeks postfertilization is equal to 22 weeks' clinical estimate of gestation.

Method for Determining Gestational Age

The method used by the attendant in determining the reported weeks of gestation.

Ultrasound

Weeks of gestation were determined by an ultrasound procedure

Pelvic Exam

Weeks of gestation were determined by a pelvic examination procedure

Other, Specify

Indicate what method/procedure/evidence the attendant used to determine the weeks of gestation

None

A clinical estimate of gestation was not performed.

Race

Patient's race is a write-in category for one race. If race is written as "Hispanic", "Mexican", or "Latina", the patient's race is categorized as "white". If race is written as "other", "mixed race", or "multi race" the patient's race is categorized as "other".

Ethnicity

Patient's ethnicity is reported separately from race on the induced termination record. Ethnicity is reported as a check box of yes or no for the question "Of Hispanic origin?". If checked "yes", Hispanic origin is specified as Cuban, Mexican, Puerto Rican,

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 December 2017