



November 2018



IDAHO DEPARTMENT OF HEALTH & WELFARE  
DIVISION OF PUBLIC HEALTH

# 2017 Induced Abortion Idaho Vital Statistics



## 2017 VITAL STATISTICS – INDUCED ABORTION

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at [www.healthstatistics.dhw.idaho.gov](http://www.healthstatistics.dhw.idaho.gov).
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics - Induced Abortion 2017*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, November 2018.

# TABLE OF CONTENTS

	Page
<b>INDUCED ABORTION DEFINITIONS AND FORMULAS .....</b>	4
<b>VITAL REGISTRATION AND DATA COLLECTION .....</b>	4
<b>INDUCED ABORTION .....</b>	5
<b>INDUCED ABORTION OCCURRING IN IDAHO</b>	
2007-2017 Induced abortions in Idaho ( <i>Idaho, districts, counties</i> ) .....	6
2017 Induced abortions in Idaho: place of occurrence by patient's residence .....	7
2007-2017 Induced abortions in Idaho: patient's demographic characteristics.....	8
2007-2017 Induced abortions in Idaho: patient's demographic characteristics (percentage) .....	9
2007-2017 Induced abortions in Idaho: length of gestation and termination procedure .....	10
2017 Induced abortions in Idaho: age of patient by length of gestation .....	11
2017 Induced abortions in Idaho: age of patient by previous abortions and live births.....	11
2017 Induced abortions in Idaho: termination procedure by length of gestation .....	12
2017 Induced abortions in Idaho: termination procedure by reported complications .....	12
2017 Induced abortions in Idaho: age of patient by marital status .....	13
2017 Induced abortions in Idaho: previous abortions and living children .....	13
2017 Induced abortions in Idaho: patient educational materials provided.....	14
2017 Induced abortions in Idaho: informed consent for teens aged under 18 .....	14
<b>INDUCED ABORTION OCCURRING TO IDAHO RESIDENTS</b>	
2007-2017 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) .....	15
2007-2017 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) (rates).....	16
2017 Induced abortions to Idaho residents: place of residence by place of occurrence.....	17
2017 Induced abortions to Idaho residents: rates and age ( <i>Idaho, districts, counties</i> ) .....	18
2017 Induced abortions to Idaho residents: ratio, race and ethnicity ( <i>Idaho, districts, counties</i> )....	19
2007-2017 Induced abortions to Idaho residents: age, rate, and ratio .....	20
2017 Induced abortions to Idaho residents: termination procedure by length of gestation .....	21
2017 Induced abortions to Idaho residents: length of gestation (graph) .....	21
2007-2017 Induced abortions to Idaho residents by state of occurrence.....	22
Counties comprising Idaho Public Health Districts .....	23
<b>INDUCED ABORTION TECHNICAL NOTES .....</b>	24

## DEFINITIONS AND FORMULAS

**Residence Data** Data allocated by place of residence of the registrant

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

**Occurrence Data** Data allocated by place where event occurred, regardless of the person's place of residence

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

**Induced Abortion** A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

## VITAL REGISTRATION AND DATA COLLECTION

**Registration of Records**

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

**Induced Abortion**

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was September 13, 2018 for 2017 records.

## INDUCED ABORTION


**U.S.** In 2014, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 652,639 legal abortions were reported to the CDC by the 49 reporting areas in 2014. In 2014, the U.S. abortion ratio was 186 abortions per 1,000 live births in the reporting area. The number of abortions in 2014 decreased 11,796 (-1.8 percent) from 2013, for which 664,435 abortions were reported from the same 49 reporting areas<sup>1</sup>.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S 2014 <sup>1</sup>	652,639	186	12.1
Idaho 2017 (Occurrence)	1,285	58.9	NA
Idaho 2017 (Residence)	1,730	78.1	5.3

**Abortion in Idaho** The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2017 was 1,285 slight decrease from the 1,289 reported in 2016. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,285 procedures performed in Idaho, 1,235 (96.1 percent) were to residents of Idaho and 50 (3.9 percent) were to non-residents.

**Idaho Resident Abortion** Abortions to Idaho residents decreased 1.1 percent from 1,749 in 2016 to 1,730 in 2017. Abortions to Idaho residents may occur in Idaho or out of state. In 2017, 1,235 abortions to Idaho residents occurred in Idaho, and 495 were performed out of state. Of the 495 abortions obtained by Idaho residents out of state, 378 occurred in Washington, 79 in Utah, 16 in Montana, and 21 in Oregon.

### IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 2007-2017



<sup>1</sup>“Abortion Surveillance – United States, 2014”, Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol 66/No. SS 24, November 24, 2017.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence**  
**2007-2017**

OCCURRENCE	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IN IDAHO	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285
District 1	-	-	-	-	-	-	1	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,090	1,068	1,047	1,027
District 5	-	8	76	140	199	258	267	263	203	242	258
District 6	1	-	-	-	-	-	-	-	-	-	-
District 7	-	-	2	-	1	-	1	-	1	-	-
Ada	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,089	1,068	1,047	1,024
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	1	-	-	-	-	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	1	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	2	-	1	-	1	-	1	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	8	76	140	199	258	267	263	203	242	258
Valley	-	-	-	-	-	-	-	1	-	-	3
Washington	-	-	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence by Place of Residence**  
**2017**

OCCURRENCE	ABORTIONS OCCURRING IN IDAHO		
	Abortion in Idaho, District and County of Occurrence, Total	Resident of Idaho	Resident of Other State or Unknown
IDAHO	1,285	1,235	50
District 1	-	-	-
District 2	-	-	-
District 3	-	-	-
District 4	1,027	991	36
District 5	258	244	14
District 6	-	-	-
District 7	-	-	-
Ada	1,024	988	36
Adams	-	-	-
Bannock	-	-	-
Bear Lake	-	-	-
Benewah	-	-	-
Bingham	-	-	-
Blaine	-	-	-
Boise	-	-	-
Bonner	-	-	-
Bonneville	-	-	-
Boundary	-	-	-
Butte	-	-	-
Camas	-	-	-
Canyon	-	-	-
Caribou	-	-	-
Cassia	-	-	-
Clark	-	-	-
Clearwater	-	-	-
Custer	-	-	-
Elmore	-	-	-
Franklin	-	-	-
Fremont	-	-	-
Gem	-	-	-
Gooding	-	-	-
Idaho	-	-	-
Jefferson	-	-	-
Jerome	-	-	-
Kootenai	-	-	-
Latah	-	-	-
Lemhi	-	-	-
Lewis	-	-	-
Lincoln	-	-	-
Madison	-	-	-
Minidoka	-	-	-
Nez Perce	-	-	-
Oneida	-	-	-
Owyhee	-	-	-
Payette	-	-	-
Power	-	-	-
Shoshone	-	-	-
Teton	-	-	-
Twin Falls	258	244	14
Valley	3	3	-
Washington	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics**  
**2007-2017**

DEMOGRAPHIC CHARACTERISTICS	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IN IDAHO	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285
Age:											
10-14	5	3	6	6	6	3	3	7	2	3	1
15-19	290	274	283	246	207	235	173	175	165	164	146
15-17	99	80	85	75	54	68	45	39	48	40	38
18-19	191	194	198	171	153	167	128	136	117	124	108
20-24	475	511	562	509	475	484	492	462	433	436	426
25-29	318	317	353	335	329	353	340	339	274	328	305
30-34	178	211	229	251	252	212	177	201	202	211	216
35-39	122	118	143	121	115	106	135	124	144	102	144
40-44	51	42	72	40	53	59	50	42	45	41	42
45+	3	5	2	2	2	5	5	3	7	3	5
Not stated	-	-	-	-	1	1	-	-	-	1	-
Idaho residence status:											
Resident	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283	1,213	1,244	1,235
Non-resident	52	42	67	75	68	79	54	70	59	45	50
Marital status:											
Married	309	269	318	227	226	197	225	223	231	228	227
Not married	1,132	1,210	1,331	1,283	1,209	1,257	1,143	1,103	997	965	909
Not stated	1	2	1	-	5	4	7	27	44	96	149
Previous induced abortions:											
None	1,104	1,078	1,174	1,055	1,007	1,049	1,014	937	932	933	958
1	272	311	347	331	317	251	251	292	252	252	217
2	47	64	89	85	75	69	64	87	59	79	69
3+	17	28	38	39	32	28	28	36	26	23	34
Not stated	2	-	2	-	9	61	18	1	3	2	7
Race											
White	1,288	1,358	1,500	1,315	1,244	1,260	1,178	1,150	1,041	1,054	998
Black	23	14	22	22	16	23	20	22	28	26	30
American Indian	17	18	20	24	9	12	22	15	11	24	20
Asian/Pacific Islander	41	48	50	45	42	45	38	41	27	44	42
Other	11	34	39	32	39	60	78	51	57	76	59
Race not stated	62	9	19	72	90	58	39	74	108	65	136
Ethnicity*											
Hispanic	140	151	231	246	195	222	202	209	184	245	252
Non-Hispanic	1,281	1,319	1,406	1,242	1,230	1,218	1,135	1,107	984	989	934
Ethnicity not stated	21	11	13	22	15	18	38	37	104	55	99

\*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics (Percent)**  
**2007-2017**

DEMOGRAPHIC CHARACTERISTICS	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IN IDAHO	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285
Age:											
10-14	0.3%	0.2%	0.4%	0.4%	0.4%	0.2%	0.2%	0.5%	0.2%	0.2%	0.1%
15-19	20.1	18.5	17.2	16.3	14.4	16.1	12.6	12.9	13.0	12.7	11.4
15-17	6.9	5.4	5.2	5.0	3.8	4.7	3.3	2.9	3.8	3.1	3.0
18-19	13.2	13.1	12.0	11.3	10.6	11.5	9.3	10.1	9.2	9.6	8.4
20-24	32.9	34.5	34.1	33.7	33.0	33.2	35.8	34.1	34.0	33.9	33.2
25-29	22.1	21.4	21.4	22.2	22.9	24.2	24.7	25.1	21.5	25.5	23.7
30-34	12.3	14.2	13.9	16.6	17.5	14.6	12.9	14.9	15.9	16.4	16.8
35-39	8.5	8.0	8.7	8.0	8.0	7.3	9.8	9.2	11.3	7.9	11.2
40-44	3.5	2.8	4.4	2.6	3.7	4.0	3.6	3.1	3.5	3.2	3.3
45+	0.2	0.3	0.1	0.1	0.1	0.3	0.4	0.2	0.6	0.2	0.4
Not stated	NA										
Idaho residence status:											
Resident	96.4%	97.2%	95.9%	95.0%	95.3%	94.6%	96.1%	94.8%	95.4%	96.5%	96.1%
Non-resident	3.6	2.8	4.1	5.0	4.7	5.4	3.9	5.2	4.6	3.5	3.9
Marital status:											
Married	21.4%	18.2%	19.3%	15.0%	15.7%	13.5%	16.4%	16.8%	18.8%	19.1%	20.0%
Not married	78.6	81.8	80.7	85.0	84.3	86.5	83.6	83.2	81.2	80.9	80.0
Not stated	NA										
Previous induced abortions:											
None	76.7%	72.8%	71.2%	69.9%	70.4%	75.1%	74.7%	69.3%	73.4%	72.5%	75.0%
1	18.9	21.0	21.1	21.9	22.2	18.0	18.5	21.6	19.9	19.6	17.0
2	3.3	4.3	5.4	5.6	5.2	4.9	4.7	6.4	4.6	6.1	5.4
3+	1.2	1.9	2.3	2.6	2.2	2.0	2.1	2.7	2.0	1.8	2.7
Not stated	NA										
Race											
White	93.3%	92.3%	92.0%	91.4%	92.1%	90.0%	88.2%	89.9%	89.4%	86.1%	86.9%
Black	1.7	1.0	1.3	1.5	1.2	1.6	1.5	1.7	2.4	2.1	2.6
American Indian	1.2	1.2	1.2	1.7	0.7	0.9	1.6	1.2	0.9	2.0	1.7
Asian/Pacific Islander	3.0	3.3	3.1	3.1	3.1	3.2	2.8	3.2	2.3	3.6	3.7
Other	0.8	2.3	2.4	2.2	2.9	4.3	5.8	4.0	4.9	6.2	5.1
Race not stated	NA										
Ethnicity*											
Hispanic	9.9%	10.3%	14.1%	16.5%	13.7%	15.4%	15.1%	15.9%	15.8%	19.9%	21.2%
Non-Hispanic	90.1	89.7	85.9	83.5	86.3	84.6	84.9	84.1	84.2	80.1	78.8
Ethnicity not stated	NA										

\*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.  
 NA - not applicable.  
 Percent distributions are based on records with known data.  
 Percentages may not sum to 100 due to rounding.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Weeks of Gestation and Primary Termination Procedure**  
**2007-2017**

PROCEDURE CHARACTERISTICS	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IN IDAHO	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285
Weeks of gestation											
Number <sup>1</sup>											
<9	926	997	1,056	994	887	978	921	923	832	824	823
9-10	256	275	309	282	300	242	234	238	248	257	252
11-12	187	135	199	163	174	141	144	115	104	108	112
13-15	53	62	65	59	69	86	64	67	80	97	89
16-20	11	8	14	6	6	10	9	6	8	1	4
21-24	5	3	5	5	2	1	3	1	-	-	1
25+	-	-	1	1	-	-	-	-	-	1	-
Not stated	4	1	1	-	2	-	-	3	-	1	4
Percent <sup>1</sup>											
<9	64.4%	67.4%	64.0%	65.8%	61.7%	67.1%	67.0%	68.4%	65.4%	64.0%	64.2%
9-10	17.8	18.6	18.7	18.7	20.9	16.6	17.0	17.6	19.5	20.0	19.7
11-12	13.0	9.1	12.1	10.8	12.1	9.7	10.5	8.5	8.2	8.4	8.7
13-15	3.7	4.2	3.9	3.9	4.8	5.9	4.7	5.0	6.3	7.5	6.9
16-20	0.8	0.5	0.8	0.4	0.4	0.7	0.7	0.4	0.6	0.1	0.3
21-24	0.3	0.2	0.3	0.3	0.1	0.1	0.2	0.1	-	-	0.1
25+	-	-	0.1	0.1	-	-	-	-	-	0.1	-
Not stated	NA										
Termination procedure											
Number <sup>2</sup>											
Suction curettage	1,129	1,043	1,068	995	932	883	845	778	666	622	685
Sharp curettage (D&C)	2	4	5	2	2	2	3	1	-	-	-
Dilation and evacuation (D&E)	12	7	13	6	4	12	8	24	45	85	44
Intra-uterine instillation (saline or prostaglandin)	2	1	1	1	1	2	2	2	-	-	-
Medical (nonsurgical)	293	423	556	504	499	559	513	547	561	581	556
Hysterotomy/Hysterectomy	-	-	1	-	-	-	-	-	-	-	-
Other	4	3	6	2	2	-	4	1	-	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-
Percent <sup>2</sup>											
Suction curettage	78.3%	70.4%	64.7%	65.9%	64.7%	60.6%	61.5%	57.5%	52.4%	48.3%	53.3%
Sharp curettage (D&C)	0.1	0.3	0.3	0.1	0.1	0.1	0.2	0.1	-	-	-
Dilation and evacuation (D&E)	0.8	0.5	0.8	0.4	0.3	0.8	0.6	1.8	3.5	6.6	3.4
Intra-uterine instillation (saline or prostaglandin)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-
Medical (nonsurgical)	20.3	28.6	33.7	33.4	34.7	38.3	37.3	40.4	44.1	45.1	43.3
Hysterotomy/Hysterectomy	-	-	0.1	-	-	-	-	-	-	-	-
Other	0.3	0.2	0.4	0.1	0.1	-	0.3	0.1	-	0.1	-
Not stated	NA										

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on week's of gestation differ from data based on week's Postfertilization. The Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The clinical estimated length of gestation is approximately two weeks longer than the number of week's Postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

NA: not applicable.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Length of Gestation<sup>1</sup>**  
**2017**

AGE OF PATIENT	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL	1,285	823	252	112	89	4	1	-	4
<15	1	-	-	1	-	-	-	-	-
15-19	146	73	32	24	14	-	1	-	2
15-17	38	17	6	10	5	-	-	-	-
18-19	108	56	26	14	9	-	1	-	2
20-24	426	272	75	45	32	2	-	-	-
25-29	305	204	66	17	18	-	-	-	-
30-34	216	140	45	15	15	-	-	-	1
35-39	144	103	24	7	7	2	-	-	1
40-44	42	28	8	3	3	-	-	-	-
45+	5	3	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Number of Previous Induced Abortions and Live Births**  
**2017**

AGE OF PATIENT	TOTAL IN IDAHO	NUMBER OF PREVIOUS ABORTIONS				NUMBER OF PREVIOUS LIVE BIRTHS			
		None	1	2+	Not Stated	None	1	2+	Not Stated
TOTAL	1,285	958	217	103	7	594	265	419	7
<15	1	1	-	-	-	1	-	-	-
15-19	146	141	4	-	1	133	11	1	1
15-17	38	37	1	-	-	38	-	-	-
18-19	108	104	3	-	1	95	11	1	1
20-24	426	343	60	20	3	262	104	57	3
25-29	305	211	65	27	2	119	74	110	2
30-34	216	138	49	28	1	53	34	128	1
35-39	144	93	26	25	-	21	32	91	-
40-44	42	28	11	3	-	5	7	30	-
45+	5	3	2	-	-	-	3	2	-
Not stated	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure<sup>1</sup> by Length of Gestation<sup>2</sup>**  
**2017**

TERMINATION PROCEDURE <sup>1</sup>	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,285	823	252	112	89	4	1	-	4
Suction curettage	685	347	177	104	52	3	-	-	2
Sharp curettage	-	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	44	-	-	8	35	1	-	-	-
Intra-uterine saline/ prostaglandin instillation	-	-	-	-	-	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	556	476	75	-	2	-	1	-	2
Other	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure by Reported Complications**  
**2017**

TERMINATION PROCEDURE <sup>1</sup>	TOTAL IN IDAHO	REPORTED COMPLICATIONS <sup>2</sup>						
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	1,285	1,276	1	-	-	-	6	2
Suction curettage	685	682	1	-	-	-	2	-
Sharp curettage	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	44	44	-	-	-	-	-	-
Intra-uterine saline / prostaglandin instillation	-	-	-	-	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	556	550	-	-	-	-	4	2
Other	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. One or more complications may be reported per termination procedure; therefore, the number of reported complications plus no complications may sum to more than total number of procedures.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Marital Status**  
**2017**

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,285	227	909	149
<15	1	-	1	-
15-19	146	3	129	14
15-17	38	1	34	3
18-19	108	2	95	11
20-24	426	45	330	51
25-29	305	51	219	35
30-34	216	59	130	27
35-39	144	55	71	18
40-44	42	11	27	4
45+	5	3	2	-
Not stated	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Number of Previous Induced Abortions and Living Children**  
**and Percentage of Abortions**  
**By Number of Previous Induced Abortions or Living Children**  
**2017**

	PREVIOUS INDUCED ABORTIONS		LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,285	100.0%	1,285	100.0%
None	958	75.0%	594	46.5%
1	217	17.0	265	20.7
2	69	5.4	223	17.4
3+	34	2.7	196	15.3
Not stated	7	NA	7	NA

Percentages are based on records with stated number of previous induced abortions or number of living children.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Patient Educational Materials Provided**  
**2008-2017**

YEAR	WERE PATIENT EDUCATIONAL MATERIALS PROVIDED?			
	Yes	No	Unknown	Total
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375
2014	1,351	-	2	1,353
2015	1,271	1	-	1,272
2016	1,285	1	3	1,289
2017	1,284	1	-	1,285

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Informed Consent\*, Aged Under 18**  
**2017**

Total Abortions Aged <18	39
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	38
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	1
Written informed consent of court pursuant to order stating abortion in best interest of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent	-
Medical emergency	-
Unknown	-

\* Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Number by District and County of Residence**  
**2007-2017**

RESIDENCE	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
<b>TOTAL</b>	<b>2,160</b>	<b>2,132</b>	<b>2,348</b>	<b>2,123</b>	<b>2,005</b>	<b>1,916</b>	<b>1,794</b>	<b>1,751</b>	<b>1,686</b>	<b>1,749</b>	<b>1,730</b>
District 1	364	365	346	333	268	264	229	242	252	226	241
District 2	170	133	138	126	160	90	102	109	106	95	115
District 3	294	324	408	326	312	319	305	276	270	276	284
District 4	909	921	894	851	794	794	718	692	689	702	665
District 5	200	196	273	226	222	230	218	254	188	211	216
District 6	132	105	164	152	153	132	128	98	101	144	117
District 7	91	88	125	109	96	87	94	80	80	95	92
Ada	840	862	837	786	735	729	668	649	640	656	603
Adams	1	4	7	-	2	3	4	2	5	3	3
Bannock	97	74	120	111	88	84	81	63	72	101	79
Bear Lake	-	1	1	3	2	1	3	-	-	1	2
Benewah	15	15	17	11	12	4	6	4	5	7	3
Bingham	23	18	30	25	46	33	31	22	15	22	22
Blaine	46	43	47	39	42	41	34	56	33	32	39
Boise	3	7	7	9	8	2	8	8	5	8	3
Bonner	64	59	35	55	38	40	33	29	32	40	34
Bonneville	62	59	88	75	65	60	68	59	58	67	60
Boundary	7	6	13	7	6	5	8	5	5	4	3
Butte	1	-	1	-	1	1	1	3	1	1	1
Camas	-	-	1	-	2	-	1	-	1	1	-
Canyon	248	267	336	264	271	264	253	234	217	230	232
Caribou	3	4	4	3	3	1	3	1	3	2	1
Cassia	11	14	17	18	17	14	16	23	10	13	13
Clark	1	-	-	-	-	-	-	-	-	1	1
Clearwater	5	7	7	4	7	3	6	5	7	3	4
Custer	2	4	6	3	1	2	5	2	4	4	1
Elmore	46	34	37	43	39	45	31	25	35	30	47
Franklin	2	3	3	4	1	6	4	3	2	6	6
Fremont	4	4	5	1	5	2	5	4	2	1	6
Gem	11	18	14	13	9	13	12	9	15	13	14
Gooding	18	19	31	23	13	8	10	12	9	9	15
Idaho	9	10	8	8	8	6	4	5	6	7	6
Jefferson	4	3	9	12	8	6	9	7	3	9	11
Jerome	18	21	27	15	26	24	21	28	21	22	17
Kootenai	265	266	262	248	192	195	163	184	197	166	190
Latah	76	59	56	59	64	43	57	54	50	38	52
Lemhi	9	9	5	5	5	11	2	3	2	3	6
Lewis	6	5	4	2	3	1	-	2	4	5	1
Lincoln	5	3	2	6	4	8	2	4	4	6	3
Madison	2	3	5	3	6	5	5	2	6	5	5
Minidoka	15	9	14	20	13	21	24	15	7	21	17
Nez Perce	74	52	63	53	78	37	35	43	39	42	52
Oneida	2	-	1	1	2	2	1	1	-	2	1
Owyhee	6	10	10	12	7	7	4	8	3	3	5
Payette	24	18	28	31	18	26	22	20	24	18	21
Power	4	5	4	5	10	4	4	5	8	9	5
Shoshone	13	19	19	12	20	20	19	20	13	9	11
Teton	7	6	7	10	6	1	-	3	5	5	2
Twin Falls	87	87	134	105	105	114	110	116	103	107	112
Valley	20	18	13	13	12	18	11	10	9	8	12
Washington	4	7	13	6	5	6	10	3	6	9	9

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Abortion Rate by District and County of Residence**  
**2007-2017**

RESIDENCE	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6	5.3	5.4	5.3
District 1	9.3	9.2	9.0	8.9	7.2	7.0	6.1	6.4	6.6	5.7	6.0
District 2	8.5	6.9	6.7	6.3	7.9	4.4	5.0	5.4	5.2	4.7	5.6
District 3	5.9	6.5	8.3	6.6	6.3	6.4	6.0	5.3	5.1	5.2	5.2
District 4	10.5	10.6	9.9	9.6	8.9	8.7	7.8	7.4	7.3	7.3	6.7
District 5	6.2	6.1	8.4	6.6	6.5	6.7	6.3	7.2	5.3	5.9	5.9
District 6	4.0	3.2	4.9	4.6	4.6	4.0	3.9	3.0	3.1	4.4	3.5
District 7	2.3	2.1	2.9	2.5	2.2	2.0	2.2	1.8	1.8	2.1	2.0
Ada	10.8	11.0	10.3	9.7	9.0	8.7	7.9	7.6	7.3	7.4	6.6
Adams	1.7	7.2	13.8	-	3.8	6.0	8.2	4.1	10.5	6.4	5.9
Bannock	5.7	4.4	6.6	6.4	4.9	4.7	4.6	3.6	4.1	5.8	4.5
Bear Lake	-	1.0	1.1	3.2	2.1	1.0	3.1	-	-	1.0	2.0
Benewah	9.7	9.8	12.0	7.7	8.8	2.9	4.5	3.0	3.7	5.3	2.2
Bingham	2.7	2.1	3.7	2.9	5.3	3.9	3.7	2.6	1.8	2.6	2.6
Blaine	12.3	11.6	12.2	10.5	11.5	11.5	9.6	15.5	9.3	8.9	11.0
Boise	2.2	5.3	5.9	9.8	8.6	2.2	8.9	8.8	5.1	8.3	3.1
Bonner	8.9	8.2	5.2	8.8	6.1	6.5	5.3	4.6	5.1	6.2	5.2
Bonneville	3.2	3.0	4.4	3.7	3.2	2.9	3.2	2.8	2.7	3.0	2.6
Boundary	3.7	3.2	7.6	4.1	3.6	3.0	4.8	2.9	2.8	2.1	1.6
Butte	2.3	-	2.6	-	2.4	2.5	2.6	7.4	2.5	2.6	2.7
Camas	-	-	4.6	-	10.8	-	6.0	-	5.9	6.1	-
Canyon	6.5	6.9	8.8	6.8	7.0	6.7	6.3	5.7	5.2	5.4	5.3
Caribou	2.5	3.4	3.5	2.7	2.7	0.9	2.7	0.9	2.7	1.8	0.9
Cassia	2.9	3.7	4.6	4.3	4.1	3.4	3.8	5.4	2.3	3.0	3.0
Clark	5.8	-	-	-	-	-	-	-	-	6.3	6.2
Clearwater	4.4	6.5	7.4	3.6	6.6	2.9	5.9	5.1	7.0	3.0	3.9
Custer	3.1	6.2	9.9	4.9	1.7	3.3	8.2	3.4	7.1	7.2	1.8
Elmore	8.4	6.3	5.8	7.7	7.2	8.4	5.9	4.8	6.9	5.9	9.0
Franklin	0.9	1.3	1.3	1.7	0.4	2.6	1.7	1.3	0.8	2.4	2.4
Fremont	1.8	1.8	2.3	0.4	2.2	0.9	2.2	1.8	0.9	0.5	2.6
Gem	3.6	6.0	5.2	4.8	3.4	5.0	4.6	3.5	5.8	4.8	5.1
Gooding	7.4	7.8	13.3	8.5	4.9	3.1	3.9	4.6	3.4	3.4	5.9
Idaho	3.9	4.4	4.0	3.7	3.7	2.8	1.9	2.4	2.9	3.3	2.9
Jefferson	0.9	0.6	2.0	2.4	1.6	1.2	1.8	1.4	0.6	1.7	2.0
Jerome	4.9	5.7	7.1	3.5	6.1	5.7	5.0	6.6	5.0	5.2	3.9
Kootenai	10.0	9.9	9.9	9.6	7.4	7.4	6.2	6.9	7.2	6.0	6.7
Latah	8.8	7.0	5.8	6.5	6.9	4.6	6.1	5.8	5.3	4.0	5.5
Lemhi	7.1	7.0	4.5	4.7	4.7	10.8	2.0	3.0	1.9	2.9	5.6
Lewis	11.2	9.1	7.5	3.9	5.7	1.9	-	3.9	7.7	9.4	1.9
Lincoln	5.8	3.5	2.4	6.2	4.2	8.2	2.0	4.0	3.9	5.9	2.9
Madison	0.2	0.3	0.4	0.3	0.5	0.4	0.5	0.2	0.5	0.5	0.5
Minidoka	4.6	2.7	4.3	5.8	3.7	6.0	6.7	4.2	1.9	5.7	4.6
Nez Perce	10.2	7.3	8.4	7.4	10.9	5.1	4.8	5.9	5.4	5.7	7.1
Oneida	2.8	-	1.5	1.5	3.1	3.1	1.5	1.5	-	2.9	1.4
Owyhee	3.2	5.4	5.7	6.0	3.5	3.5	2.0	4.1	1.5	1.5	2.5
Payette	5.6	4.2	6.7	7.5	4.4	6.4	5.5	5.0	6.0	4.5	5.2
Power	2.7	3.4	2.7	3.6	7.4	2.9	3.0	3.8	6.1	6.8	3.9
Shoshone	6.3	9.4	9.8	6.1	10.2	10.1	9.6	10.6	7.0	4.9	5.8
Teton	4.2	3.4	3.5	4.6	2.9	0.5	-	1.5	2.4	2.3	0.9
Twin Falls	6.1	6.1	9.2	7.1	7.0	7.5	7.1	7.4	6.4	6.6	6.7
Valley	13.3	12.3	9.3	8.9	8.5	12.7	7.9	7.1	6.2	5.4	7.9
Washington	2.3	4.0	8.4	3.8	3.2	3.8	6.5	1.9	4.0	6.0	6.0

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**District and County of Residence by State of Occurrence**  
**2017**

RESIDENCE	ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Total	Abortion Occurring in Idaho	Abortion Occurring in Other State
IDAHO	1,730	1,235	495
District 1	241	-	241
District 2	115	5	110
District 3	284	272	12
District 4	665	635	30
District 5	216	208	8
District 6	117	59	58
District 7	92	56	36
Ada	603	581	22
Adams	3	3	-
Bannock	79	45	34
Bear Lake	2	-	2
Benewah	3	-	3
Bingham	22	9	13
Blaine	39	36	3
Boise	3	2	1
Bonner	34	-	34
Bonneville	60	39	21
Boundary	3	-	3
Butte	1	1	-
Camas	-	-	-
Canyon	232	220	12
Caribou	1	-	1
Cassia	13	12	1
Clark	1	1	-
Clearwater	4	-	4
Custer	1	1	-
Elmore	47	43	4
Franklin	6	-	6
Fremont	6	5	1
Gem	14	14	-
Gooding	15	15	-
Idaho	6	1	5
Jefferson	11	7	4
Jerome	17	16	1
Kootenai	190	-	190
Latah	52	2	50
Lemhi	6	-	6
Lewis	1	-	1
Lincoln	3	3	-
Madison	5	2	3
Minidoka	17	16	1
Nez Perce	52	2	50
Oneida	1	-	1
Owyhee	5	5	-
Payette	21	21	-
Power	5	4	1
Shoshone	11	-	11
Teton	2	1	1
Twin Falls	112	110	2
Valley	12	9	3
Washington	9	9	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Rates by District and County of Residence**  
**Age of Patient**  
**2017**

RESIDENCE	TOTAL		AGE OF PATIENT									
	Number	Rate <sup>1</sup>	<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
				Total	15-17	18-19						
IDAHO	1,730*	5.3	3	211	57	154	543	426	299	190	51	6
District 1	241	6.0	2	33	8	25	69	57	46	27	7	-
District 2	115	5.6	-	15	2	13	38	33	17	10	1	1
District 3	284	5.2	-	47	15	32	94	71	41	23	7	1
District 4	665	6.7	1	65	15	50	214	168	111	78	25	3
District 5	216	5.9	-	19	6	13	72	46	39	34	5	1
District 6	117	3.5	-	20	7	13	33	26	28	9	1	-
District 7	92*	2.0	-	12	4	8	23	25	17	9	5	-
Ada	603	6.6	1	61	12	49	188	149	103	73	25	3
Adams	3	5.9	-	-	-	-	1	2	-	-	-	-
Bannock	79	4.5	-	15	5	10	20	17	18	8	1	-
Bear Lake	2	2.0	-	1	-	1	-	-	1	-	-	-
Benewah	3	2.2	-	-	-	-	1	1	1	-	-	-
Bingham	22	2.6	-	1	-	1	10	6	5	-	-	-
Blaine	39	11.0	-	1	1	-	9	6	12	8	3	-
Boise	3	3.1	-	-	-	-	2	1	-	-	-	-
Bonner	34	5.2	-	6	-	6	8	8	7	3	2	-
Bonneville	60*	2.6	-	4	1	3	12	21	12	6	4	-
Boundary	3	1.6	-	-	-	-	1	-	1	-	1	-
Butte	1	2.7	-	-	-	-	1	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	232	5.3	-	36	12	24	78	57	35	18	7	1
Caribou	1	0.9	-	-	-	-	-	-	1	-	-	-
Cassia	13	3.0	-	-	-	-	4	3	3	3	-	-
Clark	1	6.2	-	-	-	-	1	-	-	-	-	-
Clearwater	4	3.9	-	-	-	-	3	1	-	-	-	-
Custer	1	1.8	-	-	-	-	-	1	-	-	-	-
Elmore	47	9.0	-	3	2	1	22	14	5	3	-	-
Franklin	6	2.4	-	-	-	-	1	3	1	1	-	-
Fremont	6	2.6	-	2	-	2	2	1	1	-	-	-
Gem	14	5.1	-	5	1	4	5	2	-	2	-	-
Gooding	15	5.9	-	3	-	3	5	4	3	-	-	-
Idaho	6	2.9	-	1	-	1	1	-	3	1	-	-
Jefferson	11	2.0	-	3	1	2	3	1	2	2	-	-
Jerome	17	3.9	-	4	2	2	1	2	7	3	-	-
Kootenai	190	6.7	2	25	6	19	56	45	35	23	4	-
Latah	52	5.5	-	8	-	8	21	12	5	6	-	-
Lemhi	6	5.6	-	2	2	-	2	1	1	-	-	-
Lewis	1	1.9	-	-	-	-	-	1	-	-	-	-
Lincoln	3	2.9	-	-	-	-	2	-	1	-	-	-
Madison	5	0.5	-	1	-	1	2	-	1	1	-	-
Minidoka	17	4.6	-	2	1	1	7	4	1	3	-	-
Nez Perce	52	7.1	-	6	2	4	13	19	9	3	1	1
Oneida	1	1.4	-	1	1	-	-	-	-	-	-	-
Owyhee	5	2.5	-	-	-	-	1	2	1	1	-	-
Payette	21	5.2	-	4	1	3	7	5	4	1	-	-
Power	5	3.9	-	2	1	1	1	-	2	-	-	-
Shoshone	11	5.8	-	2	2	-	3	3	2	1	-	-
Teton	2	0.9	-	-	-	-	1	-	-	-	1	-
Twin Falls	112	6.7	-	9	2	7	44	27	12	17	2	1
Valley	12	7.9	-	1	1	-	2	4	3	2	-	-
Washington	9	6.0	-	2	1	1	2	3	1	1	-	-

\*There was one patient with unknown age in Bonneville County, District 7.

1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Ratios and Race/Ethnicity of Patient by District and County of Residence**  
**2017**

RESIDENCE	TOTAL ABORTIONS		RACE						ETHNICITY <sup>2</sup>		
	Number	Ratio <sup>1</sup>	White	Black	American Indian	Asian/Pacific Islander	Other Race	Race Not Stated	Non-Hispanic	Hispanic	Ethnicity Not Stated
IDAHO	1,730	78.1	1,392	31	27	55	88	137	1,351	269	110
District 1	241	92.9	231	1	1	3	5	-	230	7	4
District 2	115	97.6	92	1	2	6	11	3	104	8	3
District 3	284	73.9	235	3	6	3	12	25	189	88	7
District 4	665	121.9	549	22	5	34	29	26	566	85	14
District 5	216	77.9	134	2	4	3	12	61	107	50	59
District 6	117	49.5	84	2	8	2	10	11	94	12	11
District 7	92	23.3	67	-	1	4	9	11	61	19	12
Ada	603	124.8	501	21	5	31	22	23	517	76	10
Adams	3	96.8	3	-	-	-	-	-	3	-	-
Bannock	79	66.4	56	2	7	1	5	8	64	7	8
Bear Lake	2	24.1	2	-	-	-	-	-	2	-	-
Benewah	3	30.9	3	-	-	-	-	-	2	1	-
Bingham	22	36.5	14	-	1	1	3	3	15	4	3
Blaine	39	207.4	25	1	1	-	6	6	23	10	6
Boise	3	49.2	2	-	-	-	1	-	3	-	-
Bonner	34	80.0	33	-	-	-	1	-	34	-	-
Bonneville	60	32.1	44	-	-	2	7	7	37	15	8
Boundary	3	24.8	3	-	-	-	-	-	3	-	-
Butte	1	30.3	1	-	-	-	-	-	1	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	232	75.9	189	1	6	2	11	23	149	77	6
Caribou	1	10.5	1	-	-	-	-	-	1	-	-
Cassia	13	33.2	7	-	1	-	1	4	4	4	5
Clark	1	111.1	1	-	-	-	-	-	1	-	-
Clearwater	4	58.0	4	-	-	-	-	-	4	-	-
Custer	1	26.3	1	-	-	-	-	-	1	-	-
Elmore	47	100.0	38	1	-	3	5	-	38	8	1
Franklin	6	31.4	5	-	-	-	1	-	5	1	-
Fremont	6	34.3	4	-	-	-	-	2	3	1	2
Gem	14	71.8	13	1	-	-	-	-	12	1	1
Gooding	15	76.1	11	-	2	-	-	2	6	7	2
Idaho	6	38.0	5	-	-	-	-	1	6	-	-
Jefferson	11	22.1	9	-	-	-	1	1	9	1	1
Jerome	17	46.7	11	-	-	-	2	4	10	3	4
Kootenai	190	105.0	182	1	-	3	4	-	180	6	4
Latah	52	115.6	40	1	1	4	5	1	45	5	2
Lemhi	6	76.9	5	-	1	-	-	-	6	-	-
Lewis	1	29.4	1	-	-	-	-	-	1	-	-
Lincoln	3	38.0	1	-	-	-	-	2	2	1	-
Madison	5	4.4	2	-	-	2	1	-	4	1	-
Minidoka	17	52.3	11	-	-	-	-	6	5	7	5
Nez Perce	52	111.3	42	-	1	2	6	1	48	3	1
Oneida	1	17.9	1	-	-	-	-	-	1	-	-
Owyhee	5	35.5	5	-	-	-	-	-	3	2	-
Payette	21	66.9	18	1	-	-	1	1	17	4	-
Power	5	43.9	4	-	-	-	1	-	5	-	-
Shoshone	11	77.5	10	-	1	-	-	-	11	-	-
Teton	2	13.5	1	-	-	-	-	1	-	1	1
Twin Falls	112	92.3	68	1	-	3	3	37	57	18	37
Valley	12	129.0	8	-	-	-	1	3	8	1	3
Washington	9	84.1	7	-	-	1	-	1	5	4	-

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.

2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals.

## INDUCED ABORTIONS TO IDAHO RESIDENTS

### Age, Abortion Rate, and Abortion Ratio

#### 2007-2017

AGE	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IDAHO RESIDENT	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751	1,686	1,749	1,730
Age:											
10-14	8	6	8	13	6	8	4	7	4	4	3
15-19	430	395	409	344	328	314	224	233	215	219	211
15-17	155	127	136	113	97	102	62	56	71	62	57
18-19	275	268	273	231	231	212	162	177	144	157	154
20-24	732	733	786	722	649	621	620	572	567	594	543
25-29	470	453	517	470	450	457	445	439	387	431	426
30-34	272	297	308	333	331	290	245	270	260	292	299
35-39	167	174	216	175	159	139	179	159	185	150	190
40-44	72	63	91	61	76	74	66	62	58	51	51
45+	6	7	9	4	3	7	7	7	9	6	6
Not stated	3	4	4	1	3	6	4	2	1	2	1
Abortion rate per 1,000 females in age group											
Total <sup>1</sup>	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6	5.3	5.4	5.3
Age <sup>2</sup> :											
10-14	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
15-19	7.9	7.2	7.2	6.1	5.7	5.7	4.0	4.2	3.8	3.8	3.6
15-17	4.7	3.9	4.2	3.4	2.9	3.0	1.8	1.6	2.0	1.7	1.5
18-19	12.7	12.1	11.3	10.0	9.8	9.7	7.5	8.2	6.5	7.2	6.9
20-24	15.1	15.1	14.6	13.5	12.0	11.2	11.4	10.7	10.7	11.2	10.1
25-29	8.7	8.2	9.5	9.1	8.7	8.9	8.6	8.2	7.1	7.8	7.5
30-34	5.8	6.2	6.4	6.7	6.4	5.6	4.6	5.1	4.9	5.4	5.5
35-39	3.5	3.6	4.6	3.7	3.4	2.9	3.7	3.2	3.6	2.8	3.4
40-44	1.5	1.3	2.0	1.3	1.6	1.5	1.4	1.3	1.2	1.1	1.0
45+	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group											
Total <sup>3</sup>	86.3	84.8	99.0	91.5	89.9	83.5	80.3	76.5	73.8	77.9	78.1
Age:											
10-14	470.6	333.3	533.3	1,000.0	400.0	888.9	363.6	1,000.0	363.6	571.4	300.0
15-19	190.3	174.6	201.4	184.5	207.1	200.4	157.1	179.0	167.3	187.3	191.0
15-17	246.8	195.1	248.2	223.8	251.9	260.9	199.4	180.1	237.5	222.2	263.9
18-19	168.5	166.4	184.1	170.0	192.7	180.3	145.3	178.6	146.0	176.4	173.2
20-24	97.0	100.6	116.1	114.0	106.2	99.1	105.9	93.1	98.9	106.5	100.8
25-29	59.5	55.6	68.7	62.1	63.0	62.5	61.1	60.8	52.8	60.1	58.5
30-34	57.2	59.9	61.9	65.9	64.9	54.6	47.2	49.3	46.5	51.3	55.1
35-39	80.1	84.6	109.4	90.3	82.9	69.4	84.8	70.3	77.9	64.5	77.0
40-44	168.6	166.2	230.4	151.7	180.1	167.0	153.1	139.6	125.8	104.3	114.6
45+	272.7	166.7	272.7	111.1	150.0	259.3	184.2	259.3	272.7	181.8	157.9
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2007-2009, and 2011-2017 are based on July 1, 2007-July 1, 2017 population estimates from the U.S. Census Bureau and NCHS, Internet release dates Sept. 2008, Sept. 2009, July 2010, July 2012, June 2013, June 2014, June 2015, June 2016, June 2017, and June 2018.

Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.


3. Total abortion ratio: Number of induced abortions per 1,000 live births.

NA - not applicable.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Primary Termination Procedure by Clinical Estimated Length of Gestation\***  
**2017**

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	1,730	1,106	309	141	118	31	16	5	4
Suction curettage	837	426	208	132	64	5	-	-	2
Medical (nonsurgical)	784	678	101	-	2	-	1	-	2
Dilation and evacuation (D&E)	106	-	-	9	52	26	14	5	-
Intra-uterine instillation (saline / prostaglandin)	-	-	-	-	-	-	-	-	-
Sharp curettage (D&C)	1	1	-	-	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	-	-	1	-	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Clinical Estimated Length of Gestation**  
**2017**




Percentages are based on records with known data for length of gestation.

\* The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2007-2017**

STATE OF OCCURRENCE	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
TOTAL IDAHO RESIDENT	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751	1,686	1,749	1,730
Abortions in Idaho	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283	1,213	1,244	1,235
Abortions out of state	770	693	765	688	633	537	473	468	473	505	495
Montana	30	39	61	59	36	48	28	18	21	13	16
Oregon	33	27	35	31	30	18	21	14	12	32	21
Utah	181	134	202	160	156	108	92	79	86	129	79
Washington	525	490	466	438	410	362	332	356	354	331	378
All other	1	3	1	-	1	1	-	1	-	-	1

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2007-2017**



# Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

# TECHNICAL NOTES

## Induced Abortion

### Termination Procedure

**The primary procedure that terminated this pregnancy.**

#### **Suction Curettage**

(Also known as vacuum aspiration)-In this procedure the cervical canal is dilated by the successive insertion of instruments of increasing diameter (dilators). When the cervix is sufficiently dilated, a flexible tube (cannula) is inserted into the uterine cavity, and the fetal and placental tissues are then removed using an electric vacuum pump.

#### **Medical (Nonsurgical)**

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g. methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g. prostaglandin suppositories, injectable prostaglandins, etc.) may be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intravaginally.

#### **Dilation and Evacuation (D&E)**

This procedure, used most frequently in the second trimester of pregnancy (greater than or equal to 13 weeks' gestation) involves opening the cervix (dilation) and primarily using sharp instrument techniques, but also suction and other instrumentation such as forceps for evacuation.

#### **Intrauterine Instillation (Saline or Prostaglandin)**

This procedure involves either withdrawing a portion of the amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin – a substance with hormone-like activity- into the uterine cavity through a needle inserted through the abdominal wall (known as intrauterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

#### **Sharp Curettage (D&C)**

(Also known as dilation and curettage, D&C, or surgical curettage)-This procedure involves the dilation of the cervix as in the section curettage procedure, although usually to a larger diameter. The fetal and placental tissues are then removed with a sharp curette.

#### **Hysterotomy/Hysterectomy**

Hysterotomy involves surgical entry into the uterus to remove a fetus. Hysterotomy is usually performed only if other abortion procedures fail or if other abortion procedures are not appropriate. Hysterectomy is a procedure in which the uterus is removed (with the fetus inside). It is usually performed only when a pathological condition of the uterus, such as fibroid tumors, warrants its removal or when a woman desires sterilization.

Note there may be one or more procedure used to terminate the pregnancy.

**Complications of Termination**

**Hemorrhage**

A copious discharge of blood from the blood vessels

**Infection**

Invasion and multiplication of microorganisms in body tissues, especially that causing local cellular injury due to competitive metabolism, toxins, intracellular replication, or antigen-antibody response

**Uterine Perforation**

Perforation of the uterus

**Cervical Laceration**

Laceration of the cervix

**Retained Products**

Retained products of conception

**Educational Materials**

Was the patient provided the education materials as specified in Idaho Code § 18-609(4)? Education materials include information on induced termination, fetal development, and services for women, infants, and children in Idaho. Go to [www.abortioninfo.dhw.idaho.gov](http://www.abortioninfo.dhw.idaho.gov) for education materials provided to patients.

**Clinical Estimate of Gestation**

The length of gestation as estimated by the attending physician in completed menstrual weeks. This estimate is not computed from the date last normal menses began and date of termination. Clinical estimate of gestation is used for the length of gestation.

**Postfertilization Age**

Age calculated from the date of fertilization of the human ovum. The termination record does not collect the date of fertilization. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The postfertilization age is calculated to by the number of completed weeks' clinical estimate of gestation minus two weeks. For example, 20 weeks postfertilization is equal to 22 weeks' clinical estimate of gestation.

**Method for Determining Gestational Age**

The method used by the attendant in determining the reported weeks of gestation.

**Ultrasound**

Weeks of gestation were determined by an ultrasound procedure

**Pelvic Exam**

Weeks of gestation were determined by a pelvic examination procedure

**Other, Specify**

Indicate what method/procedure/evidence the attendant used to determine the weeks of gestation

**None**

A clinical estimate of gestation was not performed.

**Race**

Patient's race is a write-in category for one race. If race is written as "Hispanic", "Mexican", or "Latina", the patient's race is categorized as "white". If race is written as "other", "mixed race", or "multi race" the patient's race is categorized as "other".

**Ethnicity**

Patient's ethnicity is reported separately from race on the induced termination record. Ethnicity is reported as a check box of yes or no for the question "Of Hispanic origin?". If checked "yes", Hispanic origin is specified as Cuban, Mexican, Puerto Rican,

Costs associated with this publication are available from  
Idaho Department of Health and Welfare.  
HW-1206      November 2018