

2004-2014

INDUCED ABORTION DATA SUMMARY IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

**Bureau of Vital Records and Health Statistics
Division of Public Health
Idaho Department of Health and Welfare**

January 2016



**IDaho DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH**

TABLE OF CONTENTS

	<u>Page</u>
Purpose and data sources	1

Induced Abortions Occurring in Idaho

Definition, limitations, and summary	2
District and county of occurrence, 2004-2014 (Table 1)	3
Selected demographic characteristics, 2004-2014 (Table 2A)	4
Selected demographic characteristics (percent), 2004-2014 (Table 2B).....	5
Idaho residence status, 2004-2014 (Graph 1).....	6
Marital status, 2004-2014 (Graph 2).....	6
Age, 2004-2014 (Graph 3).....	7
Number of previous abortions, 2004-2014 (Graph 4).....	7
Procedure characteristics, 2004-2014 (Table 3A)	8
Procedure characteristics (percent), 2004-2014 (Table 3B)	9
Termination procedure by length of gestation, three-year total, 2012-2014 (Table 4).....	10
Length of gestation, three-year total, 2012-2014 (Graph 5).....	10
Age by length of gestation, three-year total, 2012-2014 (Table 5).....	11
Age by length of gestation, three-year total, 2012-2014 (Graph 6).....	11
Age by marital status, three-year total, 2012-2014 (Table 6).....	12
Age by marital status, three-year total, 2012-2014 (Graph 7).....	12
Age by number of previous induced abortions, three-year total, 2012-2014 (Table 7).	13
Age by number of previous induced abortions, three-year total, 2012-2014 (Graph 8).....	13
Patient educational materials provided, 1999-2014 (Table 8).....	14
Informed consent, aged <18, 2014 (Table 9)	14

Induced Abortions to Idaho Residents

Definition, limitations, and summary	15
District and county of residence, 2004-2014 (Table 10A)	16
District and county of residence, (rates) 2004-2014 (Table 10B).....	17
State of occurrence, 2004-2014 (Table 11).....	18
Occurring in Idaho and out of state, 2004-2014 (Graph 9).....	18
Age, abortion rate, and abortion ratio, 2004-2014 (Table 12)	19
Termination procedure by length of gestation, three-year total, 2012-2014 (Table 13).....	20
Length of gestation, three-year total, 2012-2014 (Graph 10)	20

Appendix

Counties comprising Idaho public health districts.....	21
--	----

INDUCED ABORTION SUMMARY REPORT

Purpose	The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho, regardless of residence, and data regarding abortions to Idaho residents, regardless of state of procedure, for the years 2004 – 2014.
Data Sources	Idaho data are from Idaho induced termination records and out-of-state abortion records for Idahoans who have a procedure out of state. Numbers of abortions, rates, and ratios are from the Idaho Bureau of Vital Records and Health Statistics, Division of Public Health, Idaho Department of Health and Welfare. For more information, please contact the bureau at (208) 334-6658.

INDUCED ABORTIONS OCCURRING IN IDAHO

Definition	Induced abortions occurring in Idaho include: 1) The number of reported abortions occurring in Idaho to Idaho residents; and, 2) The number of reported abortions occurring in Idaho to non-residents.
Limitations	Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percentages, rates, and trends tend to randomly fluctuate.
Summary	From 2004 to 2014, the number of induced abortions occurring in Idaho increased 40.5 percent from 963 in 2004 to 1,353 in 2014. During the time period, there were a total of 15,020 abortions in Idaho. The majority occurred in Ada County (13,600, 91.7 percent) and Twin Falls County (1,211, 8.2 percent). In the past year, induced abortions occurring in Idaho decreased 1.6 percent from 1,375 in 2013 to 1,353 in 2014. In 2014, induced abortion procedures occurred in Ada County (1,090), Twin Falls County (263), and one in Valley County. Ada County reported a 1.4 percent decrease of abortions from 2013 to 2014. The number in Twin Falls County decreased 1.5 percent from 267 in 2013 to 263 in 2014.
Age	From 2013 to 2014, the number of abortions decreased in nearly all age groups except for 18-19 year olds which increased 6.3 percent, and 30-39 year olds which increased 13.6 percent. Among teens, the number of abortions as a whole increased 1.2 percent (teens aged 15-19); this age group accounted for 12.9 percent of the abortions in Idaho in 2014. The number of abortions to women aged 20-24 accounted for the highest percentage of abortions in 2014 (34.1 percent) with 462 abortions, followed by women aged 25-29 with 25.1 percent (339 abortions).
Residency Status	Idaho residents accounted for 94.8 percent of abortions occurring in Idaho and non-residents accounted for 5.2 percent in 2014. The number of abortions occurring in Idaho to Idaho residents decreased 2.9 percent in 2014, from 1,321 in 2013 to 1,283 in 2014. The number of abortions occurring to non-Idaho residents increased 29.6 percent from 54 in 2013 to 70 in 2014.
Marital Status	The number of abortions occurring to married women decreased less than one percent in 2014, from 225 in 2013 to 223 in 2014. The number of abortions occurring to unmarried women decreased 3.5 percent in 2014, from 1,143 in 2013 to 1,103 in 2014.
Race	There was a decrease in the number of abortions occurring to American Indians (31.8 percent) and females of other race, which includes more than one race (34.6 percent) from 2013 to 2014. The number of abortions increased among Blacks (10.0 percent) and Asian/Pacific Islanders (7.9 percent). White females made up the majority of the abortions occurring in Idaho (88.9 percent), followed by Race not stated (5.8 percent), Other race (4.0 percent), Asian/Pacific Islanders (3.2 percent), Blacks (1.7 percent) and American Indian (1.2 percent).
Ethnicity	The number of abortions occurring to Hispanics increased 3.5 percent in 2014, from 202 in 2013 to 209 in 2014. At the same time, the number of abortions occurring to non-Hispanics decreased 2.5 percent, from 1,135 in 2013 to 1,107 in 2014. The number of abortions to Hispanic women accounted for 15.4 percent of the abortions in Idaho in 2012, 15.1 percent in 2013, and 15.9 percent in 2014.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
2004-2014

PLACE OF OCCURRENCE	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IN IDAHO	963	1,099	1,249	1,249	1,481	1,650	1,510	1,440	1,458	1,374	1,353
District 1	-	-	-	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,090
District 5	25	18	-	-	8	76	140	199	258	267	263
District 6	65	63	31	1	-	-	-	-	-	-	-
District 7	-	-	-	-	-	2	-	1	-	1	-
Ada	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106	1,089
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	65	63	31	1	-	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	25	18	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	-	-	-	1	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	2	-	1	-	1	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	8	76	140	199	258	267	263
Valley	-	-	-	-	-	-	-	-	-	-	1
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
2004-2014

DEMOGRAPHIC CHARACTERISTICS	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IN IDAHO	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353
Age:											
10-14	2	6	8	5	3	6	6	6	3	3	7
15-19	189	208	257	290	274	283	246	207	235	173	175
15-17	68	73	113	99	80	85	75	54	68	45	39
18-19	121	135	144	191	194	198	171	153	167	128	136
20-24	302	330	398	475	511	562	509	475	484	492	462
25-29	191	267	268	318	317	353	335	329	353	340	339
30-34	151	138	162	178	211	229	251	252	212	177	201
35-39	95	107	112	122	118	143	121	115	106	135	124
40-44	32	41	42	51	42	72	40	53	59	50	42
45+	1	2	1	3	5	2	2	2	5	5	3
Not stated	-	-	1	-	-	-	-	1	1	-	-
Idaho residence status:											
Resident	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283
Non-resident	35	34	34	52	42	67	75	68	79	54	70
Marital status:											
Married	184	219	256	309	269	318	227	226	197	225	223
Not married	778	878	993	1,132	1,210	1,331	1,283	1,209	1,257	1,143	1,103
Not stated	1	2	-	1	2	1	-	5	4	7	27
Previous induced abortions:											
None	725	856	976	1,104	1,078	1,174	1,055	1,007	1,049	1,014	937
1	182	177	199	272	311	347	331	317	251	251	292
2	39	46	48	47	64	89	85	75	69	64	87
3+	13	15	19	17	28	38	39	32	28	28	36
Not stated	4	5	7	2	-	2	-	9	61	18	1
Race											
White	894	1,018	1,133	1,288	1,358	1,500	1,315	1,244	1,260	1,178	1,150
Black	17	16	14	23	14	22	22	16	23	20	22
American Indian	11	19	25	17	18	20	24	9	12	22	15
Asian/Pacific Islander	32	35	38	41	48	50	45	42	45	38	41
Other	3	1	3	11	34	39	32	39	60	78	51
Race not stated	6	10	36	62	9	19	72	90	58	39	74
Ethnicity*											
Hispanic	115	133	136	140	151	231	246	195	222	202	209
Non-Hispanic	838	959	1,104	1,281	1,319	1,406	1,242	1,230	1,218	1,135	1,107
Ethnicity not stated	10	7	9	21	11	13	22	15	18	38	37

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.
Dash (-) represents zero.

Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
2004-2014

DEMOGRAPHIC CHARACTERISTICS	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IN IDAHO	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353
Age:											
10-14	0.2%	0.5%	0.6%	0.3%	0.2%	0.4%	0.4%	0.4%	0.2%	0.2%	0.5%
15-19	19.6	18.9	20.6	20.1	18.5	17.2	16.3	14.4	16.1	12.6	12.9
15-17	7.1	6.6	9.1	6.9	5.4	5.2	5.0	3.8	4.7	3.3	2.9
18-19	12.6	12.3	11.5	13.2	13.1	12.0	11.3	10.6	11.5	9.3	10.1
20-24	31.4	30.0	31.9	32.9	34.5	34.1	33.7	33.0	33.2	35.8	34.1
25-29	19.8	24.3	21.5	22.1	21.4	21.4	22.2	22.9	24.2	24.7	25.1
30-34	15.7	12.6	13.0	12.3	14.2	13.9	16.6	17.5	14.6	12.9	14.9
35-39	9.9	9.7	9.0	8.5	8.0	8.7	8.0	8.0	7.3	9.8	9.2
40-44	3.3	3.7	3.4	3.5	2.8	4.4	2.6	3.7	4.0	3.6	3.1
45+	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1	0.3	0.4	0.2
Not stated	NA										
Idaho residence status:											
Resident	96.4%	96.9%	97.3%	96.4%	97.2%	95.9%	95.0%	95.3%	94.6%	96.1%	94.8%
Non-resident	3.6	3.1	2.7	3.6	2.8	4.1	5.0	4.7	5.4	3.9	5.2
Marital status:											
Married	19.1%	20.0%	20.5%	21.4%	18.2%	19.3%	15.0%	15.7%	13.5%	16.4%	16.8%
Not married	80.9	80.0	79.5	78.6	81.8	80.7	85.0	84.3	86.5	83.6	83.2
Not stated	NA										
Previous induced abortions:											
None	75.6%	78.2%	78.6%	76.7%	72.8%	71.2%	69.9%	70.4%	75.1%	74.7%	69.3%
1	19.0	16.2	16.0	18.9	21.0	21.1	21.9	22.2	18.0	18.5	21.6
2	4.1	4.2	3.9	3.3	4.3	5.4	5.6	5.2	4.9	4.7	6.4
3+	1.4	1.4	1.5	1.2	1.9	2.3	2.6	2.2	2.0	2.1	2.7
Not stated	NA										
Race											
White	93.4%	93.5%	93.4%	93.3%	92.3%	92.0%	91.4%	92.1%	90.0%	88.2%	89.9%
Black	1.8	1.5	1.2	1.7	1.0	1.3	1.5	1.2	1.6	1.5	1.7
American Indian	1.1	1.7	2.1	1.2	1.2	1.2	1.7	0.7	0.9	1.6	1.2
Asian/Pacific Islander	3.3	3.2	3.1	3.0	3.3	3.1	3.1	3.1	3.2	2.8	3.2
Other	0.3	0.1	0.2	0.8	2.3	2.4	2.2	2.9	4.3	5.8	4.0
Race not stated	NA										
Ethnicity*											
Hispanic	12.1%	12.2%	11.0%	9.9%	10.3%	14.1%	16.5%	13.7%	15.4%	15.1%	15.9%
Non-Hispanic	87.9	87.8	89.0	90.1	89.7	85.9	83.5	86.3	84.6	84.9	84.1
Ethnicity not stated	NA										

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.


Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable.


Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
2004-2014




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
2004-2014




Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
2004-2014



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
2004-2014



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure
2004-2014

PROCEDURE CHARACTERISTICS	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IN IDAHO	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353
Weeks of gestation: ¹											
<9	585	645	804	926	997	1,056	994	887	978	921	923
9-10	238	303	258	256	275	309	282	300	242	234	238
11-12	111	118	135	187	135	199	163	174	141	144	115
13-15	18	15	37	53	62	65	59	69	86	64	67
16-20	6	13	8	11	8	14	6	6	10	9	6
21-24	5	4	3	5	3	5	5	2	1	3	1
25+	-	1	2	-	-	1	1	-	-	-	-
Not stated	-	-	2	4	1	1	-	2	-	-	3
Termination procedure: ²											
Suction curettage	952	967	1,035	1,129	1,043	1,068	995	932	883	845	778
Medical (nonsurgical)	3	117	198	293	423	556	504	499	559	513	547
Dilation and evacuation (D&E)	1	3	7	12	7	13	6	4	12	8	24
Intra-uterine instillation (saline / prostaglandin)	4	4	3	2	1	1	1	1	2	2	2
Sharp curettage (D&C)	2	4	3	2	4	5	2	2	2	3	1
Hysterotomy / Hysterectomy	-	-	-	-	-	1	-	-	-	-	-
Other	1	4	3	4	3	6	2	2	-	4	1
Not stated	-	-	-	-	-	-	-	-	-	-	-

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table are based on the clinical estimated length of gestation, and are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

NA - not applicable

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure (Percent)
2004-2014

PROCEDURE CHARACTERISTICS	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IN IDAHO	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375	1,353
Weeks of gestation: ¹											
<9	60.7%	58.7%	64.5%	64.4%	67.4%	64.0%	65.8%	61.7%	67.1%	67.0%	68.4%
9-10	24.7	27.6	20.7	17.8	18.6	18.7	18.7	20.9	16.6	17.0	17.6
11-12	11.5	10.7	10.8	13.0	9.1	12.1	10.8	12.1	9.7	10.5	8.5
13-15	1.9	1.4	3.0	3.7	4.2	3.9	3.9	4.8	5.9	4.7	5.0
16-20	0.6	1.2	0.6	0.8	0.5	0.8	0.4	0.4	0.7	0.7	0.4
21-24	0.5	0.4	0.2	0.3	0.2	0.3	0.3	0.1	0.1	0.2	0.1
25+	-	0.1	0.2	0.2	-	0.1	0.1	-	-	-	-
Not stated	NA										
Termination procedure: ²											
Suction curettage	98.9%	88.0%	82.9%	78.3%	70.4%	64.7%	65.9%	64.7%	60.6%	61.5%	57.5%
Medical (nonsurgical)	0.3	10.6	15.9	20.3	28.6	33.7	33.4	34.7	38.3	37.3	40.4
Dilation and evacuation (D&E)	0.1	0.3	0.6	0.8	0.5	0.8	0.4	0.3	0.8	0.6	1.8
Intra-uterine instillation (saline / prostaglandin)	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Sharp curettage (D&C)	0.2	0.4	0.2	0.1	0.3	0.3	0.1	0.1	0.1	0.2	0.1
Hysterotomy / Hysterectomy	-	-	-	-	-	0.1	-	-	-	-	-
Other	0.1	0.4	0.2	0.3	0.2	0.4	0.1	0.1	-	0.3	0.1
Not stated	NA										

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table based on the clinical estimated length of gestation are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Dash (-) represents zero.

NA - not applicable

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Clinical Estimated Length of Gestation*
Three-Year Total, 2012-2014

TERMINATION PROCEDURE	TOTAL IN IDAHO	WEEKS OF GESTATION							Not Stated
		<9	9-10	11-12	13-15	16-20	21-24	25+	
TOTAL IN IDAHO	4,186	2,822	714	400	217	25	5	-	3
Suction curettage	2,506	1,262	660	386	192	3	-	-	3
Medical (nonsurgical)	1,619	1,558	53	2	-	4	2	-	-
Dilation and evacuation (D&E)	44	1	1	7	25	10	-	-	-
Intra-uterine instillation (saline / prostaglandin)	6	-	-	-	-	5	1	-	-
Sharp curettage (D&C)	6	1	-	5	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	5	-	-	-	-	3	2	-	-
Not stated	-	-	-	-	-	-	-	-	-

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Length of Gestation*
Three-Year Total, 2012-2014



Percentages are based on records with known data for length of gestation.

*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Dash (-) represents zero.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Clinical Estimated Length of Gestation*
Three-Year Total, 2012-2014

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION						
		<9	9-10	11-12	13-15	16-20	21-24	25+
TOTAL IN IDAHO	4,186	2,822	714	400	217	25	5	-
10-14	13	6	3	2	2	-	-	-
15-19	583	342	122	70	46	3	-	-
15-17	152	78	40	26	7	1	-	-
18-19	431	264	82	44	39	2	-	-
20-24	1,438	959	251	144	76	5	2	-
25-29	1,032	724	177	85	39	6	1	-
30-34	590	419	87	51	26	3	2	2
35-39	365	257	49	34	20	5	-	-
40-44	151	104	24	14	7	2	-	-
45+	13	11	-	-	1	1	-	-
Not stated	1	-	1	-	-	-	-	-

Dash (-) represents zero.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Clinical Estimated Length of Gestation*
Three-Year Total, 2012-2014



*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information).

Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2012-2014

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	4,186	3,503	645	38
10-14	13	13	-	-
15-19	583	562	19	2
15-17	152	149	2	1
18-19	431	413	17	1
20-24	1,438	1,318	106	14
25-29	1,032	848	174	10
30-34	590	414	168	8
35-39	365	236	126	3
40-44	151	103	47	1
45+	13	8	5	-
Not stated	1	1	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2012-2014




Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2012-2014

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	4,186	3,000	794	220	92	80
10-14	13	13	-	-	-	-
15-19	583	530	42	4	-	7
15-17	152	141	6	-	-	5
18-19	431	389	36	4	-	2
20-24	1,438	1,090	248	62	17	21
25-29	1,032	679	243	66	26	18
30-34	590	356	141	46	29	18
35-39	365	235	77	32	12	9
40-44	151	89	38	9	8	7
45+	13	7	5	1	-	-
Not stated	1	1	-	-	-	-

Dash (-) represents zero.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2012-2014




Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1999-2014

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375
2014	1,351	-	2	1,353

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent*, Aged Under 18
2014

Total Abortions Aged <18	46
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	44
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	1
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	1
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	-
Unknown	-

* Data on Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007.

INDUCED ABORTIONS TO IDAHO RESIDENTS

Definition	Induced abortions to Idaho residents include: 1) The number of reported abortions occurring in Idaho to Idaho residents; and, 2) The number of reported abortions occurring in other states to Idaho residents.
Limitations	In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. Beginning in 2014, out of state records with missing City and County are allocated to the largest city nearest the state in which the procedure occurred. In 2014, there were 22 records from Washington with missing City and County and these were allocated to Coeur D'Alene, Kootenai County.
	The reader is cautioned that the database contains small numbers; therefore, percentages, rates, and trends tend to randomly fluctuate.
Summary	From 2004 to 2014, the number of abortions to Idaho residents ranged from a low of 1,618 in 2004 to a high of 2,348 in 2009. There were a total of 21,593 abortions to Idaho residents in the 11 year period from 2004 to 2014, for an average of 1,963 abortions per year. The majority of abortions to Idaho residents occurred in Idaho. From 2004 to 2014, 14,410 abortions to residents occurred in Idaho (66.7 percent). Of the 7,183 abortions to Idaho residents which occurred out of state from 2004 to 2014, 5,031 occurred in Washington (70.0 percent of out-of-state abortions). A total of 1,399 abortions occurred in Utah (19.5 percent), 377 in Montana (5.2 percent), and 362 in Oregon (5.0 percent). Overall, the number of abortions to Idaho residents increased by 133 (8.2 percent) from 1,618 in 2004 to 1,751 in 2014. The abortion rate per 1,000 females aged 15-44 remained relatively unchanged from 5.5 in 2004 to 5.6 abortions per 1,000 females in 2014. The abortion ratio per 1,000 live births increased 6.5 percent from 71.8 per 1,000 live births in 2004 to 76.5 per 1,000 live births in 2014. From 2013 to 2014, the number of abortions to Idaho residents decreased by 43 (2.4 percent) from 1,794 in 2013 to 1,751 in 2014. Overall, the Idaho resident abortion rate decreased 3.4 percent from 5.8 per 1,000 females aged 15-44 in 2013 to 5.6 in 2014. The abortion ratio per 1,000 live births decreased 4.7 percent from 80.3 abortions per 1,000 live births in 2013 to 76.5 abortions per 1,000 live births in 2014.
District of Residence	From 2013 to 2014, the number of abortions decreased for residents in Districts 3, 4, 6, and 7. District 6 had the highest decrease in the number of abortions to residents at 22.3 percent. The percent decrease in the number of abortions among District 3 residents was 12.8 percent, 5.9 percent among District 4, and 15.1 percent among District 7. The number of abortions increased among District 1 residents by 4.1 percent, 7.1 percent among District 2 residents and 13.8 percent among District 5 residents. The abortion rate (number of abortions per 1,000 females aged 15-44) ranged from a low of 1.8 among District 7 residents and a high of 7.4 among District 4 residents in 2014.
In Idaho	The number of induced abortions occurring to Idaho residents in Idaho decreased 2.9 percent in 2014, from 1,321 in 2013 to 1,283 in 2014.
Out-of-State	The number of induced abortions occurring to Idaho residents in another state decreased 1.1 percent, from 473 in 2013 to 468 in 2013. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington in 2014 (76.1 percent), followed by Utah (16.9 percent), Montana (3.8 percent), and Oregon (3.0 percent).

Table 10A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
2004-2014

RESIDENCE	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IDAHO RESIDENT	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751
District 1	357	423	371	364	365	346	333	268	264	229	242
District 2	172	161	158	170	133	138	126	160	90	102	109
District 3	183	192	265	294	324	408	326	312	319	305	276
District 4	625	744	840	909	921	894	851	794	794	718	692
District 5	147	150	142	200	196	273	226	222	230	218	254
District 6	83	91	78	132	105	164	152	153	132	128	98
District 7	51	66	65	91	88	125	109	96	87	94	80
Ada	586	703	775	840	862	837	786	735	729	668	649
Adams	1	2	5	1	4	7	-	2	3	4	2
Bannock	63	58	57	97	74	120	111	88	84	81	63
Bear Lake	1	-	3	-	1	1	3	2	1	3	-
Benewah	13	12	8	15	15	17	11	12	4	6	4
Bingham	12	21	10	23	18	30	25	46	33	31	22
Blaine	61	54	41	46	43	47	39	42	41	34	56
Boise	-	3	8	3	7	7	9	8	2	8	8
Bonner	55	62	59	64	59	35	55	38	40	33	29
Bonneville	33	40	38	62	59	88	75	65	60	68	59
Boundary	9	14	8	7	6	13	7	6	5	8	5
Butte	1	1	-	1	-	1	-	1	1	1	3
Camas	-	-	1	-	-	1	-	2	-	1	-
Canyon	150	161	214	248	267	336	264	271	264	253	234
Caribou	1	1	-	3	4	4	3	3	1	3	1
Cassia	7	9	9	11	14	17	18	17	14	16	23
Clark	-	1	-	1	-	-	-	-	-	-	-
Clearwater	7	8	2	5	7	7	4	7	3	6	5
Custer	3	3	1	2	4	6	3	1	2	5	2
Elmore	23	25	31	46	34	37	43	39	45	31	25
Franklin	3	5	3	2	3	3	4	1	6	4	3
Fremont	2	5	3	4	4	5	1	5	2	5	4
Gem	6	9	15	11	18	14	13	9	13	12	9
Gooding	7	5	10	18	19	31	23	13	8	10	12
Idaho	5	5	6	9	10	8	8	8	6	4	5
Jefferson	2	4	5	4	3	9	12	8	6	9	7
Jerome	13	14	14	18	21	27	15	26	24	21	28
Kootenai	260	313	277	265	266	262	248	192	195	163	184
Latah	73	79	66	76	59	56	59	64	43	57	54
Lemhi	6	6	11	9	9	5	5	5	11	2	3
Lewis	7	4	7	6	5	4	2	3	1	-	2
Lincoln	6	4	4	5	3	2	6	4	8	2	4
Madison	3	3	2	2	3	5	3	6	5	5	2
Minidoka	9	6	5	15	9	14	20	13	21	24	15
Nez Perce	80	65	77	74	52	63	53	78	37	35	43
Oneida	2	1	1	2	-	1	1	2	2	1	1
Owyhee	8	7	3	6	10	10	12	7	7	4	8
Payette	14	10	22	24	18	28	31	18	26	22	20
Power	-	4	4	4	5	4	5	10	4	4	5
Shoshone	20	22	19	13	19	19	12	20	20	19	20
Teton	2	4	5	7	6	7	10	6	1	-	3
Twin Falls	44	58	58	87	87	134	105	105	114	110	116
Valley	16	13	26	20	18	13	13	12	18	11	10
Washington	4	3	6	4	7	13	6	5	6	10	3

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
2004-2014

RESIDENCE	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL	5.5	6.1	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6
District 1	9.4	10.8	9.4	9.3	9.2	9.0	8.9	7.2	7.0	6.1	6.4
District 2	8.4	7.8	8.1	8.5	6.9	6.7	6.3	7.9	4.4	5.0	5.4
District 3	4.0	4.0	5.3	5.9	6.5	8.3	6.6	6.3	6.4	6.0	5.3
District 4	7.7	8.9	9.9	10.5	10.6	9.9	9.6	8.9	8.7	7.8	7.4
District 5	4.4	4.5	4.3	6.2	6.1	8.4	6.6	6.5	6.7	6.3	7.2
District 6	2.5	2.7	2.4	4.0	3.2	4.9	4.6	4.6	4.0	3.9	3.0
District 7	1.3	1.7	1.7	2.3	2.1	2.9	2.5	2.2	2.0	2.2	1.8
Ada	8.1	9.4	10.2	10.8	11.0	10.3	9.7	9.0	8.7	7.9	7.6
Adams	1.7	3.3	8.8	1.7	7.2	13.8	-	3.8	6.0	8.2	4.1
Bannock	3.7	3.3	3.4	5.7	4.4	6.6	6.4	4.9	4.7	4.6	3.6
Bear Lake	0.9	-	2.8	-	1.0	1.1	3.2	2.1	1.0	3.1	-
Benewah	8.3	7.6	5.0	9.7	9.8	12.0	7.7	8.8	2.9	4.5	3.0
Bingham	1.3	2.3	1.1	2.7	2.1	3.7	2.9	5.3	3.9	3.7	2.6
Blaine	14.8	13.4	10.5	12.3	11.6	12.2	10.5	11.5	11.5	9.6	15.5
Boise	-	2.2	5.7	2.2	5.3	5.9	9.8	8.6	2.2	8.9	8.8
Bonner	7.5	8.3	7.9	8.9	8.2	5.2	8.8	6.1	6.5	5.3	4.6
Bonneville	1.8	2.1	2.0	3.2	3.0	4.4	3.7	3.2	2.9	3.2	2.8
Boundary	4.7	7.3	4.2	3.7	3.2	7.6	4.1	3.6	3.0	4.8	2.9
Butte	2.1	2.2	-	2.3	-	2.6	-	2.4	2.5	2.6	7.4
Camas	-	-	4.3	-	-	4.6	-	10.8	-	6.0	-
Canyon	4.3	4.4	5.6	6.5	6.9	8.8	6.8	7.0	6.7	6.3	5.7
Caribou	0.7	0.8	-	2.5	3.4	3.5	2.7	2.7	0.9	2.7	0.9
Cassia	1.7	2.2	2.3	2.9	3.7	4.6	4.3	4.1	3.4	3.8	5.4
Clark	-	5.6	-	5.8	-	-	-	-	-	-	-
Clearwater	5.6	6.6	1.7	4.4	6.5	7.4	3.6	6.6	2.9	5.9	5.1
Custer	4.3	4.5	1.5	3.1	6.2	9.9	4.9	1.7	3.3	8.2	3.4
Elmore	3.9	4.4	5.8	8.4	6.3	5.8	7.7	7.2	8.4	5.9	4.8
Franklin	1.2	2.0	1.2	0.9	1.3	1.3	1.7	0.4	2.6	1.7	1.3
Fremont	0.9	2.3	1.4	1.8	1.8	2.3	0.4	2.2	0.9	2.2	1.8
Gem	1.9	2.8	4.7	3.6	6.0	5.2	4.8	3.4	5.0	4.6	3.5
Gooding	2.7	2.0	4.1	7.4	7.8	13.3	8.5	4.9	3.1	3.9	4.6
Idaho	2.0	2.0	2.5	3.9	4.4	4.0	3.7	3.7	2.8	1.9	2.4
Jefferson	0.5	0.9	1.1	0.9	0.6	2.0	2.4	1.6	1.2	1.8	1.4
Jerome	3.5	3.7	3.7	4.9	5.7	7.1	3.5	6.1	5.7	5.0	6.6
Kootenai	10.4	12.0	10.5	10.0	9.9	9.9	9.6	7.4	7.4	6.2	6.9
Latah	8.5	8.9	8.0	8.8	7.0	5.8	6.5	6.9	4.6	6.1	5.8
Lemhi	4.4	4.4	8.2	7.1	7.0	4.5	4.7	4.7	10.8	2.0	3.0
Lewis	11.7	6.8	12.0	11.2	9.1	7.5	3.9	5.7	1.9	-	3.9
Lincoln	6.8	4.3	4.3	5.8	3.5	2.4	6.2	4.2	8.2	2.0	4.0
Madison	0.3	0.3	0.2	0.2	0.3	0.4	0.3	0.5	0.4	0.5	0.2
Minidoka	2.4	1.7	1.4	4.6	2.7	4.3	5.8	3.7	6.0	6.7	4.2
Nez Perce	10.8	8.7	10.9	10.2	7.3	8.4	7.4	10.9	5.1	4.8	5.9
Oneida	2.6	1.3	1.3	2.8	-	1.5	1.5	3.1	3.1	1.5	1.5
Owyhee	4.0	3.5	1.5	3.2	5.4	5.7	6.0	3.5	3.5	2.0	4.1
Payette	3.3	2.3	5.0	5.6	4.2	6.7	7.5	4.4	6.4	5.5	5.0
Power	-	2.5	2.5	2.7	3.4	2.7	3.6	7.4	2.9	3.0	3.8
Shoshone	9.4	10.2	8.8	6.3	9.4	9.8	6.1	10.2	10.1	9.6	10.6
Teton	1.3	2.7	3.2	4.2	3.4	3.5	4.6	2.9	0.5	-	1.5
Twin Falls	3.2	4.2	4.1	6.1	6.1	9.2	7.1	7.0	7.5	7.1	7.4
Valley	12.2	9.4	17.1	13.3	12.3	9.3	8.9	8.5	12.7	7.9	7.1
Washington	2.2	1.7	3.5	2.3	4.0	8.4	3.8	3.2	3.8	6.5	1.9

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.

Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2004-2014

STATE OF OCCURRENCE	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
TOTAL IDAHO RESIDENT	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751
Abortions in Idaho	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321	1,283
Abortions out of state	690	762	704	770	693	765	688	633	537	473	468
Montana	19	20	19	30	39	61	59	36	48	28	18
Oregon	49	45	59	33	27	35	31	30	18	21	14
Utah	87	104	96	181	134	202	160	156	108	92	79
Washington	533	591	528	525	490	466	438	410	362	332	356
All other	2	2	2	1	3	1	-	1	1	-	1

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
2004-2014




Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
2004-2014

AGE	2004	2005	2006	2007	2008	2009	2010	2011*	2012	2013	2014
TOTAL IDAHO RESIDENT	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794	1,751
Age:											
10-14	6	9	12	8	6	8	13	6	8	4	7
15-19	323	356	380	430	395	409	344	328	314	224	233
15-17	127	127	159	155	127	136	113	97	102	62	56
18-19	196	229	221	275	268	273	231	231	212	162	177
20-24	530	579	632	732	733	786	722	649	621	620	572
25-29	327	412	427	470	453	517	470	450	457	445	439
30-34	223	219	228	272	297	308	333	331	290	245	270
35-39	141	177	173	167	174	216	175	159	139	179	159
40-44	63	68	60	72	63	91	61	76	74	66	62
45+	3	5	2	6	7	9	4	3	7	7	7
Not stated	2	2	5	3	4	4	1	3	6	4	2
Abortion rate per 1,000 females in age group:											
Total ¹	5.5	6.1	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8	5.6
Age ² :											
10-14	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1
15-19	6.1	6.7	7.0	7.9	7.2	7.2	6.1	5.7	5.7	4.0	4.2
15-17	4.1	4.0	4.8	4.7	3.9	4.2	3.4	2.9	3.0	1.8	1.6
18-19	9.0	10.6	10.3	12.7	12.1	11.3	10.0	9.8	9.7	7.5	8.2
20-24	9.5	10.2	12.7	15.1	15.1	14.6	13.5	12.0	11.2	11.4	10.7
25-29	7.4	8.7	8.0	8.7	8.2	9.5	9.1	8.7	8.9	8.6	8.2
30-34	5.1	4.9	5.0	5.8	6.2	6.4	6.7	6.4	5.6	4.6	5.1
35-39	3.2	3.9	3.7	3.5	3.6	4.6	3.7	3.4	2.9	3.7	3.2
40-44	1.3	1.3	1.2	1.5	1.3	2.0	1.3	1.6	1.5	1.4	1.3
45+	0.1	0.1	-	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
Not stated	NA	NA	NA	NA	NA						
Abortion ratio per 1,000 live births in age group:											
Total ³	71.8	79.2	79.3	86.3	84.8	99.0	91.5	89.9	83.5	80.3	76.5
Age:											
10-14	428.6	473.7	666.7	470.6	333.3	533.3	1,000.0	400.0	888.9	363.6	1,000.0
15-19	156.9	176.3	176.9	190.3	174.6	201.4	184.5	207.1	200.4	157.1	179.0
15-17	241.9	238.7	266.3	246.8	195.1	248.2	223.8	251.9	260.9	199.4	180.1
18-19	127.9	154.0	142.5	168.5	166.4	184.1	170.0	192.7	180.3	145.3	178.6
20-24	73.7	80.6	84.1	97.0	100.6	116.1	114.0	106.2	99.1	105.9	93.1
25-29	48.5	57.7	55.7	59.5	55.6	68.7	62.1	63.0	62.5	61.1	60.8
30-34	51.5	49.9	50.3	57.2	59.9	61.9	65.9	64.9	54.6	47.2	49.3
35-39	79.3	94.1	89.4	80.1	84.6	109.4	90.3	82.9	69.4	84.8	70.3
40-44	165.4	167.1	172.9	168.6	166.2	230.4	151.7	180.1	167.0	153.1	139.6
45+	96.8	178.6	100.0	272.7	166.7	272.7	111.1	150.0	259.3	184.2	259.3
Not stated	NA	NA	NA	NA	NA						

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2004-2009, and 2011-2014 are based on July 1, 2004-July 1, 2014 population estimates from the U.S. Census Bureau and NCHS, Internet release dates September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, September 2, 2009, July 23, 2010, July 20, 2012, June 13, 2013, June 26, 2014, and June 30, 2015.

Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.

3. Total abortion ratio: Number of induced abortions per 1,000 live births.

* Abortion rate by age group for 2011 has been revised in this report.


Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 13
INDUCED ABORTIONS TO IDAHO RESIDENTS
Primary Termination Procedure by Clinical Estimated Length of Gestation*
Three-Year Total, 2012-2014

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	5,461	3,556	905	509	304	141	37	5	4
Suction curettage	3,256	1,673	836	494	230	19	-	1	3
Medical (nonsurgical)	1,934	1,861	59	2	-	7	3	1	1
Dilation and evacuation (D&E)	238	14	7	7	71	105	31	3	-
Intra-uterine instillation (saline / prostaglandin)	6	-	-	-	-	5	1	-	-
Sharp curettage (D&C)	12	5	-	5	2	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	5	-	-	-	-	3	2	-	-
Not stated	10	3	3	1	1	2	-	-	-

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Clinical Estimated Length of Gestation
Three-Year Total, 2012-2014




Percentages are based on records with known data for length of gestation.

*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Bear Lake	Teton

Costs associated with this publication are available from
Division of Public Health, Idaho Department of Health and Welfare.
HW-1206 November 2015