



---

**STATE OF IDAHO**  
**EMS PHYSICIAN COMMISSION**  
**STANDARDS MANUAL**

---

Authority:

Idaho Code § 56-1013A, § 56-1016, and § 56-1017(1)

Rules for EMS Physician Commission Idaho Administrative Procedures Act 16.02.02

---

**Edition 2017-1**



Effective 07/01/2017

# TABLE OF CONTENTS

I.	DEFINITIONS.....	1
II.	EMS PHYSICIAN COMMISSION STANDARDS MANUAL AUTHORITY.....	4
III.	EMS PERSONNEL AUTHORITY TO ACT.....	4
IV.	OUT-OF-HOSPITAL SUPERVISION.....	5
	EMS Medical Director Qualifications, Authority and Responsibility.....	5
	Direct Medical Supervision by Physician Assistants and Nurse Practitioners.....	7
	Medical Supervision Plan for the Out-Of-Hospital Setting.....	8
	A.    Credentialing of licensed EMS personnel.....	8
	B.    Indirect (off-line) medical supervision.....	9
	C.    Direct (on-line) medical supervision.....	10
	D.    Standards of supervision and training for students of state approved training programs.....	10
V.	HOSPITAL AND MEDICAL CLINIC SUPERVISION.....	11
	Licensed EMS Personnel Responsibilities.....	11
	Hospital Supervising Physician and Medical Clinic Supervising Physician Qualifications, Authority and Responsibility.....	11
	Direct Medical Supervision by Physician Assistants and Nurse Practitioners.....	13
	Medical Supervision Plan for the Hospital and Medical Clinic Settings.....	13
VI.	BUREAU RESPONSIBILITIES.....	14
VII.	EMS PHYSICIAN COMMISSION RESPONSIBILITIES.....	14
VIII.	IDAHO AUTHORIZED SCOPE OF PRACTICE.....	14
	Emergency Medical Responder (EMR).....	16
	Description of Profession.....	16
	Emergency Medical Technician (EMT).....	17
	Description of Profession.....	17
	Advanced Emergency Medical Technician (AEMT).....	18
	Description of the Profession.....	18
	Paramedic.....	19
	Description of the Profession.....	19
IX.	EMS PERSONNEL PROFICIENCY AND PERFORMANCE ASSESSMENT REQUIREMENT.....	20
X.	IDAHO PHYSICIAN COMMISSION CONTACT INFORMATION.....	21
XI.	IDAHO EMS BUREAU OFFICE LOCATIONS.....	21
	APPENDIX A – EMSPC SCOPE OF PRACTICE GRID.....	22
	APPENDIX B – PARAMEDIC NON-RSI STATEWIDE INTUBATION STANDARDS.....	33
	APPENDIX C – EMSPC RSI STATEWIDE STANDARDS.....	35
	APPENDIX D – EMSPC VENTILATOR STANDARDS.....	37
	APPENDIX E – EMSPC INTER-FACILITY TRANSFER GUIDELINES.....	38

## I. DEFINITIONS.

As promulgated by and in addition to the applicable definitions in Section 56-1012, Idaho Code, and IDAPA 16.01.02, Idaho Department of Health and Welfare, "Rules Governing Emergency Medical Services," the following terms are used in this manual as defined below:

Advanced Emergency Medical Technician (AEMT). A person who holds a current active license issued by the Bureau at the Advanced Emergency Medical Technician level and is in good standing with no restriction upon, or actions taken against, his license.

Affiliation. The recognition of an individual as a member or employee.

Bureau of Emergency Medical Services and Preparedness. The Bureau of Emergency Medical Services and Preparedness of the Idaho Department of Health and Welfare, hereafter referred to as "the Bureau."

Contemporaneous. Originating, existing, or occurring during the same period of time.

Credentialed EMS Personnel. Individuals who are authorized to provide medical care by the EMS medical director, hospital supervising physician, or medical clinic supervising physician.

Credentialing. The local process by which licensed EMS personnel are authorized to provide medical care in the out-of-hospital, hospital, and medical clinic setting, including the determination of a local scope of practice.

Critical Care Paramedic. A person who holds a current active license issued by the Bureau at the Paramedic or Emergency Medical Technician-Paramedic level and has successfully completed training objectives as set forth in the Critical Care Transport Curriculum Guide of the Bureau and who possesses a current active credential to provide Critical Care.

Critical Care Transport. The transportation of a patient with continuous care, monitoring, medication, or procedures requiring knowledge or skills not contained within the Paramedic curriculum approved by the State Health Officer.

Designated Clinician. A licensed Physician Assistant (PA) or Nurse Practitioner designated by the EMS medical director, hospital supervising physician, or medical clinic supervising physician who is responsible for direct (on-line) medical supervision of licensed EMS personnel in the temporary absence of the EMS medical director.

Direct (On-Line) Supervision. Contemporaneous instructions and directives about a specific patient encounter provided by a physician or designated clinician to licensed EMS personnel who are providing medical care.

Emergency Medical Services (EMS). Under Section 56-1012(12), Idaho Code, emergency medical services or EMS is aid rendered by an individual or group of individuals who do the following:

- a. Respond to a perceived need for medical care in order to prevent loss of life, aggravation of physiological or psychological illness, or injury;
- b. Are prepared to provide interventions that are within the scope of practice as defined by the Idaho Emergency Medical Services Physician Commission (EMSPC), under IDAPA 16.02.02, “Rules of the Idaho Emergency Medical Services (EMS) Physician Commission”;
- c. Use an alerting mechanism to initiate a response to requests for medical care; and
- d. Offer, advertise, or attempt to respond as described in Section 56-1012(12), (a) through (c), Idaho Code.
- e. Aid rendered by a ski patroller, as described in Section 54-1804(1)(h), Idaho Code, is not EMS.

Emergency Medical Services Physician Commission. The Idaho Emergency Medical Services Physician Commission as created under Section 56-1013A, Idaho Code, hereafter referred to as “the Commission.”

Emergency Medical Responder (EMR). A person who holds a current active license issued by the Bureau at the First Responder or Emergency Medical Responder level and is in good standing with no restriction upon, or actions taken against, his license.

Emergency Medical Technician (EMT). A person who holds a current active license issued by the Bureau at the Emergency Medical Technician or Emergency Medical Technician-Basic level and is in good standing with no restriction upon, or actions taken against, his license.

EMS Agency. An organization licensed by the Bureau to provide emergency medical services in Idaho.

EMS Medical Director. A physician who supervises the medical activities of licensed personnel affiliated with an EMS agency.

Hospital. A facility in Idaho licensed under Sections 39-1301 through 39-1314, Idaho Code, and defined in Section 39-1301(a)(1), Idaho Code.

Hospital Supervising Physician. A physician who supervises the medical activities of licensed EMS personnel while employed or utilized for delivery of services in a hospital.

Indirect (Off-Line) Supervision. The medical oversight provided by a physician to licensed EMS personnel who are providing medical care. The components of medical supervision include EMS system design, education, quality management, patient care guidelines, medical policies, and compliance.

License. A license issued by the Bureau to an individual for a specified period of time indicating that minimum standards corresponding to one (1) of several levels of EMS proficiency have been met.

Licensed EMS Personnel. Individuals who possess a valid license issued by the Bureau.

Medical Clinic. A place devoted primarily to the maintenance and operation of facilities for outpatient medical, surgical, and emergency care of acute and chronic conditions or injury.

Medical Clinic Supervising Physician. A physician who supervises the medical activities of licensed EMS personnel while employed or utilized for delivery of services in a medical clinic.

Medical Supervision. The advice and direction provided by a physician, or under the direction of a physician, to licensed EMS personnel who are providing medical care, including direct and indirect supervision.

Medical Supervision Plan (MSP). The written document describing the provisions for medical supervision of licensed EMS personnel.

Nurse Practitioner. An Advanced Practice Professional Nurse, licensed in the category of Nurse Practitioner, as defined in IDAPA 23.01.01, “Rules of the Idaho Board of Nursing.”

Out-of-hospital. Any setting outside of a hospital, including inter-facility transfers, in which the provision of emergency medical services may take place.

Paramedic. A person who holds a current active license issued by the Bureau at the Paramedic or Emergency Medical Technician-Paramedic level and is in good standing with no restriction upon, or actions taken against, his license.

Physician. A person who holds a current active license issued by the Board of Medicine to practice medicine and surgery, osteopathic medicine and surgery, or osteopathic medicine in Idaho and is in good standing with no restriction upon, or actions taken against, his license.

Physician Assistant. A person who meets all the applicable requirements to practice as a licensed physician assistant under Title 54, Chapter 18, Idaho Code, and IDAPA 22.01.03, “Rules for the Licensure of Physician Assistants.”

## **II. EMS Physician Commission Standards Manual Authority**

Idaho Code 56-1013A(1) empowers the EMS Physician Commission with statutory authority to establish standards for scope of practice and medical supervision for licensed personnel, air medical, ambulance, and non-transport agencies licensed by the Bureau. Idaho Code 56-1017(1) specifically authorizes and directs the Commission to adopt appropriate rules defining the allowable scope of practice and acts and duties which can be performed by persons licensed by the department and the required level of supervision by a licensed physician.

IDAPA 16.02.02, "Rules of the EMS Physician Commission," Section 004 incorporate this EMS Physician Commission Standards Manual by reference. The purposes of this EMS Physician Commission Standards Manual are to establish the scope of practice of licensed EMS personnel and to specify the type and degree of medical supervision for specific skills, treatments, and procedures by level of EMS licensure.

## **III. EMS Personnel Authority to Act**

To provide emergency medical services, EMS licensed personnel must comply with Idaho Code and IDAPA 16.02.02, "Rules of the EMS Physician Commission." The policies of the EMS Physician Commission are documented in this Standards Manual.

Licensed EMS personnel who are representing an Idaho EMS agency and who possess a valid credential issued by that agency's EMS medical director may act and provide services in the out-of-hospital setting under the following conditions:

1. When participating in a planned deployment or agency sanctioned standby of personnel resources approved by the EMS medical director; or
2. When administering first aid or emergency medical attention as a "Good Samaritan" and without expectation of remuneration in accordance with Idaho Code 5-330 or 5-331 in a manner approved by the EMS medical director; or
3. When participating in a training program approved by the Bureau or the EMS medical director.
4. When on duty, visibly display at all times identification specifying name and level of EMS licensure.

In addition, licensed EMS personnel may only provide out-of-hospital care when:

1. The patient care does not exceed the scope of practice as defined by this Standards Manual; and
2. Licensed EMS personnel have been trained, based on curricula or specialized training approved according to IDAPA 16.01.05, Idaho Department of Health and Welfare, "Emergency Medical Services (EMS) – Education, Instructor, and Examination Requirements" and
3. The patient care does not exceed the scope of practice approved by their EMS medical director and does not include assessments or interventions that have been specifically

prohibited by their EMS medical director.

Licensed EMS personnel who are representing a hospital or medical clinic and who possess a valid credential issued by the hospital or medical clinic supervising physician may act and provide services in the hospital and medical clinic setting under the following conditions:

1. When participating in a planned deployment or agency sanctioned standby of personnel resources approved by the hospital or medical clinic supervising physician; or
2. When administering first aid or emergency medical attention as a "Good Samaritan" and without expectation of remuneration in accordance with Idaho Code 5-330 or 5-331 in a manner approved by the hospital or medical clinic supervising physician; or
3. When participating in a training program approved by the Bureau or the hospital or medical clinic supervising physician.

In addition, licensed EMS personnel may only provide hospital and medical clinic care when:

1. Licensed EMS personnel have been trained, based on curricula or specialized training approved according to IDAPA 16.01.05, Idaho Department of Health and Welfare, "Emergency Medical Services (EMS) – Education, Instructor, and Examination Requirements," or additional training approved by the hospital or medical clinic supervising physician and
2. The patient care does not exceed the scope of practice approved by their hospital or medical clinic supervising physician and does not include assessments or interventions that have been specifically prohibited by their hospital or medical clinic supervising physician.

#### **IV. OUT-OF-HOSPITAL SUPERVISION**

All Idaho-licensed EMS agencies, including hospital-based EMS agencies, must comply with the requirements described in this section. Hospital-based EMS agencies must comply with both the requirements described in this section and with the hospital and clinic supervision requirements described later in this Standards Manual when their licensed EMS personnel also have patient care duties in the hospital or clinic setting.

##### **EMS Medical Director Qualifications, Authority and Responsibility.**

In accordance with Section 56-1011, Idaho Code, licensed EMS personnel must provide emergency medical services under the supervision of a designated EMS medical director.

1. The EMS agency must designate a physician for the medical supervision of licensed EMS personnel affiliated with the EMS agency.
2. The EMS medical director can designate other physicians to supervise the licensed EMS personnel in the temporary absence of the EMS medical director.

The EMS medical director will have a written agreement with the EMS agency(s) that includes the following elements:



1. Identification of the EMS agency(s) for which he provides medical supervision.
2. Acknowledgement of the authority of the EMS medical director as established in Idaho statute and IDAPA 16.02.02, "Rules of the EMS Physician Commission."
3. An effective date.
4. An expiration date or a provision for automatic renewal upon mutual agreement.
5. Assurance of EMS medical director access to relevant agency, hospital, or medical clinic records as permitted or required by statute to ensure responsible medical supervision of licensed EMS personnel.

The EMS medical director will provide the Bureau with documentation of the written agreement annually or upon request.

The EMS medical director must:

1. Accept responsibility for the medical direction and medical supervision of the activities provided by licensed EMS personnel.
2. Obtain and maintain knowledge of the contemporary design and operation of EMS systems.
3. Obtain and maintain knowledge of Idaho EMS laws, regulations and standards manuals.
4. The EMS medical director shall demonstrate appropriate training and/or expertise in adult and pediatric emergency medical services.
5. The EMS medical director for an air medical agency, in addition to the above requirements, must have training and experience in emergency medicine or critical care and have training in air ambulance operations that include flight physiology, stressors of flight, and air medical resource management.

The EMS medical director is authorized to:

1. Provide explicit approval for licensed EMS personnel under his supervision to provide medical care. Licensed EMS personnel may not provide medical care without the explicit approval of an EMS medical director.
2. Credential licensed EMS personnel under his supervision with a scope of practice. This scope of practice may be limited relative to the scope of practice authorized by the Commission and may not exceed the scope of practice established by the Commission.
3. Restrict the scope of practice of licensed EMS personnel under his supervision and withdraw approval of licensed EMS personnel to provide services when such personnel fail to meet or maintain proficiencies established by the EMS medical director or the Idaho EMS Bureau.
  - a. Such restriction or withdrawal of approval must be reported in writing within fifteen (15) days of the action to the Bureau in accordance with Section 39-1393, Idaho Code.

The EMS medical director is responsible for:

1. Approving the planned deployment of personnel resources.
2. Approving the manner in which licensed EMS personnel administer first aid or emergency medical attention as a “Good Samaritan” in accordance with Section 5-330 or 5-331, Idaho Code, without expectation of remuneration.
3. Documenting the review of the qualification, proficiencies, and all other EMS agency, hospital, and medical clinic affiliations of EMS personnel prior to credentialing the individual.
4. Documenting that the capabilities of licensed EMS personnel are maintained on an ongoing basis through education, skill proficiencies, and competency assessment.
5. Developing and implementing a program for continuous assessment and improvement of services by licensed EMS personnel under their supervision.
6. Reviewing and updating protocols, policies, and procedures at least every two (2) years.
7. Developing, implementing and overseeing a Medical Supervision Plan, as defined in this Standards Manual.
8. Collaborating with other EMS medical directors, hospital supervising physicians, and medical clinic supervising physicians to ensure EMS agencies and licensed EMS personnel have protocols, standards of care, and procedures that are consistent and compatible with one another.
9. Designating other physicians to supervise licensed EMS personnel in the temporary absence of the EMS medical director.
10. Designating Physician Assistants and Nurse Practitioners to serve as designated clinicians, as defined in this Standards Manual.

### **Direct Medical Supervision by Physician Assistants and Nurse Practitioners.**

The EMS medical director can designate Physician Assistants (PA) and Nurse Practitioners for purposes of direct (on-line) medical supervision of licensed EMS personnel. Such designated clinicians may only provide direct medical supervision when a designated physician is not present in the anticipated receiving health care facility. The following conditions must also be satisfied:

1. A written agreement between the designated Nurse Practitioner and the EMS medical director which describes the role and responsibilities of the designated Nurse Practitioner is required.
2. A written agreement between the designated PA and the EMS medical director which describes the role and responsibilities of the designated PA related to supervision of EMS personnel is required.
3. Designated clinicians must possess and be familiar with the Medical Supervision Plan, as defined in this Standards Manual, protocols, standing orders, and standard operating procedures authorized by the EMS medical director.

4. The physician supervising the PA, as defined in IDAPA 22.01.03, Idaho Department of Health and Welfare, “Rules for the Licensure of Physician Assistants,” must authorize the designated PA to provide direct (on-line) supervision.

Provisions for direct medical supervision by designated clinicians must be documented in the Medical Supervision Plan.

### **Medical Supervision Plan for the Out-Of-Hospital Setting.**

The medical supervision of licensed EMS personnel must be provided in accordance with a documented Medical Supervision Plan (MSP) that includes direct, indirect, on-scene, educational, and proficiency standards components. The EMS medical director is responsible for developing, implementing, and overseeing the MSP. However, non-physicians can assist the EMS medical director with the indirect medical supervision of licensed EMS personnel. The EMS medical director will submit the MSP to the Bureau upon request by the Bureau or the Commission. Medical Supervision Plans must be submitted within thirty (30) days of request. The Bureau must be notified of any changes in the MSP, including changes in designated clinicians, within thirty (30) days of the change(s).

At a minimum, the MSP must consist of the following elements:

#### **A. Credentialing of licensed EMS personnel.**

Credentialing is an EMS agency process by which licensed EMS personnel are authorized by the EMS medical director to provide medical care in accordance with a scope of practice that is established by the EMS medical director. The process for credentialing licensed EMS personnel is an extension of the “affiliating” of personnel and is consistent with contemporary EMS system design.

The process for credentialing will include the following:

1. Verification of Bureau licensure;
2. Affiliation to the EMS agency;
3. Review of the qualifications and proficiencies of the EMS provider, and all other EMS agency, hospital, and medical clinic affiliations.
4. Completion of an EMS agency orientation, as prescribed by the EMS agency, that includes:
  - a. EMS agency policies;
  - b. EMS agency procedures;
  - c. Medical treatment protocols;
  - d. Radio communications procedures;
  - e. Hospital/facility destination policies;
  - f. Other unique system features.

Upon successful completion of the credentialing process, the EMS medical director may issue the EMS provider with a card, certificate, or other document which indicates explicit approval to provide patient care and specifically authorizes a scope of practice for the EMS provider.

- This credential should include a specific expiration date which may be the same date of expiration as the Bureau license.
- This credential will be sufficient evidence of “affiliation” for his or her license or renewal by the Bureau, if the dates are inclusive of the licensure period and the credential has not been withdrawn by the EMS medical director.

## **B. Indirect (off-line) medical supervision.**

Indirect (off-line) supervision will include all of the following:

1. Written standing orders and treatment protocols for both adult and pediatric patients including direct (on-line) supervision criteria;
2. Description of authorized optional psychomotor skills and patient care interventions, as defined by the Commission;
3. Initial and continuing education in addition to those required by the Bureau;
4. Methods of assessment and improvement;
5. Periodic assessment of psychomotor skill proficiency;
6. Provisions for medical supervision of and defining the patient care provided by licensed EMS personnel who are present for a multiple or mass casualty incident, disaster response, or other significant event involving response of licensed EMS personnel;
7. Defining the response when licensed EMS personnel discover a need for EMS while not on duty;
8. The credentialing of licensed EMS personnel for emergency response;
9. The appropriate level of emergency response based upon dispatch information provided by the designated Public Safety Answering Point(s);
10. Triage, treatment, and transport guidelines;
11. Scene management for multiple EMS agencies anticipated to be on scene concurrently;
12. Criteria for determination of patient destination;
13. Criteria for utilization of air medical services in accordance with IDAPA 16.01.03, Idaho Department of Health and Welfare, “Emergency Medical Services (EMS) – Agency Licensing Requirements,” Section 700-799;
14. Policies and protocols for patient refusal, “treat and release”, advanced directives by patients and physicians, determination of death, termination of resuscitation and other predictable patient non-transport scenarios;
15. Criteria for cancellation or modification of EMS response;
16. Equipment authorized for patient care;

17. Medical communications guidelines; and
18. Methods and elements of documentation of services provided by licensed EMS personnel.
19. Policies and protocols for the identification, treatment and transport of patients with ST-elevation myocardial infarction to ensure timely re-perfusion therapy.
20. Policy for recognition and utilization of bystander providers that are not credentialed by the local EMS system.

**C. Direct (on-line) medical supervision.**

Direct supervision may be accomplished by concurrent communication with the EMS medical director, other physicians designated by the EMS medical director, or designated clinicians, who must be available twenty-four (24) hours a day seven (7) days a week. Provisions for direct supervision, including on-scene supervision, will be documented in the MSP which shall identify designated clinicians.

The EMS medical director will develop and implement procedures in the event of on-scene supervision by:

1. The EMS medical director or other physician(s) designated by the EMS medical director;
2. A physician with a pre-existing relationship with the patient; and
3. A physician with no pre-existing relationship with the patient who may or may not be present for the duration of treatment on scene or transportation.

Direct supervision of licensed EMS personnel by other persons is prohibited except in the manner described in the MSP.

Designated on-line physicians and clinicians shall have appropriate training and/or expertise in adult and pediatric emergency care.

**D. Standards of supervision and training for students of state-approved training programs.**

The EMS medical director, in collaboration with the course medical director or course coordinator, will define standards of supervision and training for students of state-approved training programs, who have been placed for clinical practice and training. These standards will be defined, identified, and documented in the MSP.

## **V. HOSPITAL AND MEDICAL CLINIC SUPERVISION**

### **Licensed EMS Personnel Responsibilities.**

The licensed EMS personnel employed or utilized for delivery of services within a hospital or medical clinic must:

1. When on duty, visibly display at all times identification specifying their level of EMS licensure.
2. Report such employment or utilization to the Bureau within thirty (30) days of engaging in such activity.

Licensed EMS personnel will only provide patient care with on-site contemporaneous supervision by the hospital supervising physician, medical clinic supervising physician or designated clinicians, as defined in this Standards Manual.

### **Hospital Supervising Physician and Medical Clinic Supervising Physician Qualifications, Authority and Responsibility.**

In accordance with Section 56-1011, Idaho Code, licensed EMS personnel must provide emergency medical services under the supervision of a designated hospital supervising physician or medical clinic supervising physician.

1. The hospital or medical clinic administration must designate a physician for the medical supervision of licensed EMS personnel employed or utilized in the hospital or medical clinic.
2. The hospital supervising physician or medical clinic supervising physician can designate other physicians to supervise the licensed EMS personnel during the periodic absence of the hospital supervising physician or medical clinic supervising physician.
3. Licensed EMS personnel will only provide patient care with on-site contemporaneous supervision by the hospital supervising physician, medical clinic supervising physician or designated clinicians, who are defined in this Standards Manual.

The hospital supervising physician and medical clinic supervising physician must:

1. Accept responsibility for the medical direction and medical supervision of the activities provided by licensed EMS personnel.
2. Obtain and maintain knowledge of the contemporary design and operation of EMS systems.
3. Obtain and maintain knowledge of Idaho EMS laws, regulations and standards manuals.

The hospital supervising physician and medical clinic supervising physician are authorized to:

1. Provide explicit approval for licensed EMS personnel under his supervision to provide medical care. Licensed EMS personnel may not provide medical care without the explicit approval of a hospital supervising physician or medical clinic supervising physician.

2. Credential licensed EMS personnel under his supervision with a scope of practice. This scope of practice may be limited relative to the scope of practice authorized by the Commission. If the authorized scope of practice exceeds the out-of-hospital scope of practice established by the Commission, the hospital supervising physician and/or medical clinic supervising physician must approve additional training to ensure competency in the expanded scope of practice. The Commission recognizes that hospital and medical clinic policies, state rules and the local community standard of care will influence the specific elements of any expanded scope of practice and the development of additional local oversight requirements.
3. Restrict the scope of practice of licensed EMS personnel under his supervision and to withdraw approval of licensed EMS personnel to provide services when such personnel fail to meet or maintain proficiencies established by the hospital supervising physician or medical clinic supervising physician or the Bureau.
  - o Such restriction or withdrawal of approval must be reported in writing within fifteen (15) days of the action to the Bureau in accordance with Section 39-1393, Idaho Code.

The hospital supervising physician and medical clinic supervising physician are responsible for:

1. Approving the planned deployment of personnel resources.
2. Approving the manner in which licensed EMS personnel administer first aid or emergency medical attention as a “Good Samaritan” in accordance with Section 5-330 or 5-331, Idaho Code, without expectation of remuneration.
3. Approving additional training when the local scope of practice exceeds the out-of-hospital scope of practice established by the Commission.
4. Documenting the review of the qualification, proficiencies, and all other EMS agency, hospital, and medical clinic affiliations of EMS personnel prior to credentialing the individual.
5. Documenting that the capabilities of licensed EMS personnel are maintained on an ongoing basis through education, skill proficiencies, and competency assessment.
6. Developing, implementing and overseeing a Medical Supervision Plan, as defined in this Standards Manual.
7. Collaborating with other EMS medical directors, hospital supervising physicians, and medical clinic supervising physicians to ensure EMS agencies and licensed EMS personnel have protocols, standards of care and procedures that are consistent and compatible with one another.
8. Designating other physicians to supervise the licensed EMS personnel during the periodic absence of the hospital supervising physician or medical clinic supervising physician.
9. Designating Physician Assistants and Nurse Practitioners to serve as designated clinicians, as defined in this Standards Manual.

## **Direct Medical Supervision by Physician Assistants and Nurse Practitioners.**

The hospital supervising physician or medical clinic supervising physician can designate Physician Assistants (PA) and Nurse Practitioners for purposes of direct (on-line) medical supervision of licensed EMS personnel under the following conditions:

1. A written agreement between the designated Nurse Practitioner and the hospital supervising physician or medical clinic supervising physician which describes the role and responsibilities of the designated Nurse Practitioner is required,
2. A written agreement between the designated PA and the hospital supervising physician or medical clinic supervising physician which describes the role and responsibilities of the designated PA related to supervision of EMS personnel is required,
3. Designated clinicians must possess and be familiar with the Medical Supervision Plan, as defined in this Standards Manual, protocols, standing orders, and standard operating procedures authorized by the hospital supervising physician or medical clinic supervising physician.
4. The physician supervising the PA, as defined in IDAPA 22.01.03, "Rules for the Licensure of Physician Assistants," must authorize the designated PA to provide direct (on-line) supervision.

Provisions for direct medical supervision by designated clinicians must be documented in the Medical Supervision Plan.

## **Medical Supervision Plan for the Hospital and Medical Clinic Settings.**

The medical supervision of licensed EMS personnel must be provided in accordance with a documented medical supervision plan (MSP). The hospital supervising physician or medical clinic supervising physician is responsible for developing, implementing, and overseeing the MSP.

The MSP will include:

1. A credentialing process for licensed EMS personnel as defined by the hospital or medical clinic.
2. A current written description of acts and duties authorized by the hospital supervising physician or medical clinic supervising physician for credentialed EMS personnel.
3. The hospital or medical clinic will submit such descriptions upon request of the Commission or the Bureau.
4. Provisions for direct medical supervision by designated clinicians and the identification of designated clinicians.



## **VI. BUREAU RESPONSIBILITIES.**

The Bureau will provide:

1. Technical assistance to medical directors, hospital supervising physicians, medical clinic supervising physicians, and their administrators to develop appropriate Medical Supervision Plans.
2. The Commission with EMS agency Medical Supervision Plans upon request.
3. The Commission with the identification of EMS medical directors and their designated clinicians annually and upon request.

## **VII. EMS PHYSICIAN COMMISSION RESPONSIBILITIES.**

The Commission will provide interpretation of the Rules of the Commission.

## **VIII. IDAHO AUTHORIZED SCOPE OF PRACTICE.**

The Commission has approved the Scope of Practice for licensed EMS personnel, which is articulated in Appendix A. Appendix A lists specific psychomotor skills and patient care interventions and indicates the level of EMS licensure that may perform each skill or intervention. The EMS Medical Director, Hospital Supervising Physician, or Medical Clinic Supervising Physician must oversee a process to verify competency in all credentialed skills and interventions. The effective date of this Scope of Practice will be July 1, 2017.

It must be noted that not everyone is currently operating at the levels indicated by Xs in Appendix A and that it is only upon completion of required education, competency assessment, and endorsement or permission by their medical director that a provider can perform the procedures.

Appendix A implicitly defines both a “floor” and “ceiling” for each level of EMS licensure. Licensed EMS personnel must receive training and demonstrate competency in each skill and intervention that lies within their “floor.” Training for skills and interventions within the “floor” is based on curricula or specialized training approved according to IDAPA 16.01.05, Idaho Department of Health and Welfare, “Emergency Medical Services (EMS) – Education, Instructor, and Examination Requirements.” Training and competency in skills and interventions within the “floor” are verified by examination and state EMS licensure according to IDAPA 16.01.05, Idaho Department of Health and Welfare, “Emergency Medical Services (EMS) – Education, Instructor, and Examination Requirements” and IDAPA 16.01.07, Idaho Department of Health and Welfare, “Emergency Medical Services (EMS) – Personnel Licensing Requirements.” Skills and interventions designated by an “X” in Appendix A are included in the “floor” for the specified level of EMS licensure.

Skills and interventions designated by “OM” in Appendix A may be authorized by the EMS Medical Director, Hospital Supervising Physician and/or Medical Clinic Supervising Physician and are considered optional. These skills and interventions lie between the “floor” and “ceiling” of the specified level of EMS licensure. The EMS Medical Director, Hospital Supervising

Physician and/or Medical Clinic Supervising Physician must ensure that licensed EMS personnel receive appropriate initial and continuing training for optional skills and interventions. In addition, the EMS Medical Director, Hospital Supervising Physician or Medical Clinic Supervising Physician must take an active role in verifying competency in optional skills and interventions since state EMS licensing will not address optional skills or interventions. Agencies must provide the minimum equipment required for their authorized OMs.

When an EMS Medical Director, Hospital Supervising Physician or Medical Clinic Supervising Physician desires to incorporate an OM, they must:

1. Report patient care response data to the Idaho Prehospital Electronic Record Collection System (PERCS) directly or by way of an Idaho validated export from a National EMS Information System (NEMSIS) compliant software application.
  - a. If an agency has not been able to obtain PERCS validation, they must report optional module usage on their annual agency renewal application. This method of reporting shall expire June 30, 2017.
2. Submit an addendum to their medical supervision plan to the Bureau that indicates which OM(s) they want to adopt.
3. Submit verification of credentialing to the Bureau prior to utilization of OM skills or interventions.

Psychomotor skills and patient care interventions that are not designated by either an “X” or “OM” in Appendix A fall outside the Commission’s established Scope of Practice for the specified level of EMS licensure and may not be performed by licensed EMS personnel at that level in the out-of-hospital setting. As such, Appendix A defines the “ceiling” for the specified level of EMS licensure.

Appendix A includes a CC Skills (Critical Care Skills) column that designates optional psychomotor skills and patient care interventions that may be performed by a Paramedic who receives additional critical care education and has successfully completed the Board for Critical Care Transport Paramedic Certification (BCCTPC) exam for Flight Paramedic (FP-C) or Critical Care Paramedic (CCP-C). A Paramedic must be appropriately credentialed by the EMS Medical Director, Hospital Supervising Physician or Medical Clinic Supervising Physician before performing critical care skills. In addition, the EMS Medical Director, Hospital Supervising Physician and/or Medical Clinic Supervising Physician must ensure that licensed EMS personnel receive appropriate initial and continuing education of critical care skills and interventions, and must take an active role in verifying proficiency in those skills and interventions since state EMS personnel licensing will not address critical care or optional skills and interventions.

The Commission has created additional requirements for certain psychomotor skills and patient care interventions that, if done improperly, represent a significant hazard to the patient. Additional standards may include but are not limited to on-line medical direction prior to performance of the skill or intervention, completion of specified training prior to credentialing, required elements for Patient Care Report documentation, required elements for performance assessment and improvement and/or compliance with a state-wide protocol or guideline. See

Appendices B through C. Skills and interventions with additional requirements are designated in Appendix A by a 1, 2, 3, 4, 5, etc. alongside the “X” or “OM”.

## **Emergency Medical Responder (EMR)**

The primary focus of the Emergency Medical Responder, which prior to July 1, 2009 was known as a certified First Responder, is to initiate immediate lifesaving care to critical patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide lifesaving interventions while awaiting additional EMS response and to assist higher level personnel at the scene and during transport. Emergency Medical Responders function as part of a comprehensive EMS response, under medical oversight. Emergency Medical Responders perform basic interventions with minimal equipment.

### **Description of the Profession**

The Emergency Medical Responder’s scope of practice includes simple skills focused on lifesaving interventions for critical patients. Typically, the Emergency Medical Responder renders on-scene emergency care while awaiting additional EMS response and may serve as part of the transporting crew, but not as the primary care giver.

In many communities, Emergency Medical Responders provide a mechanism to increase the likelihood that trained personnel and lifesaving equipment can be rapidly deployed to serious emergencies. In all cases, Emergency Medical Responders are part of a tiered response system. Emergency Medical Responders work alongside other EMS and health care professionals as an integral part of the emergency care team.

The Emergency Medical Responder’s scope of practice includes simple, non-invasive interventions to reduce the morbidity and mortality associated with acute out-of-hospital medical and traumatic emergencies. Emergency care is based on assessment findings. Additionally, the Emergency Medical Responder provides care designed to minimize secondary injury and comfort the patient and family while awaiting additional EMS resources.

A major difference between the lay person and the Emergency Medical Responder is the “duty to act” as part of an organized EMS response.

In some systems, Emergency Medical Responders serve as a part of the crew on transporting EMS units; however, the Emergency Medical Responder is not intended to be the highest level caregiver in such situations. They must function with an EMT or higher level personnel during the transportation of emergency patients. The scope of practice model of an Emergency Medical Responder is limited to simple skills that are effective and can be performed safely in an out-of-hospital setting with medical oversight.

After initiating care, the Emergency Medical Responder transfers care to higher level personnel. The Emergency Medical Responder serves as part of an EMS response system that ensures a progressive increase in the level of assessment and care.

## **Emergency Medical Technician (EMT)**

The primary focus of the Emergency Medical Technician is to provide basic emergency medical care and transportation for critical and emergent patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide patient care and transportation. Emergency Medical Technicians function as part of a comprehensive EMS response, under medical oversight. Emergency Medical Technicians perform interventions with the basic equipment typically found on an ambulance. The Emergency Medical Technician is a link from the scene to the emergency health care system.

### **Description of the Profession**

The Emergency Medical Technician's scope of practice includes basic skills focused on the acute management and transportation of critical and emergent patients. This may occur at an emergency scene until transportation resources arrive, from an emergency scene to a health care facility, between health care facilities, or in other health care settings.

In many communities Emergency Medical Technicians provide a large portion of the prehospital care. In some jurisdictions, especially rural areas, Emergency Medical Technicians provide the highest level of prehospital care. Emergency Medical Technicians work alongside other EMS and health care professionals as an integral part of the emergency care team.

Emergency Medical Technicians' scope of practice includes basic, non-invasive interventions to reduce the morbidity and mortality associated with acute out-of-hospital medical and traumatic emergencies. Emergency care is based on assessment findings. Additionally, Emergency Medical Technicians provide care to minimize secondary injury and provide comfort to the patient and family while transporting the patient to an emergency care facility.

An Emergency Medical Technician's knowledge, skills, and abilities are acquired through formal education and training. The Emergency Medical Technician has the knowledge of, and is expected to be competent in, all of the skills of the Emergency Medical Responder. A major difference between the Emergency Medical Responder and the Emergency Medical Technician is the knowledge and skills necessary to provide medical transportation of emergency patients.

The Emergency Medical Technician level is the minimum licensure level for personnel transporting patients in ambulances. The scope of practice is limited to basic skills that are effective and can be performed safely in an out-of-hospital setting with medical oversight and limited training.

The Emergency Medical Technician transports all emergency patients to an appropriate medical facility. The Emergency Medical Technician is not prepared to make decisions independently regarding the appropriate disposition of patients. The Emergency Medical Technician serves as part of an EMS response system, assuring a progressive increase in the level of assessment and care. The Emergency Medical Technician may make destination decisions in collaboration with medical oversight. The principal disposition of the patient encounter will result in the direct delivery of the patient to an acute care facility.

In addition to emergency response, Emergency Medical Technicians often perform medical transport services of patients requiring care within their scope of practice.

## **Advanced Emergency Medical Technician (AEMT)**

The primary focus of the Advanced Emergency Medical Technician is to provide basic and limited advanced emergency medical care and transportation for critical and emergent patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide patient care and transportation. Advanced Emergency Medical Technicians function as part of a comprehensive EMS response, under medical oversight. Advanced Emergency Medical Technicians perform interventions with the basic and advanced equipment typically found on an ambulance. The Advanced Emergency Medical Technician is a link from the scene to the emergency health care system.

### **Description of the Profession**

The Advanced Emergency Medical Technician's scope of practice includes basic and limited advanced skills focused on the acute management and transportation of critical and emergent patients. This may occur at an emergency scene until transportation resources arrive, from an emergency scene to a health care facility, between health care facilities, or in other health care settings.

For many communities, Advanced Emergency Medical Technicians provide an option to provide high benefit, lower risk advanced skills for systems that cannot support or justify Paramedic level care. This is frequently the case in rural and volunteer systems. In some jurisdictions, Advanced Emergency Medical Technicians are the highest level of prehospital care. In communities which utilize emergency medical dispatch systems, Advanced Emergency Medical Technicians may function as part of a tiered response system. In all cases, Advanced Emergency Medical Technicians work alongside other EMS and health care professionals as an integral part of the emergency care team.

The Advanced Emergency Medical Technician's scope of practice includes basic and limited advanced interventions to reduce the morbidity and mortality associated with acute out-of-hospital medical and traumatic emergencies. Emergency care is based on assessment findings. Additionally, Advanced Emergency Medical Technicians provide care to minimize secondary injury and provide comfort to the patient and family while transporting the patient to an emergency care facility.

The Advanced Emergency Medical Technician's knowledge, skills, and abilities are acquired through formal education and training. The Advanced Emergency Medical Technician has the knowledge associated with, and is expected to be competent in, all of the skills of the Emergency Medical Responder and Emergency Medical Technician. The major difference between the Advanced Emergency Medical Technician and the Emergency Medical Technician is the ability to perform limited advanced skills for emergency patients.

The Advanced Emergency Medical Technician is the minimum licensure level for patients requiring limited advanced care at the scene or during transportation. The scope of practice is limited to lower risk, high benefit advanced skills that are effective and can be performed safely

in an out-of-hospital setting with medical oversight and limited training.

The Advanced Emergency Medical Technician transports all emergency patients to an appropriate medical facility. The Advanced Emergency Medical Technician is not prepared to independently make decisions regarding the disposition of patients. The Advanced Emergency Medical Technician serves as part of an EMS response system assuring a progressive increase in the level of assessment and care. The Advanced Emergency Medical Technician may make destination decisions in collaboration with medical oversight. The principal disposition of the patient encounter will result in the direct delivery of the patient to an acute care facility.

In addition to emergency response, Advanced Emergency Medical Technicians often perform medical transport services of patients requiring care within their scope of practice.

Those AEMTs whose licensure is based on the Intermediate 85 curriculum and who have chosen not to complete either the EMT-2011 or the AEMT-2011 transition are expected to be competent in all the skills of the EMR and EMT with the exception of Pulse Oximetry, ATV non-intubated, aspirin, epi-auto injector, atropine sulfate & 2-Pralidoxime chloride auto-injector.

## **Paramedic**

The Paramedic is an allied health professional whose primary focus is to provide advanced emergency medical care for critical and emergent patients who access the emergency medical system. This individual possesses the complex knowledge and skills necessary to provide patient care and transportation. Paramedics function as part of a comprehensive EMS response, under medical oversight. Paramedics perform interventions with the basic and advanced equipment typically found on an ambulance. The Paramedic is a link from the scene into the health care system.

### **Description of the Profession**

The Paramedic's scope of practice includes basic and advanced skills focused on the acute management and transportation of the broad range of patients who access the emergency medical system. This may occur at an emergency scene until transportation resources arrive, from an emergency scene to a health care facility, between health care facilities, or in other health care settings.

In some communities, Paramedics provide a large portion of the prehospital care and represent the highest level of prehospital care. In communities that utilize emergency medical dispatch systems, Paramedics may be part of a tiered response system. In all cases, Paramedics work alongside other EMS and health care professionals as an integral part of the emergency care team.

The Paramedic's scope of practice includes invasive and pharmacological interventions to reduce the morbidity and mortality associated with acute out-of-hospital medical and traumatic emergencies. Emergency care is based on an advanced assessment and the formulation of a field impression. The Paramedic provides care designed to minimize secondary injury and provide comfort to the patient and family while transporting the patient to an appropriate health care

facility.

The Paramedic has knowledge, skills, and abilities developed by appropriate formal education and training. The Paramedic has the knowledge associated with, and is expected to be competent in, all of the skills of the Emergency Medical Responder, Emergency Medical Technician, and Advanced Emergency Medical Technician. The major difference between the Paramedic and the Advanced Emergency Medical Technician is the ability to perform a broader range of advanced skills. These skills carry a greater risk for the patient if improperly or inappropriately performed, are more difficult to attain and maintain competency in, and require significant background knowledge in basic and applied sciences.

The Paramedic is the minimum licensure level for patients requiring the full range of advanced out-of-hospital care. The scope of practice is limited to advanced skills that are effective and can be performed safely in an out-of-hospital setting with medical oversight.

The Paramedic transports all emergency patients to an appropriate medical facility. The Paramedic serves as part of an EMS response system, ensuring a progressive increase in the level of assessment and care. The Paramedic may make treat and release decisions in collaboration with medical oversight. The principal disposition of the patient encounter will result in the direct delivery of the patient to an acute care facility.

In addition to emergency response, Paramedics often perform medical transport services of patients requiring care within their scope of practice.

## **IX. EMS Proficiency and Performance Assessment Requirement.**

Additional performance assessment requirements exist for advanced airway management including all intubation attempts and placements by any personnel affiliated with the EMS agency. The responsibility of the EMS medical director includes implementation of these requirements and EMS personnel compliance pursuant to IDAPA 16.02.02.300.05 and .06. The required data elements to be supplied by every EMS provider who attempts advanced airway management will be defined by the EMS Physician Commission. EMS providers will electronically submit the required data elements directly to the EMS Physician Commission starting January 1, 2010, in a manner established by the EMS Physician Commission. EMS providers will submit the required data elements contemporaneously with the completion of their patient care documentation. In the interest of evaluating aggregate performance, the EMS Physician Commission will compile and supply the EMS medical director with submitted data elements.

## **X. Idaho EMS Physician Commission Contact Information**

[EMSPhysiciancomm@dhw.idaho.gov](mailto:EMSPhysiciancomm@dhw.idaho.gov)

[www.emspc.dhw.idaho.gov](http://www.emspc.dhw.idaho.gov)

Call Toll Free: 1-877-554-3367

Idaho EMS Physician Commission  
2224 W. Old Penitentiary Road  
PO Box 83720  
Boise, Idaho 83720-0036  
(208) 334-4000  
Fax (208) 334-4015

## **XI. Idaho Bureau of EMS and Preparedness Contact Information**

[IdahoEMS@dhw.idaho.gov](mailto:IdahoEMS@dhw.idaho.gov)

[www.idahoems.org](http://www.idahoems.org)

Call Toll Free: 1-877-554-3367


2224 W. Old Penitentiary Road  
PO Box 83720  
Boise, ID 83720-0036  
(208) 334-4000  
Fax (208) 334-4015

Effective 07/01/2017



AIRWAY / VENTILATION / OXYGENATION		
1	Airway – Oral	X
2	Bag-Valve-Mask (BVM)	X
3	Cricoid Pressure (Sellick)	X
4	Finger Sweep	X
5	Head-tilt/chin-lift	X
6	Jaw-thrust	X
7	Jaw-thrust - Modified (trauma)	OM
8	Modified Chin Lift	X
9	Mouth-to-Barrier	X
10	Mouth-to-Mask	X
11	Mouth-to-Mouth	X
12	Mouth-to-Nose	X
13	Mouth-to-Stoma	X
14	Obstruction – Manual	X
15	Oxygen Therapy – Nasal Cannula	X
16	Oxygen Therapy – Non-rebreather Mask	X
17	Suctioning – Upper Airway	X
CARDIOVASCULAR / CIRCULATION		
18	Cardiopulmonary Resuscitation (CPR)	X
19	Defibrillation – Automated / Semi-Automated	X
20	Hemorrhage Control – Direct Pressure	X
21	Hemorrhage Control – Dressing	X
22	Hemorrhage Control – Tourniquet	X
IMMOBILIZATION		
23	Cervical Stabilization – Cervical Collar	2,OM
24	Spinal Immobilization – Long Board	2,OM
25	Cervical Stabilization – Manual	X
26	Spinal Immobilization – Seated Patient (KED, etc.)	2,OM
27	Extremity Stabilization - Manual	X
28	Extremity Splinting	2,OM
TECHNIQUE OF MEDICATION ADMINISTRATION		
Only includes techniques required to administer meds listed in the medication formulary. Does not include techniques for assisting a patient in administering his/her own medications.		
29	Auto-Injector	X
30	Intramuscular (IM)	2,OM
MISCELLANEOUS		
31	Assisted Childbirth Delivery - Normal	X
32	Blood Pressure – Manual	X
33	Emergency Moves for Endangered Patients	X
34	Eye Irrigation	X
35	Taser Barb Removal	OM
MEDICATION FORMULARY		
36	Epinephrine (Adrenalin)	2,4,OM
37	Atropine sulfate & 2-Pralidoxime chloride auto-injector (e.g. MARK-I, DuoDote) self & peer	X
38	Atropine sulfate & 2-Pralidoxime chloride auto-injector (Chempack patient use - emergency stockpile release only)	4X
39	Naloxone (Narcan)	3, SS
40	Oxygen	X
41	Vaccinations - at the request of the public health district if credentialed in IM administration	5,OM

Education based on new 2011 Idaho EMS Curricula (IEC) which is based on National Education Standards	
<b>OM=Optional Module</b>	
Levels of Medical Supervision	
Requires completion of training that meets or exceeds specified state-wide training content established by the EMS Bureau	2
Requires EMSPC protocol	4
Just In Time Training	5
3, SS - State Statute 54-1733B	



<b>AIRWAY / VENTILATION / OXYGENATION</b>		
42	Advanced Airway devices not intended to be inserted into trachea	2,3,OM*~
43	Airway – Nasal	X
44	Airway – Oral	X
45	Bag-Valve-Mask (BVM)	X
46	CPAP	2, OM
47	Cricoid Pressure (Sellick)	X
48	Demand Valve – Manually triggered, flow restricted, ventilation	X
49	End Tidal CO <sub>2</sub> Monitoring/Capnometry	2,3,OM~
50	Finger Sweep	X
51	Head-tilt/chin-lift	X
52	Jaw-thrust	X
53	Jaw-thrust - Modified (trauma)	X
54	Modified Chin Lift	X
55	Mouth-to-Barrier	X
56	Mouth-to-Mask	X
57	Mouth-to-Mouth	X
58	Mouth-to-Nose	X
59	Mouth-to-Stoma	X
60	Obstruction – Manual	X
61	Oxygen Therapy – Humidifiers	X
62	Oxygen Therapy – Nasal Cannula	X
63	Oxygen Therapy – Non-rebreather Mask	X
64	Oxygen Therapy – Partial Rebreather Mask	X
65	Oxygen Therapy – Simple Face Mask	X
66	Oxygen Therapy – Venturi Mask	X
67	Pulse Oximetry	X
68	CO Oximetry	2,4,OM
69	Suctioning – Tracheobronchial via advanced airway	2,OM
70	Suctioning – Upper Airway	X
71	Ventilators – Automated Transport (ATV) for non-intubated patients	X
<b>CARDIOVASCULAR / CIRCULATION</b>		
72	EKG - 12-lead data acquisition	2,OM
73	Cardiopulmonary Resuscitation (CPR)	X
74	Defibrillation – Automated / Semi-Automated	X
75	Hemorrhage Control – Direct Pressure	X
76	Hemorrhage Control – Dressing	X
77	Hemorrhage Control – Tourniquet	X
78	Impedance Threshold Device (ITD)	OM
79	Mechanical CPR Device	X
<b>IMMOBILIZATION</b>		
80	Cervical Stabilization – Cervical Collar	X
81	Spinal Immobilization – Long Board	X
82	Cervical Stabilization – Manual	X
83	Spinal Immobilization – Seated Patient (KED, etc.)	X
84	Extremity Stabilization - Manual	X
85	Extremity Splinting	X
86	Extremity Splinting – Traction	X
87	MAST/PASG for Pelvic Immobilization Only	X
88	Pelvic Immobilization Devices	OM
<b>VASCULAR ACCESS / FLUIDS</b>		
89	Intraosseous – Pediatric	2,OM
90	Intraosseous – Adult	2,OM
91	Peripheral – Initiation (includes External Jugular)	2,OM
92	IV Fluid infusion - Non-medicated	2,OM

<b>TECHNIQUE OF MEDICATION ADMINISTRATION</b>		
<b>Only includes techniques required to administer meds listed in the medication formulary. Does not include techniques for assisting a patient in administering his/her own medications.</b>		
93	Aerosolized (MDI)	X
94	Auto-Injector	X
95	Buccal	X
96	Intramuscular (IM)	2,OM
97	Intraosseous - Pediatric	2,4,OM
98	Intraosseous - Adult	2,4,OM
99	Nebulized (SVN)	X
100	Oral	X
101	Subcutaneous	2,OM
<b>MISCELLANEOUS</b>		
102	Assist with Prescribed Meds	X
103	Assisted Childbirth Delivery - Normal	X
104	Assisted Childbirth Delivery- Complicated	X
105	Blood Glucose Monitoring - Automated	2,4,OM
106	Blood Pressure – Manual	X
107	Blood Pressure – Automated	X
108	Emergency Moves for Endangered Patients	X
109	Eye Irrigation	X
110	Mechanical Patient Restraints	X
111	Rapid Extrication	X
112	Taser Barb Removal	OM
113	Venous Blood Sampling – Obtaining	2,OM
<b>MEDICATION FORMULARY</b>		
114	Acetylsalicylic Acid (Aspirin) for suspected cardiac chest pain	X
115	Activated Charcoal	X
116	Epinephrine (Adrenalin)	X
117	Glucagon	2,4,OM
118	Glucose (Oral)	X
119	Inhaled Beta Agonist (MDI)	X**2,OM
120	Inhaled Beta Agonist (SVN)	X**2,OM
121	Lidocaine - as an adjunct for IO fluid administration	4 OM
122	Atropine sulfate & 2-Pralidoxime chloride auto-injector (e.g. MARK-I, DuoDote) self & peer	X
123	Atropine sulfate & 2-Pralidoxime chloride auto-injector (e.g. MARK-I, DuoDote)	X
124	Atropine sulfate & 2-Pralidoxime chloride auto-injector (Chempack patient use - emergency stockpile release only)	4X
125	Naloxone (Narcan)	3, SS
126	Nebulized Albuterol	OM
127	Nitroglycerin - Sublingual	X**
128	Oxygen	X
129	Vaccinations - at the request of the public health district if credentialed in IM administration	5,OM

<b>Education based on new 2011 Idaho EMS Curricula (IEC) which is based on National Education Standards</b>	
<b>OM=Optional Module</b>	
<b>Levels of Medical Supervision</b>	
Requires completion of training that meets or exceeds specified state-wide training content established by the EMS Bureau	<b>2</b>
Requires additional standards as defined by the EMSPC	<b>3</b>
Requires EMSPC protocol	<b>4</b>
Just In Time Training	<b>5</b>
3, SS - State Statute 54-1733B	
~End Tidal CO2 Monitoring/ Capnometry must be included if the Supraglottic Airway is selected as an EMT-2011 2,3 OM	
* Adults Only	
** May carry and administer only if already prescribed	

AEMT85

AIRWAY / VENTILATION / OXYGENATION		
130	Advanced Airway devices not intended to be inserted into trachea	X*
131	Airway – Nasal	X
132	Airway – Oral	X
133	Bag-Valve-Mask (BVM)	X
134	CPAP	2,OM
135	Cricoid Pressure (Sellick)	X
136	Demand Valve – Manually triggered, flow restricted, ventilation	X
137	End Tidal CO <sub>2</sub> Monitoring/Capnometry	2,OM
138	Finger Sweep	X
139	Head-tilt/chin-lift	X
140	Jaw-thrust	X
141	Jaw-thrust - Modified (trauma)	X
142	Modified Chin Lift	X
143	Mouth-to-Barrier	X
144	Mouth-to-Mask	X
145	Mouth-to-Mouth	X
146	Mouth-to-Nose	X
147	Mouth-to-Stoma	X
148	Obstruction – Manual	X
149	Oxygen Therapy – Humidifiers	X
150	Oxygen Therapy – Nasal Cannula	X
151	Oxygen Therapy – Non-rebreather Mask	X
152	Oxygen Therapy – Partial Rebreather Mask	X
153	Oxygen Therapy – Simple Face Mask	X
154	Oxygen Therapy – Venturi Mask	X
155	Pulse Oximetry	2,OM
156	CO Oximetry	2,4,OM
157	Suctioning – Tracheobronchial via advanced airway	X
158	Suctioning – Upper Airway	X
CARDIOVASCULAR / CIRCULATION		
159	EKG - 12-lead data acquisition	2,OM
160	Cardiopulmonary Resuscitation (CPR)	X
161	Defibrillation – Automated / Semi-Automated	X
162	Hemorrhage Control – Direct Pressure	X
163	Hemorrhage Control – Dressing	X
164	Hemorrhage Control - Pressure Point	X
165	Hemorrhage Control – Tourniquet	X
166	Impedance Threshold Device (ITD)	OM
167	Mechanical CPR Device	X
IMMOBILIZATION		
168	Cervical Stabilization – Cervical Collar	X
169	Spinal Immobilization – Long Board	X
170	Cervical Stabilization – Manual	X
171	Spinal Immobilization – Seated Patient (KED, etc.)	X
172	Extremity Stabilization - Manual	X
173	Extremity Splinting	X
174	Extremity Splinting – Traction	X
175	MAST/PASG for Pelvic Immobilization Only	X
176	Pelvic Immobilization Devices	OM
VASCULAR ACCESS / FLUIDS		
177	Intraosseous – Pediatric	X
178	Intraosseous – Adult	OM
179	Peripheral – Initiation (includes External Jugular)	X
180	IV Fluid infusion - Non-medicated	X

<b>TECHNIQUE OF MEDICATION ADMINISTRATION</b>		
<b>Only includes techniques required to administer meds listed in the medication formulary. Does not include techniques for assisting a patient in administering his/her own medications.</b>		
181	Auto-Injector	X
182	Buccal	X
183	Intramuscular (IM)	2,OM
184	Intraosseous - Pediatric	2,4,OM
185	Intraosseous - Adult	2,4,OM
186	Oral	X
187	Subcutaneous	2,OM
<b>MISCELLANEOUS</b>		
188	Assist with Prescribed Meds	X
189	Assisted Childbirth Delivery - Normal	X
190	Assisted Childbirth Delivery- Complicated	X
191	Blood Glucose Monitoring - Automated	X
192	Blood Pressure – Manual	X
193	Blood Pressure – Automated	X
194	Emergency Moves for Endangered Patients	X
195	Eye Irrigation	X
196	Mechanical Patient Restraints	X
197	Rapid Extrication	X
198	Taser Barb Removal	OM
199	Venous Blood Sampling – Obtaining	X
<b>MEDICATION FORMULARY</b>		
200	Acetylsalicylic Acid (Aspirin) for suspected cardiac chest pain	OM
201	Activated Charcoal	X
202	Epinephrine (Adrenalin)	2,4,OM
203	Glucagon	2,4,OM
204	Glucose (Oral)	X
205	Inhaled Beta Agonist (MDI)	X**
206	Lidocaine - as an adjunct for IO fluid administration	4,OM
207	Atropine sulfate & 2-Pralidoxime chloride auto-injector (Chempack patient use - emergency stockpile release only)	5X
209	Nitroglycerin - Sublingual	X**
210	Oxygen	X
211	Vaccinations - at the request of the public health district if credentialed in IM administration	5,OM

<b>Education based on Idaho Standard Curriculum (ISC) which was based on National Standard Curricula</b>	
<b>OM=Optional Module</b>	
<b>Levels of Medical Supervision</b>	
Requires completion of training that meets or exceeds specified state-wide training content established by the EMS Bureau	<b>2</b>
Requires EMSPC protocol	<b>4</b>
Just In Time Training	<b>5</b>
3, SS - State Statute 54-1733B	
* Adults Only	
**may carry and administer only if already prescribed	

<b>AIRWAY / VENTILATION / OXYGENATION</b>		
212	Advanced Airway devices not intended to be inserted into trachea	X*
213	Airway – Nasal	X
214	Airway – Oral	X
215	Bag-Valve-Mask (BVM)	X
216	CPAP	2,OM
217	Cricoid Pressure (Sellick)	X
218	Demand Valve – Manually triggered, flow restricted, ventilation	X
219	End Tidal CO <sub>2</sub> Monitoring/Capnometry	2,OM
220	Finger Sweep	X
221	Head-tilt/chin-lift	X
222	Jaw-thrust	X
223	Jaw-thrust - Modified (trauma)	X
224	Modified Chin Lift	X
225	Mouth-to-Barrier	X
226	Mouth-to-Mask	X
227	Mouth-to-Mouth	X
228	Mouth-to-Nose	X
229	Mouth-to-Stoma	X
230	Obstruction – Manual	X
231	Oxygen Therapy – Humidifiers	X
232	Oxygen Therapy – Nasal Cannula	X
233	Oxygen Therapy – Non-rebreather Mask	X
234	Oxygen Therapy – Partial Rebreather Mask	X
235	Oxygen Therapy – Simple Face Mask	X
236	Oxygen Therapy – Venturi Mask	X
237	Pulse Oximetry	X
238	CO Oximetry	2,4,OM
239	Suctioning – Tracheobronchial via advanced airway	X
240	Suctioning – Upper Airway	X
241	Ventilators – Automated Transport (ATV) for non-intubated patients	X
<b>CARDIOVASCULAR / CIRCULATION</b>		
242	EKG - 12-lead data acquisition	2,OM
243	Cardiopulmonary Resuscitation (CPR)	X
244	Defibrillation – Automated / Semi-Automated	X
245	Hemorrhage Control – Direct Pressure	X
246	Hemorrhage Control – Dressing	X
247	Hemorrhage Control - Pressure Point	X
248	Hemorrhage Control – Tourniquet	X
249	Impedance Threshold Device (ITD)	OM
250	Mechanical CPR Device	X
<b>IMMOBILIZATION</b>		
251	Cervical Stabilization – Cervical Collar	X
252	Spinal Immobilization – Long Board	X
253	Cervical Stabilization – Manual	X
254	Spinal Immobilization – Seated Patient (KED, etc.)	X
255	Extremity Stabilization - Manual	X
256	Extremity Splinting	X
257	Extremity Splinting – Traction	X
258	MAST/PASG for Pelvic Immobilization Only	X
259	Pelvic Immobilization Devices	OM
<b>VASCULAR ACCESS / FLUIDS</b>		
260	Intraosseous – Pediatric	X
261	Intraosseous – Adult	X
262	Peripheral – Initiation (includes External Jugular)	X
263	IV Fluid infusion - Non-medicated	X

<b>TECHNIQUE OF MEDICATION ADMINISTRATION</b>		
<b>Only includes techniques required to administer meds listed in the medication formulary. Does not include techniques for assisting a patient in administering his/her own medications.</b>		
264	Aerosolized (MDI)	X
265	Auto-Injector	X
266	Buccal	X
267	Inhaled - patient administered (nitrous oxide)	X
268	Intramuscular (IM)	X
269	Intranasal	X
270	Intraosseous - Pediatric	X
271	Intraosseous - Adult	X
272	IV Push-D50/concentrated dextrose solutions only / Naloxone (Narcan)	X
273	Nebulized (SVN)	X
274	Oral	X
275	Subcutaneous	X
276	Sub-lingual	X
277	Topical	OM
<b>MISCELLANEOUS</b>		
278	Assist with Prescribed Meds	X
279	Assisted Childbirth Delivery - Normal	X
280	Assisted Childbirth Delivery- Complicated	X
281	Blood Glucose Monitoring - Automated	X
282	Blood Pressure – Manual	X
283	Blood Pressure – Automated	X
284	Emergency Moves for Endangered Patients	X
285	Eye Irrigation	X
286	Mechanical Patient Restraints	X
287	Rapid Extrication	X
288	Taser Barb Removal	OM
289	Venous Blood Sampling – Obtaining	OM
<b>MEDICATION FORMULARY</b>		
290	Acetylsalicylic Acid (Aspirin) for suspected cardiac chest pain	X
291	Activated Charcoal	X
292	Dextrose 50%	X
293	Dextrose, concentrated solutions	X
294	Epinephrine (Adrenalin)	X
295	Glucagon	X
296	Glucose (Oral)	X
297	Inhaled Beta Agonist (MDI)	X
298	Inhaled Beta Agonist (SVN)	X
299	Lidocaine - as an adjunct for IO fluid administration	4,OM
300	Atropine sulfate & 2-Pralidoxime chloride auto-injector (e.g. MARK-I, DuoDote) self & peer	X
301	Atropine sulfate & 2-Pralidoxime chloride auto-injector (e.g. MARK-I, DuoDote)	X
302	Atropine sulfate & 2-Pralidoxime chloride auto-injector (Chempack patient use - emergency stockpile release only)	4X
303	Naloxone (Narcan)	X
304	Nitroglycerin - Paste	OM
305	Nitroglycerin - Sublingual	X
306	Nitrous Oxide (Nitronox)	X
307	Oxygen	X
308	Vaccinations - at the request of the public health district if credentialed in IM administration	X

<b>Education based on new 2011 Idaho EMS Curricula (IEC) which is based on National Education Standards</b>	
<b>OM=Optional Module</b>	
<b>Levels of Medical Supervision</b>	
Requires completion of training that meets or exceeds specified state-wide training content established by the EMS Bureau	<b>2</b>
Requires EMSPC protocol	<b>4</b>
3, SS - State Statute 54-1733B	
* Adults Only	

Paramedic-2011

AIRWAY / VENTILATION / OXYGENATION		
Skill	Paramedic-2011 (Licensed after 1-1-2013)	CC Skills Paramedic 2011
309	Advanced Airway devices not intended to be inserted into trachea	X
310	Airway – Nasal	X
311	Airway – Oral	X
312	Airway – Obstruction - removal of foreign body by direct laryngoscopy	X
313	Bag-Valve-Mask (BVM)	X
314	BiPAP	X
315	Chest Decompression – Needle	X
316	Chest Tube Placement	2,3,OM
317	Chest Tube – Monitoring & Management	X
318	CPAP	X
319	Cricoid Pressure (Sellick)	X
320	Cricothyrotomy – Needle/Percutaneous	X
321	Cricothyrotomy - Surgical	2,OM 3X
322	Demand Valve – Manually triggered, flow restricted, ventilation	X
323	End Tidal CO <sub>2</sub> Monitoring/Capnometry	X
324	Finger Sweep	X
325	Gastric Decompression – NG Tube	X
326	Gastric Decompression – OG Tube	X
327	Head-tilt/chin-lift	X
328	Intubation – Digital	X
329	Intubation – Medication Assisted (non-paralytic)	X
330	Intubation – Medication Assisted (paralytics) (RSI)	2,3,OM
331	Intubation - Nasotracheal	X
332	Intubation - Orotracheal	X
333	Intubation – Retrograde	
334	Jaw-thrust	X
335	Jaw-thrust - Modified (trauma)	X
336	Modified Chin Lift	X
337	Mouth-to-Barrier	X
338	Mouth-to-Mask	X
339	Mouth-to-Mouth	X
340	Mouth-to-Nose	X
341	Mouth-to-Stoma	X
342	Obstruction – Direct Laryngoscopy	X
343	Obstruction – Manual	X
344	Oxygen Therapy – Humidifiers	X
345	Oxygen Therapy – Nasal Cannula	X
346	Oxygen Therapy – Non-rebreather Mask	X
347	Oxygen Therapy – Partial Rebreather Mask	X
348	Oxygen Therapy – Simple Face Mask	X
349	Oxygen Therapy – Venturi Mask	X
350	PEEP – Therapeutic (>6cm H <sub>2</sub> O pressure)	X
351	Pulse Oximetry	X
352	CO Oximetry	OM
353	Suctioning – Tracheobronchial via advanced airway	X
354	Suctioning – Upper Airway	X
355	Ventilators – Automated Transport (ATV) for non-intubated patients	X
356	Ventilators – Automated Transport (ATV)	X
357	Ventilators, Automated – Enhanced Assessment & Management	3X



Paramedic-2011

CARDIOVASCULAR / CIRCULATION		
Skill	Paramedic-2011 (Licensed after 1-1-2013)	CC Skills Paramedic 2011
358	EKG - 12-lead data acquisition	X
359	EKG - 12-lead interpretation	X
360	EKG - 3-lead rhythm interpretation	X
361	Cardiopulmonary Resuscitation (CPR)	X
362	Cardioversion – Electrical	X
363	Carotid Massage	X
364	Defibrillation – Automated / Semi-Automated	X
365	Defibrillation – Manual	X
366	Hemorrhage Control – Direct Pressure	X
367	Hemorrhage Control – Dressing	X
368	Hemorrhage Control - Pressure Point	X
369	Hemorrhage Control – Tourniquet	X
370	Impedance Threshold Device (ITD)	OM
371	IABP monitoring & management	3X
372	Invasive Hemodynamic Monitoring	3X
373	Mechanical CPR Device	X
374	Pericardiocentesis	2,3,OM
375	Pacing - Transcutaneous	X
376	Pacing - Transvenous & Epicardial – monitoring & management	3X
377	Pacing - Permanent/ICD	
IMMOBILIZATION		
378	Cervical Stabilization – Cervical Collar	X
379	Spinal Immobilization – Long Board	X
380	Cervical Stabilization – Manual	X
381	Spinal Immobilization – Seated Patient (KED, etc.)	X
382	Extremity Stabilization - Manual	X
383	Extremity Splinting	X
384	Extremity Splinting – Traction	X
385	MAST/PASG for Pelvic Immobilization Only	X
386	Pelvic Immobilization Devices	OM
VASCULAR ACCESS / FLUIDS		
387	Arterial Line – Monitoring & Access Only	3X
388	Central Line – Placement	2,3,OM
389	Central Line – Monitor & Maintain Only	X
390	Intraosseous – Pediatric	X
391	Intraosseous – Adult	X
392	Peripheral – Initiation (includes External Jugular)	X
393	Umbilical - Initiation	2,3,OM
394	IV Fluid infusion - Non-medicated	X
395	IV Fluid infusion - Maintenance of Medicated Fluids	X

Paramedic-2011

TECHNIQUE OF MEDICATION ADMINISTRATION		
Only includes techniques required to administer meds listed in the medication formulary. Does not include techniques for assisting a patient in administering his/her own medications.		
Skill	Paramedic-2011 (Licensed after 1-1-2013)	CC Skills Paramedic 2011
396	Aerosolized (MDI)	X
397	Auto-Injector	X
398	Buccal	X
399	Endotracheal Tube (ET)	X
400	Inhaled - patient administered (nitrous oxide)	X
401	Intramuscular (IM)	X
402	Intranasal	X
403	Intraosseous - Pediatric	X
404	Intraosseous - Adult	X
405	IV Infusion	X
406	IV Piggyback	X
407	IV Programmable Volume Infusion Device	2, OM 3X
408	IV Push	X
409	IV Push-D50/concentrated dextrose solutions only / Naloxone (Narcan)	X
410	Accessing Implanted Central IV Port	X
411	Nasogastric	X
412	Nebulized (SVN)	X
413	Oral	X
414	Rectal	X
415	Subcutaneous	X
416	Sub-lingual	X
417	Topical	X
MISCELLANEOUS		
418	Arterial Blood Sampling, Radial Site - Obtaining	
419	Assist with Prescribed Meds	X
420	Over-the-Counter Medications (OTC)	X
421	Assisted Childbirth Delivery - Normal	X
422	Assisted Childbirth Delivery- Complicated	X
423	Blood Chemistry Analysis	X
424	Blood Glucose Monitoring - Automated	X
425	Blood Pressure – Manual	X
426	Blood Pressure – Automated	X
427	Emergency Moves for Endangered Patients	X
428	Eye Irrigation	X
429	Eye Irrigation – Morgan Lens	X
430	Mechanical Patient Restraints	X
431	Rapid Extrication	X
432	ICP Monitoring	3X
433	Taser Barb Removal	OM
434	Urinary Catheterization	2,3,OM
435	Venous Blood Sampling – Obtaining	X

MEDICATION FORMULARY		
Formulary	Paramedic-2011 (Licensed after 1-1-2013)	CC Skills Paramedic 2011
436 Medical Director Approved Medications	X	
437 Blood Products Administration		3X
438 Maintenance of Blood Administration	X	
439 Plasma Volume Expander Administration		3X
440 Thrombolytic Therapy Administration	X	
441 Vaccinations - at the request of the public health district if credentialed in IM administration	X	

Education based on new 2011 Idaho EMS Curricula (IEC) which is based on National Education Standards	
OM=Optional Module	
Levels of Medical Supervision	
Requires completion of training that meets or exceeds specified state-wide training content established by the EMS Bureau	2
Requires additional standards as defined by the EMSPC	3
3, SS - State Statute 54-1733B	

Effective 07/01/2011

## Paramedic Non-RSI Statewide Intubation Standards

Topic	Requirements	Available Options
<b>Patient Selection</b>		
Adult / Peds	Unconscious w/ineffective respiration	
	Cardiac arrest	
	Apnea or agonal respirations	
	Conscious with ineffective respirations (Nasal intubations only)	
<b>Equipment</b>		
Laryngoscope blades	adult & ped blade sizes	Macintosh
	2 different blade types	Miller
		Video Laryngoscopes
		other blade types permissible
Continuous Pulse Oximetry	before, during & after intubation	
Rescue device	must have at least one available	LMA
		Combitube
		King LT
		bougie/flexguide
Tube placement	Mandatory continuous quantitative or waveform ETCO2.	quantitative or waveform ETCO2
Selection of tube size	based on patient age or size of 5th finger	Cuffed Sizes = 3.5 - 8.0 mm
		Uncuffed Sizes = 2.5 mm
Suction device	per minimum EMS Bureau equipment list	
Bag Valve Mask	per minimum EMS Bureau equipment list	
Oxygen	per minimum EMS Bureau equipment list	
<b>Intubation Attempts</b>		
Preoxygenation	100% oxygen prior to any attempts	Bag Valve Mask
		Non-Rebreather Mask
Provider limited to 3 attempts	duration: each attempt should be no more than 30 seconds. If unsuccessful should oxygenate before subsequent attempts.	
Patient limited to 5 attempts	multiple attempts should not delay transport	
NAEMSP definition of attempt: insertion of laryngoscope blade into mouth or insertion of tube through nares		
<b>Confirmation of Tube Placement</b>		
Confirmation of Tube Placement	Utilize additional methods to augment mandatory quantitative or waveform ETCO2	ETCO2
		Epigastric sounds
		Breath sounds
		EDD
		chest rise
		tube misting
		Patient response
<b>PCR Documentation</b>		
See 'EMSPC Intubation PCR Documentation List' for required data elements.		
All intubations, including RSI, must be reviewed by the Medical Director.		

## Required Elements for Performance Assessment and Improvement

<b>Monitoring</b>		
100% chart review		
Intubation success rate	agency	
	provider	
1st attempt success rate	agency	
	provider	
Rescue airway device utilization		
Complications (agency vs provider)		
	R mainstem (unrecognized)	
	esophageal intubation (unrecognized)	
	airway/dental trauma	
	hypoxia during intubation	
	bradycardia during intubation	
	inappropriate tube size	
	inappropriate tube depth	
<b>Training</b>		
1. Minimum annual demonstration of intubation proficiency		
2. Minimum annual review of intubation to include cognitive and psychomotor components with an emphasis on team coordination.		
<b>Remediation</b>		
Remediation at the discretion of the local EMS medical director		

## EMSPC RSI Statewide Standards

Topic	Requirements	Available Options
<b>Patient Selection</b>		
Adult /Peds	Patient requires intubation; AND is not flaccid, or has intact protective airway reflexes. Not a difficult airway	
<b>Equipment</b>		
Laryngoscope blades	adult & ped blade sizes 2 different blade types	Macintosh Miller Video Laryngoscope other blade types permissible
Medications	As per local EMS Medical Director	
Continuous Pulse Oximetry	before during and after intubation	
Rescue device	must have at least one available	LMA Combitube King LT other
Tube placement	Mandatory continuous quantitative or waveform ETCO2	Quantitative or waveform ETCO2
Selection of tube size	based on patient age or size of 5th finger	Cuffed Sizes = 3.5 - 8.0 mm Uncuffed Sizes = 2.5 mm
Suction device	per minimum EMS Bureau equipment list	
Bag Valve Mask	per minimum EMS Bureau equipment list	
Oxygen	per minimum EMS Bureau equipment list	
<b>Intubation Attempts</b>		
Preoxygenation	100% oxygen prior to any attempts	Bag Valve Mask Non-Rebreather Mask
Provider limited to 3 attempts	duration: each attempt should be no more than 30 seconds. If unsuccessful should oxygenate before subsequent attempts.	
Patient limited to 5 attempts	multiple attempts should not delay transport	
NAEMSP definition of attempt: insertion of laryngoscope blade into mouth		
<b>Confirmation of Tube Placement</b>		
Confirmation of Tube Placement	Utilize additional methods to augment mandatory quantitative or waveform ETCO2	ETCO2 Epigastric sounds Breath sounds EDD chest rise tube misting Patient response
<b>PCR Documentation</b>		
See 'EMSPC Intubation PCR Documentation List' for required data elements.		
All intubations, including RSI, must be reviewed by the Medical Director.		

## Required Elements for Performance Assessment and Improvement

<b>Monitoring</b>		
100% chart review		
Intubation success rate	agency	
	provider	
1st attempt success rate	agency	
	provider	
Rescue airway device utilization		
Complications (agency vs provider)	R mainstem (unrecognized)	
	esophageal intubation (unrecognized)	
	airway/dental trauma	
	hypoxia during intubation	
	bradycardia during intubation	
	inappropriate tube size	
	inappropriate tube depth	
<b>Training</b>		
1. Minimum annual demonstration of intubation proficiency		
2. Minimum annual review of intubation to include cognitive and psychomotor components with an emphasis on team coordination.		
<b>Remediation</b>		
Remediation at the discretion of the local EMS medical director		

Effective 07/01/2017

## EMSPC Ventilator Standards

### Definition

**Automatic Transport Ventilator (ATV) Definition:** volume control, pop-off valve to limit peak pressure, peak pressure alert/alarm

**Provider may adjust:** Rate, TV, FiO2 (target saturation of 95-99%)

**Caution:** Critical care transport services should be considered for inter-facility transport of patients with the following conditions:

- i. Simple volume control ventilation is not ideal for the patient.
- ii. Active titration of ventilator settings, recent or anticipated
- iii. Patient is at risk for displacement of an advanced airway or may be a difficult reintubation if extubated
- iv. Patient with monitoring or treatment needs that require more than one ALS provider or anticipate patient deterioration en route.

### System Requirements:

- a. EMS agency medical director must approve any transport ventilator used by the EMS agency. A multimodal ventilator may be used by providers if only used in the volume control mode. The CPAP/BiPAP mode can be used on awake, non-intubated patients per the current scope of practice.
- b. EMS agency medical director must assure initial and ongoing competence (with each ventilator type used) for each individual EMS provider who will use mechanical ventilation.
- c. ALS services must have the capability of monitoring and recording continuous waveform capnography, pulse rate, respiratory rate, and blood pressure during mechanical ventilation. Recordings of these parameters must be documented for every patient treated with an ATV.
- d. EMS agency medical director review is required on all cases of ATV utilization.

### Equipment

If utilizing ventilator, agency must have the ability to perform RSI.	Refer to Appendix C - RSI Standards
Medications	As per local EMS Medical Director
Continuous Pulse Oximetry	
Suction device	per minimum EMS Bureau equipment list
Bag Valve Mask	per minimum EMS Bureau equipment list
Oxygen	per minimum EMS Bureau equipment list
ALS services - monitoring and recording of capnography, pulse rate, respiratory rate, and blood pressure	

### Training

Medical Director must ensure initial and ongoing provider competence with each type of ventilator utilized.

### PCR Documentation

Providers must document use of an ATV.

All uses and documentation of an ATV must be reviewed by the Medical Director.



### Inter-facility Transports:

- Inter-facility transports are performed on a regular basis. The following information is required when performing these transports:
  - 1.
  2. Signed doctor's orders for treatment to be provided en-route outside agency protocols.
  3. Signed consent of transport by patient, or designee, and doctor.
  4. Patient face sheet to include insurance information and emergency contact information.
  5. Nurse's notes to include medication list, allergies, vital signs and POST/DNR/Living Will forms (may be faxed to receiving institution).
  6. Doctor's notes to include diagnosis, preliminary or otherwise, and treatment plan, if appropriate (may be faxed to receiving institution).
  7. Verbal report from the Physician or Nurse.
  8. Other items as needed. (i.e.: X-rays, CT films, labs, EKG's, etc.)
    - **Exception:** Nursing home transports (either to or from the nursing home) will generally have a condensed version of this information.
- Crews are determined by the expected needs of the patient. Transports can be staffed by any level of provider, provided that the needed patient care falls within their scope of practice.
  - i. Critical care transports requires a minimum of one critical care paramedic and one additional paramedic or RN in the patient compartment.
  - ii. Agencies utilizing RNs must assure RN has appropriate out-of-hospital transport education, affiliation or agency agreement and equipment necessary. RN's education and clinical skill capability must match patient anticipated transport needs (i.e. advanced airway management, vent management, cardiac monitoring, IV medications, etc.)
  - iii. Specialty personnel accompanying the patient will be responsible to advise the EMS crew in their areas of expertise. Specialty personnel will also be responsible for administration and/or use of their medications and/or equipment.
- Complete appropriate documentation and billing form as outlined by current practices/procedures for all inter-facility transports.

Effective 07/01/2017

**Transport Decision Matrix:**

The matrix (located on the following page) should be utilized for determining level of care for interfacility transfers. The “X” indicated the minimum level of licensure to perform the transport. Decisions should be made both on the need and the potential need of the patient being transferred.

Equipment or Care Required	BLS/ILS	ALS	CC
<b>Patient Type:</b>			
Transport with Air Medical crew where responsibility for patient care lies solely on the Air Medical crew.	X		
Stable patient. Requires no special care. May have NG tube, Foley Catheter, gastrostomy tube, or patient controlled device that requires no intervention from transporting personnel.	X		
Stable patient. Requires cardiac monitoring or may need paramedic level intervention. No reasonable expectation that the patient condition will deteriorate.		X	
Stable patient requiring care outside the paramedic scope of practice.			X
Patient who is stable but whose condition has a reasonable expectation of deteriorating.			X
Unstable patient			X
<b>Airway/Breathing Interventions:</b>			
Oxygen by mask or cannula	X		
Basic vent management (refer to Ventilator Standards)		X	
Enhanced vent management			X
<b>IV Access/Medication Administration:</b>			
Saline lock without additives and not requiring access or flush en route	X		
Saline Lock without additives. Peripheral IV without additives (D10W, Normal Saline, or Lactated Ringers acceptable).	OM/X		
Peripheral IV with any drug approved by Agency Medical Director - administered without an IV pump		X	
IV infusion of any drug outside paramedic scope of practice and any medication that requires an IV pump.		OM	X
Blood products maintenance		X	
Blood products initiation			X
Central venous access device (capped)	X		
Central venous access device with fluids infusing		X	
Arterial access device			X
Pulmonary artery line in place			X
<b>Other Devices:</b>			
Temporary venous pacemaker			X
Chest tube without suction		X	
Chest tube with suction			X

\*Time - benefit of immediate/expeditious transfer outweighs risk of delay in transport by recommended level