

Skill Sheet

Pelvic Immobilization – EMT-Basic

Skill	Pass	Needs Improvement (Please comment)
1. Takes or verbalizes body substance isolation precautions		
2. Establishes scene is safe		
3. Establishes mechanism of injury		
4. Considers calling additional resources		
5. Considers stabilization of spine		
6. Demonstrates or verbalizes rapid trauma assessment including: Airway, Breathing, and Circulation		
7. Demonstrates proper assessment of pelvis		
8. Assesses pulse, motor, and sensory		
9. Once broken pelvis is suspected, candidate states a concern for internal bleeding and hypovolemia		
10. Initiates oxygen therapy		
11. Applies pelvic immobilization device to patient and places in proper place over pelvis		
12. Tightens device to an appropriate strength		
13. Reassess pulse, motor, and sensory		
14. States patient is rapid transport		
Total Steps Passed		
Minimum steps needed to pass (assuming no critical fails below)		

Critical Criteria (Automatic Fail)

- _____ Did not take or verbalize BSI
- _____ Did not consider stabilization of spine
- _____ Did not administer oxygen
- _____ Patient moved or manipulated in way that could cause further pelvis damage
- _____ Applied device in manner that is improper or dangerous
- _____ Did not reassess pulse, motor, and sensory after application
- _____ Did not provide rapid transport within 10 minutes

Final Score (circle one)	Pass	Fail
---------------------------------	-------------	-------------

Skill Sheet

Pelvic Immobilization – AEMT

Skill	Pass	Needs Improvement (Please comment)
1. Takes or verbalizes body substance isolation precautions		
2. Establishes scene is safe		
3. Establishes mechanism of injury		
4. Considers calling additional resources		
5. Considers stabilization of spine		
6. Demonstrates or verbalizes rapid trauma assessment including: Airway, Breathing, and Circulation		
7. Demonstrates proper assessment of pelvis		
8. Assesses pulse, motor, and sensory		
9. Once broken pelvis is suspected, candidate states a concern for internal bleeding and hypovolemia		
10. Initiates oxygen therapy		
11. Initiates IV therapy		
12. Applies pelvic immobilization device to patient and places in proper place over pelvis		
13. Tightens device to an appropriate strength		
14. Reassess pulse, motor, and sensory		
15. States patient is rapid transport		
Total Steps Passed		
Minimum steps needed to pass (assuming no critical fails below)		

Critical Criteria (Automatic Fail)

- _____ Did not take or verbalize BSI
- _____ Did not consider stabilization of spine
- _____ Did not administer oxygen
- _____ Did not administer IV fluids
- _____ Patient moved or manipulated in way that could cause further pelvis damage
- _____ Applied device in manner that is improper or dangerous
- _____ Did not reassess pulse, motor, and sensory after application
- _____ Did not provide rapid transport within 10 minutes

Final Score (circle one)	Pass	Fail
---------------------------------	-------------	-------------

Skill Sheet

Pelvic Immobilization – Paramedic

Skill	Pass	Needs Improvement (Please comment)
1. Takes or verbalizes body substance isolation precautions		
2. Establishes scene is safe		
3. Establishes mechanism of injury		
4. Considers calling additional resources		
5. Considers stabilization of spine		
6. Demonstrates or verbalizes rapid trauma assessment including: Airway, Breathing, and Circulation		
7. Demonstrates proper assessment of pelvis		
8. Assesses pulse, motor, and sensory		
9. Once broken pelvis is suspected, candidate states a concern for internal bleeding and hypovolemia		
10. Initiates oxygen therapy		
11. Initiates IV therapy		
12. Applies pelvic immobilization device to patient and places in proper place over pelvis		
13. Tightens device to an appropriate strength		
14. Reassess pulse, motor, and sensory		
15. Initiates proper pain management		
16. States patient is rapid transport		
Total Steps Passed		
Minimum steps needed to pass (assuming no critical fails below)		

Critical Criteria (Automatic Fail)

- _____ Did not take or verbalize BSI
- _____ Did not consider stabilization of spine
- _____ Did not administer oxygen
- _____ Administered pain management in an improper manner
- _____ Patient moved or manipulated in way that could cause further pelvis damage
- _____ Applied device in manner that is improper or dangerous
- _____ Did not reassess pulse, motor, and sensory after application
- _____ Did not provide rapid transport within 10 minutes

Final Score (circle one)	Pass	Fail
---------------------------------	-------------	-------------