



IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER -- Governor
RICHARD M. ARMSTRONG -- Director

TAMARA PRISOCK--ADMINISTRATOR
DIVISION OF LICENSING & CERTIFICATION
DEBBY RANSOM, R.N., R.H.I.T. -- Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, Idaho 83720-0009
PHONE: (208) 334-6626
FAX: (208) 364-1888
E-mail: fsb@dhw.idaho.gov

October 13, 2015

Michael James, Administrator
Sunnyside Surgery Center
3345 S Holmes Avenue, Suite B
Idaho Falls, ID 83404

RE: Sunnyside Surgery Center, Provider #13C0001055

Dear Dr. James:

On September 29, 2015, a follow-up visit of your facility, Sunnyside Surgery Center, was conducted to verify corrections of deficiencies noted during the survey of August 18, 2015.

We were able to determine that the ASC Condition for Coverage of **Quality Assessment and Performance (42 CFR 416.43)** is now met.

Your copy of a Post-Certification Revisit Report, Form CMS-2567B, listing deficiencies that have been corrected is enclosed.

Thank you for the courtesies extended to the surveyors during their visit. If we can be of any help to you, please call us at (208) 334-6626, option 4.

Sincerely,

GARY GILES
Health Facility Surveyor
Non-Long Term Care

NICOLE WISENOR
Co-Supervisor
Non-Long Term Care

GG/pmt
Enclosures
ec: Lynnette Osias, CMS Region X Office