

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/25/2019  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>135105</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>02 - ENTIRE NURSING FACILITY</b>  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>04/25/2019</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>REXBURG CARE &amp; REHABILITATION CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>660 SOUTH SECOND STREET WEST REXBURG, ID 83440</b>
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

{K 000}	<p><b>INITIAL COMMENTS</b></p> <p>On April 25, 2019, an off-site follow-up was conducted to verify correction of deficiencies noted at the survey of March 19 - 20, 2019. Rexburg Care &amp; Rehabilitation Center was found to be in substantial compliance with life safety code regulations as of April 24, 2019.</p> <p>The surveyor conducting the follow-up was Linda Chaney.</p>	{K 000}		
---------	---	---------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.