

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/19/2019
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 135142	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - ADVANCED HEALTHCARE COEUR D ALENE B. WING _____		(X3) DATE SURVEY COMPLETED R 08/19/2019
NAME OF PROVIDER OR SUPPLIER ADVANCED HEALTH CARE OF COEUR D'ALENE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1578 W RIVERSTONE DRIVE COEUR D'ALENE, ID 83814		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{K 000}	<p>INITIAL COMMENTS</p> <p>On August 19, 2019, an off-site follow-up was conducted to verify the correction of the deficiency noted at the survey on July 25, 2019. Advanced Healthcare of Coeur D'Alene was found to be in substantial compliance with life safety code regulations as of July 30, 2019.</p> <p>The surveyor conducting the follow-up was Linda Chaney.</p>	{K 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.