STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - ENTIRE BUILDING B. WING	(X3) DATE SURVEY COMPLETED
	135066		R 09/24/2020

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
POWER COUNTY NURSING HOME	510 ROOSEVELT STREET (83211-1362) AMERICAN FALLS, ID 83211

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{K 000}	INITIAL COMMENTS On 9/24/20 an off-site follow-up survey was conducted, substantiating compliance for deficiencies identified during the annual Fire/Life Safety survey conducted on 7/08/20. Power County Nursing Home was determined to be in substantial compliance with all Life Safety Code standards at this time. The surveyor completing this survey was: Sam Burbank Health Facility Surveyor Facility Fire/Safety and Construction	{K 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING: **01 - ENTIRE BUILDING** B. WING _____	(X3) DATE SURVEY COMPLETED
	MDS001630		R **09/24/2020**

NAME OF PROVIDER OR SUPPLIER

POWER COUNTY NURSING HOME

STREET ADDRESS, CITY, STATE, ZIP CODE

510 ROOSEVELT STREET (83211-1362)
AMERICAN FALLS, ID 83211

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{C 000}	INITIAL COMMENTS On 9/24/20 an off-site follow-up survey was conducted, substantiating compliance for deficiencies identified during the annual Fire/Life Safety survey conducted on 7/08/20. Power County Nursing Home was determined to be in substantial compliance with all IDAPA Rules and regulations at this time. The surveyor completing this survey was: Sam Burbank Health Facility Surveyor Facility Fire/Safety and Construction	{C 000}		

Bureau of Facility Standards
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/24/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING ____ B. WING ____	(X3) DATE SURVEY COMPLETED
	135066		R 09/24/2020

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
POWER COUNTY NURSING HOME	510 ROOSEVELT STREET (83211-1362) AMERICAN FALLS, ID 83211

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{E 000}	Initial Comments On 9/24/20 an off-site follow-up survey was conducted, substantiating compliance for deficiencies identified during the Emergency Preparedness survey conducted on 7/08/20. Power County Nursing Home was determined to be in substantial compliance with all Emergency Preparedness standards at this time. The surveyor completing this survey was: Sam Burbank Health Facility Surveyor Facility Fire/Safety and Construction	{E 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.