



IDAHO DEPARTMENT OF HEALTH & WELFARE


BRAD LITTLE – Governor
DAVE JEPPESEN – Director

MATT WIMMER - Administrator
DIVISION OF MEDICAID
Post Office Box 83720
Boise, Idaho 83720-0009
PHONE: (208) 334-5747
FAX: (208) 364-1811

January 14, 2020

MEDICAID INFORMATION RELEASE MA 20-01

To: Prescribing Providers, Pharmacists, and Hospitals

From: Matt Wimmer, Administrator 
Division of Medicaid

Subject: Update to Idaho Medicaid Preferred Drug List per Pharmacy and Therapeutics Committee Meetings on October 18, 2019 and November 15, 2019.

Drug/Drug Classes:	Noted below. Agents shaded indicate changes in preferred drug status.
Implementation Date:	Effective for dates of service on or after January 1, 2020

The attached document is an update to the Idaho Medicaid Preferred Drug List. It reflects decisions based on recommendations from the Idaho Medicaid Pharmacy and Therapeutics Committee at the October and November 2019 meetings.

The preferred drug list and drug-class specific prior authorization criteria are based on nationally recognized peer-reviewed information and evidence-based clinical criteria. Medicaid designates preferred agents within a drug-class based primarily on objective evaluations of their relative safety, effectiveness, and clinical outcomes in comparison with other therapeutically interchangeable alternative drugs and secondarily on cost.

Questions regarding the Preferred Drug List can be referred to the Idaho Medicaid Pharmacy Unit at (208) 364-1829. A current listing of preferred agents, non-preferred agents, and prior authorization criteria for all drug classes is also available online at www.medicaidpharmacy.idaho.gov.

MW/sf

Therapeutic Class	Preferred Drugs	Non-Preferred Drugs
ALZHEIMER'S DRUGS^{CL}	donepezil ^{CL} –except 23 mg tablets donepezil ODT ^{CL} EXELON (rivastigmine) transdermal ^{CL} memantine tablets ^{CL} rivastigmine capsules ^{CL}	donepezil 23 mg tablets ^{CL} galantamine tablets, solution ^{CL} galantamine ER ^{CL} memantine ER ^{CL} memantine soln ^{CL} NAMZARIC (donepezil and memantine ER) ^{CL} rivastigmine transdermal ^{CL}
ANTI-ALLERGENS	No agents recommended as preferred at this time.	ORALAIR (grass pollen extract-Cocksfoot, Sweet Vernal Grass, Rye Grass, Meadow Grass, Timothy) ^{CL}
ANTICONVULSANTS	<p><u>Adjuvants, Epilepsy</u></p> <p>APTIOM (eslicarbazepine)^{CL} DEPAKOTE (divalproex) sprinkle^{CL} GABITRIL (tiagabine)^{CL} levetiracetam solution, tablets^{CL} levetiracetam ER^{CL} oxcarbazepine suspension^{CL} oxcarbazepine tablets^{CL} topiramate sprinkles^{CL} VIMPAT (lacosamide) tablets, soln^{CL} zonisamide^{CL}</p> <p><u>Adjuncts, Pain and Mood</u></p> <p>carbamazepine ER (generic for CARBATROL) carbamazepine chewable tablets carbamazepine IR tablets carbamazepine XR (generic for TEGRETOL XR) divalproex ER divalproex tablets</p>	<p>BANZEL (rufinamide) tablets, suspension^{CL} BRIVIACT (brivaracetam) tablets, solution^{CL} divalproex sprinkle^{CL} felbamate tablets, suspension^{CL} FYCOMPA (perampanel) tablets, suspension^{CL} lamotrigine XR^{CL} OXTELLAR XR (oxcarbazepine)^{CL} SABRIL (vigabatrin) tablets, powder packet^{CL} SPRITAM (levetiracetam) susp^{CL} tiagabine^{CL} vigabatrin powder packet, tablet^{CL}</p> <p>carbamazepine suspension EQUETRO (carbamazepine ER) LAMICTAL ODT (lamotrigine)^{CL} lamotrigine ODT^{CL} TROKENDI XR (topiramate ER)^{CL}</p>

<p>ANTICONVULSANTS (continued)</p>	<p>gabapentin capsules, tablets lamotrigine chewable tablets, tablets^{CL} TEGRETOL (carbamazepine) suspension topiramate ER (for Qudexy XR) capsules^{CL} topiramate tablets^{CL} valproic acid capsules, solution</p> <p><u>Barbiturates</u> phenobarbital tablets, suspension primidone</p> <p><u>Benzodiazepines</u> clobazam tablets^{CL} clonazepam tablets diazepam rectal</p> <p><u>Hydantoins</u> phenytoin capsules, chewable tablets, suspension phenytoin sodium extended (for PHENYTEX)</p> <p><u>Succinimides</u> ethosuximide capsules, syrup</p> <p><u>Anticonvulsants, Other</u></p>	<p>clonazepam ODT^{CL} NAYZILAM (midazolam) nasal spray^{CL} ONFI (clobazam) suspension^{CL} SYMPAZAN (clobazam) film^{CL}</p> <p>DILANTIN (phenytoin) capsules DILANTIN INFATAB (phenytoin) PEGANONE (ethotoin)</p> <p>CELONTIN (methosuximide)</p> <p>DIACOMIT(stiripentol) capsule, powder pack^{CL} EPIDIOLEX (cannabidiol)^{CL}</p>
---	---	--

<p>ANTIDEPRESSANTS, OTHER</p>	<p>bupropion IR bupropion SR bupropion XL duloxetine mirtazapine tablets trazodone venlafaxine IR venlafaxine ER capsules</p>	<p>APLENZIN (bupropion HBr) bupropion XL (generic for FORFIVO XL) desvenlafaxine ER desvenlafaxine succinate (generic for PRISTIQ) duloxetine (generic for IRENKA) EMSAM (selegiline) transdermal^{CL} FETZIMA (levomilnacipran) MARPLAN (isocarboxazid) mirtazapine ODT nefazodone phenelzine SPRAVATO (esketamine) nasal spray^{CL} tranlycypromine TRINTELLIX (vortioxetine) venlafaxine ER tablets VIIBRYD (vilazodone)</p>
<p>ANTIDEPRESSANTS, SSRIs</p>	<p>citalopram tablets, solution escitalopram tablets, solution fluoxetine capsules (except for 60 mg), tablets, solution fluvoxamine IR sertraline tablets, solution</p>	<p>BRISDELLE (paroxetine)^{CL} fluoxetine 60 mg capsule fluvoxamine ER paroxetine CR paroxetine tablets paroxetine (for BRISDELLE) PAXIL (paroxetine) suspension PEXEVA (paroxetine)</p>
<p>ANTIHISTAMINES, MINIMALLY SEDATING</p>	<p>cetirizine solution, tablets levocetirizine tablets loratadine ODT, solution, tablets</p>	<p>cetirizine capsules cetirizine chewable desloratadine desloratadine ODT fexofenadine levocetirizine solution loratadine capsules, chew tablets</p>
<p>ANTIHYPERURICEMICS</p>	<p>allopurinol colchicine^{CL} capsules probenecid</p>	<p>colchicine^{CL} tablets febuxostat^{CL} KRYSTEXXA (pegloticase)^{CL} MITIGARE (colchicine) capsules^{CL} probenecid/colchicine^{CL} ULORIC (febuxostat)^{CL} ZURAMPIC (lesinurad)^{CL}</p>

<p>ANTIPARKINSON'S DRUGS</p>	<p>amantadine capsules, syrup, tablets benztropine carbidopa/levodopa IR tablets carbidopa/levodopa ER carbidopa/levodopa/entacapone pramipexole IR ropinirole IR selegiline capsules, tablets trihexyphenidyl tablets, solution</p>	<p>AZILECT (rasagiline) bromocriptine carbidopa carbidopa/levodopa ODT entacapone GOCOVRI (amantadine) IMBRIJA (levodopa) inhalation ^{CL} MIRAPEX ER (pramipexole) NEUPRO (rotigotine) transdermal OSMOLEX ER (amantadine) pramipexole ER rasagiline ropinirole ER RYTARY (carbidopa/levodopa ER) tolcapone XADAGO (safinamide) ZELAPAR (selegiline) disintegrating tablets</p>
<p>ANTIPSYCHOTICS</p>	<p>aripiprazole tablets chlorpromazine clozapine tablets fluphenazine tablets, solution LATUDA (lurasidone) loxapine olanzapine tablets olanzapine ODT perphenazine perphenazine/amitriptyline quetiapine tablets quetiapine ER risperidone solution, tablets, ODT thiothixene trifluoperazine ziprasidone capsules</p> <p>Injectable: ABILIFY MAINTENA (aripiprazole) ^{CL} ARISTADA (aripiprazole) ^{CL} ARISTADA INITIO (aripiprazole) ^{CL} fluphenazine decanoate GEODON (ziprasidone) haloperidol lactate</p>	<p>ABILIFY MYCITE (aripiprazole) ^{CL} aripiprazole disintegrating tablet aripiprazole solution clozapine ODT FANAPT (lloperidone) FAZACLO (clozapine ODT) haloperidol NUPLAZID (pimavanserin) ^{CL} capsules, tablets olanzapine/fluoxetine (must use individual agents) paliperidone ER pimozide REXULTI (brexpiprazole) SAPHRIS (asenapine) thioridazine VERSACLOZ (clozapine) VRAYLAR (cariprazine)</p> <p>haloperidol decanoate PERSERIS (risperidone) ^{CL} ZYPREXA RELPREVV (olanzapine) ^{CL}</p>

<p>ANTIPSYCHOTICS (continued)</p>	<p>INVEGA SUSTENNA (paliperidone)^{CL} INVEGA TRINZA (paliperidone)^{CL} olanzapine RISPERDAL CONSTA (risperidone)^{CL}</p>	
<p>ANXIOLYTICS/ BENZODIAZEPINES</p>	<p>buspirone clonazepam tablets diazepam tablets, solution lorazepam tablets</p>	<p>alprazolam alprazolam ER alprazolam intensol, ODT chlordiazepoxide clonazepam ODT clorazepate diazepam syringe, vial diazepam intensol lorazepam intensol meprobamate oxazepam</p>
<p>ATOPIC DERMATITIS</p>	<p>ELIDEL (pimecrolimus)</p>	<p>DUPIXENT (dupilumab)^{CL} EUCRISA (crisaborole)^{CL} pimecrolimus PROTOPIC (tacrolimus) tacrolimus</p>
<p>BOTULINUM TOXINS</p>	<p>BOTOX (onabotulinumtoxinA)^{CL} - except for cervical dystonia DYSPORT (abobotulinumtoxinA)^{CL} MYOBLOC (rimabotulinumtoxinB)^{CL} XEOMIN^{CL}(incobotulinumtoxinA)^{CL}</p>	<p>BOTOX (onabotulinumtoxinA)-for cervical dystonia^{CL}</p>
<p>BRONCHODILATORS, BETA AGONIST</p>	<p>Inhalers, Short-Acting: PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)</p> <p>Inhalers, Long-Acting: SEREVENT (salmeterol)^{CL}</p> <p>Inhalation Solution: albuterol</p>	<p>albuterol HFA (generic for PROAIR) albuterol HFA (generic for PROVENTIL) albuterol HFA (generic for VENTOLIN) levalbuterol HFA PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)</p> <p>ARCAPTA (indacaterol)^{CL} STRIVERDI RESPIMAT (olodaterol)</p> <p>levalbuterol BROVANA (arformoterol) PERFOROMIST (formoterol)</p>

<p>BRONCHODILATORS, BETA AGONIST (continued)</p>	<p>Oral:</p>	<p>albuterol tablets, solution albuterol ER metaproterenol tablets, solution terbutaline</p>
<p>COLONY STIMULATING FACTORS</p>	<p>GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim)</p>	<p>FULPHILA (pegfilgrastim-jmdb) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) NIVESTYM (filgrastim-aafi) UDENYCA (pegfilgrastim-cbqv) ZARXIO (filgrastim-sndz)</p>
<p>COPD AGENTS</p>	<p>albuterol/ipratropium ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ipratropium) ipratropium nebulizer solution SPIRIVA (tiotropium) inhalation capsules STIOLTO RESPIMAT (tiotropium/olodaterol)</p>	<p>ANORO ELLIPTA (umeclidium/vilanterol) DALIRESP (roflumilast)^{CL} INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium) UTIBRON NEOHALER (glycopyrrolate/indacaterol) YUPELRI (revefenacin)</p>
<p>CYTOKINE & CAM ANTAGONISTS</p>	<p>ENBREL (etanercept) ENBREL (etanercept) MINI Cartridge HUMIRA (adalimumab)</p>	<p>ACTEMRA (tocilizumab) ARCALYST (rilonacept) CIMZIA (certolizumab) COSENTYX (secukinumab)^{CL} ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab -asmn) INFLECTRA (infliximab) KEVZARA (sarilumab) KINERET (anakinra) OLUMIANT (baricitinimab) ORENCIA (abatacept) OTEZLA (apremilast) REMICADE (infliximab) RENFLEXIS (infliximab-abda) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SIMPONI ARIA (golimumab) SIMPONI SQ (golimumab) SKYRIZI (risankizumab)</p>

<p>CYTOKINE & CAM ANTAGONISTS (continued)</p>		<p>STELARA (ustekimumab) TALTZ (ixekizumab) TREMIFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)</p>
<p>EPINEPHRINE, SELF-INJECTED</p>	<p>epinephrine (generic for EPIPEN, EPIPEN JR)</p>	<p>epinephrine (ADRENALCLICK) SYMJEPI (epinephrine)</p>
<p>ERYTHROPOIESIS STIMULATING PROTEINS</p>	<p>ARANESP (darbepoetin) RETACRIT (epoetin alfa-epbx)</p>	<p>EPOGEN (rHuEPO) PROCRIT (rHuEPO)</p>
<p>GLUCOCORTICIDS, INHALED</p>	<p>ASMANEX (mometasone) Twisthaler budesonide respules 0.25 mg, 0.5mg^{CL} FLOVENT HFA (fluticasone) PULMICORT RESPULES (budesonide) 1mg^{CL}</p>	<p>ALVESCO (ciclesonide) ARNUITY ELIPTA (fluticasone) ASMANEX (mometasone) HFA budesonide respules 1mg FLOVENT DISKUS (fluticasone) PULMICORT (budesonide) Flexhaler QVAR (beclomethasone) REDIHALER</p>
<p>GLUCOCORTICOID /BRONCHODILATOR COMBINATIONS^{CL}</p>	<p>ADVAIR (fluticasone/salmeterol)^{CL} SYMBICORT (budesonide/formoterol)^{CL}</p>	<p>AIRDUO (fluticasone/salmeterol) RESPICLICK^{CL} BREQ ELLIPTA (fluticasone/vilanterol)^{CL} DULERA (mometasone/formoterol)^{CL} fluticasone/salmeterol TRELEGY ELLIPTA (fluticasone /umeclidinium/vilanterol)^{CL}</p>
<p>IMMUNE GLOBULINS</p>	<p>BIVIGAM intravenous solution^{CL} CUTAQUIG subcutaneous solution^{CL} CUVITRU subcutaneous solution^{CL} CYTOGAM (cytomegalovirus immune globulin) intravenous solution^{CL} FLEBOGAMMA DIF IV solution^{CL} GAMASTAN intramuscular^{CL} GAMASTAN S/D intramuscular^{CL} GAMMAGARD LIQUID injection^{CL} GAMMAGARD S/D powder for intravenous solution^{CL} GAMMAKED injection solution^{CL} GAMMAPLEX intravenous soln^{CL} GAMUNEX-C injection solution^{CL}</p>	<p>HEPAGAM B (hepatitis B immune globulin) intramuscular^{CL} HYPERRAB^{CL} KEDRAB^{CL}</p>

<p>IMMUNE GLOBULINS (continued)</p>	<p>HYPERHEP B S-D injection solution HIZENTRA subcutaneous solution^{CL} HYQVIA subcutaneous solution^{CL} OCTAGAM intravenous solution^{CL} PANGYZA intravenous solution^{CL} PRIVIGEN intravenous solution^{CL} VARIZIG (Varicella-Zoster immune globulin) intramuscular^{CL}</p>	
<p>IMMUNOMODULATORS, ASTHMA</p>	<p>FASENRA (benralizumab)^{CL}</p>	<p>CINQAIR (reslizumab)^{CL} NUCALA (mepolizumab)^{CL} vial, auto-injector, syringe XOLAIR (omalizumab)^{CL}</p>
<p>INTRANASAL RHINITIS AGENTS</p>	<p>azelastine (for ASTELIN) fluticasone ipratropium</p>	<p>azelastine (for ASTEPRO) BECONASE AQ (beclomethasone) DYMISTA (azelastine/fluticasone) flunisolide mometasone olopatadine OMNARIS (ciclesonide) QNASL (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) ZETONNA (ciclesonide)</p>
<p>LEUKOTRIENE MODIFIERS</p>	<p>montelukast tablets, chewable tablets</p>	<p>montelukast granules zafirlukast zileuton ER ZYFLO (zileuton)</p>
<p>MOVEMENT DISORDERS</p>	<p>AUSTEDO (deutetetrabenazine)^{CL} tetrabenazine^{CL}</p>	<p>INGREZZA (valbenazine)^{CL}</p>
<p>NSAIDS</p>	<p>celecoxib diclofenac gel ibuprofen (Rx only) indomethacin IR capsules meloxicam tablets nabumetone naproxen (Rx only) tablets, naproxen EC sulindac</p>	<p>diclofenac IR diclofenac/misoprostol diclofenac patch diclofenac topical solution diclofenac SR diflunisal DUEXIS (ibuprofen/famotidine)^{CL} etodolac IR etodolac SR fenoprofen FLECTOR (diclofenac)^{CL} patches flurbiprofen INDOCIN (indomethacin) rectal</p>

<p>NSAIDS (continued)</p>		<p>INDOCIN (indomethacin) suspension indomethacin ER capsules ketoprofen ER ketoprofen IR ketorolac^{cl} meclofenamate mefenamic acid meloxicam suspension NAPRELAN (naproxen) naproxen (Rx only) suspension naproxen EC naproxen CR (375 and 500mg) naproxen sodium oxaprozin PENNSAID (diclofenac)^{cl} topical solution piroxicam QMIIZ(meloxicam) ODT SPRIX (nasal ketorolac) TIVORBEX (indomethacin) tolmetin VIMOVO (naproxen/esomeprazole) VIVLODEX (meloxicam) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)</p>
<p>OPHTHALMIC ANTIBIOTICS</p>	<p>bacitracin/polymyxin B CILOXAN (ciprofloxacin) ointment ciprofloxacin solution erythromycin gentamicin MOXEZA (moxifloxacin) polymyxin/trimethoprim tobramycin solution TOBEX (tobramycin) ointment</p>	<p>AZASITE (azithromycin) bacitracin BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) solution gatifloxacin levofloxacin moxifloxacin NATACYN (natamycin) neomycin/bacitracin/polymyxin neomycin/polymyxin/gramicidin ofloxacin sulfacetamide ointment sulfacetamide solution ZYMAXID (gatifloxacin)</p>

<p>OPHTHALMIC ANTIBIOTIC- STEROID COMBINATIONS</p>	<p>neomycin/ polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX (tobramycin/ dexamethasone) ointment and suspension</p>	<p>BLEPHAMIDE (sulfacetamide/prednisolone) BLEPHAMIDE S.O.P. (sulfacetamide/prednisolone) neomycin/bacitracin/polymyxin/ HC neomycin/polymyxin /HC PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone susp ZYLET (tobramycin/loteprednol)</p>
<p>OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS</p>	<p>cromolyn olopatadine 0.1% (generic PATANOL) PAZEO (olopatadine 0.7 %)</p>	<p>ALOCRI (nedocromil) ALOMIDE (Iodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) epinastine LASTACFT (alcaftadine) olopatadine 0.2% (generic PATADAY)</p>
<p>OPHTHALMICS, ANTI-INFLAMMATORY/ IMMUNOMODULATORS</p>	<p>RESTASIS (cyclosporine)^{CL}</p>	<p>CEQUA (cyclosporine)^{CL} XIIDRA (lifitegrast)^{CL}</p>
<p>OTIC ANTIBIOTICS</p>	<p>CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin CIPRO HC (ciprofloxacin/hydrocortisone) COLY-MYCIN S (colistin/neomycin/HC) CORTISPORIN TC (colistin/neomycin /HC/thonzonium) neomycin/polymyxin/hydrocortisone</p>	<p>ofloxacin OTOVEL (ciprofloxacin/fluocinolone)</p>
<p>PAIN, OTHER</p>	<p>duloxetine 20 mg, 30mg, 60 mg gabapentin capsules, tablets pregabalin capsules ZTLIDO (lidocaine)</p>	<p>duloxetine 40 mg (for Irenka) gabapentin solution GRALISE (gabapentin) HORIZANT (gabapentin enacarbil) lidocaine transdermal LYRICA CR (pregabalin)</p>

<p>PAIN, OTHER (continued)</p>		<p>pregabalin solution SAVELLA (milnacipran)^{CL}</p>
<p>SEDATIVE HYPNOTICS</p>	<p>doxepin 10 mg ROZEREM (ramelteon) zolpidem IR</p>	<p>BELSOMRA (suvorexant) EDLUAR (zolpidem) SL estazolam eszopiclone flurazepam HETLIOZ (tasimelteon)^{CL} INTERMEZZO (zolpidem) sublingual ramelteon SILENOR (doxepin) temazepam triazolam zaleplon zolpidem ER zolpidem SL ZOLPIMIST (zolpidem)</p>
<p>STIMULANTS AND RELATED DRUGS^{CL}</p>	<p>amphetamine salt combination ER^{CL} amphetamine salt combination IR^{CL} atomoxetine clonidine IR dexmethylphenidate^{CL} FOCALIN XR (dexmethylphenidate)^{CL} guanfacine ER guanfacine IR methylphenidate CD^{CL} methylphenidate ER (generic for Concerta)^{CL} methylphenidate ER (generic for METADATE)^{CL} methylphenidate IR tablets^{CL} methylphenidate solution^{CL} VYVANSE (lisdexamfetamine)^{CL}</p>	<p>ADHANSIA XR (methylphenidate)^{CL} ADZENYS ER Suspension (amphetamine)^{CL} ADZENYS XR ODT (amphetamine)^{CL} amphetamine sulfate^{CL} APTENSIO XR (methylphenidate)^{CL} armodafinil^{CL} COTEMPLA XR-ODT^{CL} (methylphenidate) clonidine ER^{CL} DAYTRANA (methylphenidate)^{CL} dexmethylphenidate XR^{CL} dextroamphetamine IR, ER^{CL} dextroamphetamine solution^{CL} DYANAVEL XR (amphetamine)^{CL} EVEKEO (amphetamine)^{CL} EVEKEO ODT (amphetamine)^{CL} JORNAY (methylphenidate)^{CL} KAPVAY (clonidine ER)^{CL} methylphenidate chewable tablets methylphenidate ER^{CL} (generic Ritalin LA) modafanil^{CL}</p>

<p>STIMULANTS AND RELATED DRUGS^{CL} (continued)</p>		<p>MYDAYIS (amphetamine salt combination ER) NUVIGIL (armodafanil)^{CL}</p> <p>PROCENTRA (dextroamphetamine solution)^{CL} QUILLICHEW ER (methylphenidate)^{CL} QUILLIVANT XR (methylphenidate) solution^{CL} SUNOSI (solriamfetol)^{CL} ZENZEDI (dextroamphetamine)^{CL}</p>
<p>TOBACCO CESSATION</p>	<p>bupropion SR 150 mg CHANTIX (varenicline) nicotine gum (nicotine polacrilex) nicotine lozenge buccal (nicotine polacrilex) nicotine patch OTC (nicotine)</p>	<p>NICOTROL (nicotine) inhalation NICOTROL NS (nicotine)nasal</p>

Note: Changes are indicated by highlighted area. Non-preferred drugs require failure of 1,2 or 3 preferred agents for prior authorization approval. Those drugs with a ^{CL} also have clinical prior authorization criteria for use associated with them.